

Table 7.19A Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	3,129 ^a	3,090 ^a	3,240 ^a	3,376 ^a	3,116 ^a	3,556 ^a	3,871 ^a	4,070 ^a	4,603 ^a	4,979 ^a	5,354 ^a	5,729 ^a	6,508 ^a	6,532 ^a	6,971 ^a	8,123	8,657
Cocaine	121	84	139	192	186	154	81	51 ^a	69	44 ^a	113	151	66	91	74	126	146
Crack	48	19	91	90	35	77	19	25	26	19	21	67	46	60	24	68	40
Heroin	60	30 ^a	55	20 ^a	151	40 ^a	71	48 ^a	62	101	150	92	131	110	186	158	132
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27	22	47	29
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	14	35	25
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	135	161	197	229
Alcohol	9,678 ^a	9,638 ^a	9,745 ^a	10,165	10,322	10,081	10,651	11,090	10,028	10,793	10,831	10,587	11,239	11,434	11,563	11,893	10,978
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	3,129 ^a	3,090 ^a	3,240 ^a	3,376 ^a	3,116 ^a	3,556 ^a	3,871 ^a	4,070 ^a	4,603 ^a	4,979 ^a	5,354 ^a	5,729 ^a	6,508 ^a	6,532 ^a	6,971 ^a	8,123	8,657
Cocaine	121	84	139	192	186	154	81	51 ^a	69	44 ^a	113	151	66	91	74	126	146
Crack	48	19	91	90	35	77	19	25	*	*	21	*	46	60	24	*	40
Heroin	*	*	*	20 ^a	*	*	*	48 ^a	62	101	*	92	131	110	186	158	132
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27	22	47	29
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	14	35	25
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	135	161	197	229
Alcohol	9,678 ^a	9,638 ^a	9,745 ^a	10,165	10,322	10,081	10,651	11,090	10,028	10,793	10,831	10,587	11,239	11,434	11,563	11,893	10,978

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.19B Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	1.3 ^a	1.3 ^a	1.3 ^a	1.4 ^a	1.3 ^a	1.4 ^a	1.5 ^a	1.6 ^a	1.8 ^a	1.9 ^a	2.1 ^a	2.2 ^a	2.5 ^a	2.4 ^a	2.6 ^a	3.0	3.2
Cocaine	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0 ^a	0.0	0.1	0.0	0.0	0.0	0.0	0.1
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Heroin	0.0	0.0 ^a	0.0	0.0 ^a	0.1	0.0 ^a	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.1
Alcohol	4.1	4.1	4.1	4.2	4.2	4.1	4.3	4.4	4.0	4.2	4.2	4.0	4.2	4.3	4.3	4.4	4.0
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	12.2 ^a	12.2 ^a	12.7 ^a	13.3 ^a	12.3 ^a	14.1 ^a	15.0 ^a	14.2 ^a	15.7 ^a	16.7 ^a	17.0 ^a	17.4 ^a	18.5	18.1 ^a	18.6	19.8	19.9
Cocaine	2.0	1.4	2.5	3.5	3.1	2.7	1.5	1.1	1.5	1.1	2.4	3.6	1.5	1.9	1.5	2.1	2.6
Crack	3.1	1.4	7.0	6.5	2.4	5.3	1.7	2.4	*	*	2.3	*	5.9	7.2	2.7	*	5.2
Heroin	*	*	*	5.2 ^a	*	*	*	8.2	10.0	16.3	*	13.5	14.3	13.3	19.6	17.9	16.3
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.5	0.9	0.5
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.7	0.9	2.0	1.2
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.9	11.6	12.1	12.3
Alcohol	6.2	6.2	6.2	6.3	6.4	6.2	6.5	6.6	6.0	6.3	6.2	6.1	6.4	6.5	6.6	6.7	6.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.20A Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	358 ^a	282	342 ^a	268	288	260	276	291	337 ^a	301	277	299	257	258	253	250	244
Cocaine	10	10	4	7	3	7	5	3	2	2	*	*	*	*	2	*	2
Crack	4	*	*	3	*	4	*	*	*	2	*	*	*	*	*	*	*
Heroin	2	2	3	*	*	*	1	3	*	*	*	*	3	*	2	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	3	*	3
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	11	19	5
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	3	2
Alcohol	102 ^a	89 ^a	91 ^a	76 ^a	87 ^a	84 ^a	61 ^a	52 ^a	50 ^a	60 ^a	44	43	61 ^a	58 ^a	36	47	24
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	358 ^a	282	342 ^a	268	288	260	276	291	337 ^a	301	277	299	257	258	253	250	244
Cocaine	10	10	4	7	3	7	5	3	2	*	0	*	*	*	*	*	*
Crack	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1	3	0	3
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	11	19	5
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Alcohol	102 ^a	89 ^a	91 ^a	76 ^a	87 ^a	84 ^a	61 ^a	52 ^a	50 ^a	60 ^a	44	43	61 ^a	58 ^a	36	47	24

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.20B Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	1.4 ^a	1.1	1.4 ^a	1.1	1.1	1.0	1.1	1.2	1.4 ^a	1.2	1.1	1.2	1.0	1.0	1.0	1.0	1.0
Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	0.0	*	0.0
Crack	0.0	*	*	0.0	*	0.0	*	*	*	0.0	*	*	*	*	*	*	*
Heroin	0.0	0.0	0.0	*	*	*	0.0	0.0	*	*	*	*	0.0	*	0.0	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.0	*	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.1	0.0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.0	0.0	0.0
Alcohol	0.4 ^a	0.4 ^a	0.4 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.2	0.2	0.2 ^a	0.2 ^a	0.1	0.2	0.1
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	9.2	7.5	9.4	7.9	8.6	8.2	8.5	8.7	9.9 ^a	8.5	8.2	8.9	7.9	8.2	8.5	8.1	7.8
Cocaine	1.9	2.2	1.1	1.6	0.8	1.8	1.5	1.1	0.7	*	0.1	*	*	*	*	*	*
Crack	4.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.6	0.1	0.8
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	2.1	3.4	0.8
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Alcohol	1.2 ^a	1.0 ^a	1.1 ^a	0.9 ^a	1.0 ^a	1.0 ^a	0.8	0.7	0.7	0.9 ^a	0.7	0.7	1.0 ^a	1.0 ^a	0.7	0.9	0.5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.21A Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	2,772 ^a	2,808 ^a	2,898 ^a	3,108 ^a	2,828 ^a	3,296 ^a	3,595 ^a	3,779 ^a	4,265 ^a	4,678 ^a	5,077 ^a	5,430 ^a	6,251 ^a	6,274 ^a	6,718 ^a	7,873	8,414
Cocaine	111	74	134	185	182	147	77	49 ^a	67	42 ^a	112	150	65	91	72	126	144
Crack	44	18	91	87	34	73	19	25	26	18	21	67	46	60	24	68	40
Heroin	58	28 ^a	53	19 ^a	151	40 ^a	69	44 ^a	62	101	150	91	127	110	183	158	132
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	19	47	25
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25	*	16	20
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	135	159	194	228
Alcohol	9,577 ^a	9,549 ^a	9,654 ^a	10,089	10,235	9,997	10,590	11,039	9,978	10,733	10,787	10,544	11,178	11,375	11,527	11,846	10,954
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	2,772 ^a	2,808 ^a	2,898 ^a	3,108 ^a	2,828 ^a	3,296 ^a	3,595 ^a	3,779 ^a	4,265 ^a	4,678 ^a	5,077 ^a	5,430 ^a	6,251 ^a	6,274 ^a	6,718 ^a	7,873	8,414
Cocaine	111	74	134	185	182	147	77	49 ^a	67	42 ^a	112	150	65	91	72	126	144
Crack	44	18	91	87	34	73	19	25	*	*	21	*	46	60	24	*	40
Heroin	*	*	*	19 ^a	*	*	*	44 ^a	62	101	*	91	127	110	183	158	132
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	19	47	25
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	3	16	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	135	159	194	228
Alcohol	9,577 ^a	9,549 ^a	9,654 ^a	10,089	10,235	9,997	10,590	11,039	9,978	10,733	10,787	10,544	11,178	11,375	11,527	11,846	10,954

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.21B Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	1.3 ^a	1.3 ^a	1.3 ^a	1.4 ^a	1.3 ^a	1.5 ^a	1.6 ^a	1.7 ^a	1.9 ^a	2.0 ^a	2.2 ^a	2.3 ^a	2.6 ^a	2.6 ^a	2.7 ^a	3.2	3.4
Cocaine	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0 ^a	0.0	0.0 ^a	0.0	0.1	0.0	0.0	0.0	0.1	0.1
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Heroin	0.0	0.0 ^a	0.0	0.0 ^a	0.1	0.0 ^a	0.0	0.0 ^a	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	*	0.0	0.0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.1
Alcohol	4.6	4.5	4.5	4.6	4.6	4.5	4.7	4.9	4.4	4.6	4.6	4.4	4.7	4.7	4.7	4.8	4.4
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	12.7 ^a	13.1 ^a	13.3 ^a	14.1 ^a	12.8 ^a	15.0 ^a	15.9 ^a	14.9 ^a	16.5 ^a	17.9 ^a	18.0 ^a	18.3 ^a	19.6	19.1 ^a	19.4	20.8	20.8
Cocaine	2.1	1.4	2.6	3.6	3.2	2.7	1.5	1.1	1.6	1.2	2.5	3.7	1.5	2.0	1.5	2.2	2.7
Crack	3.0	1.4	7.4	6.5	2.4	5.3	1.7	2.5	*	*	2.4	*	6.1	7.3	2.7	*	5.3
Heroin	*	*	*	5.6 ^a	*	*	*	8.1	10.4	17.8	*	14.1	14.4	13.7	19.6	18.1	16.5
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.4	1.0	0.5
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.3	1.3	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.1	11.7	12.2	12.5
Alcohol	6.5	6.5	6.5	6.6	6.6	6.5	6.7	6.9	6.2	6.6	6.5	6.3	6.6	6.7	6.8	6.8	6.3

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.22A Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	1,336 ^a	1,375 ^a	1,379 ^a	1,519 ^a	1,487 ^a	1,479 ^a	1,656 ^a	1,691 ^a	1,863 ^a	1,825 ^a	2,157 ^a	2,166 ^a	2,224 ^a	2,353	2,218 ^a	2,618	2,483
Cocaine	17	24 ^a	20 ^a	31 ^a	28 ^a	22 ^a	14	23 ^a	7	9	20	6	8	19	10	28 ^a	5
Crack	3	4	9	5	7	8	5	3	3	*	4	*	3	7	*	*	*
Heroin	6 ^a	8	8	11	8	16	24	17	33	28	43	25	17	29	38	41	24
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	5	16	6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	7	2
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	28	25	25
Alcohol	681	733	681	668	678	669	710	672	642	604	636	599	645	726	721	783	659
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	1,336 ^a	1,375 ^a	1,379 ^a	1,519 ^a	1,487 ^a	1,479 ^a	1,656 ^a	1,691 ^a	1,863 ^a	1,825 ^a	2,157 ^a	2,166 ^a	2,224	2,353	2,218	2,618	2,483
Cocaine	17	24 ^a	20 ^a	31 ^a	28 ^a	22 ^a	14	23 ^a	7	9	20	6	8	19	10	28 ^a	5
Crack	3	4	9	5	7	8	5	3	3	*	*	*	*	*	*	*	*
Heroin	*	*	*	11	*	*	24	*	33	28	*	25	17	*	38	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	5	16	6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	28	25	25
Alcohol	681	733	681	668	678	669	710	672	642	604	636	599	645	726	721	783	659

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.22B Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	4.3 ^a	4.3 ^a	4.3 ^a	4.7 ^a	4.5 ^a	4.5 ^a	5.0 ^a	5.0 ^a	5.5 ^a	5.3 ^a	6.2 ^a	6.2 ^a	6.4 ^a	6.7	6.4 ^a	7.6	7.3
Cocaine	0.1	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.0	0.1 ^a	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1 ^a	0.0
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	*	0.0	0.0	*	*	*
Heroin	0.0 ^a	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.0	0.0	0.0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.1	0.1	0.1
Alcohol	2.2	2.3 ^a	2.1	2.1	2.1	2.0	2.2	2.0	1.9	1.8	1.8	1.7	1.8	2.1	2.1	2.3	1.9
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	14.5 ^a	15.2 ^a	15.4 ^a	16.7 ^a	16.2 ^a	16.4 ^a	18.1 ^a	16.3 ^a	18.2 ^a	17.3 ^a	19.8	19.7	19.9	20.9	19.5	21.9	21.0
Cocaine	0.8	1.1 ^a	0.9	1.4 ^a	1.2 ^a	1.0 ^a	0.8	1.3 ^a	0.4	0.6	1.3	0.4	0.5	1.0	0.5	1.3 ^a	0.3
Crack	1.2	1.4	3.3	1.5	2.5	3.4	2.3	1.6	1.4	*	*	*	*	*	*	*	*
Heroin	*	*	*	6.9	*	*	16.2	*	15.6	12.2	*	10.3	6.4	*	16.8	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.2	0.7	0.3
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.5	10.7	6.7	9.2
Alcohol	2.8	3.0	2.7	2.6	2.6	2.6	2.8	2.5	2.4	2.3	2.4	2.2	2.4	2.8	2.8	3.1	2.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.23A Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	1,435 ^a	1,433 ^a	1,519 ^a	1,589 ^a	1,341 ^a	1,817 ^a	1,939 ^a	2,088 ^a	2,402 ^a	2,853 ^a	2,920 ^a	3,264 ^a	4,027 ^a	3,921 ^a	4,500 ^a	5,255 ^a	5,930
Cocaine	94	51	115	154	154	125	62	26 ^a	60	33 ^a	92	145	57	72	62	98	138
Crack	40	14	83	82	27	65	14	22	24	16	17	66	43	53	24	68	39
Heroin	52	20 ^a	45	*	143	24 ^a	45	27 ^a	29 ^a	73	107	66	110	81	145	117	107
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	14	31	19
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25	*	*	18
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	120	130	169	202
Alcohol	8,896 ^a	8,816 ^a	8,973 ^a	9,421	9,557	9,328	9,880	10,367	9,336	10,129	10,150	9,945	10,533	10,649	10,806	11,064	10,295
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	1,435 ^a	1,433 ^a	1,519 ^a	1,589 ^a	1,341 ^a	1,817 ^a	1,939 ^a	2,088 ^a	2,402 ^a	2,853 ^a	2,920 ^a	3,264 ^a	4,027 ^a	3,921 ^a	4,500 ^a	5,255 ^a	5,930
Cocaine	94	51	115	154	154	125	62	26 ^a	60	33 ^a	92	145	57	72	62	98	138
Crack	40	14	83	82	27	65	14	*	*	*	*	*	43	*	24	*	39
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	110	81	145	117	107
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	14	31	19
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	120	130	169	202
Alcohol	8,896 ^a	8,816 ^a	8,973 ^a	9,421	9,557	9,328	9,880	10,367	9,336	10,129	10,150	9,945	10,533	10,649	10,806	11,064	10,295

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.23B Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.8 ^a	0.8 ^a	0.8 ^a	0.9 ^a	0.7 ^a	1.0 ^a	1.0 ^a	1.1 ^a	1.2 ^a	1.4 ^a	1.5 ^a	1.6 ^a	2.0 ^a	1.9 ^a	2.1 ^a	2.5 ^a	2.8
Cocaine	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0 ^a	0.0	0.0 ^a	0.0	0.1	0.0	0.0	0.0	0.0	0.1
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Heroin	0.0	0.0 ^a	0.0	*	0.1	0.0 ^a	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	*	*	0.0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.1
Alcohol	5.0	4.9	4.9	5.1	5.1	4.9	5.1	5.4 ^a	4.8	5.1	5.1	4.9	5.1	5.1	5.1	5.2	4.8
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	11.4 ^a	11.5 ^a	11.8 ^a	12.3 ^a	10.4 ^a	14.0 ^a	14.4 ^a	13.9 ^a	15.3 ^a	18.3	16.9 ^a	17.5 ^a	19.4	18.1 ^a	19.4	20.3	20.8
Cocaine	2.8	1.5	3.7	5.4	4.5	3.8	2.0	0.9 ^a	2.2	1.6	3.2	5.8	2.1	2.6	2.0	2.6	4.0
Crack	3.4	1.4	8.5	8.2	2.4	5.7	1.6	*	*	*	*	*	6.9	*	3.0	*	5.9
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	17.8	13.7	20.5	17.8	16.8
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.7	1.4	0.7
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.2	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.9	11.9	13.9	13.1
Alcohol	7.2	7.3	7.3	7.4	7.5	7.2	7.5	7.7 ^a	6.9	7.4	7.2	7.0	7.3	7.4	7.5	7.5	6.9

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.24A Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	976	900 ^a	886 ^a	971	949	858 ^a	1,052	1,011	1,036	1,050	1,161	1,108	1,077	1,100	964	1,131	1,078
Cocaine	19 ^a	20 ^a	10	14 ^a	14	14	9	13	4	11	15	3	4	10	8	8	3
Crack	5	4	2	4	2	4	3	*	3	3	3	*	*	4	*	*	*
Heroin	3	9	3	6	*	5	6	4	16	12	13	4	13	8	5	4	5
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	3	3	5
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	13	26 ^a	5
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10	8	13	7
Alcohol	298 ^a	318 ^a	231 ^a	234 ^a	244 ^a	267 ^a	242 ^a	207	215	193	143	173	185	226	126	191	162
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	976	900 ^a	886 ^a	971	949	858 ^a	1,052	1,011	1,036	1,050	1,161	1,108	1,077	1,100	964	1,131	1,078
Cocaine	19 ^a	20 ^a	10	14 ^a	14	14	9	13	4	11	15	3	4	10	8	8	3
Crack	5	*	*	*	2	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	3	3	5
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	13	26 ^a	5
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Alcohol	298 ^a	318 ^a	231 ^a	234 ^a	244 ^a	267 ^a	242 ^a	207	215	193	143	173	185	226	126	191	162

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.24B Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	2.6	2.4 ^a	2.3 ^a	2.5	2.5	2.2 ^a	2.8	2.6	2.7	2.7	3.0	2.9	2.8	2.9	2.6	3.0	2.8
Cocaine	0.0 ^a	0.1 ^a	0.0	0.0 ^a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	*	*	0.0	*	*	*
Heroin	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.1 ^a	0.0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Alcohol	0.8 ^a	0.8 ^a	0.6 ^a	0.6 ^a	0.6 ^a	0.7 ^a	0.6 ^a	0.5	0.6	0.5	0.4	0.5	0.5	0.6	0.3	0.5	0.4
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	12.1 ^a	11.4 ^a	11.5 ^a	13.0	12.8	12.0 ^a	14.3	12.8	13.1	12.7	14.4	14.1	13.9	14.6	13.0	15.1	14.0
Cocaine	1.4 ^a	1.6 ^a	0.8	1.1	1.0	1.2	0.9	1.5	0.5	1.3	1.9	0.6	0.7	1.3	1.0	1.1	0.4
Crack	2.7	*	*	*	0.9	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	2.3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3	0.2	0.3	0.4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	1.7	3.4 ^a	0.6
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Alcohol	1.7 ^a	1.8 ^a	1.3	1.3	1.4	1.5	1.4	1.2	1.3	1.2	0.9	1.2	1.3	1.7	1.0	1.5	1.3

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.25A Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	2,153 ^a	2,191 ^a	2,354 ^a	2,405 ^a	2,168 ^a	2,698 ^a	2,819 ^a	3,059 ^a	3,566 ^a	3,929 ^a	4,193 ^a	4,621 ^a	5,431 ^a	5,431 ^a	6,008 ^a	6,991	7,579
Cocaine	102	64	129	178	171	139	72	38 ^a	64	33 ^a	98	148	62	82	67	118	143
Crack	42	15	89	86	33	73	17	24	24	16	19	67	45	56	24	68	40
Heroin	57	22 ^a	53	14 ^a	149	35 ^a	65	43 ^a	46 ^a	89	138	89	117	103	181	154	127
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23	19	44	23
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25	*	*	20
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	124	152	184	222
Alcohol	9,380 ^a	9,320 ^a	9,514 ^a	9,932	10,078	9,814	10,409	10,883	9,813	10,600	10,687	10,414	11,054	11,208	11,437	11,702	10,816
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	2,153 ^a	2,191 ^a	2,354 ^a	2,405 ^a	2,168 ^a	2,698 ^a	2,819 ^a	3,059 ^a	3,566 ^a	3,929 ^a	4,193 ^a	4,621 ^a	5,431 ^a	5,431 ^a	6,008 ^a	6,991	7,579
Cocaine	102	64	129	178	171	139	72	38 ^a	64	33 ^a	98	148	62	82	67	118	143
Crack	42	15	89	86	33	73	17	24	*	*	*	*	45	56	24	*	40
Heroin	*	*	*	14 ^a	*	*	*	*	46 ^a	*	*	89	117	103	181	154	127
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23	19	44	23
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1	9	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	124	152	184	222
Alcohol	9,380 ^a	9,320 ^a	9,514 ^a	9,932	10,078	9,814	10,409	10,883	9,813	10,600	10,687	10,414	11,054	11,208	11,437	11,702	10,816

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.25B Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	1.1 ^a	1.1 ^a	1.2 ^a	1.2 ^a	1.0 ^a	1.3 ^a	1.3 ^a	1.4 ^a	1.7 ^a	1.8 ^a	1.9 ^a	2.1 ^a	2.4 ^a	2.4 ^a	2.6 ^a	3.0	3.2
Cocaine	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0 ^a	0.0	0.0 ^a	0.0	0.1	0.0	0.0	0.0	0.1	0.1
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Heroin	0.0	0.0 ^a	0.0	0.0 ^a	0.1	0.0 ^a	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	*	*	0.0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.1
Alcohol	4.7	4.7	4.7	4.8	4.8	4.7	4.9	5.1	4.6	4.8	4.8	4.6	4.9	4.9	4.9	5.0	4.6
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	12.2 ^a	12.6 ^a	13.3 ^a	13.5 ^a	12.0 ^a	15.0 ^a	15.2 ^a	14.7 ^a	16.7 ^a	18.3 ^a	17.9 ^a	18.4 ^a	19.8	19.0 ^a	19.9	20.9	21.2
Cocaine	2.2	1.4	2.9	4.2	3.7	3.1	1.7	1.0 ^a	1.7	1.1	2.5	4.1	1.6	2.0	1.5	2.3	3.0
Crack	3.1	1.3	7.9	7.3	2.6	5.7	1.7	2.6	*	*	*	*	6.3	7.0	2.8	*	5.5
Heroin	*	*	*	5.2 ^a	*	*	*	*	9.3	*	*	14.9	14.4	13.6	20.5	18.4	16.7
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.6	1.2	0.5
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.1	0.9	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.9	12.0	12.4	12.9
Alcohol	6.8	6.8	6.8	6.9	7.0	6.7	7.0	7.2	6.5	6.9	6.8	6.5	6.8	6.9	7.1	7.1	6.5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.26A Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	4,756 ^a	4,894 ^a	4,880 ^a	5,089 ^a	5,104 ^a	5,099 ^a	5,454 ^a	6,181 ^a	6,935 ^a	7,074 ^a	7,601 ^a	8,144 ^a	9,240 ^a	9,240 ^a	9,995 ^a	10,829 ^a	11,966
Cocaine	113	133	263 ^a	209	343 ^a	176	168	157	178	69	129	185	116	113	187	137	125
Crack	42	76	118	75	121	99	66	90	55	20	73	95	58	52	96	59	53
Heroin	98	57 ^a	78	46 ^a	188	81	93	48 ^a	79	183	180	145	178	141	220	203	132
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	32	15 ^a	32	48
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	31	34	42
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	246 ^a	249 ^a	308	398
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	431	348	362	369
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	89	91	122	76
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	114	120	91	104
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	29	39	39	*
Cigarettes ²	38,738 ^a	37,989 ^a	37,343 ^a	38,131 ^a	38,331 ^a	36,901 ^a	36,788 ^a	35,834 ^a	34,718 ^a	34,488 ^a	34,936 ^a	33,247 ^a	32,471 ^a	30,190 ^a	29,701 ^a	27,787	27,328
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	5,399	5,336	5,149	4,890
Cigars	1,339 ^a	1,732 ^a	1,648 ^a	1,623 ^a	1,868 ^a	1,699 ^a	1,874 ^a	1,972 ^a	2,147	1,811 ^a	2,153	1,898 ^a	1,725 ^a	2,259	2,401	2,337	2,410
Alcohol	19,745 ^a	19,053 ^a	19,487 ^a	20,200	19,893 ^a	20,051 ^a	21,173	21,896	20,357	20,632	21,544	21,262	22,593	21,422	20,962	21,852	21,678
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,856	2,666	2,918	2,911
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	4,756 ^a	4,894 ^a	4,880 ^a	5,089 ^a	5,104 ^a	5,099 ^a	5,454 ^a	6,181 ^a	6,935 ^a	7,074 ^a	7,601 ^a	8,144 ^a	9,240 ^a	9,240 ^a	9,995 ^a	10,829 ^a	11,966
Cocaine	113	133	263 ^a	209	343 ^a	176	168	157	178	69	129	185	116	113	187	137	125
Crack	42	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	178	*	*	203	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	32	15 ^a	32	48
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	31	34	42
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	246 ^a	249 ^a	308	398
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	431	348	362	369
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	89	91	122	76
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	114	120	91	104
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	38,738 ^a	37,989 ^a	37,343 ^a	38,131 ^a	38,331 ^a	36,901 ^a	36,788 ^a	35,834 ^a	34,718 ^a	34,488 ^a	34,936 ^a	33,247 ^a	32,471 ^a	30,190 ^a	29,701 ^a	27,787	27,328
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	5,399	5,336	5,149	4,890
Cigars	1,339 ^a	1,732 ^a	1,648 ^a	1,623 ^a	1,868 ^a	1,699 ^a	1,874 ^a	1,972 ^a	2,147	1,811 ^a	2,153	1,898 ^a	1,725 ^a	2,259	2,401	2,337	2,410
Alcohol	19,745 ^a	19,053 ^a	19,487 ^a	20,200	19,893 ^a	20,051 ^a	21,173	21,896	20,357	20,632	21,544	21,262	22,593	21,422	20,962	21,852	21,678
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,856	2,666	2,918	2,911
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	20,520 ^a	20,284 ^a	20,160 ^a	19,573 ^a	19,394 ^a	18,752 ^a	18,066 ^a	16,433 ^a	15,619 ^a	15,093 ^a	14,650 ^a	13,721 ^a	13,058 ^a	12,380 ^a	12,184 ^a	11,414	10,799

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.26B Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	2.0 ^a	2.1 ^a	2.0 ^a	2.1 ^a	2.1 ^a	2.1 ^a	2.2 ^a	2.5 ^a	2.7 ^a	2.7 ^a	2.9 ^a	3.1 ^a	3.5 ^a	3.5 ^a	3.7 ^a	4.0 ^a	4.4
Cocaine	0.0	0.1	0.1 ^a	0.1	0.1 ^a	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Heroin	0.0	0.0	0.0	0.0 ^a	0.1	0.0	0.0	0.0 ^a	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0 ^a	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1 ^a	0.1	0.1	0.1
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2	0.1	0.1	0.1
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*
Cigarettes ²	16.5 ^a	16.0 ^a	15.5 ^a	15.7 ^a	15.6 ^a	14.9 ^a	14.7 ^a	14.2 ^a	13.7 ^a	13.4 ^a	13.4 ^a	12.7 ^a	12.2 ^a	11.3 ^a	11.0 ^a	10.2	10.0
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.0 ^a	2.0	1.9	1.8
Cigars	0.6 ^a	0.7	0.7 ^a	0.7 ^a	0.8	0.7 ^a	0.7	0.8	0.8	0.7 ^a	0.8	0.7	0.7 ^a	0.8	0.9	0.9	0.9
Alcohol	8.4	8.0	8.1	8.3	8.1	8.1	8.5	8.7 ^a	8.0	8.0	8.3	8.1	8.5 ^a	8.0	7.8	8.0	7.9
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.1	1.0	1.1	1.1
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	32.6 ^a	33.4 ^a	33.5 ^a	34.8 ^a	34.4 ^a	35.2 ^a	35.7 ^a	36.7 ^a	39.8 ^a	39.1 ^a	40.3 ^a	41.1	41.6	41.6	41.7	41.7	43.3
Cocaine	5.6	5.8	13.0 ^a	8.7	14.2 ^a	8.5	9.0	9.6	12.1	5.1	7.8	11.9	7.6	6.0	10.0	6.3	6.4
Crack	7.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	40.9	*	*	41.1	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.6	1.1	2.2	3.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.9	5.2	6.1	6.9
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	27.4 ^a	37.3	39.7	39.8
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	11.4	10.4	11.2	12.9
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	5.4	5.2	6.6	4.5
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	6.1	6.2	5.3	6.4
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	63.4 ^a	62.9 ^a	62.3 ^a	63.0 ^a	62.3 ^a	61.3 ^a	61.5 ^a	61.0 ^a	59.5	60.7 ^a	60.7 ^a	59.6	58.8	58.1	57.9	57.1	58.2
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	60.0	60.9	60.0	61.3
Cigars	10.5 ^a	13.5 ^a	12.0 ^a	11.9 ^a	13.6 ^a	12.8 ^a	14.2 ^a	14.8 ^a	16.2 ^a	14.1 ^a	16.0 ^a	15.3 ^a	14.4 ^a	18.1	19.6	18.6	19.7
Alcohol	16.5	16.0	16.1	16.0	15.9	15.8	16.4	16.8 ^a	15.5	15.5	15.9	15.5	16.2	15.5	15.3	15.5	15.5
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.3	4.1	4.4	4.3
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	53.1 ^a	53.5 ^a	54.0 ^a	51.4 ^a	50.6 ^a	50.9 ^a	49.2 ^a	45.9 ^a	45.1 ^a	43.8 ^a	42.0	41.3	40.3	41.1	41.1	41.2	39.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.27A Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	603 ^a	482 ^a	536 ^a	400	434	427	421	452 ^a	439	466 ^a	425	451 ^a	400	421	367	405	367
Cocaine	7	8	11	10	*	10	11 ^a	6	2	*	2	*	8	2	3	*	2
Crack	6	6	3	*	*	4	*	2	*	*	*	*	*	*	*	*	*
Heroin	4	3	6	*	*	*	2	2	*	12	*	*	5	*	*	*	4
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2	3	2	3
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	12	10	4
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	2	5	4
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	7	8	10	*
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	5	8	6	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	12	6	7	10
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	1,021 ^a	904 ^a	828 ^a	704 ^a	701 ^a	659 ^a	510 ^a	511 ^a	459 ^a	440 ^a	360 ^a	271 ^a	292 ^a	208 ^a	129	96	99
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	114	112	86	79
Cigars	78 ^a	59	76 ^a	57	58	44	52	62 ^a	48	45	31	27	36	32	49	36	35
Alcohol	165 ^a	137 ^a	163 ^a	136 ^a	104 ^a	121 ^a	83 ^a	108 ^a	87 ^a	77 ^a	69 ^a	55 ^a	55 ^a	55 ^a	34	37	27
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12	5	14	12
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	603 ^a	482 ^a	536 ^a	400	434	427	421	452 ^a	439	466 ^a	425	451 ^a	400	421	367	405	367
Cocaine	7	8	*	10	1	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	4
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	7	8 ^a	10 ^a	1
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	1,021 ^a	904 ^a	828 ^a	704 ^a	701 ^a	659 ^a	510 ^a	511 ^a	459 ^a	440 ^a	360 ^a	271 ^a	292 ^a	208 ^a	129	96	99
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	114	112	86	79
Cigars	78 ^a	59	76 ^a	57	58	44	52	62 ^a	48	45	31	27	36	32	49	36	35
Alcohol	165 ^a	137 ^a	163 ^a	136 ^a	104 ^a	121 ^a	83 ^a	108 ^a	87 ^a	77 ^a	69 ^a	55 ^a	55 ^a	55 ^a	34	37	27
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12	5	14	12
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	221	199	160	142	125	123	93	91	76	65	38	32	35	16	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.27B Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	2.4 ^a	1.9 ^a	2.1 ^a	1.6	1.7	1.7	1.7	1.8 ^a	1.8 ^a	1.9 ^a	1.7	1.8 ^a	1.6	1.7	1.5	1.6	1.5
Cocaine	0.0	0.0	0.0	0.0	*	0.0	0.0 ^a	0.0	0.0	*	0.0	*	0.0	0.0	0.0	*	0.0
Crack	0.0	0.0	0.0	*	*	0.0	*	0.0	*	*	*	*	*	*	*	*	*
Heroin	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	*	*	0.0	*	*	*	0.0
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.0	0.0	0.0
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	4.1 ^a	3.6 ^a	3.3 ^a	2.8 ^a	2.8 ^a	2.6 ^a	2.0 ^a	2.1 ^a	1.9 ^a	1.8 ^a	1.4 ^a	1.1 ^a	1.2 ^a	0.8 ^a	0.5	0.4	0.4
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5	0.5	0.3	0.3
Cigars	0.3 ^a	0.2	0.3 ^a	0.2	0.2	0.2	0.2	0.3 ^a	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Alcohol	0.7 ^a	0.5 ^a	0.6 ^a	0.5 ^a	0.4 ^a	0.5 ^a	0.3 ^a	0.4 ^a	0.4 ^a	0.3 ^a	0.3 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.1	0.1	0.1
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.1	0.0
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	29.8 ^a	24.4	28.1 ^a	23.1	25.6	25.2	25.3	24.9	24.4	23.7	23.6	25.6	21.8	24.0	22.8	25.1	22.1
Cocaine	4.6	5.3	*	6.9	0.9	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	2.3
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	2.7	3.2	4.4 ^a	0.6
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	31.8 ^a	29.7 ^a	27.6 ^a	25.8 ^a	26.5 ^a	26.4 ^a	22.3 ^a	23.0 ^a	22.5 ^a	22.7 ^a	22.0 ^a	19.4	24.1 ^a	20.0	15.0	12.2	14.7
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	31.0	31.8	25.6	28.4
Cigars	7.0	5.3	6.3	5.4	5.6	4.1 ^a	5.5	6.3	6.1	5.3	4.8	4.8	6.9	6.3	10.9	7.5	8.5
Alcohol	3.8 ^a	3.1 ^a	3.7 ^a	3.3 ^a	2.5 ^a	3.0 ^a	2.3 ^a	3.0 ^a	2.6 ^a	2.3 ^a	2.2 ^a	1.9	1.9	2.3	1.5	1.5	1.2
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.4	1.1	1.0
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	21.8	22.0	19.4	20.1	17.9	18.7	18.4	17.9	16.7	14.8	10.8	11.9	11.9	7.8	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.28A Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	4,153 ^a	4,412 ^a	4,344 ^a	4,689 ^a	4,670 ^a	4,672 ^a	5,033 ^a	5,729 ^a	6,496 ^a	6,608 ^a	7,176 ^a	7,693 ^a	8,840 ^a	8,820 ^a	9,628 ^a	10,424 ^a	11,599
Cocaine	106	124	251 ^a	200	342 ^a	166	157	151	176	69	127	184	108	111	184	137	123
Crack	36	70	114	75	120	95	66	88	55	20	73	94	57	52	96	59	53
Heroin	94	54 ^a	72	46 ^a	187	80	91	46 ^a	79	172	180	144	173	141	219	203	128
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	*	30	45
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20	20	23	38
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	246 ^a	247 ^a	302	394
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	423	341	352	368
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	84	83	116	75
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	102	114	85	94
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	29	39	39	*
Cigarettes ²	37,717 ^a	37,085 ^a	36,516 ^a	37,428 ^a	37,631 ^a	36,242 ^a	36,278 ^a	35,323 ^a	34,259 ^a	34,049 ^a	34,577 ^a	32,976 ^a	32,179 ^a	29,982 ^a	29,573 ^a	27,691	27,229
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	5,285	5,224	5,063	4,811
Cigars	1,260 ^a	1,672 ^a	1,572 ^a	1,566 ^a	1,810 ^a	1,655 ^a	1,821 ^a	1,910 ^a	2,098	1,765 ^a	2,121	1,870 ^a	1,689 ^a	2,226	2,352	2,301	2,376
Alcohol	19,580 ^a	18,916 ^a	19,324 ^a	20,063 ^a	19,789 ^a	19,930 ^a	21,089	21,788	20,270	20,555	21,475	21,207	22,538	21,367	20,927	21,815	21,651
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,844	2,662	2,904	2,899
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	4,153 ^a	4,412 ^a	4,344 ^a	4,689 ^a	4,670 ^a	4,672 ^a	5,033 ^a	5,729 ^a	6,496 ^a	6,608 ^a	7,176 ^a	7,693 ^a	8,840 ^a	8,820 ^a	9,628 ^a	10,424 ^a	11,599
Cocaine	106	124	251 ^a	200	342 ^a	166	157	151	176	69	127	184	108	111	184	137	123
Crack	36	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	203	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	12 ^a	30	45
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	20	23	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	246 ^a	*	302	394
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	423	341	352	368
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	84	83	116	75
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	102	114	85	94
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	37,717 ^a	37,085 ^a	36,516 ^a	37,428 ^a	37,631 ^a	36,242 ^a	36,278 ^a	35,323 ^a	34,259 ^a	34,049 ^a	34,577 ^a	32,976 ^a	32,179 ^a	29,982 ^a	29,573 ^a	27,691	27,229
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	5,285	5,224	5,063	4,811
Cigars	1,260 ^a	1,672 ^a	1,572 ^a	1,566 ^a	1,810 ^a	1,655 ^a	1,821 ^a	1,910 ^a	2,098	1,765 ^a	2,121	1,870 ^a	1,689 ^a	2,226	2,352	2,301	2,376
Alcohol	19,580 ^a	18,916 ^a	19,324 ^a	20,063	19,789 ^a	19,930 ^a	21,089	21,788	20,270	20,555	21,475	21,207	22,538	21,367	20,927	21,815	21,651
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,844	2,662	2,904	2,899
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	20,299 ^a	20,085 ^a	20,000 ^a	19,431 ^a	19,269 ^a	18,630 ^a	17,973 ^a	16,342 ^a	15,543 ^a	15,029 ^a	14,612 ^a	13,689 ^a	13,024 ^a	12,364 ^a	12,171 ^a	11,402	10,790

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.28B Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	2.0 ^a	2.1 ^a	2.0 ^a	2.2 ^a	2.1 ^a	2.1 ^a	2.2 ^a	2.5 ^a	2.8 ^a	2.8 ^a	3.1 ^a	3.2 ^a	3.7 ^a	3.6 ^a	3.9 ^a	4.2 ^a	4.7
Cocaine	0.1	0.1	0.1 ^a	0.1	0.2 ^a	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.0
Crack	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Heroin	0.0	0.0	0.0	0.0 ^a	0.1	0.0	0.0	0.0 ^a	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	*	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.1	0.1	0.2
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2	0.1	0.1	0.1
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*
Cigarettes ²	17.9 ^a	17.4 ^a	17.0 ^a	17.2 ^a	17.1 ^a	16.3 ^a	16.1 ^a	15.5 ^a	14.9 ^a	14.6 ^a	14.7 ^a	13.9 ^a	13.4 ^a	12.3 ^a	12.1 ^a	11.2	10.9
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.2 ^a	2.1	2.0	1.9
Cigars	0.6 ^a	0.8	0.7 ^a	0.7 ^a	0.8	0.7 ^a	0.8	0.8	0.9	0.8 ^a	0.9	0.8	0.7 ^a	0.9	1.0	0.9	1.0
Alcohol	9.3	8.9	9.0	9.2	9.0	9.0	9.4 ^a	9.6 ^a	8.8	8.8	9.1	8.9	9.4 ^a	8.8	8.6	8.8	8.7
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.2	1.1	1.2	1.2
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	33.1 ^a	34.8 ^a	34.3 ^a	36.4 ^a	35.5 ^a	36.6 ^a	37.0 ^a	38.2 ^a	41.6	41.0 ^a	42.1	42.6	43.4	43.1	43.0	42.7	44.6
Cocaine	5.7	5.9	13.3 ^a	8.8	14.8 ^a	8.4	8.9	9.6	12.5	5.3	7.8	12.2	7.3	6.1	10.0	6.4	6.4
Crack	6.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	41.3	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.7	0.9	2.3	3.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	4.4	5.8	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	27.8	*	39.9	40.1
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	12.1	11.0	11.6	13.7
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	5.5	5.1	6.8	4.9
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	6.0	6.2	5.3	6.0
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	65.1 ^a	64.6 ^a	64.2 ^a	64.8 ^a	63.9 ^a	62.8 ^a	63.0 ^a	62.5 ^a	60.9 ^a	62.0 ^a	61.9 ^a	60.6	59.6	58.9	58.6	57.8	58.8
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	61.3	62.1	61.4	62.5
Cigars	10.8 ^a	14.3 ^a	12.6 ^a	12.4 ^a	14.3 ^a	13.5 ^a	14.8 ^a	15.5 ^a	16.8 ^a	14.7 ^a	16.6 ^a	15.8 ^a	14.8 ^a	18.6	19.9	19.1	20.1
Alcohol	17.0 ^a	16.5	16.6	16.5	16.3	16.2	16.8 ^a	17.2 ^a	15.8	15.8	16.2	15.8	16.5	15.7	15.6	15.8	15.7
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.4	4.2	4.4	4.4
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	54.0 ^a	54.3 ^a	54.8 ^a	52.0 ^a	51.2 ^a	51.5 ^a	49.6 ^a	46.4 ^a	45.4 ^a	44.1 ^a	42.3	41.5	40.6	41.3	41.2	41.3	39.7

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.29A Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	1,997 ^a	2,079 ^a	1,995 ^a	2,096 ^a	2,133 ^a	2,071 ^a	2,178 ^a	2,476 ^a	2,658 ^a	2,676 ^a	2,882 ^a	2,817 ^a	3,020	3,076	3,056	3,367	3,190
Cocaine	23	29	49 ^a	25	44 ^a	23	26	30	15	10	20	8	8	19	16	16	14
Crack	5	4	11	*	13	16	5	20	8	*	4	*	3	4	*	6	3
Heroin	10	9	8	26	9	18	24	14	29	54	52	48	33	41	40	55	25
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	3	9	7
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	6	13	7
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	34	20	38	34
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	67	34	66	36
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	23	11	24	12
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	30	20	22	19
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	5	*	2
Cigarettes ²	6,549 ^a	6,726 ^a	6,574 ^a	6,349 ^a	6,149 ^a	5,829 ^a	5,623 ^a	5,458 ^a	5,358 ^a	5,207 ^a	4,967 ^a	4,591 ^a	4,263 ^a	3,923 ^a	3,237 ^a	2,939 ^a	2,438
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	923 ^a	883 ^a	761	673
Cigars	280 ^a	320 ^a	355	363	371	371	360	379	423	391	389	341	352	417	392	463	430
Alcohol	1,741 ^a	1,820 ^a	1,881 ^a	1,923 ^a	1,941 ^a	1,890 ^a	1,923 ^a	1,847 ^a	1,798 ^a	1,645 ^a	1,717 ^a	1,660 ^a	1,649 ^a	1,532	1,447	1,425	1,389
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	294	249	226	237
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	1,997 ^a	2,079 ^a	1,995 ^a	2,096 ^a	2,133 ^a	2,071 ^a	2,178 ^a	2,476 ^a	2,658 ^a	2,676 ^a	2,882	2,817 ^a	3,020	3,076	3,056	3,367	3,190
Cocaine	23	29	49 ^a	25	44 ^a	23	26	30	15	10	20	8	8	19	16	16	14
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	3	9	7
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	67	34	66	36
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	23	11	24	12
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	30	20	22	19
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	6,549 ^a	6,726 ^a	6,574 ^a	6,349 ^a	6,149 ^a	5,829 ^a	5,623 ^a	5,458 ^a	5,358 ^a	5,207 ^a	4,967 ^a	4,591 ^a	4,263 ^a	3,923 ^a	3,237 ^a	2,939 ^a	2,438
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	923 ^a	883 ^a	761	673
Cigars	280 ^a	320 ^a	355	363	371	371	360	379	423	391	389	341	352	417	392	463	430
Alcohol	1,741 ^a	1,820 ^a	1,881 ^a	1,923 ^a	1,941 ^a	1,890 ^a	1,923 ^a	1,847 ^a	1,798 ^a	1,645 ^a	1,717 ^a	1,660 ^a	1,649 ^a	1,532	1,447	1,425	1,389
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	294	249	226	237
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	2,556 ^a	2,494 ^a	2,296 ^a	2,342 ^a	2,116 ^a	1,915 ^a	1,774 ^a	1,609 ^a	1,461 ^a	1,361 ^a	1,247 ^a	1,021 ^a	959 ^a	880 ^a	848 ^a	736 ^a	569

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.29B Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	6.4 ^a	6.6 ^a	6.2 ^a	6.5 ^a	6.5 ^a	6.3 ^a	6.6 ^a	7.4 ^a	7.8 ^a	7.8 ^a	8.3 ^a	8.1 ^a	8.6	8.8	8.8	9.8	9.4
Cocaine	0.1	0.1	0.2 ^a	0.1	0.1 ^a	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
Crack	0.0	0.0	0.0	*	0.0	0.0	0.0	0.1	0.0	*	0.0	*	0.0	0.0	*	0.0	0.0
Heroin	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.0	0.0	0.0
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.1	0.1	0.1
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2	0.1	0.2	0.1
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.0	0.1	0.0
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.1	0.1	0.1
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.0	*	0.0
Cigarettes ²	21.1 ^a	21.2 ^a	20.4 ^a	19.5 ^a	18.8 ^a	17.8 ^a	17.1 ^a	16.3 ^a	15.7 ^a	15.2 ^a	14.4 ^a	13.2 ^a	12.2 ^a	11.2 ^a	9.4 ^a	8.6 ^a	7.2
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.6 ^a	2.6 ^a	2.2	2.0
Cigars	0.9 ^a	1.0	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.1	1.1	1.0 ^a	1.0	1.2	1.1	1.4	1.3
Alcohol	5.6 ^a	5.7 ^a	5.8 ^a	5.9 ^a	5.9 ^a	5.8 ^a	5.8 ^a	5.5 ^a	5.3 ^a	4.8 ^a	5.0 ^a	4.8 ^a	4.7 ^a	4.4	4.2	4.2	4.1
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.7	0.7	0.7
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	37.2 ^a	38.5 ^a	38.4 ^a	38.9 ^a	40.0	38.4 ^a	39.9	40.4	42.1	41.0	44.4	42.5	44.2	44.4	42.5	44.3	42.4
Cocaine	3.6	4.1	7.0 ^a	3.0	6.0	4.0	5.1	6.4	3.1	2.0	5.0	2.1	1.7	3.2	3.0	2.4	2.6
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.1	0.4	1.6	1.2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	8.1	5.4	10.4	7.5
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	3.0	1.5	3.3	2.1
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	5.2	3.7	4.0	4.9
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	51.8 ^a	52.7 ^a	51.6 ^a	50.1 ^a	48.8 ^a	49.2 ^a	47.8 ^a	45.3 ^a	45.8 ^a	45.3 ^a	45.1 ^a	43.1 ^a	43.0 ^a	42.0 ^a	39.9	38.4	37.4
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	48.7	48.9	46.7	45.0
Cigars	8.2 ^a	8.8 ^a	8.7 ^a	9.3 ^a	9.3 ^a	9.5 ^a	9.6 ^a	9.8 ^a	11.0 ^a	10.5 ^a	10.5 ^a	9.8 ^a	10.4 ^a	13.4	12.8	14.8	14.7
Alcohol	9.3 ^a	9.4 ^a	9.7 ^a	9.7 ^a	9.6 ^a	9.4 ^a	9.6 ^a	8.9 ^a	8.6 ^a	7.9	8.2	8.0	7.9	7.5	7.3	7.4	7.4
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.2	1.9	1.8	2.0
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	39.1 ^a	37.1 ^a	34.9 ^a	36.9 ^a	34.4 ^a	32.9 ^a	31.6 ^a	29.5 ^a	27.3 ^a	26.1	25.1	22.3	22.5	22.5	26.2	25.0	23.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.30A Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	2,156 ^a	2,332 ^a	2,349 ^a	2,593 ^a	2,537 ^a	2,601 ^a	2,855 ^a	3,253 ^a	3,838 ^a	3,931 ^a	4,293 ^a	4,875 ^a	5,820 ^a	5,744 ^a	6,573 ^a	7,057 ^a	8,409
Cocaine	83	96	203	174	299 ^a	144	130	121	161	59	107	175	100	92	167	121	110
Crack	31	66	103	74	107	79	61	68	47	19	69	93	55	48	95	54	50
Heroin	84	45	64	20 ^a	178	61	67	32 ^a	49	118	128	96	140	100	179	149	103
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17	*	21	38
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	14	11	30
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	212 ^a	227	264	360
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	356	307	286	332
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	61	72	93	63
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	72	95	63	75
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	28	34	39	*
Cigarettes ²	31,168 ^a	30,359 ^a	29,942 ^a	31,079 ^a	31,481 ^a	30,414 ^a	30,655 ^a	29,865 ^a	28,901 ^a	28,841 ^a	29,610 ^a	28,385 ^a	27,916 ^a	26,059	26,336 ^a	24,751	24,792
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	4,363	4,340	4,302	4,138
Cigars	980 ^a	1,353 ^a	1,217 ^a	1,203 ^a	1,439 ^a	1,284 ^a	1,461 ^a	1,531 ^a	1,676	1,374 ^a	1,733	1,530 ^a	1,337 ^a	1,809	1,960	1,838	1,945
Alcohol	17,839 ^a	17,095 ^a	17,443 ^a	18,140 ^a	17,848 ^a	18,041 ^a	19,167	19,941	18,472 ^a	18,911	19,757	19,547	20,889	19,835	19,481	20,389	20,262
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,550	2,413	2,678	2,663
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	2,156 ^a	2,332 ^a	2,349 ^a	2,593 ^a	2,537 ^a	2,601 ^a	2,855 ^a	3,253 ^a	3,838 ^a	3,931 ^a	4,293 ^a	4,875 ^a	5,820 ^a	5,744 ^a	6,573 ^a	7,057 ^a	8,409
Cocaine	83	96	203	174	299 ^a	144	130	121	161	59	107	*	100	92	167	121	110
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	9	21	38
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	212 ^a	*	264	360
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	356	307	286	332
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	61	72	93	63
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	72	95	63	75
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	31,168 ^a	30,359 ^a	29,942 ^a	31,079 ^a	31,481 ^a	30,414 ^a	30,655 ^a	29,865 ^a	28,901 ^a	28,841 ^a	29,610 ^a	28,385 ^a	27,916 ^a	26,059	26,336 ^a	24,751	24,792
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	4,363	4,340	4,302	4,138
Cigars	980 ^a	1,353 ^a	1,217 ^a	1,203 ^a	1,439 ^a	1,284 ^a	1,461 ^a	1,531 ^a	1,676	1,374 ^a	1,733	1,530	1,337 ^a	1,809	1,960	1,838	1,945
Alcohol	17,839 ^a	17,095 ^a	17,443 ^a	18,140 ^a	17,848 ^a	18,041 ^a	19,167	19,941	18,472 ^a	18,911	19,757	19,547	20,889	19,835	19,481	20,389	20,262
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,550	2,413	2,678	2,663
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	17,743 ^a	17,591 ^a	17,704 ^a	17,089 ^a	17,153 ^a	16,715 ^a	16,199 ^a	14,733 ^a	14,082 ^a	13,668 ^a	13,365 ^a	12,667 ^a	12,065 ^a	11,484 ^a	11,324 ^a	10,666	10,221

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.30B Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	1.2 ^a	1.3 ^a	1.3 ^a	1.4 ^a	1.4 ^a	1.4 ^a	1.5 ^a	1.7 ^a	2.0 ^a	2.0 ^a	2.1 ^a	2.4 ^a	2.8 ^a	2.8 ^a	3.1 ^a	3.3 ^a	3.9
Cocaine	0.0	0.1	0.1 ^a	0.1	0.2 ^a	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.1
Crack	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Heroin	0.0	0.0	0.0	0.0 ^a	0.1	0.0	0.0	0.0 ^a	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.0
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	*	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1 ^a	0.1	0.1	0.2
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2	0.1	0.1	0.2
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*
Cigarettes ²	17.4 ^a	16.8 ^a	16.4 ^a	16.8 ^a	16.8 ^a	16.0 ^a	16.0 ^a	15.4 ^a	14.8 ^a	14.5 ^a	14.8 ^a	14.0 ^a	13.6 ^a	12.5 ^a	12.5 ^a	11.6	11.5
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.1	2.1	2.0	1.9
Cigars	0.5 ^a	0.7	0.7 ^a	0.6 ^a	0.8	0.7 ^a	0.8	0.8	0.9	0.7 ^a	0.9	0.8	0.7 ^a	0.9	0.9	0.9	0.9
Alcohol	9.9	9.4	9.5	9.8	9.5	9.5	10.0	10.3 ^a	9.5	9.5	9.9	9.6	10.2 ^a	9.5	9.3	9.6	9.4
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.2	1.1	1.3	1.2
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	30.0 ^a	32.1 ^a	31.4 ^a	34.5 ^a	32.5 ^a	35.2 ^a	35.1 ^a	36.6 ^a	41.3	41.0 ^a	40.6 ^a	42.7	43.0	42.4	43.3	42.0 ^a	45.5
Cocaine	6.7	6.7	16.8 ^a	12.2	18.8 ^a	10.3	10.4	10.9	17.7 ^a	7.1	8.8	*	9.8	7.4	12.9	8.2	7.8
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1.6	3.0	4.2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	28.0	*	43.5	40.3
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	13.3	12.4	12.0	15.0
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	7.9	8.2	9.3	6.5
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	6.3	7.3	6.0	6.4
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	68.8 ^a	68.0 ^a	67.8 ^a	68.9 ^a	67.9 ^a	66.3 ^a	67.0 ^a	67.2 ^a	64.8 ^a	66.5 ^a	66.0 ^a	64.9 ^a	63.3	62.7	62.2	61.5	62.3
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	64.8	65.7	65.1	66.7
Cigars	11.9 ^a	16.7 ^a	14.4 ^a	13.9 ^a	16.6 ^a	15.4 ^a	17.2 ^a	18.0	19.4	16.6 ^a	19.1	18.2	16.6 ^a	20.4	22.4	20.6	21.9
Alcohol	18.4 ^a	18.0	18.0	17.8	17.7	17.6	18.2	18.8 ^a	17.2	17.3	17.7	17.3	18.0	17.2	17.0	17.2	17.0
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.9	4.7	5.1	4.9
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	57.1 ^a	58.0 ^a	59.2 ^a	55.1 ^a	54.5 ^a	55.1 ^a	53.0 ^a	49.4 ^a	48.8 ^a	47.4 ^a	45.2 ^a	44.7 ^a	43.3	44.1	43.1	43.2	41.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.31A Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	1,530	1,450	1,323	1,333	1,435	1,278 ^a	1,433	1,522	1,488	1,578	1,652	1,536	1,524	1,485	1,434	1,565	1,469
Cocaine	17 ^a	21 ^a	31 ^a	20 ^a	12	18 ^a	23 ^a	18 ^a	12	7	8	5	12	11	11	4	4
Crack	7	8	5	*	*	8	*	8	8	*	3	*	*	4	*	4	*
Heroin	7	9	6	8	4	7	9	5	8	33 ^a	17	11	18	7	4	*	7
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10	3	5	6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	14	19	4
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	19	*	23	15
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	15	18	25	11
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	14	11	19 ^a	3
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	18	17	10	23
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	3,374 ^a	3,209 ^a	3,028 ^a	2,819 ^a	2,769 ^a	2,550 ^a	2,430 ^a	2,330 ^a	2,221 ^a	2,146 ^a	1,756 ^a	1,559 ^a	1,511 ^a	1,190 ^a	900 ^a	771	663
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	426 ^a	404 ^a	306	293
Cigars	207	205	220	232	199	190	194	237	219	217	169	163	159	195	191	219	195
Alcohol	632 ^a	624 ^a	647 ^a	625 ^a	587 ^a	553 ^a	533 ^a	549 ^a	467 ^a	386 ^a	354 ^a	328 ^a	337 ^a	278	233	274	230
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	69	43	66	51
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	1,530	1,450	1,323	1,333	1,435	1,278 ^a	1,433	1,522	1,488	1,578	1,652	1,536	1,524	1,485	1,434	1,565	1,469
Cocaine	17	21	31	20	12	18	23	18	12	7	8	*	*	11	*	4	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10	*	5	6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	14	19	4
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	15	18	25	11
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	14	11	19	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	18	17	10	23
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	3,374 ^a	3,209 ^a	3,028 ^a	2,819 ^a	2,769 ^a	2,550 ^a	2,430 ^a	2,330 ^a	2,221 ^a	2,146 ^a	1,756 ^a	1,559 ^a	1,511 ^a	1,190 ^a	900 ^a	771	663
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	426 ^a	404 ^a	306	293
Cigars	207	205	220	232	199	190	194	237	219	217	169	163	159	195	191	219	195
Alcohol	632 ^a	624 ^a	647 ^a	625 ^a	587 ^a	553 ^a	533 ^a	549 ^a	467 ^a	386 ^a	354 ^a	328 ^a	337 ^a	278	233	274	230
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	69	43	66	51
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	1,013 ^a	925 ^a	834 ^a	856 ^a	734 ^a	621 ^a	604 ^a	547 ^a	467 ^a	464 ^a	313 ^a	280 ^a	273 ^a	165	221 ^a	174	131

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.31B Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	4.1	3.9	3.5	3.5	3.8	3.3 ^a	3.8	4.0	3.9	4.1	4.3	4.0	4.0	3.9	3.8	4.1	3.9
Cocaine	0.0 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.0	0.0 ^a	0.1 ^a	0.0 ^a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Crack	0.0	0.0	0.0	*	*	0.0	*	0.0	0.0	*	0.0	*	*	0.0	*	0.0	*
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 ^a	0.0	0.0	0.0	0.0	0.0	*	0.0
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	*	0.1	0.0
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.1	0.0
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.1 ^a	0.0
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.1
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	9.1 ^a	8.6 ^a	8.0 ^a	7.4 ^a	7.3 ^a	6.6 ^a	6.4 ^a	6.1 ^a	5.8 ^a	5.6 ^a	4.6 ^a	4.1 ^a	4.0 ^a	3.1 ^a	2.4 ^a	2.0	1.7
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	1.1 ^a	1.1 ^a	0.8	0.8
Cigars	0.6	0.5	0.6	0.6	0.5	0.5	0.5	0.6	0.6	0.6	0.4	0.4	0.4	0.5	0.5	0.6	0.5
Alcohol	1.7 ^a	1.7 ^a	1.7 ^a	1.6 ^a	1.5 ^a	1.4 ^a	1.4 ^a	1.4 ^a	1.2 ^a	1.0 ^a	0.9 ^a	0.9 ^a	0.9 ^a	0.7	0.6	0.7	0.6
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.1	0.2	0.1
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	34.3	32.5	31.6	31.8	35.2	31.0	34.5	34.0	32.5	32.2	35.6 ^a	34.5	33.4	33.6	32.8	35.5	32.1
Cocaine	4.2	5.0	8.1	4.5	2.6	5.2	7.3	8.2	5.3	2.6	4.5	*	*	5.0	*	2.1	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.7	*	1.3	1.8
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.7	6.7	8.6 ^a	1.8
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	2.8	4.1	6.3	3.4
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	3.4	2.6	5.3	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	4.8	5.3	3.2	9.6
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	42.1 ^a	41.1 ^a	39.5 ^a	38.3 ^a	38.4 ^a	37.4 ^a	36.2 ^a	34.6 ^a	34.6 ^a	34.5 ^a	32.6 ^a	31.4 ^a	34.7 ^a	30.9 ^a	27.8	25.6	25.6
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	40.3	41.3	34.1	35.2
Cigars	7.5 ^a	7.4 ^a	7.1 ^a	7.9 ^a	7.0 ^a	6.4 ^a	7.1 ^a	8.5 ^a	8.6 ^a	8.5 ^a	7.6 ^a	8.0 ^a	8.4 ^a	11.0	11.5	13.1	12.7
Alcohol	5.9 ^a	5.7 ^a	6.0 ^a	5.8 ^a	5.4 ^a	5.1 ^a	5.3 ^a	5.3 ^a	4.7 ^a	4.0	3.8	3.8	3.9	3.6	3.2	3.7	3.2
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.4	0.9	1.5	1.2
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	30.1 ^a	28.9 ^a	27.6 ^a	30.4 ^a	26.5 ^a	24.4	24.9	23.5	21.1	21.6	17.9	18.0	18.1	14.0	24.6	22.6	19.8

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.32A Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older: Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	3,226 ^a	3,444 ^a	3,557 ^a	3,756 ^a	3,669 ^a	3,820 ^a	4,022 ^a	4,659 ^a	5,448 ^a	5,496 ^a	5,949 ^a	6,608 ^a	7,715 ^a	7,756 ^a	8,561 ^a	9,264 ^a	10,497
Cocaine	96	111	232 ^a	189	332 ^a	159	145	139	166	62	122	180	105	102	176	133	121
Crack	35	67	112	75	119	91	64	82	47	19	70	94	57	48	96	55	53
Heroin	90	48 ^a	72	38 ^a	184	73	84	43 ^a	71	151	163	134	160	134	216	203	125
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	22	12	27	42
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20	18	15	38
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	227 ^a	247	284	384
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	416	330	336	358
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	75	80	103	73
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	96	103	81	81
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	28	39	39	*
Cigarettes ²	35,364 ^a	34,781 ^a	34,315 ^a	35,312 ^a	35,562 ^a	34,351 ^a	34,358 ^a	33,504 ^a	32,497 ^a	32,343 ^a	33,180 ^a	31,689 ^a	30,961 ^a	29,000 ^a	28,801 ^a	27,016	26,665
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	4,974	4,932	4,843	4,597
Cigars	1,132 ^a	1,526 ^a	1,428 ^a	1,391 ^a	1,669 ^a	1,509 ^a	1,679 ^a	1,734 ^a	1,927	1,594 ^a	1,984	1,735 ^a	1,566 ^a	2,063	2,210	2,118	2,216
Alcohol	19,113 ^a	18,429 ^a	18,841 ^a	19,575 ^a	19,306 ^a	19,498 ^a	20,639	21,346	19,890 ^a	20,247	21,190	20,934	22,256	21,143	20,729	21,577	21,448
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,787	2,623	2,852	2,860
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	3,226 ^a	3,444 ^a	3,557 ^a	3,756 ^a	3,669 ^a	3,820 ^a	4,022 ^a	4,659 ^a	5,448 ^a	5,496 ^a	5,949 ^a	6,608 ^a	7,715 ^a	7,756 ^a	8,561 ^a	9,264 ^a	10,497
Cocaine	96	111	232 ^a	189	332 ^a	159	145	139	166	62	122	180	105	102	176	133	121
Crack	35	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	203	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	22	12	27	42
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	227 ^a	*	284	384
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	416	330	336	358
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	75	80	103	73
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	96	103	81	81
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	35,364 ^a	34,781 ^a	34,315 ^a	35,312 ^a	35,562 ^a	34,351 ^a	34,358 ^a	33,504 ^a	32,497 ^a	32,343 ^a	33,180 ^a	31,689 ^a	30,961 ^a	29,000 ^a	28,801 ^a	27,016	26,665
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	4,974	4,932	4,843	4,597
Cigars	1,132 ^a	1,526 ^a	1,428 ^a	1,391 ^a	1,669 ^a	1,509 ^a	1,679 ^a	1,734 ^a	1,927	1,594 ^a	1,984	1,735 ^a	1,566 ^a	2,063	2,210	2,118	2,216
Alcohol	19,113 ^a	18,429 ^a	18,841 ^a	19,575 ^a	19,306 ^a	19,498 ^a	20,639	21,346	19,890	20,247	21,190	20,934	22,256	21,143	20,729	21,577	21,448
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,787	2,623	2,852	2,860
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	19,507 ^a	19,359 ^a	19,326 ^a	18,717 ^a	18,660 ^a	18,131 ^a	17,462 ^a	15,886 ^a	15,152 ^a	14,629 ^a	14,337 ^a	13,441 ^a	12,786 ^a	12,215 ^a	11,963 ^a	11,239	10,668

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.32B Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older: Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	1.6 ^a	1.7 ^a	1.8 ^a	1.8 ^a	1.8 ^a	1.8 ^a	1.9 ^a	2.2 ^a	2.5 ^a	2.5 ^a	2.7 ^a	2.9 ^a	3.4 ^a	3.4 ^a	3.7 ^a	4.0 ^a	4.5
Cocaine	0.0	0.1	0.1 ^a	0.1	0.2 ^a	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.1
Crack	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Heroin	0.0	0.0	0.0	0.0 ^a	0.1	0.0	0.0	0.0 ^a	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1 ^a	0.1	0.1	0.2
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2	0.1	0.1	0.2
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*
Cigarettes ²	17.9 ^a	17.4 ^a	16.9 ^a	17.2 ^a	17.1 ^a	16.4 ^a	16.2 ^a	15.7 ^a	15.1 ^a	14.8 ^a	15.0 ^a	14.1 ^a	13.6 ^a	12.6 ^a	12.4 ^a	11.5	11.3
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.2	2.1	2.1	1.9
Cigars	0.6 ^a	0.8	0.7 ^a	0.7 ^a	0.8	0.7 ^a	0.8	0.8	0.9	0.7 ^a	0.9	0.8	0.7 ^a	0.9	1.0	0.9	0.9
Alcohol	9.7	9.2	9.3	9.6	9.3	9.3	9.7	10.0 ^a	9.2	9.2	9.6	9.3	9.8 ^a	9.2	8.9	9.2	9.1
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.2	1.1	1.2	1.2
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	31.9 ^a	33.8 ^a	34.2 ^a	36.0 ^a	34.1 ^a	36.9 ^a	36.2 ^a	37.7 ^a	42.5	41.7 ^a	41.9 ^a	43.0	43.8	43.5	43.7	42.9	45.5
Cocaine	5.9	6.0	14.2 ^a	9.7	16.7 ^a	9.1	9.4	9.8	13.3	5.7	8.2	13.0	7.8	6.2	10.4	6.8	6.8
Crack	6.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	41.7	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.5	1.2	2.6	3.3
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	26.9 ^a	*	40.3	40.1
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	12.8	11.4	11.9	14.2
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	6.0	6.0	7.0	5.2
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	6.4	6.3	5.7	5.8
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	66.6 ^a	66.1 ^a	65.7 ^a	66.4 ^a	65.4 ^a	64.4 ^a	64.7 ^a	64.4 ^a	62.6 ^a	63.9 ^a	63.6 ^a	62.4 ^a	60.8	60.3	59.9	59.1	60.1
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	62.7	63.3	63.1	64.4
Cigars	11.3 ^a	15.2 ^a	13.4 ^a	13.0 ^a	15.4 ^a	14.6 ^a	16.0 ^a	16.4 ^a	18.0	15.4 ^a	17.7	16.7 ^a	15.6 ^a	19.2	20.8	19.5	20.8
Alcohol	17.5 ^a	17.0	17.1	17.0	16.9	16.8	17.4 ^a	17.8 ^a	16.4	16.4	16.8	16.3	17.0	16.2	16.0	16.2	16.2
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.5	4.3	4.6	4.6
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	55.3 ^a	55.7 ^a	56.4 ^a	53.1 ^a	52.5 ^a	52.9 ^a	50.9 ^a	47.5 ^a	46.7 ^a	45.2 ^a	43.3 ^a	42.5	41.4	42.2	41.6	41.7	40.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.