

Table 7.19C Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	146	142	163	165	143	170	182	176	218	219	225	259	225	218	232	252	256
Cocaine	35	22	36	47	56	39	26	16	29	18	33	50	22	32	21	37	42
Crack	16	10	32	35	14	29	10	14	19	14	13	28	20	25	11	33	20
Heroin	28	13	22	7	58	14	23	19	18	29	44	27	29	27	38	33	36
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	15	13
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	5	12	15
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	33	39	40
Alcohol	426	362	419	409	435	409	440	450	413	445	415	401	358	369	381	375	368
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	145	144	163	165	145	171	187	175	221	219	227	261	231	218	236	258	260
Cocaine	35	21	36	47	56	39	26	16	29	18	33	50	22	32	21	37	42
Crack	16	10	32	35	14	29	10	14	*	*	13	*	20	25	11	*	20
Heroin	*	*	*	7	*	*	*	19	18	29	*	27	29	27	38	33	36
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	15	13
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	5	12	15
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	33	39	40
Alcohol	442	377	430	425	452	424	458	475	419	457	436	417	377	387	391	388	380

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.19D Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.06	0.06	0.07	0.07	0.06	0.07	0.07	0.07	0.09	0.08	0.09	0.10	0.08	0.08	0.09	0.09	0.09
Cocaine	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.02
Crack	0.01	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.01
Heroin	0.01	0.01	0.01	0.00	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.00	0.00	0.01	0.00
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01
Alcohol	0.18	0.15	0.17	0.17	0.18	0.16	0.18	0.18	0.16	0.17	0.16	0.15	0.13	0.14	0.14	0.14	0.13
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.51	0.53	0.58	0.60	0.52	0.62	0.64	0.55	0.65	0.65	0.62	0.71	0.56	0.54	0.56	0.54	0.53
Cocaine	0.59	0.36	0.62	0.83	0.91	0.66	0.48	0.34	0.63	0.47	0.71	1.16	0.47	0.65	0.41	0.60	0.74
Crack	1.02	0.71	2.30	2.41	0.97	1.94	0.91	1.40	*	*	1.39	*	2.48	2.83	1.30	*	2.47
Heroin	*	*	*	1.81	*	*	*	3.12	2.92	4.11	*	3.62	2.89	3.03	3.55	3.35	3.48
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.17	0.29	0.24
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.02	0.33	0.68	0.75
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.68	2.25	2.23	2.03
Alcohol	0.27	0.23	0.27	0.25	0.26	0.25	0.26	0.26	0.24	0.25	0.24	0.23	0.20	0.21	0.21	0.21	0.20

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.19P Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1644	
Cocaine	0.9308	0.3195	0.8335	0.2977	0.4206	0.6884	0.2650	0.0512	0.1718	0.0331	0.6227	0.8550	0.1273	0.3268	0.1388	0.7346	
Crack	0.5501	0.4356	0.1193	0.1630	0.9766	0.2271	0.4109	0.6070	0.6944	0.4398	0.4694	0.3863	0.8158	0.4889	0.4920	0.4510	
Heroin	0.2060	0.0138	0.1170	0.0030	0.6278	0.0264	0.2200	0.0541	0.1166	0.6091	0.6517	0.4409	0.9461	0.6786	0.2816	0.5745	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9603	0.7026	0.3486	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8200	0.5317	0.5853	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0721	0.2110	0.5960	
Alcohol	0.6388	0.8252	0.8495	0.4319	0.4043	0.7871	0.2526	0.0784	0.7911	0.4114	0.4586	0.9028	0.2279	0.1809	0.1466	0.0601	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0004	0.0045	0.0801	0.0250	0.0852	0.9285	
Cocaine	0.5336	0.1432	0.8509	0.4484	0.7200	0.9671	0.2144	0.0562	0.2481	0.0868	0.8286	0.4757	0.2091	0.4496	0.1681	0.5888	
Crack	0.4213	0.1320	0.6000	0.7084	0.2807	0.9804	0.1840	0.3267	*	*	0.3029	*	0.8653	0.5932	0.3594	*	
Heroin	*	*	*	0.0047	*	*	*	0.0838	0.1661	1.0000	*	0.5847	0.6557	0.5368	0.5080	0.7406	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8576	0.8424	0.2770	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7266	0.6536	0.4505	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0898	0.8098	0.9468	
Alcohol	0.7614	0.7091	0.7721	0.6033	0.4839	0.8442	0.3115	0.1541	0.5920	0.5175	0.7075	0.9023	0.3888	0.1956	0.0850	0.0657	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.20C Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	29	21	25	23	23	22	22	22	25	22	22	24	24	25	23	23	23
Cocaine	4	5	2	4	3	4	2	1	1	2	*	*	*	*	2	*	2
Crack	2	*	*	3	*	3	*	*	*	2	*	*	*	*	*	*	*
Heroin	2	1	2	*	*	*	1	2	*	*	*	*	2	*	2	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	*	2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	5	8	3
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	2	2
Alcohol	16	13	13	12	13	11	10	9	10	10	8	10	14	13	9	10	6
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	29	21	25	23	23	22	22	23	26	22	22	24	24	25	23	23	24
Cocaine	4	5	2	4	3	4	2	1	1	*	0	*	*	*	*	*	*
Crack	2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1	2	0	2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	5	8	3
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Alcohol	16	13	14	12	13	11	10	8	10	10	8	10	14	13	9	10	6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.20D Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.12	0.09	0.10	0.09	0.09	0.09	0.09	0.09	0.10	0.09	0.09	0.10	0.10	0.10	0.09	0.09	0.09
Cocaine	0.02	0.02	0.01	0.02	0.01	0.02	0.01	0.01	0.01	0.01	*	*	*	*	0.01	*	0.01
Crack	0.01	*	*	0.01	*	0.01	*	*	*	0.01	*	*	*	*	*	*	*
Heroin	0.01	0.01	0.01	*	*	*	0.01	0.01	*	*	*	*	0.01	*	0.01	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.01	*	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.03	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.01	0.01	0.01
Alcohol	0.06	0.05	0.05	0.05	0.05	0.05	0.04	0.03	0.04	0.04	0.03	0.04	0.05	0.05	0.03	0.04	0.03
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.68	0.55	0.65	0.67	0.67	0.68	0.64	0.64	0.69	0.59	0.63	0.67	0.71	0.74	0.75	0.72	0.71
Cocaine	0.74	1.06	0.51	0.94	0.65	0.97	0.80	0.60	0.55	*	0.10	*	*	*	*	*	*
Crack	2.40	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.50	0.07	0.64
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.38	0.89	1.41	0.42
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Alcohol	0.18	0.15	0.16	0.14	0.15	0.14	0.13	0.11	0.14	0.15	0.13	0.16	0.23	0.22	0.16	0.18	0.12

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.20P Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.0018	0.2375	0.0058	0.5431	0.2317	0.6863	0.3061	0.1205	0.0037	0.0805	0.3006	0.0962	0.7009	0.6618	0.7713	0.8658	
Cocaine	0.0675	0.1151	0.3770	0.2580	0.6348	0.2297	0.3554	0.7548	0.9183	0.9584	*	*	*	*	0.8524	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.9025	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9552	0.2725	0.1057	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.8277	0.4185	
Alcohol	0.0000	0.0000	0.0000	0.0001	0.0000	0.0000	0.0015	0.0072	0.0224	0.0023	0.0565	0.0848	0.0130	0.0157	0.2571	0.0527	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.1772	0.7392	0.1146	0.9195	0.4374	0.6835	0.5007	0.3907	0.0389	0.4939	0.6682	0.2556	0.9732	0.6984	0.5241	0.8194	
Cocaine	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3121	0.7713	0.2328	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9219	0.1916	0.0760	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Alcohol	0.0009	0.0022	0.0022	0.0178	0.0026	0.0018	0.0578	0.1588	0.1622	0.0296	0.2292	0.2000	0.0280	0.0244	0.2996	0.0699	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.21C Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	142	140	162	165	140	169	181	175	217	217	223	258	222	214	230	251	254
Cocaine	35	21	35	46	56	39	26	16	29	18	33	50	22	32	21	37	42
Crack	16	10	32	35	14	29	10	14	19	14	13	28	20	25	11	33	20
Heroin	28	13	22	7	58	14	23	18	18	29	44	27	29	27	38	33	36
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	15	13
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	*	9	15
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	33	39	40
Alcohol	424	362	417	408	434	408	439	448	412	444	413	400	356	368	380	374	367
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	142	141	162	164	142	170	185	174	220	217	225	260	228	215	234	257	258
Cocaine	35	21	36	46	56	39	26	16	29	18	33	50	22	32	21	37	42
Crack	16	10	32	35	14	29	10	14	*	*	13	*	20	25	11	*	20
Heroin	*	*	*	7	*	*	*	18	18	29	*	27	29	27	38	33	36
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	15	13
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	9	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	33	39	40
Alcohol	441	377	429	424	452	423	458	474	419	457	436	417	375	386	391	388	380

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.21D Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.07	0.07	0.08	0.08	0.06	0.08	0.08	0.08	0.09	0.09	0.09	0.11	0.09	0.09	0.09	0.10	0.10
Cocaine	0.02	0.01	0.02	0.02	0.03	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.02
Crack	0.01	0.00	0.01	0.02	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01
Heroin	0.01	0.01	0.01	0.00	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	0.00	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.02	0.02
Alcohol	0.20	0.17	0.19	0.19	0.20	0.18	0.20	0.20	0.18	0.19	0.18	0.17	0.15	0.15	0.16	0.15	0.15
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.59	0.62	0.67	0.69	0.59	0.70	0.73	0.63	0.73	0.73	0.69	0.78	0.61	0.58	0.61	0.59	0.57
Cocaine	0.64	0.38	0.66	0.88	0.97	0.71	0.51	0.36	0.66	0.50	0.74	1.20	0.49	0.67	0.42	0.62	0.76
Crack	1.08	0.76	2.41	2.50	1.02	2.03	0.94	1.45	*	*	1.42	*	2.54	2.84	1.32	*	2.49
Heroin	*	*	*	2.00	*	*	*	3.29	3.06	4.47	*	3.76	2.97	3.11	3.60	3.40	3.52
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.31	0.18	0.32	0.25
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.20	0.73	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.72	2.30	2.29	2.08
Alcohol	0.28	0.24	0.28	0.26	0.27	0.26	0.27	0.28	0.25	0.27	0.25	0.24	0.21	0.21	0.22	0.21	0.21

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.21P Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1624	
Cocaine	0.8349	0.2450	0.8441	0.3167	0.4184	0.7370	0.2451	0.0497	0.1754	0.0335	0.6532	0.8361	0.1316	0.3463	0.1357	0.7610	
Crack	0.6616	0.4229	0.1146	0.1830	0.9607	0.2665	0.3979	0.6137	0.6995	0.3998	0.4733	0.3966	0.8153	0.4867	0.4932	0.4504	
Heroin	0.1984	0.0113	0.1066	0.0029	0.6097	0.0276	0.2140	0.0447	0.1162	0.6206	0.6422	0.4367	0.9971	0.6829	0.2999	0.5728	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9439	0.7151	0.2766	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8125	*	0.8229	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0781	0.2085	0.5751	
Alcohol	0.5480	0.6968	0.7356	0.3366	0.3353	0.7039	0.2103	0.0640	0.8311	0.3797	0.4179	0.8660	0.2289	0.1869	0.1430	0.0633	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0014	0.0018	0.0103	0.1515	0.0398	0.0939	0.9673	
Cocaine	0.5487	0.1270	0.9268	0.4006	0.6487	0.9359	0.2202	0.0592	0.2760	0.0975	0.8873	0.4549	0.2241	0.4863	0.1664	0.6153	
Crack	0.4025	0.1372	0.5440	0.7173	0.2914	0.9969	0.1831	0.3399	*	*	0.3108	*	0.8457	0.5921	0.3638	*	
Heroin	*	*	*	0.0070	*	*	*	0.0813	0.1902	0.8131	*	0.6392	0.6423	0.5639	0.5370	0.7325	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7278	0.8712	0.1965	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0959	0.7912	0.9343	
Alcohol	0.5188	0.4333	0.5192	0.3769	0.3084	0.6283	0.1966	0.0924	0.7345	0.4174	0.6051	0.9749	0.3688	0.1943	0.0814	0.0667	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.22C Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	57	58	59	66	64	64	65	67	73	74	87	84	91	90	88	97	92
Cocaine	5	8	6	8	8	7	5	7	3	5	8	3	4	9	5	10	4
Crack	2	3	4	2	3	5	3	2	2	*	3	*	2	5	*	*	*
Heroin	3	4	4	4	5	6	8	7	9	9	15	6	8	11	10	12	8
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7	3	6	3
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	5	2
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7	9	9	8
Alcohol	41	41	40	38	41	44	43	44	43	40	43	39	47	47	50	52	44
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	58	60	61	67	65	67	67	71	76	77	96	88	94	96	93	102	103
Cocaine	5	8	6	8	8	7	5	7	3	5	8	3	4	9	5	10	4
Crack	2	3	4	2	3	5	3	2	2	*	*	*	*	*	*	*	*
Heroin	*	*	*	4	*	*	8	*	9	9	*	6	8	*	10	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7	3	6	3
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7	9	9	8
Alcohol	42	42	41	39	40	45	44	44	43	42	43	40	48	47	51	53	45

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.22D Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.18	0.18	0.18	0.20	0.20	0.20	0.20	0.20	0.21	0.21	0.25	0.24	0.26	0.26	0.25	0.28	0.27
Cocaine	0.02	0.02	0.02	0.03	0.03	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.01	0.03	0.01	0.03	0.01
Crack	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	*	0.01	*	0.01	0.01	*	*	*
Heroin	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.04	0.02	0.02	0.03	0.03	0.03	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.01	0.02	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.01	0.02	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.03	0.03	0.02
Alcohol	0.13	0.13	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.12	0.12	0.11	0.14	0.13	0.15	0.15	0.13
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.57	0.62	0.61	0.66	0.64	0.66	0.68	0.61	0.66	0.66	0.72	0.72	0.74	0.73	0.71	0.73	0.69
Cocaine	0.25	0.36	0.27	0.37	0.37	0.34	0.28	0.41	0.20	0.35	0.49	0.17	0.24	0.47	0.26	0.47	0.19
Crack	0.78	1.00	1.53	0.75	1.20	1.95	1.29	1.18	1.04	*	*	*	*	*	*	*	*
Heroin	*	*	*	2.36	*	*	4.46	*	4.17	3.48	*	2.44	2.64	*	4.05	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.14	0.27	0.12
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.25	3.31	2.31	2.71
Alcohol	0.17	0.16	0.16	0.15	0.16	0.17	0.17	0.17	0.16	0.15	0.16	0.15	0.18	0.18	0.19	0.21	0.18

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.22P Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0044	0.0033	0.0138	0.1449	0.0228	0.3891	
Cocaine	0.0533	0.0248	0.0322	0.0037	0.0116	0.0365	0.1599	0.0310	0.7189	0.5908	0.0883	0.9704	0.6872	0.1637	0.4414	0.0351	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	0.0427	0.0972	0.0797	0.1646	0.0947	0.4605	0.9424	0.5606	0.4874	0.7588	0.2787	0.9746	0.4962	0.7490	0.2995	0.2387	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3111	0.8424	0.1608	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1.0000	0.4052	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3190	0.8123	0.9807	
Alcohol	0.1607	0.0416	0.3195	0.4879	0.4544	0.5602	0.2315	0.7285	0.7817	0.3194	0.5932	0.2111	0.6210	0.4315	0.4529	0.0831	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0028	0.0000	0.0043	0.0001	0.2390	0.1935	0.2982	0.9439	0.1323	0.3700	
Cocaine	0.0849	0.0349	0.0512	0.0069	0.0192	0.0468	0.1478	0.0241	0.5233	0.4456	0.0559	0.7084	0.4987	0.1454	0.4151	0.0382	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3228	0.8339	0.1689	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1812	0.7208	0.4741	
Alcohol	0.4886	0.2034	0.8013	0.9717	0.9184	0.9183	0.6372	0.6520	0.2955	0.1207	0.2538	0.0766	0.3316	0.6679	0.5683	0.1092	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.23C Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	127	127	149	149	125	149	167	156	199	202	198	239	194	184	202	224	229
Cocaine	35	20	35	45	55	38	25	15	28	17	33	50	21	31	20	35	42
Crack	16	10	31	35	14	29	10	14	19	14	12	28	20	24	11	33	20
Heroin	28	12	21	*	58	13	22	17	16	28	41	26	27	24	36	30	35
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	11	7	13	13
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	*	*	15
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	32	38	40
Alcohol	421	360	414	404	433	404	438	441	408	442	409	396	352	363	375	369	360
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	127	128	149	149	126	150	170	156	201	202	199	241	198	185	204	229	230
Cocaine	35	20	35	45	55	38	25	15	28	17	32	50	21	31	20	35	42
Crack	16	10	32	35	14	29	10	*	*	*	*	*	20	*	11	*	20
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	27	24	37	30	35
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	7	13	13
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	32	38	40
Alcohol	438	377	428	423	452	421	458	470	416	456	433	413	374	381	388	385	374

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.23D Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.07	0.07	0.08	0.08	0.07	0.08	0.09	0.08	0.10	0.10	0.10	0.12	0.09	0.09	0.10	0.11	0.11
Cocaine	0.02	0.01	0.02	0.02	0.03	0.02	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.02	0.02
Crack	0.01	0.01	0.02	0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01
Heroin	0.02	0.01	0.01	*	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	*	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.02	0.02
Alcohol	0.23	0.20	0.23	0.22	0.23	0.21	0.23	0.23	0.21	0.22	0.20	0.20	0.17	0.17	0.18	0.17	0.17
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.93	0.98	1.08	1.08	0.92	1.07	1.13	0.96	1.12	1.13	1.02	1.17	0.82	0.78	0.80	0.78	0.74
Cocaine	1.02	0.58	1.09	1.54	1.59	1.13	0.79	0.53	1.04	0.82	1.12	1.93	0.76	1.07	0.67	0.93	1.16
Crack	1.31	0.92	2.99	3.27	1.25	2.44	1.12	*	*	*	*	*	3.03	*	1.47	*	2.80
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	4.07	3.87	4.54	4.17	4.22
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.36	0.60	0.44
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.17	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.07	2.74	2.90	2.40
Alcohol	0.34	0.29	0.33	0.31	0.33	0.31	0.33	0.32	0.30	0.31	0.29	0.28	0.24	0.25	0.25	0.25	0.24

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.23P Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0453	
Cocaine	0.6653	0.1030	0.9505	0.5534	0.6223	0.9612	0.1754	0.0150	0.1669	0.0259	0.4666	0.8234	0.1206	0.2259	0.1091	0.4687	
Crack	0.7315	0.3307	0.1656	0.2174	0.7350	0.3658	0.2874	0.5536	0.6535	0.3924	0.3772	0.3835	0.8540	0.6115	0.5137	0.4397	
Heroin	0.3540	0.0260	0.2025	*	0.4572	0.0344	0.1813	0.0505	0.0521	0.5358	0.8999	0.4092	0.8630	0.5797	0.4221	0.8223	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7068	0.7421	0.5324	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7456	*	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1143	0.1823	0.5711	
Alcohol	0.5619	0.7608	0.7009	0.2926	0.3023	0.6565	0.2119	0.0474	0.9708	0.2595	0.3080	0.6588	0.1539	0.1796	0.1463	0.0917	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0625	0.0023	0.0199	0.2419	0.0214	0.2137	0.6452	
Cocaine	0.4542	0.0537	0.8405	0.4729	0.7940	0.9037	0.1509	0.0159	0.2497	0.0901	0.6087	0.4332	0.1895	0.3650	0.1437	0.3601	
Crack	0.4260	0.1294	0.5261	0.5916	0.2597	0.9635	0.1560	*	*	*	*	*	0.8313	*	0.3687	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	0.8559	0.6122	0.5449	0.8682	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.9756	0.3341	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1861	0.7492	0.8177	
Alcohol	0.3971	0.3146	0.3347	0.2285	0.1721	0.4269	0.1289	0.0393	0.9246	0.2111	0.3651	0.6849	0.2034	0.1476	0.0664	0.0870	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.24C Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	50	48	42	51	49	46	50	49	51	51	63	57	61	60	55	61	59
Cocaine	5	6	3	5	6	6	4	6	2	6	7	2	2	6	4	5	2
Crack	3	3	2	3	1	3	2	*	2	2	3	*	*	4	*	*	*
Heroin	2	4	2	2	*	3	3	3	8	6	5	2	7	4	3	3	3
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	2	2	3
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	5	10	3
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	7	7	5
Alcohol	27	28	24	21	22	24	25	23	24	23	18	22	24	27	18	26	21
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	50	49	43	53	50	47	51	50	52	52	66	58	62	61	56	62	60
Cocaine	5	6	3	5	6	6	4	6	2	6	7	2	2	6	4	5	2
Crack	3	*	*	*	1	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	2	2	3
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	5	10	3
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Alcohol	27	28	24	22	22	25	25	23	24	23	18	23	25	27	18	26	21

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.24D Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.13	0.13	0.11	0.13	0.13	0.12	0.13	0.13	0.13	0.13	0.16	0.15	0.16	0.16	0.15	0.16	0.15
Cocaine	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0.01	0.02	0.01	0.01	0.01
Crack	0.01	0.01	0.01	0.01	0.00	0.01	0.01	*	0.00	0.01	0.01	*	*	0.01	*	*	*
Heroin	0.00	0.01	0.01	0.01	*	0.01	0.01	0.01	0.02	0.01	0.01	0.00	0.02	0.01	0.01	0.01	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.03	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.01
Alcohol	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.06	0.06	0.07	0.05	0.07	0.05
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.57	0.57	0.52	0.64	0.61	0.59	0.63	0.57	0.60	0.59	0.70	0.66	0.74	0.73	0.71	0.76	0.69
Cocaine	0.39	0.50	0.28	0.39	0.45	0.45	0.39	0.65	0.29	0.68	0.89	0.31	0.35	0.79	0.60	0.73	0.31
Crack	1.30	*	*	*	0.64	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	1.49	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.16	0.18	0.24
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.29	0.68	1.25	0.32
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Alcohol	0.16	0.16	0.13	0.12	0.13	0.14	0.14	0.14	0.15	0.14	0.12	0.15	0.17	0.19	0.13	0.20	0.16

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.24P Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.2906	0.0284	0.0100	0.1343	0.0773	0.0019	0.7043	0.3251	0.5868	0.5783	0.3770	0.7506	0.9834	0.7722	0.2045	0.5052	
Cocaine	0.0051	0.0106	0.0927	0.0444	0.0844	0.0514	0.1662	0.0967	0.6839	0.2032	0.1054	0.8318	0.6481	0.2723	0.3298	0.3764	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	0.5109	0.4210	0.5589	0.8522	*	0.9931	0.8709	0.9140	0.1645	0.2706	0.1828	0.7057	0.2888	0.5602	0.9698	0.9295	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7983	0.5497	0.6213	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9571	0.1715	0.0423	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7220	0.9052	0.4966	
Alcohol	0.0000	0.0000	0.0247	0.0190	0.0075	0.0014	0.0132	0.1551	0.0948	0.3464	0.4824	0.7131	0.4653	0.0603	0.2290	0.3559	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.0335	0.0037	0.0037	0.2622	0.1950	0.0239	0.7852	0.1621	0.3136	0.1503	0.6670	0.9471	0.9002	0.5279	0.3216	0.3093	
Cocaine	0.0477	0.0490	0.3815	0.1744	0.2607	0.1519	0.3598	0.1357	0.8110	0.2427	0.1122	0.6748	0.5155	0.2758	0.3592	0.3841	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6030	0.4389	0.5372	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9124	0.1381	0.0311	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Alcohol	0.0466	0.0135	0.7926	0.7777	0.5371	0.1925	0.4255	0.8208	0.8265	0.8154	0.0956	0.7138	0.8842	0.1178	0.1736	0.4457	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.25C Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	137	133	156	157	134	161	174	166	211	212	214	249	210	204	220	244	247
Cocaine	35	20	35	46	56	38	25	15	29	17	33	50	22	31	21	36	42
Crack	16	10	32	35	14	29	10	14	19	14	13	28	20	24	11	33	20
Heroin	28	12	22	6	58	14	23	18	17	28	43	27	28	26	38	33	36
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	15	13
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	*	*	15
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	33	38	40
Alcohol	424	362	416	407	433	406	437	446	410	442	413	399	355	366	379	371	366
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	137	133	156	156	135	161	178	165	214	212	215	251	215	204	224	250	250
Cocaine	35	20	35	46	56	39	25	15	29	17	33	50	21	31	21	36	42
Crack	16	10	32	35	14	29	10	14	*	*	*	*	20	24	11	*	20
Heroin	*	*	*	6	*	*	*	*	17	*	*	27	28	26	38	33	36
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	14	13
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1	7	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	33	38	40
Alcohol	441	378	429	424	452	422	457	473	418	456	437	415	376	385	390	386	379

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.25D Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.07	0.07	0.08	0.08	0.06	0.08	0.08	0.08	0.10	0.10	0.10	0.11	0.09	0.09	0.10	0.10	0.10
Cocaine	0.02	0.01	0.02	0.02	0.03	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.02
Crack	0.01	0.00	0.02	0.02	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01
Heroin	0.01	0.01	0.01	0.00	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	*	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.02	0.02
Alcohol	0.21	0.18	0.21	0.20	0.21	0.19	0.21	0.21	0.19	0.20	0.19	0.18	0.16	0.16	0.16	0.16	0.16
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.70	0.73	0.81	0.81	0.70	0.82	0.85	0.73	0.86	0.86	0.80	0.90	0.66	0.65	0.67	0.65	0.63
Cocaine	0.75	0.44	0.79	1.04	1.17	0.83	0.59	0.39	0.76	0.57	0.83	1.35	0.54	0.75	0.47	0.68	0.84
Crack	1.16	0.81	2.61	2.79	1.13	2.17	1.01	1.53	*	*	*	*	2.67	2.90	1.36	*	2.59
Heroin	*	*	*	2.38	*	*	*	*	3.34	*	*	4.07	3.14	3.29	3.79	3.52	3.69
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.41	0.24	0.39	0.30
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.12	0.70	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.79	2.41	2.42	2.19
Alcohol	0.30	0.26	0.30	0.28	0.29	0.27	0.29	0.29	0.26	0.28	0.26	0.25	0.22	0.22	0.23	0.22	0.22

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.25P Daily or Almost Daily Use of Specific Substances in Past Year among all Persons Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1102	
Cocaine	0.7218	0.1652	0.9010	0.3572	0.4987	0.8161	0.2168	0.0275	0.1687	0.0202	0.4782	0.8506	0.1216	0.2664	0.1116	0.6677	
Crack	0.6875	0.3410	0.1250	0.1839	0.9322	0.2623	0.3510	0.6044	0.6332	0.3758	0.4011	0.3942	0.8346	0.5748	0.4928	0.4507	
Heroin	0.2354	0.0089	0.1348	0.0026	0.5706	0.0262	0.2191	0.0559	0.0584	0.5119	0.7396	0.4647	0.9167	0.6366	0.2769	0.5654	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.0000	0.8055	0.2920	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8118	*	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0611	0.1997	0.5286	
Alcohol	0.5656	0.7721	0.6837	0.3023	0.3140	0.6874	0.2031	0.0509	0.8825	0.3241	0.3426	0.8134	0.2023	0.1986	0.1223	0.0653	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0071	0.0012	0.0126	0.1573	0.0260	0.1735	0.7622	
Cocaine	0.5254	0.1001	0.9822	0.3600	0.6238	0.9222	0.2290	0.0343	0.2811	0.0672	0.7102	0.4678	0.1948	0.3923	0.1440	0.5211	
Crack	0.4093	0.1228	0.5148	0.6307	0.3095	0.9591	0.1729	0.3394	*	*	*	*	0.8535	0.6964	0.3595	*	
Heroin	*	*	*	0.0092	*	*	*	*	0.1375	*	*	0.7440	0.6353	0.5517	0.4636	0.7280	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7102	0.9540	0.1966	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0755	0.7843	0.8854	
Alcohol	0.4172	0.3618	0.3525	0.2495	0.2043	0.4871	0.1401	0.0512	0.9082	0.3017	0.4451	0.9014	0.2970	0.1915	0.0614	0.0643	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.26C Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	171	175	200	194	196	204	218	237	275	265	269	311	262	277	269	300	313
Cocaine	27	30	49	45	75	41	37	39	47	25	36	55	26	32	43	38	28
Crack	14	26	33	28	49	30	27	31	18	14	29	35	20	22	35	20	21
Heroin	37	22	31	11	70	29	28	18	22	43	42	33	33	30	41	38	28
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	7	11	15
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	11	11	19
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	43	49	50	57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	57	48	61
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	26	28	28	21
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	25	31	20	29
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	15	24	17	*
Cigarettes ²	702	655	646	626	637	655	688	659	665	675	691	656	528	546	542	523	537
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	215	210	198	202
Cigars	121	143	136	143	142	149	152	147	164	155	177	155	113	157	150	140	154
Alcohol	577	563	525	555	578	551	582	638	561	585	605	590	497	487	508	491	534
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	173	168	163	179
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	173	174	199	192	198	205	221	236	281	267	278	318	273	281	273	308	319
Cocaine	27	30	49	45	75	41	37	39	47	25	36	55	26	32	43	38	28
Crack	14	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	33	*	*	39	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	7	11	15
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	11	11	19
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	43	49	50	57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	57	48	61
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	27	28	28	21
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	25	31	20	29
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	774	714	693	664	690	727	730	726	737	709	740	707	578	580	586	561	559
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	219	208	201	203
Cigars	121	145	137	142	143	149	152	146	165	154	177	156	113	158	150	141	154
Alcohol	619	617	561	604	617	590	629	694	607	623	654	643	547	529	532	526	581
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	169	164	180
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	538	525	505	489	482	509	512	503	486	441	455	466	365	367	379	369	342

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.26D Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.07	0.07	0.08	0.08	0.08	0.08	0.09	0.09	0.11	0.10	0.10	0.12	0.10	0.10	0.10	0.11	0.11
Cocaine	0.01	0.01	0.02	0.02	0.03	0.02	0.01	0.02	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01
Crack	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Heroin	0.02	0.01	0.01	0.00	0.03	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.02	0.01	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.00	0.00	0.00	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.02
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.02
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	*
Cigarettes ²	0.30	0.28	0.27	0.26	0.26	0.26	0.28	0.26	0.26	0.26	0.27	0.25	0.20	0.20	0.20	0.19	0.20
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.08	0.08	0.07	0.07
Cigars	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.06	0.04	0.06	0.06	0.05	0.06
Alcohol	0.25	0.24	0.22	0.23	0.23	0.22	0.23	0.25	0.22	0.23	0.23	0.22	0.19	0.18	0.19	0.18	0.20
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.06	0.07
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	0.95	0.98	1.01	1.05	1.06	1.09	1.16	1.06	1.17	1.08	1.04	1.13	0.86	0.91	0.81	0.89	0.87
Cocaine	1.31	1.29	2.17	1.78	2.78	1.85	1.91	2.31	2.96	1.80	2.07	3.28	1.70	1.63	2.14	1.68	1.42
Crack	2.39	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	5.89	*	*	5.88	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.12	0.48	0.79	0.91
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.45	1.92	1.96	3.00
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	4.06	5.83	4.90	4.64
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.34	1.59	1.42	1.95
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	1.54	1.55	1.49	1.22
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.31	1.50	1.15	1.67
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	0.66	0.67	0.63	0.62	0.59	0.65	0.70	0.68	0.71	0.71	0.71	0.73	0.59	0.64	0.66	0.69	0.71
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	1.39	1.38	1.41	1.44
Cigars	0.89	1.03	0.93	0.94	0.94	1.04	1.06	1.01	1.09	1.09	1.19	1.13	0.88	1.10	1.04	1.02	1.13
Alcohol	0.44	0.44	0.41	0.41	0.43	0.41	0.42	0.46	0.40	0.41	0.42	0.41	0.33	0.33	0.34	0.32	0.35
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.26	0.25	0.24	0.26
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	0.91	0.82	0.87	0.86	0.85	0.88	0.94	0.98	0.94	0.90	0.94	1.00	0.83	0.87	0.89	0.92	0.94

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.26P Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0107	
Cocaine	0.8877	0.5395	0.0052	0.0567	0.0037	0.1896	0.2302	0.3706	0.2484	0.1820	0.8178	0.2906	0.9000	0.8239	0.2151	0.7878	
Crack	0.8636	0.3654	0.0642	0.4052	0.1626	0.1590	0.6041	0.2639	0.8446	0.2198	0.5304	0.2897	0.8593	0.9962	0.2938	0.8270	
Heroin	0.7336	0.0810	0.3372	0.0096	0.3495	0.3220	0.4700	0.0214	0.2071	0.2368	0.2722	0.6567	0.2431	0.7554	0.0719	0.1269	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5278	0.0432	0.3929
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5099	0.6500	0.7123
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0444	0.0536	0.2471
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.3851	0.8574	0.9478
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6617	0.6419	0.1802
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7434	0.6710	0.7245
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.3951	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0379	0.0687	0.2619
Cigars	0.0000	0.0658	0.0147	0.0089	0.1338	0.0181	0.1155	0.2293	0.6898	0.0311	0.5504	0.0540	0.0014	0.6576	0.8965	0.7841	
Alcohol	0.1276	0.7514	0.5309	0.1986	0.5847	0.5628	0.0677	0.0154	0.7153	0.7624	0.2292	0.5362	0.0255	0.7615	0.6036	0.6577	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9697	0.4126	0.9173
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0195	0.0031	0.0301	0.1328	0.1804	0.1993	0.1885	0.1690	
Cocaine	0.6606	0.7480	0.0116	0.3103	0.0137	0.3757	0.2775	0.2471	0.0850	0.5488	0.5742	0.1246	0.6313	0.8556	0.1739	0.9652	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8170	0.0630	0.5374
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6167	0.6453	0.8216
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0471	0.7337	0.9955
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5170	0.3048	0.4718
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6737	0.7348	0.2747
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8965	0.9236	0.5911
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0013	0.0011	0.0042	0.1905	0.0128	0.0122	0.1673	0.5110	0.9267	0.7223	0.2623	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5224	0.8058	0.4956
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0011	0.0234	0.0003	0.0247	0.0052	0.0003	0.2945	0.9163	0.4936	
Alcohol	0.0829	0.3624	0.2542	0.3273	0.5071	0.5750	0.0908	0.0296	0.9889	0.9491	0.4704	0.9524	0.1583	0.9747	0.7186	0.9302	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8701	0.4671	0.9130
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0015	0.0772	0.2248	0.5948	0.2694	0.2709	0.2447	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.27C Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	31	28	31	26	29	27	27	29	28	28	28	28	30	32	29	30	29
Cocaine	4	4	5	4	*	4	4	3	1	*	2	*	5	2	2	*	2
Crack	3	4	3	*	*	3	*	2	*	*	*	*	*	*	*	*	*
Heroin	2	2	4	*	*	*	2	1	*	7	*	*	3	*	*	*	3
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1	3	2	2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	6	5	3
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	2	3	2
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	3	3	4	*
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	5	5	3	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	7	3	4	5
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	42	38	42	33	35	34	28	29	30	28	25	21	27	22	15	14	14
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	16	15	12	13
Cigars	14	11	12	11	11	9	9	10	9	8	7	6	9	9	10	10	8
Alcohol	15	15	17	19	13	14	12	15	13	11	12	9	11	12	8	9	7
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	2	6	5
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	32	29	32	26	29	27	28	29	29	29	29	28	31	32	29	30	29
Cocaine	4	4	*	4	1	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	3
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	3	3	4	1
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	41	39	43	34	35	35	29	30	30	28	25	21	27	22	15	13	14
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	16	15	12	13
Cigars	14	11	12	11	11	9	9	10	9	8	7	6	9	9	10	10	8
Alcohol	15	15	17	20	13	14	12	15	13	11	12	9	11	12	8	9	7
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	2	6	5
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	19	17	17	15	15	16	12	12	11	10	7	7	8	5	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.27D Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.13	0.11	0.12	0.10	0.11	0.11	0.11	0.12	0.12	0.11	0.11	0.11	0.12	0.13	0.11	0.12	0.12
Cocaine	0.01	0.02	0.02	0.02	*	0.02	0.02	0.01	0.01	*	0.01	*	0.02	0.01	0.01	*	0.01
Crack	0.01	0.01	0.01	*	*	0.01	*	0.01	*	*	*	*	*	*	*	*	*
Heroin	0.01	0.01	0.01	*	*	*	0.01	0.01	*	0.03	*	*	0.01	*	*	*	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.00	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.01	0.01	0.01
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.02	*
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.01	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.01	0.01	0.02
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	0.17	0.15	0.17	0.13	0.14	0.14	0.11	0.12	0.12	0.11	0.10	0.08	0.11	0.09	0.06	0.05	0.06
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.06	0.06	0.05	0.05
Cigars	0.06	0.04	0.05	0.04	0.04	0.04	0.03	0.04	0.04	0.03	0.03	0.02	0.04	0.03	0.04	0.04	0.03
Alcohol	0.06	0.06	0.07	0.08	0.05	0.06	0.05	0.06	0.05	0.04	0.05	0.04	0.04	0.05	0.03	0.03	0.03
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.01	0.02	0.02
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	1.32	1.26	1.38	1.38	1.44	1.41	1.39	1.38	1.41	1.27	1.38	1.35	1.41	1.60	1.54	1.70	1.54
Cocaine	2.37	2.54	*	2.81	0.53	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	1.42
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.16	1.35	1.85	0.49
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	1.03	1.06	1.13	1.12	1.19	1.16	1.11	1.17	1.29	1.28	1.33	1.35	1.89	1.84	1.64	1.64	2.04
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	3.58	3.47	3.05	4.09
Cigars	1.16	0.94	0.97	0.96	1.03	0.83	0.87	0.98	1.10	0.93	1.07	1.05	1.71	1.58	2.11	1.90	1.95
Alcohol	0.34	0.33	0.38	0.46	0.31	0.35	0.33	0.40	0.39	0.32	0.38	0.31	0.37	0.47	0.36	0.35	0.31
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.32	0.20	0.45	0.39
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	1.61	1.68	1.80	1.87	1.94	2.14	2.08	2.12	2.24	1.97	1.88	2.47	2.52	2.51	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.27P Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0052	0.0001	0.5059	0.1472	0.1721	0.1705	0.0278	0.0460	0.0150	0.1573	0.0356	0.4450	0.2123	0.9959	0.3551	
Cocaine	0.2238	0.1503	0.0830	0.0820	*	0.0729	0.0412	0.1924	0.9205	*	0.8393	*	0.2453	0.9006	0.7195	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	0.9732	0.8163	0.6739	*	*	*	0.5664	0.5368	*	0.3152	*	*	0.7545	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6487	0.9245	0.7160	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6572	0.2652	0.2753	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.4358	0.6676	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8329	0.4488	0.5315	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.1531	0.8948	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0861	0.0883	0.6969	
Cigars	0.0061	0.0724	0.0051	0.1045	0.1032	0.4770	0.1394	0.0331	0.2392	0.3736	0.7376	0.4685	0.9415	0.8356	0.2745	0.9426	
Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0000	0.0001	0.0027	0.0114	0.0281	0.0362	0.4848	0.3524	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9791	0.1681	0.7356	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	0.0002	0.2448	0.0040	0.6349	0.1008	0.1402	0.1322	0.1779	0.2863	0.4321	0.4755	0.0922	0.8918	0.3988	0.7524	0.1992	
Cocaine	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0986	0.0718	0.0458	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0010	0.0004	0.0013	0.0010	0.0028	0.0549	0.0009	0.0541	0.8905	0.3545	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6349	0.5302	0.5827	
Cigars	0.5175	0.1450	0.3209	0.1569	0.1858	0.0397	0.1631	0.3115	0.2927	0.1388	0.1022	0.0936	0.5191	0.3760	0.3975	0.6909	
Alcohol	0.0000	0.0000	0.0000	0.0002	0.0040	0.0001	0.0178	0.0006	0.0045	0.0123	0.0498	0.0976	0.1415	0.0515	0.5275	0.5114	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7228	0.1548	0.8866	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2018 National Survey on Drug Use and Health: Methodological Summary and Definitions).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.28C Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	169	172	198	193	192	204	215	233	273	264	268	310	259	273	267	300	309
Cocaine	27	30	48	45	75	41	37	39	47	25	36	55	26	32	43	38	28
Crack	13	26	33	28	48	30	27	31	18	14	29	35	20	22	35	20	21
Heroin	37	22	31	11	70	29	28	18	22	42	42	33	33	30	41	38	28
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	*	11	15
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	10	10	19
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	43	49	49	57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	57	48	61
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	26	28	28	21
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	24	30	20	28
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	15	24	17	*
Cigarettes ²	703	644	645	628	634	650	685	653	659	674	688	657	526	545	540	521	533
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	215	210	198	201
Cigars	120	143	136	143	142	148	152	147	164	154	177	154	113	157	150	139	154
Alcohol	573	559	524	552	576	549	581	633	560	584	604	588	492	487	507	490	531
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	173	168	162	178
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	170	171	198	191	194	204	218	233	279	266	276	316	269	277	272	306	316
Cocaine	27	30	48	45	75	41	37	39	47	25	36	55	26	32	43	38	28
Crack	13	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	39	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	6	11	15
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	10	10	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	43	*	49	57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	57	48	61
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	26	28	28	21
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	24	30	20	29
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	773	710	689	660	688	725	728	723	734	707	739	705	577	577	586	560	558
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	219	207	200	202
Cigars	121	145	136	142	143	148	151	146	165	154	177	156	113	158	150	140	155
Alcohol	618	616	561	604	617	589	628	693	607	623	654	643	547	528	532	525	581
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	169	163	180
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	538	524	506	489	481	509	511	502	485	441	455	465	366	366	379	369	342

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.28D Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.12	0.11	0.11	0.13	0.11	0.11	0.11	0.12	0.12
Cocaine	0.01	0.01	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.01	0.02	0.02	0.01
Crack	0.01	0.01	0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Heroin	0.02	0.01	0.01	0.01	0.03	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.02	0.02	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	0.00	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.02
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.02
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	*
Cigarettes ²	0.33	0.30	0.30	0.29	0.29	0.29	0.30	0.29	0.29	0.29	0.29	0.28	0.22	0.22	0.22	0.21	0.21
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.09	0.09	0.08	0.08
Cigars	0.06	0.07	0.06	0.07	0.06	0.07	0.07	0.06	0.07	0.07	0.08	0.07	0.05	0.06	0.06	0.06	0.06
Alcohol	0.27	0.26	0.24	0.25	0.26	0.25	0.26	0.28	0.24	0.25	0.26	0.25	0.20	0.20	0.21	0.20	0.21
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.07
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	1.09	1.11	1.17	1.18	1.17	1.22	1.29	1.18	1.28	1.20	1.14	1.23	0.92	0.96	0.87	0.94	0.91
Cocaine	1.40	1.36	2.30	1.89	2.91	1.94	2.00	2.40	3.08	1.89	2.11	3.37	1.72	1.68	2.17	1.70	1.43
Crack	2.42	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5.92	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.24	0.48	0.87	0.97
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2.17	2.43	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	4.11	*	5.00	4.71
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.44	1.70	1.52	2.06
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	1.63	1.62	1.59	1.31
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.38	1.57	1.22	1.74
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	0.70	0.70	0.66	0.65	0.61	0.68	0.72	0.70	0.72	0.72	0.73	0.74	0.61	0.65	0.66	0.70	0.72
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	1.42	1.43	1.46	1.48
Cigars	0.97	1.12	1.01	1.02	1.02	1.12	1.14	1.09	1.16	1.15	1.25	1.18	0.91	1.14	1.08	1.06	1.17
Alcohol	0.45	0.46	0.42	0.42	0.44	0.42	0.43	0.47	0.41	0.42	0.43	0.41	0.34	0.33	0.35	0.33	0.36
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.26	0.25	0.25	0.26
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	0.93	0.83	0.88	0.88	0.86	0.89	0.95	1.00	0.94	0.91	0.95	1.01	0.84	0.88	0.90	0.92	0.94

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.28P Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0083	
Cocaine	0.9639	0.6189	0.0075	0.0733	0.0034	0.2393	0.3104	0.4121	0.2414	0.2013	0.8163	0.2811	0.7860	0.8208	0.2205	0.7562	
Crack	0.6926	0.4455	0.0716	0.3915	0.1610	0.1830	0.5933	0.2761	0.8388	0.2194	0.5247	0.2961	0.8579	1.0000	0.2927	0.8258	
Heroin	0.7506	0.0879	0.3233	0.0136	0.3225	0.3705	0.5090	0.0249	0.2527	0.2930	0.2350	0.5973	0.2500	0.6806	0.0629	0.1070	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5591	*	0.4193	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4438	0.4101	0.5062	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0510	0.0580	0.2396	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.4217	0.7996	0.8658	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7530	0.7923	0.2318	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7735	0.5878	0.8028	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.3740	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0454	0.0823	0.2663	
Cigars	0.0000	0.0660	0.0112	0.0091	0.1330	0.0203	0.1137	0.2024	0.6764	0.0311	0.5912	0.0631	0.0015	0.6807	0.9366	0.7863	
Alcohol	0.0803	0.5681	0.3957	0.1250	0.4257	0.4385	0.0439	0.0115	0.6644	0.6799	0.1949	0.4839	0.0209	0.7407	0.6285	0.6481	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9500	0.4388	0.9180	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0593	0.0183	0.0850	0.1979	0.3581	0.2724	0.2193	0.1302	
Cocaine	0.7196	0.7927	0.0111	0.2947	0.0096	0.3895	0.3103	0.2482	0.0714	0.6503	0.5638	0.1119	0.7174	0.8984	0.1721	0.9860	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8510	0.0536	0.5794	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0521	*	0.9783	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5273	0.2993	0.4360	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7743	0.9285	0.3499	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.9730	0.9290	0.7243	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0003	0.0477	0.0017	0.0032	0.0809	0.4206	0.9520	0.7986	0.3168	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5488	0.8220	0.5829	
Cigars	0.0000	0.0003	0.0000	0.0000	0.0002	0.0001	0.0012	0.0035	0.0437	0.0010	0.0401	0.0089	0.0004	0.3480	0.8871	0.5300	
Alcohol	0.0342	0.1778	0.1217	0.1824	0.2882	0.3733	0.0478	0.0162	0.8622	0.8991	0.3739	0.8659	0.1272	0.9755	0.7281	0.8997	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9097	0.4934	0.8989	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	0.0553	0.1921	0.5173	0.2326	0.2646	0.2489	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2018 National Survey on Drug Use and Health: Methodological Summary and Definitions).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.29C Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	63	71	74	75	77	74	78	81	86	88	93	93	107	105	102	107	105
Cocaine	6	7	11	7	12	7	7	10	7	5	9	4	4	7	6	7	5
Crack	3	3	5	*	6	7	3	9	6	*	3	*	2	4	*	3	2
Heroin	4	4	4	7	5	7	7	4	10	14	16	12	11	13	10	17	8
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	2	5	4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	4	7	4
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	12	7	11	9
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	14	9	14	10
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	8	4	8	5
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	10	7	8	7
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	5	*	2
Cigarettes ²	122	125	126	119	124	123	121	118	116	125	124	109	119	119	106	101	87
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	53	53	47	42
Cigars	24	28	28	30	29	32	29	29	36	33	36	31	34	36	36	39	38
Alcohol	62	67	71	68	77	70	70	76	74	71	69	70	75	65	68	67	71
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	28	26	25	26
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	65	74	79	80	82	79	81	87	93	95	104	99	114	115	111	115	122
Cocaine	6	7	11	7	12	7	7	10	7	5	9	4	4	7	6	7	5
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	2	5	4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	14	9	14	10
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	8	4	8	5
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	10	7	8	7
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	135	144	146	135	134	135	129	130	120	134	129	115	127	130	109	105	92
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	54	54	47	42
Cigars	24	28	28	30	29	33	29	30	37	33	36	31	34	37	37	39	38
Alcohol	67	69	77	75	82	76	77	82	79	74	73	74	79	68	70	69	75
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	26	25	27
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	79	81	76	77	74	71	67	64	60	62	54	49	57	53	57	51	42

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.29D Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.20	0.22	0.23	0.23	0.24	0.23	0.24	0.24	0.25	0.26	0.27	0.27	0.31	0.30	0.29	0.31	0.31
Cocaine	0.02	0.02	0.03	0.02	0.04	0.02	0.02	0.03	0.02	0.01	0.03	0.01	0.01	0.02	0.02	0.02	0.02
Crack	0.01	0.01	0.02	*	0.02	0.02	0.01	0.03	0.02	*	0.01	*	0.01	0.01	*	0.01	0.01
Heroin	0.01	0.01	0.01	0.02	0.01	0.02	0.02	0.01	0.03	0.04	0.04	0.04	0.03	0.04	0.03	0.05	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.01	0.02	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.02	0.03	0.03
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.04	0.03	0.04	0.03
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.01	0.02	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.02	0.02	0.02
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.01	*	0.01
Cigarettes ²	0.39	0.40	0.39	0.37	0.38	0.38	0.37	0.35	0.34	0.36	0.36	0.31	0.34	0.34	0.31	0.29	0.25
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.15	0.15	0.14	0.12
Cigars	0.08	0.09	0.09	0.09	0.09	0.10	0.09	0.09	0.11	0.10	0.10	0.09	0.10	0.10	0.11	0.11	0.11
Alcohol	0.20	0.21	0.22	0.21	0.23	0.21	0.21	0.23	0.22	0.21	0.20	0.20	0.22	0.19	0.20	0.20	0.21
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.07	0.08
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	0.94	1.04	1.06	1.07	1.11	1.13	1.11	1.05	1.09	1.05	1.06	1.09	1.19	1.19	1.10	1.14	1.07
Cocaine	0.99	0.99	1.55	0.78	1.64	1.22	1.40	2.03	1.32	1.00	2.18	1.06	0.84	1.12	1.10	1.08	1.01
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.00	0.33	0.80	0.71
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.66	1.35	2.18	2.02
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	1.01	0.58	1.10	0.85
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.63	1.29	1.45	1.84
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	0.72	0.69	0.72	0.73	0.77	0.76	0.81	0.80	0.80	0.86	0.88	0.83	0.91	1.02	1.03	1.02	1.11
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.00	2.05	2.25	2.21
Cigars	0.66	0.74	0.66	0.74	0.71	0.81	0.73	0.73	0.89	0.84	0.92	0.86	0.95	1.09	1.09	1.11	1.21
Alcohol	0.32	0.34	0.34	0.33	0.36	0.33	0.33	0.35	0.34	0.33	0.32	0.32	0.35	0.31	0.34	0.34	0.36
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.21	0.19	0.20	0.22
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.93	0.88	0.86	0.93	0.93	0.92	0.91	0.92	0.94	0.97	0.90	0.90	1.16	1.11	1.42	1.45	1.49

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.29P Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0001	0.0111	0.0019	0.0828	0.2010	0.2206	0.3095	
Cocaine	0.2031	0.0605	0.0031	0.1431	0.0217	0.2707	0.1525	0.1396	0.8527	0.5371	0.5777	0.4054	0.3813	0.5883	0.7745	0.8137	
Crack	0.4491	0.6914	0.1349	*	0.0903	0.0532	0.5648	0.0645	0.4272	*	0.7320	*	0.8840	0.7822	*	0.4317	
Heroin	0.1452	0.0881	0.0612	0.8140	0.0950	0.5824	0.9951	0.2266	0.7040	0.0775	0.1292	0.1227	0.5740	0.3073	0.2440	0.1157	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4112	0.3535	0.7138	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.8366	0.5250	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.9570	0.1874	0.7853	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0812	0.8848	0.0800	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2882	0.8481	0.2348	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.3796	0.9775	0.8107	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.5693	*	
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0007	0.0034	0.1979	
Cigars	0.0077	0.0702	0.2532	0.3071	0.3584	0.3779	0.2280	0.3319	0.8753	0.3961	0.3520	0.0457	0.0768	0.6470	0.3872	0.6003	
Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0149	0.0022	0.0169	0.0341	0.2843	0.7214	0.8026	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2117	0.8173	0.7303	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	0.0003	0.0100	0.0084	0.0224	0.1175	0.0108	0.1078	0.1886	0.8599	0.3627	0.1712	0.9606	0.2525	0.1962	0.9217	0.2132	
Cocaine	0.4952	0.2846	0.0170	0.7453	0.0840	0.3836	0.1546	0.0935	0.7969	0.6823	0.3274	0.7174	0.5046	0.6880	0.8257	0.8803	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4521	0.3073	0.7277	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8262	0.3919	0.3252	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5095	0.5346	0.3852	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8820	0.6038	0.7053	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0011	0.1078	0.4950	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1958	0.1956	0.6109	
Cigars	0.0000	0.0000	0.0000	0.0001	0.0001	0.0004	0.0003	0.0005	0.0121	0.0042	0.0050	0.0009	0.0039	0.4110	0.2472	0.9872	
Alcohol	0.0001	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0031	0.0169	0.3139	0.0819	0.2178	0.3061	0.8134	0.8651	0.9473	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6010	0.6953	0.4807	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0270	0.1221	0.3158	0.5171	0.6477	0.6250	0.1693	0.4172	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2018 National Survey on Drug Use and Health: Methodological Summary and Definitions).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.30C Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	153	157	178	176	172	185	199	210	249	246	241	286	228	238	240	273	283
Cocaine	26	29	47	44	74	40	36	38	47	25	35	55	25	31	42	37	27
Crack	13	26	33	28	48	29	27	29	17	14	29	35	20	22	35	19	21
Heroin	37	21	30	9	70	29	26	18	20	40	40	30	31	27	40	34	26
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	*	10	14
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	9	7	18
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	42	48	48	56
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	52	56	45	60
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	25	27	27	20
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	21	30	18	28
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	14	23	17	*
Cigarettes ²	681	618	611	603	618	630	662	632	635	650	662	648	502	524	520	501	520
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	207	203	196	194
Cigars	117	140	131	140	139	144	151	144	158	150	172	151	107	150	147	132	147
Alcohol	568	549	521	545	564	546	579	622	555	577	596	583	483	473	494	485	522
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	169	165	162	176
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	154	157	178	174	174	185	202	210	253	247	246	292	235	243	243	279	284
Cocaine	26	29	47	45	75	40	36	38	47	25	35	*	25	31	42	37	27
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	6	10	14
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	41	*	48	56
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	52	56	45	60
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	25	27	27	20
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	22	30	18	28
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	738	678	649	632	672	696	705	696	709	681	709	691	545	546	564	537	544
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	212	201	197	195
Cigars	118	141	132	140	139	144	151	143	159	149	172	152	108	150	147	133	148
Alcohol	616	608	557	598	605	584	628	687	600	615	648	638	541	517	524	524	574
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	171	166	163	178
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	528	508	491	476	473	500	501	495	479	435	447	458	355	356	370	362	338

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.30D Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.09	0.09	0.10	0.09	0.09	0.10	0.10	0.11	0.13	0.12	0.12	0.14	0.11	0.11	0.11	0.13	0.13
Cocaine	0.01	0.02	0.03	0.02	0.04	0.02	0.02	0.02	0.02	0.01	0.02	0.03	0.01	0.01	0.02	0.02	0.01
Crack	0.01	0.01	0.02	0.01	0.03	0.02	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01
Heroin	0.02	0.01	0.02	0.00	0.04	0.02	0.01	0.01	0.01	0.02	0.02	0.01	0.02	0.01	0.02	0.02	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	0.00	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.03
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.03	0.02	0.03
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	*
Cigarettes ²	0.38	0.34	0.33	0.33	0.33	0.33	0.35	0.33	0.33	0.33	0.33	0.32	0.24	0.25	0.25	0.24	0.24
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.10	0.10	0.09	0.09
Cigars	0.07	0.08	0.07	0.08	0.07	0.08	0.08	0.07	0.08	0.08	0.09	0.07	0.05	0.07	0.07	0.06	0.07
Alcohol	0.32	0.30	0.28	0.29	0.30	0.29	0.30	0.32	0.28	0.29	0.30	0.29	0.24	0.23	0.24	0.23	0.24
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.08
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	1.77	1.79	1.86	1.89	1.80	1.98	1.99	1.86	2.00	1.86	1.72	1.80	1.25	1.29	1.21	1.23	1.24
Cocaine	2.05	1.98	3.48	2.94	4.09	2.68	2.74	3.30	4.64	2.88	2.71	*	2.50	2.40	3.04	2.40	1.90
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.94	1.46	1.53
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	4.63	*	5.86	5.14
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.84	2.11	1.81	2.44
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	3.02	2.92	2.58	2.03
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.86	2.17	1.71	2.24
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	0.87	0.86	0.80	0.79	0.74	0.83	0.86	0.84	0.86	0.88	0.85	0.88	0.72	0.76	0.75	0.79	0.79
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	1.69	1.72	1.77	1.73
Cigars	1.35	1.58	1.44	1.43	1.43	1.60	1.62	1.54	1.62	1.62	1.70	1.64	1.23	1.46	1.42	1.36	1.48
Alcohol	0.54	0.54	0.50	0.49	0.52	0.50	0.51	0.55	0.49	0.49	0.51	0.49	0.39	0.38	0.40	0.37	0.40
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.32	0.31	0.30	0.32
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	1.12	0.99	1.05	1.02	1.00	1.06	1.10	1.16	1.09	1.05	1.09	1.15	0.93	0.98	1.00	1.02	1.03

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.30P Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0009	
Cocaine	0.8100	0.9293	0.0360	0.1134	0.0096	0.3185	0.4547	0.6251	0.2443	0.2387	0.9113	0.2361	0.9019	0.7327	0.2308	0.7857	
Crack	0.6085	0.4604	0.1070	0.3549	0.2221	0.3253	0.6277	0.5148	0.9670	0.2602	0.5396	0.2681	0.8385	0.9683	0.2623	0.9029	
Heroin	0.9557	0.1716	0.5287	0.0039	0.2334	0.4186	0.4721	0.0391	0.1516	0.6202	0.4854	0.9803	0.2984	0.9836	0.0995	0.2719	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3700	*	0.3215	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6036	0.4208	0.3235	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0470	0.0857	0.2141	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6555	0.8201	0.5723	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.9909	0.7606	0.3654	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.9871	0.5874	0.7277	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0030	0.0032	0.7900	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2019	0.2829	0.4221	
Cigars	0.0002	0.1271	0.0154	0.0122	0.1658	0.0252	0.1672	0.2570	0.6572	0.0376	0.7060	0.1368	0.0038	0.7253	0.7799	0.6627	
Alcohol	0.1989	0.9692	0.8020	0.3547	0.8622	0.8540	0.1551	0.0318	0.9336	0.7855	0.2740	0.5760	0.0276	0.7515	0.6439	0.6418	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9107	0.4223	0.8645	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0748	0.0469	0.0216	0.2039	0.1555	0.0983	0.2015	0.0314	
Cocaine	0.7057	0.6959	0.0221	0.2003	0.0142	0.4479	0.4261	0.4053	0.0472	0.8483	0.7590	*	0.5499	0.9129	0.1524	0.8821	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.1393	0.5490	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0792	*	0.6729	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5892	0.4067	0.3280	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7135	0.6475	0.4081	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.9735	0.7796	0.8689	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0001	0.0000	0.0351	0.0005	0.0019	0.0299	0.3711	0.7620	0.8776	0.4562	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.4278	0.6602	0.4836	
Cigars	0.0000	0.0164	0.0003	0.0001	0.0099	0.0029	0.0317	0.0711	0.2583	0.0158	0.2197	0.0963	0.0069	0.4613	0.8239	0.5414	
Alcohol	0.0373	0.1658	0.1491	0.2536	0.3204	0.4323	0.0683	0.0120	0.7609	0.6814	0.2971	0.7390	0.0836	0.8432	0.9078	0.8298	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9810	0.6741	0.7183	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0107	0.0320	0.1557	0.0541	0.2420	0.2045	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.31C Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	57	58	54	60	62	57	59	61	64	62	71	64	72	69	67	68	70
Cocaine	5	6	9	6	5	6	6	6	6	4	4	3	6	6	5	2	3
Crack	4	4	4	*	*	4	*	4	5	*	3	*	*	4	*	2	*
Heroin	4	4	4	3	2	4	4	3	5	10	6	9	8	3	2	*	3
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	3	2	4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	6	7	3
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	8	*	8	6
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	5	6	8	6
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	7	5	7	2
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	8	7	4	8
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	84	83	85	79	84	78	77	71	73	74	64	63	67	64	55	45	43
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	36	34	27	25
Cigars	22	22	22	25	19	21	21	25	25	24	19	21	22	23	24	27	24
Alcohol	35	38	42	40	39	37	35	39	40	32	31	32	36	29	26	29	26
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	10	13	11
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	59	59	56	62	65	58	61	63	66	66	77	66	74	71	69	71	73
Cocaine	5	6	9	6	5	6	6	6	6	4	4	*	*	6	*	2	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	*	2	4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	6	7	3
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	5	6	8	6
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	7	5	7	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	8	7	4	8
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	85	87	87	85	86	83	80	75	75	75	66	63	68	66	55	46	44
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	36	34	27	25
Cigars	23	22	22	25	19	21	21	25	25	24	19	22	22	23	24	27	24
Alcohol	35	38	43	41	39	38	36	40	40	32	31	32	36	30	26	29	26
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	10	13	11
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	44	42	43	45	43	38	39	33	35	36	25	24	29	21	28	25	19

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.31D Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.15	0.16	0.14	0.16	0.16	0.15	0.15	0.16	0.17	0.16	0.19	0.17	0.19	0.18	0.18	0.18	0.19
Cocaine	0.01	0.02	0.02	0.01	0.01	0.02	0.02	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01
Crack	0.01	0.01	0.01	*	*	0.01	*	0.01	0.01	*	0.01	*	*	0.01	*	0.01	*
Heroin	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.03	0.02	0.02	0.02	0.01	0.01	*	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.02	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	*	0.02	0.02
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.02	0.02	0.02
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.01	0.02	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.01	0.02
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	0.22	0.22	0.23	0.21	0.22	0.20	0.20	0.19	0.19	0.19	0.17	0.16	0.18	0.17	0.15	0.12	0.11
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.09	0.09	0.07	0.07
Cigars	0.06	0.06	0.06	0.06	0.05	0.06	0.05	0.06	0.07	0.06	0.05	0.06	0.06	0.06	0.06	0.07	0.06
Alcohol	0.09	0.10	0.11	0.10	0.10	0.10	0.09	0.10	0.10	0.08	0.08	0.08	0.09	0.08	0.07	0.08	0.07
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.03	0.03	0.03
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	1.02	1.01	0.99	1.14	1.16	1.13	1.10	1.07	1.16	1.04	1.15	1.15	1.27	1.24	1.30	1.32	1.24
Cocaine	1.36	1.48	2.27	1.26	1.21	1.71	1.95	2.52	2.58	1.49	2.32	*	*	2.56	*	1.15	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.47	*	0.62	1.17
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.61	2.95	3.19	1.13
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.93	1.32	2.05	1.67
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	1.66	1.30	1.83	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.95	1.96	1.32	3.27
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	0.82	0.83	0.85	0.86	0.90	0.88	0.96	0.84	0.97	1.00	1.04	1.07	1.24	1.41	1.49	1.31	1.46
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.71	2.72	2.47	2.54
Cigars	0.78	0.76	0.69	0.81	0.68	0.70	0.71	0.84	0.95	0.88	0.83	1.01	1.12	1.24	1.38	1.49	1.46
Alcohol	0.31	0.34	0.36	0.36	0.34	0.33	0.34	0.36	0.39	0.32	0.32	0.36	0.40	0.37	0.35	0.38	0.35
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.29	0.23	0.27	0.26
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	1.11	1.11	1.17	1.29	1.31	1.25	1.34	1.25	1.36	1.43	1.29	1.40	1.75	1.70	2.68	2.67	2.59

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.31P Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.3147	0.9776	0.1203	0.1063	0.6474	0.0214	0.6525	0.6510	0.8531	0.3504	0.0843	0.5168	0.5951	0.8503	0.8221	0.3125	
Cocaine	0.0429	0.0139	0.0050	0.0148	0.2228	0.0419	0.0064	0.0309	0.2600	0.6032	0.5094	0.9877	0.2364	0.3073	0.2896	0.9851	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	0.8758	0.6391	0.8318	0.8061	0.5090	0.9311	0.6975	0.7414	0.8216	0.0196	0.1239	0.6242	0.1876	0.9029	0.4872	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5528	0.5218	0.7765	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6556	0.1548	0.0639	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6735	*	0.3793	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6477	0.3721	0.1664	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1241	0.1750	0.0225	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6805	0.6148	0.1525	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0006	0.0760	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0027	0.0070	0.6913	
Cigars	0.6227	0.6836	0.4086	0.3060	0.9188	0.8191	0.9734	0.2348	0.4807	0.5719	0.3812	0.3190	0.2818	0.9765	0.9569	0.4803	
Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0022	0.0171	0.0163	0.2159	0.9027	0.2402	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3472	0.6300	0.3912	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	0.1580	0.7933	0.7637	0.8970	0.0666	0.5216	0.1357	0.2419	0.8063	0.9151	0.0392	0.1439	0.4475	0.3614	0.6809	0.0699	
Cocaine	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6322	*	0.6885	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6631	0.1192	0.0467	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7864	0.7363	0.2624	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2148	0.2601	0.0720	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0016	0.0000	0.0088	0.2954	0.9894	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1530	0.0978	0.7554	
Cigars	0.0020	0.0015	0.0006	0.0042	0.0005	0.0001	0.0006	0.0142	0.0191	0.0153	0.0025	0.0086	0.0200	0.3911	0.5681	0.8244	
Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0000	0.0053	0.1034	0.2131	0.2539	0.2114	0.4465	0.9670	0.3658	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6548	0.5058	0.4737	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	0.0003	0.0012	0.0062	0.0003	0.0196	0.1074	0.0790	0.1975	0.6574	0.5251	0.5164	0.5451	0.5915	0.0647	0.1742	0.4443	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2018 National Survey on Drug Use and Health: Methodological Summary and Definitions).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.32C Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	164	165	189	187	183	196	209	222	262	258	259	301	245	260	254	292	298
Cocaine	26	30	48	45	75	40	36	39	47	25	36	55	25	31	43	38	28
Crack	13	26	33	28	48	30	27	31	17	14	29	35	20	22	35	19	21
Heroin	37	22	31	11	70	29	27	18	22	41	42	32	32	30	41	38	28
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	6	11	15
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	10	8	19
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	42	49	48	56
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	56	47	61
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	26	27	27	21
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	24	30	20	28
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	14	24	17	*
Cigarettes ²	689	639	637	623	626	641	674	645	650	665	680	657	517	538	533	513	530
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	214	207	196	199
Cigars	119	142	133	142	140	147	151	144	161	152	176	153	110	154	149	137	150
Alcohol	574	555	523	550	572	549	576	630	558	579	602	585	491	484	504	489	529
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	173	168	162	178
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	166	165	189	185	185	197	212	221	267	259	265	307	255	263	258	298	303
Cocaine	26	29	48	45	75	40	36	39	47	25	36	55	25	31	43	38	28
Crack	13	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	39	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	6	11	14
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	42	*	48	56
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	56	47	61
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	26	27	27	21
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	24	30	20	28
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	758	702	680	654	682	712	716	714	726	700	727	703	565	566	579	554	556
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	218	205	198	201
Cigars	119	143	134	142	141	147	151	144	162	152	175	154	111	155	149	138	151
Alcohol	619	614	562	603	612	588	626	693	604	620	653	640	547	527	531	525	580
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	169	163	180
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	535	522	504	485	480	505	505	501	483	439	452	464	363	364	378	367	341

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.32D Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.12	0.12	0.12	0.13	0.11	0.11	0.11	0.12	0.13
Cocaine	0.01	0.01	0.02	0.02	0.04	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.01	0.02	0.02	0.01
Crack	0.01	0.01	0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01
Heroin	0.02	0.01	0.02	0.01	0.03	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.02	0.02	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.02
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.03
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	*
Cigarettes ²	0.35	0.32	0.31	0.30	0.30	0.31	0.32	0.30	0.30	0.30	0.31	0.29	0.23	0.23	0.23	0.22	0.22
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.09	0.09	0.08	0.08
Cigars	0.06	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.07	0.05	0.07	0.06	0.06	0.06
Alcohol	0.29	0.28	0.26	0.27	0.28	0.26	0.27	0.30	0.26	0.26	0.27	0.26	0.22	0.21	0.22	0.21	0.22
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.07	0.08
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	1.31	1.35	1.38	1.43	1.38	1.47	1.53	1.39	1.52	1.43	1.34	1.41	1.02	1.05	0.96	1.03	1.02
Cocaine	1.59	1.55	2.62	2.16	3.36	2.17	2.25	2.64	3.44	2.22	2.29	3.66	1.90	1.83	2.35	1.85	1.56
Crack	2.50	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5.96	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.48	0.61	1.05	1.10
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	4.24	*	5.23	4.83
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.54	1.81	1.59	2.19
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	1.97	1.97	1.80	1.42
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.56	1.74	1.37	1.89
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*
Cigarettes ²	0.75	0.76	0.71	0.69	0.65	0.72	0.77	0.74	0.77	0.76	0.76	0.78	0.64	0.68	0.69	0.73	0.74
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	1.51	1.51	1.55	1.56
Cigars	1.12	1.29	1.17	1.18	1.16	1.31	1.32	1.25	1.33	1.32	1.41	1.33	1.01	1.24	1.18	1.16	1.26
Alcohol	0.48	0.48	0.44	0.44	0.46	0.44	0.45	0.49	0.43	0.44	0.45	0.43	0.35	0.35	0.36	0.34	0.37
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.27	0.26	0.28
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	0.99	0.88	0.94	0.92	0.90	0.94	0.99	1.05	0.99	0.95	0.98	1.05	0.86	0.90	0.92	0.95	0.96

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.32P Daily or Almost Daily Use of Specific Substances in Past Month among all Persons Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0040	
Cocaine	0.8799	0.8200	0.0170	0.0966	0.0045	0.2757	0.4043	0.5220	0.2938	0.1627	0.8578	0.2843	0.7698	0.7065	0.2591	0.7856	
Crack	0.6690	0.4935	0.0780	0.3847	0.1661	0.2193	0.6240	0.3481	0.9414	0.2146	0.5703	0.2939	0.8761	0.8830	0.2931	0.9459	
Heroin	0.7448	0.0698	0.3636	0.0079	0.3195	0.3268	0.4499	0.0237	0.1912	0.4749	0.3582	0.7171	0.3476	0.7594	0.0627	0.0942	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4040	0.0549	0.4183
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4445	0.3462	0.2692
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0362	0.0780	0.2001
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.3968	0.7901	0.8070
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.9193	0.8075	0.3786
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6429	0.5672	0.9868
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.4666	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0917	0.1454	0.2804
Cigars	0.0000	0.0631	0.0103	0.0058	0.1417	0.0211	0.1261	0.1700	0.6395	0.0247	0.6543	0.0751	0.0022	0.6596	0.8839	0.6907	
Alcohol	0.1273	0.7562	0.5681	0.1913	0.5869	0.5316	0.0650	0.0156	0.7097	0.6765	0.1964	0.4914	0.0233	0.7425	0.6178	0.6957	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.0000	0.4342	0.9644	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1001	0.0326	0.0328	0.1576	0.2313	0.2073	0.1958	0.0584	
Cocaine	0.6800	0.7102	0.0163	0.2822	0.0074	0.3892	0.3529	0.3314	0.0852	0.6753	0.6115	0.1173	0.7163	0.7878	0.2100	0.9880	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7295	0.0956	0.6389
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0429	*	0.9734
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5861	0.3156	0.3963
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7209	0.7249	0.4282
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8130	0.8394	0.9608
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*
Cigarettes ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0191	0.0004	0.0009	0.0350	0.4286	0.8554	0.8232	0.3626	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.4334	0.6197	0.5326
Cigars	0.0000	0.0020	0.0000	0.0000	0.0017	0.0007	0.0097	0.0147	0.1304	0.0037	0.1096	0.0268	0.0017	0.3957	0.9592	0.4840	
Alcohol	0.0258	0.1428	0.1003	0.1494	0.2408	0.2770	0.0384	0.0102	0.7061	0.7280	0.2842	0.7738	0.1014	0.9658	0.7611	0.9321	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9249	0.5229	0.9302
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																	
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0228	0.1022	0.3303	0.1239	0.2760	0.2449	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2018 *National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.