

Table 7.1C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	903	870	895	930
Marijuana	912	868	912	925	909	964	917	949	1,019	1,013	1,005	1,017	872	896	870	904	931
Cocaine	583	565	636	595	655	660	672	655	682	701	703	693	632	638	613	618	688
Crack	306	264	280	292	329	339	323	316	379	327	346	364	317	305	302	322	330
Heroin	223	205	193	226	238	240	224	217	249	227	245	281	213	234	234	239	264
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	635	642	646	726
LSD	514	494	506	521	520	550	548	564	560	530	561	580	508	521	526	519	591
PCP	284	271	298	289	294	298	339	298	321	307	311	346	274	270	288	263	313
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	372	363	412	444
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	459	471	489	478
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	403	390	402	413
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
TOBACCO PRODUCTS	797	783	812	793	828	856	859	888	874	926	939	942	826	839	849	844	854
Cigarettes	843	825	824	858	863	880	872	909	882	927	956	966	845	864	848	850	861
Daily Cigarettes	1,014	879	893	974	932	926	969	963	982	1,037	955	949	826	831	853	836	856
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	615	563	570	588
Cigars	817	873	803	852	874	873	852	876	929	920	882	922	755	726	791	789	851
Pipe Tobacco	726	801	766	705	742	737	717	701	694	698	679	768	582	592	612	598	597
ALCOHOL	660	603	705	649	671	721	706	656	715	684	675	801	635	646	673	700	711
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	564	589	618	617
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	613	641	664	676
Tobacco Products or Alcohol	561	526	595	546	553	612	643	587	630	610	600	677	552	586	616	630	637

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.1D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.34	0.32	0.33	0.34
Marijuana	0.39	0.37	0.38	0.38	0.37	0.39	0.37	0.38	0.40	0.39	0.39	0.39	0.33	0.33	0.32	0.33	0.34
Cocaine	0.25	0.24	0.26	0.24	0.27	0.27	0.27	0.26	0.27	0.27	0.27	0.26	0.24	0.24	0.23	0.23	0.25
Crack	0.13	0.11	0.12	0.12	0.13	0.14	0.13	0.13	0.15	0.13	0.13	0.14	0.12	0.11	0.11	0.12	0.12
Heroin	0.10	0.09	0.08	0.09	0.10	0.10	0.09	0.09	0.10	0.09	0.09	0.11	0.08	0.09	0.09	0.09	0.10
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.24	0.24	0.24	0.27
LSD	0.22	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.21	0.22	0.22	0.19	0.19	0.20	0.19	0.22
PCP	0.12	0.11	0.12	0.12	0.12	0.12	0.14	0.12	0.13	0.12	0.12	0.13	0.10	0.10	0.11	0.10	0.11
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.13	0.15	0.16
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.17	0.18	0.17
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.15	0.14	0.15	0.15
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
TOBACCO PRODUCTS	0.34	0.33	0.34	0.33	0.34	0.35	0.34	0.35	0.34	0.36	0.36	0.36	0.31	0.31	0.32	0.31	0.31
Cigarettes	0.36	0.35	0.34	0.35	0.35	0.36	0.35	0.36	0.35	0.36	0.37	0.37	0.32	0.32	0.31	0.31	0.31
Daily Cigarettes	0.43	0.37	0.37	0.40	0.38	0.37	0.39	0.38	0.39	0.40	0.37	0.36	0.31	0.31	0.32	0.31	0.31
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.23	0.21	0.21	0.21
Cigars	0.35	0.37	0.33	0.35	0.36	0.35	0.34	0.35	0.37	0.36	0.34	0.35	0.28	0.27	0.29	0.29	0.31
Pipe Tobacco	0.31	0.34	0.32	0.29	0.30	0.30	0.29	0.28	0.27	0.27	0.26	0.29	0.22	0.22	0.23	0.22	0.22
ALCOHOL	0.28	0.25	0.29	0.27	0.27	0.29	0.28	0.26	0.28	0.27	0.26	0.31	0.24	0.24	0.25	0.26	0.26
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.21	0.22	0.23	0.23
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.23	0.24	0.24	0.25
Tobacco Products or Alcohol	0.24	0.22	0.25	0.22	0.22	0.25	0.26	0.23	0.25	0.24	0.23	0.26	0.21	0.22	0.23	0.23	0.23

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.1P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3420	0.1149	0.5420	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0026	0.0287	0.0086	0.0076	0.8341	
Cocaine	0.4585	0.9931	0.1862	0.0171	0.3630	0.6250	0.7973	0.7995	0.8950	0.3451	0.6060	0.3514	0.7623	0.5352	0.4390	0.4885	
Crack	0.2136	0.9601	0.5800	0.5854	0.4821	0.4980	0.8575	0.9066	0.1475	0.3500	0.5250	0.8793	0.2316	0.8882	0.5715	0.3009	
Heroin	0.0240	0.0248	0.0000	0.0021	0.0171	0.0158	0.0086	0.0018	0.0917	0.0558	0.4115	0.8241	0.6868	0.7654	0.8938	0.5306	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1450	0.2584	0.2799	
LSD	0.1535	0.3348	0.3921	0.0123	0.1056	0.0083	0.0808	0.0676	0.0129	0.0004	0.0050	0.0772	0.0572	0.0616	0.1760	0.1231	
PCP	0.0000	0.0000	0.0005	0.0029	0.0043	0.1036	0.0129	0.1041	0.1534	0.3751	0.0733	0.1692	0.2159	0.3385	0.2780	0.9002	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0427	0.0367	0.2692	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0203	0.9848	0.4012	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9295	0.8275	0.8849	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
TOBACCO PRODUCTS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0019	0.0042	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0007	
Daily Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0561	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0272	0.0945	0.0505	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0051	0.8676	0.7302	
Pipe Tobacco	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0041	0.0177	0.0807	0.3067	0.5406	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0002	0.0000	0.0000	0.0002	0.0001	0.0954	0.0003	0.5954	0.0919	0.8530	
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1490	0.2134	0.4323	
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5220	0.1095	0.6141	
Tobacco Products or Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1674	0.2964	0.4611	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.2C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	617	616	656	719
Marijuana	471	455	451	473	478	493	474	541	559	514	556	577	538	524	542	595	669
Cocaine	222	229	205	205	230	242	207	209	205	168	217	189	186	192	175	217	205
Crack	124	124	117	114	134	123	94	105	92	69	111	77	81	93	88	99	85
Heroin	55	48	56	43	86	54	59	79	75	72	78	70	75	79	83	79	99
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	185	177	215
LSD	63	44	47	48	56	55	50	55	72	60	85	81	76	83	98	110	120
PCP	25	24	28	21	38	19	14	22	24	20	34	21	16	30	28	24	17
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	124	123	120	131
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	93	91	95	112
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	120	100	113	123
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	380	374	349	373
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	307	286	274	286
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	174	192	191	178
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	226	228	227	239
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	209	206	209	226
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	113	117	117	96
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	196	198	203	218
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	312	291	279	294
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	437	418	416	441
TOBACCO PRODUCTS³	883	828	818	885	880	876	923	865	920	900	933	875	778	761	761	757	793
Cigarettes	835	819	788	817	842	849	862	841	838	859	890	830	750	726	728	725	731
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	314	304	274	287
Cigars	483	463	448	481	470	485	493	501	510	504	511	493	394	441	390	400	429
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	922	891	885	917	914	957	956	896	967	984	955	1,007	833	801	820	918	954
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	741	781	836	854
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	779	829	901	932
Tobacco Products or Alcohol ³	846	845	875	862	860	852	914	847	909	911	876	934	784	753	776	854	862

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.2D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.23	0.23	0.24	0.26
Marijuana	0.20	0.19	0.19	0.19	0.19	0.20	0.19	0.21	0.22	0.20	0.21	0.22	0.20	0.20	0.20	0.22	0.24
Cocaine	0.09	0.10	0.09	0.08	0.09	0.10	0.08	0.08	0.08	0.07	0.08	0.07	0.07	0.07	0.07	0.08	0.07
Crack	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.03	0.04	0.03	0.03	0.03	0.03	0.04	0.03
Heroin	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.08
LSD	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.03	0.03	0.03	0.03	0.04	0.04	0.04
PCP	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.04	0.05
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.03	0.04
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.04	0.04
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.14	0.13	0.14
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.11	0.10	0.10
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.06
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.09
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.08
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.04	0.04
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.08
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.12	0.11	0.10	0.11
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.16	0.16	0.15	0.16
TOBACCO PRODUCTS³	0.38	0.35	0.34	0.36	0.36	0.35	0.37	0.34	0.36	0.35	0.36	0.33	0.29	0.28	0.28	0.28	0.29
Cigarettes	0.36	0.34	0.33	0.34	0.34	0.34	0.34	0.33	0.33	0.33	0.34	0.32	0.28	0.27	0.27	0.27	0.27
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.12	0.11	0.10	0.10
Cigars	0.21	0.19	0.19	0.20	0.19	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.15	0.16	0.14	0.15	0.16
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	0.39	0.37	0.37	0.38	0.37	0.39	0.38	0.36	0.38	0.38	0.37	0.38	0.31	0.30	0.30	0.34	0.35
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.29	0.31	0.31
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.29	0.31	0.33	0.34
Tobacco Products or Alcohol ³	0.36	0.36	0.36	0.35	0.35	0.34	0.37	0.34	0.36	0.35	0.34	0.36	0.30	0.28	0.29	0.31	0.31

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.2P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0000	0.2452	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0068	
Cocaine	0.0001	0.0001	0.0035	0.0263	0.0002	0.0152	0.3961	0.3195	0.0350	0.0000	0.0466	0.0000	0.0034	0.0358	0.1643	0.1298	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0006	0.0180	0.1324	0.4110	0.1427	0.4066	0.7285	0.4717	0.2470	0.1858	
Heroin	0.0044	0.0001	0.0027	0.0006	0.1817	0.0007	0.0092	0.1810	0.2833	0.2352	0.4248	0.4308	0.2722	0.7450	0.2316	0.5154	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0045	0.0287	0.0923	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0123	0.6839	
PCP	0.0000	0.0000	0.0000	0.0001	0.0028	0.0022	0.0999	0.0267	0.2819	0.0394	0.0048	0.4056	0.3650	0.1551	0.3151	0.3704	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5731	0.9602	0.9372	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1661	0.0285	0.0972	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4878	0.0039	0.1865	
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0001	0.0115	
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0000	0.0040	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3133	0.0152	0.0023	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0396	0.0358	0.2833	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1560	0.1728	0.4415	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0021	0.0018	0.0626	
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4553	0.2293	0.3660	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0000	0.0040	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0040	0.0798	0.0400	
TOBACCO PRODUCTS³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0517	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1843	
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0104	0.0245	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0088	0.0011	0.7359	0.2549	
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
ALCOHOL	0.2294	0.3597	0.4991	0.0609	0.2887	0.6071	0.2916	0.0104	0.0810	0.1962	0.0134	0.1181	0.0209	0.6620	0.1333	0.6611	
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3247	0.1706	0.6753	
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6978	0.0892	0.5297	
Tobacco Products or Alcohol ³	0.0002	0.1059	0.4318	0.0000	0.0017	0.0299	0.0080	0.0009	0.0013	0.0336	0.0014	0.0273	0.0016	0.3234	0.2088	0.7643	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.3C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	457	488	515	574
Marijuana	320	327	360	360	357	359	377	395	407	409	431	442	424	413	442	478	538
Cocaine	128	147	119	142	153	149	131	136	108	106	142	133	105	128	120	130	123
Crack	68	91	66	87	101	80	55	77	60	42	94	64	55	64	64	74	72
Heroin	42	28	37	19	77	38	39	37	43	48	51	43	55	44	63	60	51
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	83	94	91	106
LSD	18	18	26	16	24	33	19	22	20	23	31	37	40	39	41	51	46
PCP	15	13	17	13	9	13	8	18	21	10	13	15	*	11	9	18	13
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	53	60	59	67
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	52	66	55	62
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	93	71	78	100
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	206	211	216	210
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	157	159	165	158
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	97	103	109	103
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	122	135	112	125
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	109	120	102	119
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	57	74	55	43
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	164	171	176	162
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	260	263	271	269
TOBACCO PRODUCTS	832	803	794	845	850	844	871	831	852	846	882	835	736	699	721	712	736
Cigarettes	795	789	768	777	807	809	810	797	780	816	839	798	700	677	680	673	677
Daily Cigarettes	702	655	646	626	637	655	688	659	665	675	691	656	528	546	542	523	537
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	285	270	246	245
Cigars	350	331	323	354	352	337	366	361	363	373	388	354	282	324	300	305	317
Pipe Tobacco	166	131	147	146	167	170	147	151	147	144	184	151	139	139	133	143	123
ALCOHOL	989	919	957	975	968	1,019	983	957	990	1,006	1,016	1,076	869	852	831	911	1,005
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	717	695	729	703
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	381	374	366	394
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	798	812	867	947
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	829	850	899	993
Tobacco Products or Alcohol	940	896	964	949	958	920	941	906	979	968	956	1,012	817	808	808	872	946

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.3D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.18	0.19	0.21
Marijuana	0.14	0.14	0.15	0.15	0.15	0.14	0.15	0.16	0.16	0.16	0.17	0.17	0.16	0.15	0.16	0.18	0.20
Cocaine	0.05	0.06	0.05	0.06	0.06	0.06	0.05	0.05	0.04	0.04	0.05	0.05	0.04	0.05	0.04	0.05	0.05
Crack	0.03	0.04	0.03	0.04	0.04	0.03	0.02	0.03	0.02	0.02	0.04	0.02	0.02	0.02	0.02	0.03	0.03
Heroin	0.02	0.01	0.02	0.01	0.03	0.02	0.02	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.03	0.04
LSD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.02	0.02	0.02
PCP	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.01	0.01	0.00	0.00	0.01	*	0.00	0.00	0.01	0.00
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.02
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.02
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.03	0.04
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.08
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.06	0.06
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.04	0.04
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.04	0.05
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.04	0.04
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.03	0.02	0.02
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.06	0.06
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.10	0.10	0.10	0.10
TOBACCO PRODUCTS	0.35	0.34	0.33	0.35	0.35	0.34	0.35	0.33	0.34	0.33	0.34	0.32	0.28	0.26	0.27	0.26	0.27
Cigarettes	0.34	0.33	0.32	0.32	0.33	0.33	0.32	0.32	0.31	0.32	0.32	0.30	0.26	0.25	0.25	0.25	0.25
Daily Cigarettes	0.30	0.28	0.27	0.26	0.26	0.26	0.28	0.26	0.26	0.26	0.27	0.25	0.20	0.20	0.20	0.19	0.20
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.10	0.09	0.09
Cigars	0.15	0.14	0.13	0.15	0.14	0.14	0.15	0.14	0.14	0.14	0.15	0.14	0.11	0.12	0.11	0.11	0.12
Pipe Tobacco	0.07	0.06	0.06	0.06	0.07	0.07	0.06	0.06	0.06	0.06	0.07	0.06	0.05	0.05	0.05	0.05	0.04
ALCOHOL	0.42	0.39	0.40	0.40	0.39	0.41	0.39	0.38	0.39	0.39	0.39	0.41	0.33	0.32	0.31	0.33	0.37
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.27	0.26	0.27	0.26
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.14	0.13	0.14
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.30	0.30	0.32	0.35
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.31	0.32	0.33	0.36
Tobacco Products or Alcohol	0.40	0.38	0.40	0.39	0.39	0.37	0.38	0.36	0.39	0.38	0.37	0.39	0.31	0.30	0.30	0.32	0.35

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.3P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0001	0.0839	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0280	
Cocaine	0.0382	0.0013	0.0557	0.0002	0.0004	0.0937	0.6179	0.3937	0.0339	0.0032	0.2748	0.0729	0.0285	0.8588	0.8007	0.1917	
Crack	0.0360	0.0417	0.3612	0.0067	0.0095	0.0365	0.6844	0.3469	0.7756	0.0226	0.8025	0.6644	0.4577	0.7335	0.9743	0.7196	
Heroin	0.0222	0.0003	0.0125	0.0003	0.8155	0.0076	0.0707	0.0256	0.1643	0.4412	0.9833	0.4381	0.2162	0.7902	0.1216	0.0636	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0104	0.1170	0.1673	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0092	0.1055	0.2147	0.3822	
PCP	0.1405	0.1294	0.3696	0.3293	0.9840	0.5172	0.6602	0.3074	0.8686	0.6897	0.9689	0.9914	*	0.6554	0.4254	0.9108	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1670	0.5044	0.2708	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3677	0.9783	0.5133	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5387	0.0090	0.0858	
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0003	0.0034	0.0578	
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0172	0.0822	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8821	0.5117	0.1976	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0123	0.0024	0.3214	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0794	0.0369	0.5128	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0029	0.0032	0.1101	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0063	0.0302	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0960	0.2844	0.3365	
TOBACCO PRODUCTS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0067	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0306	
Daily Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.3951	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0020	0.0106	0.0477	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0041	0.0002	0.1167	0.7452	0.1914	0.5559	0.3569	
Pipe Tobacco	0.8916	0.2608	0.9790	0.0638	0.0272	0.4387	0.9295	0.3214	0.2281	0.3393	0.0118	0.1530	0.2020	0.2099	0.2425	0.1621	
ALCOHOL	0.8239	0.0541	0.1403	0.1762	0.8157	0.8464	0.3424	0.1307	0.1800	0.1922	0.0566	0.0499	0.0014	0.2204	0.4873	0.1885	
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2661	0.5106	0.9846	
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0441	0.9729	0.6226	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1054	0.9450	0.2415	
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6515	0.2840	0.3161	
Tobacco Products or Alcohol	0.0000	0.0154	0.1495	0.0000	0.0003	0.0012	0.0005	0.0003	0.0001	0.0038	0.0000	0.0005	0.0000	0.0235	0.8445	0.1562	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.4C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	107	104	106	105
Marijuana	88	91	87	85	87	88	82	86	91	89	82	86	95	89	88	91	92
Cocaine	36	36	33	34	32	32	32	28	26	26	23	19	26	23	22	18	21
Crack	17	17	14	14	15	13	12	10	11	16	10	5	9	5	5	8	5
Heroin	14	11	12	10	11	10	13	9	9	12	12	9	9	8	8	8	5
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	44	38	39	39
LSD	34	26	24	23	21	18	21	20	21	19	21	19	27	28	24	27	30
PCP	20	20	18	19	16	14	12	13	11	10	13	8	11	13	8	10	7
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	32	25	25	24
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	73	65	67	70
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	11	13	12
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
TOBACCO PRODUCTS	108	113	106	113	106	109	99	102	101	99	89	92	102	93	91	88	85
Cigarettes	109	111	105	108	103	102	95	97	96	92	84	83	89	85	82	77	76
Daily Cigarettes	62	56	60	51	51	47	43	44	45	42	39	35	37	33	26	28	27
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	53	50	53	50
Cigars	79	82	80	79	74	75	72	74	65	71	63	64	68	62	56	58	53
Pipe Tobacco	35	33	34	38	35	34	33	35	30	31	38	30	37	32	32	33	29
ALCOHOL	107	112	108	111	112	112	108	112	108	110	111	109	107	116	112	113	111
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	124	121	122	123
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	122	117	121	118
Tobacco Products or Alcohol	109	114	109	116	117	118	109	115	111	115	115	115	115	119	117	117	119

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.4D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.43	0.42	0.43	0.42
Marijuana	0.36	0.37	0.34	0.33	0.34	0.35	0.33	0.35	0.37	0.35	0.33	0.35	0.38	0.36	0.35	0.37	0.37
Cocaine	0.15	0.15	0.13	0.14	0.13	0.13	0.13	0.11	0.11	0.11	0.09	0.08	0.10	0.09	0.09	0.07	0.09
Crack	0.07	0.07	0.06	0.05	0.06	0.05	0.05	0.04	0.04	0.06	0.04	0.02	0.03	0.02	0.02	0.03	0.02
Heroin	0.05	0.04	0.05	0.04	0.04	0.04	0.05	0.04	0.04	0.05	0.05	0.04	0.03	0.03	0.03	0.03	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.18	0.15	0.16	0.15
LSD	0.14	0.10	0.09	0.09	0.08	0.07	0.08	0.08	0.09	0.08	0.09	0.08	0.11	0.11	0.10	0.11	0.12
PCP	0.08	0.08	0.07	0.08	0.06	0.05	0.05	0.05	0.05	0.04	0.05	0.03	0.05	0.05	0.03	0.04	0.03
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.10	0.10	0.10
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.29	0.26	0.27	0.28
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.04	0.05	0.05
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
TOBACCO PRODUCTS	0.44	0.45	0.42	0.44	0.42	0.43	0.40	0.42	0.42	0.40	0.36	0.37	0.41	0.37	0.37	0.35	0.34
Cigarettes	0.44	0.45	0.42	0.42	0.41	0.40	0.38	0.39	0.39	0.37	0.34	0.33	0.36	0.34	0.33	0.31	0.30
Daily Cigarettes	0.25	0.23	0.24	0.20	0.20	0.19	0.17	0.18	0.18	0.17	0.16	0.14	0.15	0.13	0.11	0.11	0.11
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.21	0.20	0.21	0.20
Cigars	0.32	0.33	0.32	0.31	0.29	0.30	0.29	0.30	0.27	0.29	0.25	0.26	0.27	0.25	0.23	0.23	0.21
Pipe Tobacco	0.14	0.13	0.13	0.15	0.14	0.13	0.13	0.14	0.12	0.13	0.15	0.12	0.15	0.13	0.13	0.13	0.12
ALCOHOL	0.43	0.45	0.43	0.44	0.44	0.44	0.44	0.45	0.44	0.44	0.44	0.44	0.43	0.46	0.45	0.45	0.45
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.50	0.49	0.49	0.49
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.49	0.47	0.48	0.48
Tobacco Products or Alcohol	0.44	0.46	0.43	0.46	0.46	0.47	0.44	0.47	0.46	0.46	0.46	0.46	0.46	0.48	0.47	0.47	0.48

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.4P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0158	0.1364	1.0000	
Marijuana	0.0000	0.0000	0.0000	0.0001	0.0001	0.0860	0.0108	0.0007	0.0011	0.0000	0.0011	0.0320	0.0410	0.4722	0.2314	0.8526	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0037	0.1350	0.1343	0.2689	0.2013	0.8788	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0002	0.0013	0.0747	0.2914	0.0449	0.7629	0.7236	0.1072	
Heroin	0.0000	0.0000	0.0000	0.0001	0.0004	0.0007	0.0002	0.0001	0.0027	0.0000	0.0007	0.0239	0.0469	0.0481	0.1037	0.0775	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0009	0.0383	0.0118	
LSD	0.0000	0.0740	0.6654	0.2532	0.0020	0.0003	0.1337	0.0422	0.0153	0.0062	0.0348	0.0029	0.3813	0.9216	0.3128	0.3397	
PCP	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0002	0.0000	0.1380	0.0220	0.0347	0.4469	0.1909	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0003	0.0179	0.1600	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1527	0.5190	0.8779	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9369	0.9689	0.3731	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
TOBACCO PRODUCTS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0023	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0096	
Daily Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.1241	0.5269	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0001	0.3134	0.0418	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0097	0.0005	
Pipe Tobacco	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0677	0.0074	0.0756	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0011	0.2994	0.2019	
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0030	0.8985	0.5016	
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0127	0.5504	0.5379	
Tobacco Products or Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1092	0.2371	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.5C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	92	87	93	93
Marijuana	79	79	77	75	78	75	73	78	84	83	75	78	82	81	77	83	83
Cocaine	32	28	27	28	28	27	24	22	22	20	19	15	23	20	18	16	18
Crack	14	13	10	10	12	11	8	7	5	7	8	4	7	3	4	7	3
Heroin	11	8	10	8	8	6	11	7	8	11	9	8	8	7	5	5	4
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	37	31	34	31
LSD	25	15	17	17	14	15	18	14	17	18	16	15	25	26	20	23	22
PCP	13	12	12	14	11	9	10	10	8	7	11	7	9	11	5	8	6
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24	21	21	19
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	39	34	34	41
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10	8	9	9
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	58	53	53	54
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	47	42	41	42
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	35	34	34	27
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	35	32	33	34
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	32	32	32	33
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	16	14	13	13
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	31	30	32	32
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	48	43	41	42
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	72	62	65	69
TOBACCO PRODUCTS³	92	93	96	99	90	95	85	93	89	85	80	80	84	78	78	73	67
Cigarettes	87	90	89	90	88	87	79	82	82	77	72	67	71	67	65	60	56
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	42	41	41	39
Cigars	65	65	67	67	63	66	60	61	55	59	54	50	57	53	48	50	44
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	105	104	103	105	106	107	101	103	104	107	105	100	103	104	104	108	105
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	113	110	117	109
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	110	107	115	109
Tobacco Products or Alcohol ³	112	111	107	112	110	113	103	109	108	109	110	108	109	111	108	111	108

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.5D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.37	0.35	0.37	0.37
Marijuana	0.32	0.31	0.31	0.30	0.31	0.30	0.29	0.32	0.34	0.33	0.30	0.31	0.33	0.32	0.31	0.33	0.33
Cocaine	0.13	0.11	0.11	0.11	0.11	0.11	0.10	0.09	0.09	0.08	0.08	0.06	0.09	0.08	0.07	0.06	0.07
Crack	0.06	0.05	0.04	0.04	0.05	0.04	0.03	0.03	0.02	0.03	0.03	0.02	0.03	0.01	0.02	0.03	0.01
Heroin	0.04	0.03	0.04	0.03	0.03	0.02	0.04	0.03	0.03	0.05	0.04	0.03	0.03	0.03	0.02	0.02	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.15	0.13	0.14	0.13
LSD	0.10	0.06	0.07	0.07	0.05	0.06	0.07	0.06	0.07	0.07	0.07	0.06	0.10	0.10	0.08	0.09	0.09
PCP	0.05	0.05	0.05	0.06	0.04	0.04	0.04	0.04	0.03	0.03	0.04	0.03	0.03	0.04	0.02	0.03	0.02
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.08	0.08	0.08
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.16	0.14	0.14	0.16
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.03	0.04	0.04
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.23	0.21	0.21	0.22
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.19	0.17	0.16	0.17
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.14	0.14	0.11
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.13	0.13	0.14
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.13	0.13	0.13
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.05	0.05
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.12	0.12	0.13	0.13
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.19	0.17	0.16	0.17
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.29	0.25	0.26	0.28
TOBACCO PRODUCTS³	0.37	0.37	0.38	0.39	0.36	0.38	0.34	0.38	0.37	0.34	0.32	0.32	0.34	0.31	0.31	0.29	0.27
Cigarettes	0.35	0.36	0.35	0.36	0.35	0.34	0.32	0.34	0.34	0.31	0.29	0.27	0.29	0.27	0.26	0.24	0.23
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.16	0.16	0.16
Cigars	0.26	0.26	0.27	0.27	0.25	0.26	0.24	0.25	0.22	0.24	0.22	0.20	0.23	0.21	0.19	0.20	0.18
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	0.42	0.42	0.41	0.41	0.42	0.42	0.41	0.42	0.43	0.43	0.42	0.40	0.42	0.42	0.42	0.43	0.42
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.45	0.44	0.47	0.44
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.44	0.43	0.46	0.44
Tobacco Products or Alcohol ³	0.45	0.44	0.42	0.44	0.43	0.45	0.41	0.44	0.44	0.44	0.44	0.43	0.44	0.44	0.44	0.45	0.43

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.5P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1261	0.0808	0.5029	
Marijuana	0.0000	0.0000	0.0000	0.0560	0.1121	0.9638	0.1779	0.0108	0.0015	0.0002	0.0266	0.0380	0.1851	0.8082	0.2413	0.8555	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0092	0.3924	0.0516	0.1416	0.3370	0.5124	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0004	0.0065	0.0007	0.0674	0.1104	0.0240	0.7619	0.1689	0.1001	
Heroin	0.0006	0.0032	0.0005	0.0034	0.0044	0.0785	0.0106	0.0040	0.0369	0.0004	0.0349	0.0144	0.0465	0.1551	0.6038	0.5906	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0029	0.0711	0.0032	
LSD	0.0009	0.0405	0.0827	0.0439	0.0001	0.0031	0.4966	0.0236	0.0220	0.1135	0.0604	0.0458	0.7445	0.1519	0.9880	0.0909	
PCP	0.0000	0.0000	0.0000	0.0000	0.0008	0.0003	0.0001	0.0062	0.0365	0.0126	0.0078	0.1306	0.0902	0.1241	0.7528	0.4073	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0227	0.0752	0.1079	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6955	0.0394	0.0884	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8334	0.3521	0.6811	
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0007	0.1027	0.6629	
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0018	0.2358	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0055	0.1816	0.0597	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8030	0.6337	0.5158	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5271	0.7987	0.4647	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0571	0.0552	0.5886	
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4899	0.6854	0.3697	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0014	0.2491	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0002	0.4884	0.6782	
TOBACCO PRODUCTS³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0161	
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0294	0.0340	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0098	0.0023	
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0020	0.1800	0.0706	
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0063	0.4343	0.1947	
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0191	0.9454	0.2488	
Tobacco Products or Alcohol ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0270	0.0523	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.6C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	68	66	66	67
Marijuana	58	60	57	56	55	56	54	59	62	61	55	56	67	61	61	61	63
Cocaine	18	16	15	16	13	13	13	13	11	12	7	9	10	13	7	7	5
Crack	9	8	5	7	4	5	3	4	2	2	*	1	4	1	2	*	*
Heroin	5	6	5	5	5	2	6	5	3	8	*	5	6	3	2	2	4
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17	16	19	20
LSD	12	10	8	8	7	8	10	7	10	8	6	10	14	12	9	11	12
PCP	6	6	5	6	5	5	4	5	3	2	3	3	2	6	3	4	3
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9	8	11	13
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20	17	18	23
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	4	5	6
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	37	29	28	27
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27	22	22	21
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17	14	17	16
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23	18	16	12
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	21	17	15	12
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7	6	6	4
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27	22	22	22
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	45	36	37	38
TOBACCO PRODUCTS	81	80	80	78	72	76	69	71	69	68	61	59	61	57	53	53	48
Cigarettes	74	73	76	71	66	67	61	64	63	60	55	51	52	49	44	43	39
Daily Cigarettes	42	38	42	33	35	34	28	29	30	28	25	21	27	22	15	14	14
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	27	26	25
Cigars	47	44	44	46	41	45	41	39	36	41	32	32	34	35	29	33	31
Pipe Tobacco	14	18	19	17	18	19	17	21	17	18	18	17	20	14	15	19	15
ALCOHOL	80	82	81	81	82	87	79	79	80	77	78	73	81	72	75	76	72
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	57	55	55	55
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24	22	19	17
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	91	90	92	84
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	87	86	88	82
Tobacco Products or Alcohol	94	94	89	94	94	97	86	89	87	90	86	82	88	82	83	85	79

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.6D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.27	0.26	0.26	0.27
Marijuana	0.24	0.24	0.23	0.22	0.21	0.22	0.22	0.24	0.25	0.24	0.22	0.23	0.27	0.24	0.24	0.24	0.25
Cocaine	0.07	0.06	0.06	0.06	0.05	0.05	0.05	0.05	0.05	0.05	0.03	0.04	0.04	0.05	0.03	0.03	0.02
Crack	0.03	0.03	0.02	0.03	0.02	0.02	0.01	0.02	0.01	0.01	*	0.01	0.02	0.01	0.01	*	*
Heroin	0.02	0.02	0.02	0.02	0.02	0.01	0.03	0.02	0.01	0.03	*	0.02	0.02	0.01	0.01	0.01	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.06	0.08	0.08
LSD	0.05	0.04	0.03	0.03	0.03	0.03	0.04	0.03	0.04	0.03	0.02	0.04	0.06	0.05	0.04	0.04	0.05
PCP	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.02	0.01
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.03	0.04	0.05
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.07	0.09
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.01	0.02	0.02
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.15	0.12	0.11	0.11
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.09	0.09	0.09
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.06	0.07	0.06
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.07	0.06	0.05
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.07	0.06	0.05
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.02	0.02
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.09	0.09	0.09
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.18	0.14	0.15	0.15
TOBACCO PRODUCTS	0.33	0.32	0.32	0.31	0.29	0.30	0.28	0.29	0.28	0.27	0.25	0.24	0.25	0.23	0.21	0.21	0.19
Cigarettes	0.30	0.29	0.30	0.28	0.26	0.27	0.25	0.26	0.26	0.24	0.22	0.20	0.21	0.20	0.18	0.17	0.16
Daily Cigarettes	0.17	0.15	0.17	0.13	0.14	0.14	0.11	0.12	0.12	0.11	0.10	0.08	0.11	0.09	0.06	0.05	0.06
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.10	0.11	0.10	0.10
Cigars	0.19	0.17	0.18	0.18	0.16	0.18	0.16	0.16	0.15	0.16	0.13	0.13	0.13	0.14	0.12	0.13	0.13
Pipe Tobacco	0.06	0.07	0.08	0.07	0.07	0.08	0.07	0.09	0.07	0.07	0.07	0.07	0.08	0.06	0.06	0.07	0.06
ALCOHOL	0.32	0.33	0.32	0.32	0.32	0.34	0.32	0.32	0.33	0.31	0.31	0.29	0.33	0.29	0.30	0.30	0.29
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.23	0.22	0.22	0.22
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.10	0.09	0.08	0.07
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.37	0.36	0.37	0.34
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.35	0.35	0.35	0.33
Tobacco Products or Alcohol	0.38	0.38	0.35	0.37	0.37	0.38	0.35	0.36	0.36	0.36	0.34	0.33	0.35	0.33	0.33	0.34	0.32

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.6P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0409	0.6536	0.6747	
Marijuana	0.0000	0.0005	0.0071	0.6218	0.9575	0.8837	0.9016	0.0408	0.0385	0.0005	0.0951	0.2148	0.0556	0.2813	0.5680	0.5707	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0274	0.0021	0.0153	0.0026	0.0546	0.0698	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	0.5746	0.1617	0.2299	0.2544	0.2014	0.3022	0.4324	0.3528	0.8684	0.4170	*	0.4183	0.2501	0.5250	0.3415	0.2087	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4799	0.3205	0.9118	
LSD	0.7242	0.7803	0.2210	0.0998	0.0769	0.0692	0.8427	0.1462	0.6048	0.1324	0.0295	0.8181	0.5526	0.8990	0.3767	0.8997	
PCP	0.0041	0.0145	0.2347	0.0468	0.1736	0.3666	0.0377	0.1384	0.5689	0.9629	0.9524	0.5043	0.7570	0.5250	0.8721	0.8536	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1959	0.1149	0.4720	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7650	0.2120	0.2771	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6094	0.2463	0.9177	
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0001	0.0495	0.2018	
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0010	0.0106	0.0899	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9000	0.1869	0.9043	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0010	0.0257	0.0117	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0009	0.0529	0.0153	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1402	0.0737	0.1299	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0020	0.0176	0.1421	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0050	0.7380	0.6455	
TOBACCO PRODUCTS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0213	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0017	0.0461	
Daily Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.1531	0.8948	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0119	0.0457	0.1131	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0130	0.0246	0.3814	0.1432	
Pipe Tobacco	0.0013	0.0001	0.0000	0.0002	0.0001	0.0000	0.0000	0.0000	0.0002	0.0000	0.0001	0.0001	0.0000	0.5557	0.0178	0.0811	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1209	0.5674	0.0301	
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0007	0.5396	0.0757	
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0023	0.0330	0.0941	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0052	0.3166	0.0889	
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0399	0.9826	0.2097	
Tobacco Products or Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0026	0.0669	0.0276	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.7C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	896	853	881	904
Marijuana	915	865	918	924	903	952	915	940	1,016	1,019	1,002	1,008	860	890	857	889	902
Cocaine	584	564	635	597	657	660	674	654	680	704	699	692	627	637	611	611	682
Crack	307	263	280	293	329	339	323	316	378	328	346	364	316	306	301	322	329
Heroin	222	204	193	227	238	240	223	217	248	226	244	280	213	234	233	238	264
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	630	632	639	714
LSD	513	494	504	521	520	549	548	565	558	532	557	578	506	519	520	516	584
PCP	281	270	297	288	295	298	339	297	320	306	311	346	274	269	288	262	312
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	367	360	409	442
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	453	459	482	473
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	401	389	401	411
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
TOBACCO PRODUCTS	780	755	795	768	793	830	835	856	844	897	914	909	803	819	809	804	806
Cigarettes	827	799	812	833	828	854	851	875	852	904	931	935	823	849	814	814	821
Daily Cigarettes	997	852	894	959	915	902	951	939	967	1,025	945	936	810	821	834	820	837
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	613	556	565	581
Cigars	814	855	801	847	862	861	847	859	921	913	880	913	750	717	783	784	836
Pipe Tobacco	719	791	758	696	734	730	706	691	691	694	676	762	572	587	605	594	588
ALCOHOL	627	578	685	625	640	694	682	629	694	656	653	760	584	609	626	641	651
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	527	536	553	557
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	580	596	613	620
Tobacco Products or Alcohol	534	503	560	514	511	582	606	557	600	581	568	629	498	545	559	556	570

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.7D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.37	0.35	0.36	0.36
Marijuana	0.44	0.41	0.43	0.42	0.41	0.43	0.41	0.41	0.44	0.44	0.43	0.42	0.36	0.37	0.35	0.36	0.36
Cocaine	0.28	0.27	0.30	0.27	0.30	0.30	0.30	0.29	0.30	0.30	0.30	0.29	0.26	0.26	0.25	0.25	0.27
Crack	0.15	0.12	0.13	0.13	0.15	0.15	0.14	0.14	0.16	0.14	0.15	0.15	0.13	0.13	0.12	0.13	0.13
Heroin	0.11	0.10	0.09	0.10	0.11	0.11	0.10	0.10	0.11	0.10	0.10	0.12	0.09	0.10	0.10	0.10	0.11
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.26	0.26	0.26	0.29
LSD	0.24	0.23	0.23	0.24	0.24	0.25	0.24	0.25	0.24	0.23	0.24	0.24	0.21	0.21	0.21	0.21	0.23
PCP	0.13	0.13	0.14	0.13	0.13	0.13	0.15	0.13	0.14	0.13	0.13	0.15	0.11	0.11	0.12	0.11	0.13
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.15	0.15	0.17	0.18
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.19	0.19	0.20	0.19
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.16	0.16	0.17
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
TOBACCO PRODUCTS	0.37	0.35	0.37	0.35	0.36	0.37	0.37	0.38	0.37	0.39	0.39	0.38	0.33	0.34	0.33	0.33	0.32
Cigarettes	0.39	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.37	0.39	0.40	0.39	0.34	0.35	0.33	0.33	0.33
Daily Cigarettes	0.47	0.40	0.42	0.44	0.41	0.41	0.42	0.41	0.42	0.44	0.40	0.39	0.34	0.34	0.34	0.33	0.34
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.25	0.23	0.23	0.23
Cigars	0.39	0.40	0.37	0.39	0.39	0.39	0.38	0.38	0.40	0.39	0.37	0.38	0.31	0.30	0.32	0.32	0.34
Pipe Tobacco	0.34	0.37	0.35	0.32	0.33	0.33	0.31	0.30	0.30	0.30	0.29	0.32	0.24	0.24	0.25	0.24	0.24
ALCOHOL	0.30	0.27	0.32	0.29	0.29	0.31	0.30	0.28	0.30	0.28	0.28	0.32	0.24	0.25	0.26	0.26	0.26
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.22	0.22	0.22	0.22
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.24	0.24	0.25	0.25
Tobacco Products or Alcohol	0.25	0.24	0.26	0.24	0.23	0.26	0.27	0.25	0.26	0.25	0.24	0.26	0.21	0.22	0.23	0.23	0.23

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.7P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2651	0.1736	0.5037	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0026	0.0234	0.0098	0.0120	0.8921	
Cocaine	0.4679	0.9624	0.2119	0.0213	0.4010	0.6586	0.7669	0.8221	0.8915	0.3844	0.6819	0.4140	0.7027	0.5675	0.4503	0.4604	
Crack	0.2344	0.9195	0.5943	0.6240	0.4850	0.4864	0.8329	0.9392	0.1449	0.3518	0.4865	0.8309	0.2227	0.8475	0.5880	0.3087	
Heroin	0.0204	0.0239	0.0000	0.0024	0.0186	0.0170	0.0076	0.0016	0.0875	0.0461	0.3804	0.8187	0.6751	0.7835	0.8749	0.5539	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1086	0.2303	0.2245	
LSD	0.1573	0.1810	0.6893	0.0397	0.2742	0.0303	0.1554	0.1232	0.0248	0.0012	0.0096	0.1257	0.0747	0.0677	0.2053	0.1145	
PCP	0.0000	0.0000	0.0008	0.0049	0.0051	0.1080	0.0144	0.1178	0.1635	0.3864	0.0866	0.1625	0.2265	0.3604	0.2758	0.9220	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0252	0.0285	0.2420	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0318	0.9082	0.4092	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9702	0.8588	0.8775	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
TOBACCO PRODUCTS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0025	0.0056	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0006	
Daily Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0461	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0502	0.0974	0.0694	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0099	0.9288	0.8825	
Pipe Tobacco	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0044	0.0238	0.0796	0.3424	0.5817	
ALCOHOL	0.0001	0.0000	0.0323	0.0001	0.0011	0.0314	0.0481	0.0004	0.0018	0.0059	0.0005	0.2018	0.0004	0.7241	0.0795	0.9145	
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2028	0.2575	0.3888	
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5933	0.1711	0.5805	
Tobacco Products or Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0001	0.0000	0.2882	0.2269	0.4666	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.8C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	610	604	646	714
Marijuana	459	437	437	463	466	484	466	527	548	503	549	565	528	520	534	586	662
Cocaine	217	225	202	202	227	239	207	208	202	167	217	189	184	192	174	218	203
Crack	124	122	115	114	133	123	94	105	92	68	111	77	81	93	88	99	85
Heroin	54	47	55	42	85	54	58	78	75	71	78	70	75	79	83	78	99
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	171	181	173	214
LSD	58	41	41	45	55	53	47	53	69	57	83	79	71	81	96	107	119
PCP	21	20	25	15	37	17	10	19	23	19	32	20	14	29	28	22	15
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	119	121	117	131
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	83	85	90	105
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	120	99	113	122
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	375	365	344	370
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	303	280	270	284
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	171	185	190	175
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	222	225	222	237
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	205	203	205	223
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	111	116	116	94
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	192	195	199	217
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	307	286	276	293
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	431	407	410	438
TOBACCO PRODUCTS³	876	810	816	878	868	868	923	851	906	895	921	873	771	749	749	746	782
Cigarettes	826	802	784	811	833	840	855	829	828	853	880	824	741	719	719	717	723
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	309	300	273	284
Cigars	483	456	442	478	462	477	488	497	504	498	510	492	389	436	387	397	423
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	910	884	880	908	897	955	950	883	953	977	941	984	800	774	804	881	926
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	711	758	797	825
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	752	811	866	906
Tobacco Products or Alcohol ³	844	829	871	852	843	847	907	835	899	906	856	909	747	720	754	815	830

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.8D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.25	0.25	0.26	0.29
Marijuana	0.22	0.21	0.20	0.21	0.21	0.22	0.21	0.23	0.24	0.22	0.23	0.24	0.22	0.21	0.22	0.24	0.27
Cocaine	0.10	0.11	0.09	0.09	0.10	0.11	0.09	0.09	0.09	0.07	0.09	0.08	0.08	0.08	0.07	0.09	0.08
Crack	0.06	0.06	0.05	0.05	0.06	0.06	0.04	0.05	0.04	0.03	0.05	0.03	0.03	0.04	0.04	0.04	0.03
Heroin	0.03	0.02	0.03	0.02	0.04	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.09
LSD	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.04	0.03	0.03	0.03	0.04	0.04	0.05
PCP	0.01	0.01	0.01	0.01	0.02	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.05
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.04	0.04
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.04	0.05	0.05
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.15	0.15	0.14	0.15
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.12	0.11	0.11	0.11
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.08	0.08	0.07
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.09	0.09	0.10
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.09
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.04
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.09
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.12	0.11	0.12
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.18	0.17	0.17	0.18
TOBACCO PRODUCTS³	0.42	0.38	0.38	0.40	0.39	0.39	0.41	0.37	0.40	0.38	0.39	0.37	0.32	0.31	0.31	0.30	0.31
Cigarettes	0.39	0.38	0.36	0.37	0.38	0.38	0.38	0.36	0.36	0.37	0.37	0.35	0.31	0.30	0.29	0.29	0.29
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.12	0.11	0.11
Cigars	0.23	0.21	0.21	0.22	0.21	0.21	0.22	0.22	0.22	0.21	0.22	0.21	0.16	0.18	0.16	0.16	0.17
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	0.43	0.42	0.41	0.42	0.41	0.43	0.42	0.39	0.42	0.42	0.40	0.41	0.33	0.32	0.33	0.36	0.37
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.29	0.31	0.32	0.33
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.31	0.33	0.35	0.36
Tobacco Products or Alcohol ³	0.40	0.39	0.40	0.39	0.38	0.38	0.40	0.37	0.39	0.39	0.36	0.38	0.31	0.30	0.31	0.33	0.33

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.8P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0001	0.2875	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0072	
Cocaine	0.0034	0.0033	0.0369	0.1864	0.0031	0.0860	0.7725	0.1701	0.0115	0.0000	0.0305	0.0000	0.0019	0.0260	0.1420	0.1400	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0011	0.0261	0.1558	0.3071	0.1654	0.3837	0.8185	0.4693	0.2678	0.2168	
Heroin	0.0013	0.0000	0.0009	0.0002	0.1343	0.0005	0.0042	0.1310	0.2289	0.1259	0.3444	0.3442	0.3334	0.8057	0.2371	0.5290	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0007	0.0128	0.0264	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0116	0.4409	
PCP	0.0016	0.0007	0.0015	0.1357	0.0433	0.1226	0.4556	0.2762	0.7061	0.2375	0.0409	0.7486	0.8837	0.3413	0.3412	0.5099	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8590	0.8331	0.7380	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0724	0.1151	0.2676	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5095	0.0051	0.1775	
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0001	0.0126	
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0001	0.0061	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5842	0.0238	0.0062	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0329	0.0399	0.3154	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1237	0.1804	0.4995	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0042	0.0035	0.0691	
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3869	0.2501	0.4330	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0001	0.0061	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0206	0.0944	0.0452	
TOBACCO PRODUCTS³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0982	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.2413	
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0003	0.0208	0.0509	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0001	0.0651	0.0055	0.9547	0.4313	
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
ALCOHOL	0.8250	0.0183	0.0388	0.5299	0.8255	0.5327	0.9339	0.1703	0.4290	0.5658	0.0486	0.2013	0.0411	0.7723	0.1279	0.7567	
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3852	0.1809	0.7397	
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7648	0.1170	0.5687	
Tobacco Products or Alcohol ³	0.0991	0.7074	0.2802	0.0082	0.1475	0.5600	0.2398	0.0980	0.0685	0.2902	0.0126	0.0899	0.0054	0.4496	0.1611	0.8937	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.9C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	448	480	508	570
Marijuana	313	317	349	357	350	353	374	384	401	403	426	437	414	408	434	474	533
Cocaine	126	146	119	141	152	149	130	135	106	106	142	132	105	127	119	130	123
Crack	67	91	66	87	101	80	55	77	60	42	94	64	55	64	64	74	72
Heroin	41	27	36	18	77	38	39	37	43	48	51	42	55	44	63	60	51
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	81	92	89	105
LSD	13	15	22	14	23	32	16	21	17	21	31	36	38	38	40	49	44
PCP	14	11	16	11	7	13	*	17	21	10	12	15	*	9	8	18	13
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	52	60	58	66
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	48	63	51	58
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	93	71	77	100
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	201	208	214	209
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	156	158	163	157
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	96	103	108	102
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	120	133	111	124
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	107	118	101	118
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	57	74	55	43
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	162	170	175	161
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	252	258	269	269
TOBACCO PRODUCTS	829	784	793	839	838	838	872	822	840	845	874	834	729	692	717	704	729
Cigarettes	790	774	765	772	799	803	809	790	772	814	832	796	691	673	676	666	672
Daily Cigarettes	703	644	645	628	634	650	685	653	659	674	688	657	526	545	540	521	533
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	282	267	246	243
Cigars	346	333	323	351	348	331	363	358	358	369	387	354	280	321	299	302	315
Pipe Tobacco	163	130	145	145	165	169	146	149	147	143	183	150	137	138	132	141	122
ALCOHOL	972	909	950	969	954	1,011	977	945	974	1,006	1,004	1,052	843	832	822	901	979
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	714	701	724	696
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	381	374	364	391
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	776	792	845	914
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	810	836	883	970
Tobacco Products or Alcohol	937	877	955	942	941	907	939	890	963	967	937	984	782	784	792	855	909

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.9D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.18	0.20	0.21	0.23
Marijuana	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.18	0.17	0.18	0.18	0.17	0.17	0.18	0.19	0.21
Cocaine	0.06	0.07	0.06	0.06	0.07	0.07	0.06	0.06	0.05	0.05	0.06	0.06	0.04	0.05	0.05	0.05	0.05
Crack	0.03	0.04	0.03	0.04	0.05	0.04	0.02	0.03	0.03	0.02	0.04	0.03	0.02	0.03	0.03	0.03	0.03
Heroin	0.02	0.01	0.02	0.01	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.04	0.04	0.04
LSD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02
PCP	0.01	0.01	0.01	0.01	0.00	0.01	*	0.01	0.01	0.00	0.01	0.01	*	0.00	0.00	0.01	0.01
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.03
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.03	0.02	0.02
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.03	0.03	0.04
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.09	0.09	0.08
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.07	0.06
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.04	0.04
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.04	0.05
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.05	0.04	0.05
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.03	0.02	0.02
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.06
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.10	0.11	0.11	0.11
TOBACCO PRODUCTS	0.39	0.37	0.37	0.39	0.38	0.38	0.39	0.36	0.37	0.36	0.37	0.35	0.30	0.29	0.29	0.28	0.29
Cigarettes	0.38	0.36	0.36	0.35	0.36	0.36	0.36	0.35	0.34	0.35	0.35	0.34	0.29	0.28	0.28	0.27	0.27
Daily Cigarettes	0.33	0.30	0.30	0.29	0.29	0.29	0.30	0.29	0.29	0.29	0.29	0.28	0.22	0.22	0.22	0.21	0.21
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.12	0.11	0.10	0.10
Cigars	0.16	0.16	0.15	0.16	0.16	0.15	0.16	0.16	0.16	0.16	0.16	0.15	0.12	0.13	0.12	0.12	0.13
Pipe Tobacco	0.08	0.06	0.07	0.07	0.07	0.08	0.06	0.07	0.06	0.06	0.08	0.06	0.06	0.06	0.05	0.06	0.05
ALCOHOL	0.46	0.43	0.44	0.44	0.43	0.45	0.43	0.42	0.42	0.43	0.43	0.44	0.35	0.34	0.34	0.36	0.39
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.29	0.29	0.29	0.28
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.16	0.15	0.15	0.16
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.32	0.32	0.34	0.37
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.33	0.34	0.36	0.39
Tobacco Products or Alcohol	0.45	0.41	0.44	0.43	0.43	0.41	0.42	0.39	0.42	0.42	0.40	0.41	0.33	0.32	0.32	0.35	0.37

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.9P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0001	0.0970	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0341	
Cocaine	0.1488	0.0088	0.1707	0.0017	0.0015	0.1971	0.9266	0.2623	0.0167	0.0012	0.2526	0.0527	0.0196	0.6903	0.7407	0.2201	
Crack	0.0574	0.0694	0.4167	0.0107	0.0109	0.0468	0.6526	0.3725	0.7639	0.0216	0.7926	0.6570	0.4146	0.7295	0.9960	0.7237	
Heroin	0.0205	0.0001	0.0091	0.0001	0.8585	0.0102	0.0590	0.0206	0.1646	0.3922	0.9130	0.4014	0.2525	0.8327	0.1074	0.0533	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0138	0.1628	0.1543	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0029	0.1016	0.2930	0.3527	
PCP	0.6049	0.5384	0.5605	0.7933	0.5606	0.6961	*	0.5054	0.9415	0.6858	0.9541	0.8710	*	0.4721	0.3868	0.9418	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2429	0.6867	0.3256	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3755	0.7224	0.7647	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5656	0.0113	0.0862	
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0023	0.0072	0.0812	
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0001	0.0405	0.1260	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8591	0.3877	0.1991	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0456	0.0051	0.4875	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2112	0.0622	0.7178	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0046	0.0051	0.1456	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0001	0.0146	0.0456	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2101	0.2988	0.3689	
TOBACCO PRODUCTS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0092	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0364	
Daily Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.3740	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0036	0.0167	0.0685	
Cigars	0.0002	0.0001	0.0000	0.0000	0.0000	0.0001	0.0005	0.0006	0.0005	0.0388	0.0009	0.1961	0.9032	0.2686	0.5928	0.4343	
Pipe Tobacco	0.9111	0.1175	0.6431	0.1343	0.0662	0.7537	0.5451	0.8465	0.4294	0.6847	0.0320	0.3141	0.4762	0.2262	0.3606	0.2343	
ALCOHOL	0.4928	0.0134	0.0456	0.2894	0.5047	0.8459	0.5212	0.2951	0.3343	0.2927	0.0958	0.0582	0.0023	0.1814	0.5453	0.2242	
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3355	0.5373	0.9028	
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0550	0.9208	0.6645	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1059	0.9952	0.2703	
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6458	0.3431	0.3376	
Tobacco Products or Alcohol	0.0026	0.1783	0.7021	0.0003	0.0046	0.0156	0.0062	0.0063	0.0012	0.0192	0.0001	0.0011	0.0000	0.0211	0.8368	0.1869	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.10C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	187	180	185	188
Marijuana	157	157	176	168	175	166	160	169	167	177	178	170	197	185	181	189	189
Cocaine	114	107	109	115	116	117	112	113	112	108	113	108	120	115	120	124	123
Crack	51	54	50	54	55	49	48	45	47	42	40	40	40	42	35	37	32
Heroin	35	37	36	36	38	34	32	37	41	43	43	44	48	48	43	46	38
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	139	143	140	145
LSD	115	108	98	96	89	78	74	80	79	74	87	81	92	95	104	106	107
PCP	45	49	42	41	38	35	36	37	34	32	30	30	31	30	28	30	25
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	121	122	120	118
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	104	106	105	100
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	65	54	58	52
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
TOBACCO PRODUCTS	132	142	143	148	153	149	158	153	159	160	164	165	189	188	186	187	183
Cigarettes	139	152	153	155	159	151	162	162	171	169	171	170	201	190	188	190	187
Daily Cigarettes	155	157	156	150	156	151	157	153	151	160	158	144	164	156	152	144	131
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	143	135	145	130
Cigars	149	151	152	152	158	157	157	165	159	170	171	171	189	174	171	168	172
Pipe Tobacco	82	75	83	82	81	76	82	91	96	102	98	98	113	105	101	106	96
ALCOHOL	104	101	117	114	116	125	126	121	114	131	126	136	141	138	143	152	146
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	119	129	132	128
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	127	137	141	136
Tobacco Products or Alcohol	92	91	104	105	103	112	113	109	103	118	116	125	130	129	132	140	135

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.10D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.53	0.52	0.54	0.55
Marijuana	0.51	0.50	0.55	0.52	0.53	0.51	0.49	0.50	0.49	0.51	0.51	0.49	0.56	0.53	0.52	0.55	0.56
Cocaine	0.37	0.34	0.34	0.35	0.36	0.36	0.34	0.34	0.33	0.32	0.33	0.31	0.34	0.33	0.35	0.36	0.36
Crack	0.16	0.17	0.16	0.17	0.17	0.15	0.15	0.13	0.14	0.12	0.12	0.11	0.11	0.12	0.10	0.11	0.09
Heroin	0.11	0.12	0.11	0.11	0.12	0.11	0.10	0.11	0.12	0.13	0.12	0.13	0.14	0.14	0.12	0.13	0.11
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.40	0.41	0.41	0.43
LSD	0.37	0.34	0.31	0.30	0.27	0.24	0.22	0.24	0.23	0.22	0.25	0.23	0.26	0.27	0.30	0.31	0.31
PCP	0.15	0.16	0.13	0.13	0.12	0.11	0.11	0.11	0.10	0.09	0.09	0.09	0.09	0.08	0.08	0.09	0.07
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.35	0.35	0.35	0.35
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.30	0.31	0.31	0.29
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.19	0.16	0.17	0.15
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
TOBACCO PRODUCTS	0.43	0.45	0.44	0.46	0.47	0.45	0.48	0.45	0.47	0.47	0.48	0.48	0.54	0.54	0.54	0.55	0.54
Cigarettes	0.45	0.48	0.48	0.48	0.48	0.46	0.49	0.48	0.50	0.49	0.49	0.49	0.57	0.54	0.54	0.55	0.55
Daily Cigarettes	0.50	0.49	0.48	0.46	0.48	0.46	0.48	0.46	0.44	0.47	0.46	0.42	0.47	0.45	0.44	0.42	0.38
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.41	0.39	0.42	0.38
Cigars	0.48	0.48	0.47	0.47	0.48	0.48	0.48	0.49	0.47	0.50	0.49	0.49	0.54	0.50	0.50	0.49	0.50
Pipe Tobacco	0.27	0.24	0.26	0.25	0.25	0.23	0.25	0.27	0.28	0.30	0.28	0.28	0.32	0.30	0.29	0.31	0.28
ALCOHOL	0.34	0.32	0.36	0.35	0.35	0.38	0.38	0.36	0.34	0.38	0.37	0.39	0.40	0.40	0.41	0.44	0.43
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.34	0.37	0.39	0.38
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.36	0.40	0.41	0.40
Tobacco Products or Alcohol	0.30	0.29	0.32	0.32	0.31	0.34	0.34	0.32	0.30	0.34	0.34	0.36	0.37	0.37	0.38	0.41	0.40

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.10P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0123	0.3464	0.0571	
Marijuana	0.0022	0.0010	0.0957	0.1989	0.1854	0.4449	0.3467	0.1133	0.9958	0.5713	0.3303	0.5529	0.1309	0.1120	0.6749	0.0852	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0334	0.0487	0.6116	0.5867	0.5505	0.8605	0.2023	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0007	0.3742	0.0643	
Heroin	0.1638	0.0863	0.0638	0.2627	0.1737	0.2636	0.6502	0.0121	0.0062	0.0248	0.0007	0.0115	0.0011	0.0207	0.2281	0.0199	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0003	0.2173	0.2717	
LSD	0.0000	0.0000	0.0000	0.1009	0.0417	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0009	0.1080	
PCP	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0012	0.0015	0.0074	0.0363	0.2398	0.6684	0.2821	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0265	0.0035	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0185	0.0443	0.2677	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0031	0.5580	0.0592	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
TOBACCO PRODUCTS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Daily Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0011	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0073	0.0347	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0011	0.2415	
Pipe Tobacco	0.5386	0.1100	0.9705	0.9776	0.4235	0.3006	0.5505	0.3201	0.0008	0.0005	0.0001	0.0000	0.0001	0.0002	0.0141	0.1506	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0049	0.0133	
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0075	0.0110	
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0170	0.0374	
Tobacco Products or Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0011	0.0056	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.11C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	171	182	186	182
Marijuana	135	146	152	145	150	150	150	156	166	167	171	163	186	163	176	182	181
Cocaine	74	72	80	74	80	78	70	69	69	72	74	72	81	91	89	89	89
Crack	23	23	24	29	27	24	23	20	22	16	18	16	22	19	19	20	16
Heroin	17	14	15	21	18	20	19	20	25	26	29	27	31	28	28	28	24
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	99	98	95	102
LSD	44	30	27	30	32	30	36	40	45	43	49	50	56	61	68	69	64
PCP	14	19	17	11	14	11	8	8	10	16	11	7	9	13	7	9	5
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	70	68	67	72
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	43	47	44	43
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	35	28	39	30
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	127	131	120	117
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	92	92	88	72
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	96	104	99	93
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	80	82	81	73
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	78	79	80	72
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	30	24	24
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	76	78	79	71
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	94	94	88	73
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	147	150	137	144
TOBACCO PRODUCTS³	154	152	162	155	162	159	165	168	171	171	163	178	194	183	179	175	161
Cigarettes	155	147	166	156	158	161	160	173	169	173	166	171	196	180	178	164	151
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	101	93	93	87
Cigars	111	115	122	123	131	124	127	137	134	139	134	142	151	140	137	132	132
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	127	131	142	139	140	147	144	142	138	157	147	158	165	155	162	177	161
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	141	145	158	147
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	149	153	170	153
Tobacco Products or Alcohol ³	118	116	130	130	124	133	133	132	125	132	134	146	152	144	150	164	153

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.11D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.49	0.53	0.54	0.54
Marijuana	0.43	0.46	0.47	0.45	0.46	0.46	0.46	0.46	0.49	0.49	0.49	0.47	0.53	0.47	0.51	0.53	0.53
Cocaine	0.24	0.23	0.25	0.23	0.24	0.24	0.21	0.20	0.20	0.21	0.21	0.21	0.23	0.26	0.26	0.26	0.26
Crack	0.08	0.07	0.07	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.05	0.06	0.05	0.05	0.06	0.05
Heroin	0.05	0.04	0.05	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.08	0.08	0.09	0.08	0.08	0.08	0.07
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.28	0.28	0.30
LSD	0.14	0.09	0.08	0.09	0.10	0.09	0.11	0.12	0.13	0.13	0.14	0.14	0.16	0.18	0.20	0.20	0.19
PCP	0.04	0.06	0.05	0.03	0.04	0.03	0.02	0.02	0.03	0.05	0.03	0.02	0.02	0.04	0.02	0.03	0.01
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.20	0.20	0.20	0.21
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.12	0.14	0.13	0.13
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.10	0.08	0.11	0.09
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.36	0.38	0.35	0.34
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.26	0.27	0.26	0.21
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.27	0.30	0.29	0.27
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.23	0.24	0.24	0.21
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.22	0.23	0.23	0.21
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.09	0.07	0.07
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.22	0.23	0.23	0.21
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.27	0.27	0.26	0.21
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.42	0.43	0.40	0.42
TOBACCO PRODUCTS³	0.50	0.48	0.50	0.48	0.49	0.49	0.50	0.50	0.50	0.50	0.47	0.51	0.55	0.52	0.52	0.51	0.47
Cigarettes	0.50	0.46	0.52	0.48	0.48	0.49	0.48	0.51	0.50	0.50	0.48	0.49	0.56	0.52	0.51	0.48	0.44
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.29	0.27	0.27	0.26
Cigars	0.36	0.36	0.38	0.38	0.40	0.38	0.38	0.41	0.39	0.41	0.39	0.41	0.43	0.40	0.40	0.38	0.39
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	0.41	0.41	0.44	0.43	0.43	0.45	0.44	0.42	0.41	0.46	0.42	0.45	0.47	0.44	0.47	0.52	0.47
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.40	0.42	0.46	0.43
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.43	0.44	0.50	0.45
Tobacco Products or Alcohol ³	0.38	0.36	0.41	0.40	0.38	0.41	0.40	0.39	0.37	0.39	0.39	0.42	0.44	0.41	0.43	0.48	0.45

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.11P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1205	0.2047	0.3217	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0006	0.0190	0.8925	
Cocaine	0.0075	0.0160	0.0184	0.0011	0.0016	0.0911	0.5926	0.1776	0.0009	0.0003	0.0007	0.0001	0.0005	0.2923	0.5442	0.2435	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	0.0006	0.3926	0.0285	0.7948	0.1736	0.4283	0.9436	0.4335	
Heroin	0.4385	0.0554	0.2754	0.7774	0.8954	0.7710	0.9281	0.3598	0.1210	0.0407	0.0029	0.0216	0.0086	0.1437	0.0691	0.1177	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6795	0.8928	0.6760	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0072	0.6505	0.2047	
PCP	0.0000	0.0000	0.0000	0.0001	0.0000	0.0001	0.0296	0.0099	0.0170	0.0020	0.0002	0.0614	0.0117	0.1166	0.5845	0.1262	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0014	0.1515	0.1467	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7400	0.7879	0.3176	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2671	0.7601	0.0551	
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0000	0.0000	
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0000	0.0000	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0632	0.0231	0.0154	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0085	0.0083	0.0110	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0131	0.0217	0.0054	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0680	0.1293	0.9125	
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0287	0.0256	0.0064	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0000	0.0000	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0107	0.0023	
TOBACCO PRODUCTS³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0110	0.0647	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1130	0.1310	
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0493	0.1532	
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0287	0.0172	
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0008	0.1359	0.1104	
Tobacco Products or Alcohol ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0024	0.0110	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.12C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	147	148	160	163
Marijuana	110	116	119	121	115	120	123	126	130	135	133	135	157	140	144	156	160
Cocaine	37	42	43	47	41	38	39	36	39	41	33	34	40	49	45	47	46
Crack	9	13	13	16	13	11	11	11	16	6	9	12	9	13	6	7	9
Heroin	10	7	9	10	12	11	14	12	17	20	22	16	16	19	16	21	13
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	51	50	49	48
LSD	8	13	14	12	12	12	15	16	17	14	18	18	19	28	25	34	28
PCP	6	10	5	5	7	6	3	3	3	6	4	2	3	1	*	*	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	35	33	31	32
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	21	25	22	20
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25	15	27	15
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	73	74	76	66
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	46	46	46	37
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	51	58	56	49
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	45	43	45	35
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	44	41	44	35
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	16	12	13	11
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	50	48	53	38
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	99	90	96	85
TOBACCO PRODUCTS	150	151	161	155	160	162	153	169	166	167	164	170	189	168	167	165	148
Cigarettes	150	151	159	152	156	159	149	162	160	162	161	162	185	162	163	150	133
Daily Cigarettes	122	125	126	119	124	123	121	118	116	125	124	109	119	119	106	101	87
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	77	77	72	65
Cigars	83	84	97	92	94	92	96	99	101	100	93	100	105	95	94	98	94
Pipe Tobacco	24	25	30	37	33	32	34	40	41	48	39	49	45	44	42	50	47
ALCOHOL	164	160	164	166	168	170	163	174	169	184	170	183	197	184	190	206	194
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	179	188	195	175
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	117	112	116	115
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	173	176	193	176
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	182	183	203	187
Tobacco Products or Alcohol	149	146	154	161	154	155	155	166	155	165	158	172	186	172	180	194	182

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.12D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.42	0.43	0.47	0.48
Marijuana	0.36	0.37	0.37	0.37	0.35	0.37	0.37	0.38	0.38	0.39	0.39	0.39	0.45	0.40	0.42	0.46	0.47
Cocaine	0.12	0.13	0.13	0.15	0.13	0.12	0.12	0.11	0.11	0.12	0.09	0.10	0.11	0.14	0.13	0.14	0.13
Crack	0.03	0.04	0.04	0.05	0.04	0.03	0.03	0.03	0.05	0.02	0.03	0.03	0.03	0.04	0.02	0.02	0.03
Heroin	0.03	0.02	0.03	0.03	0.04	0.03	0.04	0.04	0.05	0.06	0.06	0.05	0.05	0.05	0.05	0.06	0.04
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.14	0.14	0.14
LSD	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.04	0.05	0.05	0.05	0.08	0.07	0.10	0.08
PCP	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.00	*	*	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.10	0.10	0.09	0.09
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.07	0.06	0.06
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.04	0.08	0.04
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.21	0.21	0.22	0.19
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.13	0.13	0.11
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.15	0.17	0.16	0.14
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.12	0.13	0.10
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.12	0.13	0.10
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.03	0.04	0.03
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.14	0.16	0.11
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.26	0.28	0.25
TOBACCO PRODUCTS	0.48	0.48	0.50	0.48	0.49	0.50	0.47	0.50	0.49	0.49	0.47	0.49	0.54	0.48	0.48	0.48	0.43
Cigarettes	0.48	0.47	0.49	0.47	0.48	0.49	0.45	0.48	0.47	0.47	0.47	0.46	0.53	0.46	0.47	0.44	0.39
Daily Cigarettes	0.39	0.40	0.39	0.37	0.38	0.38	0.37	0.35	0.34	0.36	0.36	0.31	0.34	0.34	0.31	0.29	0.25
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.22	0.22	0.21	0.19
Cigars	0.27	0.26	0.30	0.28	0.29	0.28	0.29	0.29	0.30	0.29	0.27	0.29	0.30	0.27	0.27	0.29	0.27
Pipe Tobacco	0.08	0.08	0.09	0.11	0.10	0.10	0.10	0.12	0.12	0.14	0.11	0.14	0.13	0.13	0.12	0.14	0.14
ALCOHOL	0.53	0.50	0.51	0.51	0.51	0.52	0.49	0.52	0.50	0.54	0.49	0.53	0.56	0.53	0.55	0.60	0.57
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.51	0.54	0.57	0.51
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.33	0.32	0.34	0.34
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.49	0.51	0.56	0.52
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.52	0.53	0.59	0.55
Tobacco Products or Alcohol	0.48	0.46	0.48	0.49	0.47	0.47	0.47	0.49	0.46	0.48	0.46	0.49	0.53	0.49	0.52	0.56	0.53

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.12P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0190	0.2849	0.6344	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0003	0.0339	0.9866	
Cocaine	0.0063	0.0005	0.0014	0.0000	0.0002	0.2400	0.8948	0.3810	0.7210	0.3064	0.0182	0.0173	0.2812	0.5513	0.7573	0.0365	
Crack	0.0299	0.0666	0.0006	0.0000	0.0030	0.0323	0.0547	0.3663	0.0168	0.4836	0.4546	0.5954	0.9567	0.5144	0.2168	0.6918	
Heroin	0.2809	0.0229	0.3215	1.0000	0.8185	0.5347	0.3942	0.7114	0.1836	0.0578	0.0035	0.1627	0.3777	0.2824	0.2133	0.1134	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5582	0.2593	0.8941	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0003	0.0001	0.0003	0.5579	0.4069	0.2981	
PCP	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2379	0.2276	0.9795	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8529	0.7927	0.1904	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2235	0.1976	0.0485	
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0015	0.0033	
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0117	0.0072	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0365	0.0296	0.0712	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0015	0.0114	0.0075	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0023	0.0140	0.0055	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0331	0.7085	0.6117	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0050	0.0047	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0001	0.0051	0.0047	
TOBACCO PRODUCTS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Daily Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0005	0.0048	0.2064	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0059	0.4170	0.5405	0.1583	
Pipe Tobacco	0.0000	0.0000	0.0017	0.0911	0.0106	0.0013	0.0397	0.9512	0.7265	0.6197	0.7638	0.0309	0.4176	1.0000	0.5981	0.5614	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0115	0.0987	
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0000	0.0063	
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0001	0.0237	0.1993	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0012	0.0492	
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0093	0.0348	0.1939	
Tobacco Products or Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0071	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.13C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	862	825	865	873
Marijuana	888	831	875	887	863	921	887	907	986	993	967	986	811	858	829	866	870
Cocaine	574	552	621	580	635	655	660	646	663	704	683	674	611	615	592	595	666
Crack	303	257	274	283	322	337	317	314	371	324	344	359	313	302	297	316	325
Heroin	220	201	188	223	235	236	221	214	243	223	241	278	207	229	225	230	261
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	592	604	612	674
LSD	496	469	494	499	508	540	542	557	549	526	538	567	491	504	498	496	567
PCP	282	262	292	284	290	294	337	292	317	303	309	342	273	265	286	258	309
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	335	332	385	415
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	438	439	458	463
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	392	377	395	405
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
TOBACCO PRODUCTS	763	729	768	747	762	816	821	833	818	877	890	889	767	780	762	763	772
Cigarettes	808	773	783	807	799	838	841	853	822	882	912	915	788	807	771	767	787
Daily Cigarettes	977	827	861	932	889	887	920	908	948	988	912	930	782	796	800	783	806
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	585	539	540	562
Cigars	793	847	769	822	826	837	830	843	896	889	852	885	705	698	762	759	793
Pipe Tobacco	714	775	735	687	721	717	690	681	678	685	666	753	556	578	587	578	582
ALCOHOL	621	566	670	617	614	679	661	615	680	641	637	736	553	576	596	613	623
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	501	506	524	534
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	553	568	588	595
Tobacco Products or Alcohol	529	488	545	509	485	565	589	549	588	565	554	610	468	516	528	525	545

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.13D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.41	0.39	0.41	0.41
Marijuana	0.50	0.46	0.48	0.48	0.46	0.48	0.46	0.47	0.50	0.50	0.48	0.49	0.39	0.41	0.39	0.41	0.41
Cocaine	0.32	0.30	0.34	0.31	0.34	0.35	0.34	0.33	0.34	0.35	0.34	0.33	0.30	0.30	0.28	0.28	0.31
Crack	0.17	0.14	0.15	0.15	0.17	0.18	0.17	0.16	0.19	0.16	0.17	0.18	0.15	0.15	0.14	0.15	0.15
Heroin	0.12	0.11	0.10	0.12	0.12	0.12	0.12	0.11	0.12	0.11	0.12	0.14	0.10	0.11	0.11	0.11	0.12
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.29	0.29	0.31
LSD	0.28	0.26	0.27	0.27	0.27	0.28	0.28	0.29	0.28	0.27	0.27	0.28	0.24	0.24	0.24	0.23	0.26
PCP	0.16	0.14	0.16	0.15	0.15	0.15	0.18	0.15	0.16	0.15	0.15	0.17	0.13	0.13	0.14	0.12	0.14
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.16	0.16	0.18	0.19
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.21	0.21	0.22	0.22
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.19	0.18	0.19	0.19
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr
TOBACCO PRODUCTS	0.43	0.40	0.42	0.40	0.41	0.43	0.43	0.43	0.42	0.44	0.44	0.44	0.37	0.38	0.36	0.36	0.36
Cigarettes	0.45	0.43	0.43	0.44	0.43	0.44	0.44	0.44	0.42	0.44	0.45	0.45	0.38	0.39	0.37	0.36	0.37
Daily Cigarettes	0.54	0.46	0.47	0.50	0.47	0.47	0.48	0.47	0.49	0.50	0.45	0.46	0.38	0.38	0.38	0.37	0.37
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.26	0.25	0.26
Cigars	0.44	0.47	0.42	0.44	0.44	0.44	0.43	0.44	0.46	0.45	0.42	0.44	0.34	0.34	0.36	0.36	0.37
Pipe Tobacco	0.40	0.43	0.40	0.37	0.38	0.38	0.36	0.35	0.35	0.35	0.33	0.37	0.27	0.28	0.28	0.27	0.27
ALCOHOL	0.35	0.31	0.37	0.33	0.33	0.36	0.34	0.32	0.35	0.32	0.32	0.36	0.27	0.28	0.28	0.29	0.29
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.24	0.24	0.25	0.25
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.27	0.27	0.28	0.28
Tobacco Products or Alcohol	0.29	0.27	0.30	0.27	0.26	0.30	0.31	0.28	0.30	0.29	0.28	0.30	0.23	0.25	0.25	0.25	0.25

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.13P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0748	0.0950	0.8062	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0010	0.0048	0.0019	0.0062	0.5886	
Cocaine	0.0306	0.2208	0.0103	0.0002	0.0190	0.0944	0.4742	0.1586	0.6413	0.2651	0.5230	0.4254	0.5261	0.5442	0.4993	0.6001	
Crack	0.4459	0.0268	0.0160	0.0187	0.2817	0.5356	0.3212	0.1736	0.6056	0.1069	0.8438	0.9291	0.3522	0.9109	0.5712	0.3876	
Heroin	0.0117	0.0114	0.0000	0.0013	0.0106	0.0109	0.0064	0.0004	0.0325	0.0180	0.1582	0.5586	0.3016	0.9162	0.7250	0.8362	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0110	0.1233	0.1245	
LSD	0.2151	0.5843	0.1503	0.0151	0.4868	0.2847	0.9926	0.7902	0.4545	0.1245	0.3744	0.9616	0.6435	0.4006	0.5418	0.2032	
PCP	0.0001	0.0051	0.0266	0.0880	0.0561	0.3538	0.0624	0.2879	0.3147	0.4934	0.1184	0.1975	0.2600	0.3644	0.2617	0.9882	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0019	0.0335	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0926	0.7386	0.5502	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7212	0.9844	0.6947	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	
TOBACCO PRODUCTS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0489	0.0503	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0082	0.0145	
Daily Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1117	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4210	0.2862	0.1873	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	0.0017	0.0012	0.0015	0.1300	0.5264	0.9196	
Pipe Tobacco	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0007	0.0238	0.0835	0.2224	0.5305	0.7397	
ALCOHOL	0.1343	0.1189	0.9966	0.0414	0.3391	0.7197	0.9950	0.1412	0.2471	0.2097	0.0536	0.9912	0.0191	0.5582	0.0145	0.6750	
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9027	0.0717	0.7250	
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6900	0.0511	0.8882	
Tobacco Products or Alcohol	0.0000	0.0000	0.0015	0.0000	0.0000	0.0107	0.0181	0.0042	0.0007	0.0266	0.0022	0.0068	0.0005	0.9372	0.0445	0.8898	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.14C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	550	549	577	648
Marijuana	407	387	395	418	410	418	422	470	488	462	488	519	451	460	479	518	595
Cocaine	200	207	180	180	210	223	192	189	183	154	200	172	165	167	152	192	177
Crack	121	120	112	109	132	120	90	103	89	67	110	75	79	93	86	96	83
Heroin	52	45	52	36	83	50	53	76	70	66	72	62	68	74	77	70	96
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	125	138	138	170
LSD	35	28	29	31	43	42	28	32	47	35	65	65	44	45	64	75	93
PCP	16	6	18	10	34	12	*	18	20	9	30	19	10	26	27	20	15
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	92	96	91	105
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	75	73	77	97
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	115	95	104	118
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	345	335	305	340
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	287	264	249	275
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	132	142	153	134
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	209	206	201	223
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	190	183	182	211
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	109	112	112	89
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	174	174	177	203
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	292	269	255	283
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	393	375	365	398
TOBACCO PRODUCTS³	848	774	768	829	826	827	885	804	870	857	882	842	718	714	714	709	749
Cigarettes	792	764	733	758	790	802	822	778	798	811	834	797	691	684	679	681	691
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	285	280	255	267
Cigars	462	443	420	450	432	448	465	458	482	465	481	469	345	400	360	367	390
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	894	865	863	889	873	933	931	870	925	954	925	954	764	741	778	845	892
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	690	730	763	800
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	726	785	831	878
Tobacco Products or Alcohol ³	827	807	857	833	817	824	885	826	874	893	843	886	721	697	726	779	802

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.14D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.26	0.26	0.27	0.30
Marijuana	0.23	0.21	0.22	0.23	0.22	0.22	0.22	0.24	0.25	0.23	0.24	0.26	0.22	0.22	0.23	0.24	0.28
Cocaine	0.11	0.11	0.10	0.10	0.11	0.12	0.10	0.10	0.09	0.08	0.10	0.08	0.08	0.08	0.07	0.09	0.08
Crack	0.07	0.07	0.06	0.06	0.07	0.06	0.05	0.05	0.05	0.03	0.05	0.04	0.04	0.04	0.04	0.05	0.04
Heroin	0.03	0.02	0.03	0.02	0.04	0.03	0.03	0.04	0.04	0.03	0.04	0.03	0.03	0.04	0.04	0.03	0.04
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.07	0.06	0.08
LSD	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.03	0.03	0.02	0.02	0.03	0.04	0.04
PCP	0.01	0.00	0.01	0.01	0.02	0.01	*	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.05	0.04	0.05
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.03	0.04	0.04
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.05	0.05	0.05
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.16	0.14	0.16
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.13	0.12	0.13
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.07	0.07	0.06
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.10	0.10	0.09	0.10
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.09	0.09	0.10
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.04
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.09
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.13	0.12	0.13
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.19	0.18	0.17	0.19
TOBACCO PRODUCTS³	0.47	0.43	0.42	0.45	0.44	0.44	0.46	0.42	0.45	0.43	0.44	0.42	0.35	0.34	0.34	0.33	0.35
Cigarettes	0.44	0.42	0.40	0.41	0.42	0.42	0.43	0.40	0.41	0.41	0.42	0.39	0.34	0.33	0.32	0.32	0.32
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.13	0.12	0.12
Cigars	0.26	0.24	0.23	0.24	0.23	0.24	0.24	0.24	0.25	0.23	0.24	0.23	0.17	0.19	0.17	0.17	0.18
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	0.50	0.48	0.47	0.48	0.46	0.49	0.49	0.45	0.47	0.48	0.46	0.47	0.37	0.36	0.37	0.40	0.42
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.33	0.35	0.36	0.37
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.35	0.37	0.39	0.41
Tobacco Products or Alcohol ³	0.46	0.45	0.47	0.45	0.43	0.43	0.46	0.43	0.45	0.45	0.42	0.44	0.35	0.34	0.35	0.37	0.37

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.14P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0000	0.1093	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0016	
Cocaine	0.0868	0.0688	0.4641	0.5933	0.1424	0.4083	0.8446	0.1729	0.0744	0.0000	0.2017	0.0018	0.0309	0.0197	0.1194	0.3099	
Crack	0.0000	0.0007	0.0020	0.0012	0.0005	0.0001	0.0232	0.1038	0.4892	0.2216	0.2971	0.3465	0.9324	0.5585	0.2581	0.2626	
Heroin	0.0015	0.0001	0.0013	0.0001	0.1199	0.0003	0.0024	0.0641	0.0742	0.0212	0.0445	0.0710	0.9610	0.7911	0.4999	0.8457	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0005	0.0019	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	0.0365	
PCP	0.7409	0.0659	0.9888	0.2795	0.7332	0.4329	*	0.9688	0.4808	0.1270	0.4548	0.7294	0.2007	0.7350	0.4071	0.9561	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0126	0.1380	0.1318	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0502	0.0834	0.0629	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3047	0.0041	0.0400	
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0278	0.0176	0.2662	
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0004	0.0106	0.1707	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2369	0.3551	0.0911	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2440	0.2767	0.9332	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5930	0.6848	0.6785	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0141	0.0087	0.0629	
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9067	0.8362	0.7705	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0012	0.0144	0.1581	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5482	0.5714	0.3237	
TOBACCO PRODUCTS³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0007	0.0039	0.5576	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0063	0.0016	0.9607	
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0352	0.1375	0.1835	
Cigars	0.0000	0.0002	0.0005	0.0000	0.0000	0.0001	0.0004	0.0013	0.0042	0.3847	0.0295	0.0924	0.7641	0.2360	0.4466	0.8301	
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
ALCOHOL	0.1155	0.0001	0.0003	0.4439	0.0543	0.0448	0.1402	0.7899	0.4279	0.5742	0.4490	0.8045	0.2898	0.6137	0.0438	0.9777	
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8842	0.0640	0.9129	
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6769	0.0500	0.7864	
Tobacco Products or Alcohol ³	0.9944	0.0251	0.0034	0.3431	0.6213	0.2529	0.5731	0.8134	0.9609	0.6182	0.3317	0.7111	0.1261	0.7245	0.0363	0.7230	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.15C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	405	435	462	520
Marijuana	279	284	312	323	311	309	342	340	362	374	392	407	361	361	391	423	483
Cocaine	119	137	110	129	147	143	122	127	99	96	138	129	98	117	110	123	117
Crack	66	90	64	85	101	78	55	76	58	41	94	63	54	62	64	74	71
Heroin	40	26	35	15	76	37	36	35	40	43	46	39	52	39	61	55	48
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	60	74	74	91
LSD	11	8	13	7	20	30	*	13	*	16	26	31	33	23	31	35	33
PCP	13	*	15	10	*	11	*	17	20	*	12	15	*	9	8	18	13
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	39	46	48	57
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	45	57	46	55
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	89	70	72	98
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	187	195	193	195
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	150	149	154	154
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	78	83	89	85
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	111	125	100	120
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	97	109	89	114
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	55	73	52	41
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	157	161	161	157
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	234	238	244	252
TOBACCO PRODUCTS	797	748	752	798	799	801	849	784	813	805	841	803	679	665	689	662	701
Cigarettes	754	738	718	726	760	763	785	753	747	771	796	770	651	645	647	631	644
Daily Cigarettes	681	618	611	603	618	630	662	632	635	650	662	648	502	524	520	501	520
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	266	255	232	233
Cigars	331	332	311	335	332	312	352	341	340	352	372	335	256	300	279	283	294
Pipe Tobacco	160	126	142	141	162	166	141	141	141	135	176	143	129	134	125	131	113
ALCOHOL	953	887	933	936	914	986	958	931	946	978	972	1,021	802	789	800	857	924
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	660	675	678	670
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	358	353	337	369
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	743	766	799	869
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	768	812	841	920
Tobacco Products or Alcohol	914	848	931	913	899	885	920	875	938	949	910	961	746	754	764	805	866

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.15D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.19	0.21	0.22	0.24
Marijuana	0.16	0.16	0.17	0.17	0.17	0.16	0.18	0.18	0.19	0.19	0.20	0.20	0.18	0.17	0.19	0.20	0.22
Cocaine	0.07	0.08	0.06	0.07	0.08	0.08	0.06	0.07	0.05	0.05	0.07	0.06	0.05	0.06	0.05	0.06	0.05
Crack	0.04	0.05	0.03	0.05	0.05	0.04	0.03	0.04	0.03	0.02	0.05	0.03	0.03	0.03	0.03	0.03	0.03
Heroin	0.02	0.01	0.02	0.01	0.04	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.03	0.03	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.04	0.03	0.04
LSD	0.01	0.00	0.01	0.00	0.01	0.02	*	0.01	*	0.01	0.01	0.02	0.02	0.01	0.01	0.02	0.02
PCP	0.01	*	0.01	0.01	*	0.01	*	0.01	0.01	*	0.01	0.01	*	0.00	0.00	0.01	0.01
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.03
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.03	0.02	0.03
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.03	0.03	0.05
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.09	0.09	0.09
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.07
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.04	0.04
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.06	0.05	0.06
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.04	0.05
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.02	0.02
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.07
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.11	0.11	0.12
TOBACCO PRODUCTS	0.44	0.41	0.41	0.43	0.43	0.42	0.44	0.40	0.42	0.41	0.42	0.40	0.33	0.32	0.33	0.31	0.33
Cigarettes	0.42	0.41	0.39	0.39	0.40	0.40	0.41	0.39	0.38	0.39	0.40	0.38	0.32	0.31	0.31	0.30	0.30
Daily Cigarettes	0.38	0.34	0.33	0.33	0.33	0.33	0.35	0.33	0.33	0.33	0.33	0.32	0.24	0.25	0.25	0.24	0.24
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.12	0.11	0.11
Cigars	0.18	0.18	0.17	0.18	0.18	0.16	0.18	0.18	0.17	0.18	0.19	0.17	0.12	0.14	0.13	0.13	0.14
Pipe Tobacco	0.09	0.07	0.08	0.08	0.09	0.09	0.07	0.07	0.07	0.07	0.09	0.07	0.06	0.06	0.06	0.06	0.05
ALCOHOL	0.53	0.49	0.51	0.51	0.49	0.52	0.50	0.48	0.48	0.49	0.48	0.50	0.39	0.38	0.38	0.40	0.43
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.32	0.32	0.32	0.31
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.17	0.16	0.17
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.36	0.36	0.38	0.40
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.37	0.39	0.39	0.43
Tobacco Products or Alcohol	0.51	0.47	0.51	0.49	0.48	0.47	0.48	0.45	0.48	0.48	0.45	0.47	0.36	0.36	0.36	0.38	0.40

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.15P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0000	0.0374	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0140	
Cocaine	0.6841	0.1550	0.9921	0.2156	0.0522	0.3930	0.9443	0.3088	0.0098	0.0013	0.5798	0.1829	0.0243	0.4245	0.5901	0.6532	
Crack	0.0963	0.1099	0.8004	0.0570	0.0273	0.0783	0.4550	0.4206	0.4353	0.0269	0.8364	0.6085	0.4167	0.6569	0.8721	0.6871	
Heroin	0.0312	0.0007	0.0124	0.0000	0.8292	0.0108	0.0198	0.0092	0.0456	0.0938	0.2762	0.1595	0.3563	0.5030	0.1754	0.1330	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0005	0.0131	0.0782	
LSD	0.0000	0.0000	0.0001	0.0000	0.0030	0.0149	*	0.0002	*	0.0003	0.0043	0.0573	0.2302	0.0412	0.3823	0.8069	
PCP	0.7471	*	0.7925	0.6706	*	0.6338	*	0.6577	0.8777	*	0.4582	0.7164	*	0.4117	0.3424	0.9672	
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0166	0.1796	0.2449	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3583	0.6457	0.3646	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3916	0.0182	0.0243	
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1525	0.1005	0.4076	
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0126	0.1451	0.3722	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1675	0.5722	0.6887	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3722	0.0378	0.8114	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9517	0.2875	0.4776	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0235	0.0054	0.1683	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0175	0.0728	0.1909	
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6738	1.0000	0.9003	
TOBACCO PRODUCTS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0000	0.1271	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0001	0.3338	
Daily Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0030	0.0032	0.7900	
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0428	0.1073	0.1399	
Cigars	0.0518	0.1349	0.0326	0.0155	0.0299	0.2260	0.1954	0.2655	0.1962	0.8474	0.0976	0.9812	0.2599	0.4703	0.8235	0.7696	
Pipe Tobacco	0.3714	0.8697	0.7495	0.0479	0.0117	0.2638	0.9161	0.9773	0.5877	0.9365	0.0417	0.9202	0.7662	0.2439	0.2748	0.1521	
ALCOHOL	0.0391	0.0000	0.0005	0.6831	0.0110	0.0771	0.3754	0.4827	0.5010	0.7158	0.6911	0.4101	0.0519	0.6388	0.2218	0.3676	
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4908	0.0475	0.3489	
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4757	0.3630	0.9914	
SUBSTANCE USE																	
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5366	0.4876	0.4625	
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8885	0.1398	0.4798	
Tobacco Products or Alcohol	0.3516	0.2848	0.0689	0.1172	0.6377	0.7627	0.4609	0.6632	0.2659	0.7420	0.0411	0.0746	0.0035	0.3034	0.5537	0.4177	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.