

Table 7.45C Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	220	226	213	266
Marijuana	158	140	158	143	154	155	157	161	184	149	175	183	156	145	154	153	174
Cocaine	119	115	114	108	127	125	100	101	101	82	117	81	87	83	83	87	93
Heroin	45	37	49	36	66	43	46	64	55	63	70	62	63	61	65	68	88
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	34	41	38	32
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	24	22	27
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	85	67	91	96
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	136	135	132	151
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	120	115	110	135
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	46	54	56	54
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	69	70	69	73
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	66	59	63	68
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	45	39	30
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	128	127	125	155
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	180	173	174	205
ALCOHOL	415	387	417	400	411	409	398	419	412	377	419	415	362	353	345	326	353
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	132	121	112	149
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	390	394	374	409
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	177	178	177	209
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	311	325	308	318

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.45D Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.10
Marijuana	0.07	0.06	0.07	0.06	0.06	0.06	0.06	0.06	0.07	0.06	0.07	0.07	0.06	0.05	0.06	0.06	0.06
Cocaine	0.05	0.05	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.03	0.05	0.03	0.03	0.03	0.03	0.03	0.03
Heroin	0.02	0.02	0.02	0.01	0.03	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.03
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.02	0.03	0.03
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.06
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.04	0.05
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.02
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.03	0.03
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.02
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.01	0.01
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.06
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.06	0.06	0.07
ALCOHOL	0.18	0.16	0.17	0.16	0.17	0.17	0.16	0.17	0.16	0.15	0.16	0.16	0.14	0.13	0.13	0.12	0.13
BOTH ILLCIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.04	0.04	0.05
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.15	0.15	0.14	0.15
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.06	0.08
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.12	0.12	0.11	0.12

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.45P Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5936	0.0884	0.1510	
Marijuana	0.0225	0.0811	0.0079	0.4435	0.3357	0.7800	0.3850	0.2621	0.0948	0.9829	0.6674	0.8976	0.6356	0.1626	0.1335	0.1302	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.1156	0.4208	0.4099	0.1948	0.4971	0.7939	0.6189	0.4483	0.9652	
Heroin	0.0068	0.0016	0.0355	0.0052	0.1470	0.0037	0.0331	0.2637	0.1982	0.5059	0.7616	0.9014	0.4756	0.4509	0.3141	0.2478	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9888	0.1444	0.3842	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8871	0.6144	0.3627	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2130	0.0020	0.5420	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2197	0.8843	0.9707	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0337	0.6309	0.9707	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0785	0.8727	0.8535	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5883	0.9868	0.4402	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7519	0.6138	0.4559	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2956	0.0842	0.0828	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0414	0.4593	0.6469	
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4813	0.2871	0.7903	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0128	0.3346	0.6363	
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7290	0.1333	0.1200	
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0717	0.7557	0.4350	
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3668	0.2572	0.4438	
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0079	0.0940	0.8845	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.46C Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	42	44	38	39
Marijuana	44	38	40	41	40	36	39	40	40	41	41	38	40	38	38	33	34
Cocaine	16	12	11	14	14	13	13	9	8	9	9	6	9	9	8	6	2
Heroin	4	4	7	4	4	3	5	6	3	10	8	4	7	4	1	3	3
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	12	11	9
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	11	11	7	7
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	8	4	7	6
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24	24	21	21
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	21	14	17
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9	11	12	11
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17	16	14	13
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	15	14	12
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8	10	4	6
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	21	14	17
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	28	28	24	24
ALCOHOL	51	50	50	51	49	48	49	49	49	45	40	36	42	38	33	31	34
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24	22	18	19
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	50	50	45	47
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	38	37	34	34
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	28	24	24	28

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.46D Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.18	0.15	0.16
Marijuana	0.18	0.15	0.16	0.16	0.16	0.14	0.16	0.16	0.16	0.16	0.16	0.15	0.16	0.15	0.15	0.13	0.14
Cocaine	0.07	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.03	0.04	0.04	0.02	0.03	0.04	0.03	0.02	0.01
Heroin	0.02	0.01	0.03	0.01	0.01	0.01	0.02	0.02	0.01	0.04	0.03	0.02	0.03	0.01	0.00	0.01	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.05	0.04	0.04
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.03	0.03
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.02	0.03	0.02
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.10	0.08	0.09
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.08	0.06	0.07
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.05	0.04
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.06	0.05
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.06	0.05
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.04	0.02	0.02
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.08	0.06	0.07
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.11	0.10	0.09
ALCOHOL	0.20	0.20	0.20	0.20	0.19	0.19	0.20	0.20	0.20	0.18	0.16	0.14	0.17	0.15	0.13	0.12	0.14
BOTH ILLCIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.10	0.09	0.07	0.08
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.20	0.20	0.18	0.19
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.15	0.15	0.14	0.14
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.10	0.10	0.11

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.46P Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0030	0.0677	0.2939	
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0051	0.0088	0.1564	0.3411	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0007	0.0001	0.0004	0.0065	0.0122	0.0044	0.0045	0.0184	
Heroin	0.0781	0.0830	0.0348	0.2995	0.0841	0.3529	0.0307	0.0298	0.5067	0.0116	0.0560	0.2392	0.0810	0.6809	0.3298	0.9962	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0948	0.0873	0.2083	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0956	0.1188	0.5204	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6889	0.2381	0.4771	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2769	0.1760	0.6366	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4281	0.0722	0.8161	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2653	0.8732	0.5771	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1417	0.1478	0.4356	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3740	0.1857	0.2993	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1896	0.0948	0.7396	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4210	0.0921	0.8349	
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0240	0.0941	0.4078	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0636	0.3662	
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0122	0.1006	0.3337	
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0298	0.2587	
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0640	0.2297	0.4948	
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0004	0.2690	0.6739	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.47C Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	217	220	210	263
Marijuana	152	135	152	137	150	150	151	153	179	142	167	180	150	138	147	150	167
Cocaine	120	114	113	107	126	124	99	101	101	82	117	80	86	83	83	86	93
Heroin	45	36	49	36	66	43	46	64	55	63	70	63	62	61	65	68	88
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	31	39	37	31
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23	21	21	26
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	85	66	91	96
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	134	132	130	150
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	119	111	110	135
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	46	53	55	53
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	66	67	68	72
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	63	57	62	67
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	42	39	29
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	126	124	124	155
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	178	170	172	204
ALCOHOL	410	382	411	394	407	406	396	414	409	374	412	413	358	348	346	324	352
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	129	119	111	147
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	386	393	373	407
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	174	173	173	206
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	307	326	305	318

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.47D Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.09	0.08	0.11
Marijuana	0.07	0.06	0.07	0.06	0.07	0.07	0.07	0.07	0.08	0.06	0.07	0.08	0.06	0.06	0.06	0.06	0.07
Cocaine	0.06	0.05	0.05	0.05	0.06	0.06	0.04	0.04	0.04	0.04	0.05	0.03	0.04	0.03	0.03	0.03	0.04
Heroin	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.03	0.04	0.04
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.05	0.05	0.06
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.04	0.05
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.02
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.03	0.03
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.02	0.02	0.03
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.02	0.01
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.06
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.08
ALCOHOL	0.19	0.18	0.19	0.18	0.18	0.18	0.18	0.18	0.18	0.16	0.18	0.17	0.15	0.14	0.14	0.13	0.14
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.04	0.06
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.16	0.16	0.15	0.16
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.08
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.13	0.12	0.13

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.47P Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2836	0.0401	0.1055	
Marijuana	0.7493	0.6164	0.6061	0.2319	0.4740	0.1079	0.4794	0.7040	0.8811	0.0809	0.3938	0.3174	0.2130	0.0333	0.0579	0.0783	
Cocaine	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0006	0.1849	0.5282	0.2742	0.2724	0.4270	0.6792	0.4828	0.3453	0.8828	
Heroin	0.0056	0.0013	0.0250	0.0049	0.1377	0.0035	0.0253	0.2183	0.1950	0.3711	0.6685	0.9323	0.5450	0.4535	0.2970	0.2456	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5083	0.3333	0.5891	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4211	0.2507	0.4456	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2052	0.0026	0.5127	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2807	0.9459	0.9154	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0403	0.8291	0.9960	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1192	0.8445	0.9444	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8115	0.7430	0.5294	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8873	0.4168	0.5871	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4596	0.1475	0.0708	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0489	0.6008	0.6264	
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6752	0.1984	0.7157	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0354	0.4139	0.5865	
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9646	0.0763	0.0883	
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2000	0.9414	0.3690	
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2004	0.1602	0.3686	
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0167	0.1074	0.8987	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.48C Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	89	93	92	92
Marijuana	63	64	73	70	70	69	71	74	76	73	80	76	78	75	84	83	85
Cocaine	29	28	33	34	31	33	32	28	26	24	27	28	24	29	28	27	27
Heroin	12	10	12	14	12	14	16	15	18	22	22	23	24	22	21	25	19
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	19	24	21	21
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	5	9	12
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	24	20	28	21
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	47	40	45	41
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	37	30	31	28
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20	23	22	26
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	26	33	25
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	25	32	25
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8	9	8	4
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	40	35	37	32
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	61	54	57	52
ALCOHOL	112	109	119	119	122	116	116	117	125	116	114	123	120	112	111	106	104
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	57	55	55	56
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	128	129	123	122
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	70	72	74	73
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	98	95	90	89

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.48D Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.26	0.27	0.27	0.27
Marijuana	0.20	0.20	0.23	0.22	0.21	0.21	0.22	0.22	0.22	0.21	0.23	0.22	0.22	0.21	0.24	0.24	0.25
Cocaine	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.08	0.08	0.07	0.08	0.08	0.07	0.08	0.08	0.08	0.08
Heroin	0.04	0.03	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.06	0.06	0.07	0.07	0.06	0.06	0.07	0.06
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.07	0.06	0.06
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.01	0.03	0.04
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.07	0.06	0.08	0.06
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.12	0.13	0.12
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.09	0.09	0.08
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.07	0.06	0.08
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.10	0.07
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.09	0.07
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.03	0.02	0.01
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.12	0.10	0.11	0.09
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.16	0.17	0.15
ALCOHOL	0.36	0.34	0.37	0.37	0.37	0.35	0.35	0.35	0.37	0.34	0.33	0.35	0.34	0.32	0.32	0.31	0.31
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.16	0.16	0.16	0.17
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.37	0.37	0.36	0.36
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.20	0.21	0.22	0.22
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.27	0.26	0.26

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.48P Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3083	0.1126	0.4055	
Marijuana	0.7288	0.8555	0.7008	0.9930	0.5471	0.4194	0.4744	0.3197	0.6569	0.5286	0.2492	0.1435	0.0029	0.0235	0.0174	0.0592	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0112	0.6399	0.7727	0.9740	0.7058	0.3672	0.7892	0.9749	0.4494	
Heroin	0.0325	0.0100	0.2368	0.7375	0.1503	0.3740	0.9578	0.8566	0.5199	0.2013	0.0162	0.0085	0.0422	0.0868	0.0835	0.0457	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3905	0.3306	0.7623	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0493	0.0366	0.4501	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5707	0.9531	0.1384	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0585	0.7974	0.1940	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0004	0.3340	0.0397	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3339	0.6231	0.9890	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7455	0.6608	0.1558	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8836	0.2929	0.2128	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1626	0.0461	0.0879	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0003	0.1067	0.0092	
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1088	0.9786	0.1926	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0458	0.1770	0.9607	
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2368	0.5956	0.6821	
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6696	0.8329	0.6244	
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0283	0.1111	0.4576	
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1066	0.0544	0.8429	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.49C Substance Use Disorder for Specific Substances in Past Year among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	196	192	186	236
Marijuana	130	114	131	118	131	127	124	134	158	118	141	164	126	109	117	119	135
Cocaine	114	109	110	100	124	118	93	97	98	81	113	76	84	77	78	82	88
Heroin	43	34	47	33	65	41	42	62	52	58	66	56	56	57	62	61	85
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25	30	30	22
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	22	20	19	23
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	82	63	84	92
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	126	124	118	145
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	114	106	104	134
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	41	49	49	45
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	60	61	56	67
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	56	50	50	61
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27	41	38	29
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	122	118	116	153
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	167	156	160	196
ALCOHOL	391	356	376	355	382	386	368	396	388	354	386	392	324	322	324	303	333
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	110	103	100	130
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	355	363	344	385
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	158	155	153	189
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	288	310	287	307

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.49D Substance Use Disorder for Specific Substances in Past Year among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.09	0.09	0.11
Marijuana	0.07	0.06	0.07	0.06	0.07	0.07	0.06	0.07	0.08	0.06	0.07	0.08	0.06	0.05	0.06	0.06	0.06
Cocaine	0.06	0.06	0.06	0.05	0.07	0.06	0.05	0.05	0.05	0.04	0.06	0.04	0.04	0.04	0.04	0.04	0.04
Heroin	0.02	0.02	0.03	0.02	0.03	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.04	0.03	0.04	0.04
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.06	0.07
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.06
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.02
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.03	0.03
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.02	0.02	0.03
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.02	0.01
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.05	0.07
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.08	0.09
ALCOHOL	0.22	0.20	0.21	0.19	0.20	0.20	0.19	0.20	0.20	0.18	0.19	0.19	0.16	0.15	0.15	0.14	0.16
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.06
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.17	0.16	0.18
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.07	0.09
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.15	0.13	0.14

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.49P Substance Use Disorder for Specific Substances in Past Year among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2018 Versus 2002-2017

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2881	0.0690	0.1208	
Marijuana	0.2157	0.1217	0.6852	0.0241	0.2241	0.0342	0.2913	0.5967	0.8032	0.0139	0.3369	0.3695	0.9164	0.0924	0.2676	0.2854	
Cocaine	0.0065	0.0028	0.0056	0.0122	0.0010	0.0067	0.0360	0.5729	0.6436	0.2714	0.2764	0.3035	0.8402	0.3783	0.3004	0.6913	
Heroin	0.0177	0.0059	0.0384	0.0038	0.2156	0.0047	0.0169	0.1783	0.1159	0.1779	0.2514	0.4636	0.9848	0.8103	0.5503	0.5256	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7612	0.7453	0.3663	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9306	0.7047	0.6486	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1364	0.0018	0.2612	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6774	0.9710	0.5592	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2736	0.9879	0.5987	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1640	0.9861	0.9646	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9760	0.8190	0.9743	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9918	0.6324	0.9376	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6527	0.2778	0.1261	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3416	0.8871	0.8701	
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8402	0.1551	0.4087	
ALCOHOL	0.0000	0.0004	0.0000	0.0000	0.0000	0.0000	0.0003	0.0000	0.0020	0.1736	0.0010	0.0008	0.0006	0.1542	0.7624	0.5445	
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4051	0.0599	0.0764	
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3400	0.8635	0.3841	
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4741	0.3251	0.4500	
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0579	0.2988	0.9712	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.