

Table 7.62A Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Age Group: Numbers in Thousands, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	518	427	537	469
12-17	12	26	7	13
18 or Older	507	400	530	456
18-25	87	77	120	105
26 or Older	420	323	410	351
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	197	223	218	218
12-17	4	12 ^a	4	2
18 or Older	194	212	214	216
18-25	52	29	54	48
26 or Older	141	183	160	169
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	321	203	319	251
12-17	8	14	4	11
18 or Older	313	189	316	240
18-25	35	48	66	57
26 or Older	278	140	249	183
DID NOT PERCEIVE NEED FOR TREATMENT	6,369	6,278	6,029 ^a	6,881
12-17	809 ^a	717	703	618
18 or Older	5,560 ^a	5,561 ^a	5,326 ^a	6,263
18-25	2,248	2,184	2,148	2,358
26 or Older	3,312 ^a	3,377	3,178 ^a	3,906

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.62B Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Age Group: Percentages, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	7.5	6.4	8.2	6.4
12-17	1.4	3.5	1.0	2.1
18 or Older	8.4	6.7	9.0	6.8
18-25	3.7	3.4	5.3	4.3
26 or Older	11.2	8.7	11.4	8.3
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	2.9	3.3	3.3	3.0
12-17	0.4	1.6	0.5	0.3
18 or Older	3.2	3.6	3.7	3.2
18-25	2.2	1.3	2.4	1.9
26 or Older	3.8	4.9	4.5	4.0
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	4.7	3.0	4.9	3.4
12-17	1.0	1.9	0.5	1.8
18 or Older	5.2	3.2	5.4 ^a	3.6
18-25	1.5	2.1	2.9	2.3
26 or Older	7.5 ^a	3.8	6.9	4.3
DID NOT PERCEIVE NEED FOR TREATMENT	92.5	93.6	91.8	93.6
12-17	98.6	96.5	99.0	97.9
18 or Older	91.6	93.3	91.0	93.2
18-25	96.3	96.6	94.7	95.7
26 or Older	88.8	91.3	88.6	91.7

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.63A Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Age Group: Numbers in Thousands, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	439	465	611	552
12-17	4	8	9	4
18 or Older	435	457	602	548
18-25	74	72	63	71
26 or Older	360	385	539	477
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	136	202	307	225
12-17	2	3	3	3
18 or Older	135	199	304	222
18-25	25	19	13	23
26 or Older	110	180	291	199
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	302	263	304	327
12-17	2	5	6	1
18 or Older	300	258	298	325
18-25	49	53	50	47
26 or Older	251	205	248	278
DID NOT PERCEIVE NEED FOR TREATMENT	14,612 ^a	13,909	13,281	13,580
12-17	601 ^a	456	420	393
18 or Older	14,010	13,453	12,861	13,188
18-25	3,624 ^a	3,503	3,246	3,251
26 or Older	10,386	9,950	9,615	9,937

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.63B Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Age Group: Percentages, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	2.9	3.2	4.4	3.9
12-17	0.7	1.7	2.2	1.0
18 or Older	3.0	3.3	4.5	4.0
18-25	2.0	2.0	1.9	2.1
26 or Older	3.4	3.7	5.3	4.6
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	0.9	1.4	2.2	1.6
12-17	0.3	0.6	0.8	0.7
18 or Older	0.9	1.4	2.3	1.6
18-25	0.7	0.5	0.4	0.7
26 or Older	1.0	1.7	2.9	1.9
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	2.0	1.8	2.2	2.3
12-17	0.4	1.1	1.4	0.3
18 or Older	2.1	1.9	2.2	2.4
18-25	1.3	1.5	1.5	1.4
26 or Older	2.3	2.0	2.4	2.7
DID NOT PERCEIVE NEED FOR TREATMENT	97.1	96.8	95.6	96.1
12-17	99.3	98.3	97.8	99.0
18 or Older	97.0	96.7	95.5	96.0
18-25	98.0	98.0	98.1	97.9
26 or Older	96.6	96.3	94.7	95.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.64A Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Age Group: Numbers in Thousands, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	880	836	1,033	964
12-17	17	30	18	15
18 or Older	863	806	1,015	949
18-25	138	145	181	169
26 or Older	725	662	834	780
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	313	363	495	392
12-17	4	12	8	3
18 or Older	309	351	488	389
18-25	71	46	69	64
26 or Older	237	305	418	325
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	567	474	538	573
12-17	13	18	11	13
18 or Older	554	455	527	560
18-25	67	98	112	105
26 or Older	487	357	416	455
DID NOT PERCEIVE NEED FOR TREATMENT	18,439	17,894	17,143	17,921
12-17	1,169 ^a	965	924	848
18 or Older	17,270	16,928	16,219	17,073
18-25	4,868	4,815	4,549	4,716
26 or Older	12,402	12,113	11,670	12,357

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.64B Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Age Group: Percentages, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	4.6	4.5	5.7	5.1
12-17	1.4	3.0	1.9	1.8
18 or Older	4.8	4.5	5.9	5.3
18-25	2.7	2.9	3.8	3.5
26 or Older	5.5	5.2	6.7	5.9
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	1.6	1.9	2.7	2.1
12-17	0.3	1.2	0.8	0.3
18 or Older	1.7	2.0	2.8	2.2
18-25	1.4	0.9	1.5	1.3
26 or Older	1.8	2.4	3.3	2.5
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	2.9	2.5	3.0	3.0
12-17	1.1	1.8	1.1	1.5
18 or Older	3.1	2.6	3.1	3.1
18-25	1.3	2.0	2.4	2.1
26 or Older	3.7	2.8	3.3	3.5
DID NOT PERCEIVE NEED FOR TREATMENT	95.4	95.5	94.3	94.9
12-17	98.6	97.0	98.1	98.2
18 or Older	95.2	95.5	94.1	94.7
18-25	97.3	97.1	96.2	96.5
26 or Older	94.5	94.8	93.3	94.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.