

Table 7.62C Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Numbers in Thousands, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	67	57	56	59
12-17	4	7	3	5
18 or Older	67	56	56	58
18-25	15	17	20	17
26 or Older	65	53	53	56
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	42	44	37	44
12-17	3	5	2	2
18 or Older	42	44	37	44
18-25	12	8	14	12
26 or Older	40	42	35	42
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	53	37	44	38
12-17	4	5	2	5
18 or Older	53	36	44	38
18-25	10	14	15	13
26 or Older	52	33	42	36
DID NOT PERCEIVE NEED FOR TREATMENT	198	208	189	249
12-17	42	43	39	38
18 or Older	194	201	185	245
18-25	91	94	92	101
26 or Older	172	175	162	218

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.62D Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Percentages, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	0.93	0.82	0.82	0.78
12-17	0.53	0.91	0.43	0.85
18 or Older	1.05	0.91	0.91	0.85
18-25	0.64	0.72	0.85	0.69
26 or Older	1.64	1.38	1.40	1.26
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	0.60	0.65	0.55	0.59
12-17	0.32	0.63	0.31	0.26
18 or Older	0.68	0.73	0.62	0.65
18-25	0.50	0.36	0.60	0.48
26 or Older	1.05	1.13	0.95	0.98
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	0.75	0.54	0.66	0.51
12-17	0.43	0.65	0.30	0.81
18 or Older	0.85	0.60	0.74	0.56
18-25	0.41	0.63	0.64	0.51
26 or Older	1.34	0.88	1.14	0.83
DID NOT PERCEIVE NEED FOR TREATMENT	0.93	0.82	0.82	0.78
12-17	0.53	0.91	0.43	0.85
18 or Older	1.05	0.91	0.91	0.85
18-25	0.64	0.72	0.85	0.69
26 or Older	1.64	1.38	1.40	1.26

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.62P Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Age Group: *P* Values from Tests of Differences of Percentages, 2018 Versus 2015-2017

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	0.3445	0.9848	0.1033	
12-17	0.5104	0.2370	0.2751	
18 or Older	0.2460	0.9530	0.0650	
18-25	0.5773	0.3974	0.3531	
26 or Older	0.1473	0.8007	0.0904	
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	0.9023	0.6705	0.6637	
12-17	0.6783	0.0534	0.5402	
18 or Older	0.9780	0.7284	0.6247	
18-25	0.6478	0.2797	0.5726	
26 or Older	0.8995	0.5043	0.7083	
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	0.1766	0.6072	0.0807	
12-17	0.3650	0.8924	0.1382	
18 or Older	0.1216	0.6262	0.0486	
18-25	0.2030	0.8160	0.4652	
26 or Older	0.0461	0.6894	0.0605	
DID NOT PERCEIVE NEED FOR TREATMENT	0.3445	0.9848	0.1033	
12-17	0.5104	0.2370	0.2751	
18 or Older	0.2460	0.9530	0.0650	
18-25	0.5773	0.3974	0.3531	
26 or Older	0.1473	0.8007	0.0904	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.63C Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Numbers in Thousands, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	61	64	80	70
12-17	2	4	5	2
18 or Older	61	64	80	70
18-25	17	17	16	14
26 or Older	59	61	79	69
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	34	45	69	44
12-17	1	2	2	2
18 or Older	33	45	69	44
18-25	10	8	7	8
26 or Older	32	45	69	43
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	52	44	43	52
12-17	1	3	4	1
18 or Older	52	44	43	52
18-25	13	15	14	12
26 or Older	50	42	41	51
DID NOT PERCEIVE NEED FOR TREATMENT	341	337	332	353
12-17	38	32	31	34
18 or Older	337	337	330	353
18-25	122	121	116	116
26 or Older	315	311	308	333

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.63D Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Percentages, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	0.39	0.44	0.56	0.49
12-17	0.33	0.82	1.11	0.52
18 or Older	0.41	0.45	0.58	0.50
18-25	0.44	0.46	0.47	0.43
26 or Older	0.53	0.58	0.76	0.64
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	0.22	0.31	0.49	0.31
12-17	0.23	0.42	0.54	0.47
18 or Older	0.23	0.32	0.51	0.32
18-25	0.27	0.21	0.22	0.23
26 or Older	0.29	0.43	0.67	0.41
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	0.34	0.30	0.31	0.37
12-17	0.24	0.71	0.97	0.22
18 or Older	0.35	0.31	0.32	0.38
18-25	0.35	0.41	0.41	0.36
26 or Older	0.46	0.40	0.40	0.48
DID NOT PERCEIVE NEED FOR TREATMENT	0.39	0.44	0.56	0.49
12-17	0.33	0.82	1.11	0.52
18 or Older	0.41	0.45	0.58	0.50
18-25	0.44	0.46	0.47	0.43
26 or Older	0.53	0.58	0.76	0.64

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.63P Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Age Group: *P* Values from Tests of Differences of Percentages, 2018 Versus 2015-2017

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	0.1233	0.3120	0.5072	
12-17	0.6100	0.4226	0.3241	
18 or Older	0.1390	0.3025	0.5307	
18-25	0.8452	0.8482	0.7179	
26 or Older	0.1416	0.3268	0.4641	
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	0.0710	0.6741	0.2928	
12-17	0.4597	0.9248	0.8874	
18 or Older	0.0801	0.6831	0.2906	
18-25	0.9439	0.5706	0.3242	
26 or Older	0.0779	0.7838	0.2281	
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	0.5461	0.3105	0.7893	
12-17	0.8223	0.2832	0.2636	
18 or Older	0.5721	0.2918	0.7426	
18-25	0.8501	0.9174	0.8800	
26 or Older	0.6086	0.2700	0.7035	
DID NOT PERCEIVE NEED FOR TREATMENT	0.1233	0.3120	0.5072	
12-17	0.6100	0.4226	0.3241	
18 or Older	0.1390	0.3025	0.5307	
18-25	0.8452	0.8482	0.7179	
26 or Older	0.1416	0.3268	0.4641	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.64C Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Numbers in Thousands, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	86	81	93	92
12-17	5	7	6	6
18 or Older	86	81	92	91
18-25	21	23	25	22
26 or Older	83	77	90	89
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	55	56	77	62
12-17	3	5	3	2
18 or Older	55	55	77	61
18-25	15	11	16	14
26 or Older	53	54	76	61
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	70	57	54	66
12-17	5	6	5	5
18 or Older	69	57	54	66
18-25	14	20	20	18
26 or Older	68	53	51	63
DID NOT PERCEIVE NEED FOR TREATMENT	369	377	371	405
12-17	50	49	46	47
18 or Older	364	375	369	402
18-25	143	145	140	144
26 or Older	335	341	339	376

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.64D Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Percentages, 2015-2018

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	0.43	0.42	0.49	0.47
12-17	0.46	0.75	0.61	0.64
18 or Older	0.46	0.44	0.52	0.49
18-25	0.41	0.46	0.52	0.45
26 or Older	0.60	0.58	0.70	0.66
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	0.28	0.29	0.42	0.32
12-17	0.22	0.47	0.35	0.22
18 or Older	0.29	0.31	0.44	0.34
18-25	0.29	0.22	0.34	0.28
26 or Older	0.39	0.42	0.59	0.45
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	0.35	0.30	0.30	0.34
12-17	0.40	0.58	0.51	0.61
18 or Older	0.38	0.31	0.31	0.36
18-25	0.29	0.41	0.41	0.36
26 or Older	0.51	0.41	0.41	0.47
DID NOT PERCEIVE NEED FOR TREATMENT	0.43	0.42	0.49	0.47
12-17	0.46	0.75	0.61	0.64
18 or Older	0.46	0.44	0.52	0.49
18-25	0.41	0.46	0.52	0.45
26 or Older	0.60	0.58	0.70	0.66

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.64P Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Age Group: *P* Values from Tests of Differences of Percentages, 2018 Versus 2015-2017

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018
PERCEIVED NEED FOR TREATMENT	0.3787	0.3199	0.4042	
12-17	0.6551	0.2033	0.8747	
18 or Older	0.4425	0.2864	0.3916	
18-25	0.2340	0.3861	0.6059	
26 or Older	0.6350	0.3959	0.4485	
PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT	0.2711	0.7525	0.2233	
12-17	0.8852	0.0890	0.2314	
18 or Older	0.2946	0.6931	0.2315	
18-25	0.8015	0.2801	0.7421	
26 or Older	0.2546	0.8894	0.2463	
PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT	0.8376	0.2702	0.8676	
12-17	0.5841	0.6687	0.6536	
18 or Older	0.9185	0.2581	0.9187	
18-25	0.0708	0.7567	0.6980	
26 or Older	0.7098	0.2842	0.8197	
DID NOT PERCEIVE NEED FOR TREATMENT	0.3787	0.3199	0.4042	
12-17	0.6551	0.2033	0.8747	
18 or Older	0.4425	0.2864	0.3916	
18-25	0.2340	0.3861	0.6059	
26 or Older	0.6350	0.3959	0.4485	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.