

Table 8.1A Any Mental Illness in Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2017 and 2018

Age Category	Total (2017)	Total (2018)	Male (2017)	Male (2018)	Female (2017)	Female (2018)
TOTAL	46,632	47,635	18,065	18,308	28,567	29,327
18-25	8,849	8,944	3,409	3,526	5,439	5,419
18-20	3,186	3,262	1,302	1,280	1,883	1,982
21-25	5,663	5,682	2,107	2,245	3,556	3,437
26 or Older	37,783	38,691	14,656	14,782	23,127	23,908
26-49	22,256	22,721	8,904	9,037	13,352	13,684
26-29	4,641	4,857	1,818	2,041	2,824	2,817
30-34	5,206 ^a	5,756	2,363	2,352	2,844 ^a	3,404
35-39	4,460	4,848	1,649 ^a	2,025	2,812	2,822
40-44	4,017	3,731	1,538	1,444	2,479	2,287
45-49	3,931	3,530	1,537 ^a	1,176	2,394	2,354
50 or Older	15,527	15,969	5,752	5,745	9,775	10,224
50-54	3,701	3,438	1,426	1,483	2,275	1,955
55-59	3,659	3,591	1,426	1,347	2,233	2,244
60-64	2,712	2,881	1,071	971	1,642	1,910
65 or Older	5,455	6,059	1,829	1,943	3,626	4,116

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Any Mental Illness (AMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.1B Any Mental Illness in Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2017 and 2018

Age Category	Total (2017)	Total (2018)	Male (2017)	Male (2018)	Female (2017)	Female (2018)
TOTAL	18.9	19.1	15.1	15.2	22.3	22.8
18-25	25.8	26.3	19.8	20.6	31.9	32.0
18-20	24.7	25.0	19.2	18.6	30.8	32.2
21-25	26.4	27.1	20.1	22.1	32.4	31.8
26 or Older	17.8	18.0	14.4	14.3	20.9	21.4
26-49	22.2	22.5	18.0	18.1	26.2	26.8
26-29	25.9	27.2	20.9	22.8	30.6	31.7
30-34	24.1	25.9	21.6	21.5	26.6 ^a	30.3
35-39	21.4	22.1	16.1 ^a	18.9	26.5	25.2
40-44	20.3	19.1	16.0	14.8	24.3	23.3
45-49	19.5	18.2	15.4 ^a	12.5	23.6	23.6
50 or Older	13.8	14.0	10.9	10.8	16.3	16.9
50-54	17.6	16.7	14.6	14.8	20.2	18.5
55-59	16.7	16.5	13.6	13.4	19.6	19.2
60-64	13.6	14.1	10.5	9.5	16.7	18.8
65 or Older	11.0	11.8	8.2	8.5	13.2	14.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Any Mental Illness (AMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.4A Serious Mental Illness in Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2017 and 2018

Age Category	Total (2017)	Total (2018)	Male (2017)	Male (2018)	Female (2017)	Female (2018)
TOTAL	11,190	11,373	3,883	4,025	7,307	7,348
18-25	2,566	2,619	906	917	1,659	1,701
18-20	983	912	358	287	625	625
21-25	1,582	1,706	548	630	1,034	1,076
26 or Older	8,625	8,755	2,977	3,108	5,648	5,647
26-49	5,580	5,907	1,870 ^a	2,216	3,710	3,691
26-29	1,195	1,432	347 ^a	567	848	865
30-34	1,260	1,489	474	568	786	921
35-39	1,047	1,135	333	456	714	679
40-44	1,093	884	367	314	726	570
45-49	986	966	349	311	636	656
50 or Older	3,044	2,848	1,107	892	1,938	1,956
50-54	843	858	349	276	494	582
55-59	951	809	404	304	547	505
60-64	506	511	178	116	328	394
65 or Older	745	670	175	196	569	474

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Serious Mental Illness (SMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.4B Serious Mental Illness in Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2017 and 2018

Age Category	Total (2017)	Total (2018)	Male (2017)	Male (2018)	Female (2017)	Female (2018)
TOTAL	4.5	4.6	3.3	3.4	5.7	5.7
18-25	7.5	7.7	5.3	5.4	9.7	10.0
18-20	7.6	7.0	5.3	4.2	10.2	10.1
21-25	7.4	8.1	5.2	6.2	9.4	10.0
26 or Older	4.1	4.1	2.9	3.0	5.1	5.1
26-49	5.6	5.9	3.8 ^a	4.4	7.3	7.2
26-29	6.7 ^a	8.0	4.0 ^a	6.3	9.2	9.7
30-34	5.8	6.7	4.3	5.2	7.4	8.2
35-39	5.0	5.2	3.3	4.3	6.7	6.1
40-44	5.5	4.5	3.8	3.2	7.1	5.8
45-49	4.9	5.0	3.5	3.3	6.3	6.6
50 or Older	2.7	2.5	2.1	1.7	3.2	3.2
50-54	4.0	4.2	3.6	2.8	4.4	5.5
55-59	4.3	3.7	3.9	3.0	4.8	4.3
60-64	2.5	2.5	1.8	1.1	3.3	3.9
65 or Older	1.5	1.3	0.8	0.9	2.1	1.7

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Serious Mental Illness (SMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.