

Table 8.38C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: Standard Errors of Numbers in Thousands, 2017 and 2018

Gender/Age Group	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	383	379	297	311	334	333	259	285
18-25	117	115	98	93	93	91	80	73
26 or Older	362	356	280	293	323	312	248	267
26-49	224	225	179	189	188	191	147	160
50 or Older	267	274	206	222	252	254	198	209
MALE	227	227	180	184	189	185	152	159
18-25	72	70	62	57	48	49	43	39
26 or Older	214	213	166	175	184	177	146	154
26-49	132	146	107	122	102	110	82	95
50 or Older	159	164	122	125	145	147	116	*
FEMALE	296	303	228	244	260	271	201	227
18-25	91	94	76	74	76	74	65	57
26 or Older	275	282	216	226	248	252	192	211
26-49	166	166	135	138	149	147	121	123
50 or Older	211	223	158	180	196	206	151	171

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.38D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: Standard Errors of Percentages, 2017 and 2018

Gender/Age Group	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	0.16	0.15	0.12	0.13	1.01	0.96	1.13	1.18
18-25	0.34	0.34	0.29	0.28	1.40	1.36	1.82	1.65
26 or Older	0.17	0.17	0.13	0.14	1.24	1.19	1.34	1.43
26-49	0.23	0.23	0.18	0.19	1.36	1.37	1.62	1.67
50 or Older	0.24	0.24	0.18	0.20	2.15	2.18	2.18	2.43
MALE	0.19	0.19	0.15	0.16	1.79	1.76	2.06	2.17
18-25	0.42	0.42	0.37	0.34	2.26	2.17	2.98	2.56
26 or Older	0.21	0.21	0.16	0.17	2.29	2.25	2.57	2.79
26-49	0.27	0.30	0.22	0.25	2.55	2.39	3.09	3.01
50 or Older	0.31	0.31	0.23	0.24	3.68	4.48	3.75	*
FEMALE	0.23	0.24	0.18	0.19	1.17	1.15	1.29	1.39
18-25	0.54	0.56	0.45	0.44	1.76	1.71	2.20	2.06
26 or Older	0.25	0.25	0.20	0.20	1.41	1.38	1.51	1.64
26-49	0.33	0.33	0.27	0.27	1.45	1.58	1.70	1.96
50 or Older	0.36	0.37	0.27	0.30	2.58	2.36	2.69	2.60

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.38P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Gender/Age Group	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	0.5561		0.3331		0.1396		0.0319	
18-25	0.1538		0.4220		0.5822		0.1639	
26 or Older	0.8162		0.4136		0.1829		0.0655	
26-49	0.2796		0.3361		0.1453		0.1081	
50 or Older	0.6131		0.7593		0.7868		0.3345	
MALE	0.9272		0.4036		0.5382		0.4258	
18-25	0.5068		0.3434		0.3623		0.3792	
26 or Older	0.7891		0.5465		0.7818		0.6043	
26-49	0.2991		0.1118		0.6513		0.4179	
50 or Older	0.2335		0.5381		0.7089		*	
FEMALE	0.4104		0.5435		0.1233		0.0372	
18-25	0.1980		0.7901		0.9373		0.3019	
26 or Older	0.6044		0.5441		0.0981		0.0481	
26-49	0.5535		0.9875		0.0160		0.0061	
50 or Older	0.7881		0.4074		0.8751		0.7834	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.39C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Demographic Characteristic	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	383	379	297	311	334	333	259	285
GENDER								
Male	227	227	180	184	189	185	152	159
Female	296	303	228	244	260	271	201	227
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	359	351	278	286	314	317	240	262
White	341	339	257	266	294	290	223	234
Black or African American	102	127	87	102	86	107	74	87
AIAN	21	25	20	22	*	*	*	*
NHOPI	13	22	13	22	*	*	*	*
Asian	68	71	58	53	43	46	*	*
Two or More Races	49	55	41	42	41	50	38	*
Hispanic or Latino	127	140	93	115	101	117	78	97
CURRENT EMPLOYMENT								
Full-Time	232	260	171	204	181	208	130	169
Part-Time	130	132	101	101	112	109	91	82
Unemployed	87	85	71	70	76	71	61	61
Other ³	242	246	198	210	222	221	185	192

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown treatment for depression data were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.39D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: Standard Errors of Percentages, 2017 and 2018

Demographic Characteristic	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	0.16	0.15	0.12	0.13	1.01	0.96	1.13	1.18
GENDER								
Male	0.19	0.19	0.15	0.16	1.79	1.76	2.06	2.17
Female	0.23	0.24	0.18	0.19	1.17	1.15	1.29	1.39
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.17	0.17	0.14	0.14	1.03	1.04	1.16	1.21
White	0.21	0.21	0.16	0.16	1.15	1.19	1.26	1.34
Black or African American	0.34	0.41	0.29	0.34	3.07	3.00	3.46	3.73
AIAN	1.56	1.77	1.48	1.57	*	*	*	*
NHOPI	1.46	2.34	1.40	2.29	*	*	*	*
Asian	0.49	0.49	0.41	0.36	5.62	5.15	*	*
Two or More Races	1.22	1.25	1.02	0.98	4.59	5.19	4.97	*
Hispanic or Latino	0.32	0.35	0.24	0.29	3.06	2.80	3.89	3.58
CURRENT EMPLOYMENT								
Full-Time	0.18	0.20	0.14	0.16	1.59	1.48	1.91	1.86
Part-Time	0.40	0.40	0.31	0.32	1.92	2.13	2.24	2.70
Unemployed	0.79	0.83	0.66	0.68	3.74	3.55	4.54	4.31
Other ³	0.30	0.30	0.24	0.25	1.71	1.76	1.66	1.85

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown treatment for depression data were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.39P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Demographic Characteristic	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	0.5561		0.3331		0.1396		0.0319	
GENDER								
Male	0.9272		0.4036		0.5382		0.4258	
Female	0.4104		0.5435		0.1233		0.0372	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9748		0.7357		0.2136		0.0388	
White	0.7012		0.6780		0.2340		0.0423	
Black or African American	0.2047		0.9296		0.6540		0.5920	
AIAN	0.8340		0.9860		*		*	
NHOPI	0.4420		0.5110		*		*	
Asian	0.8623		0.7208		0.7800		*	
Two or More Races	0.5277		0.7569		0.8815		*	
Hispanic or Latino	0.0708		0.0509		0.6332		0.7284	
CURRENT EMPLOYMENT								
Full-Time	0.1410		0.0248		0.3257		0.5838	
Part-Time	0.6537		0.5174		0.0099		0.0012	
Unemployed	0.6606		0.9229		0.6034		0.8397	
Other ³	0.7682		0.8256		0.0859		0.0397	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown treatment for depression data were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.