

Table 8.69C Major Depressive Episode, Mental Health Services and Perceived Need, Substance Use Disorder, Serious Psychological Distress, and Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 18 or Older Who Had Serious Thoughts of Suicide in Past Year: Standard Errors of Numbers in Thousands, 2017 and 2018

Past Year Mental Health or Substance Use Measure	2017	2018
Major Depressive Episode ¹	186	192
No Major Depressive Episode ¹	221	205
Mental Health Services ²	210	202
No Mental Health Services ²	217	203
Perceived Need ³	88	97
No Perceived Need ³	192	175
Substance Use Disorder	142	139
Alcohol Use Disorder	115	112
Illicit Drug Use Disorder	94	110
No Substance Use Disorder	253	248
Serious Psychological Distress	220	218
No Serious Psychological Distress	194	178
Substance Use Treatment at a Specialty Facility ⁴	49	53
No Substance Use Treatment at a Specialty Facility ⁴	291	285

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

² Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

³ Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

⁴ Specialty treatment facilities include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.69D Major Depressive Episode, Mental Health Services and Perceived Need, Substance Use Disorder, Serious Psychological Distress, and Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 18 or Older Who Had Serious Thoughts of Suicide in Past Year: Standard Errors of Percentages, 2017 and 2018

Past Year Mental Health or Substance Use Measure	2017	2018
Major Depressive Episode ¹	1.34	1.28
No Major Depressive Episode ¹	1.34	1.28
Mental Health Services ²	1.44	1.31
No Mental Health Services ²	1.44	1.31
Perceived Need ³	0.79	0.84
No Perceived Need ³	1.38	1.27
Substance Use Disorder	1.13	1.09
Alcohol Use Disorder	0.95	0.94
Illicit Drug Use Disorder	0.82	0.92
No Substance Use Disorder	1.13	1.09
Serious Psychological Distress	1.38	1.25
No Serious Psychological Distress	1.38	1.25
Substance Use Treatment at a Specialty Facility ⁴	0.45	0.47
No Substance Use Treatment at a Specialty Facility ⁴	0.45	0.47

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

² Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

³ Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

⁴ Specialty treatment facilities include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.69P Major Depressive Episode, Mental Health Services and Perceived Need, Substance Use Disorder, Serious Psychological Distress, and Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 18 or Older Who Had Serious Thoughts of Suicide in Past Year: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Past Year Mental Health or Substance Use Measure	2017	2018
Major Depressive Episode ¹	0.1931	
No Major Depressive Episode ¹	0.1931	
Mental Health Services ²	0.6029	
No Mental Health Services ²	0.6029	
Perceived Need ³	0.0675	
No Perceived Need ³	0.5500	
Substance Use Disorder	0.2171	
Alcohol Use Disorder	0.5432	
Illicit Drug Use Disorder	0.0496	
No Substance Use Disorder	0.2171	
Serious Psychological Distress	0.4018	
No Serious Psychological Distress	0.4018	
Substance Use Treatment at a Specialty Facility ⁴	0.8424	
No Substance Use Treatment at a Specialty Facility ⁴	0.8424	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

² Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

³ Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

⁴ Specialty treatment facilities include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.