

Table 9.5C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Demographic Characteristic	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	85	88	74	71	55	60	50	53
AGE GROUP								
12-13	35	39	28	29	22	24	20	19
14-15	52	56	45	47	32	36	28	31
16-17	63	70	53	59	40	41	37	36
GENDER								
Male	44	47	38	37	24	29	20	26
Female	69	70	62	60	51	53	47	46
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	71	73	62	63	49	49	45	43
White	68	68	56	56	44	44	40	38
Black or African American	28	28	24	22	16	15	15	13
AIAN	7	7	2	*	*	*	*	*
NHOPI	*	*	*	*	*	*	*	*
Asian	21	27	18	21	*	*	*	*
Two or More Races	15	16	11	14	9	9	*	*
Hispanic or Latino	44	46	38	37	25	33	22	29

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 9.5D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: Standard Errors of Percentages, 2017 and 2018

Demographic Characteristic	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	0.35	0.36	0.31	0.29	1.29	1.36	1.57	1.65
AGE GROUP								
12-13	0.45	0.50	0.36	0.36	3.23	3.00	4.08	3.83
14-15	0.59	0.61	0.51	0.53	2.15	2.26	2.58	2.65
16-17	0.67	0.71	0.59	0.61	1.96	2.00	2.36	2.32
GENDER								
Male	0.36	0.38	0.30	0.30	2.44	2.55	3.01	3.13
Female	0.58	0.59	0.52	0.51	1.53	1.58	1.78	1.89
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.39	0.40	0.34	0.34	1.47	1.46	1.76	1.73
White	0.47	0.48	0.40	0.41	1.70	1.73	2.07	2.08
Black or African American	0.75	0.79	0.67	0.64	3.99	3.58	4.76	4.64
AIAN	4.35	4.09	1.17	*	*	*	*	*
NHOPI	*	*	*	*	*	*	*	*
Asian	1.52	1.79	1.36	1.40	*	*	*	*
Two or More Races	1.77	1.85	1.32	1.73	5.05	5.23	*	*
Hispanic or Latino	0.76	0.79	0.66	0.64	2.66	3.02	3.22	3.77

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 9.5P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Demographic Characteristic	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment¹ (2017)	Had MDE with Severe Impairment¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE² (2017)	Received Treatment for Depression in Past Year among Persons with MDE² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment^{1,2} (2018)
TOTAL	0.0196		0.1054		0.9458		0.8143	
AGE GROUP								
12-13	0.0298		0.2142		0.4839		0.8547	
14-15	0.3486		0.5074		0.2804		0.3752	
16-17	0.1693		0.2304		0.1467		0.2085	
GENDER								
Male	0.1102		0.3809		0.1462		0.0703	
Female	0.0623		0.1566		0.3905		0.1978	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0407		0.0566		0.3854		0.2003	
White	0.0839		0.0966		0.5486		0.4026	
Black or African American	0.4598		0.8953		0.9306		0.8231	
AIAN	0.8451		*		*		*	
NHOPI	*		*		*		*	
Asian	0.3349		0.5173		*		*	
Two or More Races	0.7469		0.1315		0.1650		*	
Hispanic or Latino	0.2305		0.9414		0.1964		0.1644	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.