

Table 9.6C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic/ Health Characteristic	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	85	88	74	71	55	60	50	53
GEOGRAPHIC REGION								
Northeast	28	30	25	25	20	17	18	16
Midwest	39	39	34	34	26	26	23	26
South	54	54	48	45	34	39	31	34
West	43	45	36	37	28	33	25	28
COUNTY TYPE								
Large Metro	74	78	63	64	44	48	40	43
Small Metro	45	56	40	44	28	32	26	28
Nonmetro	34	33	26	27	19	24	16	20
POVERTY LEVEL								
Less Than 100%	41	42	35	36	23	28	20	26
100-199%	41	42	34	34	26	24	23	21
200% or More	72	79	61	65	45	48	42	42
HEALTH INSURANCE³								
Private	75	75	63	62	46	46	42	40
Medicaid/CHIP	53	56	44	44	33	37	29	33
Other ⁴	16	24	13	20	*	16	*	*
No Coverage	17	19	15	17	*	8	*	*
OVERALL HEALTH⁵								
Excellent	43	47	36	39	25	27	21	25
Very Good	59	62	49	51	36	38	33	33
Good	47	51	39	41	29	31	26	26
Fair/Poor	26	27	23	22	18	19	17	18

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

⁵ Respondents with unknown health data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 9.6D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Percentages, 2017 and 2018

Geographic/Socioeconomic/ Health Characteristic	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	0.35	0.36	0.31	0.29	1.29	1.36	1.57	1.65
GEOGRAPHIC REGION								
Northeast	0.71	0.76	0.62	0.64	3.23	2.95	3.88	4.04
Midwest	0.76	0.76	0.67	0.66	2.53	2.63	3.07	3.39
South	0.58	0.58	0.51	0.49	2.12	2.25	2.51	2.66
West	0.74	0.78	0.63	0.63	2.68	2.91	3.38	3.46
COUNTY TYPE								
Large Metro	0.47	0.49	0.41	0.41	1.84	2.12	2.27	2.54
Small Metro	0.58	0.66	0.54	0.53	2.23	2.04	2.69	2.53
Nonmetro	0.83	0.85	0.66	0.70	2.66	3.37	3.59	3.86
POVERTY LEVEL								
Less Than 100%	0.73	0.73	0.63	0.64	2.91	3.25	3.57	3.88
100-199%	0.74	0.76	0.63	0.65	2.67	2.68	3.24	3.33
200% or More	0.46	0.49	0.41	0.41	1.77	1.71	2.23	2.08
HEALTH INSURANCE³								
Private	0.46	0.48	0.41	0.40	1.73	1.76	2.16	2.11
Medicaid/CHIP	0.55	0.56	0.46	0.45	2.11	2.24	2.52	2.72
Other ⁴	1.45	1.89	1.28	1.68	*	5.63	*	*
No Coverage	1.47	1.71	1.31	1.52	*	4.79	*	*
OVERALL HEALTH⁵								
Excellent	0.49	0.53	0.41	0.45	2.89	2.60	3.68	3.40
Very Good	0.54	0.58	0.46	0.48	1.96	2.07	2.38	2.42
Good	0.88	0.88	0.75	0.73	2.75	2.70	3.25	3.14
Fair/Poor	2.13	2.14	1.92	1.87	4.54	5.07	5.27	5.40

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

⁵ Respondents with unknown health data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 9.6P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Geographic, Socioeconomic, and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Geographic/Socioeconomic/ Health Characteristic	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	0.0196		0.1054		0.9458		0.8143	
GEOGRAPHIC REGION								
Northeast	0.2490		0.9849		0.1101		0.4221	
Midwest	0.4175		0.3085		0.8710		0.2603	
South	0.0462		0.2072		0.8301		0.4054	
West	0.5070		0.4952		0.3427		0.9191	
COUNTY TYPE								
Large Metro	0.5347		0.7971		0.7496		0.7220	
Small Metro	0.0041		0.0867		0.6902		0.5397	
Nonmetro	0.3249		0.1192		0.2321		0.2989	
POVERTY LEVEL								
Less Than 100%	0.4890		0.9056		0.2786		0.1574	
100-199%	0.5930		0.3485		0.5078		0.2433	
200% or More	0.0145		0.0858		0.7229		0.6503	
HEALTH INSURANCE³								
Private	0.0434		0.0780		0.3786		0.3119	
Medicaid/CHIP	0.6322		0.6207		0.3417		0.4072	
Other ⁴	0.0100		0.0095		*		*	
No Coverage	0.2334		0.3583		*		*	
OVERALL HEALTH⁵								
Excellent	0.0367		0.1019		0.9905		0.3975	
Very Good	0.0915		0.1578		0.9895		0.4121	
Good	0.6636		0.8889		0.5962		0.9210	
Fair/Poor	0.5735		0.3703		0.4382		0.8994	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

⁵ Respondents with unknown health data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.