


Results from the 2019 National Survey on Drug Use and Health: Graphics from the Key Findings Report

Center for Behavioral Health Statistics and Quality
Substance Abuse and Mental Health Services Administration
U.S. Department of Health and Human Services



SAMHSA
Substance Abuse and Mental Health
Services Administration

Past Month Substance Use among People Aged 12 or Older: 2019




Rx = prescription.

Note: Substance Use includes any illicit drug, kratom, alcohol, and tobacco use.


Note: The estimated numbers of current users of different substances are not mutually exclusive because people could have used more than one type of substance in the past month.

Past Month Tobacco Use among People Aged 12 or Older: 2019



Note: The estimated numbers of current users of different tobacco products are not mutually exclusive because people could have used more than one type of tobacco product in the past month.


Past Month Cigarette Use among People Aged 12 or Older: 2002-2019



Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	26.0 ⁺	25.4 ⁺	24.9 ⁺	24.9 ⁺	25.0 ⁺	24.3 ⁺	24.0 ⁺	23.3 ⁺	23.0 ⁺	22.1 ⁺	22.1 ⁺	21.3 ⁺	20.8 ⁺	19.4 ⁺	19.1 ⁺	17.9 ⁺	17.2	16.7
12 to 17	13.0 ⁺	12.2 ⁺	11.9 ⁺	10.8 ⁺	10.4 ⁺	9.9 ⁺	9.2 ⁺	9.0 ⁺	8.4 ⁺	7.8 ⁺	6.6 ⁺	5.6 ⁺	4.9 ⁺	4.2 ⁺	3.4 ⁺	3.2 ⁺	2.7	2.3
18 to 25	40.8 ⁺	40.2 ⁺	39.5 ⁺	39.0 ⁺	38.5 ⁺	36.2 ⁺	35.7 ⁺	35.8 ⁺	34.3 ⁺	33.5 ⁺	31.8 ⁺	30.6 ⁺	28.4 ⁺	26.7 ⁺	23.5 ⁺	22.3 ⁺	19.1 ⁺	17.5
26 or Older	25.2 ⁺	24.7 ⁺	24.1 ⁺	24.3 ⁺	24.7 ⁺	24.1 ⁺	23.8 ⁺	23.0 ⁺	22.8 ⁺	21.9 ⁺	22.4 ⁺	21.6 ⁺	21.5 ⁺	20.0 ⁺	20.2 ⁺	18.9	18.5	18.2


+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Daily Cigarette Use among Past Month Cigarette Smokers Aged 12 or Older and Smoking of One or More Packs of Cigarettes per Day among Current Daily Smokers: 2019



Note: Current daily smokers with unknown data about the number of cigarettes smoked per day were excluded from the pie graph on the right.

Smokers of One or More Packs of Cigarettes per Day among Past Month Daily Cigarette Smokers Aged 12 or Older: 2002-2019




Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	53.1 ⁺	53.5 ⁺	54.0 ⁺	51.4 ⁺	50.6 ⁺	50.9 ⁺	49.2 ⁺	45.9 ⁺	45.1 ⁺	43.8 ⁺	42.0	41.3	40.3	41.1	41.1	41.2	39.6	40.5
12 to 17	21.8	22.0	19.4	20.1	17.9	18.7	18.4	17.9	16.7	14.8	10.8	11.9	11.9	7.8	*	*	*	*
18 to 25	39.1 ⁺	37.1 ⁺	34.9 ⁺	36.9 ⁺	34.4 ⁺	32.9 ⁺	31.6 ⁺	29.5 ⁺	27.3	26.1	25.1	22.3	22.5	22.5	26.2	25.0	23.4	25.0
26 or Older	57.1 ⁺	58.0 ⁺	59.2 ⁺	55.1 ⁺	54.5 ⁺	55.1 ⁺	53.0 ⁺	49.4 ⁺	48.8 ⁺	47.4 ⁺	45.2 ⁺	44.7	43.3	44.1	43.1	43.2	41.4	42.0


* Low precision; no estimate reported.

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Current, Binge, and Heavy Alcohol Use among People Aged 12 or Older: 2019




Past Month Alcohol Use among People Aged 12 or Older: 2002-2019



Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	51.0	50.1	50.3	51.8*	51.0	51.2	51.6	51.9*	51.8*	51.8	52.1*	52.2*	52.7*	51.7	50.7	51.7	51.1	50.8
12 to 17	17.6*	17.7*	17.6*	16.5*	16.7*	16.0*	14.7*	14.8*	13.6*	13.3*	12.9*	11.6*	11.5*	9.6	9.2	9.9	9.0	9.4
18 to 25	60.5*	61.4*	60.5*	60.9*	62.0*	61.3*	61.1*	61.8*	61.4*	60.7*	60.2*	59.6*	59.6*	58.3*	57.1*	56.3*	55.1	54.3
26 or Older	53.9	52.5*	53.0*	55.1	53.7*	54.1	54.7	54.9	54.9	55.1	55.6	55.9	56.5*	55.6	54.6	55.8	55.3	55.0

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Past Month Binge Alcohol Use among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	24.9 ⁺	24.2	24.5	24.5	23.9
12 to 17	5.8 ⁺	4.9	5.3	4.7	4.9
18 to 25	39.0 ⁺	38.4 ⁺	36.9 ⁺	34.9	34.3
26 or Older	24.8	24.2	24.7	25.1	24.5

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Past Month Heavy Alcohol Use among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	6.5 ⁺	6.0	6.1	6.1	5.8
12 to 17	0.9	0.8	0.7	0.5 ⁺	0.8
18 to 25	10.9 ⁺	10.1 ⁺	9.6 ⁺	9.0	8.4
26 or Older	6.4	6.0	6.2	6.2	6.0

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Past Year Illicit Drug Use among People Aged 12 or Older: 2019



Rx = prescription.

Note: The estimated numbers of past year users of different illicit drugs are not mutually exclusive because people could have used more than one type of illicit drug in the past year.


Past Year Illicit Drug Use among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	17.8 ⁺	18.0 ⁺	19.0 ⁺	19.4 ⁺	20.8
12 to 17	17.5	15.8 ⁺	16.3	16.7	17.2
18 to 25	37.5 ⁺	37.7	39.4	38.7	39.1
26 or Older	14.6 ⁺	15.0 ⁺	16.1 ⁺	16.7 ⁺	18.3

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Past Year Marijuana Use among People Aged 12 or Older: 2002-2019



Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	11.0*	10.6*	10.6*	10.4*	10.3*	10.1*	10.4*	11.4*	11.6*	11.5*	12.1*	12.6*	13.2*	13.5*	13.9*	15.0*	15.9*	17.5
12 to 17	15.8*	15.0*	14.5*	13.3	13.2	12.5	13.1	13.7	14.0	14.2*	13.5	13.4	13.1	12.6	12.0*	12.4	12.5	13.2
18 to 25	29.8*	28.5*	27.8*	28.0*	28.1*	27.5*	27.8*	30.8*	30.0*	30.8*	31.5*	31.6*	31.9*	32.2*	33.0*	34.9	34.8	35.4
26 or Older	7.0*	6.9*	7.0*	6.9*	6.9*	6.8*	7.0*	7.7*	8.0*	7.9*	8.6*	9.2*	10.1*	10.4*	11.0*	12.2*	13.3*	15.2

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Past Year Cocaine Use among People Aged 12 or Older: 2002-2019



Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	2.5 ⁺	2.5 ⁺	2.4 ⁺	2.3 ⁺	2.5 ⁺	2.3 ⁺	2.1	1.9	1.8	1.5 ⁺	1.8	1.6 ⁺	1.7 ⁺	1.8	1.9	2.2	2.0	2.0
12 to 17	2.1 ⁺	1.8 ⁺	1.6 ⁺	1.7 ⁺	1.6 ⁺	1.5 ⁺	1.2 ⁺	1.0 ⁺	1.0 ⁺	0.9 ⁺	0.7 ⁺	0.5	0.7 ⁺	0.6	0.5	0.5	0.4	0.4
18 to 25	6.7 ⁺	6.6 ⁺	6.6 ⁺	6.9 ⁺	6.9 ⁺	6.4 ⁺	5.6	5.3	4.7 ⁺	4.6 ⁺	4.6 ⁺	4.4 ⁺	4.6 ⁺	5.4	5.6	6.2 ⁺	5.8	5.3
26 or Older	1.8	1.9	1.7	1.5	1.8	1.7	1.6	1.4	1.4 ⁺	1.0 ⁺	1.4	1.2 ⁺	1.4 ⁺	1.3 ⁺	1.4	1.7	1.6	1.7

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Past Year Heroin Use among People Aged 12 or Older: 2002-2019




* Low precision; no estimate reported.

Note: Estimates of less than 0.05 percent round to 0.0 percent when shown to the nearest tenth of a percent.

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	0.2*	0.1*	0.2*	0.2*	0.2	0.2*	0.2*	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3
12 to 17	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	*
18 to 25	0.4	0.3	0.4	0.5*	0.4*	0.4*	0.5*	0.5*	0.6*	0.7*	0.8*	0.7*	0.8*	0.6*	0.7*	0.6*	0.5*	0.3
26 or Older	0.1*	0.1*	0.1*	0.1*	0.2	0.1*	0.1*	0.2	0.2	0.2*	0.2*	0.2	0.3	0.3	0.3	0.3	0.3	0.3


Past Year Methamphetamine Use among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	0.6	0.5 ⁺	0.6 ⁺	0.7	0.7
12 to 17	0.2	0.1	0.2	0.2	0.2
18 to 25	0.9	0.8	1.1	0.8	0.8
26 or Older	0.6	0.5 ⁺	0.6 ⁺	0.7	0.8

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Past Year Hallucinogen Use among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	1.8 ⁺	1.8 ⁺	1.9 ⁺	2.0	2.2
12 to 17	2.1	1.8	2.1	1.5	1.8
18 to 25	7.0	6.9	7.0	6.9	7.2
26 or Older	0.8 ⁺	1.0 ⁺	1.0 ⁺	1.3	1.5

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Past Year Inhalant Use among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	0.7 ⁺	0.6 ⁺	0.6 ⁺	0.7	0.8
12 to 17	2.7	2.2 ⁺	2.3 ⁺	2.7	3.0
18 to 25	1.4	1.4	1.6	1.5	1.7
26 or Older	0.3	0.3	0.3	0.4	0.4

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Past Year Prescription Stimulant Misuse among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	2.0	2.1 ⁺	2.1 ⁺	1.9	1.8
12 to 17	2.0	1.7	1.8	1.5	1.7
18 to 25	7.3 ⁺	7.5 ⁺	7.4 ⁺	6.5	5.8
26 or Older	1.1	1.3	1.3	1.2	1.2

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Past Year Prescription Tranquilizer or Sedative Misuse among People Aged 12 or Older: 2015-2019




Age	2015	2016	2017	2018	2019
12 or Older	2.6 ⁺	2.6 ⁺	2.5 ⁺	2.4	2.1
12 to 17	1.8	1.9	2.0	1.8	1.8
18 to 25	5.7 ⁺	5.7 ⁺	5.7 ⁺	4.9 ⁺	4.2
26 or Older	2.2 ⁺	2.2 ⁺	2.0	2.0	1.9

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.




Past Year Prescription Benzodiazepine Misuse among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	2.1 ⁺	2.1 ⁺	2.1 ⁺	2.0 ⁺	1.8
12 to 17	1.5	1.7	1.8	1.6	1.5
18 to 25	5.2 ⁺	5.2 ⁺	5.3 ⁺	4.5 ⁺	3.8
26 or Older	1.6	1.7	1.6	1.6	1.5

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Past Year Prescription Pain Reliever Misuse among People Aged 12 or Older: 2015-2019




Age	2015	2016	2017	2018	2019
12 or Older	4.7 ⁺	4.3 ⁺	4.1 ⁺	3.6	3.5
12 to 17	3.9 ⁺	3.5 ⁺	3.1 ⁺	2.8 ⁺	2.3
18 to 25	8.5 ⁺	7.1 ⁺	7.2 ⁺	5.5	5.2
26 or Older	4.1 ⁺	3.9 ⁺	3.7	3.4	3.4

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Past Year Prescription Pain Reliever Misuse among People Aged 12 or Older, by Selected Pain Reliever Subtype: 2019



Source Where Pain Relievers Were Obtained for Most Recent Misuse among People Aged 12 or Older Who Misused Pain Relievers in the Past Year: 2019




9.7 Million People Aged 12 or Older Who Misused Pain Relievers in the Past Year


Note: Respondents with unknown data for the Source for Most Recent Misuse or who reported Some Other Way but did not specify a valid way were excluded.

¹ The percentages from the subcategories do not add to the total percentage for the category due to rounding.

Past Year Opioid Misuse among People Aged 12 or Older: 2019




Past Year Opioid Misuse among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	4.7 ⁺	4.4 ⁺	4.2 ⁺	3.7	3.7
12 to 17	3.9 ⁺	3.6 ⁺	3.1 ⁺	2.8 ⁺	2.3
18 to 25	8.7 ⁺	7.3 ⁺	7.3 ⁺	5.6	5.3
26 or Older	4.2 ⁺	4.0 ⁺	3.8	3.6	3.6

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Past Year Initiates of Substances among People Aged 12 or Older: 2019



Rx = prescription.

Note: Estimates for prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives are for the initiation of misuse.


Past Year Alcohol Initiates among People Aged 12 or Older: 2002-2019



Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	3.9*	4.1*	4.4*	4.3*	4.4*	4.6	4.5*	4.6	4.7	4.7	4.6	4.6	4.7	4.8	4.6	4.9	4.9	4.9
12 to 17	2.6*	2.6*	2.7*	2.7*	2.7*	2.7*	2.6*	2.7*	2.5*	2.6*	2.4	2.4	2.3	2.4	2.3	2.3	2.4	2.3
18 to 25	1.2*	1.4*	1.5*	1.4*	1.6*	1.7*	1.7*	1.8*	2.0*	2.0*	1.9*	2.1*	2.2	2.2	2.2	2.4	2.4	2.4
26 or Older	0.1	0.1*	0.2	0.1*	0.1*	0.1	0.2	0.1	0.2	0.1	0.2	0.1*	0.1*	0.2	0.2	0.1	0.1*	0.2

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Past Year Marijuana Initiates among People Aged 12 or Older: 2002-2019




Note: Estimates of less than 0.05 million round to 0.0 million when shown to the nearest tenth of a million.

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	2.2 ⁺	2.0 ⁺	2.1 ⁺	2.1 ⁺	2.1 ⁺	2.1 ⁺	2.2 ⁺	2.4 ⁺	2.4 ⁺	2.6 ⁺	2.4 ⁺	2.4 ⁺	2.6 ⁺	2.6 ⁺	2.6 ⁺	3.0 ⁺	3.1 ⁺	3.5
12 to 17	1.4	1.2	1.3	1.1 ⁺	1.2 ⁺	1.2 ⁺	1.2	1.3	1.3	1.4	1.3	1.2 ⁺	1.2	1.2 ⁺	1.2 ⁺	1.2	1.3	1.4
18 to 25	0.7 ⁺	0.7 ⁺	0.7 ⁺	0.7 ⁺	0.7 ⁺	0.8 ⁺	0.8 ⁺	1.0 ⁺	0.9 ⁺	1.1 ⁺	1.0 ⁺	1.0 ⁺	1.1	1.0 ⁺	1.0 ⁺	1.3	1.2	1.2
26 or Older	0.1 ⁺	0.1 ⁺	0.2 ⁺	0.3 ⁺	0.1 ⁺	0.1 ⁺	0.2 ⁺	0.0 ⁺	0.2 ⁺	0.2 ⁺	0.2 ⁺	0.2 ⁺	0.3 ⁺	0.4 ⁺	0.4 ⁺	0.5 ⁺	0.5 ⁺	0.9


Past Year Cocaine Initiates among People Aged 12 or Older: 2002-2019



Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	1,032 ⁺	986 ⁺	998 ⁺	872 ⁺	977 ⁺	906 ⁺	724	623	642	670	639	601	766	968 ⁺	1,085 ⁺	1,037 ⁺	874 ⁺	671
12 to 17	310 ⁺	282 ⁺	274 ⁺	286 ⁺	260 ⁺	254 ⁺	196 ⁺	145 ⁺	156 ⁺	146 ⁺	120 ⁺	94	117 ⁺	112 ⁺	107 ⁺	98 ⁺	74	59
18 to 25	594 ⁺	576	592 ⁺	498	570	541	426	397	372 ⁺	467	443	432	501	663 ⁺	766 ⁺	729 ⁺	616 ⁺	476
26 or Older	127	128	133	87	147	112	102	81	114	56 ⁺	76	75	148	193	213	210	184	135

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Past Year Heroin Initiates among People Aged 12 or Older: 2002-2019




Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	117*	92	118*	108*	90	106*	116*	187*	142*	178*	156*	169*	212*	135*	170*	81	117*	50
12 to 17	39	25	31	18	24	16	29	19	23	38	21	21	13	11	8	9	7	*
18 to 25	66*	42*	46*	57*	56*	70*	58*	83*	83*	100*	95*	66*	75*	57*	82*	46	35	19
26 or Older	12	25	40	33	9	20	28	85	37	40	40	82	124*	68	80	26	75	31

* Low precision; no estimate reported.


+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Past Year Methamphetamine Initiates among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	225	192	195	205	184
12 to 17	24	16	27	31	25
18 to 25	91	79	95	68	63
26 or Older	110	97	73	106	96


Past Year Prescription Pain Reliever Misuse Initiates among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	2,126 ⁺	2,139 ⁺	2,010 ⁺	1,908	1,607
12 to 17	415 ⁺	423 ⁺	316	310	245
18 to 25	596 ⁺	585 ⁺	465	464	404
26 or Older	1,114	1,130	1,229	1,134	958

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Perceived Great Risk from Substance Use among People Aged 12 or Older: 2015-2019




Substance Use	2015	2016	2017	2018	2019
Smoking Marijuana Once or Twice a Week	36.3 ⁺	34.0 ⁺	31.9 ⁺	30.6 ⁺	29.2
Using Cocaine Once or Twice a Week	87.4 ⁺	87.1 ⁺	86.8 ⁺	86.5 ⁺	85.7
Using Heroin Once or Twice a Week	94.2	94.1	94.5 ⁺	94.3 ⁺	93.8
Having 4 or 5 Drinks of Alcohol Nearly Every Day	68.7 ⁺	68.3	68.9 ⁺	68.5	67.9
Smoking One or More Packs of Cigarettes per Day	72.8 ⁺	72.8 ⁺	71.6	71.8	71.2

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.




Perceived Great Risk from Substance Use among Youths Aged 12 to 17: 2015-2019



Substance Use	2015	2016	2017	2018	2019
Smoking Marijuana Once or Twice a Week	40.6 ⁺	40.0 ⁺	37.7 ⁺	34.9	34.6
Using Cocaine Once or Twice a Week	80.2 ⁺	80.6 ⁺	80.1 ⁺	79.6	78.7
Using Heroin Once or Twice a Week	82.9	83.4 ⁺	84.0 ⁺	83.0	82.1
Having 4 or 5 Drinks of Alcohol Nearly Every Day	64.1	65.5 ⁺	65.2 ⁺	64.4	63.5
Smoking One or More Packs of Cigarettes per Day	68.2 ⁺	69.3 ⁺	67.2 ⁺	65.3	65.0

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Perceived Great Risk from Substance Use among Young Adults Aged 18 to 25: 2015-2019



Substance Use	2015	2016	2017	2018	2019
Smoking Marijuana Once or Twice a Week	19.1 ⁺	17.2 ⁺	15.4	15.4	15.0
Using Cocaine Once or Twice a Week	84.3 ⁺	83.6	83.3	82.6	82.6
Using Heroin Once or Twice a Week	94.0 ⁺	93.5	93.9	93.3	93.3
Having 4 or 5 Drinks of Alcohol Nearly Every Day	62.1	62.3	63.2	63.4	62.4
Smoking One or More Packs of Cigarettes per Day	68.0 ⁺	68.6 ⁺	66.6	67.5 ⁺	66.2

⁺ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Perceived Great Risk from Substance Use among Adults Aged 26 or Older: 2015-2019



Substance Use	2015	2016	2017	2018	2019
Smoking Marijuana Once or Twice a Week	38.7 ⁺	36.1 ⁺	34.0 ⁺	32.5 ⁺	30.8
Using Cocaine Once or Twice a Week	88.8 ⁺	88.4 ⁺	88.2 ⁺	87.9 ⁺	86.9
Using Heroin Once or Twice a Week	95.5	95.4	95.8 ⁺	95.7 ⁺	95.2
Having 4 or 5 Drinks of Alcohol Nearly Every Day	70.4 ⁺	69.6	70.2 ⁺	69.7	69.3
Smoking One or More Packs of Cigarettes per Day	74.2 ⁺	73.9 ⁺	73.0	73.2	72.7

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Alcohol Use Disorder in the Past Year among People Aged 12 or Older: 2002-2019



Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	7.7 ⁺	7.5 ⁺	7.8 ⁺	7.7 ⁺	7.7 ⁺	7.5 ⁺	7.4 ⁺	7.5 ⁺	7.1 ⁺	6.5 ⁺	6.8 ⁺	6.6 ⁺	6.4 ⁺	5.9 ⁺	5.6	5.3	5.4	5.3
12 to 17	5.9 ⁺	5.9 ⁺	6.0 ⁺	5.5 ⁺	5.4 ⁺	5.4 ⁺	4.9 ⁺	4.6 ⁺	4.6 ⁺	3.8 ⁺	3.4 ⁺	2.8 ⁺	2.7 ⁺	2.5 ⁺	2.0	1.8	1.6	1.7
18 to 25	17.7 ⁺	17.2 ⁺	17.4 ⁺	17.5 ⁺	17.6 ⁺	16.9 ⁺	17.4 ⁺	16.1 ⁺	15.7 ⁺	14.4 ⁺	14.3 ⁺	13.0 ⁺	12.3 ⁺	10.9 ⁺	10.7 ⁺	10.0	10.1	9.3
26 or Older	6.2 ⁺	6.0 ⁺	6.3 ⁺	6.2 ⁺	6.2 ⁺	6.2 ⁺	6.0 ⁺	6.3 ⁺	5.9 ⁺	5.4	5.9 ⁺	6.0 ⁺	5.9 ⁺	5.4	5.2	5.0	5.1	5.1

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Illicit Drug Use Disorder in the Past Year among People Aged 12 or Older: 2015-2019




Age	2015	2016	2017	2018	2019
12 or Older	2.9	2.7 ⁺	2.8 ⁺	3.0	3.0
12 to 17	3.4	3.2	3.0 ⁺	2.7 ⁺	3.6
18 to 25	7.2	7.0	7.3	7.6	7.5
26 or Older	2.1	2.0 ⁺	2.0	2.2	2.3

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.




Marijuana Use Disorder in the Past Year among People Aged 12 or Older: 2002-2019



Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	1.8	1.8	1.9	1.7	1.7	1.6	1.7	1.7	1.8	1.6	1.7	1.6	1.6*	1.5*	1.5*	1.5*	1.6	1.8
12 to 17	4.3*	3.8*	3.9*	3.6*	3.4*	3.1	3.4*	3.4*	3.6*	3.5*	3.2	2.9	2.7	2.6	2.3*	2.2*	2.1*	2.8
18 to 25	6.0	5.9	6.0	5.9	5.7	5.6	5.6	5.6	5.7	5.7	5.5	5.4	4.9*	5.1*	5.0*	5.2	5.9	5.8
26 or Older	0.8*	0.7*	0.8	0.7*	0.8*	0.7*	0.8*	0.8	0.9	0.7*	0.8*	0.8*	0.9	0.8*	0.8*	0.8*	0.9	1.0

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Cocaine Use Disorder in the Past Year among People Aged 12 or Older: 2002-2019




Note: Estimates of less than 0.05 percent round to 0.0 percent when shown to the nearest tenth of a percent.

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	0.6 ⁺	0.6 ⁺	0.7 ⁺	0.6 ⁺	0.7 ⁺	0.6 ⁺	0.6 ⁺	0.4	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.4
12 to 17	0.4 ⁺	0.3 ⁺	0.4 ⁺	0.4 ⁺	0.4 ⁺	0.4 ⁺	0.3 ⁺	0.2 ⁺	0.1 ⁺	0.2 ⁺	0.2 ⁺	0.1 ⁺	0.1 ⁺	0.1 ⁺	0.1 ⁺	0.1 ⁺	0.0	0.0
18 to 25	1.2 ⁺	1.2 ⁺	1.4 ⁺	1.5 ⁺	1.3 ⁺	1.4 ⁺	1.2 ⁺	0.9	0.7	0.6	0.6	0.7	0.5	0.7	0.6	0.7	0.6	0.7
26 or Older	0.6 ⁺	0.6 ⁺	0.6 ⁺	0.5 ⁺	0.6 ⁺	0.6 ⁺	0.5 ⁺	0.4	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.4	0.3

Heroin Use Disorder in the Past Year among People Aged 12 or Older: 2002-2019




* Low precision; no estimate reported.
 Note: Estimates of less than 0.05 percent round to 0.0 percent when shown to the nearest tenth of a percent.

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Age	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
12 or Older	0.1 ⁺	0.1 ⁺	0.1	0.1 ⁺	0.1	0.1 ⁺	0.1	0.1	0.1	0.2	0.2	0.2	0.2 ⁺	0.2 ⁺	0.2 ⁺	0.2 ⁺	0.2	0.2
12 to 17	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	*
18 to 25	0.2	0.1	0.2	0.3	0.2	0.2	0.3	0.3 ⁺	0.3 ⁺	0.4 ⁺	0.5 ⁺	0.5 ⁺	0.5 ⁺	0.4 ⁺	0.4 ⁺	0.5 ⁺	0.3	0.2
26 or Older	0.1 ⁺	0.1 ⁺	0.1 ⁺	0.1 ⁺	0.1	0.1 ⁺	0.1 ⁺	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2

Methamphetamine Use Disorder in the Past Year among People Aged 12 or Older: 2015-2019




Age	2015	2016	2017	2018	2019
12 or Older	0.3	0.3 ⁺	0.4	0.4	0.4
12 to 17	0.1	0.0	0.1	0.1	0.1
18 to 25	0.4	0.4	0.5	0.4	0.4
26 or Older	0.3	0.3 ⁺	0.4	0.4	0.4

Note: Estimates of less than 0.05 percent round to 0.0 percent when shown to the nearest tenth of a percent.

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.




Pain Reliever Use Disorder in the Past Year among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	0.8 ⁺	0.7 ⁺	0.6 ⁺	0.6	0.5
12 to 17	0.5	0.6 ⁺	0.4	0.4	0.3
18 to 25	1.2 ⁺	0.8 ⁺	1.0 ⁺	0.7	0.6
26 or Older	0.7 ⁺	0.6	0.6	0.6	0.5

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Opioid Use Disorder in the Past Year among People Aged 12 or Older: 2015-2019




Age	2015	2016	2017	2018	2019
12 or Older	0.9 ⁺	0.8 ⁺	0.8 ⁺	0.7 ⁺	0.6
12 to 17	0.5	0.6 ⁺	0.4	0.4	0.3
18 to 25	1.5 ⁺	1.1 ⁺	1.3 ⁺	0.9 ⁺	0.7
26 or Older	0.8 ⁺	0.8 ⁺	0.7	0.7	0.6

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.



Substance Use Disorder in the Past Year among People Aged 12 or Older: 2015-2019




Age	2015	2016	2017	2018	2019
12 or Older	7.8	7.5	7.2	7.4	7.4
12 to 17	5.0	4.3	4.0	3.7 ⁺	4.5
18 to 25	15.3 ⁺	15.1 ⁺	14.8	15.0	14.1
26 or Older	6.9	6.6	6.4	6.6	6.7

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.




People Aged 12 or Older with a Past Year Substance Use Disorder (SUD): 2019




Note: The estimated numbers of people with substance use disorders are not mutually exclusive because people could have use disorders for more than one substance.

Alcohol Use Disorder (AUD) and Illicit Drug Use Disorder (IDUD) in the Past Year among People Aged 12 or Older with a Past Year Substance Use Disorder (SUD): 2019



Major Depressive Episode (MDE) and MDE with Severe Impairment in the Past Year among Youths Aged 12 to 17: 2004-2019




MDE Status	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
MDE	9.0 ⁺	8.8 ⁺	7.9 ⁺	8.2 ⁺	8.3 ⁺	8.1 ⁺	8.0 ⁺	8.2 ⁺	9.1 ⁺	10.7 ⁺	11.4 ⁺	12.5 ⁺	12.8 ⁺	13.3 ⁺	14.4 ⁺	15.7
MDE with Severe Impairment	N/A	N/A	5.5 ⁺	5.5 ⁺	6.0 ⁺	5.8 ⁺	5.7 ⁺	5.7 ⁺	6.3 ⁺	7.7 ⁺	8.2 ⁺	8.8 ⁺	9.0 ⁺	9.4 ⁺	10.0 ⁺	11.1

N/A = not available.

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Major Depressive Episode in the Past Year among Adults Aged 18 or Older: 2005-2019



Age	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	6.6 ⁺	6.5 ⁺	6.7 ⁺	6.5 ⁺	6.6 ⁺	6.8 ⁺	6.6 ⁺	6.9 ⁺	6.7 ⁺	6.6 ⁺	6.7 ⁺	6.7 ⁺	7.1 ⁺	7.2 ⁺	7.8
18 to 25	8.8 ⁺	8.1 ⁺	8.0 ⁺	8.4 ⁺	8.0 ⁺	8.3 ⁺	8.3 ⁺	8.9 ⁺	8.7 ⁺	9.3 ⁺	10.3 ⁺	10.9 ⁺	13.1 ⁺	13.8 ⁺	15.2
26 to 49	7.6 ⁺	7.7 ⁺	7.6 ⁺	7.4 ⁺	7.6 ⁺	7.5 ⁺	7.7 ⁺	7.6 ⁺	7.6 ⁺	7.2 ⁺	7.5 ⁺	7.4 ⁺	7.7 ⁺	8.0 ⁺	8.9
50 or Older	4.5	4.5	5.2	4.8	4.9	5.6 ⁺	4.8	5.5	5.1	5.2	4.8	4.8	4.7	4.5	4.7

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Major Depressive Episode with Severe Impairment in the Past Year among Adults Aged 18 or Older: 2009-2019



Age	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	4.0 ⁺	4.2 ⁺	4.2 ⁺	4.5 ⁺	4.3 ⁺	4.3 ⁺	4.3 ⁺	4.3 ⁺	4.5 ⁺	4.7 ⁺	5.3
18 to 25	5.2 ⁺	5.2 ⁺	5.2 ⁺	5.8 ⁺	5.7 ⁺	6.0 ⁺	6.5 ⁺	7.0 ⁺	8.5 ⁺	8.9 ⁺	10.3
26 to 49	4.8 ⁺	4.7 ⁺	5.2 ⁺	5.1 ⁺	4.9 ⁺	4.6 ⁺	4.9 ⁺	4.7 ⁺	5.0 ⁺	5.3 ⁺	6.1
50 or Older	2.6 ⁺	3.5	2.9	3.4	3.2	3.5	3.0	3.0	2.8	2.9	3.2

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Any Mental Illness in the Past Year among Adults Aged 18 or Older: 2008-2019



Age	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	17.7 ⁺	18.1 ⁺	18.1 ⁺	17.8 ⁺	18.6 ⁺	18.5 ⁺	18.1 ⁺	17.9 ⁺	18.3 ⁺	18.9 ⁺	19.1 ⁺	20.6
18 to 25	18.5 ⁺	18.0 ⁺	18.1 ⁺	18.5 ⁺	19.6 ⁺	19.4 ⁺	20.1 ⁺	21.7 ⁺	22.1 ⁺	25.8 ⁺	26.3 ⁺	29.4
26 to 49	20.7 ⁺	21.6 ⁺	20.9 ⁺	20.3 ⁺	21.2 ⁺	21.5 ⁺	20.4 ⁺	20.9 ⁺	21.1 ⁺	22.2 ⁺	22.5 ⁺	25.0
50 or Older	14.1	14.5	15.1	15.0	15.8 ⁺	15.3	15.4 ⁺	14.0	14.5	13.8	14.0	14.1

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Serious Mental Illness in the Past Year among Adults Aged 18 or Older: 2008-2019



Age	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	3.7 ⁺	3.7 ⁺	4.1 ⁺	3.9 ⁺	4.1 ⁺	4.2 ⁺	4.1 ⁺	4.0 ⁺	4.2 ⁺	4.5 ⁺	4.6 ⁺	5.2
18 to 25	3.8 ⁺	3.3 ⁺	3.9 ⁺	3.8 ⁺	4.1 ⁺	4.2 ⁺	4.8 ⁺	5.0 ⁺	5.9 ⁺	7.5 ⁺	7.7 ⁺	8.6
26 to 49	4.8 ⁺	4.9 ⁺	5.2 ⁺	5.0 ⁺	5.2 ⁺	5.3 ⁺	4.9 ⁺	5.0 ⁺	5.3 ⁺	5.6 ⁺	5.9 ⁺	6.8
50 or Older	2.5	2.5	3.0	2.8	3.0	3.2	3.1	2.8	2.7	2.7	2.5	2.9


+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Past Year Substance Use Disorder (SUD) and Major Depressive Episode (MDE) among Youths Aged 12 to 17: 2019




Note: Youth respondents with unknown MDE data were excluded.

Co-Occurring Past Year Substance Use Disorder (SUD) and Major Depressive Episode (MDE) or MDE with Severe Impairment among Youths Aged 12 to 17: 2015-2019



SUD/MDE Status	2015	2016	2017	2018	2019
Co-Occurring SUD and MDE	1.4	1.4	1.4	1.5	1.7
Co-Occurring SUD and MDE with Severe Impairment	1.2	1.1	1.1	1.2	1.4


Substance Use among Youths Aged 12 to 17, by Past Year Major Depressive Episode (MDE) Status: 2019




Note: Youth respondents with unknown MDE data were excluded.

+ Difference between this estimate and the estimate for youths without MDE is statistically significant at the .05 level.

Past Year Substance Use Disorder (SUD) and Any Mental Illness (AMI) among Adults Aged 18 or Older: 2019




Co-Occurring Past Year Substance Use Disorder (SUD), Any Mental Illness (AMI), and Serious Mental Illness (SMI) among Adults Aged 18 or Older: 2015-2019




SUD/Mental Illness Status and Age	2015	2016	2017	2018	2019
SUD and AMI					
18 or Older	3.3+	3.4+	3.4+	3.7	3.8
18 to 25	5.9+	6.1+	6.9+	7.2	7.6
SUD and SMI					
18 or Older	1.0+	1.1+	1.3	1.3	1.4
18 to 25	1.7+	2.1+	2.8	2.6	2.8

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Past Year Substance Use Disorder (SUD) and Serious Mental Illness (SMI) among Adults Aged 18 or Older: 2019




Substance Use among Adults Aged 18 or Older, by Mental Illness Status: 2019




⁺ Difference between this estimate and the estimate for adults without mental illness is statistically significant at the .05 level.

Adults Aged 18 or Older with Serious Thoughts of Suicide, Suicide Plans, or Suicide Attempts in the Past Year: 2019




Had Serious Thoughts of Suicide in the Past Year among Adults Aged 18 or Older: 2008-2019



Age	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	3.7 ⁺	3.7 ⁺	3.8 ⁺	3.7 ⁺	3.9 ⁺	3.9 ⁺	3.9 ⁺	4.0 ⁺	4.0 ⁺	4.3 ⁺	4.3 ⁺	4.8
18 to 25	6.8 ⁺	6.1 ⁺	6.7 ⁺	6.8 ⁺	7.2 ⁺	7.4 ⁺	7.5 ⁺	8.3 ⁺	8.8 ⁺	10.5 ⁺	11.0	11.8
26 to 49	4.0 ⁺	4.3 ⁺	4.1 ⁺	3.7 ⁺	4.2 ⁺	4.0 ⁺	4.0 ⁺	4.1 ⁺	4.2 ⁺	4.3 ⁺	4.7 ⁺	5.3
50 or Older	2.3	2.3	2.6	2.6	2.4	2.7	2.7	2.6	2.4	2.5	2.1	2.4

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Made a Suicide Plan in the Past Year among Adults Aged 18 or Older: 2008-2019



Age	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	1.0 ⁺	1.0 ⁺	1.1 ⁺	1.0 ⁺	1.1 ⁺	1.1 ⁺	1.1 ⁺	1.1 ⁺	1.1 ⁺	1.3	1.3	1.4
18 to 25	2.0 ⁺	2.0 ⁺	1.9 ⁺	1.9 ⁺	2.4 ⁺	2.5 ⁺	2.3 ⁺	2.7 ⁺	2.9 ⁺	3.7	3.4	3.9
26 to 49	1.1 ⁺	1.0 ⁺	1.0 ⁺	1.1 ⁺	1.3	1.3	1.1 ⁺	1.1 ⁺	1.3	1.2	1.4	1.5
50 or Older	0.7	0.6	0.9	0.7	0.6	0.6	0.7	0.7	0.5	0.6	0.6	0.6

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Attempted Suicide in the Past Year among Adults Aged 18 or Older: 2008-2019



Age	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	0.5	0.5	0.5	0.5	0.6	0.6	0.5	0.6	0.5	0.6	0.6	0.6
18 to 25	1.2 ⁺	1.1 ⁺	1.2 ⁺	1.2 ⁺	1.5	1.3 ⁺	1.2 ⁺	1.6	1.8	1.9	1.9	1.8
26 to 49	0.4	0.5	0.4 ⁺	0.5	0.5	0.6	0.5	0.5	0.5	0.4	0.5	0.6
50 or Older	0.3	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.3	0.2	0.2

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Need for Substance Use Treatment in the Past Year among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	8.1	7.8	7.6	7.8	7.8
12 to 17	5.1	4.4	4.1	3.8 ⁺	4.6
18 to 25	15.5 ⁺	15.5 ⁺	15.1	15.3 ⁺	14.4
26 or Older	7.2	6.9	6.8	7.0	7.2

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Received Any Substance Use Treatment in the Past Year among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	1.4	1.4	1.5	1.4	1.5
12 to 17	0.8	0.7	0.7	0.6	0.7
18 to 25	1.9	1.8	1.9	1.6	1.7
26 or Older	1.4 ⁺	1.4	1.5	1.4	1.6


+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Locations Where Substance Use Treatment in the Past Year Was Received among People Aged 12 or Older: 2019




Note: Locations where people received substance use treatment are not mutually exclusive because respondents could report that they received treatment in more than one location in the past year.

Received Any Substance Use Treatment in the Past Year among People Aged 12 or Older Who Had a Substance Use Disorder in the Past Year: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	10.4	10.6	11.0	10.2	10.3
12 to 17	8.8	9.9	10.0	8.7	8.3
18 to 25	8.8	8.3	9.3	7.0	8.7
26 or Older	11.2	11.5	11.7	11.4	11.0


Received Substance Use Treatment at a Specialty Facility in the Past Year among People Aged 12 or Older: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	0.9	0.8	0.9	0.9	1.0
12 to 17	0.3	0.4	0.4	0.3	0.3
18 to 25	1.2	1.1	1.3	1.0	1.1
26 or Older	0.9	0.8 ⁺	0.9	0.9	1.0


+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Received Substance Use Treatment at a Specialty Facility in the Past Year among People Aged 12 or Older Who Needed Substance Use Treatment in the Past Year: 2015-2019



Age	2015	2016	2017	2018	2019
12 or Older	10.8	10.6	12.2	11.1	12.2
12 to 17	6.3	8.2	8.8	8.8	6.0
18 to 25	7.7	7.2	8.5	6.3	7.4
26 or Older	12.3	12.1	13.8	12.9	14.2

Perceived Need for Substance Use Treatment among People Aged 12 or Older with a Past Year Substance Use Disorder (SUD) Who Did Not Receive Substance Use Treatment at a Specialty Facility in the Past Year: 2019




18.9 Million People with an SUD Who Did Not Receive Substance Use Treatment at a Specialty Facility

Note: People who had an SUD were classified as needing substance use treatment.

Note: The percentages do not add to 100 percent due to rounding.

Received Treatment in the Past Year for Depression among Youths Aged 12 to 17 with a Past Year Major Depressive Episode (MDE) or MDE with Severe Impairment: 2004-2019




N/A = not available

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

MDE Status	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
MDE	40.3	37.8+	38.8+	39.0+	37.7+	34.6+	37.8+	38.4+	37.0+	38.1+	41.2	39.3+	40.9	41.5	41.4	43.3
MDE with Severe Impairment	N/A	N/A	46.5	43.9+	42.6+	38.8+	41.1+	43.5+	41.0+	45.0+	44.7+	44.6+	46.7	47.5	46.9	49.7


Received Treatment in the Past Year for Depression among Adults Aged 18 or Older with a Past Year Major Depressive Episode: 2009-2019



Age	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	64.3	68.2	68.1	68.0	68.6	68.6	67.2	65.3	66.8	64.8	66.3
18 to 25	47.0	48.7	47.8	49.8	50.8	49.5	46.8 ⁺	44.1 ⁺	50.7	49.6	50.9
26 to 49	64.8	68.1	68.1	68.8	66.7	67.9	67.4	67.4	67.3	64.4 ⁺	68.9
50 or Older	73.8	78.4	80.0	76.8	81.3	80.8	80.9	77.3	79.7	78.9	76.5

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Sources of Mental Health Services in the Past Year among Youths Aged 12 to 17: 2002-2019




N/A = not available.

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Source	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Specialty Mental Health Setting	11.8 ⁺	12.4 ⁺	13.4 ⁺	13.4 ⁺	13.0 ⁺	12.4 ⁺	12.7 ⁺	12.0 ⁺	12.1 ⁺	12.6 ⁺	12.7 ⁺	13.6 ⁺	13.7 ⁺	13.3 ⁺	14.7 ⁺	14.8 ⁺	16.0	16.7
Education Setting	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12.1 ⁺	12.4 ⁺	11.9 ⁺	12.9 ⁺	13.0 ⁺	13.2 ⁺	13.2 ⁺	13.1 ⁺	13.3 ⁺	14.2 ⁺	15.4
General Medical Setting	2.7 ⁺	2.9 ⁺	3.4	3.2	2.8 ⁺	2.8 ⁺	2.9 ⁺	2.5 ⁺	2.5 ⁺	2.5 ⁺	2.5 ⁺	2.8 ⁺	2.9 ⁺	2.7 ⁺	2.9 ⁺	3.3	3.1 ⁺	3.7
Child Welfare Setting	0.6 ⁺	0.7 ⁺	0.6 ⁺	0.6	0.5	0.5	0.5	0.4	0.4	0.6	0.4	0.4	0.4	0.3	0.4	0.4	0.4	0.4
Juvenile Justice Setting	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.4 ⁺	0.3 ⁺	0.4 ⁺	0.3 ⁺	0.2	0.3	0.2	0.2	0.2	0.2	0.2


Type of Mental Health Services Received in the Past Year among Adults Aged 18 or Older: 2002-2019



Service Type	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Any Mental Health Services	13.0 ⁺	13.2 ⁺	12.8 ⁺	13.0 ⁺	12.9 ⁺	13.3 ⁺	13.5 ⁺	13.4 ⁺	13.8 ⁺	13.6 ⁺	14.5 ⁺	14.6 ⁺	14.8 ⁺	14.2 ⁺	14.4 ⁺	14.8 ⁺	15.0 ⁺	16.1
Inpatient	0.7 ⁺	0.8	0.9	1.0	0.7 ⁺	1.0	0.9	0.8	0.8 ⁺	0.8 ⁺	0.8	0.9	1.0	0.9	0.9	1.0	1.0	1.0
Outpatient	7.4 ⁺	7.1 ⁺	7.1 ⁺	6.8 ⁺	6.7 ⁺	7.0 ⁺	6.8 ⁺	6.4 ⁺	6.6 ⁺	6.7 ⁺	6.6 ⁺	6.6 ⁺	6.7 ⁺	7.1 ⁺	6.9 ⁺	7.5 ⁺	7.9	8.3
Prescription Medication	10.5 ⁺	10.9 ⁺	10.5 ⁺	10.7 ⁺	10.9 ⁺	11.2 ⁺	11.4 ⁺	11.3 ⁺	11.7 ⁺	11.5 ⁺	12.4 ⁺	12.5	12.6	11.8 ⁺	12.0 ⁺	12.1 ⁺	12.2 ⁺	13.1

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Any Mental Health Services Received in the Past Year among Adults Aged 18 or Older with Any Mental Illness in the Past Year: 2008-2019



Age	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	40.9 ⁺	40.2 ⁺	42.4 ⁺	40.8 ⁺	41.0 ⁺	44.7	44.7	43.1	43.1	42.6 ⁺	43.3	44.8
18 to 25	30.3 ⁺	32.0 ⁺	32.6 ⁺	32.9 ⁺	34.5 ⁺	34.7 ⁺	33.6 ⁺	32.0 ⁺	35.1 ⁺	38.4	37.3	38.9
26 to 49	41.4 ⁺	40.8 ⁺	43.3	41.1 ⁺	42.0 ⁺	43.5	44.2	43.3	43.1	43.3	43.9	45.4
50 or Older	45.2	42.8	45.1	43.6	42.4 ⁺	50.5	49.9	48.3	46.8	44.2	45.8	47.2

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Any Mental Health Services Received in the Past Year among Adults Aged 18 or Older with Serious Mental Illness in the Past Year: 2008-2019



Age	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	65.7	66.5	67.5	64.9	62.9	68.5	68.5	65.3	64.8	66.7	64.1	65.5
18 to 25	45.9 ⁺	55.0	53.7	52.1	53.1	54.0	53.9	50.7 ⁺	51.5	57.4	53.8	56.4
26 to 49	67.2	64.5	67.4	63.6	63.5	68.4	66.2	66.1	66.1	66.2	63.7	65.1
50 or Older	73.2	76.1	74.0	73.2	66.3	74.9	79.2	72.2	71.5	75.6	74.4	74.3

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Perceived Unmet Need for Mental Health Services in the Past Year among Adults Aged 18 or Older with Any Mental Illness in the Past Year: 2008-2019



Age	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	20.6 ⁺	22.1 ⁺	21.0 ⁺	20.7 ⁺	20.8 ⁺	19.3 ⁺	20.8 ⁺	20.3 ⁺	20.7 ⁺	23.7 ⁺	23.6 ⁺	26.0
18 to 25	30.2 ⁺	29.4 ⁺	29.8 ⁺	28.8 ⁺	28.1 ⁺	27.8 ⁺	28.9 ⁺	29.0 ⁺	32.4 ⁺	35.3 ⁺	37.9 ⁺	40.7
26 to 49	23.3 ⁺	24.8 ⁺	22.5 ⁺	24.6 ⁺	24.4 ⁺	21.7 ⁺	23.3 ⁺	22.5 ⁺	23.0 ⁺	24.5 ⁺	25.3 ⁺	28.0
50 or Older	11.8	14.8	15.2	12.0	13.2	12.6	14.3	13.0	12.3	16.1	13.2	13.9

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.


Perceived Unmet Need for Mental Health Services in the Past Year among Adults Aged 18 or Older with Serious Mental Illness in the Past Year: 2008-2019



Age	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
18 or Older	43.7	46.3	42.0 ⁺	43.1 ⁺	41.6 ⁺	38.6 ⁺	42.9 ⁺	38.2 ⁺	39.7 ⁺	44.2	45.1	47.7
18 to 25	50.0 ⁺	52.2 ⁺	53.1 ⁺	55.0 ⁺	49.8 ⁺	51.5 ⁺	53.6 ⁺	50.3 ⁺	53.7 ⁺	55.9 ⁺	59.5	62.5
26 to 49	44.8	49.2	44.3	45.2	46.2	42.4	45.4	43.3	39.7 ⁺	45.2	45.2	47.6
50 or Older	38.2	37.5	32.7	33.9	30.1	27.1	33.9	23.2 ⁺	30.4	32.5	31.9	35.1

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.

Receipt of Substance Use Treatment at a Specialty Facility and Mental Health Services in the Past Year among Youths Aged 12 to 17 with Past Year Substance Use Disorder and Major Depressive Episode: 2015-2019




Service Type	2015	2016	2017	2018	2019
No Treatment	36.9	28.1	37.3	34.3	33.7
Substance Use Treatment at a Specialty Facility or Mental Health Services	63.1	71.9	62.7	65.7	66.3
Both Substance Use Treatment at a Specialty Facility and Mental Health Services	3.8	4.6 ⁺	5.9 ⁺	5.4 ⁺	1.3

MH = mental health;
SU Tx = substance use treatment.

+ Difference between this estimate and the 2019 estimate is statistically significant at the .05 level.



Receipt of Substance Use Treatment at a Specialty Facility and Mental Health Services in the Past Year among Adults Aged 18 or Older with Past Year Substance Use Disorder and Any Mental Illness: 2015-2019




Service Type	2015	2016	2017	2018	2019
No Treatment	52.0	51.9	49.0	48.6	51.4
Substance Use Treatment at a Specialty Facility or Mental Health Services	48.0	48.1	51.0	51.4	48.6
Both Substance Use Treatment at a Specialty Facility and Mental Health Services	6.8	6.9	8.3	7.0	7.8

MH = mental health;
 SU Tx = substance use treatment.



Receipt of Substance Use Treatment at a Specialty Facility and Mental Health Services in the Past Year among Adults Aged 18 or Older with Past Year Substance Use Disorder and Serious Mental Illness: 2015-2019



Service Type	2015	2016	2017	2018	2019
No Treatment	37.4	34.4	36.0	30.5	33.4
Substance Use Treatment at a Specialty Facility or Mental Health Services	62.6	65.6	64.0	69.5	66.6
Both Substance Use Treatment at a Specialty Facility and Mental Health Services	11.0	12.0	11.8	10.9	12.7

MH = mental health;
 SU Tx = substance use treatment.