

**Table 1.68C Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:**  
**Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12+ (2019)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 12-17 (2019)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 26+ (2018)</b>	<b>Aged 26+ (2019)</b>
<b>TOTAL</b>	205	215	18	17	203	213	89	83	177	188
<b>GEOGRAPHIC REGION</b>										
Northeast	110	83	8	2	109	83	40	30	101	71
Midwest	84	89	8	7	83	88	39	27	71	85
South	104	134	11	10	103	133	45	50	93	118
West	121	118	8	12	120	118	54	55	99	100
<b>COUNTY TYPE</b>										
Large Metro	177	182	13	13	176	181	79	78	159	155
Small Metro	99	113	10	11	98	112	52	48	81	100
Nonmetro	59	53	7	3	59	53	27	22	45	51
Urbanized	50	47	5	2	50	47	21	20	37	44
Less Urbanized	30	22	4	2	29	22	16	10	24	21
Completely Rural	10	11	1	1	10	11	3	2	9	11
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	87	90	10	9	85	89	52	45	71	76
100-199%	76	106	8	7	76	106	39	35	64	100
200% or More	169	156	12	13	169	155	62	64	154	135
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	156	156	14	12	156	155	82	78	128	126
Medicaid/CHIP	87	120	9	12	86	120	33	33	79	114
Other <sup>3</sup>	65	92	3	3	66	92	22	17	62	90
No Coverage	77	79	6	2	77	79	25	26	72	75

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.68D Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:  
Standard Errors of Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	0.07	0.08	0.07	0.07	0.08	0.09	0.26	0.24	0.08	0.09
<b>GEOGRAPHIC REGION</b>										
Northeast	0.23	0.17	0.21	0.05	0.25	0.19	0.68	0.52	0.27	0.19
Midwest	0.15	0.16	0.15	0.14	0.16	0.17	0.53	0.38	0.16	0.19
South	0.10	0.13	0.11	0.10	0.11	0.14	0.35	0.39	0.11	0.14
West	0.19	0.18	0.14	0.19	0.20	0.20	0.66	0.68	0.19	0.19
<b>COUNTY TYPE</b>										
Large Metro	0.11	0.12	0.09	0.09	0.12	0.13	0.39	0.37	0.13	0.13
Small Metro	0.12	0.13	0.13	0.14	0.13	0.14	0.44	0.40	0.13	0.15
Nonmetro	0.14	0.14	0.20	0.09	0.16	0.15	0.58	0.49	0.14	0.17
Urbanized	0.27	0.29	0.38	0.15	0.30	0.32	0.99	0.92	0.25	0.35
Less Urbanized	0.16	0.12	0.24	0.14	0.17	0.14	0.71	0.48	0.16	0.15
Completely Rural	0.25	0.24	0.14	0.20	0.27	0.26	0.94	0.45	0.30	0.29
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.21	0.24	0.17	0.17	0.24	0.27	0.54	0.49	0.27	0.31
100-199%	0.14	0.20	0.15	0.14	0.15	0.22	0.46	0.44	0.16	0.25
200% or More	0.09	0.08	0.09	0.09	0.10	0.09	0.36	0.36	0.10	0.09
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.09	0.09	0.10	0.09	0.09	0.09	0.36	0.34	0.09	0.09
Medicaid/CHIP	0.19	0.26	0.09	0.13	0.24	0.33	0.45	0.43	0.27	0.39
Other <sup>3</sup>	0.09	0.13	0.24	0.25	0.10	0.13	0.83	0.68	0.09	0.13
No Coverage	0.29	0.29	0.54	0.21	0.31	0.30	0.50	0.52	0.36	0.35

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.68P Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	0.7590		0.5442		0.7903		0.1607		0.6980	
<b>GEOGRAPHIC REGION</b>										
Northeast	0.1147		0.1004		0.1375		0.1439		0.2998	
Midwest	0.7555		0.6072		0.7213		0.3029		0.3800	
South	0.2918		0.3927		0.2527		0.4473		0.1155	
West	0.6460		0.2156		0.5721		0.9034		0.5036	
<b>COUNTY TYPE</b>										
Large Metro	0.9814		0.5796		0.9815		0.7616		0.8497	
Small Metro	0.5601		0.6537		0.5359		0.2289		0.9507	
Nonmetro	0.8850		0.1254		0.9769		0.0469		0.4207	
Urbanized	0.4389		0.2300		0.3469		0.3893		0.2587	
Less Urbanized	0.1825		0.3347		0.2213		0.0295		0.9291	
Completely Rural	0.7907		0.9953		0.7896		0.2711		0.9760	
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.7975		0.6682		0.7468		0.0750		0.5440	
100-199%	0.2865		0.5870		0.2879		0.1253		0.0577	
200% or More	0.4667		0.1416		0.5336		0.7372		0.4400	
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.4751		0.0926		0.5767		0.6640		0.6943	
Medicaid/CHIP	0.0824		0.0876		0.1104		0.2697		0.0433	
Other <sup>3</sup>	0.6671		0.6705		0.6790		0.1084		0.3911	
No Coverage	0.7907		0.3694		0.8312		0.4387		0.9569	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.69C Cocaine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:  
Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12+ (2019)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 12-17 (2019)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 26+ (2018)</b>	<b>Aged 26+ (2019)</b>
<b>TOTAL</b>	123	130	5	12	123	129	46	44	117	122
<b>GEOGRAPHIC REGION</b>										
Northeast	65	53	3	1	65	53	26	18	60	49
Midwest	50	44	1	6	50	44	18	15	45	42
South	67	83	3	8	67	82	21	26	64	77
West	78	69	2	6	78	69	25	27	75	65
<b>COUNTY TYPE</b>										
Large Metro	109	114	3	7	109	114	41	38	105	107
Small Metro	58	54	4	9	58	54	19	23	54	50
Nonmetro	29	34	1	2	29	34	13	10	24	32
Urbanized	25	30	1	2	25	29	11	8	20	28
Less Urbanized	15	14	*	0	15	14	7	6	13	13
Completely Rural	1	9	*	*	1	9	*	1	1	9
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	57	59	1	8	57	59	24	23	53	53
100-199%	42	62	3	5	42	62	18	17	38	59
200% or More	103	94	4	7	103	94	34	32	100	89
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	94	93	4	7	94	93	40	40	87	84
Medicaid/CHIP	56	70	2	9	56	69	16	14	54	68
Other <sup>3</sup>	34	49	*	0	34	49	10	8	32	48
No Coverage	53	58	*	0	53	58	12	16	51	56

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.69D Cocaine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:  
Standard Errors of Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	0.05	0.05	0.02	0.05	0.05	0.05	0.13	0.13	0.05	0.06
<b>GEOGRAPHIC REGION</b>										
Northeast	0.14	0.11	0.08	0.03	0.15	0.12	0.45	0.32	0.16	0.13
Midwest	0.09	0.08	0.03	0.10	0.10	0.08	0.24	0.22	0.10	0.09
South	0.06	0.08	0.03	0.09	0.07	0.09	0.16	0.20	0.08	0.09
West	0.12	0.11	0.03	0.09	0.13	0.12	0.30	0.34	0.15	0.13
<b>COUNTY TYPE</b>										
Large Metro	0.07	0.07	0.02	0.06	0.08	0.08	0.21	0.19	0.09	0.09
Small Metro	0.07	0.06	0.05	0.11	0.08	0.07	0.17	0.21	0.08	0.08
Nonmetro	0.07	0.09	0.03	0.05	0.08	0.10	0.30	0.23	0.07	0.11
Urbanized	0.14	0.18	0.07	0.13	0.15	0.20	0.55	0.38	0.14	0.22
Less Urbanized	0.08	0.08	*	0.02	0.09	0.09	0.36	0.30	0.09	0.09
Completely Rural	0.04	0.20	*	*	0.05	0.22	*	0.40	0.05	0.24
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.14	0.16	0.02	0.15	0.17	0.18	0.27	0.27	0.20	0.22
100-199%	0.08	0.12	0.06	0.09	0.09	0.13	0.22	0.22	0.09	0.15
200% or More	0.06	0.05	0.03	0.05	0.06	0.06	0.20	0.19	0.07	0.06
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.05	0.05	0.03	0.05	0.06	0.06	0.19	0.19	0.06	0.06
Medicaid/CHIP	0.12	0.15	0.02	0.10	0.15	0.19	0.21	0.18	0.18	0.24
Other <sup>3</sup>	0.05	0.07	*	0.03	0.05	0.07	0.38	0.30	0.05	0.07
No Coverage	0.20	0.21	*	0.02	0.21	0.22	0.26	0.33	0.26	0.26

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.69P Cocaine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:**  
**P Values from Tests of Differences of Percentages, 2019 Versus 2018**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	0.8284		0.0739		0.9309		0.7414		0.9970	
<b>GEOGRAPHIC REGION</b>										
Northeast	0.5154		0.4912		0.5311		0.4716		0.7072	
Midwest	0.3724		0.3670		0.4148		0.8322		0.4136	
South	0.1484		0.2995		0.1747		0.4157		0.2556	
West	0.3302		0.0796		0.2882		0.7869		0.2384	
<b>COUNTY TYPE</b>										
Large Metro	0.9599		0.1353		0.9561		0.9288		1.0000	
Small Metro	0.8830		0.3749		0.8080		0.1056		0.4006	
Nonmetro	0.4597		0.3799		0.4730		0.2155		0.2355	
Urbanized	0.5258		0.4638		0.5314		0.1797		0.3150	
Less Urbanized	0.9244		*		0.9392		0.5938		0.6736	
Completely Rural	0.1890		*		0.1894		*		0.2903	
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.9027		0.1912		0.9871		0.9751		0.9720	
100-199%	0.0834		0.4129		0.0896		0.5044		0.1094	
200% or More	0.5581		0.3588		0.5197		0.9146		0.4861	
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.9906		0.4864		0.9757		0.6529		0.8224	
Medicaid/CHIP	0.2342		0.0852		0.3046		0.9927		0.2908	
Other <sup>3</sup>	0.8659		*		0.8693		0.7011		0.7916	
No Coverage	0.7874		*		0.7836		0.7124		0.7038	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.