Table 1.95C   Use of Illicit Drugs Other Than Marijuana in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	441	448	69	63	438	440	144	136	398	395
GEOGRAPHIC REGION										
Northeast	179	185	23	19	177	185	59	48	163	169
Midwest	183	172	27	29	181	171	71	54	157	155
South	252	286	40	41	249	282	78	99	233	242
West	265	259	39	36	260	254	84	76	235	232
COUNTY TYPE										
Large Metro	393	408	55	52	391	402	139	152	361	350
Small Metro	242	267	37	42	235	258	97	91	204	231
Nonmetro	151	148	23	20	146	143	60	49	123	128
Urbanized	107	120	14	14	105	117	51	37	79	107
Less Urbanized	107	78	18	13	102	75	32	27	89	68
Completely Rural	48	41	8	7	45	39	9	16	43	31
POVERTY LEVEL[1]										
Less Than 100%	196	196	34	35	192	193	101	106	164	159
100-199%	183	206	33	28	179	203	69	66	158	195
200% or More	381	365	54	54	375	360	112	104	356	331
HEALTH INSURANCE[2]										
Private	368	340	52	53	364	333	147	143	325	289
Medicaid/CHIP	184	217	42	43	180	214	65	65	164	203
Other[3]	201	218	16	16	200	216	35	36	199	213
No Coverage	145	163	19	12	144	162	49	54	135	150

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.
[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.
[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.95D   Use of Illicit Drugs Other Than Marijuana in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.16	0.16	0.28	0.25	0.18	0.18	0.42	0.40	0.19	0.18
GEOGRAPHIC REGION										
Northeast	0.38	0.39	0.57	0.47	0.40	0.42	1.01	0.84	0.43	0.44
Midwest	0.32	0.30	0.51	0.54	0.35	0.33	0.98	0.76	0.35	0.35
South	0.24	0.27	0.41	0.43	0.26	0.30	0.61	0.78	0.29	0.29
West	0.41	0.40	0.65	0.59	0.44	0.43	1.03	0.94	0.46	0.45
COUNTY TYPE										
Large Metro	0.24	0.24	0.38	0.36	0.27	0.26	0.61	0.61	0.29	0.27
Small Metro	0.26	0.28	0.47	0.48	0.28	0.31	0.69	0.64	0.29	0.33
Nonmetro	0.34	0.34	0.60	0.51	0.36	0.37	1.15	0.96	0.36	0.39
Urbanized	0.53	0.62	0.89	0.83	0.57	0.68	2.08	1.46	0.51	0.76
Less Urbanized	0.51	0.41	0.95	0.71	0.54	0.44	1.27	1.24	0.57	0.46
Completely Rural	1.00	0.72	1.74	1.77	1.07	0.80	2.40	3.37	1.18	0.74
POVERTY LEVEL[1]										
Less Than 100%	0.44	0.49	0.57	0.64	0.51	0.55	0.91	0.97	0.59	0.64
100-199%	0.33	0.37	0.61	0.51	0.35	0.40	0.73	0.75	0.38	0.46
200% or More	0.20	0.19	0.37	0.34	0.21	0.20	0.58	0.54	0.23	0.20
HEALTH INSURANCE[2]										
Private	0.19	0.18	0.36	0.34	0.21	0.19	0.56	0.53	0.21	0.19
Medicaid/CHIP	0.38	0.45	0.43	0.43	0.48	0.56	0.80	0.78	0.55	0.67
Other[3]	0.28	0.30	1.24	1.24	0.28	0.31	1.31	1.27	0.29	0.31
No Coverage	0.55	0.55	1.60	1.01	0.57	0.57	0.92	0.98	0.67	0.66

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.95P   Use of Illicit Drugs Other Than Marijuana in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.8177		0.6596		0.7655		0.3909		0.4778	
GEOGRAPHIC REGION										
Northeast	0.6943		1.0000		0.6885		0.1248		0.9117	
Midwest	0.7864		0.6327		0.7243		0.9806		0.6424	
South	0.7811		0.5949		0.8449		0.4326		0.9075	
West	0.4335		0.8754		0.4412		0.5981		0.4888	
COUNTY TYPE										
Large Metro	0.9069		0.9033		0.9340		0.7263		0.9529	
Small Metro	0.5301		0.9343		0.5119		0.1699		0.1994	
Nonmetro	0.4711		0.0800		0.6406		0.0985		0.9477	
Urbanized	0.5720		0.4830		0.5022		0.0906		0.3155	
Less Urbanized	0.1160		0.0769		0.1956		0.0961		0.4158	
Completely Rural	0.8532		0.7984		0.8927		0.0775		0.5102	
POVERTY LEVEL[1]										
Less Than 100%	0.2816		0.1827		0.4122		0.2749		0.1573	
100-199%	0.0176		0.3655		0.0102		0.8770		0.0041	
200% or More	0.1778		0.3627		0.2141		0.7968		0.2414	
HEALTH INSURANCE[2]										
Private	0.3812		0.5579		0.4260		0.3417		0.6256	
Medicaid/CHIP	0.0130		0.3644		0.0197		0.6809		0.0110	
Other[3]	0.9769		0.7648		0.9628		0.9527		0.9364	
No Coverage	0.8197		0.0196		0.6250		0.9165		0.5868	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.
[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.
[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.96C   Use of Illicit Drugs Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	269	286	38	40	269	283	85	85	252	263
GEOGRAPHIC REGION										
Northeast	108	113	12	12	107	113	37	31	101	105
Midwest	119	123	16	19	120	122	35	34	115	114
South	165	173	22	27	164	168	52	52	155	149
West	145	164	23	22	144	164	43	52	135	156
COUNTY TYPE										
Large Metro	221	248	31	31	221	247	72	78	210	224
Small Metro	144	162	22	26	142	159	48	47	130	149
Nonmetro	94	76	11	10	93	75	27	25	86	68
Urbanized	64	56	8	7	64	56	22	18	55	51
Less Urbanized	57	43	8	5	56	43	15	15	54	40
Completely Rural	38	23	3	4	38	22	4	8	38	19
POVERTY LEVEL[1]										
Less Than 100%	113	129	14	18	112	128	48	53	104	115
100-199%	109	123	21	19	107	120	37	36	100	117
200% or More	229	234	31	32	228	232	67	60	214	217
HEALTH INSURANCE[2]										
Private	207	197	30	32	206	196	77	74	187	173
Medicaid/CHIP	113	146	20	25	112	146	34	38	107	141
Other[3]	115	136	8	8	115	136	18	22	113	135
No Coverage	98	114	13	6	96	113	31	30	91	107

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.96D   Use of Illicit Drugs Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.10	0.10	0.15	0.16	0.11	0.11	0.25	0.25	0.12	0.12
GEOGRAPHIC REGION										
Northeast	0.23	0.24	0.31	0.29	0.24	0.26	0.64	0.54	0.27	0.28
Midwest	0.21	0.21	0.29	0.36	0.23	0.23	0.49	0.47	0.26	0.25
South	0.16	0.17	0.23	0.28	0.17	0.18	0.41	0.41	0.19	0.18
West	0.22	0.25	0.39	0.36	0.24	0.27	0.52	0.64	0.27	0.30
COUNTY TYPE										
Large Metro	0.14	0.15	0.22	0.23	0.16	0.17	0.35	0.38	0.17	0.18
Small Metro	0.17	0.18	0.30	0.32	0.18	0.20	0.41	0.41	0.20	0.22
Nonmetro	0.22	0.19	0.31	0.26	0.24	0.21	0.60	0.54	0.25	0.22
Urbanized	0.34	0.32	0.53	0.43	0.36	0.36	1.02	0.81	0.36	0.39
Less Urbanized	0.29	0.24	0.44	0.31	0.32	0.26	0.74	0.69	0.36	0.28
Completely Rural	0.89	0.46	0.87	0.99	0.98	0.50	1.08	2.03	1.09	0.47
POVERTY LEVEL[1]										
Less Than 100%	0.27	0.33	0.26	0.35	0.31	0.38	0.50	0.58	0.39	0.46
100-199%	0.20	0.23	0.40	0.35	0.22	0.25	0.43	0.44	0.24	0.28
200% or More	0.12	0.12	0.21	0.21	0.14	0.13	0.38	0.34	0.14	0.14
HEALTH INSURANCE[2]										
Private	0.11	0.11	0.21	0.22	0.12	0.12	0.34	0.34	0.13	0.12
Medicaid/CHIP	0.24	0.32	0.21	0.26	0.30	0.40	0.45	0.50	0.36	0.48
Other[3]	0.17	0.19	0.67	0.66	0.17	0.19	0.70	0.85	0.17	0.20
No Coverage	0.37	0.41	1.15	0.50	0.39	0.42	0.62	0.59	0.45	0.49

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.96P   Use of Illicit Drugs Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.2602		0.8010		0.2764		0.8415		0.2545	
GEOGRAPHIC REGION										
Northeast	0.5754		0.6881		0.6006		0.4308		0.7963	
Midwest	0.5825		0.6270		0.5354		0.7765		0.5552	
South	0.5235		0.6368		0.4725		0.2882		0.6850	
West	0.0069		0.6041		0.0089		0.0576		0.0347	
COUNTY TYPE										
Large Metro	0.1453		0.8175		0.1598		0.4046		0.2130	
Small Metro	0.7045		0.3869		0.8020		0.4640		0.5867	
Nonmetro	0.3525		0.0781		0.4861		0.6782		0.5076	
Urbanized	0.7937		0.4089		0.9002		0.7516		0.8421	
Less Urbanized	0.5728		0.0320		0.7702		0.5286		0.9457	
Completely Rural	0.3117		0.6951		0.2873		0.5468		0.2268	
POVERTY LEVEL[1]										
Less Than 100%	0.2461		0.6509		0.2765		0.7269		0.3106	
100-199%	0.4356		0.4696		0.4958		0.5668		0.5732	
200% or More	0.6229		0.6826		0.5840		0.7276		0.4714	
HEALTH INSURANCE[2]										
Private	0.9947		0.8706		0.9735		0.7746		0.8739	
Medicaid/CHIP	0.0421		0.2093		0.0678		0.2250		0.1202	
Other[3]	0.7848		0.8335		0.7749		0.3521		0.8908	
No Coverage	0.7129		0.0925		0.5922		0.5783		0.4570	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.