

**Table 1.118A Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 or Older: Numbers in Thousands, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	30,755	29,408	5,438 <sup>a</sup>	4,841	5,438	4,841
Benzodiazepine Tranquilizers	29,505	28,316	5,379	4,819	5,379	4,819
Alprazolam Products	17,690	16,748	4,171 <sup>a</sup>	3,668	4,171 <sup>a</sup>	3,668
Lorazepam Products	7,630	7,787	772	795	772	795
Clonazepam Products	6,041	5,998	1,029	1,029	1,029	1,029
Diazepam Products	6,361	5,672	879	758	879	758
Benzodiazepine Sedatives	2,231 <sup>a</sup>	1,729	109	68	109	68
Flurazepam	85	140	*	*	*	*
Temazepam Products	1,525 <sup>a</sup>	1,038	80	42	80	42
Triazolam Products	699	580	29	26	29	26
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	44	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.118B Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 or Older: Percentages, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	11.2	10.7	2.0 <sup>a</sup>	1.8	17.7	16.5
Benzodiazepine Tranquilizers	10.8	10.3	2.0	1.8	18.2	17.0
Alprazolam Products	6.5	6.1	1.5 <sup>a</sup>	1.3	23.6	21.9
Lorazepam Products	2.8	2.8	0.3	0.3	10.1	10.2
Clonazepam Products	2.2	2.2	0.4	0.4	17.0	17.2
Diazepam Products	2.3	2.1	0.3	0.3	13.8	13.4
Benzodiazepine Sedatives	0.8 <sup>a</sup>	0.6	0.0	0.0	4.9	3.9
Flurazepam	0.0	0.1	*	*	*	*
Temazepam Products	0.6 <sup>a</sup>	0.4	0.0	0.0	5.2	4.1
Triazolam Products	0.3	0.2	0.0	0.0	4.1	4.4
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	0.0	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.119A Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 to 17: Numbers in Thousands, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	769	749	399	381	399	381
Benzodiazepine Tranquilizers	732	700	399	371	399	371
Alprazolam Products	620	613	372	359	372	359
Lorazepam Products	97	84	24	9	*	*
Clonazepam Products	70	83	25	33	*	*
Diazepam Products	84	80	28	16	*	*
Benzodiazepine Sedatives	59	69	9	11	*	*
Flurazepam	8	10	*	3	*	*
Temazepam Products	23	23	4	2	*	*
Triazolam Products	34	39	5	6	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	*	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.119B Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 to 17: Percentages, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	3.1	3.0	1.6	1.5	52.0	50.9
Benzodiazepine Tranquilizers	2.9	2.8	1.6	1.5	54.6	52.9
Alprazolam Products	2.5	2.5	1.5	1.4	59.9	58.6
Lorazepam Products	0.4	0.3	0.1	0.0	*	*
Clonazepam Products	0.3	0.3	0.1	0.1	*	*
Diazepam Products	0.3	0.3	0.1	0.1	*	*
Benzodiazepine Sedatives	0.2	0.3	0.0	0.0	*	*
Flurazepam	0.0	0.0	*	0.0	*	*
Temazepam Products	0.1	0.1	0.0	0.0	*	*
Triazolam Products	0.1	0.2	0.0	0.0	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	*	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.120A Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 or Older: Numbers in Thousands, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	29,987	28,659	5,039	4,460	5,039	4,460
Benzodiazepine Tranquilizers	28,773	27,615	4,980	4,448	4,980	4,448
Alprazolam Products	17,070	16,134	3,800 <sup>a</sup>	3,308	3,800 <sup>a</sup>	3,308
Lorazepam Products	7,534	7,703	748	786	748	786
Clonazepam Products	5,971	5,916	1,004	996	1,004	996
Diazepam Products	6,277	5,592	851	742	851	742
Benzodiazepine Sedatives	2,172 <sup>a</sup>	1,660	100	57	100	57
Flurazepam	77	130	*	*	*	*
Temazepam Products	1,503 <sup>a</sup>	1,015	76	41	76	41
Triazolam Products	665	541	24	19	24	19
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	44	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.120B Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 or Older: Percentages, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	12.0	11.4	2.0 <sup>a</sup>	1.8	16.8	15.6
Benzodiazepine Tranquilizers	11.6	11.0	2.0	1.8	17.3	16.1
Alprazolam Products	6.9	6.4	1.5 <sup>a</sup>	1.3	22.3	20.5
Lorazepam Products	3.0	3.1	0.3	0.3	9.9	10.2
Clonazepam Products	2.4	2.4	0.4	0.4	16.8	16.8
Diazepam Products	2.5	2.2	0.3	0.3	13.5	13.3
Benzodiazepine Sedatives	0.9 <sup>a</sup>	0.7	0.0	0.0	4.6	3.4
Flurazepam	0.0	0.1	*	*	*	*
Temazepam Products	0.6 <sup>a</sup>	0.4	0.0	0.0	5.1	4.0
Triazolam Products	0.3	0.2	0.0	0.0	3.6	3.6
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	0.0	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.121A Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 to 25: Numbers in Thousands, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	3,230	2,983	1,526 <sup>a</sup>	1,266	1,526 <sup>a</sup>	1,266
Benzodiazepine Tranquilizers	3,180 <sup>a</sup>	2,922	1,525 <sup>a</sup>	1,260	1,525 <sup>a</sup>	1,260
Alprazolam Products	2,531 <sup>a</sup>	2,229	1,385 <sup>a</sup>	1,091	1,385 <sup>a</sup>	1,091
Lorazepam Products	593	630	137	132	137	132
Clonazepam Products	639	599	250	214	250	214
Diazepam Products	452	451	149	138	149	138
Benzodiazepine Sedatives	111	113	10	28	*	*
Flurazepam	16	12	3	3	*	*
Temazepam Products	44	38	4	20	*	*
Triazolam Products	54	75	4	12	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	2	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.121B Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 to 25: Percentages, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	9.5	8.8	4.5 <sup>a</sup>	3.8	47.2 <sup>a</sup>	42.4
Benzodiazepine Tranquilizers	9.3	8.7	4.5 <sup>a</sup>	3.7	47.9 <sup>a</sup>	43.1
Alprazolam Products	7.4 <sup>a</sup>	6.6	4.1 <sup>a</sup>	3.2	54.7 <sup>a</sup>	49.0
Lorazepam Products	1.7	1.9	0.4	0.4	23.1	21.0
Clonazepam Products	1.9	1.8	0.7	0.6	39.1	35.7
Diazepam Products	1.3	1.3	0.4	0.4	33.0	30.6
Benzodiazepine Sedatives	0.3	0.3	0.0	0.1	*	*
Flurazepam	0.0	0.0	0.0	0.0	*	*
Temazepam Products	0.1	0.1	0.0	0.1	*	*
Triazolam Products	0.2	0.2	0.0	0.0	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	0.0	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.



**Table 1.122A Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 26 or Older: Numbers in Thousands, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	26,757	25,676	3,513	3,194	3,513	3,194
Benzodiazepine Tranquilizers	25,593	24,693	3,455	3,188	3,455	3,188
Alprazolam Products	14,539	13,906	2,415	2,217	2,415	2,217
Lorazepam Products	6,940	7,074	611	654	611	654
Clonazepam Products	5,332	5,317	754	782	754	782
Diazepam Products	5,825	5,141	701	604	701	604
Benzodiazepine Sedatives	2,061 <sup>a</sup>	1,547	90 <sup>a</sup>	29	90 <sup>a</sup>	29
Flurazepam	61	118	*	*	*	*
Temazepam Products	1,459 <sup>a</sup>	977	72	21	72	21
Triazolam Products	612	466	20	*	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	42	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.122B Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 26 or Older: Percentages, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	12.5	11.9	1.6	1.5	13.1	12.4
Benzodiazepine Tranquilizers	11.9	11.4	1.6	1.5	13.5	12.9
Alprazolam Products	6.8	6.4	1.1	1.0	16.6	15.9
Lorazepam Products	3.2	3.3	0.3	0.3	8.8	9.2
Clonazepam Products	2.5	2.5	0.4	0.4	14.1	14.7
Diazepam Products	2.7	2.4	0.3	0.3	12.0	11.7
Benzodiazepine Sedatives	1.0 <sup>a</sup>	0.7	0.0 <sup>a</sup>	0.0	4.4	1.9
Flurazepam	0.0	0.1	*	*	*	*
Temazepam Products	0.7 <sup>a</sup>	0.5	0.0	0.0	5.0	2.2
Triazolam Products	0.3	0.2	0.0	*	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	0.0	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.