

**Table 1.118C Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 or Older: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	587	537	218	212	219	216
Benzodiazepine Tranquilizers	562	527	219	212	220	216
Alprazolam Products	422	398	173	157	174	159
Lorazepam Products	293	307	97	102	97	102
Clonazepam Products	260	251	85	95	85	96
Diazepam Products	294	257	91	88	91	88
Benzodiazepine Sedatives	197	147	27	19	27	19
Flurazepam	25	45	*	*	*	*
Temazepam Products	152	120	25	16	25	16
Triazolam Products	117	79	11	10	11	10
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	17	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.118D Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 or Older: Standard Errors of Percentages, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	0.21	0.20	0.08	0.08	0.68	0.68
Benzodiazepine Tranquilizers	0.21	0.19	0.08	0.08	0.71	0.70
Alprazolam Products	0.15	0.14	0.06	0.06	0.91	0.90
Lorazepam Products	0.11	0.11	0.04	0.04	1.22	1.23
Clonazepam Products	0.09	0.09	0.03	0.03	1.35	1.46
Diazepam Products	0.11	0.09	0.03	0.03	1.35	1.44
Benzodiazepine Sedatives	0.07	0.05	0.01	0.01	1.23	1.11
Flurazepam	0.01	0.02	*	*	*	*
Temazepam Products	0.06	0.04	0.01	0.01	1.63	1.55
Triazolam Products	0.04	0.03	0.00	0.00	1.66	1.79
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	0.01	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.118P Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	0.0549		0.0389		0.1950	
Benzodiazepine Tranquilizers	0.0776		0.0526		0.2131	
Alprazolam Products	0.0770		0.0224		0.1799	
Lorazepam Products	0.7857		0.8967		0.9581	
Clonazepam Products	0.8310		0.9665		0.9516	
Diazepam Products	0.0723		0.3277		0.8211	
Benzodiazepine Sedatives	0.0404		0.2092		0.5589	
Flurazepam	0.2876		*		*	
Temazepam Products	0.0125		0.2006		0.6007	
Triazolam Products	0.3864		0.8179		0.9119	
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da		*		da	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.119C Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 to 17: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	41	45	32	34	32	35
Benzodiazepine Tranquilizers	40	44	32	34	32	34
Alprazolam Products	38	41	31	33	31	33
Lorazepam Products	15	16	7	4	*	*
Clonazepam Products	12	16	7	10	*	*
Diazepam Products	14	16	8	7	*	*
Benzodiazepine Sedatives	12	13	6	5	*	*
Flurazepam	4	5	*	2	*	*
Temazepam Products	8	7	3	2	*	*
Triazolam Products	9	11	5	4	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	*	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.119D Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 to 17: Standard Errors of Percentages, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	0.16	0.18	0.13	0.14	2.89	3.10
Benzodiazepine Tranquilizers	0.16	0.17	0.13	0.13	2.97	3.23
Alprazolam Products	0.15	0.16	0.12	0.13	3.21	3.32
Lorazepam Products	0.06	0.06	0.03	0.02	*	*
Clonazepam Products	0.05	0.06	0.03	0.04	*	*
Diazepam Products	0.05	0.06	0.03	0.03	*	*
Benzodiazepine Sedatives	0.05	0.05	0.02	0.02	*	*
Flurazepam	0.02	0.02	*	0.01	*	*
Temazepam Products	0.03	0.03	0.01	0.01	*	*
Triazolam Products	0.04	0.04	0.02	0.02	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	*	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.119P Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	0.7321		0.6840		0.7982	
Benzodiazepine Tranquilizers	0.5816		0.5219		0.7065	
Alprazolam Products	0.8942		0.7847		0.7792	
Lorazepam Products	0.5486		0.0881		*	
Clonazepam Products	0.5360		0.5292		*	
Diazepam Products	0.8364		0.2703		*	
Benzodiazepine Sedatives	0.5753		0.7722		*	
Flurazepam	0.7087		*		*	
Temazepam Products	0.9941		0.5139		*	
Triazolam Products	0.6743		0.8259		*	
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da		*		da	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.120C Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 or Older: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	582	530	217	207	218	212
Benzodiazepine Tranquilizers	556	520	218	207	219	212
Alprazolam Products	417	392	170	153	171	155
Lorazepam Products	294	307	97	102	97	102
Clonazepam Products	259	250	85	95	85	96
Diazepam Products	294	255	91	87	91	87
Benzodiazepine Sedatives	197	147	26	18	26	18
Flurazepam	25	45	*	*	*	*
Temazepam Products	152	120	25	16	25	16
Triazolam Products	116	78	10	9	10	9
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	17	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.120D Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 or Older: Standard Errors of Percentages, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	0.23	0.21	0.09	0.08	0.69	0.68
Benzodiazepine Tranquilizers	0.22	0.21	0.09	0.08	0.72	0.70
Alprazolam Products	0.17	0.16	0.07	0.06	0.92	0.91
Lorazepam Products	0.12	0.12	0.04	0.04	1.23	1.25
Clonazepam Products	0.10	0.10	0.03	0.04	1.37	1.47
Diazepam Products	0.12	0.10	0.04	0.03	1.36	1.45
Benzodiazepine Sedatives	0.08	0.06	0.01	0.01	1.23	1.10
Flurazepam	0.01	0.02	*	*	*	*
Temazepam Products	0.06	0.05	0.01	0.01	1.63	1.57
Triazolam Products	0.05	0.03	0.00	0.00	1.59	1.74
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	0.01	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.120P Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	0.0531		0.0422		0.1942	
Benzodiazepine Tranquilizers	0.0782		0.0614		0.2247	
Alprazolam Products	0.0730		0.0230		0.1672	
Lorazepam Products	0.7684		0.8190		0.8801	
Clonazepam Products	0.7974		0.9174		0.9884	
Diazepam Products	0.0719		0.3700		0.8866	
Benzodiazepine Sedatives	0.0359		0.1723		0.4653	
Flurazepam	0.3058		*		*	
Temazepam Products	0.0121		0.2262		0.6396	
Triazolam Products	0.3608		0.7217		0.9846	
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da		*		da	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.121C Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 to 25: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	98	96	71	64	76	68
Benzodiazepine Tranquilizers	98	95	71	64	76	68
Alprazolam Products	88	84	69	58	73	61
Lorazepam Products	44	44	20	20	20	20
Clonazepam Products	43	43	27	25	27	26
Diazepam Products	37	37	21	21	21	21
Benzodiazepine Sedatives	18	19	5	11	*	*
Flurazepam	7	5	3	3	*	*
Temazepam Products	11	11	4	9	*	*
Triazolam Products	12	18	3	7	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	2	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.121D Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 to 25: Standard Errors of Percentages, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	0.29	0.28	0.21	0.19	1.66	1.68
Benzodiazepine Tranquilizers	0.29	0.28	0.21	0.19	1.66	1.71
Alprazolam Products	0.26	0.25	0.20	0.17	1.90	1.91
Lorazepam Products	0.13	0.13	0.06	0.06	3.00	3.04
Clonazepam Products	0.13	0.13	0.08	0.08	3.42	3.47
Diazepam Products	0.11	0.11	0.06	0.06	3.60	3.77
Benzodiazepine Sedatives	0.05	0.06	0.02	0.03	*	*
Flurazepam	0.02	0.02	0.01	0.01	*	*
Temazepam Products	0.03	0.03	0.01	0.03	*	*
Triazolam Products	0.04	0.05	0.01	0.02	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	0.01	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.121P Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	0.0964		0.0077		0.0338	
Benzodiazepine Tranquilizers	0.0774		0.0069		0.0364	
Alprazolam Products	0.0151		0.0012		0.0287	
Lorazepam Products	0.4910		0.8883		0.6037	
Clonazepam Products	0.5742		0.3633		0.4875	
Diazepam Products	0.9510		0.7464		0.6500	
Benzodiazepine Sedatives	0.9083		0.1479		*	
Flurazepam	0.6349		0.9443		*	
Temazepam Products	0.7439		0.1015		*	
Triazolam Products	0.3210		0.2934		*	
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da		*		da	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.122C Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 26 or Older: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	569	519	203	194	204	197
Benzodiazepine Tranquilizers	542	508	205	194	206	197
Alprazolam Products	401	388	153	138	154	140
Lorazepam Products	289	301	95	98	95	99
Clonazepam Products	256	243	79	91	79	92
Diazepam Products	291	249	88	84	88	84
Benzodiazepine Sedatives	196	147	26	14	26	14
Flurazepam	24	44	*	*	*	*
Temazepam Products	152	119	24	13	24	13
Triazolam Products	116	77	10	*	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	17	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.122D Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 26 or Older: Standard Errors of Percentages, 2018 and 2019**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	0.26	0.24	0.09	0.09	0.73	0.71
Benzodiazepine Tranquilizers	0.25	0.23	0.10	0.09	0.77	0.73
Alprazolam Products	0.19	0.18	0.07	0.06	0.99	0.95
Lorazepam Products	0.13	0.14	0.04	0.05	1.31	1.31
Clonazepam Products	0.12	0.11	0.04	0.04	1.43	1.59
Diazepam Products	0.14	0.11	0.04	0.04	1.42	1.54
Benzodiazepine Sedatives	0.09	0.07	0.01	0.01	1.26	0.93
Flurazepam	0.01	0.02	*	*	*	*
Temazepam Products	0.07	0.05	0.01	0.01	1.67	1.33
Triazolam Products	0.05	0.04	0.00	*	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da	da	0.01	*	da	da

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.122P Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

<b>Benzodiazepine Subtype</b>	<b>Any Use in Past Year (2018)</b>	<b>Any Use in Past Year (2019)</b>	<b>Misuse in Past Year among Total Population (2018)</b>	<b>Misuse in Past Year among Total Population (2019)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2018)</b>	<b>Misuse in Past Year among Past Year Any Users of Benzodiazepine Subtypes (2019)</b>
<b>ANY PRESCRIPTION BENZODIAZEPINE</b>	0.0849		0.2217		0.5008	
Benzodiazepine Tranquilizers	0.1282		0.2991		0.5775	
Alprazolam Products	0.1772		0.2951		0.6301	
Lorazepam Products	0.8559		0.7917		0.8188	
Clonazepam Products	0.8661		0.8577		0.7951	
Diazepam Products	0.0635		0.4007		0.8864	
Benzodiazepine Sedatives	0.0335		0.0386		0.1106	
Flurazepam	0.2619		*		*	
Temazepam Products	0.0120		0.0622		0.1827	
Triazolam Products	0.2827		*		*	
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives <sup>1</sup>	da		*		da	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.