

**Table 1.1A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2018 and 2019**

<b>Drug</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	134,791 <sup>a</sup>	138,027	53,182 <sup>a</sup>	57,203	31,918 <sup>a</sup>	35,803
Marijuana	123,935 <sup>a</sup>	127,139	43,486 <sup>a</sup>	48,242	27,667 <sup>a</sup>	31,606
Cocaine	40,194	41,445	5,529	5,468	1,949	1,998
Crack	9,177	9,375	757	778	436	378
Heroin	5,108	5,696	808	745	354	431
Hallucinogens	43,255	44,087	5,595	6,010	1,630	1,915
LSD	27,339	27,528	2,319	2,470	458	580
PCP	6,085	5,516	71	73	34	*
Ecstasy	19,949	20,097	2,516	2,539	689	663
Inhalants	24,783	25,090	2,003	2,142	612	807
Methamphetamine	14,892	16,013	1,867	1,999	1,001	1,173
Misuse of Psychotherapeutics	nr	nr	16,882	16,304	5,424	5,337
Pain Relievers	nr	nr	9,948	9,724	2,852	2,819
Stimulants	nr	nr	5,109	4,929	1,670	1,566
Tranquilizers or Sedatives	nr	nr	6,435	5,895	1,799	1,958
Tranquilizers	nr	nr	5,742	5,220	1,634	1,781
Sedatives	nr	nr	1,084	1,098	243	304
Benzodiazepines	--	--	5,438 <sup>a</sup>	4,841	--	--
Opioids	nr	nr	10,250	10,065	3,042	3,101
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	nr	23,323	23,588	8,855	9,333

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.1B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Percentages, 2018 and 2019**

<b>Drug</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	49.2 <sup>a</sup>	50.2	19.4 <sup>a</sup>	20.8	11.7 <sup>a</sup>	13.0
Marijuana	45.3 <sup>a</sup>	46.2	15.9 <sup>a</sup>	17.5	10.1 <sup>a</sup>	11.5
Cocaine	14.7	15.1	2.0	2.0	0.7	0.7
Crack	3.4	3.4	0.3	0.3	0.2	0.1
Heroin	1.9	2.1	0.3	0.3	0.1	0.2
Hallucinogens	15.8	16.0	2.0	2.2	0.6	0.7
LSD	10.0	10.0	0.8	0.9	0.2	0.2
PCP	2.2	2.0	0.0	0.0	0.0	*
Ecstasy	7.3	7.3	0.9	0.9	0.3	0.2
Inhalants	9.1	9.1	0.7	0.8	0.2	0.3
Methamphetamine	5.4	5.8	0.7	0.7	0.4	0.4
Misuse of Psychotherapeutics	nr	nr	6.2	5.9	2.0	1.9
Pain Relievers	nr	nr	3.6	3.5	1.0	1.0
Stimulants	nr	nr	1.9	1.8	0.6	0.6
Tranquilizers or Sedatives	nr	nr	2.4	2.1	0.7	0.7
Tranquilizers	nr	nr	2.1	1.9	0.6	0.6
Sedatives	nr	nr	0.4	0.4	0.1	0.1
Benzodiazepines	--	--	2.0 <sup>a</sup>	1.8	--	--
Opioids	nr	nr	3.7	3.7	1.1	1.1
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	nr	8.5	8.6	3.2	3.4

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.2A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Numbers in Thousands, 2018 and 2019**

<b>Drug</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	5,952	6,090	4,151	4,279	2,000	2,167
Marijuana	3,823	3,947	3,110	3,284	1,658	1,837
Cocaine	173	154	112	97	12	34
Crack	15	20	4	11	*	5
Heroin	16	21	10	*	8	*
Hallucinogens	565	615	376	440	139	152
LSD	326	392	204 <sup>a</sup>	279	55	68
PCP	30	41	15	21	4	*
Ecstasy	209	225	130	144	53	40
Inhalants	2,125	2,202	662	743	184	216
Methamphetamine	70	75	43	41	17	11
Misuse of Psychotherapeutics	nr	nr	1,196	1,062	312	329
Pain Relievers	nr	nr	695 <sup>a</sup>	567	161	165
Stimulants	nr	nr	369	430	120	123
Tranquilizers or Sedatives	nr	nr	460	436	88	121
Tranquilizers	nr	nr	423	392	81	112
Sedatives	nr	nr	63	82	9	29
Benzodiazepines	--	--	399	381	--	--
Opioids	nr	nr	699 <sup>a</sup>	567	169	165
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	nr	1,901	1,862	584	598

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.2B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Percentages, 2018 and 2019**

<b>Drug</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	23.9	24.5	16.7	17.2	8.0	8.7
Marijuana	15.4	15.8	12.5	13.2	6.7	7.4
Cocaine	0.7	0.6	0.4	0.4	0.0	0.1
Crack	0.1	0.1	0.0	0.0	*	0.0
Heroin	0.1	0.1	0.0	*	0.0	*
Hallucinogens	2.3	2.5	1.5	1.8	0.6	0.6
LSD	1.3	1.6	0.8 <sup>a</sup>	1.1	0.2	0.3
PCP	0.1	0.2	0.1	0.1	0.0	*
Ecstasy	0.8	0.9	0.5	0.6	0.2	0.2
Inhalants	8.5	8.8	2.7	3.0	0.7	0.9
Methamphetamine	0.3	0.3	0.2	0.2	0.1	0.0
Misuse of Psychotherapeutics	nr	nr	4.8	4.3	1.3	1.3
Pain Relievers	nr	nr	2.8 <sup>a</sup>	2.3	0.6	0.7
Stimulants	nr	nr	1.5	1.7	0.5	0.5
Tranquilizers or Sedatives	nr	nr	1.8	1.8	0.4	0.5
Tranquilizers	nr	nr	1.7	1.6	0.3	0.5
Sedatives	nr	nr	0.3	0.3	0.0	0.1
Benzodiazepines	--	--	1.6	1.5	--	--
Opioids	nr	nr	2.8 <sup>a</sup>	2.3	0.7	0.7
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	nr	7.6	7.5	2.3	2.4

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.3A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Numbers in Thousands, 2018 and 2019**

<b>Drug</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	128,840 <sup>a</sup>	131,937	49,031 <sup>a</sup>	52,924	29,917 <sup>a</sup>	33,636
Marijuana	120,112 <sup>a</sup>	123,192	40,377 <sup>a</sup>	44,958	26,009 <sup>a</sup>	29,769
Cocaine	40,021	41,291	5,418	5,371	1,938	1,965
Crack	9,163	9,355	753	766	436	372
Heroin	5,093	5,675	798	745	347	431
Hallucinogens	42,690	43,472	5,219	5,571	1,491	1,763
LSD	27,013	27,137	2,115	2,191	403	512
PCP	6,055	5,475	56	52	30	*
Ecstasy	19,740	19,872	2,386	2,395	636	623
Inhalants	22,658	22,889	1,341	1,399	428	591
Methamphetamine	14,822	15,939	1,824	1,958	984	1,161
Misuse of Psychotherapeutics	nr	nr	15,686	15,242	5,112	5,008
Pain Relievers	nr	nr	9,253	9,158	2,691	2,654
Stimulants	nr	nr	4,739	4,499	1,550	1,443
Tranquilizers or Sedatives	nr	nr	5,975	5,459	1,711	1,837
Tranquilizers	nr	nr	5,319	4,829	1,553	1,669
Sedatives	nr	nr	1,021	1,016	234	275
Benzodiazepines	--	--	5,039	4,460	--	--
Opioids	nr	nr	9,551	9,499	2,874	2,936
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	nr	21,422	21,727	8,271	8,735

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.3B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Percentages, 2018 and 2019**

<b>Drug</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	51.8 <sup>a</sup>	52.7	19.7 <sup>a</sup>	21.1	12.0 <sup>a</sup>	13.4
Marijuana	48.3 <sup>a</sup>	49.2	16.2 <sup>a</sup>	18.0	10.5 <sup>a</sup>	11.9
Cocaine	16.1	16.5	2.2	2.1	0.8	0.8
Crack	3.7	3.7	0.3	0.3	0.2	0.1
Heroin	2.0	2.3	0.3	0.3	0.1	0.2
Hallucinogens	17.2	17.4	2.1	2.2	0.6	0.7
LSD	10.9	10.8	0.9	0.9	0.2	0.2
PCP	2.4	2.2	0.0	0.0	0.0	*
Ecstasy	7.9	7.9	1.0	1.0	0.3	0.2
Inhalants	9.1	9.1	0.5	0.6	0.2	0.2
Methamphetamine	6.0	6.4	0.7	0.8	0.4	0.5
Misuse of Psychotherapeutics	nr	nr	6.3	6.1	2.1	2.0
Pain Relievers	nr	nr	3.7	3.7	1.1	1.1
Stimulants	nr	nr	1.9	1.8	0.6	0.6
Tranquilizers or Sedatives	nr	nr	2.4	2.2	0.7	0.7
Tranquilizers	nr	nr	2.1	1.9	0.6	0.7
Sedatives	nr	nr	0.4	0.4	0.1	0.1
Benzodiazepines	--	--	2.0 <sup>a</sup>	1.8	--	--
Opioids	nr	nr	3.8	3.8	1.2	1.2
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	nr	8.6	8.7	3.3	3.5

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.4A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Numbers in Thousands, 2018 and 2019**

<b>Drug</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	18,922	18,832	13,168	13,193	8,130	8,406
Marijuana	17,512	17,450	11,829	11,952	7,528	7,749
Cocaine	3,872	3,809	1,967	1,789	524	540
Crack	340	339	87	61	28	18
Heroin	459	389	157 <sup>a</sup>	87	61	38
Hallucinogens	5,597	5,597	2,332	2,425	580	625
LSD	3,338	3,368	1,187	1,202	237	260
PCP	215	249	10	30	*	8
Ecstasy	3,586	3,500	1,063	1,089	245	214
Inhalants	3,053	3,099	495	577	128	157
Methamphetamine	867	904	273	275	90	110
Misuse of Psychotherapeutics	nr	nr	4,202 <sup>a</sup>	3,868	1,261	1,145
Pain Relievers	nr	nr	1,858	1,754	475	420
Stimulants	nr	nr	2,216 <sup>a</sup>	1,951	587	587
Tranquilizers or Sedatives	nr	nr	1,658 <sup>a</sup>	1,409	422	365
Tranquilizers	nr	nr	1,566 <sup>a</sup>	1,313	395	337
Sedatives	nr	nr	194	175	43	44
Benzodiazepines	--	--	1,526 <sup>a</sup>	1,266	--	--
Opioids	nr	nr	1,895	1,776	508	439
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	nr	6,006	5,791	2,053	2,059

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.4B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Percentages, 2018 and 2019**

<b>Drug</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	55.6	55.8	38.7	39.1	23.9	24.9
Marijuana	51.5	51.7	34.8	35.4	22.1	23.0
Cocaine	11.4	11.3	5.8	5.3	1.5	1.6
Crack	1.0	1.0	0.3	0.2	0.1	0.1
Heroin	1.3	1.2	0.5 <sup>a</sup>	0.3	0.2	0.1
Hallucinogens	16.4	16.6	6.9	7.2	1.7	1.9
LSD	9.8	10.0	3.5	3.6	0.7	0.8
PCP	0.6	0.7	0.0	0.1	*	0.0
Ecstasy	10.5	10.4	3.1	3.2	0.7	0.6
Inhalants	9.0	9.2	1.5	1.7	0.4	0.5
Methamphetamine	2.5	2.7	0.8	0.8	0.3	0.3
Misuse of Psychotherapeutics	nr	nr	12.3	11.5	3.7	3.4
Pain Relievers	nr	nr	5.5	5.2	1.4	1.2
Stimulants	nr	nr	6.5	5.8	1.7	1.7
Tranquilizers or Sedatives	nr	nr	4.9 <sup>a</sup>	4.2	1.2	1.1
Tranquilizers	nr	nr	4.6 <sup>a</sup>	3.9	1.2	1.0
Sedatives	nr	nr	0.6	0.5	0.1	0.1
Benzodiazepines	--	--	4.5 <sup>a</sup>	3.8	--	--
Opioids	nr	nr	5.6	5.3	1.5	1.3
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	nr	17.6	17.2	6.0	6.1

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.



**Table 1.5A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Numbers in Thousands, 2018 and 2019**

<b>Drug</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	109,917 <sup>a</sup>	113,104	35,863 <sup>a</sup>	39,731	21,788 <sup>a</sup>	25,231
Marijuana	102,600 <sup>a</sup>	105,742	28,548 <sup>a</sup>	33,007	18,481 <sup>a</sup>	22,020
Cocaine	36,150	37,483	3,451	3,582	1,414	1,425
Crack	8,823	9,016	666	706	408	355
Heroin	4,633	5,287	641	658	285	392
Hallucinogens	37,093	37,876	2,887	3,146	911	1,138
LSD	23,675	23,769	928	989	166	252
PCP	5,839	5,226	45	22	30	*
Ecstasy	16,155	16,372	1,324	1,306	391	409
Inhalants	19,605	19,790	846	822	300	434
Methamphetamine	13,954	15,034	1,551	1,682	894	1,051
Misuse of Psychotherapeutics	nr	nr	11,484	11,374	3,851	3,863
Pain Relievers	nr	nr	7,395	7,404	2,216	2,234
Stimulants	nr	nr	2,524	2,548	963	856
Tranquilizers or Sedatives	nr	nr	4,317	4,050	1,289	1,472
Tranquilizers	nr	nr	3,753	3,516	1,159	1,332
Sedatives	nr	nr	827	841	191	231
Benzodiazepines	--	--	3,513	3,194	--	--
Opioids	nr	nr	7,656	7,723	2,366	2,497
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	nr	15,416	15,936	6,217	6,676

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.5B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Percentages, 2018 and 2019**

<b>Drug</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	51.2 <sup>a</sup>	52.2	16.7 <sup>a</sup>	18.3	10.1 <sup>a</sup>	11.6
Marijuana	47.8 <sup>a</sup>	48.8	13.3 <sup>a</sup>	15.2	8.6 <sup>a</sup>	10.2
Cocaine	16.8	17.3	1.6	1.7	0.7	0.7
Crack	4.1	4.2	0.3	0.3	0.2	0.2
Heroin	2.2	2.4	0.3	0.3	0.1	0.2
Hallucinogens	17.3	17.5	1.3	1.5	0.4	0.5
LSD	11.0	11.0	0.4	0.5	0.1	0.1
PCP	2.7	2.4	0.0	0.0	0.0	*
Ecstasy	7.5	7.6	0.6	0.6	0.2	0.2
Inhalants	9.1	9.1	0.4	0.4	0.1	0.2
Methamphetamine	6.5	6.9	0.7	0.8	0.4	0.5
Misuse of Psychotherapeutics	nr	nr	5.3	5.3	1.8	1.8
Pain Relievers	nr	nr	3.4	3.4	1.0	1.0
Stimulants	nr	nr	1.2	1.2	0.4	0.4
Tranquilizers or Sedatives	nr	nr	2.0	1.9	0.6	0.7
Tranquilizers	nr	nr	1.7	1.6	0.5	0.6
Sedatives	nr	nr	0.4	0.4	0.1	0.1
Benzodiazepines	--	--	1.6	1.5	--	--
Opioids	nr	nr	3.6	3.6	1.1	1.2
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	nr	7.2	7.4	2.9	3.1

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.