

Table 1.1C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2018 and 2019

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	930	959	719	734	574	556
Marijuana	931	958	669	669	538	523
Cocaine	688	671	205	215	123	130
Crack	330	328	85	100	72	62
Heroin	264	259	99	98	51	84
Hallucinogens	726	699	215	212	106	115
LSD	591	529	120	127	46	56
PCP	313	273	17	19	13	*
Ecstasy	444	439	131	129	67	68
Inhalants	478	464	112	120	62	84
Methamphetamine	413	443	123	133	100	108
Misuse of Psychotherapeutics	nr	nr	373	374	210	210
Pain Relievers	nr	nr	286	289	158	163
Stimulants	nr	nr	178	178	103	99
Tranquilizers or Sedatives	nr	nr	239	238	125	137
Tranquilizers	nr	nr	226	224	119	131
Sedatives	nr	nr	96	102	43	52
Benzodiazepines	--	--	218	212	--	--
Opioids	nr	nr	294	303	162	178
Illicit Drugs Other Than Marijuana ²	nr	nr	441	448	269	286

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.1D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2018 and 2019

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	0.34	0.35	0.26	0.27	0.21	0.20
Marijuana	0.34	0.35	0.24	0.24	0.20	0.19
Cocaine	0.25	0.24	0.07	0.08	0.05	0.05
Crack	0.12	0.12	0.03	0.04	0.03	0.02
Heroin	0.10	0.09	0.04	0.04	0.02	0.03
Hallucinogens	0.27	0.25	0.08	0.08	0.04	0.04
LSD	0.22	0.19	0.04	0.05	0.02	0.02
PCP	0.11	0.10	0.01	0.01	0.00	*
Ecstasy	0.16	0.16	0.05	0.05	0.02	0.02
Inhalants	0.17	0.17	0.04	0.04	0.02	0.03
Methamphetamine	0.15	0.16	0.04	0.05	0.04	0.04
Misuse of Psychotherapeutics	nr	nr	0.14	0.14	0.08	0.08
Pain Relievers	nr	nr	0.10	0.11	0.06	0.06
Stimulants	nr	nr	0.06	0.06	0.04	0.04
Tranquilizers or Sedatives	nr	nr	0.09	0.09	0.05	0.05
Tranquilizers	nr	nr	0.08	0.08	0.04	0.05
Sedatives	nr	nr	0.04	0.04	0.02	0.02
Benzodiazepines	--	--	0.08	0.08	--	--
Opioids	nr	nr	0.11	0.11	0.06	0.06
Illicit Drugs Other Than Marijuana ²	nr	nr	0.16	0.16	0.10	0.10

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.1P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	0.0393		0.0002		0.0000	
Marijuana	0.0368		0.0000		0.0000	
Cocaine	0.2603		0.7590		0.8284	
Crack	0.7450		0.8969		0.5240	
Heroin	0.1288		0.6340		0.4528	
Hallucinogens	0.5321		0.2033		0.0724	
LSD	0.9563		0.4429		0.0890	
PCP	0.1374		0.9358		*	
Ecstasy	0.9447		0.9581		0.7656	
Inhalants	0.7905		0.4630		0.0687	
Methamphetamine	0.0772		0.5017		0.2593	
Misuse of Psychotherapeutics	nr		0.1887		0.6907	
Pain Relievers	nr		0.4890		0.8270	
Stimulants	nr		0.4006		0.4304	
Tranquilizers or Sedatives	nr		0.0903		0.4293	
Tranquilizers	nr		0.0810		0.4421	
Sedatives	nr		0.9551		0.3844	
Benzodiazepines	--		0.0389		--	
Opioids	nr		0.5644		0.8586	
Illicit Drugs Other Than Marijuana ²	nr		0.8177		0.2602	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.2C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2018 and 2019

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	105	103	93	89	67	69
Marijuana	92	89	83	84	63	65
Cocaine	21	21	18	17	5	12
Crack	5	8	3	7	*	5
Heroin	5	9	4	*	4	*
Hallucinogens	39	39	31	33	20	21
LSD	30	32	22	27	12	12
PCP	7	11	6	8	3	*
Ecstasy	24	25	19	21	13	15
Inhalants	70	70	41	40	23	24
Methamphetamine	12	14	9	10	6	5
Misuse of Psychotherapeutics	nr	nr	54	51	27	33
Pain Relievers	nr	nr	42	39	21	23
Stimulants	nr	nr	27	37	16	23
Tranquilizers or Sedatives	nr	nr	34	35	12	21
Tranquilizers	nr	nr	33	35	12	20
Sedatives	nr	nr	13	17	4	13
Benzodiazepines	--	--	32	34	--	--
Opioids	nr	nr	42	39	22	23
Illicit Drugs Other Than Marijuana ²	nr	nr	69	63	38	40

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.2D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Standard Errors of Percentages, 2018 and 2019

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	0.42	0.41	0.37	0.36	0.27	0.28
Marijuana	0.37	0.36	0.33	0.34	0.25	0.26
Cocaine	0.09	0.08	0.07	0.07	0.02	0.05
Crack	0.02	0.03	0.01	0.03	*	0.02
Heroin	0.02	0.04	0.02	*	0.02	*
Hallucinogens	0.15	0.16	0.13	0.13	0.08	0.09
LSD	0.12	0.13	0.09	0.11	0.05	0.05
PCP	0.03	0.04	0.02	0.03	0.01	*
Ecstasy	0.10	0.10	0.08	0.08	0.05	0.06
Inhalants	0.28	0.28	0.16	0.16	0.09	0.10
Methamphetamine	0.05	0.06	0.04	0.04	0.02	0.02
Misuse of Psychotherapeutics	nr	nr	0.22	0.21	0.11	0.13
Pain Relievers	nr	nr	0.17	0.16	0.09	0.09
Stimulants	nr	nr	0.11	0.15	0.06	0.09
Tranquilizers or Sedatives	nr	nr	0.14	0.14	0.05	0.08
Tranquilizers	nr	nr	0.13	0.14	0.05	0.08
Sedatives	nr	nr	0.05	0.07	0.02	0.05
Benzodiazepines	--	--	0.13	0.14	--	--
Opioids	nr	nr	0.17	0.16	0.09	0.09
Illicit Drugs Other Than Marijuana ²	nr	nr	0.28	0.25	0.15	0.16

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.2P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLCIT DRUGS¹	0.3315		0.3155		0.0881	
Marijuana	0.3273		0.1381		0.0512	
Cocaine	0.5186		0.5442		0.0739	
Crack	0.5920		0.2803		*	
Heroin	0.6124		*		*	
Hallucinogens	0.3540		0.1541		0.6553	
LSD	0.1197		0.0267		0.4352	
PCP	0.3599		0.5597		*	
Ecstasy	0.6408		0.6030		0.5141	
Inhalants	0.4237		0.1551		0.3353	
Methamphetamine	0.8031		0.9133		0.4492	
Misuse of Psychotherapeutics	nr		0.0619		0.7080	
Pain Relievers	nr		0.0214		0.9003	
Stimulants	nr		0.1914		0.9041	
Tranquilizers or Sedatives	nr		0.6055		0.1846	
Tranquilizers	nr		0.5058		0.1669	
Sedatives	nr		0.3952		0.1738	
Benzodiazepines	--		0.6840		--	
Opioids	nr		0.0179		0.9043	
Illicit Drugs Other Than Marijuana ²	nr		0.6596		0.8010	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.3C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2018 and 2019

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	904	927	714	716	570	547
Marijuana	902	931	662	653	533	513
Cocaine	682	665	203	213	123	129
Crack	329	329	85	100	72	62
Heroin	264	258	99	97	51	84
Hallucinogens	714	687	214	205	105	111
LSD	584	524	119	122	44	54
PCP	312	273	15	17	13	*
Ecstasy	442	434	131	127	66	64
Inhalants	473	455	105	111	58	80
Methamphetamine	411	443	122	134	100	108
Misuse of Psychotherapeutics	nr	nr	370	365	209	209
Pain Relievers	nr	nr	284	285	157	162
Stimulants	nr	nr	175	173	102	96
Tranquilizers or Sedatives	nr	nr	237	233	124	136
Tranquilizers	nr	nr	223	219	118	130
Sedatives	nr	nr	94	100	43	51
Benzodiazepines	--	--	217	207	--	--
Opioids	nr	nr	293	299	161	177
Illicit Drugs Other Than Marijuana ²	nr	nr	438	440	269	283

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.3D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Standard Errors of Percentages, 2018 and 2019

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLCIT DRUGS¹	0.36	0.37	0.29	0.29	0.23	0.22
Marijuana	0.36	0.37	0.27	0.26	0.21	0.21
Cocaine	0.27	0.27	0.08	0.09	0.05	0.05
Crack	0.13	0.13	0.03	0.04	0.03	0.02
Heroin	0.11	0.10	0.04	0.04	0.02	0.03
Hallucinogens	0.29	0.27	0.09	0.08	0.04	0.04
LSD	0.23	0.21	0.05	0.05	0.02	0.02
PCP	0.13	0.11	0.01	0.01	0.01	*
Ecstasy	0.18	0.17	0.05	0.05	0.03	0.03
Inhalants	0.19	0.18	0.04	0.04	0.02	0.03
Methamphetamine	0.17	0.18	0.05	0.05	0.04	0.04
Misuse of Psychotherapeutics	nr	nr	0.15	0.15	0.08	0.08
Pain Relievers	nr	nr	0.11	0.11	0.06	0.06
Stimulants	nr	nr	0.07	0.07	0.04	0.04
Tranquilizers or Sedatives	nr	nr	0.10	0.09	0.05	0.05
Tranquilizers	nr	nr	0.09	0.09	0.05	0.05
Sedatives	nr	nr	0.04	0.04	0.02	0.02
Benzodiazepines	--	--	0.09	0.08	--	--
Opioids	nr	nr	0.12	0.12	0.06	0.07
Illicit Drugs Other Than Marijuana ²	nr	nr	0.18	0.18	0.11	0.11

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.3P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	0.0462		0.0002		0.0000	
Marijuana	0.0442		0.0000		0.0000	
Cocaine	0.2573		0.7903		0.9309	
Crack	0.7612		0.9459		0.4867	
Heroin	0.1335		0.6838		0.4081	
Hallucinogens	0.5751		0.2793		0.0814	
LSD	0.9643		0.7190		0.1187	
PCP	0.1277		0.8718		*	
Ecstasy	0.9782		0.9768		0.8632	
Inhalants	0.8794		0.7604		0.1069	
Methamphetamine	0.0810		0.5025		0.2450	
Misuse of Psychotherapeutics	nr		0.2845		0.6474	
Pain Relievers	nr		0.7056		0.8119	
Stimulants	nr		0.2616		0.4052	
Tranquilizers or Sedatives	nr		0.0984		0.5351	
Tranquilizers	nr		0.0942		0.5515	
Sedatives	nr		0.9360		0.5484	
Benzodiazepines	--		0.0422		--	
Opioids	nr		0.7923		0.8484	
Illicit Drugs Other Than Marijuana ²	nr		0.7655		0.2764	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.4C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2018 and 2019

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLCIT DRUGS¹	188	184	182	181	163	153
Marijuana	189	191	181	176	160	148
Cocaine	123	118	89	83	46	44
Crack	32	33	16	12	9	6
Heroin	38	36	24	17	13	10
Hallucinogens	145	134	102	89	48	47
LSD	107	105	64	67	28	31
PCP	25	32	5	11	*	8
Ecstasy	118	113	72	64	32	29
Inhalants	100	100	43	50	20	26
Methamphetamine	52	56	30	31	15	19
Misuse of Psychotherapeutics	nr	nr	117	122	66	62
Pain Relievers	nr	nr	72	75	37	35
Stimulants	nr	nr	93	93	49	48
Tranquilizers or Sedatives	nr	nr	73	67	35	36
Tranquilizers	nr	nr	72	65	35	35
Sedatives	nr	nr	24	24	11	13
Benzodiazepines	--	--	71	64	--	--
Opioids	nr	nr	73	75	38	36
Illicit Drugs Other Than Marijuana ²	nr	nr	144	136	85	85

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.4D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Standard Errors of Percentages, 2018 and 2019

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLCIT DRUGS¹	0.55	0.55	0.54	0.54	0.48	0.45
Marijuana	0.56	0.57	0.53	0.52	0.47	0.44
Cocaine	0.36	0.35	0.26	0.24	0.13	0.13
Crack	0.09	0.10	0.05	0.04	0.03	0.02
Heroin	0.11	0.11	0.07	0.05	0.04	0.03
Hallucinogens	0.43	0.40	0.30	0.26	0.14	0.14
LSD	0.31	0.31	0.19	0.20	0.08	0.09
PCP	0.07	0.10	0.01	0.03	*	0.02
Ecstasy	0.35	0.34	0.21	0.19	0.09	0.09
Inhalants	0.29	0.30	0.13	0.15	0.06	0.08
Methamphetamine	0.15	0.16	0.09	0.09	0.04	0.06
Misuse of Psychotherapeutics	nr	nr	0.34	0.36	0.19	0.18
Pain Relievers	nr	nr	0.21	0.22	0.11	0.10
Stimulants	nr	nr	0.27	0.27	0.14	0.14
Tranquilizers or Sedatives	nr	nr	0.21	0.20	0.10	0.11
Tranquilizers	nr	nr	0.21	0.19	0.10	0.10
Sedatives	nr	nr	0.07	0.07	0.03	0.04
Benzodiazepines	--	--	0.21	0.19	--	--
Opioids	nr	nr	0.21	0.22	0.11	0.11
Illicit Drugs Other Than Marijuana ²	nr	nr	0.42	0.40	0.25	0.25

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.4P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	0.7507		0.5593		0.1078	
Marijuana	0.7112		0.3432		0.1722	
Cocaine	0.8592		0.1607		0.7414	
Crack	0.9607		0.2072		0.3913	
Heroin	0.1946		0.0193		0.1753	
Hallucinogens	0.7909		0.3691		0.4480	
LSD	0.6794		0.7788		0.5350	
PCP	0.3800		0.0931		*	
Ecstasy	0.7301		0.7005		0.5232	
Inhalants	0.5993		0.1900		0.3441	
Methamphetamine	0.5658		0.9115		0.3759	
Misuse of Psychotherapeutics	nr		0.0692		0.2433	
Pain Relievers	nr		0.3871		0.3152	
Stimulants	nr		0.0505		0.9380	
Tranquilizers or Sedatives	nr		0.0156		0.2901	
Tranquilizers	nr		0.0114		0.2774	
Sedatives	nr		0.6052		0.9138	
Benzodiazepines	--		0.0077		--	
Opioids	nr		0.3175		0.2202	
Illicit Drugs Other Than Marijuana ²	nr		0.3909		0.8415	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.5C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2018 and 2019

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	873	898	648	669	520	506
Marijuana	870	900	595	610	483	478
Cocaine	666	647	177	188	117	122
Crack	325	326	83	100	71	63
Heroin	261	252	96	96	48	84
Hallucinogens	674	659	170	170	91	101
LSD	567	514	93	97	33	44
PCP	309	269	15	13	13	*
Ecstasy	415	403	105	100	57	57
Inhalants	463	443	97	96	55	75
Methamphetamine	405	434	118	129	98	106
Misuse of Psychotherapeutics	nr	nr	340	330	195	198
Pain Relievers	nr	nr	275	276	154	161
Stimulants	nr	nr	134	138	85	85
Tranquilizers or Sedatives	nr	nr	223	219	120	129
Tranquilizers	nr	nr	211	205	114	125
Sedatives	nr	nr	89	98	41	49
Benzodiazepines	--	--	203	194	--	--
Opioids	nr	nr	283	293	157	176
Illicit Drugs Other Than Marijuana ²	nr	nr	398	395	252	263

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.5D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Standard Errors of Percentages, 2018 and 2019

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	0.41	0.41	0.30	0.31	0.24	0.23
Marijuana	0.41	0.42	0.28	0.28	0.22	0.22
Cocaine	0.31	0.30	0.08	0.09	0.05	0.06
Crack	0.15	0.15	0.04	0.05	0.03	0.03
Heroin	0.12	0.12	0.04	0.04	0.02	0.04
Hallucinogens	0.31	0.30	0.08	0.08	0.04	0.05
LSD	0.26	0.24	0.04	0.04	0.02	0.02
PCP	0.14	0.12	0.01	0.01	0.01	*
Ecstasy	0.19	0.19	0.05	0.05	0.03	0.03
Inhalants	0.22	0.20	0.04	0.04	0.03	0.03
Methamphetamine	0.19	0.20	0.05	0.06	0.05	0.05
Misuse of Psychotherapeutics	nr	nr	0.16	0.15	0.09	0.09
Pain Relievers	nr	nr	0.13	0.13	0.07	0.07
Stimulants	nr	nr	0.06	0.06	0.04	0.04
Tranquilizers or Sedatives	nr	nr	0.10	0.10	0.06	0.06
Tranquilizers	nr	nr	0.10	0.09	0.05	0.06
Sedatives	nr	nr	0.04	0.05	0.02	0.02
Benzodiazepines	--	--	0.09	0.09	--	--
Opioids	nr	nr	0.13	0.14	0.07	0.08
Illicit Drugs Other Than Marijuana ²	nr	nr	0.19	0.18	0.12	0.12

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.5P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Drug	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
ILLICIT DRUGS¹	0.0470		0.0001		0.0000	
Marijuana	0.0469		0.0000		0.0000	
Cocaine	0.2470		0.6980		0.9970	
Crack	0.7906		0.7920		0.5503	
Heroin	0.0895		0.9301		0.2804	
Hallucinogens	0.5988		0.3498		0.1023	
LSD	0.8949		0.7135		0.1259	
PCP	0.0974		0.2225		*	
Ecstasy	0.8802		0.8453		0.8577	
Inhalants	0.9691		0.8315		0.1543	
Methamphetamine	0.0955		0.5011		0.2957	
Misuse of Psychotherapeutics	nr		0.6583		0.9451	
Pain Relievers	nr		0.8935		1.0000	
Stimulants	nr		0.9846		0.3491	
Tranquilizers or Sedatives	nr		0.3351		0.3361	
Tranquilizers	nr		0.3604		0.3412	
Sedatives	nr		0.9566		0.5521	
Benzodiazepines	--		0.2217		--	
Opioids	nr		0.9923		0.6341	
Illicit Drugs Other Than Marijuana ²	nr		0.4778		0.2545	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.