

Table 1.6A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	134,791 ^a	138,027	53,182 ^a	57,203	31,918 ^a	35,803
12-20	12,364	12,323	9,126	9,116	5,078	5,137
21 or Older	122,427	125,704	44,056 ^a	48,087	26,840 ^a	30,666
12-17	5,952	6,090	4,151	4,279	2,000	2,167
12-13	893 ^a	1,041	529	582	164	214
14-15	1,959	1,970	1,288	1,313	561	622
16-17	3,099	3,080	2,333	2,384	1,276	1,331
16-25	22,021	21,912	15,501	15,577	9,406	9,737
18 or Older	128,840 ^a	131,937	49,031 ^a	52,924	29,917 ^a	33,636
18-25	18,922	18,832	13,168	13,193	8,130	8,406
18-20	6,412	6,233	4,975	4,837	3,077	2,970
21-25	12,510	12,599	8,193	8,356	5,053	5,436
26 or Older	109,917 ^a	113,104	35,863 ^a	39,731	21,788 ^a	25,231
26-49	57,162 ^a	59,083	23,942 ^a	26,092	14,943 ^a	16,479
26-29	11,196	11,523	6,117	6,690	3,777 ^a	4,419
30-34	13,073	13,677	6,096	6,520	3,796	4,056
35-39	12,619	12,847	4,924	5,338	3,116	3,337
40-44	10,192	10,694	3,778	3,887	2,374	2,337
45-49	10,082	10,342	3,026 ^a	3,657	1,881 ^a	2,330
50 or Older	52,755	54,021	11,921 ^a	13,639	6,845 ^a	8,752
50-54	11,783	11,391	3,076	3,108	1,733	2,024
55-59	12,449	12,209	3,301	3,498	1,811	2,203
60-64	11,895	12,176	2,648 ^a	3,303	1,641 ^a	2,281
65 or Older	16,628 ^a	18,245	2,897 ^a	3,730	1,660 ^a	2,243

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.6B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	49.2 ^a	50.2	19.4 ^a	20.8	11.7 ^a	13.0
12-20	32.6	32.4	24.0	23.9	13.4	13.5
21 or Older	51.9 ^a	53.0	18.7 ^a	20.3	11.4 ^a	12.9
12-17	23.9	24.5	16.7	17.2	8.0	8.7
12-13	11.3	12.7	6.7	7.1	2.1	2.6
14-15	23.3	23.2	15.3	15.5	6.7	7.3
16-17	36.0	37.3	27.1	28.9	14.8	16.1
16-25	51.6	52.2	36.4	37.1	22.1 ^a	23.2
18 or Older	51.8 ^a	52.7	19.7 ^a	21.1	12.0 ^a	13.4
18-25	55.6	55.8	38.7	39.1	23.9	24.9
18-20	49.1	47.3	38.1	36.7	23.6	22.6
21-25	59.7	61.3	39.1	40.6	24.1 ^a	26.4
26 or Older	51.2 ^a	52.2	16.7 ^a	18.3	10.1 ^a	11.6
26-49	56.6 ^a	58.3	23.7 ^a	25.8	14.8 ^a	16.3
26-29	62.8	63.8	34.3 ^a	37.1	21.2 ^a	24.5
30-34	58.9 ^a	61.4	27.5	29.3	17.1	18.2
35-39	57.5	60.0	22.5 ^a	24.9	14.2	15.6
40-44	52.1 ^a	55.5	19.3	20.2	12.1	12.1
45-49	51.9	51.1	15.6 ^a	18.1	9.7 ^a	11.5
50 or Older	46.3	46.9	10.5 ^a	11.8	6.0 ^a	7.6
50-54	57.3	55.3	14.9	15.1	8.4	9.8
55-59	57.3	57.4	15.2	16.4	8.3	10.4
60-64	58.4	59.2	13.0 ^a	16.1	8.1 ^a	11.1
65 or Older	32.5	34.5	5.7 ^a	7.1	3.2 ^a	4.2

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.7A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	123,935 ^a	127,139	43,486 ^a	48,242	27,667 ^a	31,606
12-20	9,646	9,580	7,695	7,696	4,582	4,626
21 or Older	114,290	117,559	35,792 ^a	40,546	23,085 ^a	26,981
12-17	3,823	3,947	3,110	3,284	1,658	1,837
12-13	169 ^a	253	144 ^a	201	69	84
14-15	1,152	1,165	955	992	430	527
16-17	2,502	2,528	2,011	2,091	1,159	1,227
16-25	20,014	19,978	13,839	14,042	8,687	8,976
18 or Older	120,112 ^a	123,192	40,377 ^a	44,958	26,009 ^a	29,769
18-25	17,512	17,450	11,829	11,952	7,528	7,749
18-20	5,823	5,633	4,585	4,412	2,924	2,788
21-25	11,690	11,817	7,243	7,539	4,603	4,961
26 or Older	102,600 ^a	105,742	28,548 ^a	33,007	18,481 ^a	22,020
26-49	53,102 ^a	55,315	19,660 ^a	22,016	12,917 ^a	14,559
26-29	10,468	10,906	5,269 ^a	5,958	3,352 ^a	4,026
30-34	12,248	12,842	5,066	5,562	3,349	3,627
35-39	11,883	12,077	4,027	4,451	2,651	2,932
40-44	9,334	9,922	3,052	3,134	2,050	2,023
45-49	9,170	9,568	2,245 ^a	2,911	1,514 ^a	1,951
50 or Older	49,498	50,427	8,889 ^a	10,990	5,564 ^a	7,461
50-54	11,069	10,707	2,285	2,562	1,447	1,695
55-59	11,900	11,394	2,348	2,867	1,449	1,906
60-64	11,365	11,664	2,153 ^a	2,891	1,384 ^a	2,024
65 or Older	15,164 ^a	16,662	2,103	2,670	1,284 ^a	1,836

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.7B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	45.3 ^a	46.2	15.9 ^a	17.5	10.1 ^a	11.5
12-20	25.4	25.2	20.3	20.2	12.1	12.1
21 or Older	48.5 ^a	49.6	15.2 ^a	17.1	9.8 ^a	11.4
12-17	15.4	15.8	12.5	13.2	6.7	7.4
12-13	2.1 ^a	3.1	1.8	2.5	0.9	1.0
14-15	13.7	13.7	11.3	11.7	5.1	6.2
16-17	29.1	30.6	23.4	25.3	13.5	14.9
16-25	46.9	47.6	32.5	33.4	20.4	21.4
18 or Older	48.3 ^a	49.2	16.2 ^a	18.0	10.5 ^a	11.9
18-25	51.5	51.7	34.8	35.4	22.1	23.0
18-20	44.6	42.8	35.1	33.5	22.4	21.2
21-25	55.7	57.5	34.5 ^a	36.7	21.9 ^a	24.1
26 or Older	47.8 ^a	48.8	13.3 ^a	15.2	8.6 ^a	10.2
26-49	52.6 ^a	54.6	19.5 ^a	21.7	12.8 ^a	14.4
26-29	58.7	60.4	29.6 ^a	33.0	18.8 ^a	22.3
30-34	55.2 ^a	57.7	22.8 ^a	25.0	15.1	16.3
35-39	54.2	56.4	18.4 ^a	20.8	12.1	13.7
40-44	47.7 ^a	51.5	15.6	16.3	10.5	10.5
45-49	47.2	47.2	11.6 ^a	14.4	7.8 ^a	9.6
50 or Older	43.5	43.7	7.8 ^a	9.5	4.9 ^a	6.5
50-54	53.8	51.9	11.1	12.4	7.0	8.2
55-59	54.8	53.6	10.8 ^a	13.5	6.7 ^a	9.0
60-64	55.8	56.7	10.6 ^a	14.0	6.8 ^a	9.8
65 or Older	29.6	31.5	4.1	5.1	2.5 ^a	3.5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.8A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	40,194	41,445	5,529	5,468	1,949	1,998
12-20	1,054	925	692 ^a	529	176	161
21 or Older	39,140	40,520	4,838	4,939	1,773	1,838
12-17	173	154	112	97	12	34
12-13	8	12	5	12	0	*
14-15	32	30	24	20	*	11
16-17	133	112	83	65	11	23
16-25	4,005	3,920	2,050	1,853	535	563
18 or Older	40,021	41,291	5,418	5,371	1,938	1,965
18-25	3,872	3,809	1,967	1,789	524	540
18-20	882	771	580 ^a	432	164	127
21-25	2,990	3,038	1,387	1,357	359	413
26 or Older	36,150	37,483	3,451	3,582	1,414	1,425
26-49	17,623	17,622	2,823	2,863	1,076	1,051
26-29	3,305	3,298	1,063	957	431	296
30-34	4,166	4,173	756	811	198	309
35-39	4,074	3,870	482	565	192	200
40-44	2,941	3,346	268	284	129	149
45-49	3,136	2,936	254	246	126	98
50 or Older	18,527	19,861	628	720	338	374
50-54	4,744	4,307	190	181	64	118
55-59	5,347	5,339	156	219	93	96
60-64	4,482	5,323	252	220	173	129
65 or Older	3,955 ^a	4,892	30	100	8	32

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.8B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	14.7	15.1	2.0	2.0	0.7	0.7
12-20	2.8	2.4	1.8 ^a	1.4	0.5	0.4
21 or Older	16.6	17.1	2.1	2.1	0.8	0.8
12-17	0.7	0.6	0.4	0.4	0.0	0.1
12-13	0.1	0.1	0.1	0.1	0.0	*
14-15	0.4	0.4	0.3	0.2	*	0.1
16-17	1.5	1.4	1.0	0.8	0.1	0.3
16-25	9.4	9.3	4.8	4.4	1.3	1.3
18 or Older	16.1	16.5	2.2	2.1	0.8	0.8
18-25	11.4	11.3	5.8	5.3	1.5	1.6
18-20	6.7	5.9	4.4 ^a	3.3	1.3	1.0
21-25	14.3	14.8	6.6	6.6	1.7	2.0
26 or Older	16.8	17.3	1.6	1.7	0.7	0.7
26-49	17.5	17.4	2.8	2.8	1.1	1.0
26-29	18.5	18.3	6.0	5.3	2.4	1.6
30-34	18.8	18.7	3.4	3.6	0.9	1.4
35-39	18.6	18.1	2.2	2.6	0.9	0.9
40-44	15.0 ^a	17.4	1.4	1.5	0.7	0.8
45-49	16.2	14.5	1.3	1.2	0.6	0.5
50 or Older	16.3	17.2	0.6	0.6	0.3	0.3
50-54	23.1	20.9	0.9	0.9	0.3	0.6
55-59	24.6	25.1	0.7	1.0	0.4	0.5
60-64	22.0 ^a	25.9	1.2	1.1	0.8	0.6
65 or Older	7.7 ^a	9.3	0.1	0.2	0.0	0.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.9A Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	9,177	9,375	757	778	436	378
12-20	88	71	34	27	11	10
21 or Older	9,089	9,304	723	751	425	368
12-17	15	20	4	11	*	5
12-13	1	*	*	*	*	*
14-15	2	3	*	*	*	*
16-17	12	16	4	11	*	5
16-25	352	355	91	72	28	23
18 or Older	9,163	9,355	753	766	436	372
18-25	340	339	87	61	28	18
18-20	74	51	30	15	11	4
21-25	266	287	57	46	17	13
26 or Older	8,823	9,016	666	706	408	355
26-49	4,356	4,334	359	343	178	168
26-29	430	469	66	38	27	22
30-34	925	949	55	69	18	31
35-39	1,031	945	88	110	49	49
40-44	965	1,024	62	63	35	32
45-49	1,005	947	88	63	50	34
50 or Older	4,467	4,682	307	363	230	187
50-54	1,440	1,275	49	94	31	67
55-59	1,506	1,266	91	96	53	28
60-64	991	1,376	161	99	141	75
65 or Older	530	765	6	75	6	18

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.9B Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	3.4	3.4	0.3	0.3	0.2	0.1
12-20	0.2	0.2	0.1	0.1	0.0	0.0
21 or Older	3.9	3.9	0.3	0.3	0.2	0.2
12-17	0.1	0.1	0.0	0.0	*	0.0
12-13	0.0	*	*	*	*	*
14-15	0.0	0.0	*	*	*	*
16-17	0.1	0.2	0.0	0.1	*	0.1
16-25	0.8	0.8	0.2	0.2	0.1	0.1
18 or Older	3.7	3.7	0.3	0.3	0.2	0.1
18-25	1.0	1.0	0.3	0.2	0.1	0.1
18-20	0.6	0.4	0.2	0.1	0.1	0.0
21-25	1.3	1.4	0.3	0.2	0.1	0.1
26 or Older	4.1	4.2	0.3	0.3	0.2	0.2
26-49	4.3	4.3	0.4	0.3	0.2	0.2
26-29	2.4	2.6	0.4	0.2	0.2	0.1
30-34	4.2	4.3	0.2	0.3	0.1	0.1
35-39	4.7	4.4	0.4	0.5	0.2	0.2
40-44	4.9	5.3	0.3	0.3	0.2	0.2
45-49	5.2	4.7	0.5	0.3	0.3	0.2
50 or Older	3.9	4.1	0.3	0.3	0.2	0.2
50-54	7.0	6.2	0.2	0.5	0.2	0.3
55-59	6.9	6.0	0.4	0.5	0.2	0.1
60-64	4.9	6.7	0.8	0.5	0.7	0.4
65 or Older	1.0	1.4	0.0	0.1	0.0	0.0

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.10A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	43,255	44,087	5,595	6,010	1,630	1,915
12-20	2,053	1,999	1,233	1,271	340	360
21 or Older	41,202	42,088	4,362	4,739	1,290	1,554
12-17	565	615	376	440	139	152
12-13	57	50	37	29	12	17
14-15	157	175	114	125	41	50
16-17	351	390	225	285	86	85
16-25	5,948	5,986	2,557	2,710	666	710
18 or Older	42,690	43,472	5,219	5,571	1,491	1,763
18-25	5,597	5,597	2,332	2,425	580	625
18-20	1,488	1,385	857	831	201	208
21-25	4,109	4,212	1,475	1,593	379	416
26 or Older	37,093	37,876	2,887	3,146	911	1,138
26-49	21,223	21,719	2,571	2,742	791	1,002
26-29	4,284	4,398	1,049	1,023	292	358
30-34	4,722	5,101	692	878	217	326
35-39	5,027	4,857	434	396	165	157
40-44	3,989	4,086	246	268	81	89
45-49	3,202	3,277	150	178	37	71
50 or Older	15,870	16,157	317	404	120	136
50-54	3,634	3,312	120	114	59	29
55-59	4,482	3,927	35	129	17	51
60-64	3,911	4,240	99	52	35	6
65 or Older	3,843 ^a	4,678	63	109	8	51

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.10B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	15.8	16.0	2.0	2.2	0.6	0.7
12-20	5.4	5.3	3.2	3.3	0.9	0.9
21 or Older	17.5	17.7	1.9	2.0	0.5	0.7
12-17	2.3	2.5	1.5	1.8	0.6	0.6
12-13	0.7	0.6	0.5	0.4	0.2	0.2
14-15	1.9	2.1	1.4	1.5	0.5	0.6
16-17	4.1	4.7	2.6 ^a	3.4	1.0	1.0
16-25	13.9	14.3	6.0	6.5	1.6	1.7
18 or Older	17.2	17.4	2.1	2.2	0.6	0.7
18-25	16.4	16.6	6.9	7.2	1.7	1.9
18-20	11.4	10.5	6.6	6.3	1.5	1.6
21-25	19.6	20.5	7.0	7.7	1.8	2.0
26 or Older	17.3	17.5	1.3	1.5	0.4	0.5
26-49	21.0	21.4	2.5	2.7	0.8	1.0
26-29	24.0	24.4	5.9	5.7	1.6	2.0
30-34	21.3	22.9	3.1	3.9	1.0	1.5
35-39	22.9	22.7	2.0	1.8	0.8	0.7
40-44	20.4	21.2	1.3	1.4	0.4	0.5
45-49	16.5	16.2	0.8	0.9	0.2	0.3
50 or Older	13.9	14.0	0.3	0.3	0.1	0.1
50-54	17.7	16.1	0.6	0.6	0.3	0.1
55-59	20.6	18.5	0.2	0.6	0.1	0.2
60-64	19.2	20.6	0.5	0.3	0.2	0.0
65 or Older	7.5	8.9	0.1	0.2	0.0	0.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.11A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	24,783	25,090	2,003	2,142	612	807
12-20	3,148	3,124	865	967	232	259
21 or Older	21,635	21,966	1,138	1,175	380	548
12-17	2,125	2,202	662	743	184	216
12-13	575	675	253	285	64	85
14-15	842	827	259	266	75	69
16-17	708	699	150	192	45	63
16-25	3,761	3,798	645	769	173	220
18 or Older	22,658	22,889	1,341	1,399	428	591
18-25	3,053	3,099	495	577	128	157
18-20	1,022	922	203	224	48	43
21-25	2,031	2,176	292	353	80	114
26 or Older	19,605	19,790	846	822	300	434
26-49	11,970	11,893	617	623	224	332
26-29	1,964	1,957	138	184	50	73
30-34	2,469	2,671	184	167	24 ^a	101
35-39	2,986 ^a	2,574	127	133	49	56
40-44	2,417	2,440	84	81	47	47
45-49	2,133	2,252	84	59	55	54
50 or Older	7,635	7,897	229	199	76	102
50-54	2,263	2,035	101	63	36	15
55-59	2,180	2,059	77	47	26	37
60-64	1,842	1,963	20	*	2	*
65 or Older	1,350 ^a	1,839	31	89	12	50

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.11B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	9.1	9.1	0.7	0.8	0.2	0.3
12-20	8.3	8.2	2.3	2.5	0.6	0.7
21 or Older	9.2	9.3	0.5	0.5	0.2	0.2
12-17	8.5	8.8	2.7	3.0	0.7	0.9
12-13	7.3	8.3	3.2	3.5	0.8	1.0
14-15	10.0	9.8	3.1	3.1	0.9	0.8
16-17	8.2	8.5	1.7	2.3	0.5	0.8
16-25	8.8	9.0	1.5	1.8	0.4	0.5
18 or Older	9.1	9.1	0.5	0.6	0.2	0.2
18-25	9.0	9.2	1.5	1.7	0.4	0.5
18-20	7.8	7.0	1.6	1.7	0.4	0.3
21-25	9.7	10.6	1.4	1.7	0.4	0.6
26 or Older	9.1	9.1	0.4	0.4	0.1	0.2
26-49	11.9	11.7	0.6	0.6	0.2	0.3
26-29	11.0	10.8	0.8	1.0	0.3	0.4
30-34	11.1	12.0	0.8	0.7	0.1 ^a	0.5
35-39	13.6	12.0	0.6	0.6	0.2	0.3
40-44	12.3	12.7	0.4	0.4	0.2	0.2
45-49	11.0	11.1	0.4	0.3	0.3	0.3
50 or Older	6.7	6.8	0.2	0.2	0.1	0.1
50-54	11.0	9.9	0.5	0.3	0.2	0.1
55-59	10.0	9.7	0.4	0.2	0.1	0.2
60-64	9.0	9.5	0.1	*	0.0	*
65 or Older	2.6	3.5	0.1	0.2	0.0	0.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.12A Methamphetamine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	14,892	16,013	1,867	1,999	1,001	1,173
12-20	258	242	147	115	44	34
21 or Older	14,634	15,771	1,719	1,884	957	1,139
12-17	70	75	43	41	17	11
12-13	6	12	3	9	2	3
14-15	15	16	11	9	5	5
16-17	49	47	28	24	9	3
16-25	916	951	301	299	100	114
18 or Older	14,822	15,939	1,824	1,958	984	1,161
18-25	867	904	273	275	90	110
18-20	188	167	104	74	28	23
21-25	680	737	169	202	63	88
26 or Older	13,954	15,034	1,551	1,682	894	1,051
26-49	7,356	7,727	1,149	1,262	576 ^a	800
26-29	945	1,001	216	238	74	139
30-34	1,757	1,619	364	312	215	164
35-39	1,869	1,779	250	318	118 ^a	211
40-44	1,488 ^a	1,800	162	228	68 ^a	162
45-49	1,298	1,528	157	165	101	124
50 or Older	6,598	7,307	402	420	318	251
50-54	1,712	1,549	110	159	106	81
55-59	1,914	1,687	107	102	71	83
60-64	1,811	1,934	126	99	82	73
65 or Older	1,161 ^a	2,137	59	60	59	14

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.12B Methamphetamine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	5.4	5.8	0.7	0.7	0.4	0.4
12-20	0.7	0.6	0.4	0.3	0.1	0.1
21 or Older	6.2	6.7	0.7	0.8	0.4	0.5
12-17	0.3	0.3	0.2	0.2	0.1	0.0
12-13	0.1	0.1	0.0	0.1	0.0	0.0
14-15	0.2	0.2	0.1	0.1	0.1	0.1
16-17	0.6	0.6	0.3	0.3	0.1	0.0
16-25	2.1	2.3	0.7	0.7	0.2	0.3
18 or Older	6.0	6.4	0.7	0.8	0.4	0.5
18-25	2.5	2.7	0.8	0.8	0.3	0.3
18-20	1.4	1.3	0.8	0.6	0.2	0.2
21-25	3.2	3.6	0.8	1.0	0.3	0.4
26 or Older	6.5	6.9	0.7	0.8	0.4	0.5
26-49	7.3	7.6	1.1	1.2	0.6 ^a	0.8
26-29	5.3	5.5	1.2	1.3	0.4	0.8
30-34	7.9	7.3	1.6	1.4	1.0	0.7
35-39	8.5	8.3	1.1	1.5	0.5 ^a	1.0
40-44	7.6 ^a	9.3	0.8	1.2	0.3 ^a	0.8
45-49	6.7	7.5	0.8	0.8	0.5	0.6
50 or Older	5.8	6.3	0.4	0.4	0.3	0.2
50-54	8.3	7.5	0.5	0.8	0.5	0.4
55-59	8.8	7.9	0.5	0.5	0.3	0.4
60-64	8.9	9.4	0.6	0.5	0.4	0.4
65 or Older	2.3 ^a	4.0	0.1	0.1	0.1	0.0

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.13A Any Use of Pain Relievers in Past Year and Misuse of Pain Relievers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	86,548 ^a	82,559	9,948	9,724	2,852	2,819
12-20	7,364	7,054	1,386 ^a	1,143	332	301
21 or Older	79,184 ^a	75,505	8,562	8,582	2,520	2,518
12-17	4,141	3,980	695 ^a	567	161	165
12-13	974	950	127	112	24	36
14-15	1,312	1,400	212	176	46	51
16-17	1,855 ^a	1,630	356	278	91	77
16-25	10,786 ^a	9,987	2,214	2,032	565	497
18 or Older	82,407 ^a	78,579	9,253	9,158	2,691	2,654
18-25	8,931 ^a	8,357	1,858	1,754	475	420
18-20	3,223	3,074	691	576	171	136
21-25	5,707 ^a	5,284	1,167	1,178	304	284
26 or Older	73,476 ^a	70,222	7,395	7,404	2,216	2,234
26-49	32,570 ^a	30,585	4,765	4,797	1,470	1,370
26-29	5,334	5,089	948	1,023	263	322
30-34	6,965	6,752	1,253	1,205	365	325
35-39	7,249 ^a	6,459	1,091	1,074	328	277
40-44	6,456	5,992	773	802	264	205
45-49	6,567	6,292	700	693	250	241
50 or Older	40,906	39,637	2,630	2,607	746	864
50-54	7,460	6,674	700	646	187	227
55-59	8,052	7,169	763	638	218	208
60-64	7,449	7,325	487	422	152	197
65 or Older	17,945	18,470	681	900	191	232

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.13B Any Use of Pain Relievers in Past Year and Misuse of Pain Relievers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	31.6 ^a	30.0	3.6	3.5	1.0	1.0
12-20	19.4	18.5	3.7 ^a	3.0	0.9	0.8
21 or Older	33.6 ^a	31.8	3.6	3.6	1.1	1.1
12-17	16.6	16.0	2.8 ^a	2.3	0.6	0.7
12-13	12.4	11.6	1.6	1.4	0.3	0.4
14-15	15.6	16.5	2.5	2.1	0.5	0.6
16-17	21.6	19.7	4.1	3.4	1.1	0.9
16-25	25.3 ^a	23.8	5.2	4.8	1.3	1.2
18 or Older	33.1 ^a	31.4	3.7	3.7	1.1	1.1
18-25	26.2 ^a	24.8	5.5	5.2	1.4	1.2
18-20	24.7	23.3	5.3 ^a	4.4	1.3	1.0
21-25	27.2	25.7	5.6	5.7	1.4	1.4
26 or Older	34.2 ^a	32.4	3.4	3.4	1.0	1.0
26-49	32.3 ^a	30.2	4.7	4.7	1.5	1.4
26-29	29.9	28.2	5.3	5.7	1.5	1.8
30-34	31.4	30.3	5.6	5.4	1.6	1.5
35-39	33.1 ^a	30.1	5.0	5.0	1.5	1.3
40-44	33.0	31.1	3.9	4.2	1.3	1.1
45-49	33.8 ^a	31.1	3.6	3.4	1.3	1.2
50 or Older	35.9	34.4	2.3	2.3	0.7	0.7
50-54	36.2 ^a	32.4	3.4	3.1	0.9	1.1
55-59	37.1	33.7	3.5	3.0	1.0	1.0
60-64	36.6	35.6	2.4	2.1	0.7	1.0
65 or Older	35.0	35.0	1.3	1.7	0.4	0.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.14A Any Use of Stimulants in Past Year and Misuse of Stimulants in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	18,008	18,290	5,109	4,929	1,670	1,566
12-20	3,294	3,339	1,070	1,093	255	301
21 or Older	14,714	14,950	4,039	3,835	1,414	1,265
12-17	1,752	1,837	369	430	120	123
12-13	415	378	28	24	5	3
14-15	533	619	109	119	31	38
16-17	804	841	232	287	85	82
16-25	5,277	5,161	2,447	2,238	672	668
18 or Older	16,256	16,453	4,739	4,499	1,550	1,443
18-25	4,473	4,320	2,216 ^a	1,951	587	587
18-20	1,542	1,502	701	664	135	178
21-25	2,931	2,818	1,515 ^a	1,287	451	409
26 or Older	11,783	12,133	2,524	2,548	963	856
26-49	7,963	8,105	2,363	2,247	862	754
26-29	1,998	1,998	790	695	299	198
30-34	1,982	2,134	748	748	256	253
35-39	1,732	1,588	458	410	212	147
40-44	1,210	1,230	206	263	33 ^a	114
45-49	1,041	1,156	161	130	63	43
50 or Older	3,820	4,028	160	301	101	102
50-54	908	865	60	72	18	5
55-59	1,034	1,096	33 ^a	128	29	38
60-64	673	727	33	66	31	59
65 or Older	1,204	1,340	34	34	23	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.14B Any Use of Stimulants in Past Year and Misuse of Stimulants in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	6.6	6.6	1.9	1.8	0.6	0.6
12-20	8.7	8.8	2.8	2.9	0.7	0.8
21 or Older	6.2	6.3	1.7	1.6	0.6	0.5
12-17	7.0	7.4	1.5	1.7	0.5	0.5
12-13	5.3	4.6	0.4	0.3	0.1	0.0
14-15	6.3	7.3	1.3	1.4	0.4	0.5
16-17	9.3	10.2	2.7	3.5	1.0	1.0
16-25	12.4	12.3	5.7	5.3	1.6	1.6
18 or Older	6.5	6.6	1.9	1.8	0.6	0.6
18-25	13.1	12.8	6.5	5.8	1.7	1.7
18-20	11.8	11.4	5.4	5.0	1.0	1.3
21-25	14.0	13.7	7.2 ^a	6.3	2.2	2.0
26 or Older	5.5	5.6	1.2	1.2	0.4	0.4
26-49	7.9	8.0	2.3	2.2	0.9	0.7
26-29	11.2	11.1	4.4	3.9	1.7	1.1
30-34	8.9	9.6	3.4	3.4	1.2	1.1
35-39	7.9	7.4	2.1	1.9	1.0	0.7
40-44	6.2	6.4	1.1	1.4	0.2 ^a	0.6
45-49	5.4	5.7	0.8	0.6	0.3	0.2
50 or Older	3.4	3.5	0.1	0.3	0.1	0.1
50-54	4.4	4.2	0.3	0.3	0.1	0.0
55-59	4.8	5.2	0.2 ^a	0.6	0.1	0.2
60-64	3.3	3.5	0.2	0.3	0.1	0.3
65 or Older	2.4	2.5	0.1	0.1	0.0	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.15A Any Use of Tranquilizers or Sedatives in Past Year and Misuse of Tranquilizers or Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	46,394 ^a	44,051	6,435	5,895	1,799	1,958
12-20	2,799	2,564	1,091 ^a	909	259	231
21 or Older	43,595 ^a	41,488	5,344	4,986	1,540	1,727
12-17	1,371	1,370	460	436	88	121
12-13	253	276	32	24	6	10
14-15	478	435	152	124	26	34
16-17	640	659	277	287	56	78
16-25	4,874	4,654	1,934 ^a	1,697	478	442
18 or Older	45,023 ^a	42,682	5,975	5,459	1,711	1,837
18-25	4,234	3,995	1,658 ^a	1,409	422	365
18-20	1,428 ^a	1,194	631 ^a	473	170 ^a	110
21-25	2,806	2,801	1,027	936	252	254
26 or Older	40,789 ^a	38,687	4,317	4,050	1,289	1,472
26-49	16,384	16,129	2,912	2,582	807	1,006
26-29	2,505	2,519	759	600	200	230
30-34	3,454	3,428	808	743	215	318
35-39	3,510	3,305	639	514	225	180
40-44	3,262	3,363	353	413	74 ^a	181
45-49	3,654	3,514	353	312	92	97
50 or Older	24,405 ^a	22,558	1,405	1,468	482	467
50-54	4,478 ^a	3,575	390	358	104	106
55-59	4,495	4,234	466	408	66	151
60-64	4,469	4,133	236	378	145	103
65 or Older	10,964	10,615	313	325	167	106

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.15B Any Use of Tranquilizers or Sedatives in Past Year and Misuse of Tranquilizers or Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	16.9 ^a	16.0	2.4	2.1	0.7	0.7
12-20	7.4 ^a	6.7	2.9 ^a	2.4	0.7	0.6
21 or Older	18.5 ^a	17.5	2.3	2.1	0.7	0.7
12-17	5.5	5.5	1.8	1.8	0.4	0.5
12-13	3.2	3.4	0.4	0.3	0.1	0.1
14-15	5.7	5.1	1.8	1.5	0.3	0.4
16-17	7.4	8.0	3.2	3.5	0.6	0.9
16-25	11.4	11.1	4.5 ^a	4.0	1.1	1.1
18 or Older	18.1 ^a	17.1	2.4	2.2	0.7	0.7
18-25	12.4	11.8	4.9 ^a	4.2	1.2	1.1
18-20	10.9 ^a	9.1	4.8 ^a	3.6	1.3 ^a	0.8
21-25	13.4	13.6	4.9	4.6	1.2	1.2
26 or Older	19.0 ^a	17.9	2.0	1.9	0.6	0.7
26-49	16.2	15.9	2.9	2.5	0.8	1.0
26-29	14.0	14.0	4.3	3.3	1.1	1.3
30-34	15.6	15.4	3.6	3.3	1.0	1.4
35-39	16.0	15.4	2.9	2.4	1.0	0.8
40-44	16.7	17.4	1.8	2.1	0.4 ^a	0.9
45-49	18.8	17.3	1.8	1.5	0.5	0.5
50 or Older	21.4 ^a	19.6	1.2	1.3	0.4	0.4
50-54	21.8 ^a	17.3	1.9	1.7	0.5	0.5
55-59	20.7	19.9	2.1	1.9	0.3	0.7
60-64	21.9	20.1	1.2	1.8	0.7	0.5
65 or Older	21.4	20.1	0.6	0.6	0.3	0.2

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.16A Any Use of Tranquilizers in Past Year and Misuse of Tranquilizers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	37,610 ^a	35,601	5,742	5,220	1,634	1,781
12-20	2,231 ^a	1,995	1,023 ^a	840	239	216
21 or Older	35,379	33,606	4,718	4,381	1,395	1,565
12-17	1,001	1,010	423	392	81	112
12-13	148	140	20	16	6	5
14-15	346	308	144	105	24	32
16-17	507	562	259	271	51	75
16-25	4,188	3,980	1,825 ^a	1,584	446	412
18 or Older	36,609 ^a	34,591	5,319	4,829	1,553	1,669
18-25	3,681	3,419	1,566 ^a	1,313	395	337
18-20	1,230 ^a	985	601 ^a	448	158	104
21-25	2,451	2,434	965	865	237	233
26 or Older	32,928 ^a	31,172	3,753	3,516	1,159	1,332
26-49	13,655	13,668	2,613	2,342	746	952
26-29	2,137	2,183	692	570	185	227
30-34	2,932	2,986	730	711	203	312
35-39	3,006	2,835	569	448	209	161
40-44	2,608	2,886	306	373	62 ^a	169
45-49	2,971	2,778	316	240	86	83
50 or Older	19,273 ^a	17,504	1,141	1,174	413	380
50-54	3,700 ^a	2,905	334	300	91	94
55-59	3,821	3,335	399	300	66	124
60-64	3,403	3,234	174	336	128	97
65 or Older	8,349	8,030	234	238	127	65

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.16B Any Use of Tranquilizers in Past Year and Misuse of Tranquilizers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	13.7 ^a	12.9	2.1	1.9	0.6	0.6
12-20	5.9 ^a	5.2	2.7 ^a	2.2	0.6	0.6
21 or Older	15.0 ^a	14.2	2.0	1.8	0.6	0.7
12-17	4.0	4.1	1.7	1.6	0.3	0.5
12-13	1.9	1.7	0.2	0.2	0.1	0.1
14-15	4.1	3.6	1.7	1.2	0.3	0.4
16-17	5.9	6.8	3.0	3.3	0.6	0.9
16-25	9.8	9.5	4.3 ^a	3.8	1.0	1.0
18 or Older	14.7 ^a	13.8	2.1	1.9	0.6	0.7
18-25	10.8	10.1	4.6 ^a	3.9	1.2	1.0
18-20	9.4 ^a	7.5	4.6 ^a	3.4	1.2	0.8
21-25	11.7	11.8	4.6	4.2	1.1	1.1
26 or Older	15.3 ^a	14.4	1.7	1.6	0.5	0.6
26-49	13.5	13.5	2.6	2.3	0.7	0.9
26-29	12.0	12.1	3.9	3.2	1.0	1.3
30-34	13.2	13.4	3.3	3.2	0.9	1.4
35-39	13.7	13.2	2.6	2.1	1.0	0.8
40-44	13.3	15.0	1.6	1.9	0.3 ^a	0.9
45-49	15.3	13.7	1.6	1.2	0.4	0.4
50 or Older	16.9 ^a	15.2	1.0	1.0	0.4	0.3
50-54	18.0 ^a	14.1	1.6	1.5	0.4	0.5
55-59	17.6	15.7	1.8	1.4	0.3	0.6
60-64	16.7	15.7	0.9	1.6	0.6	0.5
65 or Older	16.3	15.2	0.5	0.5	0.2	0.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.17A Any Use of Sedatives in Past Year and Misuse of Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	16,775	15,636	1,084	1,098	243	304
12-20	856	883	131	138	26	43
21 or Older	15,919	14,752	953	960	217	261
12-17	502	545	63	82	9	29
12-13	133	166	15	10	1	5
14-15	188	187	17	35	3	14
16-17	182	192	31	37	5	10
16-25	1,230	1,243	225	212	47	54
18 or Older	16,274 ^a	15,091	1,021	1,016	234	275
18-25	1,049	1,051	194	175	43	44
18-20	354	339	68	56	17	15
21-25	695	712	126	119	26	30
26 or Older	15,225 ^a	14,040	827	841	191	231
26-49	5,471 ^a	4,862	527	423	99	112
26-29	711	615	110	71	17	11
30-34	1,052	967	143	85	25	43
35-39	1,133	978	140	104	37	31
40-44	1,203	1,008	73	72	13	12
45-49	1,372	1,293	60	91	7	14
50 or Older	9,753	9,178	300	417	92	119
50-54	1,756 ^a	1,320	59	93	15	35
55-59	1,676	1,752	100	145	20	38
60-64	1,674	1,701	62	72	17	6
65 or Older	4,647	4,405	79	107	39	41

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.17B Any Use of Sedatives in Past Year and Misuse of Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	6.1 ^a	5.7	0.4	0.4	0.1	0.1
12-20	2.3	2.3	0.3	0.4	0.1	0.1
21 or Older	6.8 ^a	6.2	0.4	0.4	0.1	0.1
12-17	2.0	2.2	0.3	0.3	0.0	0.1
12-13	1.7	2.0	0.2	0.1	0.0	0.1
14-15	2.2	2.2	0.2	0.4	0.0	0.2
16-17	2.1	2.3	0.4	0.4	0.1	0.1
16-25	2.9	3.0	0.5	0.5	0.1	0.1
18 or Older	6.5 ^a	6.0	0.4	0.4	0.1	0.1
18-25	3.1	3.1	0.6	0.5	0.1	0.1
18-20	2.7	2.6	0.5	0.4	0.1	0.1
21-25	3.3	3.5	0.6	0.6	0.1	0.1
26 or Older	7.1 ^a	6.5	0.4	0.4	0.1	0.1
26-49	5.4 ^a	4.8	0.5	0.4	0.1	0.1
26-29	4.0	3.4	0.6	0.4	0.1	0.1
30-34	4.7	4.3	0.6	0.4	0.1	0.2
35-39	5.2	4.6	0.6	0.5	0.2	0.1
40-44	6.1	5.2	0.4	0.4	0.1	0.1
45-49	7.1	6.4	0.3	0.5	0.0	0.1
50 or Older	8.6	8.0	0.3	0.4	0.1	0.1
50-54	8.5 ^a	6.4	0.3	0.4	0.1	0.2
55-59	7.7	8.2	0.5	0.7	0.1	0.2
60-64	8.2	8.3	0.3	0.4	0.1	0.0
65 or Older	9.1	8.3	0.2	0.2	0.1	0.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.18A Any Use and Misuse of Benzodiazepines in Past Year among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)
TOTAL	30,755	29,408	5,438 ^a	4,841
12-20	1,861 ^a	1,619	977 ^a	817
21 or Older	28,894	27,789	4,461	4,024
12-17	769	749	399	381
12-13	78	78	15	14
14-15	255	215	132	107
16-17	436	455	252	259
16-25	3,666	3,438	1,778 ^a	1,525
18 or Older	29,987	28,659	5,039	4,460
18-25	3,230	2,983	1,526 ^a	1,266
18-20	1,092 ^a	870	578 ^a	436
21-25	2,137	2,113	948	830
26 or Older	26,757	25,676	3,513	3,194
26-49	11,265	11,285	2,466	2,169
26-29	1,886	1,850	663	550
30-34	2,383	2,617	685	683
35-39	2,458	2,268	542	399
40-44	2,086	2,343	289	312
45-49	2,452	2,207	286	225
50 or Older	15,491	14,391	1,047	1,026
50-54	2,937	2,384	329	251
55-59	3,091	2,705	333	269
60-64	2,831	2,629	174	268
65 or Older	6,632	6,673	210	238

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.18B Any Use and Misuse of Benzodiazepines in Past Year among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)
TOTAL	11.2	10.7	2.0 ^a	1.8
12-20	4.9 ^a	4.3	2.6 ^a	2.1
21 or Older	12.3	11.7	1.9	1.7
12-17	3.1	3.0	1.6	1.5
12-13	1.0	1.0	0.2	0.2
14-15	3.0	2.5	1.6	1.3
16-17	5.1	5.5	2.9	3.1
16-25	8.6	8.2	4.2 ^a	3.6
18 or Older	12.0	11.4	2.0 ^a	1.8
18-25	9.5	8.8	4.5 ^a	3.8
18-20	8.4 ^a	6.6	4.4 ^a	3.3
21-25	10.2	10.3	4.5	4.0
26 or Older	12.5	11.9	1.6	1.5
26-49	11.2	11.1	2.4	2.1
26-29	10.6	10.2	3.7	3.0
30-34	10.7	11.7	3.1	3.1
35-39	11.2	10.6	2.5	1.9
40-44	10.7	12.2	1.5	1.6
45-49	12.6 ^a	10.9	1.5	1.1
50 or Older	13.6	12.5	0.9	0.9
50-54	14.3 ^a	11.6	1.6	1.2
55-59	14.2	12.7	1.5	1.3
60-64	13.9	12.8	0.9	1.3
65 or Older	13.0	12.6	0.4	0.5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.19A Misuse of Opioids in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019

Age Category	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	10,250	10,065	3,042	3,101
12-20	1,410 ^a	1,145	349	305
21 or Older	8,840	8,920	2,693	2,796
12-17	699 ^a	567	169	165
12-13	128	112	26	36
14-15	213	176	50	51
16-17	358	278	93	77
16-25	2,253	2,054	601	517
18 or Older	9,551	9,499	2,874	2,936
18-25	1,895	1,776	508	439
18-20	711 ^a	578	181	140
21-25	1,184	1,197	327	300
26 or Older	7,656	7,723	2,366	2,497
26-49	4,913	4,971	1,599	1,514
26-29	986	1,041	301	351
30-34	1,308	1,271	396	351
35-39	1,123	1,126	366	328
40-44	788	821	275	222
45-49	708	712	261	262
50 or Older	2,743	2,752	766	983
50-54	751	657	188	237
55-59	809	680	229	248
60-64	496	436	152	209
65 or Older	688	979	198	290

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.19B Misuse of Opioids in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	3.7	3.7	1.1	1.1
12-20	3.7 ^a	3.0	0.9	0.8
21 or Older	3.7	3.8	1.1	1.2
12-17	2.8 ^a	2.3	0.7	0.7
12-13	1.6	1.4	0.3	0.4
14-15	2.5	2.1	0.6	0.6
16-17	4.2	3.4	1.1	0.9
16-25	5.3	4.9	1.4	1.2
18 or Older	3.8	3.8	1.2	1.2
18-25	5.6	5.3	1.5	1.3
18-20	5.4 ^a	4.4	1.4	1.1
21-25	5.6	5.8	1.6	1.5
26 or Older	3.6	3.6	1.1	1.2
26-49	4.9	4.9	1.6	1.5
26-29	5.5	5.8	1.7	1.9
30-34	5.9	5.7	1.8	1.6
35-39	5.1	5.3	1.7	1.5
40-44	4.0	4.3	1.4	1.2
45-49	3.6	3.5	1.3	1.3
50 or Older	2.4	2.4	0.7	0.9
50-54	3.6	3.2	0.9	1.2
55-59	3.7	3.2	1.1	1.2
60-64	2.4	2.1	0.7	1.0
65 or Older	1.3	1.9	0.4	0.5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.20A Use of Illicit Drugs Other Than Marijuana in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category:
Numbers in Thousands, 2018 and 2019**

Age Category	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	23,323	23,588	8,855	9,333
12-20	4,019	3,788	1,245	1,224
21 or Older	19,304	19,800	7,610	8,110
12-17	1,901	1,862	584	598
12-13	412	425	102	141
14-15	606	590	187	165
16-17	884	848	295	292
16-25	6,890	6,639	2,349	2,351
18 or Older	21,422	21,727	8,271	8,735
18-25	6,006	5,791	2,053	2,059
18-20	2,118	1,926	661	626
21-25	3,888	3,865	1,393	1,433
26 or Older	15,416	15,936	6,217	6,676
26-49	10,751	11,025	4,321	4,650
26-29	2,866	2,888	1,144	1,132
30-34	2,871	2,966	1,068	1,266
35-39	2,218	2,169	922	926
40-44	1,440	1,625	573	685
45-49	1,357	1,377	614	641
50 or Older	4,665	4,911	1,896	2,026
50-54	1,231	1,257	496	504
55-59	1,406	1,224	479	512
60-64	952	996	446	518
65 or Older	1,075	1,433	475	493

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.20B Use of Illicit Drugs Other Than Marijuana in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

Age Category	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	8.5	8.6	3.2	3.4
12-20	10.6	9.9	3.3	3.2
21 or Older	8.2	8.3	3.2	3.4
12-17	7.6	7.5	2.3	2.4
12-13	5.2	5.2	1.3	1.7
14-15	7.2	6.9	2.2	1.9
16-17	10.3	10.3	3.4	3.5
16-25	16.2	15.8	5.5	5.6
18 or Older	8.6	8.7	3.3	3.5
18-25	17.6	17.2	6.0	6.1
18-20	16.2	14.6	5.1	4.8
21-25	18.5	18.8	6.6	7.0
26 or Older	7.2	7.4	2.9	3.1
26-49	10.7	10.9	4.3	4.6
26-29	16.1	16.0	6.4	6.3
30-34	12.9	13.3	4.8	5.7
35-39	10.1	10.1	4.2	4.3
40-44	7.4	8.4	2.9	3.6
45-49	7.0	6.8	3.2	3.2
50 or Older	4.1	4.3	1.7	1.8
50-54	6.0	6.1	2.4	2.4
55-59	6.5	5.8	2.2	2.4
60-64	4.7	4.8	2.2	2.5
65 or Older	2.1	2.7	0.9	0.9

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.