

Table 1.6C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	930	959	719	734	574	556
12-20	223	247	188	214	141	148
21 or Older	1,378	1,457	787	812	582	599
12-17	105	103	93	89	67	69
12-13	46	50	36	35	18	22
14-15	72	75	55	61	36	42
16-17	96	89	81	79	57	57
16-25	382	377	307	313	228	221
18 or Older	904	927	714	716	570	547
18-25	188	184	182	181	163	153
18-20	181	198	156	177	121	121
21-25	278	264	219	207	159	159
26 or Older	873	898	648	669	520	506
26-49	494	455	401	392	321	314
26-29	319	312	232	239	171	184
30-34	311	323	214	218	157	166
35-39	315	313	189	196	147	149
40-44	273	309	169	173	135	136
45-49	268	272	141	162	112	123
50 or Older	719	724	470	484	373	372
50-54	446	442	225	232	160	182
55-59	460	448	244	242	177	189
60-64	463	465	219	247	170	197
65 or Older	467	450	243	245	192	186

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.6D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.34	0.35	0.26	0.27	0.21	0.20
12-20	0.43	0.45	0.40	0.43	0.33	0.33
21 or Older	0.38	0.39	0.30	0.30	0.23	0.23
12-17	0.42	0.41	0.37	0.36	0.27	0.28
12-13	0.54	0.57	0.44	0.42	0.22	0.27
14-15	0.75	0.75	0.61	0.64	0.42	0.48
16-17	0.87	0.82	0.80	0.78	0.60	0.65
16-25	0.48	0.48	0.46	0.48	0.41	0.40
18 or Older	0.36	0.37	0.29	0.29	0.23	0.22
18-25	0.55	0.55	0.54	0.54	0.48	0.45
18-20	0.83	0.82	0.78	0.82	0.73	0.68
21-25	0.67	0.67	0.68	0.69	0.58	0.59
26 or Older	0.41	0.41	0.30	0.31	0.24	0.23
26-49	0.49	0.45	0.40	0.39	0.32	0.31
26-29	0.96	0.93	0.98	0.95	0.81	0.82
30-34	0.87	0.87	0.78	0.81	0.61	0.67
35-39	0.94	0.90	0.76	0.78	0.64	0.65
40-44	0.97	1.04	0.77	0.77	0.65	0.66
45-49	1.02	0.95	0.67	0.73	0.55	0.57
50 or Older	0.63	0.63	0.41	0.42	0.33	0.32
50-54	1.41	1.35	1.00	1.02	0.75	0.83
55-59	1.38	1.40	1.03	1.04	0.78	0.84
60-64	1.45	1.29	0.98	1.06	0.79	0.88
65 or Older	0.91	0.85	0.47	0.46	0.38	0.35

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.6P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.0393		0.0002		0.0000	
12-20	0.7254		0.8577		0.7977	
21 or Older	0.0274		0.0001		0.0000	
12-17	0.3315		0.3155		0.0881	
12-13	0.0761		0.5070		0.1245	
14-15	0.9594		0.8455		0.2929	
16-17	0.2715		0.1117		0.1543	
16-25	0.3951		0.2320		0.0397	
18 or Older	0.0462		0.0002		0.0000	
18-25	0.7507		0.5593		0.1078	
18-20	0.1238		0.2214		0.2978	
21-25	0.0736		0.0943		0.0048	
26 or Older	0.0470		0.0001		0.0000	
26-49	0.0054		0.0002		0.0007	
26-29	0.4244		0.0411		0.0036	
30-34	0.0353		0.1072		0.2191	
35-39	0.0550		0.0273		0.1311	
40-44	0.0147		0.4379		0.9939	
45-49	0.5292		0.0141		0.0183	
50 or Older	0.5337		0.0151		0.0004	
50-54	0.3075		0.9286		0.2060	
55-59	0.9563		0.3917		0.0789	
60-64	0.6795		0.0361		0.0110	
65 or Older	0.0932		0.0370		0.0478	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.7C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	931	958	669	669	538	523
12-20	204	222	180	197	138	143
21 or Older	1,334	1,399	712	727	540	550
12-17	92	89	83	84	63	65
12-13	20	22	18	20	13	13
14-15	54	61	48	53	32	40
16-17	85	80	75	75	54	55
16-25	363	361	294	292	220	213
18 or Older	902	931	662	653	533	513
18-25	189	191	181	176	160	148
18-20	173	186	151	163	119	115
21-25	265	253	206	197	149	151
26 or Older	870	900	595	610	483	478
26-49	499	452	375	373	300	304
26-29	309	301	217	231	163	174
30-34	307	307	198	202	151	156
35-39	301	302	171	175	134	139
40-44	260	291	153	157	127	125
45-49	258	261	119	144	98	113
50 or Older	713	716	426	431	351	343
50-54	426	424	183	209	150	163
55-59	451	432	200	211	160	175
60-64	447	452	202	235	160	184
65 or Older	467	437	219	204	177	171

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.7D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.34	0.35	0.24	0.24	0.20	0.19
12-20	0.43	0.44	0.40	0.41	0.32	0.33
21 or Older	0.38	0.39	0.27	0.27	0.22	0.21
12-17	0.37	0.36	0.33	0.34	0.25	0.26
12-13	0.25	0.27	0.23	0.25	0.16	0.15
14-15	0.60	0.66	0.55	0.58	0.38	0.45
16-17	0.81	0.80	0.75	0.77	0.57	0.63
16-25	0.50	0.50	0.46	0.47	0.40	0.39
18 or Older	0.36	0.37	0.27	0.26	0.21	0.21
18-25	0.56	0.57	0.53	0.52	0.47	0.44
18-20	0.82	0.83	0.79	0.79	0.73	0.65
21-25	0.67	0.69	0.66	0.66	0.55	0.57
26 or Older	0.41	0.42	0.28	0.28	0.22	0.22
26-49	0.49	0.45	0.37	0.37	0.30	0.30
26-29	1.00	0.96	0.97	0.94	0.79	0.79
30-34	0.89	0.88	0.75	0.78	0.60	0.63
35-39	0.93	0.89	0.71	0.72	0.58	0.62
40-44	0.98	1.02	0.71	0.74	0.61	0.62
45-49	1.04	0.94	0.59	0.65	0.49	0.53
50 or Older	0.63	0.62	0.37	0.37	0.31	0.30
50-54	1.39	1.35	0.84	0.92	0.71	0.75
55-59	1.37	1.40	0.86	0.93	0.71	0.79
60-64	1.48	1.30	0.92	1.02	0.75	0.83
65 or Older	0.91	0.83	0.43	0.39	0.35	0.32

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.7P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.0368		0.0000		0.0000	
12-20	0.6715		0.9147		0.8600	
21 or Older	0.0260		0.0000		0.0000	
12-17	0.3273		0.1381		0.0512	
12-13	0.0101		0.0596		0.5015	
14-15	0.9571		0.6781		0.0645	
16-17	0.1631		0.0667		0.1088	
16-25	0.3320		0.1138		0.0618	
18 or Older	0.0442		0.0000		0.0000	
18-25	0.7112		0.3432		0.1722	
18-20	0.1167		0.1509		0.1994	
21-25	0.0666		0.0210		0.0059	
26 or Older	0.0469		0.0000		0.0000	
26-49	0.0012		0.0000		0.0001	
26-29	0.2023		0.0100		0.0013	
30-34	0.0423		0.0485		0.1732	
35-39	0.0863		0.0198		0.0562	
40-44	0.0060		0.5281		0.9824	
45-49	1.0000		0.0018		0.0096	
50 or Older	0.7462		0.0007		0.0002	
50-54	0.3334		0.2753		0.2431	
55-59	0.5329		0.0404		0.0337	
60-64	0.6413		0.0112		0.0062	
65 or Older	0.1131		0.1016		0.0352	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.8C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	688	671	205	215	123	130
12-20	58	59	48	47	24	25
21 or Older	773	750	200	212	122	128
12-17	21	21	18	17	5	12
12-13	4	6	3	6	0	*
14-15	10	10	9	9	*	8
16-17	19	17	15	14	5	8
16-25	143	135	98	93	47	46
18 or Older	682	665	203	213	123	129
18-25	123	118	89	83	46	44
18-20	56	53	44	42	23	22
21-25	125	118	81	80	40	37
26 or Older	666	647	177	188	117	122
26-49	324	334	146	144	100	87
26-29	164	167	89	81	61	45
30-34	173	182	69	78	37	46
35-39	173	168	62	65	41	39
40-44	148	162	42	47	30	38
45-49	141	136	41	42	30	28
50 or Older	580	524	106	115	71	82
50-54	286	267	57	52	28	42
55-59	314	287	44	55	34	37
60-64	301	314	64	62	57	52
65 or Older	288	265	14	61	6	20

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.8D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.25	0.24	0.07	0.08	0.05	0.05
12-20	0.15	0.15	0.12	0.12	0.06	0.06
21 or Older	0.29	0.28	0.08	0.09	0.05	0.05
12-17	0.09	0.08	0.07	0.07	0.02	0.05
12-13	0.05	0.07	0.04	0.07	0.01	*
14-15	0.12	0.12	0.11	0.10	*	0.10
16-17	0.22	0.20	0.17	0.16	0.06	0.10
16-25	0.30	0.29	0.21	0.20	0.11	0.11
18 or Older	0.27	0.27	0.08	0.09	0.05	0.05
18-25	0.36	0.35	0.26	0.24	0.13	0.13
18-20	0.40	0.38	0.33	0.30	0.18	0.16
21-25	0.51	0.49	0.35	0.35	0.19	0.18
26 or Older	0.31	0.30	0.08	0.09	0.05	0.06
26-49	0.32	0.33	0.14	0.14	0.10	0.09
26-29	0.80	0.81	0.47	0.43	0.33	0.25
30-34	0.68	0.71	0.30	0.34	0.17	0.21
35-39	0.72	0.70	0.28	0.30	0.19	0.18
40-44	0.70	0.74	0.22	0.24	0.15	0.20
45-49	0.67	0.63	0.21	0.21	0.15	0.14
50 or Older	0.51	0.45	0.09	0.10	0.06	0.07
50-54	1.18	1.14	0.28	0.25	0.13	0.20
55-59	1.22	1.19	0.20	0.26	0.16	0.17
60-64	1.28	1.26	0.31	0.30	0.28	0.25
65 or Older	0.56	0.50	0.03	0.12	0.01	0.04

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.8P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.2603		0.7590		0.8284	
12-20	0.0840		0.0095		0.6448	
21 or Older	0.2045		0.8002		0.7603	
12-17	0.5186		0.5442		0.0739	
12-13	0.5616		0.3097		*	
14-15	0.8680		0.7564		*	
16-17	0.5063		0.4556		0.1928	
16-25	0.8821		0.1589		0.5695	
18 or Older	0.2573		0.7903		0.9309	
18-25	0.8592		0.1607		0.7414	
18-20	0.0903		0.0076		0.2187	
21-25	0.4448		0.9729		0.2515	
26 or Older	0.2470		0.6980		0.9970	
26-49	0.8927		0.8883		0.8343	
26-29	0.8161		0.3105		0.0644	
30-34	0.9723		0.5931		0.0710	
35-39	0.6198		0.2985		0.8245	
40-44	0.0165		0.7539		0.6640	
45-49	0.0761		0.7483		0.4319	
50 or Older	0.1518		0.5906		0.7661	
50-54	0.1858		0.9068		0.2842	
55-59	0.7748		0.3265		0.9256	
60-64	0.0317		0.6947		0.5475	
65 or Older	0.0450		0.2696		0.2525	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.9C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	330	328	85	100	72	62
12-20	16	14	10	9	6	7
21 or Older	336	331	85	101	72	62
12-17	5	8	3	7	*	5
12-13	1	*	*	*	*	*
14-15	1	3	*	*	*	*
16-17	5	8	3	7	*	5
16-25	31	34	15	14	9	8
18 or Older	329	329	85	100	72	62
18-25	32	33	16	12	9	6
18-20	16	12	9	6	6	4
21-25	27	31	12	11	6	5
26 or Older	325	326	83	100	71	63
26-49	170	172	47	46	35	32
26-29	50	52	20	13	14	10
30-34	72	74	16	18	8	12
35-39	84	78	25	27	21	16
40-44	86	86	17	18	12	13
45-49	78	78	21	23	17	18
50 or Older	278	279	68	87	61	54
50-54	159	149	21	35	18	29
55-59	160	144	36	36	27	14
60-64	133	161	53	38	51	34
65 or Older	101	118	6	59	6	15

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.9D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.12	0.12	0.03	0.04	0.03	0.02
12-20	0.04	0.04	0.03	0.02	0.02	0.02
21 or Older	0.14	0.14	0.04	0.04	0.03	0.03
12-17	0.02	0.03	0.01	0.03	*	0.02
12-13	0.01	*	*	*	*	*
14-15	0.02	0.03	*	*	*	*
16-17	0.06	0.09	0.03	0.08	*	0.06
16-25	0.07	0.08	0.04	0.03	0.02	0.02
18 or Older	0.13	0.13	0.03	0.04	0.03	0.02
18-25	0.09	0.10	0.05	0.04	0.03	0.02
18-20	0.12	0.09	0.07	0.05	0.05	0.03
21-25	0.13	0.15	0.06	0.05	0.03	0.02
26 or Older	0.15	0.15	0.04	0.05	0.03	0.03
26-49	0.17	0.17	0.05	0.05	0.03	0.03
26-29	0.28	0.29	0.11	0.07	0.08	0.06
30-34	0.32	0.33	0.07	0.08	0.04	0.05
35-39	0.38	0.37	0.11	0.13	0.10	0.07
40-44	0.43	0.43	0.09	0.09	0.06	0.07
45-49	0.40	0.38	0.11	0.11	0.09	0.09
50 or Older	0.24	0.24	0.06	0.08	0.05	0.05
50-54	0.73	0.70	0.10	0.17	0.09	0.14
55-59	0.70	0.65	0.17	0.17	0.12	0.07
60-64	0.63	0.75	0.26	0.18	0.25	0.17
65 or Older	0.20	0.22	0.01	0.11	0.01	0.03

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.9P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.7450		0.8969		0.5240	
12-20	0.4084		0.5767		0.9025	
21 or Older	0.7213		0.8530		0.5288	
12-17	0.5920		0.2803		*	
12-13	*		*		*	
14-15	0.6110		*		*	
16-17	0.6014		0.2581		*	
16-25	0.8443		0.4178		0.7244	
18 or Older	0.7612		0.9459		0.4867	
18-25	0.9607		0.2072		0.3913	
18-20	0.2400		0.1773		0.3809	
21-25	0.4802		0.5283		0.6648	
26 or Older	0.7906		0.7920		0.5503	
26-49	0.8762		0.7858		0.8166	
26-29	0.6420		0.2331		0.7555	
30-34	0.8415		0.5854		0.3540	
35-39	0.5775		0.5108		0.9692	
40-44	0.5277		0.9260		0.8873	
45-49	0.3713		0.3443		0.4818	
50 or Older	0.6896		0.6332		0.5772	
50-54	0.4208		0.2751		0.3023	
55-59	0.3165		0.8914		0.4358	
60-64	0.0702		0.3298		0.2768	
65 or Older	0.1493		0.2455		0.4680	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.10C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	726	699	215	212	106	115
12-20	83	85	66	69	32	35
21 or Older	802	775	203	197	102	110
12-17	39	39	31	33	20	21
12-13	11	10	9	7	5	5
14-15	20	22	18	18	10	15
16-17	30	32	23	27	15	14
16-25	181	168	114	109	51	51
18 or Older	714	687	214	205	105	111
18-25	145	134	102	89	48	47
18-20	73	72	57	60	26	27
21-25	146	135	86	78	40	39
26 or Older	674	659	170	170	91	101
26-49	362	362	150	145	79	89
26-29	186	186	94	90	52	52
30-34	185	197	72	79	39	49
35-39	193	190	59	57	37	36
40-44	166	176	42	48	24	24
45-49	150	145	34	32	16	18
50 or Older	553	509	76	86	46	45
50-54	245	242	45	54	33	19
55-59	289	247	21	45	12	27
60-64	279	284	44	28	29	6
65 or Older	280	264	30	41	8	30

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.10D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.27	0.25	0.08	0.08	0.04	0.04
12-20	0.21	0.21	0.17	0.17	0.08	0.09
21 or Older	0.30	0.29	0.08	0.08	0.04	0.05
12-17	0.15	0.16	0.13	0.13	0.08	0.09
12-13	0.14	0.12	0.11	0.09	0.07	0.07
14-15	0.24	0.26	0.21	0.21	0.13	0.17
16-17	0.35	0.38	0.26	0.32	0.18	0.17
16-25	0.36	0.34	0.25	0.23	0.12	0.12
18 or Older	0.29	0.27	0.09	0.08	0.04	0.04
18-25	0.43	0.40	0.30	0.26	0.14	0.14
18-20	0.51	0.47	0.42	0.40	0.19	0.20
21-25	0.56	0.54	0.37	0.34	0.19	0.19
26 or Older	0.31	0.30	0.08	0.08	0.04	0.05
26-49	0.36	0.36	0.15	0.14	0.08	0.09
26-29	0.87	0.84	0.51	0.47	0.29	0.28
30-34	0.70	0.76	0.32	0.34	0.17	0.22
35-39	0.77	0.77	0.27	0.27	0.17	0.17
40-44	0.76	0.79	0.21	0.25	0.12	0.12
45-49	0.72	0.67	0.18	0.16	0.08	0.09
50 or Older	0.49	0.44	0.07	0.07	0.04	0.04
50-54	1.06	1.05	0.22	0.26	0.16	0.09
55-59	1.16	1.08	0.09	0.21	0.06	0.13
60-64	1.20	1.18	0.21	0.13	0.14	0.03
65 or Older	0.55	0.50	0.06	0.08	0.02	0.06

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.10P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.5321		0.2033		0.0724	
12-20	0.5925		0.7085		0.6753	
21 or Older	0.4920		0.2129		0.0803	
12-17	0.3540		0.1541		0.6553	
12-13	0.5838		0.4485		0.5714	
14-15	0.5778		0.6803		0.6558	
16-17	0.2119		0.0476		0.8893	
16-25	0.5153		0.1539		0.4264	
18 or Older	0.5751		0.2793		0.0814	
18-25	0.7909		0.3691		0.4480	
18-20	0.2106		0.6724		0.8783	
21-25	0.2298		0.1354		0.3994	
26 or Older	0.5988		0.3498		0.1023	
26-49	0.3869		0.4449		0.0754	
26-29	0.7808		0.7601		0.3877	
30-34	0.1053		0.0756		0.0805	
35-39	0.8134		0.7302		0.9376	
40-44	0.4448		0.6871		0.7844	
45-49	0.7546		0.6605		0.1893	
50 or Older	0.9010		0.4760		0.8137	
50-54	0.2793		0.9284		0.4236	
55-59	0.1682		0.0544		0.2529	
60-64	0.3971		0.3632		0.3321	
65 or Older	0.0739		0.4103		0.1776	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.11C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	478	464	112	120	62	84
12-20	97	97	48	51	26	27
21 or Older	508	490	103	105	57	80
12-17	70	70	41	40	23	24
12-13	35	41	23	26	11	15
14-15	46	42	26	22	15	12
16-17	46	45	21	23	12	14
16-25	122	118	48	57	24	30
18 or Older	473	455	105	111	58	80
18-25	100	100	43	50	20	26
18-20	61	60	27	29	12	11
21-25	91	94	34	39	17	23
26 or Older	463	443	97	96	55	75
26-49	288	266	72	64	46	52
26-29	122	116	32	37	21	28
30-34	125	140	37	36	11	30
35-39	150	129	30	32	19	20
40-44	124	139	24	24	18	18
45-49	119	124	26	21	22	21
50 or Older	355	344	63	67	31	48
50-54	200	179	40	38	21	15
55-59	206	176	43	26	20	24
60-64	182	186	18	*	2	*
65 or Older	153	164	18	49	9	39

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.11D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.17	0.17	0.04	0.04	0.02	0.03
12-20	0.25	0.23	0.13	0.13	0.07	0.07
21 or Older	0.20	0.19	0.04	0.04	0.02	0.03
12-17	0.28	0.28	0.16	0.16	0.09	0.10
12-13	0.42	0.47	0.29	0.31	0.14	0.19
14-15	0.51	0.47	0.31	0.26	0.18	0.14
16-17	0.52	0.51	0.24	0.27	0.14	0.17
16-25	0.26	0.25	0.11	0.13	0.06	0.07
18 or Older	0.19	0.18	0.04	0.04	0.02	0.03
18-25	0.29	0.30	0.13	0.15	0.06	0.08
18-20	0.45	0.42	0.20	0.21	0.09	0.09
21-25	0.38	0.41	0.16	0.19	0.08	0.11
26 or Older	0.22	0.20	0.04	0.04	0.03	0.03
26-49	0.29	0.26	0.07	0.06	0.05	0.05
26-29	0.63	0.58	0.18	0.20	0.12	0.15
30-34	0.53	0.59	0.17	0.16	0.05	0.14
35-39	0.62	0.57	0.13	0.15	0.09	0.09
40-44	0.60	0.66	0.12	0.13	0.09	0.09
45-49	0.58	0.58	0.13	0.11	0.11	0.10
50 or Older	0.31	0.30	0.06	0.06	0.03	0.04
50-54	0.90	0.80	0.19	0.18	0.10	0.07
55-59	0.88	0.79	0.20	0.12	0.09	0.11
60-64	0.83	0.84	0.09	*	0.01	*
65 or Older	0.30	0.31	0.03	0.09	0.02	0.07

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.11P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.7905		0.4630		0.0687	
12-20	0.7925		0.1498		0.4677	
21 or Older	0.7477		0.8432		0.0928	
12-17	0.4237		0.1551		0.3353	
12-13	0.1209		0.5182		0.3543	
14-15	0.7161		0.8846		0.7053	
16-17	0.7454		0.1110		0.2800	
16-25	0.5325		0.0591		0.1798	
18 or Older	0.8794		0.7604		0.1069	
18-25	0.5993		0.1900		0.3441	
18-20	0.1751		0.6110		0.7493	
21-25	0.0971		0.1836		0.2024	
26 or Older	0.9691		0.8315		0.1543	
26-49	0.7629		0.9683		0.1275	
26-29	0.8381		0.3612		0.5092	
30-34	0.2565		0.7393		0.0275	
35-39	0.0634		0.8404		0.7490	
40-44	0.7320		0.9436		0.9731	
45-49	0.8796		0.4032		0.9354	
50 or Older	0.7304		0.7199		0.6523	
50-54	0.3527		0.4522		0.2557	
55-59	0.7630		0.5707		0.7272	
60-64	0.6742		*		*	
65 or Older	0.0522		0.2708		0.3554	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.12C Methamphetamine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	413	443	123	133	100	108
12-20	29	28	23	19	11	11
21 or Older	425	459	120	133	99	107
12-17	12	14	9	10	6	5
12-13	3	6	2	5	2	2
14-15	5	6	5	4	3	3
16-17	11	11	7	7	4	2
16-25	54	58	31	32	15	19
18 or Older	411	443	122	134	100	108
18-25	52	56	30	31	15	19
18-20	26	24	21	16	9	10
21-25	47	50	21	26	11	16
26 or Older	405	434	118	129	98	106
26-49	230	230	89	95	64	79
26-29	80	83	39	36	20	32
30-34	108	104	51	46	42	34
35-39	111	115	39	48	27	39
40-44	109	117	30	46	18	38
45-49	92	98	32	34	25	29
50 or Older	322	347	83	89	75	70
50-54	174	154	38	50	38	34
55-59	178	159	37	43	28	41
60-64	171	183	51	46	44	43
65 or Older	146	192	38	28	38	14

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.12D Methamphetamine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.15	0.16	0.04	0.05	0.04	0.04
12-20	0.08	0.07	0.06	0.05	0.03	0.03
21 or Older	0.17	0.19	0.05	0.06	0.04	0.05
12-17	0.05	0.06	0.04	0.04	0.02	0.02
12-13	0.03	0.07	0.02	0.06	0.02	0.03
14-15	0.06	0.06	0.06	0.05	0.04	0.04
16-17	0.13	0.14	0.09	0.08	0.05	0.02
16-25	0.13	0.14	0.07	0.08	0.04	0.05
18 or Older	0.17	0.18	0.05	0.05	0.04	0.04
18-25	0.15	0.16	0.09	0.09	0.04	0.06
18-20	0.20	0.18	0.16	0.12	0.07	0.08
21-25	0.22	0.24	0.10	0.13	0.05	0.08
26 or Older	0.19	0.20	0.05	0.06	0.05	0.05
26-49	0.23	0.23	0.09	0.09	0.06	0.08
26-29	0.43	0.45	0.22	0.20	0.11	0.18
30-34	0.46	0.45	0.23	0.20	0.19	0.15
35-39	0.49	0.52	0.18	0.22	0.12	0.18
40-44	0.54	0.58	0.15	0.24	0.09	0.20
45-49	0.46	0.47	0.16	0.17	0.13	0.14
50 or Older	0.28	0.30	0.07	0.08	0.07	0.06
50-54	0.79	0.70	0.18	0.24	0.18	0.16
55-59	0.77	0.72	0.17	0.20	0.13	0.19
60-64	0.79	0.82	0.25	0.22	0.22	0.21
65 or Older	0.29	0.36	0.07	0.05	0.07	0.03

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.12P Methamphetamine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.0772		0.5017		0.2593	
12-20	0.6886		0.2746		0.4841	
21 or Older	0.0729		0.3915		0.2263	
12-17	0.8031		0.9133		0.4492	
12-13	0.3329		0.3548		0.7988	
14-15	0.9796		0.7018		0.9939	
16-17	0.9953		0.7504		0.1981	
16-25	0.5385		0.9521		0.5226	
18 or Older	0.0810		0.5025		0.2450	
18-25	0.5658		0.9115		0.3759	
18-20	0.5443		0.2335		0.7070	
21-25	0.3041		0.2878		0.1764	
26 or Older	0.0955		0.5011		0.2957	
26-49	0.2774		0.4010		0.0318	
26-29	0.6855		0.7172		0.0900	
30-34	0.3165		0.4575		0.3359	
35-39	0.7518		0.2159		0.0386	
40-44	0.0242		0.1956		0.0241	
45-49	0.2105		0.9898		0.6411	
50 or Older	0.1844		0.9124		0.4842	
50-54	0.4540		0.4345		0.6251	
55-59	0.3984		0.9657		0.7896	
60-64	0.6555		0.6692		0.8658	
65 or Older	0.0001		0.9794		0.2591	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.13C Any Use of Pain Relievers in Past Year and Misuse of Pain Relievers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	787	790	286	289	158	163
12-20	156	166	61	60	31	31
21 or Older	996	1,035	288	292	157	163
12-17	90	94	42	39	21	23
12-13	46	49	17	16	6	9
14-15	57	65	21	20	10	11
16-17	69	69	32	29	16	18
16-25	215	216	81	86	39	40
18 or Older	776	784	284	285	157	162
18-25	148	142	72	75	37	35
18-20	114	123	45	46	23	22
21-25	155	149	60	68	29	29
26 or Older	765	770	275	276	154	161
26-49	387	387	173	176	98	102
26-29	191	188	76	82	40	52
30-34	209	206	85	92	46	49
35-39	221	202	85	88	45	48
40-44	205	216	73	76	42	36
45-49	203	214	66	71	39	40
50 or Older	636	648	220	206	117	116
50-54	353	328	110	109	54	67
55-59	362	337	115	99	60	52
60-64	361	346	95	74	51	52
65 or Older	438	458	111	123	60	59

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.13D Any Use of Pain Relievers in Past Year and Misuse of Pain Relievers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.29	0.29	0.10	0.11	0.06	0.06
12-20	0.34	0.34	0.16	0.15	0.08	0.08
21 or Older	0.33	0.33	0.12	0.12	0.07	0.07
12-17	0.36	0.38	0.17	0.16	0.09	0.09
12-13	0.55	0.57	0.22	0.20	0.08	0.12
14-15	0.60	0.69	0.25	0.23	0.12	0.13
16-17	0.70	0.72	0.37	0.34	0.19	0.21
16-25	0.37	0.37	0.18	0.19	0.09	0.09
18 or Older	0.31	0.31	0.11	0.11	0.06	0.06
18-25	0.44	0.42	0.21	0.22	0.11	0.10
18-20	0.69	0.69	0.33	0.33	0.18	0.16
21-25	0.56	0.54	0.27	0.31	0.14	0.14
26 or Older	0.36	0.36	0.13	0.13	0.07	0.07
26-49	0.38	0.38	0.17	0.17	0.10	0.10
26-29	0.89	0.87	0.41	0.44	0.22	0.28
30-34	0.78	0.79	0.36	0.40	0.20	0.22
35-39	0.83	0.80	0.38	0.40	0.21	0.22
40-44	0.89	0.92	0.37	0.38	0.21	0.19
45-49	0.85	0.90	0.34	0.34	0.20	0.20
50 or Older	0.56	0.56	0.19	0.18	0.10	0.10
50-54	1.39	1.29	0.52	0.52	0.26	0.32
55-59	1.36	1.25	0.52	0.46	0.28	0.24
60-64	1.39	1.30	0.45	0.36	0.25	0.25
65 or Older	0.86	0.87	0.22	0.23	0.12	0.11

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.13P Any Use of Pain Relievers in Past Year and Misuse of Pain Relievers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.0001		0.4890		0.8270	
12-20	0.0646		0.0015		0.4486	
21 or Older	0.0002		0.9411		0.9409	
12-17	0.2142		0.0214		0.9003	
12-13	0.3482		0.3838		0.3083	
14-15	0.2971		0.2052		0.7424	
16-17	0.0702		0.1136		0.6803	
16-25	0.0037		0.1666		0.2766	
18 or Older	0.0001		0.7056		0.8119	
18-25	0.0166		0.3871		0.3152	
18-20	0.1733		0.0418		0.2486	
21-25	0.0558		0.6905		0.7299	
26 or Older	0.0004		0.8935		1.0000	
26-49	0.0001		0.9494		0.4677	
26-29	0.1629		0.5624		0.3865	
30-34	0.3387		0.6643		0.5364	
35-39	0.0152		0.9466		0.5108	
40-44	0.1383		0.6871		0.3112	
45-49	0.0244		0.7127		0.7281	
50 or Older	0.0503		0.8537		0.5139	
50-54	0.0437		0.7223		0.6384	
55-59	0.0633		0.4604		0.9504	
60-64	0.6109		0.5652		0.5450	
65 or Older	0.9405		0.2349		0.6637	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.14C Any Use of Stimulants in Past Year and Misuse of Stimulants in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	375	387	178	178	103	99
12-20	96	124	56	70	25	34
21 or Older	370	392	165	163	101	94
12-17	62	67	27	37	16	23
12-13	31	30	7	7	2	2
14-15	36	44	16	20	8	14
16-17	45	50	22	31	14	19
16-25	158	171	105	108	53	53
18 or Older	368	379	175	173	102	96
18-25	127	134	93	93	49	48
18-20	74	96	49	58	20	25
21-25	122	113	85	72	46	41
26 or Older	329	344	134	138	85	85
26-49	227	229	124	122	77	75
26-29	117	118	76	72	44	38
30-34	109	121	65	68	42	40
35-39	109	108	58	50	44	35
40-44	91	95	36	44	13	31
45-49	80	95	33	29	19	17
50 or Older	245	250	45	64	37	40
50-54	121	127	30	29	18	4
55-59	121	129	15	41	15	22
60-64	110	101	23	34	23	33
65 or Older	138	165	20	20	16	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.14D Any Use of Stimulants in Past Year and Misuse of Stimulants in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.14	0.14	0.06	0.06	0.04	0.04
12-20	0.24	0.29	0.14	0.18	0.07	0.09
21 or Older	0.15	0.15	0.07	0.07	0.04	0.04
12-17	0.25	0.27	0.11	0.15	0.06	0.09
12-13	0.38	0.36	0.09	0.09	0.03	0.03
14-15	0.41	0.48	0.19	0.23	0.09	0.16
16-17	0.50	0.55	0.25	0.36	0.16	0.22
16-25	0.31	0.35	0.22	0.24	0.12	0.12
18 or Older	0.15	0.15	0.07	0.07	0.04	0.04
18-25	0.37	0.40	0.27	0.27	0.14	0.14
18-20	0.50	0.59	0.35	0.40	0.15	0.18
21-25	0.49	0.47	0.36	0.32	0.21	0.19
26 or Older	0.15	0.16	0.06	0.06	0.04	0.04
26-49	0.22	0.23	0.12	0.12	0.08	0.07
26-29	0.61	0.62	0.42	0.39	0.25	0.21
30-34	0.47	0.51	0.29	0.30	0.19	0.18
35-39	0.48	0.49	0.26	0.23	0.20	0.16
40-44	0.44	0.47	0.18	0.22	0.07	0.16
45-49	0.41	0.45	0.17	0.14	0.10	0.08
50 or Older	0.22	0.22	0.04	0.06	0.03	0.03
50-54	0.57	0.60	0.14	0.14	0.09	0.02
55-59	0.55	0.60	0.07	0.19	0.07	0.10
60-64	0.52	0.48	0.11	0.16	0.11	0.16
65 or Older	0.27	0.31	0.04	0.04	0.03	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.14P Any Use of Stimulants in Past Year and Misuse of Stimulants in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.7284		0.4006		0.4304	
12-20	0.7978		0.8133		0.2514	
21 or Older	0.7634		0.3170		0.2528	
12-17	0.3495		0.1914		0.9041	
12-13	0.2258		0.5821		0.6452	
14-15	0.1307		0.7407		0.6292	
16-17	0.2818		0.0765		0.9897	
16-25	0.8425		0.1838		0.9196	
18 or Older	0.8457		0.2616		0.4052	
18-25	0.5179		0.0505		0.9380	
18-20	0.6126		0.5492		0.1600	
21-25	0.6706		0.0406		0.5569	
26 or Older	0.5891		0.9846		0.3491	
26-49	0.7202		0.4855		0.3096	
26-29	0.8760		0.2894		0.0657	
30-34	0.3469		0.9841		0.9410	
35-39	0.4791		0.6140		0.2757	
40-44	0.7637		0.2919		0.0149	
45-49	0.5830		0.3830		0.4037	
50 or Older	0.6455		0.0770		0.9956	
50-54	0.7973		0.7781		0.4668	
55-59	0.6151		0.0280		0.7266	
60-64	0.7506		0.4133		0.4832	
65 or Older	0.6502		0.9713		*	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.15C Any Use of Tranquilizers or Sedatives in Past Year and Misuse of Tranquilizers or Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	672	656	239	238	125	137
12-20	93	92	57	57	26	29
21 or Older	767	791	234	234	125	135
12-17	56	57	34	35	12	21
12-13	26	25	8	8	3	5
14-15	33	34	21	19	6	13
16-17	41	42	25	29	10	17
16-25	131	134	81	80	37	40
18 or Older	663	650	237	233	124	136
18-25	110	112	73	67	35	36
18-20	70	67	45	42	23	20
21-25	103	106	61	58	29	31
26 or Older	652	635	223	219	120	129
26-49	305	303	140	133	76	89
26-29	128	131	69	65	35	43
30-34	150	147	75	75	36	53
35-39	156	150	66	56	36	32
40-44	148	158	46	54	19	36
45-49	155	145	48	45	24	22
50 or Older	569	554	172	167	92	88
50-54	277	221	85	79	40	50
55-59	275	255	106	91	25	45
60-64	285	264	63	77	47	38
65 or Older	378	406	80	76	62	43

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.15D Any Use of Tranquilizers or Sedatives in Past Year and Misuse of Tranquilizers or Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.25	0.24	0.09	0.09	0.05	0.05
12-20	0.24	0.22	0.15	0.15	0.07	0.08
21 or Older	0.28	0.27	0.10	0.10	0.05	0.06
12-17	0.22	0.23	0.14	0.14	0.05	0.08
12-13	0.32	0.30	0.11	0.09	0.03	0.06
14-15	0.38	0.38	0.24	0.22	0.07	0.15
16-17	0.46	0.49	0.29	0.34	0.12	0.20
16-25	0.27	0.29	0.18	0.18	0.09	0.10
18 or Older	0.27	0.26	0.10	0.09	0.05	0.05
18-25	0.32	0.33	0.21	0.20	0.10	0.11
18-20	0.51	0.45	0.34	0.30	0.17	0.15
21-25	0.42	0.46	0.27	0.27	0.13	0.15
26 or Older	0.30	0.29	0.10	0.10	0.06	0.06
26-49	0.30	0.30	0.14	0.13	0.08	0.09
26-29	0.65	0.67	0.38	0.35	0.19	0.23
30-34	0.61	0.60	0.33	0.33	0.16	0.24
35-39	0.65	0.62	0.30	0.26	0.17	0.15
40-44	0.71	0.73	0.24	0.27	0.10	0.18
45-49	0.71	0.64	0.24	0.22	0.12	0.11
50 or Older	0.50	0.48	0.15	0.15	0.08	0.08
50-54	1.21	0.96	0.41	0.38	0.19	0.24
55-59	1.14	1.08	0.48	0.42	0.12	0.21
60-64	1.23	1.08	0.30	0.37	0.23	0.18
65 or Older	0.74	0.77	0.16	0.14	0.12	0.08

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.15P Any Use of Tranquilizers or Sedatives in Past Year and Misuse of Tranquilizers or Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.0045		0.0903		0.4293	
12-20	0.0474		0.0174		0.4717	
21 or Older	0.0076		0.2379		0.3369	
12-17	0.9864		0.6055		0.1846	
12-13	0.7002		0.4291		0.5982	
14-15	0.3104		0.3133		0.6155	
16-17	0.4098		0.5684		0.2353	
16-25	0.3614		0.0465		0.6043	
18 or Older	0.0036		0.0984		0.5351	
18-25	0.1836		0.0156		0.2901	
18-20	0.0076		0.0077		0.0403	
21-25	0.6929		0.3635		0.8563	
26 or Older	0.0049		0.3351		0.3361	
26-49	0.4572		0.0744		0.1065	
26-29	0.9176		0.0734		0.6069	
30-34	0.8417		0.5213		0.1101	
35-39	0.5132		0.1841		0.4036	
40-44	0.4214		0.3479		0.0071	
45-49	0.1336		0.4128		0.9911	
50 or Older	0.0051		0.8479		0.8704	
50-54	0.0057		0.7732		0.9808	
55-59	0.6246		0.7209		0.0920	
60-64	0.2643		0.1617		0.4907	
65 or Older	0.2045		0.9861		0.3924	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.16C Any Use of Tranquilizers in Past Year and Misuse of Tranquilizers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	604	589	226	224	119	131
12-20	83	82	56	55	25	28
21 or Older	666	684	220	219	118	130
12-17	48	51	33	35	12	20
12-13	19	18	6	6	3	3
14-15	28	30	20	18	6	13
16-17	36	39	24	28	10	16
16-25	122	121	80	77	37	39
18 or Older	599	581	223	219	118	130
18-25	102	103	72	65	35	35
18-20	64	58	45	40	22	19
21-25	95	97	61	56	28	30
26 or Older	588	568	211	205	114	125
26-49	287	283	133	131	74	88
26-29	117	122	67	64	34	43
30-34	139	137	72	74	36	53
35-39	144	138	60	54	35	30
40-44	131	144	43	51	17	35
45-49	139	136	46	37	24	21
50 or Older	510	486	161	152	86	82
50-54	247	206	81	69	38	48
55-59	251	228	101	84	25	41
60-64	237	234	52	75	46	37
65 or Older	342	342	74	67	56	37

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.16D Any Use of Tranquilizers in Past Year and Misuse of Tranquilizers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.22	0.21	0.08	0.08	0.04	0.05
12-20	0.21	0.20	0.15	0.14	0.07	0.07
21 or Older	0.25	0.25	0.09	0.09	0.05	0.05
12-17	0.19	0.21	0.13	0.14	0.05	0.08
12-13	0.23	0.22	0.07	0.07	0.03	0.04
14-15	0.32	0.34	0.23	0.21	0.07	0.15
16-17	0.41	0.46	0.28	0.34	0.11	0.20
16-25	0.25	0.27	0.18	0.18	0.09	0.09
18 or Older	0.24	0.23	0.09	0.09	0.05	0.05
18-25	0.30	0.30	0.21	0.19	0.10	0.10
18-20	0.47	0.41	0.33	0.29	0.17	0.14
21-25	0.39	0.43	0.27	0.26	0.13	0.14
26 or Older	0.27	0.26	0.10	0.09	0.05	0.06
26-49	0.28	0.28	0.13	0.13	0.07	0.09
26-29	0.61	0.63	0.37	0.35	0.19	0.23
30-34	0.58	0.56	0.31	0.32	0.16	0.23
35-39	0.62	0.59	0.27	0.25	0.16	0.14
40-44	0.64	0.68	0.22	0.26	0.09	0.18
45-49	0.65	0.61	0.23	0.18	0.12	0.10
50 or Older	0.45	0.42	0.14	0.13	0.08	0.07
50-54	1.10	0.92	0.39	0.33	0.18	0.24
55-59	1.06	0.99	0.46	0.39	0.12	0.19
60-64	1.04	1.00	0.25	0.36	0.22	0.18
65 or Older	0.67	0.65	0.14	0.13	0.11	0.07

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.16P Any Use of Tranquilizers in Past Year and Misuse of Tranquilizers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.0079		0.0810		0.4421	
12-20	0.0273		0.0147		0.5323	
21 or Older	0.0150		0.2360		0.3588	
12-17	0.9011		0.5058		0.1669	
12-13	0.6299		0.5919		0.8025	
14-15	0.3128		0.1358		0.5526	
16-17	0.1401		0.5457		0.1678	
16-25	0.3385		0.0364		0.6098	
18 or Older	0.0064		0.0942		0.5515	
18-25	0.1050		0.0114		0.2774	
18-20	0.0021		0.0083		0.0580	
21-25	0.7956		0.2865		0.9802	
26 or Older	0.0110		0.3604		0.3412	
26-49	0.9324		0.1311		0.0887	
26-29	0.9009		0.1552		0.4708	
30-34	0.8037		0.8302		0.0875	
35-39	0.5641		0.1763		0.3502	
40-44	0.0688		0.2737		0.0051	
45-49	0.0798		0.1529		0.8325	
50 or Older	0.0038		0.9297		0.7505	
50-54	0.0080		0.7433		0.9717	
55-59	0.1926		0.4817		0.2153	
60-64	0.4931		0.0794		0.5902	
65 or Older	0.2312		0.9790		0.3313	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.17C Any Use of Sedatives in Past Year and Misuse of Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	442	427	96	102	43	52
12-20	48	51	18	22	8	15
21 or Older	465	457	92	99	43	50
12-17	32	37	13	17	4	13
12-13	18	19	7	5	1	4
14-15	21	24	7	13	3	11
16-17	21	23	9	10	3	6
16-25	63	64	27	26	11	15
18 or Older	437	427	94	100	43	51
18-25	58	59	24	24	11	13
18-20	34	35	13	14	7	7
21-25	48	50	20	21	9	11
26 or Older	430	423	89	98	41	49
26-49	188	177	60	55	22	27
26-29	69	61	26	24	9	7
30-34	84	78	30	27	11	20
35-39	92	81	32	25	15	13
40-44	95	85	23	22	8	8
45-49	96	89	17	26	4	8
50 or Older	386	375	66	81	35	41
50-54	172	139	27	45	13	26
55-59	165	155	36	43	14	22
60-64	161	171	36	34	11	6
65 or Older	271	279	32	40	27	22

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.17D Any Use of Sedatives in Past Year and Misuse of Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.16	0.16	0.04	0.04	0.02	0.02
12-20	0.13	0.13	0.05	0.06	0.02	0.04
21 or Older	0.18	0.18	0.04	0.04	0.02	0.02
12-17	0.13	0.15	0.05	0.07	0.02	0.05
12-13	0.23	0.23	0.09	0.06	0.01	0.05
14-15	0.25	0.28	0.08	0.15	0.03	0.13
16-17	0.24	0.27	0.10	0.12	0.04	0.07
16-25	0.15	0.15	0.06	0.06	0.03	0.03
18 or Older	0.18	0.17	0.04	0.04	0.02	0.02
18-25	0.17	0.17	0.07	0.07	0.03	0.04
18-20	0.26	0.25	0.10	0.10	0.05	0.06
21-25	0.22	0.23	0.10	0.10	0.04	0.05
26 or Older	0.20	0.20	0.04	0.05	0.02	0.02
26-49	0.19	0.18	0.06	0.05	0.02	0.03
26-29	0.37	0.33	0.15	0.13	0.05	0.04
30-34	0.36	0.34	0.13	0.12	0.05	0.09
35-39	0.41	0.36	0.15	0.11	0.07	0.06
40-44	0.48	0.43	0.12	0.11	0.04	0.04
45-49	0.47	0.43	0.09	0.13	0.02	0.04
50 or Older	0.34	0.33	0.06	0.07	0.03	0.04
50-54	0.81	0.65	0.13	0.22	0.06	0.12
55-59	0.73	0.70	0.17	0.20	0.07	0.10
60-64	0.77	0.78	0.17	0.17	0.06	0.03
65 or Older	0.53	0.53	0.06	0.07	0.05	0.04

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.17P Any Use of Sedatives in Past Year and Misuse of Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.0419		0.9551		0.3844	
12-20	0.7209		0.8236		0.3268	
21 or Older	0.0350		0.9913		0.5223	
12-17	0.3908		0.3952		0.1738	
12-13	0.2904		0.5381		0.2819	
14-15	0.9411		0.2139		0.3446	
16-17	0.5528		0.6286		0.5393	
16-25	0.7237		0.7793		0.7108	
18 or Older	0.0334		0.9360		0.5484	
18-25	0.8920		0.6052		0.9138	
18-20	0.7113		0.4917		0.8154	
21-25	0.6413		0.8704		0.7618	
26 or Older	0.0268		0.9566		0.5521	
26-49	0.0151		0.1947		0.7346	
26-29	0.2469		0.2585		0.5696	
30-34	0.4128		0.1462		0.4241	
35-39	0.2568		0.4210		0.8148	
40-44	0.1446		0.9821		0.9776	
45-49	0.2891		0.3609		0.4973	
50 or Older	0.1795		0.2848		0.6232	
50-54	0.0416		0.5247		0.5042	
55-59	0.6180		0.3910		0.4912	
60-64	0.9633		0.8545		0.3915	
65 or Older	0.3046		0.6182		0.9869	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.18C Any Use and Misuse of Benzodiazepines in Past Year among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)
TOTAL	587	537	218	212
12-20	76	73	55	55
21 or Older	633	617	213	207
12-17	41	45	32	34
12-13	12	14	5	6
14-15	25	25	19	18
16-17	32	36	24	28
16-25	116	112	79	76
18 or Older	582	530	217	207
18-25	98	96	71	64
18-20	61	54	44	40
21-25	91	90	60	55
26 or Older	569	519	203	194
26-49	265	257	129	125
26-29	109	113	65	63
30-34	126	128	71	72
35-39	134	121	59	51
40-44	120	128	43	46
45-49	126	117	44	36
50 or Older	506	457	155	144
50-54	219	192	80	65
55-59	224	206	94	79
60-64	232	212	52	67
65 or Older	329	328	71	67

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.18D Any Use and Misuse of Benzodiazepines in Past Year among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)
TOTAL	0.21	0.20	0.08	0.08
12-20	0.20	0.18	0.15	0.14
21 or Older	0.24	0.22	0.09	0.09
12-17	0.16	0.18	0.13	0.14
12-13	0.16	0.17	0.06	0.07
14-15	0.29	0.29	0.22	0.22
16-17	0.36	0.43	0.28	0.34
16-25	0.24	0.25	0.18	0.17
18 or Older	0.23	0.21	0.09	0.08
18-25	0.29	0.28	0.21	0.19
18-20	0.44	0.39	0.33	0.29
21-25	0.38	0.40	0.27	0.26
26 or Older	0.26	0.24	0.09	0.09
26-49	0.26	0.25	0.13	0.12
26-29	0.57	0.59	0.36	0.35
30-34	0.52	0.54	0.31	0.32
35-39	0.58	0.52	0.27	0.24
40-44	0.60	0.61	0.22	0.23
45-49	0.60	0.54	0.22	0.18
50 or Older	0.44	0.40	0.14	0.12
50-54	0.99	0.87	0.39	0.31
55-59	0.96	0.90	0.43	0.37
60-64	1.03	0.92	0.25	0.32
65 or Older	0.64	0.62	0.14	0.13

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.18P Any Use of and Misuse of Benzodiazepines in Past Year among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year (2018)	Misuse in Past Year (2019)
TOTAL	0.0549		0.0389	
12-20	0.0139		0.0303	
21 or Older	0.0998		0.1175	
12-17	0.7321		0.6840	
12-13	0.9023		0.8187	
14-15	0.2363		0.3273	
16-17	0.4347		0.6316	
16-25	0.2141		0.0243	
18 or Older	0.0531		0.0422	
18-25	0.0964		0.0077	
18-20	0.0035		0.0127	
21-25	0.8794		0.1846	
26 or Older	0.0849		0.2217	
26-49	0.9587		0.0866	
26-29	0.6868		0.1785	
30-34	0.1713		0.9587	
35-39	0.4237		0.0818	
40-44	0.0722		0.6612	
45-49	0.0362		0.2211	
50 or Older	0.0584		0.8723	
50-54	0.0492		0.4469	
55-59	0.2570		0.6315	
60-64	0.4229		0.2779	
65 or Older	0.7134		0.8305	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.19C Misuse of Opioids in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019

Age Category	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	294	303	162	178
12-20	62	60	32	31
21 or Older	297	308	161	179
12-17	42	39	22	23
12-13	17	16	6	9
14-15	22	20	11	11
16-17	32	29	17	18
16-25	82	86	41	41
18 or Older	293	299	161	177
18-25	73	75	38	36
18-20	46	46	24	22
21-25	60	68	30	30
26 or Older	283	293	157	176
26-49	177	183	103	107
26-29	79	82	45	54
30-34	87	98	48	52
35-39	87	91	48	52
40-44	74	77	42	36
45-49	66	71	40	41
50 or Older	229	223	118	134
50-54	117	110	54	68
55-59	119	105	61	62
60-64	95	75	51	53
65 or Older	112	141	61	81

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.19D Misuse of Opioids in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019

Age Category	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.11	0.11	0.06	0.06
12-20	0.16	0.15	0.08	0.08
21 or Older	0.12	0.13	0.07	0.07
12-17	0.17	0.16	0.09	0.09
12-13	0.22	0.20	0.08	0.12
14-15	0.25	0.23	0.13	0.13
16-17	0.37	0.34	0.19	0.21
16-25	0.18	0.19	0.10	0.10
18 or Older	0.12	0.12	0.06	0.07
18-25	0.21	0.22	0.11	0.11
18-20	0.34	0.33	0.18	0.16
21-25	0.27	0.31	0.14	0.15
26 or Older	0.13	0.14	0.07	0.08
26-49	0.18	0.18	0.10	0.11
26-29	0.42	0.44	0.25	0.30
30-34	0.37	0.43	0.21	0.23
35-39	0.38	0.41	0.22	0.24
40-44	0.37	0.38	0.21	0.19
45-49	0.34	0.34	0.21	0.20
50 or Older	0.20	0.19	0.10	0.12
50-54	0.55	0.53	0.26	0.33
55-59	0.54	0.49	0.28	0.29
60-64	0.46	0.36	0.25	0.26
65 or Older	0.22	0.27	0.12	0.15

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.19P Misuse of Opioids in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Age Category	Misuse in Past Year (2018)	Misuse in Past Year (2019)	Misuse in Past Month (2018)	Misuse in Past Month (2019)
TOTAL	0.5644		0.8586	
12-20	0.0007		0.2889	
21 or Older	0.9433		0.7109	
12-17	0.0179		0.9043	
12-13	0.3683		0.3835	
14-15	0.1876		0.9381	
16-17	0.1040		0.6157	
16-25	0.1276		0.1847	
18 or Older	0.7923		0.8484	
18-25	0.3175		0.2202	
18-20	0.0226		0.1901	
21-25	0.6698		0.6176	
26 or Older	0.9923		0.6341	
26-49	0.8722		0.5494	
26-29	0.6936		0.5045	
30-34	0.7388		0.5052	
35-39	0.8091		0.6771	
40-44	0.6554		0.3724	
45-49	0.7889		0.8559	
50 or Older	0.9365		0.2476	
50-54	0.5540		0.5752	
55-59	0.4650		0.7813	
60-64	0.5907		0.4487	
65 or Older	0.1369		0.3837	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.20C Use of Illicit Drugs Other Than Marijuana in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category:
Standard Errors of Numbers in Thousands, 2018 and 2019**

Age Category	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	441	448	269	286
12-20	111	128	60	66
21 or Older	451	460	270	291
12-17	69	63	38	40
12-13	31	31	13	18
14-15	39	39	22	22
16-17	48	46	28	30
16-25	182	187	95	97
18 or Older	438	440	269	283
18-25	144	136	85	85
18-20	88	106	47	51
21-25	140	129	77	73
26 or Older	398	395	252	263
26-49	274	271	182	180
26-29	150	147	97	91
30-34	134	147	83	96
35-39	128	124	83	86
40-44	97	113	58	75
45-49	96	96	65	62
50 or Older	298	291	176	185
50-54	145	152	87	93
55-59	163	146	81	87
60-64	130	119	90	91
65 or Older	138	167	94	103

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.20D Use of Illicit Drugs Other Than Marijuana in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category:
Standard Errors of Percentages, 2018 and 2019**

Age Category	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.16	0.16	0.10	0.10
12-20	0.28	0.29	0.16	0.17
21 or Older	0.18	0.18	0.11	0.12
12-17	0.28	0.25	0.15	0.16
12-13	0.38	0.36	0.17	0.22
14-15	0.46	0.43	0.26	0.25
16-17	0.53	0.52	0.32	0.35
16-25	0.35	0.35	0.21	0.21
18 or Older	0.18	0.18	0.11	0.11
18-25	0.42	0.40	0.25	0.25
18-20	0.60	0.63	0.35	0.36
21-25	0.54	0.51	0.34	0.33
26 or Older	0.19	0.18	0.12	0.12
26-49	0.27	0.27	0.18	0.18
26-29	0.75	0.72	0.52	0.48
30-34	0.55	0.60	0.35	0.42
35-39	0.55	0.54	0.37	0.39
40-44	0.48	0.54	0.29	0.38
45-49	0.48	0.46	0.33	0.30
50 or Older	0.26	0.25	0.15	0.16
50-54	0.68	0.71	0.42	0.45
55-59	0.72	0.66	0.37	0.40
60-64	0.62	0.57	0.44	0.44
65 or Older	0.27	0.32	0.18	0.20

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.20P Use of Illicit Drugs Other Than Marijuana in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category:
***P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Age Category	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.8177		0.2602	
12-20	0.0886		0.7651	
21 or Older	0.5176		0.2286	
12-17	0.6596		0.8010	
12-13	0.9620		0.1259	
14-15	0.7017		0.4459	
16-17	0.9839		0.8373	
16-25	0.4551		0.7615	
18 or Older	0.7655		0.2764	
18-25	0.3909		0.8415	
18-20	0.0615		0.5311	
21-25	0.7227		0.4788	
26 or Older	0.4778		0.2545	
26-49	0.5358		0.2195	
26-29	0.9410		0.8385	
30-34	0.6387		0.1072	
35-39	0.9891		0.8323	
40-44	0.1408		0.1943	
45-49	0.7824		0.9926	
50 or Older	0.6488		0.6757	
50-54	0.9096		0.9582	
55-59	0.4606		0.7104	
60-64	0.8434		0.5980	
65 or Older	0.1412		0.9820	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.