

Table 1.71C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	726	699	215	212	106	115
GEOGRAPHIC REGION						
Northeast	264	242	85	71	41	39
Midwest	265	241	82	75	44	46
South	373	389	102	130	56	65
West	472	451	143	127	71	71
COUNTY TYPE						
Large Metro	714	654	182	177	90	88
Small Metro	409	444	111	110	51	70
Nonmetro	266	260	62	71	22	33
Urbanized	216	190	57	62	20	26
Less Urbanized	151	156	25	27	9	15
Completely Rural	61	110	9	13	4	7
POVERTY LEVEL¹						
Less Than 100%	238	226	89	83	48	45
100-199%	253	285	75	92	34	48
200% or More	690	691	161	161	89	97
HEALTH INSURANCE²						
Private	661	637	166	167	81	92
Medicaid/CHIP	268	261	72	83	39	48
Other ³	365	362	53	63	26	32
No Coverage	204	216	78	73	49	42

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.71D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.27	0.25	0.08	0.08	0.04	0.04
GEOGRAPHIC REGION						
Northeast	0.55	0.51	0.18	0.15	0.09	0.08
Midwest	0.46	0.42	0.14	0.13	0.08	0.08
South	0.36	0.37	0.10	0.12	0.05	0.06
West	0.73	0.69	0.22	0.19	0.11	0.11
COUNTY TYPE						
Large Metro	0.41	0.37	0.12	0.11	0.06	0.06
Small Metro	0.40	0.42	0.13	0.13	0.06	0.08
Nonmetro	0.57	0.52	0.15	0.18	0.06	0.08
Urbanized	1.04	0.89	0.31	0.36	0.11	0.16
Less Urbanized	0.67	0.68	0.13	0.15	0.05	0.09
Completely Rural	1.13	1.98	0.24	0.29	0.11	0.17
POVERTY LEVEL¹						
Less Than 100%	0.53	0.55	0.22	0.22	0.12	0.12
100-199%	0.45	0.49	0.14	0.17	0.06	0.09
200% or More	0.33	0.32	0.09	0.09	0.05	0.05
HEALTH INSURANCE²						
Private	0.32	0.31	0.09	0.09	0.04	0.05
Medicaid/CHIP	0.53	0.53	0.15	0.18	0.09	0.11
Other ³	0.50	0.49	0.08	0.09	0.04	0.05
No Coverage	0.74	0.73	0.30	0.27	0.19	0.15

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.71P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.5321		0.2033		0.0724	
GEOGRAPHIC REGION						
Northeast	0.3866		0.6301		0.5158	
Midwest	0.3152		0.1026		0.2966	
South	0.9141		0.7172		0.3609	
West	0.4146		0.3083		0.0758	
COUNTY TYPE						
Large Metro	0.9414		0.7518		0.9690	
Small Metro	0.8326		0.3552		0.0274	
Nonmetro	0.1794		0.0800		0.0111	
Urbanized	0.3154		0.0265		0.0160	
Less Urbanized	0.6009		0.4852		0.2717	
Completely Rural	0.0544		0.2829		0.4682	
POVERTY LEVEL¹						
Less Than 100%	0.2373		0.9418		0.2936	
100-199%	0.0186		0.0502		0.0274	
200% or More	0.4189		0.4884		0.0968	
HEALTH INSURANCE²						
Private	0.8006		0.3542		0.0260	
Medicaid/CHIP	0.1281		0.0611		0.1225	
Other ³	0.4152		1.0000		0.7079	
No Coverage	0.0847		0.9440		0.1843	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.