

**Table 1.72C Inhalant Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
Standard Errors of Numbers in Thousands, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	112	120	41	40	105	111	43	50	97	96
GEOGRAPHIC REGION										
Northeast	37	46	14	14	34	42	17	20	30	36
Midwest	46	39	17	17	44	37	19	18	41	30
South	68	66	24	27	63	59	26	28	59	52
West	66	79	24	22	62	75	24	30	56	67
COUNTY TYPE										
Large Metro	100	107	30	33	94	99	38	46	87	87
Small Metro	47	50	24	23	45	45	19	20	41	39
Nonmetro	25	27	12	14	22	22	12	13	15	18
Urbanized	17	20	7	9	15	18	10	10	9	16
Less Urbanized	18	15	10	11	15	11	7	7	11	8
Completely Rural	6	8	3	4	5	7	1	5	5	5
POVERTY LEVEL¹										
Less Than 100%	43	48	17	19	40	43	20	28	36	33
100-199%	35	42	17	19	29	37	19	21	23	30
200% or More	96	105	33	34	91	97	33	32	84	90
HEALTH INSURANCE²										
Private	82	96	33	33	77	89	39	41	67	78
Medicaid/CHIP	48	44	23	24	42	37	15	20	39	31
Other ³	55	60	11	9	54	59	12	13	52	57
No Coverage	32	26	9	7	31	25	11	14	29	21

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.72D Inhalant Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
Standard Errors of Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.04	0.04	0.16	0.16	0.04	0.04	0.13	0.15	0.04	0.04
GEOGRAPHIC REGION										
Northeast	0.08	0.10	0.34	0.34	0.08	0.10	0.30	0.35	0.08	0.09
Midwest	0.08	0.07	0.33	0.32	0.08	0.07	0.27	0.26	0.09	0.07
South	0.07	0.06	0.25	0.28	0.07	0.06	0.20	0.22	0.07	0.06
West	0.10	0.12	0.40	0.36	0.11	0.13	0.30	0.37	0.11	0.13
COUNTY TYPE										
Large Metro	0.06	0.07	0.22	0.23	0.07	0.07	0.19	0.24	0.07	0.07
Small Metro	0.06	0.06	0.33	0.29	0.06	0.06	0.18	0.18	0.06	0.06
Nonmetro	0.06	0.07	0.33	0.38	0.06	0.07	0.27	0.29	0.05	0.06
Urbanized	0.09	0.13	0.49	0.55	0.09	0.13	0.49	0.46	0.06	0.13
Less Urbanized	0.10	0.08	0.53	0.60	0.09	0.07	0.34	0.34	0.07	0.06
Completely Rural	0.15	0.18	0.70	0.99	0.14	0.18	0.34	1.22	0.16	0.15
POVERTY LEVEL¹										
Less Than 100%	0.11	0.13	0.31	0.37	0.11	0.13	0.24	0.34	0.14	0.13
100-199%	0.06	0.08	0.33	0.35	0.06	0.08	0.23	0.27	0.06	0.08
200% or More	0.05	0.06	0.23	0.23	0.06	0.06	0.20	0.19	0.06	0.06
HEALTH INSURANCE²										
Private	0.05	0.05	0.23	0.23	0.05	0.05	0.18	0.19	0.05	0.05
Medicaid/CHIP	0.10	0.10	0.24	0.25	0.11	0.10	0.21	0.27	0.13	0.11
Other ³	0.08	0.09	0.91	0.73	0.08	0.09	0.49	0.52	0.08	0.09
No Coverage	0.12	0.10	0.75	0.62	0.12	0.10	0.22	0.29	0.15	0.10

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.72P Inhalant Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
P Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.4630		0.1551		0.7604		0.1900		0.8315	
GEOGRAPHIC REGION										
Northeast	0.6502		0.4947		0.7932		0.5497		0.9972	
Midwest	0.9412		0.8260		0.9848		0.7832		0.9199	
South	0.5839		0.3088		0.8338		0.3214		0.8114	
West	0.6356		0.2469		0.8827		0.4903		0.9440	
COUNTY TYPE										
Large Metro	0.5941		0.2905		0.7574		0.2464		0.9093	
Small Metro	0.8719		0.3458		0.7038		0.8667		0.6429	
Nonmetro	0.3601		0.9330		0.3863		0.2531		0.7750	
Urbanized	0.1687		0.9871		0.1959		0.3337		0.4611	
Less Urbanized	0.5759		0.8429		0.6042		0.9488		0.5923	
Completely Rural	0.2414		0.3046		0.4185		0.1574		0.9292	
POVERTY LEVEL¹										
Less Than 100%	0.4757		0.1633		0.8308		0.4720		0.7993	
100-199%	0.2150		0.6947		0.2893		0.4589		0.4083	
200% or More	0.9587		0.4290		0.8603		0.5287		0.6966	
HEALTH INSURANCE²										
Private	0.3325		0.3097		0.5153		0.5502		0.6272	
Medicaid/CHIP	0.7506		0.2374		0.7057		0.3001		0.3353	
Other ³	0.8058		0.3049		0.9332		0.8463		0.9768	
No Coverage	0.5205		0.5236		0.6318		0.1416		0.1959	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.73C Inhalant Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	62	84	23	24	58	80	20	26	55	75
GEOGRAPHIC REGION										
Northeast	24	31	7	9	23	29	8	11	22	27
Midwest	32	30	10	10	30	28	6	9	30	27
South	40	47	14	14	37	45	14	13	34	43
West	28	54	13	13	25	52	11	17	22	47
COUNTY TYPE										
Large Metro	55	79	17	20	53	77	17	23	50	71
Small Metro	26	28	13	13	23	24	10	11	20	22
Nonmetro	12	13	7	6	10	12	3	5	10	11
Urbanized	8	10	4	4	8	9	*	5	8	8
Less Urbanized	8	8	5	4	5	8	3	1	4	8
Completely Rural	5	2	1	2	5	*	*	*	5	*
POVERTY LEVEL¹										
Less Than 100%	26	22	9	10	25	20	9	14	23	15
100-199%	20	30	9	13	18	27	5	14	18	23
200% or More	50	76	19	18	46	74	18	17	43	70
HEALTH INSURANCE²										
Private	48	61	19	18	44	58	19	22	41	52
Medicaid/CHIP	25	29	12	15	23	25	7	10	21	21
Other ³	23	48	4	4	23	48	5	6	23	48
No Coverage	17	17	3	3	17	17	4	8	16	15

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.73D Inhalant Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
Standard Errors of Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.02	0.03	0.09	0.10	0.02	0.03	0.06	0.08	0.03	0.03
GEOGRAPHIC REGION										
Northeast	0.05	0.06	0.16	0.23	0.05	0.07	0.13	0.20	0.06	0.07
Midwest	0.06	0.05	0.18	0.20	0.06	0.05	0.09	0.12	0.07	0.06
South	0.04	0.04	0.14	0.15	0.04	0.05	0.11	0.10	0.04	0.05
West	0.04	0.08	0.23	0.22	0.04	0.09	0.13	0.21	0.04	0.09
COUNTY TYPE										
Large Metro	0.04	0.05	0.12	0.14	0.04	0.05	0.09	0.12	0.04	0.06
Small Metro	0.03	0.03	0.18	0.16	0.03	0.03	0.10	0.11	0.03	0.03
Nonmetro	0.03	0.03	0.19	0.16	0.03	0.03	0.07	0.11	0.03	0.04
Urbanized	0.05	0.06	0.27	0.28	0.05	0.06	*	0.24	0.05	0.06
Less Urbanized	0.04	0.05	0.31	0.21	0.03	0.05	0.15	0.05	0.03	0.05
Completely Rural	0.13	0.04	0.32	0.39	0.14	*	*	*	0.16	*
POVERTY LEVEL¹										
Less Than 100%	0.07	0.06	0.16	0.19	0.07	0.06	0.10	0.17	0.09	0.06
100-199%	0.04	0.06	0.17	0.25	0.04	0.06	0.06	0.18	0.04	0.06
200% or More	0.03	0.04	0.13	0.12	0.03	0.04	0.11	0.10	0.03	0.05
HEALTH INSURANCE²										
Private	0.03	0.03	0.14	0.12	0.03	0.04	0.09	0.11	0.03	0.04
Medicaid/CHIP	0.05	0.06	0.12	0.16	0.06	0.07	0.10	0.14	0.07	0.08
Other ³	0.03	0.07	0.31	0.34	0.03	0.07	0.18	0.22	0.03	0.07
No Coverage	0.07	0.06	0.29	0.23	0.07	0.07	0.08	0.16	0.08	0.07

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.73P Inhalant Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
***P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.0687		0.3353		0.1069		0.3441		0.1543	
GEOGRAPHIC REGION										
Northeast	0.3383		0.3128		0.4928		0.5944		0.5987	
Midwest	0.7317		0.6520		0.6123		0.3556		0.7645	
South	0.4647		0.4909		0.5961		0.5697		0.4297	
West	0.1229		0.4866		0.1634		0.2231		0.2594	
COUNTY TYPE										
Large Metro	0.0916		0.4228		0.1209		0.3715		0.1596	
Small Metro	0.4873		0.3426		0.7900		0.9793		0.7487	
Nonmetro	1.0000		0.4582		0.7362		0.3827		0.9936	
Urbanized	0.6749		0.7910		0.6302		*		0.7890	
Less Urbanized	0.9449		0.3768		0.5945		0.3137		0.3490	
Completely Rural	0.4120		0.7257		*		*		*	
POVERTY LEVEL¹										
Less Than 100%	0.7813		0.6733		0.6428		0.4270		0.3070	
100-199%	0.0157		0.0432		0.0991		0.0482		0.3861	
200% or More	0.2029		0.8660		0.1679		0.6268		0.1034	
HEALTH INSURANCE²										
Private	0.2332		0.7463		0.2550		0.7872		0.2390	
Medicaid/CHIP	0.3610		0.2206		0.7527		0.7712		0.8256	
Other ³	0.3252		0.8818		0.3319		0.9541		0.3227	
No Coverage	0.7539		0.5769		0.6629		0.2970		0.9715	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.