

Table 1.79A Any Use of Stimulants in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	18,008	18,290	1,752	1,837	16,256	16,453	4,473	4,320	11,783	12,133
GEOGRAPHIC REGION										
Northeast	3,103	2,900	200	251	2,903	2,649	945	823	1,958	1,826
Midwest	4,151	4,246	424	434	3,727	3,812	1,070	1,109	2,657	2,704
South	7,045	7,368	756	758	6,289	6,610	1,525	1,554	4,764	5,056
West	3,709	3,776	372	394	3,337	3,382	933	835	2,404	2,547
COUNTY TYPE										
Large Metro	9,846	10,377	901	1,015	8,945	9,363	2,468	2,459	6,477	6,904
Small Metro	5,983	5,658	581	578	5,402	5,080	1,518	1,368	3,884	3,713
Nonmetro	2,179	2,254	270	244	1,909	2,010	488	494	1,422	1,516
Urbanized	1,100	1,038	92	102	1,008	936	259	270	749	666
Less Urbanized	914	1,020	147	111	767	909	205	192	562	717
Completely Rural	164	197	31	32	134	165	23	32	110	133
POVERTY LEVEL¹										
Less Than 100%	2,704	2,546	304	302	2,400	2,244	1,055	941	1,345	1,303
100-199%	3,008	3,107	342	345	2,665	2,762	871	754	1,794	2,008
200% or More	12,186	12,480	1,106	1,189	11,081	11,291	2,437	2,470	8,644	8,821
HEALTH INSURANCE²										
Private	12,296	12,481	1,046	1,098	11,250	11,383	3,271	3,226	7,979	8,157
Medicaid/CHIP	3,195	3,118	634	654	2,561	2,464	645	617	1,916	1,847
Other ³	2,674	2,825	101	131	2,573	2,694	279	290	2,295	2,404
No Coverage	1,619	1,600	59	53	1,560	1,547	393	350	1,168	1,197

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.79B Any Use of Stimulants in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	6.6	6.6	7.0	7.4	6.5	6.6	13.1	12.8	5.5	5.6
GEOGRAPHIC REGION										
Northeast	6.5	6.1	5.0	6.3	6.6	6.0	16.1	14.3	5.2	4.8
Midwest	7.3	7.4	8.0	8.2	7.2	7.3	14.8	15.5	5.9	6.0
South	6.8	7.0	7.8	7.8	6.7	7.0	12.0	12.2	5.9	6.2
West	5.7	5.8	6.2	6.6	5.6	5.7	11.4	10.3	4.7	4.9
COUNTY TYPE										
Large Metro	6.5	6.7	6.5	7.5	6.5	6.7	13.0	13.1	5.4	5.7
Small Metro	7.3	6.8	7.8	7.5	7.3	6.7	14.2	12.9	6.1	5.7
Nonmetro	5.5	5.9	7.7	6.8	5.3	5.8	11.1	11.4	4.5	5.0
Urbanized	6.2	6.5	6.4	6.7	6.2	6.5	13.4	13.3	5.2	5.4
Less Urbanized	5.1	5.7	8.6	6.7	4.7	5.6	9.8	9.9	3.9	5.0
Completely Rural	4.4	4.5	8.4	7.7	4.0	4.2	6.8	8.6	3.7	3.7
POVERTY LEVEL¹										
Less Than 100%	6.8	6.8	5.5	5.9	7.0	6.9	12.6	11.9	5.1	5.3
100-199%	5.5	5.9	6.6	6.5	5.4	5.8	10.6	9.7	4.4	5.0
200% or More	6.8	6.8	7.8	8.2	6.7	6.7	14.6	14.6	5.9	5.8
HEALTH INSURANCE²										
Private	6.8	6.9	7.4	7.7	6.8	6.9	16.0	15.8	5.5	5.6
Medicaid/CHIP	6.9	6.9	6.7	6.9	7.0	6.9	8.9	8.5	6.5	6.5
Other ³	3.9	4.0	8.6	10.7	3.8	3.9	10.8	11.4	3.5	3.6
No Coverage	6.3	5.9	5.3	4.6	6.3	6.0	8.2	7.3	5.9	5.7

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.80A Misuse of Stimulants in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	5,109	4,929	369	430	4,739	4,499	2,216 ^a	1,951	2,524	2,548
GEOGRAPHIC REGION										
Northeast	1,034	881	41	51	993	830	523 ^a	402	470	428
Midwest	1,192	1,254	94	93	1,098	1,161	528	547	569	614
South	1,671	1,712	149	186	1,522	1,525	703	629	819	896
West	1,212	1,082	85	99	1,127	982	461	373	666	609
COUNTY TYPE										
Large Metro	2,937	2,915	179 ^a	256	2,757	2,659	1,250	1,197	1,507	1,462
Small Metro	1,653	1,510	134	126	1,520	1,384	746 ^a	567	774	817
Nonmetro	519	504	57	48	462	456	219	187	243	270
Urbanized	267	232	27	29	240	203	131	97	109	106
Less Urbanized	218	238	25	15	193	223	75	72	118	151
Completely Rural	33	34	4	4	29	30	13	17	16	13
POVERTY LEVEL¹										
Less Than 100%	916	844	61	60	854	784	549	483	306	301
100-199%	851	783	54	81	797	702	395	328	402	374
200% or More	3,270	3,231	254	289	3,016	2,942	1,201	1,069	1,816	1,873
HEALTH INSURANCE²										
Private	3,450	3,360	227	284	3,223	3,075	1,697	1,498	1,526	1,578
Medicaid/CHIP	893	853	123	135	770	718	267	235	503	483
Other ³	367	348	21	26	346	322	118	105	228	218
No Coverage	602	605	19	10	583	595	187	158	396	437

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.80B Misuse of Stimulants in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	1.9	1.8	1.5	1.7	1.9	1.8	6.5	5.8	1.2	1.2
GEOGRAPHIC REGION										
Northeast	2.2	1.8	1.0	1.3	2.3	1.9	8.9 ^a	7.0	1.2	1.1
Midwest	2.1	2.2	1.8	1.8	2.1	2.2	7.3	7.6	1.3	1.4
South	1.6	1.6	1.5	1.9	1.6	1.6	5.5	4.9	1.0	1.1
West	1.9	1.6	1.4	1.7	1.9	1.6	5.6	4.6	1.3	1.2
COUNTY TYPE										
Large Metro	1.9	1.9	1.3 ^a	1.9	2.0	1.9	6.6	6.4	1.3	1.2
Small Metro	2.0	1.8	1.8	1.6	2.0	1.8	7.0 ^a	5.3	1.2	1.3
Nonmetro	1.3	1.3	1.6	1.3	1.3	1.3	5.0	4.3	0.8	0.9
Urbanized	1.5	1.5	1.9	1.9	1.5	1.4	6.8 ^a	4.8	0.8	0.9
Less Urbanized	1.2	1.3	1.5	0.9	1.2	1.4	3.6	3.7	0.8	1.1
Completely Rural	0.9	0.8	1.0	0.9	0.9	0.8	3.9	4.6	0.5	0.4
POVERTY LEVEL¹										
Less Than 100%	2.3	2.3	1.1	1.2	2.5	2.4	6.6	6.1	1.2	1.2
100-199%	1.6	1.5	1.0	1.5	1.6	1.5	4.8	4.2	1.0	0.9
200% or More	1.8	1.8	1.8	2.0	1.8	1.7	7.2	6.3	1.2	1.2
HEALTH INSURANCE²										
Private	1.9	1.9	1.6	2.0	1.9	1.9	8.3	7.3	1.1	1.1
Medicaid/CHIP	1.9	1.9	1.3	1.4	2.1	2.0	3.7	3.2	1.7	1.7
Other ³	0.5	0.5	1.8	2.1	0.5	0.5	4.6	4.1	0.3	0.3
No Coverage	2.3	2.2	1.7	0.9	2.4	2.3	3.9	3.3	2.0	2.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.81A Misuse of Stimulants in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	1,670	1,566	120	123	1,550	1,443	587	587	963	856
GEOGRAPHIC REGION										
Northeast	275	261	22	13	254	248	122	118	131	130
Midwest	452	348	28	27	424	321	156	153	267	167
South	556	556	45	55	511	502	179	219	331	283
West	387	401	25	28	361	373	129	96	233	277
COUNTY TYPE										
Large Metro	972	1,006	57	80	915	926	318	384	598	542
Small Metro	498	413	43	30	455	384	189	152	266	231
Nonmetro	200	147	20	14	179	133	80	50	99	83
Urbanized	111	73	10	11	101	62	48	29	53	33
Less Urbanized	74	64	9 ^a	2	65	62	29	19	36	44
Completely Rural	15	10	1	1	14	9	3	*	11	6
POVERTY LEVEL¹										
Less Than 100%	317	300	21	12	295	288	156	169	139	120
100-199%	266	171	14	13	253	159	95	79	158	80
200% or More	1,070	1,067	85	99	985	969	319	312	666	657
HEALTH INSURANCE²										
Private	1,064	1,082	83	91	980	991	457	446	523	545
Medicaid/CHIP	285	209	33	29	251	180	62	63	189	116
Other ³	168	104	4	9	163	96	37	43	127	52
No Coverage	237	230	5	0	232	230	40	48	192	182

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.81B Misuse of Stimulants in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.6	0.6	0.5	0.5	0.6	0.6	1.7	1.7	0.4	0.4
GEOGRAPHIC REGION										
Northeast	0.6	0.5	0.5	0.3	0.6	0.6	2.1	2.0	0.3	0.3
Midwest	0.8	0.6	0.5	0.5	0.8	0.6	2.2	2.1	0.6	0.4
South	0.5	0.5	0.5	0.6	0.5	0.5	1.4	1.7	0.4	0.3
West	0.6	0.6	0.4	0.5	0.6	0.6	1.6	1.2	0.5	0.5
COUNTY TYPE										
Large Metro	0.6	0.7	0.4	0.6	0.7	0.7	1.7	2.0	0.5	0.4
Small Metro	0.6	0.5	0.6	0.4	0.6	0.5	1.8	1.4	0.4	0.4
Nonmetro	0.5	0.4	0.6	0.4	0.5	0.4	1.8	1.2	0.3	0.3
Urbanized	0.6	0.5	0.7	0.7	0.6	0.4	2.5	1.4	0.4	0.3
Less Urbanized	0.4	0.4	0.5 ^a	0.1	0.4	0.4	1.4	1.0	0.3	0.3
Completely Rural	0.4	0.2	0.3	0.2	0.4	0.2	1.0	*	0.4	0.2
POVERTY LEVEL¹										
Less Than 100%	0.8	0.8	0.4	0.2	0.9	0.9	1.9	2.1	0.5	0.5
100-199%	0.5	0.3	0.3	0.2	0.5	0.3	1.1	1.0	0.4	0.2
200% or More	0.6	0.6	0.6	0.7	0.6	0.6	1.9	1.8	0.5	0.4
HEALTH INSURANCE²										
Private	0.6	0.6	0.6	0.6	0.6	0.6	2.2	2.2	0.4	0.4
Medicaid/CHIP	0.6	0.5	0.4	0.3	0.7	0.5	0.9	0.9	0.6	0.4
Other ³	0.2	0.1	0.4	0.7	0.2	0.1	1.4	1.7	0.2 ^a	0.1
No Coverage	0.9	0.9	0.4	0.0	0.9	0.9	0.8	1.0	1.0	0.9

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.