

Table 1.97C Specific Hallucinogen, Inhalant, Needle, Heroin, and Other Drug Use in Lifetime among Persons Aged 12 or Older, by Age Group: Standard Errors of Numbers in Thousands, 2018 and 2019

Drug or Method of Administration	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
HALLUCINOGENS	726	699	39	39	714	687	145	134	674	659
PCP	313	273	7	11	312	273	25	32	309	269
LSD	591	529	30	32	584	524	107	105	567	514
Peyote	280	278	7	13	279	278	23	28	276	277
Mescaline	332	325	7	8	330	324	27	26	326	321
Psilocybin/Mushrooms	542	576	23	28	539	568	109	102	513	555
Ecstasy	444	439	24	25	442	434	118	113	415	403
Ketamine	179	170	6	10	178	170	42	43	171	164
DMT, AMT, or 5-MeO-DIPT/Foxy	147	179	11	13	147	178	50	48	138	170
Salvia divinorum	188	196	6	12	187	194	61	47	173	185
INHALANTS	478	464	70	70	473	455	100	100	463	443
Amyl Nitrite, Poppers, Locker Room Odorizers, or Rush	285	291	14	18	284	289	44	48	282	285
Correction Fluid, Degreaser, or Cleaning Fluid	104	106	22	18	102	104	17	25	100	101
Gasoline or Lighter Fluid	143	148	30	32	139	144	33	31	134	142
Glue, Shoe Polish, or Toluene	184	151	35	36	180	148	30	32	178	142
Halothane, Ether, or Other Anesthetics	90	67	8	8	90	67	12	12	89	66
Lacquer Thinner or Other Paint Solvents	117	114	17	17	117	114	17	25	115	110
Lighter Gases	83	74	19	20	82	70	14	18	80	68
Nitrous Oxide or Whippits	346	345	19	20	345	345	69	63	339	337
Felt-Tip Pens or Felt-Tip/Magic Markers	189	198	61	59	176	185	62	69	167	172
Spray Paints	142	110	29	33	139	104	28	30	135	102
Computer Cleaner/Air Duster	143	132	23	22	142	130	42	43	134	126
Other Aerosol Sprays	102	109	17	18	101	107	21	28	99	104
NEEDLE USE¹	232	221	6	6	232	221	29	27	228	218
Heroin Needle Use ¹	165	178	3	4	165	178	23	22	162	177
Cocaine Needle Use ¹	179	169	2	1	179	169	17	16	177	168
Methamphetamine Needle Use ¹	167	149	4	*	167	150	20	21	165	147
HEROIN	264	259	5	9	264	258	38	36	261	252
Smoke Heroin ¹	145	186	4	8	145	185	27	24	144	182
Sniff or Snort Heroin ¹	217	200	3	4	217	199	31	31	213	195
OTHER DRUGS										
GHB	114	112	8	6	114	111	15	20	114	109
Nonprescription Cough or Cold Medicine	324	329	41	37	322	330	71	77	311	324

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ These estimates may be inconsistent with estimates presented in other detailed tables because NSDUH data are not edited for consistency across discrete sections of the interview, except with regard to skip logic.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.97D Specific Hallucinogen, Inhalant, Needle, Heroin, and Other Drug Use in Lifetime among Persons Aged 12 or Older, by Age Group: Standard Errors of Percentages, 2018 and 2019

Drug or Method of Administration	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
HALLUCINOGENS	0.27	0.25	0.15	0.16	0.29	0.27	0.43	0.40	0.31	0.30
PCP	0.11	0.10	0.03	0.04	0.13	0.11	0.07	0.10	0.14	0.12
LSD	0.22	0.19	0.12	0.13	0.23	0.21	0.31	0.31	0.26	0.24
Peyote	0.10	0.10	0.03	0.05	0.11	0.11	0.07	0.08	0.13	0.13
Mescaline	0.12	0.12	0.03	0.03	0.13	0.13	0.08	0.08	0.15	0.15
Psilocybin/Mushrooms	0.20	0.21	0.09	0.11	0.22	0.23	0.32	0.30	0.24	0.26
Ecstasy	0.16	0.16	0.10	0.10	0.18	0.17	0.35	0.34	0.19	0.19
Ketamine	0.07	0.06	0.03	0.04	0.07	0.07	0.12	0.13	0.08	0.08
DMT, AMT, or 5-MeO-DIPT/Foxy	0.05	0.06	0.04	0.05	0.06	0.07	0.15	0.14	0.06	0.08
Salvia divinorum	0.07	0.07	0.03	0.05	0.08	0.08	0.18	0.14	0.08	0.09
INHALANTS	0.17	0.17	0.28	0.28	0.19	0.18	0.29	0.30	0.22	0.20
Amyl Nitrite, Poppers, Locker Room Odorizers, or Rush	0.10	0.11	0.06	0.07	0.11	0.12	0.13	0.14	0.13	0.13
Correction Fluid, Degreaser, or Cleaning Fluid	0.04	0.04	0.09	0.07	0.04	0.04	0.05	0.07	0.05	0.05
Gasoline or Lighter Fluid	0.05	0.05	0.12	0.13	0.06	0.06	0.10	0.09	0.06	0.07
Glue, Shoe Polish, or Toluene	0.07	0.05	0.14	0.14	0.07	0.06	0.09	0.10	0.08	0.07
Halothane, Ether, or Other Anesthetics	0.03	0.02	0.03	0.03	0.04	0.03	0.03	0.04	0.04	0.03
Lacquer Thinner or Other Paint Solvents	0.04	0.04	0.07	0.07	0.05	0.05	0.05	0.07	0.05	0.05
Lighter Gases	0.03	0.03	0.08	0.08	0.03	0.03	0.04	0.05	0.04	0.03
Nitrous Oxide or Whippits	0.13	0.13	0.07	0.08	0.14	0.14	0.20	0.19	0.16	0.16
Felt-Tip Pens or Felt-Tip/Magic Markers	0.07	0.07	0.24	0.24	0.07	0.07	0.18	0.20	0.08	0.08
Spray Paints	0.05	0.04	0.12	0.13	0.06	0.04	0.08	0.09	0.06	0.05
Computer Cleaner/Air Duster	0.05	0.05	0.09	0.09	0.06	0.05	0.12	0.13	0.06	0.06
Other Aerosol Sprays	0.04	0.04	0.07	0.07	0.04	0.04	0.06	0.08	0.05	0.05
NEEDLE USE¹	0.08	0.08	0.02	0.03	0.09	0.09	0.08	0.08	0.11	0.10
Heroin Needle Use ¹	0.06	0.06	0.01	0.01	0.07	0.07	0.07	0.07	0.08	0.08
Cocaine Needle Use ¹	0.07	0.06	0.01	0.01	0.07	0.07	0.05	0.05	0.08	0.08
Methamphetamine Needle Use ¹	0.06	0.05	0.01	*	0.07	0.06	0.06	0.06	0.08	0.07
HEROIN	0.10	0.09	0.02	0.04	0.11	0.10	0.11	0.11	0.12	0.12
Smoke Heroin ¹	0.05	0.07	0.02	0.03	0.06	0.07	0.08	0.07	0.07	0.08
Sniff or Snort Heroin ¹	0.08	0.07	0.01	0.01	0.09	0.08	0.09	0.09	0.10	0.09
OTHER DRUGS										
GHB	0.04	0.04	0.03	0.03	0.05	0.04	0.04	0.06	0.05	0.05
Nonprescription Cough or Cold Medicine	0.12	0.12	0.16	0.15	0.13	0.13	0.21	0.23	0.14	0.15

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ These estimates may be inconsistent with estimates presented in other detailed tables because NSDUH data are not edited for consistency across discrete sections of the interview, except with regard to skip logic.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.97P Specific Hallucinogen, Inhalant, Needle, Heroin, and Other Drug Use in Lifetime among Persons Aged 12 or Older, by Age Group: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Drug or Method of Administration	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
HALLUCINOGENS	0.5321		0.3540		0.5751		0.7909		0.5988	
PCP	0.1374		0.3599		0.1277		0.3800		0.0974	
LSD	0.9563		0.1197		0.9643		0.6794		0.8949	
Peyote	0.5104		0.1211		0.4657		0.2259		0.3821	
Mescaline	0.8131		0.7107		0.8256		0.5309		0.8077	
Psilocybin/Mushrooms	0.9805		0.0269		0.8865		0.9801		0.8715	
Ecstasy	0.9447		0.6408		0.9782		0.7301		0.8802	
Ketamine	0.4484		0.2798		0.4841		0.5097		0.5653	
DMT, AMT, or 5-MeO-DIPT/Foxy	0.0222		0.7838		0.0211		0.9588		0.0153	
Salvia divinorum	0.6623		0.0937		0.7311		0.0066		0.2244	
INHALANTS	0.7905		0.4237		0.8794		0.5993		0.9691	
Amyl Nitrite, Poppers, Locker Room Odorizers, or Rush	0.4850		0.2225		0.5337		0.5283		0.6134	
Correction Fluid, Degreaser, or Cleaning Fluid	0.4965		0.1315		0.6974		0.0338		0.3974	
Gasoline or Lighter Fluid	0.8875		0.6985		0.8191		0.8010		0.8606	
Glue, Shoe Polish, or Toluene	0.2496		0.4187		0.1846		0.4079		0.1323	
Halothane, Ether, or Other Anesthetics	0.0783		0.9358		0.0809		0.8757		0.0711	
Lacquer Thinner or Other Paint Solvents	0.4495		0.9763		0.4530		0.1414		0.6294	
Lighter Gases	0.8644		0.4736		0.9939		0.2871		0.8292	
Nitrous Oxide or Whippits	0.8736		0.5293		0.9108		0.8170		0.9605	
Felt-Tip Pens or Felt-Tip/Magic Markers	0.1356		0.7922		0.1266		0.1977		0.2384	
Spray Paints	0.9768		0.3704		0.8608		0.4113		0.7107	
Computer Cleaner/Air Duster	0.7503		0.9419		0.7563		0.6863		0.6598	
Other Aerosol Sprays	0.5922		0.5586		0.5201		0.1315		0.7712	
NEEDLE USE¹	0.7005		0.8411		0.7093		0.5364		0.6615	
Heroin Needle Use ¹	0.1565		0.6378		0.1549		0.4950		0.1294	
Cocaine Needle Use ¹	0.6055		0.4349		0.6024		0.6786		0.5822	
Methamphetamine Needle Use ¹	0.8241		*		0.8440		1.0000		0.8327	
HEROIN	0.1288		0.6124		0.1335		0.1946		0.0895	
Smoke Heroin ¹	0.0661		0.6678		0.0689		0.2661		0.0450	
Sniff or Snort Heroin ¹	0.6592		0.5160		0.6550		0.6051		0.6019	
OTHER DRUGS										
GHB	0.4532		0.6296		0.4678		0.1555		0.3283	
Nonprescription Cough or Cold Medicine	0.3081		0.5835		0.2759		0.1790		0.4124	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ The estimates that are used in the comparisons may be inconsistent with estimates presented in other detailed tables because NSDUH data are not edited for consistency across discrete sections of the interview, except with regard to skip logic.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.