

Table 10.32C Major Depressive Episode in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2019

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
TOTAL	408	385	406	406	413	436	414	436	443	348	368	368	383	379	385
AGE GROUP															
18-25	83	76	78	81	82	85	84	93	89	100	97	107	117	115	124
26 or Older	396	382	393	402	405	429	402	426	438	330	348	352	362	356	360
26-49	268	290	255	263	255	262	271	265	279	203	205	202	224	225	221
50 or Older	273	255	301	319	300	332	298	347	326	259	280	278	267	274	275
GENDER															
Male	231	241	255	241	248	277	245	266	276	212	211	211	227	227	240
Female	321	294	313	332	332	328	333	334	351	274	299	301	296	303	310
HISPANIC ORIGIN AND RACE															
Not Hispanic or Latino	375	367	383	381	390	406	387	393	415	324	342	341	359	351	347
White	335	344	358	370	385	374	372	368	406	291	316	328	341	339	330
Black or African American	153	142	132	128	129	124	128	148	114	111	104	111	102	127	123
AIAN	20	25	36	13	17	27	35	35	42	15	26	30	21	25	30
NHOPI	17	15	*	*	*	*	15	*	7	22	10	27	13	22	12
Asian	59	56	55	76	60	74	79	64	88	89	82	58	68	71	80
Two or More Races	36	58	54	49	45	73	43	41	66	56	61	47	49	55	68
Hispanic or Latino	150	115	146	149	145	164	144	182	178	136	115	158	127	140	170

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Estimates for 2005 to 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section 3.4.8 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2019.

Table 10.32D Major Depressive Episode in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2019

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
TOTAL	0.19	0.18	0.18	0.18	0.18	0.19	0.18	0.19	0.19	0.15	0.15	0.15	0.16	0.15	0.16
AGE GROUP															
18-25	0.26	0.23	0.24	0.25	0.24	0.25	0.25	0.27	0.26	0.29	0.28	0.31	0.34	0.34	0.37
26 or Older	0.22	0.20	0.21	0.21	0.21	0.22	0.20	0.21	0.22	0.16	0.17	0.17	0.17	0.17	0.17
26-49	0.27	0.29	0.26	0.27	0.26	0.27	0.28	0.27	0.29	0.21	0.21	0.21	0.23	0.23	0.22
50 or Older	0.32	0.29	0.34	0.35	0.32	0.35	0.30	0.34	0.31	0.24	0.26	0.25	0.24	0.24	0.24
GENDER															
Male	0.22	0.23	0.24	0.22	0.23	0.25	0.22	0.24	0.24	0.19	0.18	0.18	0.19	0.19	0.20
Female	0.29	0.26	0.27	0.29	0.28	0.28	0.28	0.28	0.29	0.22	0.24	0.24	0.23	0.24	0.24
HISPANIC ORIGIN AND RACE															
Not Hispanic or Latino	0.20	0.19	0.20	0.20	0.20	0.21	0.20	0.20	0.21	0.16	0.17	0.17	0.17	0.17	0.17
White	0.22	0.22	0.22	0.23	0.23	0.23	0.23	0.22	0.25	0.18	0.20	0.20	0.21	0.21	0.20
Black or African American	0.58	0.53	0.50	0.48	0.46	0.47	0.48	0.52	0.40	0.38	0.35	0.37	0.34	0.41	0.40
AIAN	1.84	2.41	3.13	1.35	1.58	2.47	2.66	2.53	3.16	1.25	2.01	2.10	1.56	1.77	2.14
NHOPI	2.68	1.89	*	*	*	*	1.78	*	0.98	2.38	1.75	2.45	1.46	2.34	1.25
Asian	0.67	0.60	0.59	0.77	0.61	0.72	0.72	0.54	0.72	0.71	0.61	0.45	0.49	0.49	0.56
Two or More Races	1.67	2.46	2.23	1.97	1.75	2.57	1.33	1.23	1.74	1.44	1.54	1.13	1.22	1.25	1.47
Hispanic or Latino	0.55	0.40	0.50	0.50	0.47	0.52	0.43	0.53	0.50	0.37	0.31	0.42	0.32	0.35	0.42

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Estimates for 2005 to 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section 3.4.8 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2019.

**Table 10.32P Major Depressive Episode in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2005-2018**

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<b>TOTAL</b>	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0001	0.0000	0.0000	0.0000	0.0000	0.0007	0.0029	
<b>AGE GROUP</b>															
18-25	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0039	
26 or Older	0.0627	0.0841	0.4868	0.0505	0.1847	0.7185	0.1193	0.5412	0.1773	0.0187	0.0115	0.0052	0.0188	0.0244	
26-49	0.0002	0.0012	0.0002	0.0000	0.0003	0.0001	0.0012	0.0002	0.0003	0.0000	0.0000	0.0000	0.0001	0.0044	
50 or Older	0.6151	0.5600	0.2517	0.9585	0.6335	0.0343	0.8165	0.0662	0.3224	0.2122	0.8451	0.8157	0.9343	0.5426	
<b>GENDER</b>															
Male	0.0000	0.0001	0.0001	0.0000	0.0001	0.0054	0.0000	0.0110	0.0059	0.0000	0.0000	0.0000	0.0187	0.0125	
Female	0.0016	0.0001	0.0092	0.0006	0.0004	0.0041	0.0005	0.0023	0.0002	0.0001	0.0028	0.0012	0.0125	0.0808	
<b>HISPANIC ORIGIN AND RACE</b>															
Not Hispanic or Latino	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0099	0.0056	
White	0.0000	0.0000	0.0001	0.0000	0.0000	0.0002	0.0001	0.0000	0.0002	0.0000	0.0004	0.0001	0.0440	0.0092	
Black or African American	0.6782	0.4348	0.1637	0.1261	0.1910	0.4796	0.2604	1.0000	0.0029	0.1297	0.0099	0.0191	0.1240	0.8122	
AIAN	0.8298	0.9412	0.8548	0.1724	0.2804	0.6294	0.5560	0.8481	0.9041	0.1871	0.8769	0.8126	0.6064	0.7387	
NHOPI	0.1602	0.4707	*	*	*	*	0.8979	*	0.2369	0.2396	0.4315	0.1706	0.5148	0.2031	
Asian	0.0826	0.0153	0.0154	0.1011	0.0799	0.3278	0.4466	0.0600	0.4180	0.5698	0.4588	0.2779	0.6639	0.5510	
Two or More Races	0.0779	0.7389	0.5193	0.2900	0.1635	0.3355	0.0068	0.0019	0.3138	0.6435	0.4758	0.0966	0.2149	0.0770	
Hispanic or Latino	0.2125	0.0003	0.0372	0.0166	0.1219	0.0794	0.0002	0.8202	0.1274	0.0332	0.0001	0.0415	0.0084	0.2819	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Estimates for 2005 to 2008 that are used in the comparisons are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section 3.4.8 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2019.