

Table 10.38C Had Serious Thoughts of Suicide in Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2008-2019

Geographic/Socioeconomic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
TOTAL	299	299	311	299	305	340	281	280	267	289	282	300
GEOGRAPHIC REGION												
Northeast	123	115	121	125	127	128	108	128	114	112	103	135
Midwest	127	129	130	127	115	130	129	118	115	119	120	131
South	178	178	193	178	196	225	161	172	154	172	171	171
West	156	167	156	165	147	185	148	142	155	164	155	166
COUNTY TYPE¹												
Large Metro	237	239	242	234	242	277	220	231	215	234	229	237
Small Metro	174	159	161	178	172	178	150	154	159	166	157	181
Nonmetro	87	100	128	105	119	126	112	103	90	121	107	108
Urbanized	42	67	76	59	73	99	72	72	64	80	85	76
Less Urbanized	72	69	97	80	74	83	85	69	59	91	68	81
Completely Rural	26	30	42	39	52	26	30	31	29	38	31	25
POVERTY LEVEL²												
Less Than 100%	108	134	123	159	133	149	122	125	135	125	130	121
100-199%	137	132	141	135	175	144	144	140	142	132	125	155
200% or More	232	238	242	226	223	288	203	212	201	235	227	219
EDUCATION												
< High School	nc	nc	nc	nc	nc	nc	nc	122	114	95	96	101
High School Graduate	nc	nc	nc	nc	nc	nc	nc	138	125	142	145	148
Some College/Associate's Degree	nc	nc	nc	nc	nc	nc	nc	164	163	181	165	189
College Graduate	nc	nc	nc	nc	nc	nc	nc	141	139	160	150	164
HEALTH INSURANCE³												
Private	230	231	233	221	210	262	195	217	202	229	219	224
Medicaid/CHIP	112	125	117	125	122	111	125	141	137	126	128	153
Other ⁴	157	144	184	152	185	200	152	163	148	171	138	165
No Coverage	112	123	120	139	156	143	99	90	100	91	103	96

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health*:

Methodological Summary and Definitions).

NOTE: Respondents with unknown suicide information were excluded.

¹ Because of the use of the 2013 Rural-Urban Continuum Codes in the creation of the county type variables, these 2008 to 2014 estimates may differ from estimates published prior to the 2015 NSDUH.

² Respondents aged 18 to 22 who were living in a college dormitory were excluded.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2019.

Table 10.38D Had Serious Thoughts of Suicide in Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2008-2019

Geographic/Socioeconomic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
TOTAL	0.13	0.13	0.14	0.13	0.13	0.14	0.12	0.12	0.11	0.12	0.11	0.12
GEOGRAPHIC REGION												
Northeast	0.30	0.27	0.29	0.30	0.30	0.30	0.25	0.30	0.26	0.26	0.24	0.31
Midwest	0.26	0.26	0.26	0.25	0.23	0.26	0.25	0.23	0.22	0.23	0.23	0.25
South	0.22	0.22	0.23	0.21	0.23	0.26	0.18	0.19	0.17	0.19	0.18	0.18
West	0.30	0.32	0.30	0.31	0.27	0.34	0.26	0.25	0.27	0.28	0.26	0.28
COUNTY TYPE¹												
Large Metro	0.19	0.19	0.19	0.18	0.18	0.21	0.16	0.16	0.15	0.16	0.16	0.16
Small Metro	0.25	0.22	0.23	0.23	0.23	0.24	0.21	0.20	0.21	0.21	0.20	0.22
Nonmetro	0.24	0.29	0.38	0.30	0.32	0.34	0.29	0.30	0.23	0.32	0.28	0.29
Urbanized	0.30	0.46	0.53	0.45	0.48	0.62	0.45	0.51	0.42	0.47	0.47	0.50
Less Urbanized	0.40	0.39	0.58	0.45	0.42	0.48	0.45	0.41	0.30	0.47	0.39	0.44
Completely Rural	0.73	0.84	1.21	1.08	1.34	0.68	0.77	0.68	0.75	1.11	0.85	0.49
POVERTY LEVEL²												
Less Than 100%	0.41	0.47	0.41	0.46	0.35	0.41	0.33	0.33	0.38	0.35	0.36	0.37
100-199%	0.33	0.30	0.29	0.28	0.37	0.31	0.30	0.28	0.28	0.27	0.25	0.32
200% or More	0.14	0.15	0.16	0.15	0.14	0.18	0.13	0.13	0.12	0.14	0.13	0.13
EDUCATION												
< High School	nc	nc	nc	nc	nc	nc	nc	0.35	0.35	0.31	0.31	0.33
High School Graduate	nc	nc	nc	nc	nc	nc	nc	0.22	0.20	0.24	0.23	0.24
Some College/Associate's Degree	nc	nc	nc	nc	nc	nc	nc	0.22	0.21	0.23	0.21	0.24
College Graduate	nc	nc	nc	nc	nc	nc	nc	0.19	0.18	0.19	0.18	0.20
HEALTH INSURANCE³												
Private	0.15	0.15	0.15	0.14	0.14	0.16	0.12	0.13	0.12	0.14	0.13	0.13
Medicaid/CHIP	0.59	0.63	0.54	0.52	0.52	0.45	0.41	0.40	0.38	0.34	0.35	0.41
Other ⁴	0.30	0.27	0.34	0.27	0.31	0.33	0.24	0.25	0.22	0.25	0.20	0.24
No Coverage	0.32	0.33	0.31	0.35	0.39	0.38	0.33	0.34	0.41	0.39	0.42	0.36

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents with unknown suicide information were excluded.

NOTE: Respondents with unknown suicide information were excluded.

¹ Because of the use of the 2013 Rural-Urban Continuum Codes in the creation of the county type variables, these 2008 to 2014 estimates may differ from estimates published prior to the 2015 NSDUH.

² Respondents aged 18 to 22 who were living in a college dormitory were excluded.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2019.

**Table 10.38P Had Serious Thoughts of Suicide in Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics:
P Values from Tests of Differences of Percentages, 2019 Versus 2008-2018**

Geographic/Socioeconomic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
TOTAL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0049	0.0044	
GEOGRAPHIC REGION												
Northeast	0.0053	0.0058	0.0228	0.0049	0.0357	0.0297	0.0108	0.0881	0.0081	0.0082	0.0197	
Midwest	0.0025	0.0112	0.0024	0.0004	0.0000	0.0006	0.0002	0.0015	0.0000	0.0609	0.0497	
South	0.0020	0.0000	0.0091	0.0018	0.0339	0.1397	0.0242	0.0666	0.0310	0.7276	0.1670	
West	0.0009	0.0373	0.0016	0.0011	0.0037	0.0069	0.0266	0.0190	0.2910	0.2029	0.6161	
COUNTY TYPE¹												
Large Metro	0.0002	0.0002	0.0002	0.0000	0.0005	0.0024	0.0001	0.0021	0.0008	0.0102	0.0324	
Small Metro	0.0016	0.0000	0.0000	0.0077	0.0011	0.0003	0.0006	0.0020	0.0214	0.1042	0.1543	
Nonmetro	0.0000	0.0223	0.2993	0.0376	0.0081	0.2067	0.4570	0.2328	0.0104	0.8529	0.2339	
Urbanized	0.0002	0.1047	0.4529	0.0824	0.0179	0.6677	0.4955	0.8805	0.2059	0.9227	0.7732	
Less Urbanized	0.0075	0.0950	0.2394	0.1632	0.0428	0.2743	0.4854	0.1349	0.0128	0.9138	0.0886	
Completely Rural	0.6593	0.8460	0.3208	0.9130	0.4557	0.1836	0.4440	0.7508	0.5350	0.3191	0.8480	
POVERTY LEVEL²												
Less Than 100%	0.0106	0.1185	0.0403	0.3396	0.0068	0.2570	0.0172	0.1058	0.0312	0.1020	0.5219	
100-199%	0.0125	0.0003	0.0004	0.0005	0.1292	0.0112	0.1096	0.0048	0.0828	0.0364	0.0196	
200% or More	0.0000	0.0000	0.0001	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0635	0.0244	
EDUCATION												
< High School	nc	nc	nc	nc	nc	nc	nc	0.5098	0.7979	0.7614	0.5115	
High School Graduate	nc	nc	nc	nc	nc	nc	nc	0.0642	0.0028	0.1792	0.4316	
Some College/Associate's Degree	nc	nc	nc	nc	nc	nc	nc	0.0001	0.0004	0.0259	0.0067	
College Graduate	nc	nc	nc	nc	nc	nc	nc	0.0188	0.0143	0.1482	0.1883	
HEALTH INSURANCE³												
Private	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0067	0.0017	
Medicaid/CHIP	0.0630	0.9101	0.0418	0.0282	0.0148	0.0037	0.0379	0.0283	0.0040	0.0108	0.0128	
Other ⁴	0.7936	0.0729	0.2993	0.4997	0.4444	0.9005	0.3825	0.3987	0.5165	0.7145	0.3451	
No Coverage	0.0319	0.0072	0.0020	0.1093	0.5232	0.2807	0.0947	0.0532	0.9937	0.4385	0.4891	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents with unknown suicide information were excluded.

¹ Because of the use of the 2013 Rural-Urban Continuum Codes in the creation of the county type variables, the 2008 to 2014 estimates that are used in the comparisons may differ from estimates published prior to the 2015 NSDUH.

² Respondents aged 18 to 22 who were living in a college dormitory were excluded.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2019.