

Table 10.43C Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2019

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
TOTAL	481	474	469	500	483	489	519	542	571	446	418	438	479	481	501
AGE GROUP															
18-25	104	118	111	106	110	120	117	122	120	131	139	135	165	146	152
26 or Older	458	453	445	481	471	468	492	513	555	419	389	411	427	448	456
26-49	326	334	314	317	334	322	336	344	356	259	261	262	272	275	304
50 or Older	318	321	330	377	315	339	344	389	402	316	295	313	307	329	317
GENDER															
Male	279	309	306	309	297	303	323	340	340	256	260	290	286	301	316
Female	384	352	366	381	379	378	387	402	440	346	316	334	364	362	372
HISPANIC ORIGIN AND RACE															
Not Hispanic or Latino	427	440	431	472	451	447	474	486	516	422	387	387	445	440	442
White	392	417	410	473	438	420	411	451	453	372	362	376	426	432	420
Black or African American	194	167	179	165	165	179	156	223	207	165	136	143	147	161	179
AIAN	48	72	36	17	24	31	50	55	46	37	31	29	21	43	30
NHOPI	*	30	15	*	26	*	*	*	15	34	18	23	29	37	26
Asian	87	107	83	117	75	84	130	119	135	112	94	108	112	106	108
Two or More Races	51	93	47	62	49	79	81	49	70	60	49	58	62	60	80
Hispanic or Latino	191	192	195	180	169	199	201	225	241	162	158	210	185	202	216

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).
NOTE: Estimates for 2005 to 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2019.

Table 10.43D Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2019

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
TOTAL	0.22	0.22	0.21	0.22	0.21	0.21	0.22	0.23	0.24	0.19	0.17	0.18	0.19	0.19	0.20
AGE GROUP															
18-25	0.32	0.36	0.34	0.32	0.33	0.35	0.34	0.35	0.35	0.38	0.40	0.39	0.48	0.43	0.45
26 or Older	0.25	0.24	0.23	0.25	0.24	0.24	0.25	0.26	0.27	0.20	0.19	0.20	0.20	0.21	0.21
26-49	0.33	0.33	0.31	0.32	0.34	0.33	0.34	0.35	0.36	0.26	0.26	0.26	0.27	0.27	0.30
50 or Older	0.37	0.37	0.37	0.41	0.33	0.35	0.34	0.38	0.38	0.30	0.27	0.28	0.27	0.29	0.27
GENDER															
Male	0.27	0.29	0.29	0.28	0.27	0.27	0.29	0.30	0.30	0.22	0.22	0.25	0.24	0.25	0.26
Female	0.34	0.31	0.32	0.33	0.32	0.32	0.32	0.33	0.36	0.28	0.25	0.26	0.29	0.28	0.29
HISPANIC ORIGIN AND RACE															
Not Hispanic or Latino	0.22	0.23	0.22	0.24	0.23	0.23	0.24	0.24	0.26	0.21	0.19	0.19	0.21	0.21	0.21
White	0.25	0.25	0.25	0.28	0.27	0.25	0.26	0.27	0.28	0.23	0.22	0.22	0.25	0.25	0.25
Black or African American	0.70	0.59	0.66	0.59	0.57	0.61	0.54	0.74	0.70	0.53	0.45	0.45	0.46	0.49	0.54
AIAN	3.80	4.72	3.07	1.79	2.27	2.68	3.50	3.63	3.22	2.29	2.32	1.82	1.72	2.82	2.14
NHOPI	*	3.56	2.48	*	3.56	*	*	*	1.94	3.51	2.94	2.16	2.91	3.63	2.32
Asian	0.94	1.12	0.86	1.13	0.74	0.83	1.09	0.97	1.06	0.87	0.72	0.74	0.77	0.73	0.75
Two or More Races	2.21	3.57	1.99	2.34	1.91	2.67	2.28	1.51	1.87	1.56	1.30	1.38	1.47	1.38	1.68
Hispanic or Latino	0.69	0.66	0.66	0.59	0.54	0.63	0.59	0.65	0.67	0.44	0.42	0.55	0.47	0.50	0.52

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).
NOTE: Estimates for 2005 to 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2019.

Table 10.43P Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2005-2018

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
TOTAL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0006	
AGE GROUP															
18-25	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0026	
26 or Older	0.0076	0.0901	0.0004	0.0007	0.0002	0.0002	0.0000	0.0269	0.0201	0.0003	0.0000	0.0000	0.0001	0.0056	
26-49	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
50 or Older	0.5601	0.7064	0.9333	0.6081	0.3880	0.8790	0.8015	0.1159	0.1100	0.0383	0.1919	0.7141	0.4208	0.8810	
GENDER															
Male	0.0000	0.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0053	0.0000	0.0000	0.0000	0.0001	0.0009	0.0692	
Female	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0022	
HISPANIC ORIGIN AND RACE															
Not Hispanic or Latino	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0006	
White	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0069	0.0129	
Black or African American	0.1639	0.0742	0.0475	0.0065	0.0018	0.0314	0.0005	0.8873	0.1405	0.0248	0.0001	0.0000	0.0112	0.0158	
AIAN	0.0341	0.0070	0.5894	0.6007	0.7036	0.7900	0.2530	0.0123	0.2558	0.5177	0.7737	0.7040	0.6823	0.3628	
NHOPI	*	0.7206	0.5058	*	0.9437	*	*	*	0.2189	0.4501	0.4115	0.4535	0.8035	0.2199	
Asian	0.0896	0.4906	0.0366	0.5192	0.0023	0.0332	0.7217	0.3936	0.3869	0.5371	0.0815	0.0890	0.8341	0.5390	
Two or More Races	0.0524	0.5848	0.0144	0.0171	0.0092	0.0432	0.1980	0.0001	0.0292	0.0840	0.0014	0.0098	0.0314	0.0058	
Hispanic or Latino	0.3023	0.0640	0.0091	0.0049	0.0006	0.0279	0.0000	0.4150	0.2271	0.0005	0.0000	0.0436	0.0003	0.4319	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).
NOTE: Estimates for 2005 to 2007 that are used in the comparisons are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2019.