

Table 2.24C Cigarette Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	731	671	56	55	723	665	151	152	691	640
GEOGRAPHIC REGION										
Northeast	283	281	18	16	280	280	66	62	265	268
Midwest	339	311	26	24	339	306	73	65	324	292
South	455	430	41	39	450	427	100	99	427	409
West	344	307	26	28	342	303	80	72	329	298
COUNTY TYPE										
Large Metro	607	627	38	43	602	621	150	160	564	587
Small Metro	502	498	36	34	494	494	127	123	454	452
Nonmetro	385	376	25	24	379	369	87	75	340	340
Urbanized	255	277	13	17	252	272	65	53	223	250
Less Urbanized	283	257	20	16	277	253	55	53	251	231
Completely Rural	148	119	11	10	143	115	31	22	122	101
POVERTY LEVEL¹										
Less Than 100%	371	354	28	28	369	350	112	120	341	320
100-199%	370	393	27	27	369	391	94	83	351	376
200% or More	563	568	42	44	558	563	124	127	535	540
HEALTH INSURANCE²										
Private	564	539	41	43	562	535	156	158	531	516
Medicaid/CHIP	375	387	35	36	371	384	88	85	348	373
Other ³	396	381	14	12	395	380	44	52	391	376
No Coverage	291	314	17	17	291	312	77	75	275	292

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 2.24D Cigarette Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.27	0.24	0.23	0.22	0.29	0.27	0.44	0.45	0.32	0.30
GEOGRAPHIC REGION										
Northeast	0.59	0.59	0.46	0.41	0.64	0.64	1.12	1.07	0.70	0.71
Midwest	0.59	0.54	0.49	0.46	0.65	0.59	1.01	0.90	0.73	0.65
South	0.44	0.41	0.42	0.40	0.48	0.45	0.78	0.78	0.53	0.50
West	0.53	0.47	0.43	0.47	0.58	0.51	0.98	0.89	0.65	0.58
COUNTY TYPE										
Large Metro	0.35	0.33	0.27	0.30	0.38	0.36	0.59	0.61	0.42	0.41
Small Metro	0.50	0.46	0.47	0.42	0.54	0.50	0.83	0.82	0.61	0.55
Nonmetro	0.69	0.74	0.68	0.59	0.75	0.81	1.39	1.22	0.81	0.88
Urbanized	1.03	1.26	0.90	0.94	1.11	1.37	2.24	1.94	1.20	1.51
Less Urbanized	1.04	0.99	1.09	0.86	1.15	1.09	1.86	1.70	1.25	1.21
Completely Rural	2.24	1.69	2.28	1.98	2.45	1.81	4.86	4.02	2.42	1.79
POVERTY LEVEL¹										
Less Than 100%	0.68	0.72	0.49	0.53	0.77	0.81	0.94	0.98	0.96	1.02
100-199%	0.60	0.59	0.52	0.49	0.66	0.66	0.93	0.89	0.76	0.76
200% or More	0.29	0.27	0.29	0.28	0.32	0.30	0.61	0.64	0.34	0.32
HEALTH INSURANCE²										
Private	0.29	0.27	0.28	0.28	0.31	0.29	0.57	0.57	0.34	0.33
Medicaid/CHIP	0.67	0.66	0.37	0.37	0.82	0.81	0.94	0.95	0.97	0.98
Other ³	0.53	0.51	1.11	1.00	0.53	0.52	1.57	1.61	0.55	0.54
No Coverage	0.89	0.88	1.47	1.39	0.93	0.91	1.21	1.22	1.09	1.07

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 2.24P Cigarette Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.0261		0.6712		0.0251		0.0016		0.1192	
GEOGRAPHIC REGION										
Northeast	0.0822		0.8390		0.0778		0.0003		0.3254	
Midwest	0.7528		0.2514		0.6888		0.2066		0.4709	
South	0.0722		0.2835		0.0844		0.0768		0.1716	
West	0.2206		0.0643		0.1664		0.9033		0.1727	
COUNTY TYPE										
Large Metro	0.3072		0.7708		0.2510		0.1329		0.4183	
Small Metro	0.0493		0.2718		0.0637		0.0970		0.1267	
Nonmetro	0.4198		0.8250		0.4877		0.0010		0.9413	
Urbanized	0.7202		0.4201		0.6229		0.0025		0.2768	
Less Urbanized	0.3043		0.2023		0.3522		0.4418		0.4526	
Completely Rural	0.1528		0.5801		0.1245		0.0405		0.2313	
POVERTY LEVEL¹										
Less Than 100%	0.1707		0.8119		0.1400		0.2598		0.2494	
100-199%	0.5992		0.4853		0.5308		0.0079		0.2053	
200% or More	0.0702		0.2420		0.0800		0.2516		0.1275	
HEALTH INSURANCE²										
Private	0.2254		0.8266		0.2208		0.0053		0.5874	
Medicaid/CHIP	0.4981		0.7313		0.5261		0.0396		0.9029	
Other ³	0.2545		0.3595		0.2696		0.2765		0.2169	
No Coverage	0.0938		0.2531		0.1070		0.1709		0.1851	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 2.25C Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	677	638	39	37	672	634	133	136	644	613
GEOGRAPHIC REGION										
Northeast	262	264	14	12	258	262	56	52	244	253
Midwest	313	282	16	17	315	280	67	59	300	269
South	420	413	30	25	415	411	88	85	399	392
West	318	288	16	16	318	284	67	63	306	280
COUNTY TYPE										
Large Metro	549	566	27	24	547	564	115	127	518	539
Small Metro	446	450	25	21	443	448	97	95	414	415
Nonmetro	355	346	17	18	352	341	74	62	322	319
Urbanized	227	260	9	12	226	256	56	45	206	237
Less Urbanized	267	233	13	12	263	230	44	44	242	215
Completely Rural	133	109	8	7	130	107	25	17	115	97
POVERTY LEVEL¹										
Less Than 100%	338	338	21	21	337	335	85	96	319	314
100-199%	347	366	19	19	346	364	78	69	337	353
200% or More	509	510	28	26	508	509	101	101	491	493
HEALTH INSURANCE²										
Private	508	483	28	25	507	481	118	119	488	469
Medicaid/CHIP	346	362	26	26	343	360	72	73	328	349
Other ³	372	356	9	10	371	355	38	42	367	351
No Coverage	273	298	12	12	273	296	66	63	262	280

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.25D Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
Standard Errors of Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.25	0.23	0.16	0.15	0.27	0.25	0.39	0.40	0.30	0.28
GEOGRAPHIC REGION										
Northeast	0.55	0.55	0.35	0.30	0.59	0.60	0.96	0.90	0.64	0.66
Midwest	0.55	0.49	0.30	0.33	0.61	0.54	0.92	0.82	0.67	0.60
South	0.41	0.39	0.31	0.26	0.44	0.43	0.69	0.67	0.49	0.48
West	0.49	0.44	0.26	0.27	0.54	0.48	0.82	0.78	0.60	0.54
COUNTY TYPE										
Large Metro	0.33	0.31	0.19	0.17	0.36	0.34	0.50	0.53	0.39	0.38
Small Metro	0.46	0.45	0.34	0.27	0.50	0.49	0.73	0.74	0.56	0.54
Nonmetro	0.65	0.69	0.47	0.46	0.72	0.76	1.30	1.15	0.78	0.83
Urbanized	0.94	1.22	0.61	0.77	1.02	1.32	2.06	1.80	1.13	1.47
Less Urbanized	1.00	0.92	0.74	0.69	1.11	1.02	1.68	1.68	1.22	1.14
Completely Rural	2.03	1.58	1.86	1.67	2.26	1.70	5.08	3.64	2.32	1.74
POVERTY LEVEL¹										
Less Than 100%	0.67	0.72	0.38	0.42	0.77	0.81	0.83	0.93	0.96	1.02
100-199%	0.57	0.58	0.37	0.35	0.63	0.64	0.81	0.79	0.74	0.75
200% or More	0.27	0.25	0.19	0.17	0.29	0.27	0.54	0.53	0.31	0.30
HEALTH INSURANCE²										
Private	0.27	0.25	0.19	0.18	0.29	0.27	0.49	0.48	0.32	0.30
Medicaid/CHIP	0.64	0.65	0.28	0.28	0.79	0.79	0.82	0.90	0.95	0.95
Other ³	0.50	0.49	0.72	0.80	0.51	0.50	1.42	1.43	0.52	0.51
No Coverage	0.87	0.87	1.06	0.97	0.91	0.91	1.09	1.09	1.09	1.06

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 2.25P Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
P Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.1484		0.0506		0.1706		0.0040		0.4237	
GEOGRAPHIC REGION										
Northeast	0.3057		0.3261		0.3210		0.0132		0.6304	
Midwest	0.3067		0.5792		0.2980		0.4892		0.2185	
South	0.1197		0.0720		0.1438		0.0092		0.3353	
West	0.2735		0.8910		0.2685		0.9110		0.2481	
COUNTY TYPE										
Large Metro	0.7386		0.3162		0.6987		0.1672		0.9106	
Small Metro	0.0935		0.0469		0.1272		0.1153		0.2089	
Nonmetro	0.6463		0.6791		0.7507		0.0080		0.8410	
Urbanized	0.5651		0.7615		0.4421		0.0138		0.1997	
Less Urbanized	0.3944		0.4228		0.4124		0.5324		0.4864	
Completely Rural	0.2411		0.9182		0.2326		0.1276		0.3729	
POVERTY LEVEL¹										
Less Than 100%	0.8023		0.7946		0.7490		0.6896		0.8497	
100-199%	0.7134		0.4147		0.5676		0.0174		0.2953	
200% or More	0.2184		0.0224		0.2573		0.1147		0.4014	
HEALTH INSURANCE²										
Private	0.3727		0.0894		0.4299		0.0101		0.8254	
Medicaid/CHIP	0.9735		0.6563		0.9144		0.1003		0.5836	
Other ³	0.3508		0.7877		0.3574		0.3251		0.3015	
No Coverage	0.2561		0.3026		0.2760		0.2501		0.3721	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.