

**Table 2.2C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Age Category</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>TOTAL</b>	854	894	793	723	736	686
12-20	192	201	153	163	108	117
21 or Older	1,594	1,640	898	873	805	787
<b>12-17</b>	85	83	67	67	48	48
12-13	27	26	17	22	11	14
14-15	50	56	38	42	24	26
16-17	68	69	55	57	40	39
16-25	359	345	260	274	198	212
<b>18 or Older</b>	806	853	782	713	729	678
<b>18-25</b>	183	180	161	171	148	153
18-20	166	176	133	144	96	106
21-25	276	254	190	195	155	157
<b>26 or Older</b>	772	818	749	692	701	658
26-49	448	416	442	410	416	391
26-29	328	307	244	229	208	198
30-34	345	340	246	231	216	204
35-39	355	346	237	228	217	206
40-44	329	318	203	203	187	187
45-49	317	310	200	202	184	181
50 or Older	644	677	558	533	516	512
50-54	488	487	316	315	289	287
55-59	484	509	294	323	267	301
60-64	490	492	250	270	238	250
65 or Older	441	500	316	314	300	290

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.2D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	0.31	0.32	0.29	0.26	0.27	0.25
12-20	0.42	0.40	0.36	0.35	0.27	0.27
21 or Older	0.33	0.35	0.33	0.30	0.31	0.28
<b>12-17</b>	0.34	0.33	0.27	0.27	0.19	0.19
12-13	0.33	0.31	0.21	0.26	0.14	0.16
14-15	0.57	0.59	0.45	0.47	0.29	0.30
16-17	0.70	0.71	0.59	0.62	0.44	0.45
16-25	0.48	0.47	0.41	0.44	0.37	0.39
<b>18 or Older</b>	0.32	0.34	0.31	0.28	0.29	0.27
<b>18-25</b>	0.54	0.53	0.47	0.51	0.43	0.45
18-20	0.81	0.83	0.74	0.75	0.60	0.63
21-25	0.65	0.67	0.61	0.65	0.58	0.59
<b>26 or Older</b>	0.36	0.38	0.35	0.32	0.33	0.30
26-49	0.44	0.41	0.44	0.40	0.41	0.39
26-29	0.89	0.95	0.99	0.96	0.92	0.91
30-34	0.80	0.83	0.85	0.83	0.80	0.77
35-39	0.87	0.86	0.88	0.87	0.86	0.83
40-44	0.95	0.88	0.90	0.89	0.85	0.86
45-49	0.92	0.91	0.85	0.87	0.80	0.79
50 or Older	0.57	0.59	0.49	0.46	0.45	0.44
50-54	1.31	1.38	1.27	1.34	1.22	1.25
55-59	1.23	1.26	1.21	1.28	1.11	1.22
60-64	1.30	1.22	1.12	1.12	1.08	1.08
65 or Older	0.86	0.95	0.62	0.59	0.59	0.55

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.2P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	0.2442		0.1395		0.3029	
12-20	0.0101		0.2071		0.0053	
21 or Older	0.4215		0.1960		0.5108	
<b>12-17</b>	0.1789		0.9866		0.1001	
12-13	0.6341		0.0631		0.3138	
14-15	0.2810		0.4769		0.2372	
16-17	0.6820		0.6686		0.2591	
16-25	0.0123		0.0868		0.0124	
<b>18 or Older</b>	0.2496		0.1298		0.3375	
<b>18-25</b>	0.0040		0.0317		0.0115	
18-20	0.0049		0.0727		0.0091	
21-25	0.1251		0.1867		0.2189	
<b>26 or Older</b>	0.5603		0.2983		0.6657	
26-49	0.2034		0.1422		0.2460	
26-29	0.1692		0.3661		0.4200	
30-34	0.0834		0.1503		0.1788	
35-39	0.8293		0.0733		0.3185	
40-44	0.2496		0.4326		0.7382	
45-49	0.2637		0.9271		0.7866	
50 or Older	0.9317		0.8904		0.6752	
50-54	0.8791		0.8371		0.9930	
55-59	0.3076		0.2003		0.0932	
60-64	0.8955		0.1840		0.0488	
65 or Older	0.7007		0.0775		0.0735	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.3C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Age Category</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>TOTAL</b>	861	917	731	671	677	638
12-20	162	159	123	123	89	91
21 or Older	1,499	1,540	794	764	726	710
<b>12-17</b>	76	72	56	55	39	37
12-13	21	22	14	18	9	10
14-15	45	47	34	32	21	20
16-17	58	57	43	47	32	29
16-25	308	295	212	217	166	171
<b>18 or Older</b>	821	879	723	665	672	634
<b>18-25</b>	187	178	151	152	133	136
18-20	142	138	109	107	80	82
21-25	243	230	163	164	132	131
<b>26 or Older</b>	787	842	691	640	644	613
26-49	455	436	405	380	381	372
26-29	303	292	215	203	187	175
30-34	322	328	223	201	195	184
35-39	335	328	206	205	192	192
40-44	323	305	185	181	171	168
45-49	297	292	176	177	167	166
50 or Older	669	698	509	498	470	479
50-54	471	447	277	257	257	242
55-59	469	484	262	292	243	277
60-64	479	476	220	235	208	226
65 or Older	462	510	279	286	269	270

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.3D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	0.31	0.33	0.27	0.24	0.25	0.23
12-20	0.37	0.34	0.30	0.28	0.22	0.22
21 or Older	0.34	0.36	0.30	0.28	0.28	0.26
<b>12-17</b>	0.30	0.29	0.23	0.22	0.16	0.15
12-13	0.27	0.27	0.17	0.21	0.11	0.13
14-15	0.51	0.52	0.39	0.36	0.25	0.23
16-17	0.63	0.61	0.48	0.52	0.36	0.35
16-25	0.47	0.46	0.38	0.39	0.33	0.34
<b>18 or Older</b>	0.33	0.35	0.29	0.27	0.27	0.25
<b>18-25</b>	0.55	0.53	0.44	0.45	0.39	0.40
18-20	0.79	0.74	0.67	0.63	0.54	0.53
21-25	0.68	0.69	0.59	0.61	0.53	0.53
<b>26 or Older</b>	0.37	0.39	0.32	0.30	0.30	0.28
26-49	0.45	0.43	0.40	0.38	0.38	0.37
26-29	0.94	1.00	0.94	0.90	0.89	0.85
30-34	0.81	0.91	0.82	0.77	0.75	0.73
35-39	0.87	0.88	0.80	0.84	0.79	0.81
40-44	0.99	0.92	0.83	0.84	0.78	0.80
45-49	0.97	0.92	0.78	0.79	0.75	0.76
50 or Older	0.59	0.61	0.45	0.43	0.41	0.42
50-54	1.38	1.43	1.16	1.16	1.11	1.10
55-59	1.30	1.29	1.11	1.21	1.03	1.15
60-64	1.40	1.30	1.00	1.02	0.96	1.00
65 or Older	0.90	0.96	0.54	0.54	0.53	0.51

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.3P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	0.1027		0.0261		0.1484	
12-20	0.0013		0.0090		0.0072	
21 or Older	0.2067		0.0624		0.2600	
<b>12-17</b>	0.1494		0.6712		0.0506	
12-13	0.4489		0.1099		0.7022	
14-15	0.2830		0.2361		0.2147	
16-17	0.4293		0.8033		0.1677	
16-25	0.0056		0.0055		0.0036	
<b>18 or Older</b>	0.1017		0.0251		0.1706	
<b>18-25</b>	0.0028		0.0016		0.0040	
18-20	0.0006		0.0017		0.0263	
21-25	0.1944		0.0967		0.0473	
<b>26 or Older</b>	0.2666		0.1192		0.4237	
26-49	0.0433		0.0065		0.0442	
26-29	0.1487		0.1809		0.1022	
30-34	0.0282		0.0151		0.0739	
35-39	0.6380		0.0083		0.1553	
40-44	0.8446		0.6552		0.8592	
45-49	0.5394		0.8766		0.9037	
50 or Older	0.9346		0.8741		0.5477	
50-54	0.3126		0.4653		0.6918	
55-59	0.5106		0.1887		0.1435	
60-64	0.8654		0.2632		0.0542	
65 or Older	0.9584		0.4743		0.3473	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.4C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Age Category</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>TOTAL</b>	588	579	287	292	245	264
12-20	92	104	66	74	44	52
21 or Older	655	630	284	281	245	250
<b>12-17</b>	50	48	39	37	25	25
12-13	15	14	10	11	7	6
14-15	28	25	21	19	12	10
16-17	40	40	31	33	21	22
16-25	159	161	97	107	70	83
<b>18 or Older</b>	581	577	284	290	243	262
<b>18-25</b>	130	127	87	90	65	74
18-20	79	90	55	63	39	47
21-25	127	116	74	76	57	62
<b>26 or Older</b>	562	561	267	272	233	246
26-49	348	341	182	177	161	159
26-29	163	155	81	85	68	71
30-34	170	174	84	94	71	75
35-39	180	170	92	82	76	73
40-44	167	157	81	74	77	71
45-49	179	164	71	81	64	69
50 or Older	455	438	192	205	175	185
50-54	267	271	104	134	100	122
55-59	250	225	103	89	86	83
60-64	215	204	81	93	60	73
65 or Older	246	235	107	88	99	81

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.4D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	0.21	0.21	0.10	0.11	0.09	0.10
12-20	0.23	0.25	0.17	0.18	0.11	0.13
21 or Older	0.24	0.24	0.12	0.12	0.10	0.11
<b>12-17</b>	0.20	0.19	0.16	0.15	0.10	0.10
12-13	0.19	0.17	0.13	0.13	0.09	0.08
14-15	0.33	0.29	0.25	0.22	0.14	0.12
16-17	0.45	0.45	0.35	0.38	0.24	0.26
16-25	0.32	0.32	0.22	0.23	0.16	0.18
<b>18 or Older</b>	0.23	0.23	0.11	0.12	0.10	0.10
<b>18-25</b>	0.38	0.38	0.26	0.27	0.19	0.22
18-20	0.55	0.57	0.40	0.42	0.29	0.33
21-25	0.51	0.48	0.34	0.35	0.26	0.29
<b>26 or Older</b>	0.26	0.26	0.12	0.13	0.11	0.11
26-49	0.35	0.34	0.18	0.17	0.16	0.16
26-29	0.78	0.74	0.44	0.45	0.37	0.38
30-34	0.65	0.68	0.37	0.41	0.31	0.33
35-39	0.72	0.70	0.41	0.37	0.34	0.33
40-44	0.76	0.75	0.41	0.38	0.39	0.37
45-49	0.80	0.72	0.36	0.38	0.32	0.33
50 or Older	0.40	0.38	0.17	0.18	0.15	0.16
50-54	1.16	1.16	0.50	0.63	0.48	0.58
55-59	1.06	0.96	0.47	0.41	0.39	0.38
60-64	0.96	0.91	0.39	0.45	0.29	0.35
65 or Older	0.48	0.44	0.21	0.17	0.19	0.15

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.



**Table 2.4P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	0.7601		0.2393		0.1621	
12-20	0.1426		0.8987		0.5679	
21 or Older	0.9346		0.2395		0.1214	
<b>12-17</b>	0.2367		0.9229		0.4018	
12-13	0.5994		0.9260		0.7303	
14-15	0.0109		0.0528		0.1031	
16-17	0.4305		0.1460		0.8800	
16-25	0.8262		0.0349		0.0658	
<b>18 or Older</b>	0.8253		0.2323		0.1363	
<b>18-25</b>	0.9113		0.0928		0.0710	
18-20	0.2832		0.8539		0.8560	
21-25	0.4716		0.0445		0.0150	
<b>26 or Older</b>	0.8420		0.4377		0.2857	
26-49	0.3162		0.8980		0.5932	
26-29	0.9951		0.7510		0.9091	
30-34	0.0588		0.1997		0.3559	
35-39	0.0930		0.0443		0.6194	
40-44	0.2868		0.9727		0.9554	
45-49	0.1532		0.3408		0.3860	
50 or Older	0.5470		0.3196		0.3227	
50-54	0.0530		0.0248		0.1102	
55-59	0.6960		0.9963		0.4712	
60-64	0.8718		0.4957		0.4034	
65 or Older	0.7051		0.2354		0.2387	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.5C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Age Category</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>TOTAL</b>	851	809	429	418	317	305
12-20	132	143	104	118	70	64
21 or Older	1,108	1,082	436	439	311	308
<b>12-17</b>	53	56	44	48	31	29
12-13	13	14	9	11	4	5
14-15	28	31	23	27	14	13
16-17	46	47	38	39	28	25
16-25	264	250	171	179	107	100
<b>18 or Older</b>	836	796	423	412	315	302
<b>18-25</b>	172	175	132	141	94	88
18-20	117	128	91	103	61	55
21-25	210	188	122	123	79	76
<b>26 or Older</b>	793	778	390	388	294	293
26-49	451	408	261	250	195	179
26-29	247	235	141	131	89	95
30-34	262	258	129	130	96	85
35-39	267	257	124	123	98	90
40-44	240	231	98	103	78	73
45-49	230	229	93	107	70	72
50 or Older	627	638	295	290	227	224
50-54	349	342	167	159	114	122
55-59	329	340	145	155	103	119
60-64	359	337	134	131	109	102
65 or Older	392	428	159	157	129	113

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.5D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	0.31	0.29	0.16	0.15	0.12	0.11
12-20	0.31	0.33	0.25	0.28	0.18	0.16
21 or Older	0.35	0.33	0.18	0.17	0.13	0.13
<b>12-17</b>	0.21	0.23	0.18	0.19	0.13	0.12
12-13	0.16	0.17	0.11	0.14	0.06	0.07
14-15	0.33	0.34	0.27	0.31	0.17	0.15
16-17	0.50	0.53	0.42	0.45	0.32	0.30
16-25	0.44	0.43	0.33	0.35	0.23	0.22
<b>18 or Older</b>	0.34	0.32	0.17	0.16	0.13	0.12
<b>18-25</b>	0.50	0.52	0.39	0.42	0.27	0.26
18-20	0.69	0.75	0.57	0.65	0.42	0.40
21-25	0.67	0.65	0.49	0.50	0.35	0.34
<b>26 or Older</b>	0.37	0.36	0.18	0.18	0.14	0.14
26-49	0.45	0.40	0.26	0.25	0.19	0.18
26-29	0.95	0.96	0.70	0.66	0.47	0.49
30-34	0.85	0.87	0.54	0.54	0.42	0.37
35-39	0.93	0.89	0.54	0.53	0.44	0.41
40-44	0.92	0.91	0.49	0.52	0.39	0.38
45-49	0.94	0.91	0.47	0.51	0.36	0.35
50 or Older	0.55	0.55	0.26	0.25	0.20	0.19
50-54	1.37	1.32	0.78	0.74	0.55	0.58
55-59	1.26	1.29	0.65	0.70	0.47	0.55
60-64	1.39	1.26	0.63	0.61	0.52	0.48
65 or Older	0.77	0.81	0.31	0.30	0.25	0.21

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.5P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	0.3572		0.1651		0.1977	
12-20	0.1023		0.2253		0.0029	
21 or Older	0.4679		0.2468		0.4862	
<b>12-17</b>	0.3896		0.6230		0.1614	
12-13	0.6300		0.2962		0.8383	
14-15	0.9543		0.8931		0.9792	
16-17	0.4343		0.5466		0.1746	
16-25	0.0288		0.1535		0.0117	
<b>18 or Older</b>	0.3631		0.1710		0.2393	
<b>18-25</b>	0.0197		0.1471		0.0205	
18-20	0.1026		0.1980		0.0040	
21-25	0.0954		0.3767		0.5275	
<b>26 or Older</b>	0.6583		0.3675		0.6058	
26-49	0.0244		0.2962		0.2096	
26-29	0.3910		0.9935		0.2860	
30-34	0.0171		0.2600		0.1540	
35-39	0.2663		0.3829		0.4311	
40-44	0.7973		0.9146		0.4784	
45-49	0.4998		0.7709		0.2974	
50 or Older	0.3394		0.7993		0.6997	
50-54	0.8027		0.7181		0.8416	
55-59	0.3602		0.4482		0.2192	
60-64	0.6338		0.9313		0.7516	
65 or Older	0.2752		0.5604		0.5005	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.6C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Age Category</b>	<b>Lifetime (2018)</b>	<b>Lifetime (2019)</b>	<b>Past Year (2018)</b>	<b>Past Year (2019)</b>	<b>Past Month (2018)</b>	<b>Past Month (2019)</b>
<b>TOTAL</b>	711	720	954	883	1,005	946
12-20	262	317	246	295	189	219
21 or Older	1,881	1,901	1,703	1,662	1,532	1,464
<b>12-17</b>	111	114	105	105	72	75
12-13	39	41	29	31	12	18
14-15	75	80	68	71	39	44
16-17	104	105	93	97	66	65
16-25	464	505	443	477	383	383
<b>18 or Older</b>	651	664	926	859	979	933
<b>18-25</b>	146	150	161	173	194	196
18-20	215	272	205	255	168	197
21-25	354	339	338	324	307	282
<b>26 or Older</b>	623	634	892	820	924	885
26-49	288	285	382	390	436	454
26-29	395	365	377	352	332	315
30-34	397	402	375	377	332	333
35-39	401	392	367	364	315	322
40-44	374	381	344	348	310	308
45-49	362	362	328	333	295	296
50 or Older	528	554	754	712	773	740
50-54	551	577	504	514	460	451
55-59	565	565	493	500	425	441
60-64	552	564	485	487	436	432
65 or Older	375	408	512	515	521	508

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.6D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	0.26	0.26	0.35	0.32	0.37	0.34
12-20	0.48	0.53	0.48	0.53	0.42	0.45
21 or Older	0.27	0.27	0.39	0.35	0.40	0.38
<b>12-17</b>	0.45	0.46	0.42	0.42	0.29	0.30
12-13	0.48	0.48	0.36	0.38	0.15	0.22
14-15	0.75	0.79	0.71	0.72	0.44	0.48
16-17	0.82	0.87	0.80	0.84	0.67	0.65
16-25	0.42	0.45	0.46	0.49	0.52	0.52
<b>18 or Older</b>	0.26	0.27	0.37	0.34	0.39	0.37
<b>18-25</b>	0.43	0.44	0.47	0.51	0.57	0.58
18-20	0.80	0.85	0.84	0.91	0.87	0.92
21-25	0.43	0.43	0.49	0.52	0.66	0.65
<b>26 or Older</b>	0.29	0.29	0.42	0.38	0.43	0.41
26-49	0.29	0.28	0.38	0.38	0.43	0.45
26-29	0.56	0.58	0.75	0.79	0.95	0.99
30-34	0.57	0.54	0.74	0.72	0.82	0.83
35-39	0.57	0.60	0.76	0.76	0.84	0.92
40-44	0.65	0.60	0.88	0.81	1.00	0.94
45-49	0.64	0.67	0.90	0.89	1.00	0.94
50 or Older	0.46	0.48	0.66	0.62	0.68	0.64
50-54	1.00	1.02	1.29	1.28	1.43	1.39
55-59	0.93	0.98	1.29	1.33	1.35	1.44
60-64	1.01	0.99	1.36	1.30	1.43	1.38
65 or Older	0.73	0.77	1.00	0.97	1.02	0.96

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.6P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	0.1359		0.3774		0.5164	
12-20	0.7947		0.7151		0.5641	
21 or Older	0.1008		0.3814		0.5465	
<b>12-17</b>	0.5747		0.5792		0.2729	
12-13	0.0882		0.1297		0.0092	
14-15	0.5225		0.2814		0.9256	
16-17	0.0943		0.0275		0.1374	
16-25	0.9666		0.7613		0.8009	
<b>18 or Older</b>	0.0700		0.3038		0.4290	
<b>18-25</b>	0.2194		0.1003		0.3172	
18-20	0.2317		0.2022		0.1071	
21-25	0.8971		0.4268		0.7976	
<b>26 or Older</b>	0.1021		0.4638		0.5412	
26-49	0.1720		0.8933		0.4908	
26-29	0.1264		0.6964		0.9135	
30-34	0.6517		0.2420		0.1306	
35-39	0.4310		0.7838		0.3489	
40-44	0.6229		0.4874		0.8919	
45-49	0.0863		0.4006		0.3070	
50 or Older	0.2584		0.3937		0.2827	
50-54	0.4848		0.0694		0.0648	
55-59	0.5137		0.8850		0.6550	
60-64	0.8830		0.8034		0.8438	
65 or Older	0.4184		0.8933		0.9909	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.7C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in Past Month among Persons Aged 12 or Older, by Detailed Age Category:**  
**Standard Errors of Numbers in Thousands, 2018 and 2019**

Age Category	Alcohol Use (2018)	Alcohol Use (2019)	Binge Alcohol Use (2018)	Binge Alcohol Use (2019)	Heavy Alcohol Use (2018)	Heavy Alcohol Use (2019)
<b>TOTAL</b>	1,005	946	703	715	394	389
12-20	189	219	141	162	63	56
21 or Older	1,532	1,464	839	844	411	408
<b>12-17</b>	72	75	55	54	17	24
12-13	12	18	7	10	3	*
14-15	39	44	28	28	6	11
16-17	66	65	50	49	16	22
16-25	383	383	272	289	134	113
<b>18 or Older</b>	979	933	696	715	391	387
<b>18-25</b>	194	196	175	182	115	99
18-20	168	197	127	151	60	52
21-25	307	282	226	218	108	96
<b>26 or Older</b>	924	885	670	675	369	376
26-49	436	454	390	420	218	242
26-29	332	315	241	240	103	111
30-34	332	333	236	248	109	115
35-39	315	322	213	230	116	108
40-44	310	308	216	212	96	94
45-49	295	296	200	204	90	104
50 or Older	773	740	523	526	297	286
50-54	460	451	310	291	148	179
55-59	425	441	299	281	156	132
60-64	436	432	276	254	139	118
65 or Older	521	508	286	302	136	150

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.



**Table 2.7D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in Past Month among Persons Aged 12 or Older, by Detailed Age Category:  
Standard Errors of Percentages, 2018 and 2019**

Age Category	Alcohol Use (2018)	Alcohol Use (2019)	Binge Alcohol Use (2018)	Binge Alcohol Use (2019)	Heavy Alcohol Use (2018)	Heavy Alcohol Use (2019)
<b>TOTAL</b>	0.37	0.34	0.26	0.26	0.14	0.14
12-20	0.42	0.45	0.33	0.36	0.16	0.14
21 or Older	0.40	0.38	0.29	0.30	0.16	0.16
<b>12-17</b>	0.29	0.30	0.22	0.22	0.07	0.10
12-13	0.15	0.22	0.09	0.12	0.03	*
14-15	0.44	0.48	0.32	0.31	0.07	0.12
16-17	0.67	0.65	0.53	0.54	0.19	0.26
16-25	0.52	0.52	0.44	0.47	0.28	0.24
<b>18 or Older</b>	0.39	0.37	0.28	0.29	0.16	0.15
<b>18-25</b>	0.57	0.58	0.51	0.54	0.34	0.29
18-20	0.87	0.92	0.76	0.80	0.42	0.36
21-25	0.66	0.65	0.66	0.70	0.44	0.41
<b>26 or Older</b>	0.43	0.41	0.31	0.31	0.17	0.17
26-49	0.43	0.45	0.39	0.41	0.22	0.24
26-29	0.95	0.99	1.01	0.99	0.55	0.57
30-34	0.82	0.83	0.79	0.85	0.46	0.49
35-39	0.84	0.92	0.78	0.88	0.51	0.48
40-44	1.00	0.94	0.89	0.88	0.47	0.47
45-49	1.00	0.94	0.88	0.84	0.45	0.49
50 or Older	0.68	0.64	0.46	0.46	0.26	0.25
50-54	1.43	1.39	1.29	1.23	0.69	0.83
55-59	1.35	1.44	1.20	1.17	0.69	0.60
60-64	1.43	1.38	1.19	1.12	0.66	0.56
65 or Older	1.02	0.96	0.56	0.57	0.26	0.28

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.7P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in Past Month among Persons Aged 12 or Older, by Detailed Age Category:**  
***P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Age Category	Alcohol Use (2018)	Alcohol Use (2019)	Binge Alcohol Use (2018)	Binge Alcohol Use (2019)	Heavy Alcohol Use (2018)	Heavy Alcohol Use (2019)
<b>TOTAL</b>	0.5164		0.1106		0.2498	
12-20	0.5641		0.5088		0.6176	
21 or Older	0.5465		0.1345		0.2750	
<b>12-17</b>	0.2729		0.5689		0.0081	
12-13	0.0092		0.1313		*	
14-15	0.9256		0.3866		0.0613	
16-17	0.1374		0.1545		0.0133	
16-25	0.8009		0.7957		0.4360	
<b>18 or Older</b>	0.4290		0.0961		0.1894	
<b>18-25</b>	0.3172		0.3984		0.1884	
18-20	0.1071		0.2166		0.0957	
21-25	0.7976		0.9920		0.5728	
<b>26 or Older</b>	0.5412		0.1457		0.3519	
26-49	0.4908		0.8865		0.3820	
26-29	0.9135		0.8167		0.3721	
30-34	0.1306		0.4128		0.1877	
35-39	0.3489		0.7203		0.2401	
40-44	0.8919		0.7079		0.4231	
45-49	0.3070		0.1654		0.6784	
50 or Older	0.2827		0.0920		0.6534	
50-54	0.0648		0.1204		0.4668	
55-59	0.6550		0.2810		0.3602	
60-64	0.8438		0.6948		0.1215	
65 or Older	0.9909		0.9857		0.5030	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.