

Table 5.24C Substances for Which Last or Current Treatment Was Received among Persons Aged 12 or Older Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2018 and 2019

| Substance for Which Last or Current Treatment Was Received ¹ | Aged 12+ (2018) | Aged 12+ (2019) | Aged 12-17 (2018) | Aged 12-17 (2019) | Aged 18+ (2018) | Aged 18+ (2019) | Aged 18-25 (2018) | Aged 18-25 (2019) | Aged 26+ (2018) | Aged 26+ (2019) |
|---|-----------------|-----------------|-------------------|-------------------|-----------------|-----------------|-------------------|-------------------|-----------------|-----------------|
| TOTAL POPULATION | 110 | 131 | * | * | 110 | 131 | 27 | 31 | 106 | 128 |
| Marijuana | 52 | 57 | * | * | 51 | 56 | 13 | 22 | 49 | 51 |
| Cocaine | 48 | 58 | * | * | 48 | 58 | 10 | 11 | 47 | 57 |
| Heroin | 57 | 58 | * | * | 57 | 58 | 11 | 12 | 55 | 57 |
| Hallucinogens | 36 | 31 | * | * | 36 | 30 | 10 | 10 | 35 | 29 |
| Inhalants | 18 | 21 | * | * | 18 | 20 | 5 | 4 | 17 | 20 |
| Methamphetamine | 47 | 49 | * | * | 47 | 49 | 9 | 10 | 46 | 47 |
| Pain Relievers | 55 | 51 | * | * | 55 | 51 | 11 | 13 | 54 | 49 |
| Tranquilizers | 28 | 33 | * | * | 27 | 33 | 11 | 11 | 24 | 31 |
| Stimulants | 27 | 25 | * | * | 27 | 25 | 7 | 6 | 26 | 24 |
| Sedatives | 19 | 20 | * | * | 19 | 20 | * | 8 | 18 | 18 |
| Alcohol | 89 | 109 | * | * | 88 | 109 | 22 | 25 | 85 | 108 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Specialty treatment facilities include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

¹ Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.24D Substances for Which Last or Current Treatment Was Received among Persons Aged 12 or Older Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in Past Year, by Age Group: Standard Errors of Percentages, 2018 and 2019

| Substance for Which Last or Current Treatment Was Received ¹ | Aged 12+ (2018) | Aged 12+ (2019) | Aged 12-17 (2018) | Aged 12-17 (2019) | Aged 18+ (2018) | Aged 18+ (2019) | Aged 18-25 (2018) | Aged 18-25 (2019) | Aged 26+ (2018) | Aged 26+ (2019) |
|---|-----------------|-----------------|-------------------|-------------------|-----------------|-----------------|-------------------|-------------------|-----------------|-----------------|
| TOTAL POPULATION | 0.00 | 0.00 | * | * | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Marijuana | 2.78 | 2.59 | * | * | 2.81 | 2.60 | 4.64 | 5.75 | 3.17 | 2.82 |
| Cocaine | 2.63 | 2.78 | * | * | 2.71 | 2.84 | 3.54 | 4.06 | 3.11 | 3.28 |
| Heroin | 3.00 | 2.91 | * | * | 3.07 | 2.97 | 4.11 | 4.44 | 3.46 | 3.44 |
| Hallucinogens | 2.07 | 1.52 | * | * | 2.12 | 1.54 | 3.66 | 3.74 | 2.42 | 1.72 |
| Inhalants | 1.09 | 1.05 | * | * | 1.12 | 1.06 | 1.95 | 1.50 | 1.27 | 1.20 |
| Methamphetamine | 2.59 | 2.43 | * | * | 2.66 | 2.49 | 3.24 | 3.57 | 3.10 | 2.87 |
| Pain Relievers | 2.83 | 2.56 | * | * | 2.90 | 2.60 | 3.96 | 4.69 | 3.35 | 2.98 |
| Tranquilizers | 1.64 | 1.63 | * | * | 1.61 | 1.66 | 3.94 | 4.03 | 1.74 | 1.83 |
| Stimulants | 1.57 | 1.29 | * | * | 1.61 | 1.31 | 2.80 | 2.17 | 1.85 | 1.47 |
| Sedatives | 1.11 | 1.00 | * | * | 1.15 | 1.02 | * | 2.96 | 1.29 | 1.09 |
| Alcohol | 3.13 | 3.34 | * | * | 3.21 | 3.40 | 5.32 | 5.94 | 3.63 | 3.91 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Specialty treatment facilities include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

¹ Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.24P Substances for Which Last or Current Treatment Was Received among Persons Aged 12 or Older Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

| Substance for Which Last or Current Treatment Was Received ¹ | Aged 12+ (2018) | Aged 12+ (2019) | Aged 12-17 (2018) | Aged 12-17 (2019) | Aged 18+ (2018) | Aged 18+ (2019) | Aged 18-25 (2018) | Aged 18-25 (2019) | Aged 26+ (2018) | Aged 26+ (2019) |
|---|-----------------|-----------------|-------------------|-------------------|-----------------|-----------------|-------------------|-------------------|-----------------|-----------------|
| TOTAL POPULATION | da | | * | | da | | da | | da | |
| Marijuana | 0.9352 | | * | | 0.8823 | | 0.0082 | | 0.5919 | |
| Cocaine | 0.6038 | | * | | 0.5992 | | 0.7801 | | 0.6642 | |
| Heroin | 0.7489 | | * | | 0.7058 | | 0.8188 | | 0.7078 | |
| Hallucinogens | 0.5544 | | * | | 0.4735 | | 0.8137 | | 0.5187 | |
| Inhalants | 0.9516 | | * | | 0.9057 | | 0.7697 | | 0.9633 | |
| Methamphetamine | 0.6722 | | * | | 0.7202 | | 0.7815 | | 0.7976 | |
| Pain Relievers | 0.4388 | | * | | 0.4043 | | 0.5211 | | 0.2956 | |
| Tranquilizers | 0.8133 | | * | | 0.9023 | | 0.9761 | | 0.8536 | |
| Stimulants | 0.4996 | | * | | 0.4680 | | 0.7803 | | 0.5016 | |
| Sedatives | 0.9593 | | * | | 0.9583 | | * | | 0.8471 | |
| Alcohol | 0.3572 | | * | | 0.3116 | | 0.5587 | | 0.3712 | |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Specialty treatment facilities include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

¹ Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.