

Table 5.35A Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Demographic Characteristics: Numbers in Thousands, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019)	Perceived Need for Tx ¹ (2018)	Perceived Need for Tx ¹ (2019)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2019)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2019)	Did Not Perceive Need for Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2019)
TOTAL	7,351	7,490	469	419	218	144	251	275	6,881	7,071
AGE GROUP										
12-17	631 ^a	858	13	13	2	5	11	8	618 ^a	845
18 or Older	6,720	6,632	456	406	216	139	240	267	6,263	6,226
18-25	2,463	2,339	105	69	48 ^a	15	57	54	2,358	2,270
26 or Older	4,257	4,293	351	337	169	124	183	213	3,906	3,956
GENDER										
Male	4,519	4,466	282	267	126	93	157	173	4,237	4,199
Female	2,832	3,024	187	153	92	51	95	102	2,645	2,872

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received illicit drug use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.35B Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Demographic Characteristics: Percentages, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019)	Perceived Need for Tx ¹ (2018)	Perceived Need for Tx ¹ (2019)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2019)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2019)	Did Not Perceive Need for Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2019)
TOTAL	100.0	100.0	6.4	5.6	3.0	1.9	3.4	3.7	93.6	94.4
AGE GROUP										
12-17	100.0	100.0	2.1	1.6	0.3	0.6	1.8	0.9	97.9	98.4
18 or Older	100.0	100.0	6.8	6.1	3.2	2.1	3.6	4.0	93.2	93.9
18-25	100.0	100.0	4.3	2.9	1.9 ^a	0.6	2.3	2.3	95.7	97.1
26 or Older	100.0	100.0	8.3	7.9	4.0	2.9	4.3	5.0	91.7	92.1
GENDER										
Male	100.0	100.0	6.2	6.0	2.8	2.1	3.5	3.9	93.8	94.0
Female	100.0	100.0	6.6	5.0	3.3	1.7	3.3	3.4	93.4	95.0

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received illicit drug use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.37A Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Demographic Characteristics: Numbers in Thousands, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019)	Perceived Need for Tx ¹ (2018)	Perceived Need for Tx ¹ (2019)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2019)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2019)	Did Not Perceive Need for Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2019)
TOTAL	14,132	13,823	552	430	225 ^a	107	327	323	13,580	13,393
AGE GROUP										
12-17	396	403	4	7	3	*	1	2	393	396
18 or Older	13,736	13,420	548	423	222 ^a	102	325	321	13,188	12,997
18-25	3,322 ^a	3,004	71	100	23	13	47	87	3,251 ^a	2,904
26 or Older	10,414	10,416	477	323	199 ^a	89	278	233	9,937	10,094
GENDER										
Male	8,867	8,619	380 ^a	238	141	75	239	163	8,486	8,381
Female	5,265	5,204	171	192	83 ^a	33	88	160	5,094	5,012

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received alcohol use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.37B Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Demographic Characteristics: Percentages, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019)	Perceived Need for Tx ¹ (2018)	Perceived Need for Tx ¹ (2019)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2019)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2019)	Did Not Perceive Need for Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2019)
TOTAL	100.0	100.0	3.9	3.1	1.6 ^a	0.8	2.3	2.3	96.1	96.9
AGE GROUP										
12-17	100.0	100.0	1.0	1.8	0.7	*	0.3	0.5	99.0	98.2
18 or Older	100.0	100.0	4.0	3.2	1.6 ^a	0.8	2.4	2.4	96.0	96.8
18-25	100.0	100.0	2.1	3.3	0.7	0.4	1.4	2.9	97.9	96.7
26 or Older	100.0	100.0	4.6	3.1	1.9 ^a	0.9	2.7	2.2	95.4	96.9
GENDER										
Male	100.0	100.0	4.3	2.8	1.6	0.9	2.7	1.9	95.7	97.2
Female	100.0	100.0	3.3	3.7	1.6	0.6	1.7 ^a	3.1	96.7	96.3

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received alcohol use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.39A Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Demographic Characteristics: Numbers in Thousands, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019)	Perceived Need for Tx¹ (2018)	Perceived Need for Tx¹ (2019)	Perceived Need and Made Effort to Get Tx¹ (2018)	Perceived Need and Made Effort to Get Tx¹ (2019)	Perceived Need and Made No Effort to Get Tx¹ (2018)	Perceived Need and Made No Effort to Get Tx¹ (2019)	Did Not Perceive Need for Tx¹ (2018)	Did Not Perceive Need for Tx¹ (2019)
TOTAL	18,885	18,910	964	812	392 ^a	236	573	577	17,921	18,098
AGE GROUP										
12-17	863 ^a	1,072	15	16	3	6	13	10	848 ^a	1,056
18 or Older	18,022	17,838	949	796	389 ^a	230	560	567	17,073	17,042
18-25	4,885 ^a	4,485	169	159	64	40	105	119	4,716 ^a	4,326
26 or Older	13,137	13,353	780	637	325	190	455	448	12,357	12,715
GENDER										
Male	11,772	11,741	610	499	236	156	373	343	11,162	11,241
Female	7,114	7,170	355	313	155 ^a	80	199	233	6,759	6,857

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.39B Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Demographic Characteristics: Percentages, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019)	Perceived Need for Tx¹ (2018)	Perceived Need for Tx¹ (2019)	Perceived Need and Made Effort to Get Tx¹ (2018)	Perceived Need and Made Effort to Get Tx¹ (2019)	Perceived Need and Made No Effort to Get Tx¹ (2018)	Perceived Need and Made No Effort to Get Tx¹ (2019)	Did Not Perceive Need for Tx¹ (2018)	Did Not Perceive Need for Tx¹ (2019)
TOTAL	100.0	100.0	5.1	4.3	2.1 ^a	1.2	3.0	3.0	94.9	95.7
AGE GROUP										
12-17	100.0	100.0	1.8	1.5	0.3	0.6	1.5	0.9	98.2	98.5
18 or Older	100.0	100.0	5.3	4.5	2.2 ^a	1.3	3.1	3.2	94.7	95.5
18-25	100.0	100.0	3.5	3.5	1.3	0.9	2.1	2.6	96.5	96.5
26 or Older	100.0	100.0	5.9	4.8	2.5	1.4	3.5	3.4	94.1	95.2
GENDER										
Male	100.0	100.0	5.2	4.3	2.0	1.3	3.2	2.9	94.8	95.7
Female	100.0	100.0	5.0	4.4	2.2 ^a	1.1	2.8	3.3	95.0	95.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.