

Table 5.35C Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

| Demographic Characteristic | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019) | Perceived Need for Tx¹ (2018) | Perceived Need for Tx¹ (2019) | Perceived Need and Made Effort to Get Tx¹ (2018) | Perceived Need and Made Effort to Get Tx¹ (2019) | Perceived Need and Made No Effort to Get Tx¹ (2018) | Perceived Need and Made No Effort to Get Tx¹ (2019) | Did Not Perceive Need for Tx¹ (2018) | Did Not Perceive Need for Tx¹ (2019) |
|-----------------------------------|---|---|---|---|--|--|---|---|--|--|
| TOTAL | 257 | 240 | 59 | 56 | 44 | 33 | 38 | 44 | 249 | 231 |
| AGE GROUP | | | | | | | | | | |
| 12-17 | 39 | 49 | 5 | 5 | 2 | 4 | 5 | 4 | 38 | 49 |
| 18 or Older | 253 | 232 | 58 | 56 | 44 | 33 | 38 | 44 | 245 | 223 |
| 18-25 | 102 | 98 | 17 | 15 | 12 | 6 | 13 | 13 | 101 | 96 |
| 26 or Older | 226 | 203 | 56 | 55 | 42 | 34 | 36 | 42 | 218 | 196 |
| GENDER | | | | | | | | | | |
| Male | 205 | 181 | 48 | 48 | 38 | 30 | 31 | 38 | 199 | 177 |
| Female | 137 | 142 | 32 | 29 | 23 | 17 | 22 | 23 | 134 | 138 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received illicit drug use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.35D Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019

| Demographic Characteristic | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019) | Perceived Need for Tx ¹ (2018) | Perceived Need for Tx ¹ (2019) | Perceived Need and Made Effort to Get Tx ¹ (2018) | Perceived Need and Made Effort to Get Tx ¹ (2019) | Perceived Need and Made No Effort to Get Tx ¹ (2018) | Perceived Need and Made No Effort to Get Tx ¹ (2019) | Did Not Perceive Need for Tx ¹ (2018) | Did Not Perceive Need for Tx ¹ (2019) |
|----------------------------|--|--|--|--|--|--|--|--|---|---|
| TOTAL | 0.00 | 0.00 | 0.78 | 0.72 | 0.59 | 0.44 | 0.51 | 0.57 | 0.78 | 0.72 |
| AGE GROUP | | | | | | | | | | |
| 12-17 | 0.00 | 0.00 | 0.85 | 0.63 | 0.26 | 0.47 | 0.81 | 0.43 | 0.85 | 0.63 |
| 18 or Older | 0.00 | 0.00 | 0.85 | 0.80 | 0.65 | 0.50 | 0.56 | 0.64 | 0.85 | 0.80 |
| 18-25 | 0.00 | 0.00 | 0.69 | 0.61 | 0.48 | 0.26 | 0.51 | 0.56 | 0.69 | 0.61 |
| 26 or Older | 0.00 | 0.00 | 1.26 | 1.23 | 0.98 | 0.78 | 0.83 | 0.96 | 1.26 | 1.23 |
| GENDER | | | | | | | | | | |
| Male | 0.00 | 0.00 | 1.04 | 1.06 | 0.82 | 0.67 | 0.68 | 0.83 | 1.04 | 1.06 |
| Female | 0.00 | 0.00 | 1.11 | 0.93 | 0.79 | 0.56 | 0.77 | 0.76 | 1.11 | 0.93 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received illicit drug use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.35P Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Demographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

| Demographic Characteristic | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019) | Perceived Need for Tx¹ (2018) | Perceived Need for Tx¹ (2019) | Perceived Need and Made Effort to Get Tx¹ (2018) | Perceived Need and Made Effort to Get Tx¹ (2019) | Perceived Need and Made No Effort to Get Tx¹ (2018) | Perceived Need and Made No Effort to Get Tx¹ (2019) | Did Not Perceive Need for Tx¹ (2018) | Did Not Perceive Need for Tx¹ (2019) |
|-----------------------------------|---|---|---|---|--|--|---|---|--|--|
| TOTAL | da | | 0.4585 | | 0.1544 | | 0.7515 | | 0.4585 | |
| AGE GROUP | | | | | | | | | | |
| 12-17 | da | | 0.6280 | | 0.4892 | | 0.3383 | | 0.6280 | |
| 18 or Older | da | | 0.5699 | | 0.1629 | | 0.6048 | | 0.5699 | |
| 18-25 | da | | 0.1546 | | 0.0166 | | 0.9766 | | 0.1546 | |
| 26 or Older | da | | 0.8205 | | 0.3888 | | 0.5987 | | 0.8205 | |
| GENDER | | | | | | | | | | |
| Male | da | | 0.8495 | | 0.5110 | | 0.7041 | | 0.8495 | |
| Female | da | | 0.2824 | | 0.1036 | | 0.9876 | | 0.2824 | |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received illicit drug use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.37C Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

| Demographic Characteristic | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019) | Perceived Need for Tx¹ (2018) | Perceived Need for Tx¹ (2019) | Perceived Need and Made Effort to Get Tx¹ (2018) | Perceived Need and Made Effort to Get Tx¹ (2019) | Perceived Need and Made No Effort to Get Tx¹ (2018) | Perceived Need and Made No Effort to Get Tx¹ (2019) | Did Not Perceive Need for Tx¹ (2018) | Did Not Perceive Need for Tx¹ (2019) |
|-----------------------------------|---|---|---|---|--|--|---|---|--|--|
| TOTAL | 362 | 348 | 70 | 50 | 44 | 25 | 52 | 43 | 353 | 345 |
| AGE GROUP | | | | | | | | | | |
| 12-17 | 34 | 31 | 2 | 4 | 2 | * | 1 | 1 | 34 | 30 |
| 18 or Older | 362 | 346 | 70 | 50 | 44 | 25 | 52 | 43 | 353 | 342 |
| 18-25 | 118 | 105 | 14 | 21 | 8 | 4 | 12 | 20 | 116 | 105 |
| 26 or Older | 341 | 320 | 69 | 46 | 43 | 25 | 51 | 39 | 333 | 318 |
| GENDER | | | | | | | | | | |
| Male | 290 | 281 | 60 | 39 | 37 | 23 | 47 | 31 | 285 | 278 |
| Female | 204 | 184 | 32 | 31 | 24 | 10 | 23 | 29 | 201 | 183 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received alcohol use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.37D Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019

| Demographic Characteristic | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019) | Perceived Need for Tx ¹ (2018) | Perceived Need for Tx ¹ (2019) | Perceived Need and Made Effort to Get Tx ¹ (2018) | Perceived Need and Made Effort to Get Tx ¹ (2019) | Perceived Need and Made No Effort to Get Tx ¹ (2018) | Perceived Need and Made No Effort to Get Tx ¹ (2019) | Did Not Perceive Need for Tx ¹ (2018) | Did Not Perceive Need for Tx ¹ (2019) |
|----------------------------|--|--|--|--|--|--|--|--|---|---|
| TOTAL | 0.00 | 0.00 | 0.49 | 0.36 | 0.31 | 0.18 | 0.37 | 0.31 | 0.49 | 0.36 |
| AGE GROUP | | | | | | | | | | |
| 12-17 | 0.00 | 0.00 | 0.52 | 1.05 | 0.47 | * | 0.22 | 0.28 | 0.52 | 1.05 |
| 18 or Older | 0.00 | 0.00 | 0.50 | 0.37 | 0.32 | 0.19 | 0.38 | 0.32 | 0.50 | 0.37 |
| 18-25 | 0.00 | 0.00 | 0.43 | 0.69 | 0.23 | 0.15 | 0.36 | 0.67 | 0.43 | 0.69 |
| 26 or Older | 0.00 | 0.00 | 0.64 | 0.44 | 0.41 | 0.24 | 0.48 | 0.37 | 0.64 | 0.44 |
| GENDER | | | | | | | | | | |
| Male | 0.00 | 0.00 | 0.66 | 0.45 | 0.41 | 0.27 | 0.53 | 0.36 | 0.66 | 0.45 |
| Female | 0.00 | 0.00 | 0.60 | 0.59 | 0.45 | 0.19 | 0.43 | 0.55 | 0.60 | 0.59 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received alcohol use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.37P Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

| Demographic Characteristic | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019) | Perceived Need for Tx ¹ (2018) | Perceived Need for Tx ¹ (2019) | Perceived Need and Made Effort to Get Tx ¹ (2018) | Perceived Need and Made Effort to Get Tx ¹ (2019) | Perceived Need and Made No Effort to Get Tx ¹ (2018) | Perceived Need and Made No Effort to Get Tx ¹ (2019) | Did Not Perceive Need for Tx ¹ (2018) | Did Not Perceive Need for Tx ¹ (2019) |
|----------------------------|--|--|--|--|--|--|--|--|---|---|
| TOTAL | da | | 0.1999 | | 0.0232 | | 0.9617 | | 0.1999 | |
| AGE GROUP | | | | | | | | | | |
| 12-17 | da | | 0.4775 | | * | | 0.6009 | | 0.4775 | |
| 18 or Older | da | | 0.1878 | | 0.0199 | | 0.9671 | | 0.1878 | |
| 18-25 | da | | 0.1376 | | 0.3074 | | 0.0512 | | 0.1376 | |
| 26 or Older | da | | 0.0608 | | 0.0265 | | 0.4790 | | 0.0608 | |
| GENDER | | | | | | | | | | |
| Male | da | | 0.0574 | | 0.1408 | | 0.2094 | | 0.0574 | |
| Female | da | | 0.6068 | | 0.0512 | | 0.0488 | | 0.6068 | |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received alcohol use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.39C Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

| Demographic Characteristic | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019) | Perceived Need for Tx ¹ (2018) | Perceived Need for Tx ¹ (2019) | Perceived Need and Made Effort to Get Tx ¹ (2018) | Perceived Need and Made Effort to Get Tx ¹ (2019) | Perceived Need and Made No Effort to Get Tx ¹ (2018) | Perceived Need and Made No Effort to Get Tx ¹ (2019) | Did Not Perceive Need for Tx ¹ (2018) | Did Not Perceive Need for Tx ¹ (2019) |
|----------------------------|--|--|--|--|--|--|--|--|---|---|
| TOTAL | 415 | 418 | 92 | 79 | 62 | 39 | 66 | 68 | 405 | 410 |
| AGE GROUP | | | | | | | | | | |
| 12-17 | 47 | 54 | 6 | 6 | 2 | 4 | 5 | 4 | 47 | 54 |
| 18 or Older | 412 | 410 | 91 | 79 | 61 | 39 | 66 | 68 | 402 | 402 |
| 18-25 | 147 | 132 | 22 | 25 | 14 | 12 | 18 | 22 | 144 | 131 |
| 26 or Older | 388 | 377 | 89 | 74 | 61 | 38 | 63 | 63 | 376 | 371 |
| GENDER | | | | | | | | | | |
| Male | 338 | 328 | 78 | 66 | 54 | 35 | 56 | 56 | 330 | 324 |
| Female | 233 | 224 | 47 | 40 | 31 | 20 | 35 | 36 | 229 | 220 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.39D Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019

| Demographic Characteristic | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019) | Perceived Need for Tx ¹ (2018) | Perceived Need for Tx ¹ (2019) | Perceived Need and Made Effort to Get Tx ¹ (2018) | Perceived Need and Made Effort to Get Tx ¹ (2019) | Perceived Need and Made No Effort to Get Tx ¹ (2018) | Perceived Need and Made No Effort to Get Tx ¹ (2019) | Did Not Perceive Need for Tx ¹ (2018) | Did Not Perceive Need for Tx ¹ (2019) |
|----------------------------|--|--|--|--|--|--|--|--|---|---|
| TOTAL | 0.00 | 0.00 | 0.47 | 0.41 | 0.32 | 0.21 | 0.34 | 0.35 | 0.47 | 0.41 |
| AGE GROUP | | | | | | | | | | |
| 12-17 | 0.00 | 0.00 | 0.64 | 0.53 | 0.22 | 0.39 | 0.61 | 0.36 | 0.64 | 0.53 |
| 18 or Older | 0.00 | 0.00 | 0.49 | 0.43 | 0.34 | 0.22 | 0.36 | 0.37 | 0.49 | 0.43 |
| 18-25 | 0.00 | 0.00 | 0.45 | 0.54 | 0.28 | 0.26 | 0.36 | 0.48 | 0.45 | 0.54 |
| 26 or Older | 0.00 | 0.00 | 0.66 | 0.55 | 0.45 | 0.29 | 0.47 | 0.46 | 0.66 | 0.55 |
| GENDER | | | | | | | | | | |
| Male | 0.00 | 0.00 | 0.64 | 0.55 | 0.45 | 0.30 | 0.47 | 0.47 | 0.64 | 0.55 |
| Female | 0.00 | 0.00 | 0.64 | 0.55 | 0.43 | 0.27 | 0.48 | 0.49 | 0.64 | 0.55 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.39P Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Demographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

| Demographic Characteristic | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2019) | Perceived Need for Tx¹ (2018) | Perceived Need for Tx¹ (2019) | Perceived Need and Made Effort to Get Tx¹ (2018) | Perceived Need and Made Effort to Get Tx¹ (2019) | Perceived Need and Made No Effort to Get Tx¹ (2018) | Perceived Need and Made No Effort to Get Tx¹ (2019) | Did Not Perceive Need for Tx¹ (2018) | Did Not Perceive Need for Tx¹ (2019) |
|-----------------------------------|---|---|---|---|--|--|---|---|--|--|
| TOTAL | da | | 0.2010 | | 0.0369 | | 0.9745 | | 0.2010 | |
| AGE GROUP | | | | | | | | | | |
| 12-17 | da | | 0.7354 | | 0.5331 | | 0.4298 | | 0.7354 | |
| 18 or Older | da | | 0.2300 | | 0.0363 | | 0.8943 | | 0.2300 | |
| 18-25 | da | | 0.9159 | | 0.2655 | | 0.4080 | | 0.9159 | |
| 26 or Older | da | | 0.1775 | | 0.0594 | | 0.8682 | | 0.1775 | |
| GENDER | | | | | | | | | | |
| Male | da | | 0.2800 | | 0.2319 | | 0.7097 | | 0.2800 | |
| Female | da | | 0.4654 | | 0.0367 | | 0.5185 | | 0.4654 | |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.