

Table 6.17C Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Females Aged 15 to 44, by Pregnancy Status: Standard Errors of Numbers in Thousands, 2018 and 2019

Substance	Total ¹		PREGNANCY STATUS			
			Pregnant		Not Pregnant	
	2018	2019	2018	2019	2018	2019
ILLICIT DRUGS	234	256	22	22	232	250
Marijuana	217	239	20	21	215	233
Cocaine	56	54	*	3	56	51
Crack	21	15	*	0	20	15
Heroin	22	28	1	*	22	28
Hallucinogens	51	56	1	0	51	54
LSD	25	27	*	0	25	27
PCP	4	*	*	0	4	*
Ecstasy	31	36	*	*	31	36
Inhalants	23	22	*	0	23	22
Methamphetamine	34	41	4	1	34	41
Misuse of Psychotherapeutics	93	108	12	6	92	108
Pain Relievers	60	75	11	5	59	75
Stimulants	64	62	9	5	63	62
Tranquilizers or Sedatives	54	66	*	5	53	66
Tranquilizers	53	65	*	5	53	65
Sedatives	16	18	*	*	13	18
Benzodiazepines	--	--	--	--	--	--
Opioids	63	77	11	5	62	77
Illicit Drugs Other Than Marijuana ²	114	131	12	6	113	130
TOBACCO PRODUCTS	271	278	32	27	269	271
Cigarettes	261	263	31	25	259	255
Daily Cigarettes	191	189	24	19	189	185
Smokeless Tobacco	41	47	6	8	40	47
Cigars	101	102	11	13	100	101
Pipe Tobacco	45	38	9	1	45	38
ALCOHOL	507	518	36	30	502	515
Binge Alcohol Use ³	333	362	22	21	333	358
Heavy Alcohol Use	141	149	11	4	141	147
SUBSTANCE USE						
Illicit Drugs, Tobacco Products, or Alcohol	535	563	44	38	531	557
Illicit Drugs or Alcohol	516	539	40	34	511	535
Tobacco Products or Alcohol	531	547	42	37	527	541

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ The Total column includes respondents with unknown pregnancy status.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 6.17D Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Females Aged 15 to 44, by Pregnancy Status: Standard Errors of Percentages, 2018 and 2019

Substance	Total ¹		PREGNANCY STATUS			
			Pregnant		Not Pregnant	
	2018	2019	2018	2019	2018	2019
ILLICIT DRUGS	0.33	0.34	0.94	1.04	0.34	0.35
Marijuana	0.31	0.32	0.83	1.01	0.32	0.33
Cocaine	0.09	0.08	*	0.13	0.09	0.08
Crack	0.03	0.02	*	0.01	0.03	0.02
Heroin	0.03	0.04	0.06	*	0.04	0.05
Hallucinogens	0.08	0.09	0.06	0.01	0.08	0.09
LSD	0.04	0.04	*	0.01	0.04	0.04
PCP	0.01	*	*	0.01	0.01	*
Ecstasy	0.05	0.06	*	*	0.05	0.06
Inhalants	0.03	0.03	*	0.01	0.04	0.04
Methamphetamine	0.05	0.06	0.16	0.03	0.05	0.07
Misuse of Psychotherapeutics	0.14	0.16	0.50	0.29	0.15	0.17
Pain Relievers	0.09	0.12	0.48	0.22	0.09	0.12
Stimulants	0.10	0.10	0.39	0.25	0.10	0.10
Tranquilizers or Sedatives	0.08	0.10	*	0.22	0.09	0.11
Tranquilizers	0.08	0.10	*	0.22	0.09	0.10
Sedatives	0.02	0.03	*	*	0.02	0.03
Benzodiazepines	--	--	--	--	--	--
Opioids	0.10	0.12	0.48	0.22	0.10	0.12
Illicit Drugs Other Than Marijuana ²	0.17	0.19	0.52	0.29	0.18	0.20
TOBACCO PRODUCTS	0.39	0.37	1.34	1.25	0.40	0.37
Cigarettes	0.38	0.36	1.31	1.16	0.38	0.36
Daily Cigarettes	0.29	0.28	1.00	0.91	0.30	0.28
Smokeless Tobacco	0.06	0.07	0.25	0.37	0.07	0.08
Cigars	0.16	0.16	0.48	0.63	0.16	0.16
Pipe Tobacco	0.07	0.06	0.36	0.03	0.07	0.06
ALCOHOL	0.47	0.48	1.46	1.40	0.48	0.49
Binge Alcohol Use ³	0.40	0.43	0.93	0.97	0.42	0.44
Heavy Alcohol Use	0.21	0.22	0.46	0.19	0.22	0.23
SUBSTANCE USE						
Illicit Drugs, Tobacco Products, or Alcohol	0.46	0.46	1.77	1.70	0.47	0.47
Illicit Drugs or Alcohol	0.46	0.47	1.62	1.55	0.47	0.49
Tobacco Products or Alcohol	0.46	0.46	1.70	1.65	0.47	0.47

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ The Total column includes respondents with unknown pregnancy status.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 6.17P Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Females Aged 15 to 44, by Pregnancy Status: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Substance	Total ¹		PREGNANCY STATUS			
			Pregnant		Not Pregnant	
	2018	2019	2018	2019	2018	2019
ILLICIT DRUGS	0.0088		0.7888		0.0151	
Marijuana	0.0113		0.6014		0.0220	
Cocaine	0.4961		*		0.6732	
Crack	0.7947		*		0.8001	
Heroin	0.5244		*		0.5341	
Hallucinogens	0.0552		0.4287		0.0774	
LSD	0.3556		*		0.3704	
PCP	*		*		*	
Ecstasy	0.3315		*		0.3374	
Inhalants	0.8514		*		0.8192	
Methamphetamine	0.0881		0.1780		0.0779	
Misuse of Psychotherapeutics	0.4313		0.3521		0.3922	
Pain Relievers	0.6294		0.3187		0.5889	
Stimulants	0.8586		0.6768		0.9560	
Tranquilizers or Sedatives	0.1687		*		0.1708	
Tranquilizers	0.1931		*		0.1952	
Sedatives	0.8235		*		0.5174	
Benzodiazepines	--		--		--	
Opioids	0.6890		0.3187		0.6695	
Illicit Drugs Other Than Marijuana ²	0.1109		0.2438		0.1136	
TOBACCO PRODUCTS	0.0418		0.2897		0.0304	
Cigarettes	0.0408		0.1945		0.0348	
Daily Cigarettes	0.2779		0.3207		0.2995	
Smokeless Tobacco	0.1320		0.7209		0.1415	
Cigars	0.1541		0.8372		0.1418	
Pipe Tobacco	0.0165		0.2359		0.0213	
ALCOHOL	0.2067		0.8420		0.3466	
Binge Alcohol Use ³	0.0221		0.9393		0.0438	
Heavy Alcohol Use	0.6646		0.0178		0.6000	
SUBSTANCE USE						
Illicit Drugs, Tobacco Products, or Alcohol	0.3532		0.3329		0.5117	
Illicit Drugs or Alcohol	0.0472		0.7897		0.0955	
Tobacco Products or Alcohol	0.8637		0.3038		0.9267	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ The Total column includes respondents with unknown pregnancy status.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.