

Table 7.19C Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	146	142	163	165	143	170	182	176	218	219	225	259	225	218	232	252	256	286
Cocaine	35	22	36	47	56	39	26	16	29	18	33	50	22	32	21	37	42	34
Crack	16	10	32	35	14	29	10	14	19	14	13	28	20	25	11	33	20	12
Heroin	28	13	22	7	58	14	23	19	18	29	44	27	29	27	38	33	36	35
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	15	13	31
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	5	12	15	13
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	33	39	40	54
Alcohol	426	362	419	409	435	409	440	450	413	445	415	401	358	369	381	375	368	366
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	145	144	163	165	145	171	187	175	221	219	227	261	231	218	236	258	260	296
Cocaine	35	21	36	47	56	39	26	16	29	18	33	50	22	32	21	37	42	34
Crack	16	10	32	35	14	29	10	14	*	*	13	*	20	25	11	*	20	12
Heroin	*	*	*	7	*	*	*	19	18	29	*	27	29	27	38	33	36	35
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	15	13	31
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	5	12	15	13
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	33	39	40	55
Alcohol	442	377	430	425	452	424	458	475	419	457	436	417	377	387	391	388	380	386

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.19D Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.06	0.06	0.07	0.07	0.06	0.07	0.07	0.07	0.09	0.08	0.09	0.10	0.08	0.08	0.09	0.09	0.09	0.10
Cocaine	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.02	0.01
Crack	0.01	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.01	0.00
Heroin	0.01	0.01	0.01	0.00	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.00	0.00	0.01	0.00	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01	0.00
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01	0.02
Alcohol	0.18	0.15	0.17	0.17	0.18	0.16	0.18	0.18	0.16	0.17	0.16	0.15	0.13	0.14	0.14	0.14	0.13	0.13
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.51	0.53	0.58	0.60	0.52	0.62	0.64	0.55	0.65	0.65	0.62	0.71	0.56	0.54	0.56	0.54	0.53	0.52
Cocaine	0.59	0.36	0.62	0.83	0.91	0.66	0.48	0.34	0.63	0.47	0.71	1.16	0.47	0.65	0.41	0.60	0.74	0.60
Crack	1.02	0.71	2.30	2.41	0.97	1.94	0.91	1.40	*	*	1.39	*	2.48	2.83	1.30	*	2.47	1.58
Heroin	*	*	*	1.81	*	*	*	3.12	2.92	4.11	*	3.62	2.89	3.03	3.55	3.35	3.48	4.42
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.17	0.29	0.24	0.51
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.02	0.33	0.68	0.75	0.61
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.68	2.25	2.23	2.03	2.46
Alcohol	0.27	0.23	0.27	0.25	0.26	0.25	0.26	0.26	0.24	0.25	0.24	0.23	0.20	0.21	0.21	0.21	0.20	0.20

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.19P Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	
Cocaine	0.5350	0.7921	0.3387	0.0829	0.1641	0.2542	0.6667	0.1712	0.4577	0.1115	0.8241	0.4174	0.3268	0.7554	0.4154	0.7047	0.4817	
Crack	0.2348	0.6373	0.0519	0.0833	0.6411	0.1056	0.5964	0.8819	0.9638	0.6329	0.6853	0.2012	0.4538	0.2495	0.7307	0.2693	0.6627	
Heroin	0.1002	0.0029	0.0453	0.0004	0.7983	0.0064	0.0991	0.0165	0.0420	0.3744	0.8720	0.2435	0.7527	0.4184	0.4353	0.8307	0.7341	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3879	0.2854	0.7824	0.4019	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7349	0.5857	0.4726	0.9094	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0058	0.0238	0.0960	0.2488	
Alcohol	0.6571	0.4265	0.4546	0.8653	0.9266	0.4843	0.8285	0.3982	0.2135	0.9057	0.8056	0.3726	0.9027	0.7768	0.6936	0.4158	0.2851	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0015	0.0004	0.0025	0.1678	0.1973	
Cocaine	0.9398	0.4287	0.5861	0.1446	0.3257	0.4396	0.5643	0.1903	0.5895	0.2657	0.6455	0.2123	0.4921	0.9165	0.4782	0.8734	0.4962	
Crack	0.6896	0.1527	0.2554	0.3503	0.4289	0.5552	0.2489	0.5110	*	*	0.4691	*	0.4768	0.2928	0.5697	*	0.6304	
Heroin	*	*	*	0.0019	*	*	*	0.0285	0.0575	0.5320	*	0.2536	0.2594	0.1920	0.9293	0.6951	0.5020	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5246	0.3583	0.9568	0.4382	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6019	0.7904	0.3057	0.8517	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0098	0.2373	0.2905	0.3205	
Alcohol	0.4542	0.4302	0.4408	0.5587	0.7097	0.3620	0.9512	0.7198	0.0969	0.6593	0.4471	0.2008	0.6972	0.9316	0.6177	0.5361	0.2254	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.20C Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	29	21	25	23	23	22	22	22	25	22	22	24	24	25	23	23	23	25
Cocaine	4	5	2	4	3	4	2	1	1	2	*	*	*	*	2	*	2	*
Crack	2	*	*	3	*	3	*	*	*	2	*	*	*	*	*	*	*	*
Heroin	2	1	2	*	*	*	1	2	*	*	*	*	2	*	2	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	*	2	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	5	8	3	4
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	2	2	*
Alcohol	16	13	13	12	13	11	10	9	10	10	8	10	14	13	9	10	6	7
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	29	21	25	23	23	22	22	23	26	22	22	24	24	25	23	23	24	25
Cocaine	4	5	2	4	3	4	2	1	1	*	0	*	*	*	*	*	*	*
Crack	2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1	2	0	2	1
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	5	8	3	4
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Alcohol	16	13	14	12	13	11	10	8	10	10	8	10	14	13	9	10	6	7

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.20D Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.12	0.09	0.10	0.09	0.09	0.09	0.09	0.09	0.10	0.09	0.09	0.10	0.10	0.10	0.09	0.09	0.09	0.10
Cocaine	0.02	0.02	0.01	0.02	0.01	0.02	0.01	0.01	0.01	0.01	*	*	*	*	0.01	*	0.01	*
Crack	0.01	*	*	0.01	*	0.01	*	*	*	0.01	*	*	*	*	*	*	*	*
Heroin	0.01	0.01	0.01	*	*	*	0.01	0.01	*	*	*	*	0.01	*	0.01	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.01	*	0.01	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.03	0.01	0.02
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.01	0.01	0.01	*
Alcohol	0.06	0.05	0.05	0.05	0.05	0.05	0.04	0.03	0.04	0.04	0.03	0.04	0.05	0.05	0.03	0.04	0.03	0.03
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.68	0.55	0.65	0.67	0.67	0.68	0.64	0.64	0.69	0.59	0.63	0.67	0.71	0.74	0.75	0.72	0.71	0.72
Cocaine	0.74	1.06	0.51	0.94	0.65	0.97	0.80	0.60	0.55	*	0.10	*	*	*	*	*	*	*
Crack	2.40	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.50	0.07	0.64	0.14
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.38	0.89	1.41	0.42	0.52
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Alcohol	0.18	0.15	0.16	0.14	0.15	0.14	0.13	0.11	0.14	0.15	0.13	0.16	0.23	0.22	0.16	0.18	0.12	0.14

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.20P Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17: P Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.0409	0.9636	0.1138	0.5726	0.9969	0.4248	0.8498	0.7239	0.0800	0.5983	0.8601	0.6238	0.4425	0.4919	0.3844	0.3450	0.2482	
Cocaine	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9458	0.3278	0.1242	0.9830	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Alcohol	0.0000	0.0000	0.0001	0.0010	0.0001	0.0001	0.0092	0.0382	0.0775	0.0127	0.1858	0.2294	0.0458	0.0460	0.5478	0.1325	0.5883	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.5730	0.2357	0.4407	0.4918	0.9874	0.7045	0.8949	0.9623	0.2002	0.8798	0.6999	0.7314	0.4514	0.7181	0.9092	0.6153	0.4466	
Cocaine	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8143	0.3609	0.6757	0.2815	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9824	0.1870	0.0742	0.9160	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Alcohol	0.0054	0.0148	0.0137	0.0776	0.0164	0.0135	0.2001	0.4293	0.3936	0.1110	0.5275	0.4426	0.0859	0.0660	0.5866	0.1587	0.6163	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.21C Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	142	140	162	165	140	169	181	175	217	217	223	258	222	214	230	251	254	282
Cocaine	35	21	35	46	56	39	26	16	29	18	33	50	22	32	21	37	42	34
Crack	16	10	32	35	14	29	10	14	19	14	13	28	20	25	11	33	20	12
Heroin	28	13	22	7	58	14	23	18	18	29	44	27	29	27	38	33	36	35
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	15	13	31
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	*	9	15	13
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	33	39	40	55
Alcohol	424	362	417	408	434	408	439	448	412	444	413	400	356	368	380	374	367	366
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	142	141	162	164	142	170	185	174	220	217	225	260	228	215	234	257	258	293
Cocaine	35	21	36	46	56	39	26	16	29	18	33	50	22	32	21	37	42	34
Crack	16	10	32	35	14	29	10	14	*	*	13	*	20	25	11	*	20	12
Heroin	*	*	*	7	*	*	*	18	18	29	*	27	29	27	38	33	36	35
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	15	13	31
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	9	*	13
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	33	39	40	55
Alcohol	441	377	429	424	452	423	458	474	419	457	436	417	375	386	391	388	380	386

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.21D Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.07	0.07	0.08	0.08	0.06	0.08	0.08	0.08	0.09	0.09	0.09	0.11	0.09	0.09	0.09	0.10	0.10	0.11
Cocaine	0.02	0.01	0.02	0.02	0.03	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.02	0.01
Crack	0.01	0.00	0.01	0.02	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.00
Heroin	0.01	0.01	0.01	0.00	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	0.00	0.01	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.02	0.02	0.02
Alcohol	0.20	0.17	0.19	0.19	0.20	0.18	0.20	0.20	0.18	0.19	0.18	0.17	0.15	0.15	0.16	0.15	0.15	0.15
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.59	0.62	0.67	0.69	0.59	0.70	0.73	0.63	0.73	0.73	0.69	0.78	0.61	0.58	0.61	0.59	0.57	0.55
Cocaine	0.64	0.38	0.66	0.88	0.97	0.71	0.51	0.36	0.66	0.50	0.74	1.20	0.49	0.67	0.42	0.62	0.76	0.61
Crack	1.08	0.76	2.41	2.50	1.02	2.03	0.94	1.45	*	*	1.42	*	2.54	2.84	1.32	*	2.49	1.61
Heroin	*	*	*	2.00	*	*	*	3.29	3.06	4.47	*	3.76	2.97	3.11	3.60	3.40	3.52	4.42
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.31	0.18	0.32	0.25	0.55
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.20	0.73	*	0.90
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.72	2.30	2.29	2.08	2.51
Alcohol	0.28	0.24	0.28	0.26	0.27	0.26	0.27	0.28	0.25	0.27	0.25	0.24	0.21	0.21	0.22	0.21	0.21	0.21

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.21P Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	
Cocaine	0.6547	0.6159	0.3673	0.0963	0.1726	0.3022	0.5979	0.1530	0.4420	0.1032	0.8164	0.4202	0.3158	0.7599	0.3831	0.7025	0.5024	
Crack	0.3219	0.6162	0.0501	0.0969	0.6614	0.1312	0.5749	0.8911	0.9699	0.5707	0.6917	0.2091	0.4537	0.2479	0.7333	0.2688	0.6622	
Heroin	0.0965	0.0023	0.0407	0.0004	0.7758	0.0068	0.0963	0.0132	0.0420	0.3849	0.8597	0.2414	0.7033	0.4228	0.4591	0.8276	0.7352	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3829	0.2545	0.7889	0.3593	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7214	*	0.9225	0.9033	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0060	0.0224	0.0876	0.2421	
Alcohol	0.7732	0.5495	0.5652	0.9758	0.9510	0.5718	0.7286	0.3393	0.2415	0.9672	0.8749	0.4094	0.8904	0.7750	0.6700	0.4193	0.2938	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0062	0.0010	0.0042	0.2245	0.2403	
Cocaine	0.9610	0.3636	0.5480	0.1332	0.2981	0.4424	0.5469	0.1847	0.6120	0.2746	0.6131	0.2087	0.4975	0.9412	0.4502	0.8662	0.5143	
Crack	0.6420	0.1601	0.2306	0.3729	0.4408	0.5928	0.2435	0.5244	*	*	0.4746	*	0.4697	0.2989	0.5671	*	0.6407	
Heroin	*	*	*	0.0029	*	*	*	0.0300	0.0720	0.7226	*	0.3021	0.2708	0.2199	0.9333	0.7330	0.5272	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5437	0.3218	0.9974	0.3862	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.2942	0.9450	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0101	0.2238	0.2791	0.3130	
Alcohol	0.6952	0.7168	0.6879	0.8346	0.9677	0.5401	0.8197	0.5323	0.1452	0.7865	0.5391	0.2358	0.7253	0.9289	0.6051	0.5422	0.2258	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.22C Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	57	58	59	66	64	64	65	67	73	74	87	84	91	90	88	97	92	86
Cocaine	5	8	6	8	8	7	5	7	3	5	8	3	4	9	5	10	4	9
Crack	2	3	4	2	3	5	3	2	2	*	3	*	2	5	*	*	*	5
Heroin	3	4	4	4	5	6	8	7	9	9	15	6	8	11	10	12	8	8
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7	3	6	3	4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	5	2	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7	9	9	8	11
Alcohol	41	41	40	38	41	44	43	44	43	40	43	39	47	47	50	52	44	46
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	58	60	61	67	65	67	67	71	76	77	96	88	94	96	93	102	103	93
Cocaine	5	8	6	8	8	7	5	7	3	5	8	3	4	9	5	10	4	9
Crack	2	3	4	2	3	5	3	2	2	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	4	*	*	8	*	9	9	*	6	8	*	10	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7	3	6	3	4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7	9	9	8	*
Alcohol	42	42	41	39	40	45	44	44	43	42	43	40	48	47	51	53	45	45

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.22D Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.18	0.18	0.18	0.20	0.20	0.20	0.20	0.20	0.21	0.21	0.25	0.24	0.26	0.26	0.25	0.28	0.27	0.26
Cocaine	0.02	0.02	0.02	0.03	0.03	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.01	0.03	0.01	0.03	0.01	0.03
Crack	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	*	0.01	*	0.01	0.01	*	*	*	0.02
Heroin	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.04	0.02	0.02	0.03	0.03	0.03	0.02	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.01	0.02	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.01	0.02	0.01	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.03	0.03	0.02	0.03
Alcohol	0.13	0.13	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.12	0.12	0.11	0.14	0.13	0.15	0.15	0.13	0.14
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.57	0.62	0.61	0.66	0.64	0.66	0.68	0.61	0.66	0.66	0.72	0.72	0.74	0.73	0.71	0.73	0.69	0.69
Cocaine	0.25	0.36	0.27	0.37	0.37	0.34	0.28	0.41	0.20	0.35	0.49	0.17	0.24	0.47	0.26	0.47	0.19	0.52
Crack	0.78	1.00	1.53	0.75	1.20	1.95	1.29	1.18	1.04	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	2.36	*	*	4.46	*	4.17	3.48	*	2.44	2.64	*	4.05	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.14	0.27	0.12	0.17
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	0.05
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.25	3.31	2.31	2.71	*
Alcohol	0.17	0.16	0.16	0.15	0.16	0.17	0.17	0.17	0.16	0.15	0.16	0.15	0.18	0.18	0.19	0.21	0.18	0.19

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.22P Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25: P Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0002	0.0017	0.0352	0.0018	0.7840	0.5362	
Cocaine	0.7318	0.7974	0.8825	0.4201	0.5850	0.9734	0.4752	0.9192	0.1279	0.2198	0.8542	0.0868	0.1452	0.7658	0.2475	0.6806	0.0956	
Crack	0.2146	0.2900	0.8203	0.3661	0.6369	0.7937	0.3645	0.1735	0.1509	*	0.3031	*	0.1476	0.6001	*	*	*	
Heroin	0.0238	0.0584	0.0470	0.1026	0.0577	0.3338	0.8851	0.4258	0.6248	0.9208	0.3524	0.8320	0.3708	0.8926	0.4050	0.3178	0.8307	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3917	0.7768	0.2258	0.8996	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2569	0.8937	0.7265	0.7318	
Alcohol	0.4205	0.1539	0.6956	0.9354	0.8818	0.9936	0.5462	0.8185	0.3956	0.1164	0.2688	0.0676	0.3018	0.8377	0.8321	0.2611	0.5679	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0012	0.0000	0.0018	0.0000	0.1513	0.1194	0.2052	0.7555	0.0696	0.5136	0.7963	
Cocaine	0.4600	0.8721	0.5852	0.8150	0.9866	0.7605	0.4255	0.9270	0.1583	0.2920	0.9577	0.1131	0.1859	0.7483	0.2267	0.8963	0.0827	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3782	0.8104	0.2148	0.9476	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Alcohol	0.9376	0.6313	0.5984	0.4136	0.3841	0.3997	0.7691	0.2336	0.0755	0.0225	0.0613	0.0123	0.0986	0.7459	0.8972	0.3989	0.4636	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.23C Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	127	127	149	149	125	149	167	156	199	202	198	239	194	184	202	224	229	262
Cocaine	35	20	35	45	55	38	25	15	28	17	33	50	21	31	20	35	42	32
Crack	16	10	31	35	14	29	10	14	19	14	12	28	20	24	11	33	20	11
Heroin	28	12	21	*	58	13	22	17	16	28	41	26	27	24	36	30	35	34
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	11	7	13	13	31
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	*	*	15	13
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	32	38	40	53
Alcohol	421	360	414	404	433	404	438	441	408	442	409	396	352	363	375	369	360	361
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	127	128	149	149	126	150	170	156	201	202	199	241	198	185	204	229	230	267
Cocaine	35	20	35	45	55	38	25	15	28	17	32	50	21	31	20	35	42	32
Crack	16	10	32	35	14	29	10	*	*	*	*	*	20	*	11	*	20	11
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	27	24	37	30	35	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	7	13	13	31
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1	*	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	32	38	40	53
Alcohol	438	377	428	423	452	421	458	470	416	456	433	413	374	381	388	385	374	383

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.23D Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.07	0.07	0.08	0.08	0.07	0.08	0.09	0.08	0.10	0.10	0.10	0.12	0.09	0.09	0.10	0.11	0.11	0.12
Cocaine	0.02	0.01	0.02	0.02	0.03	0.02	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.02	0.02	0.01
Crack	0.01	0.01	0.02	0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.00
Heroin	0.02	0.01	0.01	*	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.02	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	*	0.01	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.02	0.02	0.02
Alcohol	0.23	0.20	0.23	0.22	0.23	0.21	0.23	0.23	0.21	0.22	0.20	0.20	0.17	0.17	0.18	0.17	0.17	0.17
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.93	0.98	1.08	1.08	0.92	1.07	1.13	0.96	1.12	1.13	1.02	1.17	0.82	0.78	0.80	0.78	0.74	0.70
Cocaine	1.02	0.58	1.09	1.54	1.59	1.13	0.79	0.53	1.04	0.82	1.12	1.93	0.76	1.07	0.67	0.93	1.16	0.88
Crack	1.31	0.92	2.99	3.27	1.25	2.44	1.12	*	*	*	*	*	3.03	*	1.47	*	2.80	1.52
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	4.07	3.87	4.54	4.17	4.22	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.36	0.60	0.44	0.96
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.17	*	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.07	2.74	2.90	2.40	2.79
Alcohol	0.34	0.29	0.33	0.31	0.33	0.31	0.33	0.32	0.30	0.31	0.29	0.28	0.24	0.25	0.25	0.25	0.24	0.24

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.23P Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	
Cocaine	0.6006	0.5173	0.3426	0.1314	0.2034	0.2978	0.7122	0.1115	0.6598	0.1779	0.7822	0.2708	0.5109	0.8081	0.5574	0.7865	0.3165	
Crack	0.1727	0.8924	0.0427	0.0719	0.5478	0.1115	0.7958	0.7875	0.7515	0.9464	0.9539	0.1081	0.2598	0.1829	0.7490	0.1557	0.3694	
Heroin	0.2132	0.0076	0.1006	*	0.5817	0.0107	0.0876	0.0179	0.0182	0.3418	0.8920	0.2424	0.8744	0.3621	0.5934	0.9289	0.7643	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2625	0.2659	0.5784	0.3634	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7013	*	*	0.9620	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0114	0.0209	0.0944	0.2588	
Alcohol	0.8187	0.5527	0.6565	0.8378	0.8310	0.6768	0.6701	0.2451	0.3637	0.7700	0.8914	0.6417	0.6644	0.6932	0.6187	0.4729	0.3324	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0050	0.0000	0.0011	0.0143	0.0002	0.0172	0.1127	0.2416	
Cocaine	0.7431	0.3893	0.3618	0.0921	0.2436	0.3268	0.7257	0.1494	0.8882	0.4996	0.5852	0.1122	0.7653	0.9010	0.7432	0.8526	0.2728	
Crack	0.7391	0.4493	0.0877	0.1316	0.8681	0.3031	0.5415	*	*	*	*	*	0.2209	*	0.8906	*	0.3212	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.3858	0.8648	0.3902	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0259	0.2267	0.4867	0.3376	
Alcohol	0.9425	0.9939	0.9657	0.8154	0.6665	0.8583	0.5622	0.2639	0.3690	0.7726	0.9183	0.5314	0.8941	0.7160	0.4642	0.5463	0.2718	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.24C Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	50	48	42	51	49	46	50	49	51	51	63	57	61	60	55	61	59	58
Cocaine	5	6	3	5	6	6	4	6	2	6	7	2	2	6	4	5	2	4
Crack	3	3	2	3	1	3	2	*	2	2	3	*	*	4	*	*	*	4
Heroin	2	4	2	2	*	3	3	3	8	6	5	2	7	4	3	3	3	4
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	2	2	3	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	5	10	3	4
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	7	7	5	6
Alcohol	27	28	24	21	22	24	25	23	24	23	18	22	24	27	18	26	21	20
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	50	49	43	53	50	47	51	50	52	52	66	58	62	61	56	62	60	60
Cocaine	5	6	3	5	6	6	4	6	2	6	7	2	2	6	4	5	2	4
Crack	3	*	*	*	1	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	2	2	3	1
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3	5	10	3	4
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Alcohol	27	28	24	22	22	25	25	23	24	23	18	23	25	27	18	26	21	20

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.24D Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.13	0.13	0.11	0.13	0.13	0.12	0.13	0.13	0.13	0.13	0.16	0.15	0.16	0.16	0.15	0.16	0.15	0.15
Cocaine	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0.01	0.02	0.01	0.01	0.01	0.01
Crack	0.01	0.01	0.01	0.01	0.00	0.01	0.01	*	0.00	0.01	0.01	*	*	0.01	*	*	*	0.01
Heroin	0.00	0.01	0.01	0.01	*	0.01	0.01	0.01	0.02	0.01	0.01	0.00	0.02	0.01	0.01	0.01	0.01	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.03	0.01	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.01	0.02
Alcohol	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.06	0.06	0.07	0.05	0.07	0.05	0.05
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.57	0.57	0.52	0.64	0.61	0.59	0.63	0.57	0.60	0.59	0.70	0.66	0.74	0.73	0.71	0.76	0.69	0.67
Cocaine	0.39	0.50	0.28	0.39	0.45	0.45	0.39	0.65	0.29	0.68	0.89	0.31	0.35	0.79	0.60	0.73	0.31	0.79
Crack	1.30	*	*	*	0.64	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	1.49	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.16	0.18	0.24	0.05
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.29	0.68	1.25	0.32	0.40
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Alcohol	0.16	0.16	0.13	0.12	0.13	0.14	0.14	0.14	0.15	0.14	0.12	0.15	0.17	0.19	0.13	0.20	0.16	0.15

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.24P Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20: P Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.4389	0.0555	0.0221	0.2231	0.1373	0.0046	0.9301	0.4870	0.7978	0.7897	0.2485	0.5494	0.8091	0.5807	0.3123	0.3416	0.7776	
Cocaine	0.0484	0.0549	0.4425	0.2116	0.2480	0.2045	0.5216	0.2899	0.7672	0.4761	0.2611	0.6451	0.7751	0.5698	0.7234	0.7306	0.5674	
Crack	0.7020	0.9875	0.6688	0.9936	0.6397	0.9765	0.7641	*	0.7689	0.8188	0.8152	*	*	0.9142	*	*	*	
Heroin	0.7868	0.3659	0.8206	0.6980	*	0.8197	0.7267	0.8907	0.1471	0.2396	0.1662	0.9569	0.2559	0.4787	0.8497	0.8966	0.8246	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9496	0.2154	0.0501	0.9853	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7139	0.8793	0.5121	0.9596	
Alcohol	0.0000	0.0000	0.0007	0.0004	0.0001	0.0000	0.0003	0.0103	0.0053	0.0359	0.5756	0.1300	0.0705	0.0026	0.9905	0.0486	0.2251	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.0617	0.0079	0.0080	0.3884	0.3010	0.0446	0.5818	0.2585	0.4594	0.2398	0.4858	0.7361	0.9018	0.3871	0.4535	0.1921	0.7890	
Cocaine	0.6984	0.5773	0.7426	0.9671	0.9770	0.8721	0.8336	0.6689	0.5228	0.8256	0.4702	0.5914	0.7003	0.7983	0.9828	0.9647	0.4523	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2168	0.3866	0.3342	0.1368	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9947	0.1381	0.0308	0.9202	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Alcohol	0.0014	0.0002	0.1260	0.1092	0.0537	0.0104	0.0418	0.3062	0.1514	0.3201	0.7107	0.4136	0.2072	0.0065	0.8605	0.0715	0.2371	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.25C Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	137	133	156	157	134	161	174	166	211	212	214	249	210	204	220	244	247	274
Cocaine	35	20	35	46	56	38	25	15	29	17	33	50	22	31	21	36	42	33
Crack	16	10	32	35	14	29	10	14	19	14	13	28	20	24	11	33	20	11
Heroin	28	12	22	6	58	14	23	18	17	28	43	27	28	26	38	33	36	35
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	15	13	31
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	*	*	15	13
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	33	38	40	54
Alcohol	424	362	416	407	433	406	437	446	410	442	413	399	355	366	379	371	366	366
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	137	133	156	156	135	161	178	165	214	212	215	251	215	204	224	250	250	284
Cocaine	35	20	35	46	56	39	25	15	29	17	33	50	21	31	21	36	42	33
Crack	16	10	32	35	14	29	10	14	*	*	*	*	20	24	11	*	20	11
Heroin	*	*	*	6	*	*	*	*	17	*	*	27	28	26	38	33	36	35
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	8	14	13	31
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1	7	*	13
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	33	38	40	54
Alcohol	441	378	429	424	452	422	457	473	418	456	437	415	376	385	390	386	379	386

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.25D Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.07	0.07	0.08	0.08	0.06	0.08	0.08	0.08	0.10	0.10	0.10	0.11	0.09	0.09	0.10	0.10	0.10	0.12
Cocaine	0.02	0.01	0.02	0.02	0.03	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.01
Crack	0.01	0.00	0.02	0.02	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.00
Heroin	0.01	0.01	0.01	0.00	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.02	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	*	0.01	0.01
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.02	0.02	0.02
Alcohol	0.21	0.18	0.21	0.20	0.21	0.19	0.21	0.21	0.19	0.20	0.19	0.18	0.16	0.16	0.16	0.16	0.16	0.15
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.70	0.73	0.81	0.81	0.70	0.82	0.85	0.73	0.86	0.86	0.80	0.90	0.66	0.65	0.67	0.65	0.63	0.60
Cocaine	0.75	0.44	0.79	1.04	1.17	0.83	0.59	0.39	0.76	0.57	0.83	1.35	0.54	0.75	0.47	0.68	0.84	0.66
Crack	1.16	0.81	2.61	2.79	1.13	2.17	1.01	1.53	*	*	*	*	2.67	2.90	1.36	*	2.59	1.55
Heroin	*	*	*	2.38	*	*	*	*	3.34	*	*	4.07	3.14	3.29	3.79	3.52	3.69	4.52
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.41	0.24	0.39	0.30	0.65
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.12	0.70	*	1.07
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.79	2.41	2.42	2.19	2.58
Alcohol	0.30	0.26	0.30	0.28	0.29	0.27	0.29	0.29	0.26	0.28	0.26	0.25	0.22	0.22	0.23	0.22	0.22	0.22

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).
Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.25P Daily or Almost Daily Use of Specific Substances in Past Year among All Persons Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	
Cocaine	0.7126	0.5100	0.3640	0.0993	0.1979	0.3165	0.6097	0.1073	0.4850	0.0787	0.9709	0.3902	0.3422	0.6890	0.3794	0.7362	0.4491	
Crack	0.2571	0.6234	0.0437	0.0799	0.5541	0.1019	0.6448	0.9692	0.9889	0.6644	0.7237	0.1654	0.3755	0.2476	0.9077	0.2229	0.5411	
Heroin	0.1131	0.0015	0.0507	0.0003	0.7427	0.0057	0.0932	0.0158	0.0161	0.2887	0.9813	0.2499	0.5986	0.3708	0.4402	0.8382	0.7179	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3316	0.2535	0.7245	0.3290	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7208	*	*	0.9034	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0046	0.0214	0.0769	0.2441	
Alcohol	0.7057	0.4430	0.5679	0.9730	0.9688	0.5408	0.7636	0.3222	0.2402	1.0000	0.9296	0.4055	0.8996	0.8644	0.6705	0.4780	0.2592	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0000	0.0004	0.0054	0.0004	0.0102	0.1385	0.2293	
Cocaine	0.8782	0.3808	0.4121	0.0902	0.2407	0.3532	0.6760	0.1526	0.7255	0.2553	0.6875	0.1781	0.5439	0.9229	0.5036	0.8539	0.4185	
Crack	0.8682	0.2148	0.1464	0.2282	0.6566	0.4112	0.3384	0.6947	*	*	*	*	0.3622	0.2827	0.7484	*	0.5002	
Heroin	*	*	*	0.0039	*	*	*	*	0.0563	*	*	0.3986	0.2924	0.2335	0.9255	0.7872	0.5690	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5441	0.3600	0.9759	0.3602	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.2101	0.6641	*	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0089	0.2516	0.2890	0.3544	
Alcohol	0.7910	0.7820	0.8753	0.9882	0.8669	0.6548	0.7123	0.3971	0.2004	0.9213	0.6768	0.2780	0.7852	0.9714	0.5601	0.5769	0.2034	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.26C Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	171	175	200	194	196	204	218	237	275	265	269	311	262	277	269	300	313	340
Cocaine	27	30	49	45	75	41	37	39	47	25	36	55	26	32	43	38	28	38
Crack	14	26	33	28	49	30	27	31	18	14	29	35	20	22	35	20	21	29
Heroin	37	22	31	11	70	29	28	18	22	43	42	33	33	30	41	38	28	38
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	7	11	15	6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	11	11	19	18
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	43	49	50	57	57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	57	48	61	62
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	26	28	28	21	26
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	25	31	20	29	30
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	15	24	17	*	13
Cigarettes (Daily Only) ²	702	655	646	626	637	655	688	659	665	675	691	656	528	546	542	523	537	517
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	215	210	198	202	205
Cigars	121	143	136	143	142	149	152	147	164	155	177	155	113	157	150	140	154	138
Alcohol	577	563	525	555	578	551	582	638	561	585	605	590	497	487	508	491	534	514
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	173	168	163	179	163
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	173	174	199	192	198	205	221	236	281	267	278	318	273	281	273	308	319	356
Cocaine	27	30	49	45	75	41	37	39	47	25	36	55	26	32	43	38	28	38
Crack	14	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	33	*	*	39	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	7	11	15	6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	11	11	19	18
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	43	49	50	57	57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	57	48	61	62
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	27	28	28	21	26
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	25	31	20	29	30
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	774	714	693	664	690	727	730	726	737	709	740	707	578	580	586	561	559	553
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	219	208	201	203	205
Cigars	121	145	137	142	143	149	152	146	165	154	177	156	113	158	150	141	154	139
Alcohol	619	617	561	604	617	590	629	694	607	623	654	643	547	529	532	526	581	559
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	169	164	180	164
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	538	525	505	489	482	509	512	503	486	441	455	466	365	367	379	369	342	348

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.26D Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.07	0.07	0.08	0.08	0.08	0.08	0.09	0.09	0.11	0.10	0.10	0.12	0.10	0.10	0.10	0.11	0.11	0.12
Cocaine	0.01	0.01	0.02	0.02	0.03	0.02	0.01	0.02	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.01
Crack	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Heroin	0.02	0.01	0.01	0.00	0.03	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01	0.00
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.00	0.00	0.00	0.01	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.02	0.02
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.02	0.02
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01	0.01
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	*	0.00
Cigarettes (Daily Only) ²	0.30	0.28	0.27	0.26	0.26	0.26	0.28	0.26	0.26	0.26	0.27	0.25	0.20	0.20	0.20	0.19	0.20	0.19
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.08	0.08	0.07	0.07	0.07
Cigars	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.06	0.04	0.06	0.06	0.05	0.06	0.05
Alcohol	0.25	0.24	0.22	0.23	0.23	0.22	0.23	0.25	0.22	0.23	0.23	0.22	0.19	0.18	0.19	0.18	0.20	0.19
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.06	0.07	0.06
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	0.95	0.98	1.01	1.05	1.06	1.09	1.16	1.06	1.17	1.08	1.04	1.13	0.86	0.91	0.81	0.89	0.87	0.80
Cocaine	1.31	1.29	2.17	1.78	2.78	1.85	1.91	2.31	2.96	1.80	2.07	3.28	1.70	1.63	2.14	1.68	1.42	1.79
Crack	2.39	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	5.89	*	*	5.88	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.12	0.48	0.79	0.91	0.30
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.45	1.92	1.96	3.00	2.16
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	4.06	5.83	4.90	4.64	4.24
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.34	1.59	1.42	1.95	2.05
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	1.54	1.55	1.49	1.22	1.58
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.31	1.50	1.15	1.67	1.57
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	0.66	0.67	0.63	0.62	0.59	0.65	0.70	0.68	0.71	0.71	0.71	0.73	0.59	0.64	0.66	0.69	0.71	0.71
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	1.39	1.38	1.41	1.44	1.48
Cigars	0.89	1.03	0.93	0.94	0.94	1.04	1.06	1.01	1.09	1.09	1.19	1.13	0.88	1.10	1.04	1.02	1.13	1.08
Alcohol	0.44	0.44	0.41	0.41	0.43	0.41	0.42	0.46	0.40	0.41	0.42	0.41	0.33	0.33	0.34	0.32	0.35	0.35
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.26	0.25	0.24	0.26	0.24
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.91	0.82	0.87	0.86	0.85	0.88	0.94	0.98	0.94	0.90	0.94	1.00	0.83	0.87	0.89	0.92	0.94	0.95

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.26P Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	
Cocaine	0.3814	0.6770	0.0627	0.3302	0.0239	0.7235	0.8553	0.9552	0.7748	0.0307	0.4812	0.7861	0.2440	0.2386	0.7866	0.5104	0.2799	
Crack	0.1668	0.8570	0.4094	0.8193	0.5141	0.7450	0.5978	0.9418	0.3117	0.0253	0.6765	0.9310	0.3241	0.2602	0.9546	0.3207	0.2513	
Heroin	0.2554	0.0126	0.0778	0.0015	0.7348	0.0701	0.1088	0.0031	0.0354	0.7982	0.8677	0.5760	0.9367	0.4771	0.4410	0.6517	0.3077	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2575	0.9875	0.1824	0.0387	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2604	0.3509	0.3946	0.7127	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0107	0.0117	0.0826	0.6386	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2558	0.9062	0.8032	0.7726	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7257	0.7602	0.5785	0.4059	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8227	0.9320	0.3052	0.6022	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8437	0.6253	0.5359	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0794	0.3582	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0548	0.1130	0.4068	0.8384	
Cigars	0.0003	0.1903	0.0538	0.0340	0.3473	0.0628	0.3021	0.5294	0.8555	0.1008	0.9651	0.1629	0.0063	0.8728	0.4272	0.7079	0.5140	
Alcohol	0.0413	0.4088	0.2431	0.0683	0.2883	0.2659	0.0180	0.0033	0.3702	0.4099	0.0833	0.2505	0.0053	0.3850	0.9611	0.2999	0.5514	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2505	0.7960	0.2167	0.2694	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0060	0.0006	0.0088	0.0564	0.0668	0.0811	0.0640	0.0825	0.6703	
Cocaine	0.1528	0.1826	0.1327	0.9939	0.1034	0.9196	0.9224	0.7807	0.3353	0.1452	0.7383	0.3970	0.6324	0.2610	0.6660	0.3251	0.2948	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1243	0.6382	0.0923	0.0232	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6459	0.6813	0.9014	0.9041	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0945	0.9808	0.7172	0.7131	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7310	0.4705	0.6595	0.8115	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5521	0.5168	0.9884	0.2985	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6289	0.6607	0.3033	0.7467	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0026	0.0021	0.0075	0.2655	0.0216	0.0205	0.2347	0.6638	0.7609	0.5750	0.1835	0.8440	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.4260	0.2442	0.4133	0.1587	
Cigars	0.0000	0.0001	0.0000	0.0000	0.0000	0.0000	0.0004	0.0013	0.0278	0.0004	0.0292	0.0061	0.0002	0.3317	0.9920	0.5492	0.9112	
Alcohol	0.0353	0.2011	0.1267	0.1719	0.2994	0.3454	0.0382	0.0112	0.7102	0.7523	0.2723	0.6583	0.0709	0.7035	0.9491	0.5980	0.6651	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4911	0.9116	0.3303	0.3975	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0007	0.0134	0.2769	0.5778	0.8509	0.6827	0.6848	0.6220	0.4955	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.27C Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	31	28	31	26	29	27	27	29	28	28	28	28	30	32	29	30	29	33
Cocaine	4	4	5	4	*	4	4	3	1	*	2	*	5	2	2	*	2	*
Crack	3	4	3	*	*	3	*	2	*	*	*	*	*	*	*	*	*	*
Heroin	2	2	4	*	*	*	2	1	*	7	*	*	3	*	*	*	3	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1	3	2	2	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	6	5	3	8
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	2	3	2	2
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	3	3	4	*	2
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	5	5	3	*	5
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	7	3	4	5	1
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	42	38	42	33	35	34	28	29	30	28	25	21	27	22	15	14	14	12
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	16	15	12	13	12
Cigars	14	11	12	11	11	9	9	10	9	8	7	6	9	9	10	10	8	12
Alcohol	15	15	17	19	13	14	12	15	13	11	12	9	11	12	8	9	7	11
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	2	6	5	7
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	32	29	32	26	29	27	28	29	29	29	29	28	31	32	29	30	29	33
Cocaine	4	4	*	4	1	*	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	3	8
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	3	3	4	1	*
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	41	39	43	34	35	35	29	30	30	28	25	21	27	22	15	13	14	12
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	16	15	12	13	12
Cigars	14	11	12	11	11	9	9	10	9	8	7	6	9	9	10	10	8	12
Alcohol	15	15	17	20	13	14	12	15	13	11	12	9	11	12	8	9	7	11
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	2	6	5	7
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	19	17	17	15	15	16	12	12	11	10	7	7	8	5	*	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.27D Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.13	0.11	0.12	0.10	0.11	0.11	0.11	0.12	0.12	0.11	0.11	0.11	0.12	0.13	0.11	0.12	0.12	0.13
Cocaine	0.01	0.02	0.02	0.02	*	0.02	0.02	0.01	0.01	*	0.01	*	0.02	0.01	0.01	*	0.01	*
Crack	0.01	0.01	0.01	*	*	0.01	*	0.01	*	*	*	*	*	*	*	*	*	*
Heroin	0.01	0.01	0.01	*	*	*	0.01	0.01	*	0.03	*	*	0.01	*	*	*	0.01	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.00	0.01	0.01	0.01	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.01	0.03
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.01	0.01	0.01	0.01
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.02	*	0.01
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.01	*	0.02
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.01	0.01	0.02	0.01
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	0.17	0.15	0.17	0.13	0.14	0.14	0.11	0.12	0.12	0.11	0.10	0.08	0.11	0.09	0.06	0.05	0.06	0.05
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.06	0.06	0.05	0.05	0.05
Cigars	0.06	0.04	0.05	0.04	0.04	0.04	0.03	0.04	0.04	0.03	0.03	0.02	0.04	0.03	0.04	0.04	0.03	0.05
Alcohol	0.06	0.06	0.07	0.08	0.05	0.06	0.05	0.06	0.05	0.04	0.05	0.04	0.04	0.05	0.03	0.03	0.03	0.04
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.01	0.02	0.02	0.03
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	1.32	1.26	1.38	1.38	1.44	1.41	1.39	1.38	1.41	1.27	1.38	1.35	1.41	1.60	1.54	1.70	1.54	1.58
Cocaine	2.37	2.54	*	2.81	0.53	*	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	1.42	3.43
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.16	1.35	1.85	0.49	*
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	1.03	1.06	1.13	1.12	1.19	1.16	1.11	1.17	1.29	1.28	1.33	1.35	1.89	1.84	1.64	1.64	2.04	2.04
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	3.58	3.47	3.05	4.09	4.22
Cigars	1.16	0.94	0.97	0.96	1.03	0.83	0.87	0.98	1.10	0.93	1.07	1.05	1.71	1.58	2.11	1.90	1.95	3.09
Alcohol	0.34	0.33	0.38	0.46	0.31	0.35	0.33	0.40	0.39	0.32	0.38	0.31	0.37	0.47	0.36	0.35	0.31	0.47
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.32	0.20	0.45	0.39	0.59
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	1.61	1.68	1.80	1.87	1.94	2.14	2.08	2.12	2.24	1.97	1.88	2.47	2.52	2.51	*	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.27P Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.0005	0.4365	0.0643	0.1975	0.6275	0.5516	0.5537	0.8053	0.9550	0.6666	0.6087	0.9136	0.2936	0.5758	0.0696	0.3585	0.0736	
Cocaine	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0807	0.3176	0.2211	0.0366	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.8887	0.3262	0.5317	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.3864	0.2915	0.1902	*	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5094	0.7942	0.5418	*	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1368	0.2954	0.2271	0.0977	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0058	0.2695	0.2212	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0159	0.0160	0.2574	0.4593	
Cigars	0.0850	0.4673	0.1003	0.5725	0.5482	0.7896	0.7403	0.3300	0.9012	0.8714	0.2421	0.1349	0.4373	0.2999	0.9191	0.4192	0.3798	
Alcohol	0.0000	0.0000	0.0000	0.0001	0.0014	0.0001	0.0297	0.0011	0.0174	0.0580	0.1881	0.5835	0.6278	0.6600	0.3400	0.4521	0.1118	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6124	0.1262	0.8311	0.5975	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	0.0076	0.9435	0.0709	0.5701	0.5446	0.6661	0.6503	0.7686	0.9788	0.7677	0.7393	0.5357	0.2399	0.8932	0.4951	0.7241	0.3308	
Cocaine	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	0.0390	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0001	0.0001	0.0003	0.0112	0.0001	0.0128	0.4712	0.7276	0.6081	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.4175	0.3294	0.8717	0.7408	
Cigars	0.0511	0.0120	0.0278	0.0130	0.0156	0.0036	0.0134	0.0269	0.0256	0.0115	0.0086	0.0079	0.0640	0.0379	0.4955	0.0846	0.1713	
Alcohol	0.0025	0.0608	0.0059	0.0610	0.4331	0.0991	0.6681	0.1305	0.3329	0.6130	0.8264	0.8517	0.8503	0.7022	0.3698	0.3705	0.1420	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4421	0.1229	0.7352	0.6367	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS ⁴	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.28C Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	169	172	198	193	192	204	215	233	273	264	268	310	259	273	267	300	309	336
Cocaine	27	30	48	45	75	41	37	39	47	25	36	55	26	32	43	38	28	38
Crack	13	26	33	28	48	30	27	31	18	14	29	35	20	22	35	20	21	29
Heroin	37	22	31	11	70	29	28	18	22	42	42	33	33	30	41	38	28	38
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	*	11	15	6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	10	10	19	16
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	43	49	49	57	57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	57	48	61	62
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	26	28	28	21	25
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	24	30	20	28	30
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	15	24	17	*	13
Cigarettes (Daily Only) ²	703	644	645	628	634	650	685	653	659	674	688	657	526	545	540	521	533	516
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	215	210	198	201	203
Cigars	120	143	136	143	142	148	152	147	164	154	177	154	113	157	150	139	154	139
Alcohol	573	559	524	552	576	549	581	633	560	584	604	588	492	487	507	490	531	512
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	173	168	162	178	163
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	170	171	198	191	194	204	218	233	279	266	276	316	269	277	272	306	316	353
Cocaine	27	30	48	45	75	41	37	39	47	25	36	55	26	32	43	38	28	38
Crack	13	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	39	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	6	11	15	6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	10	10	*	16
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	43	*	49	57	57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	57	48	61	62
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	26	28	28	21	25
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	24	30	20	29	30
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	773	710	689	660	688	725	728	723	734	707	739	705	577	577	586	560	558	553
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	219	207	200	202	203
Cigars	121	145	136	142	143	148	151	146	165	154	177	156	113	158	150	140	155	139
Alcohol	618	616	561	604	617	589	628	693	607	623	654	643	547	528	532	525	581	558
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	169	163	180	164
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	538	524	506	489	481	509	511	502	485	441	455	465	366	366	379	369	342	348

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.28D Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.12	0.11	0.11	0.13	0.11	0.11	0.11	0.12	0.12	0.13
Cocaine	0.01	0.01	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.01	0.02	0.02	0.01	0.02
Crack	0.01	0.01	0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Heroin	0.02	0.01	0.01	0.01	0.03	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.02	0.02	0.01	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	0.00	0.01	0.00
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.02	0.02
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.02	0.02
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01	0.01
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	*	0.01
Cigarettes (Daily Only) ²	0.33	0.30	0.30	0.29	0.29	0.29	0.30	0.29	0.29	0.29	0.29	0.28	0.22	0.22	0.22	0.21	0.21	0.21
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.09	0.09	0.08	0.08	0.08
Cigars	0.06	0.07	0.06	0.07	0.06	0.07	0.07	0.06	0.07	0.07	0.08	0.07	0.05	0.06	0.06	0.06	0.06	0.06
Alcohol	0.27	0.26	0.24	0.25	0.26	0.25	0.26	0.28	0.24	0.25	0.26	0.25	0.20	0.20	0.21	0.20	0.21	0.20
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.07	0.07
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	1.09	1.11	1.17	1.18	1.17	1.22	1.29	1.18	1.28	1.20	1.14	1.23	0.92	0.96	0.87	0.94	0.91	0.84
Cocaine	1.40	1.36	2.30	1.89	2.91	1.94	2.00	2.40	3.08	1.89	2.11	3.37	1.72	1.68	2.17	1.70	1.43	1.82
Crack	2.42	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5.92	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.24	0.48	0.87	0.97	0.32
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2.17	2.43	*	2.64
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	4.11	*	5.00	4.71	4.29
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.44	1.70	1.52	2.06	2.17
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	1.63	1.62	1.59	1.31	1.68
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.38	1.57	1.22	1.74	1.67
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	0.70	0.70	0.66	0.65	0.61	0.68	0.72	0.70	0.72	0.72	0.73	0.74	0.61	0.65	0.66	0.70	0.72	0.72
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	1.42	1.43	1.46	1.48	1.51
Cigars	0.97	1.12	1.01	1.02	1.02	1.12	1.14	1.09	1.16	1.15	1.25	1.18	0.91	1.14	1.08	1.06	1.17	1.12
Alcohol	0.45	0.46	0.42	0.42	0.44	0.42	0.43	0.47	0.41	0.42	0.43	0.41	0.34	0.33	0.35	0.33	0.36	0.35
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.26	0.25	0.25	0.26	0.25
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.93	0.83	0.88	0.88	0.86	0.89	0.95	1.00	0.94	0.91	0.95	1.01	0.84	0.88	0.90	0.92	0.94	0.95

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.28P Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	
Cocaine	0.3219	0.5826	0.0838	0.3966	0.0227	0.8368	0.9895	0.8790	0.7823	0.0316	0.4632	0.7890	0.1800	0.2232	0.8208	0.5128	0.2616	
Crack	0.1175	0.7636	0.4301	0.8445	0.5048	0.7923	0.6120	0.9578	0.3161	0.0253	0.6854	0.9382	0.3260	0.2623	0.9511	0.3220	0.2516	
Heroin	0.2398	0.0111	0.0634	0.0015	0.7237	0.0717	0.1041	0.0027	0.0367	0.9464	0.8531	0.5760	0.9921	0.4826	0.4488	0.6485	0.2705	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3062	*	0.2323	0.0566	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6254	0.5919	0.7235	0.7573	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0120	0.0121	0.0761	0.6249	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2705	0.9410	0.8593	0.7502	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8193	0.7935	0.4991	0.5676	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6205	0.8622	0.2421	0.4681	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8407	0.6237	0.5427	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0749	0.3634	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0709	0.1426	0.4353	0.8064	
Cigars	0.0002	0.2122	0.0498	0.0403	0.3786	0.0799	0.3279	0.5209	0.8251	0.1150	0.9402	0.2083	0.0084	0.7974	0.4202	0.6564	0.4736	
Alcohol	0.0214	0.2632	0.1530	0.0349	0.1769	0.1775	0.0096	0.0021	0.3147	0.3299	0.0623	0.2037	0.0037	0.3468	0.8994	0.2739	0.5205	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2309	0.7412	0.2057	0.2590	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0300	0.0075	0.0425	0.1176	0.2062	0.1557	0.1086	0.0826	0.7714	
Cocaine	0.1570	0.1799	0.1379	0.9830	0.0874	0.8612	0.9864	0.8187	0.3160	0.1695	0.7020	0.3910	0.5018	0.2547	0.7116	0.3178	0.2585	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1512	0.8820	0.1176	0.0340	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.8316	0.8504	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1064	*	0.7267	0.7048	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7619	0.4807	0.6355	0.7955	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6301	0.5134	0.9247	0.4327	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.4883	0.5907	0.2489	0.5491	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0001	0.0004	0.0641	0.0026	0.0047	0.1057	0.5114	0.9331	0.6922	0.2516	0.8927	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.3617	0.2105	0.3097	0.1384	
Cigars	0.0000	0.0006	0.0000	0.0000	0.0003	0.0001	0.0021	0.0061	0.0677	0.0017	0.0615	0.0146	0.0006	0.4579	0.9228	0.6769	0.8173	
Alcohol	0.0128	0.0861	0.0529	0.0851	0.1505	0.2022	0.0181	0.0056	0.5743	0.6104	0.2048	0.5788	0.0547	0.6994	0.9360	0.5683	0.6616	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4552	0.8702	0.3156	0.3933	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0074	0.2083	0.5037	0.9663	0.6034	0.6578	0.6137	0.5088	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.29C Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	63	71	74	75	77	74	78	81	86	88	93	93	107	105	102	107	105	100
Cocaine	6	7	11	7	12	7	7	10	7	5	9	4	4	7	6	7	5	9
Crack	3	3	5	*	6	7	3	9	6	*	3	*	2	4	*	3	2	4
Heroin	4	4	4	7	5	7	7	4	10	14	16	12	11	13	10	17	8	9
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	2	5	4	4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	4	7	4	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	12	7	11	9	12
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	14	9	14	10	8
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	8	4	8	5	7
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	10	7	8	7	8
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	5	*	2	*
Cigarettes (Daily Only) ²	122	125	126	119	124	123	121	118	116	125	124	109	119	119	106	101	87	85
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	53	53	47	42	48
Cigars	24	28	28	30	29	32	29	29	36	33	36	31	34	36	36	39	38	36
Alcohol	62	67	71	68	77	70	70	76	74	71	69	70	75	65	68	67	71	68
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	28	26	25	26	26
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	65	74	79	80	82	79	81	87	93	95	104	99	114	115	111	115	122	112
Cocaine	6	7	11	7	12	7	7	10	7	5	9	4	4	7	6	7	5	9
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	2	5	4	4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	14	9	14	10	8
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	8	4	8	5	7
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	10	7	8	7	8
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	135	144	146	135	134	135	129	130	120	134	129	115	127	130	109	105	92	85
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	54	54	47	42	48
Cigars	24	28	28	30	29	33	29	30	37	33	36	31	34	37	37	39	38	37
Alcohol	67	69	77	75	82	76	77	82	79	74	73	74	79	68	70	69	75	69
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	26	25	27	26
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	79	81	76	77	74	71	67	64	60	62	54	49	57	53	57	51	42	41

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.29D Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.20	0.22	0.23	0.23	0.24	0.23	0.24	0.24	0.25	0.26	0.27	0.27	0.31	0.30	0.29	0.31	0.31	0.30
Cocaine	0.02	0.02	0.03	0.02	0.04	0.02	0.02	0.03	0.02	0.01	0.03	0.01	0.01	0.02	0.02	0.02	0.02	0.03
Crack	0.01	0.01	0.02	*	0.02	0.02	0.01	0.03	0.02	*	0.01	*	0.01	0.01	*	0.01	0.01	0.01
Heroin	0.01	0.01	0.01	0.02	0.01	0.02	0.02	0.01	0.03	0.04	0.04	0.04	0.03	0.04	0.03	0.05	0.02	0.03
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.01	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.01	0.02	0.01	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.02	0.03	0.03	0.04
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.04	0.03	0.04	0.03	0.02
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.01	0.02	0.01	0.02
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.02	0.02	0.02	0.02
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.01	*	0.01	*
Cigarettes (Daily Only) ²	0.39	0.40	0.39	0.37	0.38	0.38	0.37	0.35	0.34	0.36	0.36	0.31	0.34	0.34	0.31	0.29	0.25	0.25
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.15	0.15	0.14	0.12	0.14
Cigars	0.08	0.09	0.09	0.09	0.09	0.10	0.09	0.09	0.11	0.10	0.10	0.09	0.10	0.10	0.11	0.11	0.11	0.11
Alcohol	0.20	0.21	0.22	0.21	0.23	0.21	0.21	0.23	0.22	0.21	0.20	0.20	0.22	0.19	0.20	0.20	0.21	0.20
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.07	0.08	0.08
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	0.94	1.04	1.06	1.07	1.11	1.13	1.11	1.05	1.09	1.05	1.06	1.09	1.19	1.19	1.10	1.14	1.07	1.06
Cocaine	0.99	0.99	1.55	0.78	1.64	1.22	1.40	2.03	1.32	1.00	2.18	1.06	0.84	1.12	1.10	1.08	1.01	1.62
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.00	0.33	0.80	0.71	0.69
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.66	1.35	2.18	2.02	1.83
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	1.01	0.58	1.10	0.85	1.15
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.63	1.29	1.45	1.84	2.45
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	0.72	0.69	0.72	0.73	0.77	0.76	0.81	0.80	0.80	0.86	0.88	0.83	0.91	1.02	1.03	1.02	1.11	1.13
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.00	2.05	2.25	2.21	2.13
Cigars	0.66	0.74	0.66	0.74	0.71	0.81	0.73	0.73	0.89	0.84	0.92	0.86	0.95	1.09	1.09	1.11	1.21	1.27
Alcohol	0.32	0.34	0.34	0.33	0.36	0.33	0.33	0.35	0.34	0.33	0.32	0.32	0.35	0.31	0.34	0.34	0.36	0.37
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.21	0.19	0.20	0.22	0.23
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.93	0.88	0.86	0.93	0.93	0.92	0.91	0.92	0.94	0.97	0.90	0.90	1.16	1.11	1.42	1.45	1.49	1.60

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.29P Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0050	0.0124	0.0110	0.8667	0.2206	
Cocaine	0.6873	0.8983	0.1322	0.7970	0.3072	0.6343	0.8402	0.9409	0.2087	0.0482	0.4309	0.0322	0.0290	0.3036	0.2168	0.2382	0.1332	
Crack	0.7320	0.9591	0.2514	*	0.1770	0.1049	0.8509	0.1028	0.6032	*	0.9874	*	0.6874	0.9878	*	0.7323	0.7794	
Heroin	0.1835	0.1220	0.0901	0.8285	0.1279	0.6081	0.9970	0.2724	0.7201	0.0876	0.1406	0.1385	0.5634	0.3268	0.2696	0.1240	1.0000	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6233	0.1659	0.9849	0.6878	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.4076	0.0509	0.6012	0.4050	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0194	0.6123	0.0192	0.5401	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6449	0.4450	0.5525	0.5595	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6545	0.6777	0.8508	0.6679	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0063	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0033	0.0198	0.4168	0.6548	
Cigars	0.0035	0.0423	0.1773	0.2225	0.2638	0.2844	0.1582	0.2412	0.7452	0.2991	0.2644	0.0264	0.0554	0.5279	0.2996	0.7022	0.8697	
Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0018	0.0002	0.0021	0.0065	0.0768	0.3026	0.3517	0.5162	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1814	0.7737	0.7759	0.9548	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	0.0000	0.0025	0.0020	0.0064	0.0457	0.0029	0.0414	0.0786	0.5456	0.1765	0.3441	0.7063	0.4823	0.3946	0.7413	0.3858	0.6571	
Cocaine	0.3413	0.5069	0.4657	0.1912	0.8088	0.4937	0.8824	0.6903	0.2619	0.0788	0.8766	0.0892	0.0462	0.2636	0.2181	0.1282	0.1472	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6054	0.1547	0.9377	0.7699	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5376	0.6202	0.1735	0.7293	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.9705	0.2582	0.8053	0.5697	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5276	0.2248	0.2789	0.4780	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0038	0.0558	0.2083	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0152	0.0194	0.1309	0.2971	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0001	0.0001	0.0000	0.0001	0.0542	0.0255	0.2701	0.2743	
Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0007	0.0045	0.1404	0.0272	0.0883	0.1489	0.4727	0.7557	0.6837	0.6426	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6459	0.6585	0.4632	0.9529	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0153	0.2192	0.5468	0.9467	0.1334	0.2079	0.1993	0.5778	0.9930	0.4524	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.30C Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	153	157	178	176	172	185	199	210	249	246	241	286	228	238	240	273	283	310
Cocaine	26	29	47	44	74	40	36	38	47	25	35	55	25	31	42	37	27	37
Crack	13	26	33	28	48	29	27	29	17	14	29	35	20	22	35	19	21	29
Heroin	37	21	30	9	70	29	26	18	20	40	40	30	31	27	40	34	26	37
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	*	10	14	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	9	7	18	16
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	42	48	48	56	56
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	52	56	45	60	62
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	25	27	27	20	24
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	21	30	18	28	29
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	14	23	17	*	13
Cigarettes (Daily Only) ²	681	618	611	603	618	630	662	632	635	650	662	648	502	524	520	501	520	501
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	207	203	196	194	193
Cigars	117	140	131	140	139	144	151	144	158	150	172	151	107	150	147	132	147	136
Alcohol	568	549	521	545	564	546	579	622	555	577	596	583	483	473	494	485	522	505
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	169	165	162	176	160
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	154	157	178	174	174	185	202	210	253	247	246	292	235	243	243	279	284	322
Cocaine	26	29	47	45	75	40	36	38	47	25	35	*	25	31	42	37	27	37
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	6	10	14	4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	41	*	48	56	56
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	52	56	45	60	62
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	25	27	27	20	24
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	22	30	18	28	29
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	738	678	649	632	672	696	705	696	709	681	709	691	545	546	564	537	544	538
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	212	201	197	195	193
Cigars	118	141	132	140	139	144	151	143	159	149	172	152	108	150	147	133	148	137
Alcohol	616	608	557	598	605	584	628	687	600	615	648	638	541	517	524	524	574	553
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	171	166	163	178	161
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	528	508	491	476	473	500	501	495	479	435	447	458	355	356	370	362	338	344

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.30D Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.09	0.09	0.10	0.09	0.09	0.10	0.10	0.11	0.13	0.12	0.12	0.14	0.11	0.11	0.11	0.13	0.13	0.14
Cocaine	0.01	0.02	0.03	0.02	0.04	0.02	0.02	0.02	0.02	0.01	0.02	0.03	0.01	0.01	0.02	0.02	0.01	0.02
Crack	0.01	0.01	0.02	0.01	0.03	0.02	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.01
Heroin	0.02	0.01	0.02	0.00	0.04	0.02	0.01	0.01	0.01	0.02	0.02	0.01	0.02	0.01	0.02	0.02	0.01	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	*	0.00	0.01	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.03	0.03
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.03	0.02	0.03	0.03
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01	0.01
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	*	0.01
Cigarettes (Daily Only) ²	0.38	0.34	0.33	0.33	0.33	0.33	0.35	0.33	0.33	0.33	0.33	0.32	0.24	0.25	0.25	0.24	0.24	0.23
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.10	0.10	0.09	0.09	0.09
Cigars	0.07	0.08	0.07	0.08	0.07	0.08	0.08	0.07	0.08	0.08	0.09	0.07	0.05	0.07	0.07	0.06	0.07	0.06
Alcohol	0.32	0.30	0.28	0.29	0.30	0.29	0.30	0.32	0.28	0.29	0.30	0.29	0.24	0.23	0.24	0.23	0.24	0.23
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.08	0.07
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	1.77	1.79	1.86	1.89	1.80	1.98	1.99	1.86	2.00	1.86	1.72	1.80	1.25	1.29	1.21	1.23	1.24	1.04
Cocaine	2.05	1.98	3.48	2.94	4.09	2.68	2.74	3.30	4.64	2.88	2.71	*	2.50	2.40	3.04	2.40	1.90	2.46
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.94	1.46	1.53	0.33
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	4.63	*	5.86	5.14	4.57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.84	2.11	1.81	2.44	2.52
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	3.02	2.92	2.58	2.03	2.72
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.86	2.17	1.71	2.24	1.99
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	0.87	0.86	0.80	0.79	0.74	0.83	0.86	0.84	0.86	0.88	0.85	0.88	0.72	0.76	0.75	0.79	0.79	0.79
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	1.69	1.72	1.77	1.73	1.76
Cigars	1.35	1.58	1.44	1.43	1.43	1.60	1.62	1.54	1.62	1.62	1.70	1.64	1.23	1.46	1.42	1.36	1.48	1.44
Alcohol	0.54	0.54	0.50	0.49	0.52	0.50	0.51	0.55	0.49	0.49	0.51	0.49	0.39	0.38	0.40	0.37	0.40	0.40
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.32	0.31	0.30	0.32	0.30
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	1.12	0.99	1.05	1.02	1.00	1.06	1.10	1.16	1.09	1.05	1.09	1.15	0.93	0.98	1.00	1.02	1.03	1.01

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.30P Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	
Cocaine	0.3517	0.5394	0.1576	0.3659	0.0341	0.7610	0.9813	0.8508	0.6056	0.0802	0.5726	0.5507	0.3777	0.3129	0.6382	0.6747	0.4268	
Crack	0.1033	0.7747	0.5178	0.9236	0.6017	0.9790	0.6054	0.7420	0.2644	0.0338	0.6959	0.8639	0.3564	0.2598	0.8748	0.2977	0.2641	
Heroin	0.3430	0.0237	0.1203	0.0006	0.5840	0.0820	0.0904	0.0045	0.0194	0.6343	0.7577	0.2789	0.8575	0.2692	0.6117	0.9252	0.2488	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5888	0.3823	0.2759	0.9779	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0172	0.0300	0.0883	0.7317	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5007	0.9887	0.7569	0.8135	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6963	0.9202	0.6112	0.6600	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.4757	0.9398	0.2342	0.5238	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8854	0.7537	0.5383	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0005	0.4338	0.6053	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2619	0.3616	0.5500	0.8764	
Cigars	0.0016	0.3873	0.0763	0.0607	0.4829	0.1100	0.4710	0.6588	0.8102	0.1523	0.7753	0.4170	0.0277	0.7059	0.2901	0.7433	0.4456	
Alcohol	0.0737	0.5906	0.4389	0.1473	0.4972	0.4821	0.0519	0.0079	0.5459	0.4303	0.1060	0.2782	0.0059	0.3743	0.9126	0.2898	0.5479	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2959	0.7477	0.1762	0.2474	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0549	0.0318	0.0128	0.1614	0.0968	0.0587	0.1398	0.0263	0.9334	
Cocaine	0.2701	0.2608	0.1210	0.6001	0.0716	0.9960	0.9614	0.8661	0.1543	0.4072	0.6889	*	0.9027	0.4160	0.4888	0.5498	0.4112	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.3000	0.1033	0.0183	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1662	*	0.3957	0.6579	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8140	0.5948	0.4957	0.7949	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7645	0.8221	0.9615	0.4646	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6526	0.9264	0.4996	0.7018	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	0.0001	0.0001	0.0489	0.0009	0.0029	0.0418	0.4494	0.8799	0.7643	0.3747	0.8846	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6803	0.4577	0.5831	0.2261	
Cigars	0.0000	0.0635	0.0023	0.0008	0.0442	0.0143	0.1076	0.2129	0.5636	0.0604	0.4901	0.2629	0.0350	0.8786	0.4136	0.9770	0.5579	
Alcohol	0.0144	0.0805	0.0686	0.1275	0.1726	0.2452	0.0280	0.0041	0.4935	0.4300	0.1567	0.4751	0.0341	0.5360	0.7628	0.5095	0.6613	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3577	0.6488	0.2058	0.3696	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0297	0.0761	0.2977	0.1248	0.4453	0.3727	0.6788	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.31C Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	57	58	54	60	62	57	59	61	64	62	71	64	72	69	67	68	70	69
Cocaine	5	6	9	6	5	6	6	6	6	4	4	3	6	6	5	2	3	4
Crack	4	4	4	*	*	4	*	4	5	*	3	*	*	4	*	2	*	4
Heroin	4	4	4	3	2	4	4	3	5	10	6	9	8	3	2	*	3	4
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	3	2	4	2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	6	7	3	8
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	8	*	8	6	6
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	5	6	8	6	3
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	7	5	7	2	6
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	8	7	4	8	3
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	84	83	85	79	84	78	77	71	73	74	64	63	67	64	55	45	43	40
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	36	34	27	25	27
Cigars	22	22	22	25	19	21	21	25	25	24	19	21	22	23	24	27	24	26
Alcohol	35	38	42	40	39	37	35	39	40	32	31	32	36	29	26	29	26	26
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	10	13	11	9
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	59	59	56	62	65	58	61	63	66	66	77	66	74	71	69	71	73	74
Cocaine	5	6	9	6	5	6	6	6	6	4	4	*	*	6	*	2	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	*	2	4	2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	6	7	3	8
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	5	6	8	6	3
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	7	5	7	*	6
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	8	7	4	8	3
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	85	87	87	85	86	83	80	75	75	75	66	63	68	66	55	46	44	40
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	36	34	27	25	27
Cigars	23	22	22	25	19	21	21	25	25	24	19	22	22	23	24	27	24	26
Alcohol	35	38	43	41	39	38	36	40	40	32	31	32	36	30	26	29	26	26
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	10	13	11	9
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	44	42	43	45	43	38	39	33	35	36	25	24	29	21	28	25	19	14

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.31D Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.15	0.16	0.14	0.16	0.16	0.15	0.15	0.16	0.17	0.16	0.19	0.17	0.19	0.18	0.18	0.18	0.19	0.18
Cocaine	0.01	0.02	0.02	0.01	0.01	0.02	0.02	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.01
Crack	0.01	0.01	0.01	*	*	0.01	*	0.01	0.01	*	0.01	*	*	0.01	*	0.01	*	0.01
Heroin	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.03	0.02	0.02	0.02	0.01	0.01	*	0.01	0.01
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01	0.00
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.02	0.01	0.02
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	*	0.02	0.02	0.02
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.02	0.02	0.02	0.01
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.01	0.02	0.01	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.01	0.02	0.01
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	0.22	0.22	0.23	0.21	0.22	0.20	0.20	0.19	0.19	0.19	0.17	0.16	0.18	0.17	0.15	0.12	0.11	0.11
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.09	0.09	0.07	0.07	0.07
Cigars	0.06	0.06	0.06	0.06	0.05	0.06	0.05	0.06	0.07	0.06	0.05	0.06	0.06	0.06	0.06	0.07	0.06	0.07
Alcohol	0.09	0.10	0.11	0.10	0.10	0.10	0.09	0.10	0.10	0.08	0.08	0.08	0.09	0.08	0.07	0.08	0.07	0.07
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.03	0.03	0.03	0.02
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	1.02	1.01	0.99	1.14	1.16	1.13	1.10	1.07	1.16	1.04	1.15	1.15	1.27	1.24	1.30	1.32	1.24	1.17
Cocaine	1.36	1.48	2.27	1.26	1.21	1.71	1.95	2.52	2.58	1.49	2.32	*	*	2.56	*	1.15	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.47	*	0.62	1.17	0.42
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.61	2.95	3.19	1.13	2.89
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.93	1.32	2.05	1.67	0.92
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	1.66	1.30	1.83	*	1.84
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.95	1.96	1.32	3.27	1.46
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	0.82	0.83	0.85	0.86	0.90	0.88	0.96	0.84	0.97	1.00	1.04	1.07	1.24	1.41	1.49	1.31	1.46	1.63
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.71	2.72	2.47	2.54	2.83
Cigars	0.78	0.76	0.69	0.81	0.68	0.70	0.71	0.84	0.95	0.88	0.83	1.01	1.12	1.24	1.38	1.49	1.46	1.85
Alcohol	0.31	0.34	0.36	0.36	0.34	0.33	0.34	0.36	0.39	0.32	0.32	0.36	0.40	0.37	0.35	0.38	0.35	0.36
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.29	0.23	0.27	0.26	0.22
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	1.11	1.11	1.17	1.29	1.31	1.25	1.34	1.25	1.36	1.43	1.29	1.40	1.75	1.70	2.68	2.67	2.59	2.43

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.31P Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.8311	0.4071	0.0165	0.0152	0.2132	0.0017	0.2081	0.7360	0.5590	0.8766	0.3147	0.9052	0.8516	0.5883	0.3354	0.7724	0.4341	
Cocaine	0.1483	0.0551	0.0156	0.0681	0.4677	0.1407	0.0331	0.1141	0.4934	0.9687	0.8783	0.6786	0.4992	0.5562	0.5612	0.6311	0.6499	
Crack	0.5761	0.4145	0.8079	*	*	0.4790	*	0.5038	0.5482	*	0.8152	*	*	0.9142	*	0.8965	*	
Heroin	0.4775	0.3238	0.7018	0.4052	0.9444	0.5161	0.3564	0.7465	0.5033	0.0101	0.0548	0.4208	0.1022	0.4765	0.9527	*	0.5497	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1855	0.8588	0.4039	0.3955	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0817	0.4681	0.8088	0.0368	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.3710	*	0.1722	0.5659	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1033	0.0376	0.0212	0.3078	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8105	0.8527	0.4026	0.1227	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1309	0.1160	0.4485	0.0528	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0253	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0000	0.0001	0.0680	0.1157	
Cigars	0.9225	0.9952	0.6781	0.5308	0.7559	0.5365	0.6658	0.4300	0.7461	0.8631	0.2076	0.1735	0.1556	0.7282	0.6797	0.7422	0.7189	
Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0006	0.0007	0.0239	0.2128	0.0246	0.2830	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0847	0.7397	0.0693	0.4197	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	0.5634	0.5379	0.2274	0.3290	0.2881	0.1318	0.4909	0.7314	0.5612	0.4427	0.1959	0.5007	0.9778	0.9048	0.7188	0.2370	0.4037	
Cocaine	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1892	*	0.4408	0.3737	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0892	0.7142	0.9506	0.0364	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.3794	0.1215	0.0368	0.3472	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8003	0.5196	0.6255	*	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.3966	0.3050	0.8144	0.0572	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0009	0.0471	0.2975	0.3171	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0053	0.0036	0.2363	0.1407	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0002	0.0001	0.0000	0.0001	0.0002	0.0157	0.0377	0.1513	0.1179	
Alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0063	0.0187	0.0284	0.0248	0.0821	0.3038	0.0551	0.3194	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2262	0.9111	0.1111	0.4572	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.0000	0.0000	0.0000	0.0000	0.0001	0.0021	0.0013	0.0061	0.0675	0.0442	0.4853	0.4728	0.4878	0.5074	0.0197	0.0677	0.2855	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.32C Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	164	165	189	187	183	196	209	222	262	258	259	301	245	260	254	292	298	328
Cocaine	26	30	48	45	75	40	36	39	47	25	36	55	25	31	43	38	28	38
Crack	13	26	33	28	48	30	27	31	17	14	29	35	20	22	35	19	21	29
Heroin	37	22	31	11	70	29	27	18	22	41	42	32	32	30	41	38	28	38
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	6	11	15	5
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	10	8	19	16
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	42	49	48	56	57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	56	47	61	62
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	26	27	27	21	25
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	24	30	20	28	30
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	14	24	17	*	13
Cigarettes (Daily Only) ²	689	639	637	623	626	641	674	645	650	665	680	657	517	538	533	513	530	511
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	214	207	196	199	200
Cigars	119	142	133	142	140	147	151	144	161	152	176	153	110	154	149	137	150	138
Alcohol	574	555	523	550	572	549	576	630	558	579	602	585	491	484	504	489	529	509
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	173	168	162	178	163
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	166	165	189	185	185	197	212	221	267	259	265	307	255	263	258	298	303	343
Cocaine	26	29	48	45	75	40	36	39	47	25	36	55	25	31	43	38	28	38
Crack	13	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	39	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	6	11	14	5
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	42	*	48	56	57
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	54	56	47	61	62
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	26	27	27	21	25
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	24	30	20	28	30
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	758	702	680	654	682	712	716	714	726	700	727	703	565	566	579	554	556	549
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	218	205	198	201	201
Cigars	119	143	134	142	141	147	151	144	162	152	175	154	111	155	149	138	151	138
Alcohol	619	614	562	603	612	588	626	693	604	620	653	640	547	527	531	525	580	557
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	169	163	180	164
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	535	522	504	485	480	505	505	501	483	439	452	464	363	364	378	367	341	347

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.32D Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older: Standard Errors of Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.12	0.12	0.12	0.13	0.11	0.11	0.11	0.12	0.13	0.14
Cocaine	0.01	0.01	0.02	0.02	0.04	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.01	0.02	0.02	0.01	0.02
Crack	0.01	0.01	0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.01
Heroin	0.02	0.01	0.02	0.01	0.03	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.02	0.02	0.01	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01	0.00
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.00	0.00	0.01	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.02	0.02
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.02	0.02	0.02	0.03	0.03
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01	0.01
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	0.01	0.01
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.01	0.01	0.01	*	0.01
Cigarettes (Daily Only) ²	0.35	0.32	0.31	0.30	0.30	0.31	0.32	0.30	0.30	0.30	0.31	0.29	0.23	0.23	0.23	0.22	0.22	0.22
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.09	0.09	0.08	0.08	0.08
Cigars	0.06	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.07	0.05	0.07	0.06	0.06	0.06	0.06
Alcohol	0.29	0.28	0.26	0.27	0.28	0.26	0.27	0.30	0.26	0.26	0.27	0.26	0.22	0.21	0.22	0.21	0.22	0.21
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.07	0.08	0.07
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	1.31	1.35	1.38	1.43	1.38	1.47	1.53	1.39	1.52	1.43	1.34	1.41	1.02	1.05	0.96	1.03	1.02	0.90
Cocaine	1.59	1.55	2.62	2.16	3.36	2.17	2.25	2.64	3.44	2.22	2.29	3.66	1.90	1.83	2.35	1.85	1.56	1.94
Crack	2.50	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5.96	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.48	0.61	1.05	1.10	0.35
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	4.24	*	5.23	4.83	4.35
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	1.54	1.81	1.59	2.19	2.28
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	1.97	1.97	1.80	1.42	1.91
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	1.56	1.74	1.37	1.89	1.77
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*
Cigarettes (Daily Only) ²	0.75	0.76	0.71	0.69	0.65	0.72	0.77	0.74	0.77	0.76	0.76	0.78	0.64	0.68	0.69	0.73	0.74	0.73
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	1.51	1.51	1.55	1.56	1.58
Cigars	1.12	1.29	1.17	1.18	1.16	1.31	1.32	1.25	1.33	1.32	1.41	1.33	1.01	1.24	1.18	1.16	1.26	1.21
Alcohol	0.48	0.48	0.44	0.44	0.46	0.44	0.45	0.49	0.43	0.44	0.45	0.43	0.35	0.35	0.36	0.34	0.37	0.36
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.27	0.26	0.28	0.26
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.99	0.88	0.94	0.92	0.90	0.94	0.99	1.05	0.99	0.95	0.98	1.05	0.86	0.90	0.92	0.95	0.96	0.96

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.32P Daily or Almost Daily Use of Specific Substances in Past Month among All Persons Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	
Cocaine	0.2804	0.4778	0.1285	0.4258	0.0251	0.8429	0.9198	0.8085	0.8184	0.0301	0.4798	0.7478	0.2015	0.2040	0.8363	0.5333	0.2999	
Crack	0.1376	0.7794	0.4025	0.9260	0.4737	0.7963	0.6488	1.0000	0.2528	0.0320	0.7054	0.8691	0.3669	0.2484	0.8862	0.3091	0.2954	
Heroin	0.2423	0.0088	0.0759	0.0009	0.7104	0.0625	0.0902	0.0027	0.0267	0.8155	0.9627	0.4808	0.8474	0.4357	0.4396	0.6004	0.2759	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5000	0.9328	0.2380	0.0561	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6262	0.5021	0.3929	0.7575	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0069	0.0155	0.0517	0.5916	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2988	0.9657	0.9928	0.8287	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6731	0.7853	0.7265	0.5736	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5770	0.7182	0.2483	0.3442	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.8957	0.6242	0.5432	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1392	0.4479	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1906	0.3016	0.5573	0.6808	
Cigars	0.0003	0.2106	0.0488	0.0287	0.4063	0.0861	0.3618	0.4656	0.8613	0.0986	0.8616	0.2470	0.0141	0.8135	0.3776	0.7493	0.4661	
Alcohol	0.0458	0.4369	0.2874	0.0718	0.3093	0.2650	0.0192	0.0038	0.3894	0.3680	0.0749	0.2380	0.0055	0.3923	0.9793	0.3476	0.5803	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2890	0.8012	0.2570	0.2916	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																		
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0829	0.0243	0.0239	0.1333	0.1819	0.1661	0.1545	0.0571	0.9685	
Cocaine	0.1937	0.2032	0.1254	0.8570	0.0505	0.9902	0.9450	0.8462	0.2917	0.2380	0.7565	0.3472	0.6071	0.2617	0.6868	0.3704	0.3305	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2630	0.6159	0.1163	0.0337	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0828	*	0.7005	0.7179	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7772	0.4593	0.5441	0.8356	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6445	0.6477	0.8929	0.3836	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5847	0.5774	0.3290	0.4613	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	
Cigarettes (Daily Only) ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0001	0.0258	0.0005	0.0013	0.0461	0.5030	0.9555	0.7291	0.3034	0.9041	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5713	0.3978	0.4345	0.1836	
Cigars	0.0000	0.0070	0.0001	0.0000	0.0064	0.0028	0.0290	0.0429	0.2766	0.0121	0.2339	0.0708	0.0060	0.6779	0.5995	0.7981	0.6424	
Alcohol	0.0103	0.0719	0.0460	0.0726	0.1300	0.1511	0.0155	0.0037	0.4673	0.4875	0.1569	0.5237	0.0463	0.6733	0.9346	0.6254	0.6918	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4774	0.8765	0.3625	0.4237	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0020	0.1070	0.3207	0.7734	0.3937	0.6831	0.6135	0.5006	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.