

Table 7.1A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 12 or Older: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	130,610 ^a	130,628 ^a	134,704 ^a	134,791 ^a	138,027
Marijuana	94,946 ^a	96,611 ^a	96,772 ^a	97,545 ^a	97,792 ^a	100,737 ^a	102,857 ^a	104,950 ^a	106,613 ^a	107,842 ^a	111,239 ^a	114,712 ^a	117,213 ^a	117,865 ^a	118,524 ^a	122,943 ^a	123,935 ^a	127,139
Cocaine	33,910 ^a	34,891 ^a	34,153 ^a	33,673 ^a	35,303 ^a	35,947 ^a	36,916 ^a	36,742 ^a	37,361 ^a	36,921 ^a	37,688 ^a	37,634 ^a	39,200 ^a	38,744 ^a	38,880 ^a	40,550	40,194	41,445
Crack	8,402 ^a	7,949 ^a	7,840 ^a	7,928 ^a	8,559	8,615	8,454 ^a	8,390 ^a	9,208	8,214 ^a	9,015	8,870	9,424	9,035	8,776	9,599	9,177	9,375
Heroin	3,668 ^a	3,744 ^a	3,145 ^a	3,534 ^a	3,788 ^a	3,806 ^a	3,795 ^a	3,680 ^a	4,144 ^a	4,162 ^a	4,565 ^a	4,812 ^a	4,813 ^a	5,099	4,981 ^a	5,295	5,108	5,696
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	40,915 ^a	41,490 ^a	42,072 ^a	43,255	44,087
LSD	24,516 ^a	24,424 ^a	23,398 ^a	22,433 ^a	23,365 ^a	22,720 ^a	23,604 ^a	23,714 ^a	23,375 ^a	23,000 ^a	23,735 ^a	24,770 ^a	25,035 ^a	25,324 ^a	25,861 ^a	26,069 ^a	27,339	27,528
PCP	7,418 ^a	7,107 ^a	6,762 ^a	6,603 ^a	6,633 ^a	6,179	6,657 ^a	6,271	6,255	6,103	6,552 ^a	6,462 ^a	6,388 ^a	6,323 ^a	6,450 ^a	6,098	6,085	5,516
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18,328 ^a	18,459 ^a	19,173	19,949	20,097
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25,765	24,404	25,187	24,783	25,090
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14,511 ^a	14,533 ^a	14,722 ^a	14,892	16,013
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	171,838 ^a	172,843 ^a	171,827 ^a	172,217 ^a	173,904 ^a	172,420 ^a	174,000 ^a	174,105 ^a	174,409 ^a	173,890 ^a	173,654 ^a	175,260 ^a	175,416 ^a	171,120 ^a	169,428	170,496 ^a	168,310	167,786
Cigarettes	162,553 ^a	163,240 ^a	161,842 ^a	161,863 ^a	162,951 ^a	161,831 ^a	162,637 ^a	162,608 ^a	162,940 ^a	161,799 ^a	161,057 ^a	162,138 ^a	161,789 ^a	156,495 ^a	154,688 ^a	155,446 ^a	152,480	151,235
Daily Cigarettes	95,221 ^a	94,759 ^a	93,409 ^a	93,470 ^a	94,518 ^a	94,539 ^a	94,322 ^a	92,092 ^a	93,210 ^a	90,835 ^a	93,371 ^a	92,426 ^a	91,773 ^a	89,238 ^a	88,015 ^a	85,559	83,853	84,016
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	43,547	43,282	43,886	42,599	42,585
Cigars	88,053	88,096	87,409	88,260 ^a	88,660 ^a	88,522 ^a	89,765 ^a	90,460 ^a	88,760 ^a	88,505 ^a	88,596 ^a	89,117 ^a	89,267 ^a	87,732	85,338	86,365	86,513	85,919
Pipe Tobacco	40,003 ^a	40,064 ^a	39,499 ^a	38,462 ^a	38,350 ^a	35,527 ^a	36,622 ^a	35,221 ^a	34,380 ^a	34,532 ^a	34,604 ^a	34,173 ^a	33,695 ^a	33,493 ^a	33,094	33,064	32,777	31,471
ALCOHOL	195,452 ^a	197,533 ^a	198,220 ^a	201,667 ^a	203,409 ^a	203,952 ^a	205,420 ^a	208,534 ^a	209,264 ^a	211,747 ^a	214,013 ^a	213,794 ^a	217,765 ^a	216,839 ^a	216,152 ^a	220,063	221,220	220,958
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	228,992 ^a	228,228 ^a	232,204	232,943	233,013
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	222,244 ^a	221,659 ^a	225,762	226,669	226,914
Tobacco Products or Alcohol	205,986 ^a	207,427 ^a	208,679 ^a	211,566 ^a	213,706 ^a	213,624 ^a	215,478 ^a	217,517 ^a	219,047 ^a	220,702 ^a	222,886 ^a	224,245 ^a	226,637 ^a	225,726 ^a	225,081 ^a	228,872	229,612	229,306

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.1B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 12 or Older: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	48.8 ^a	48.5 ^a	49.5	49.2 ^a	50.2
Marijuana	40.4 ^a	40.6 ^a	40.2 ^a	40.1 ^a	39.7 ^a	40.6 ^a	41.2 ^a	41.7 ^a	42.0 ^a	41.9 ^a	42.8 ^a	43.7 ^a	44.2 ^a	44.0 ^a	44.0 ^a	45.2 ^a	45.3 ^a	46.2
Cocaine	14.4	14.7	14.2 ^a	13.8 ^a	14.3 ^a	14.5	14.8	14.6	14.7	14.3 ^a	14.5	14.3 ^a	14.8	14.5	14.4	14.9	14.7	15.1
Crack	3.6	3.3	3.3	3.3	3.5	3.5	3.4	3.3	3.6	3.2	3.5	3.4	3.6	3.4	3.3	3.5	3.4	3.4
Heroin	1.6 ^a	1.6 ^a	1.3 ^a	1.5 ^a	1.5 ^a	1.5 ^a	1.5 ^a	1.5 ^a	1.6 ^a	1.6 ^a	1.8 ^a	1.8	1.8 ^a	1.9	1.8	1.9	1.9	2.1
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15.3 ^a	15.4	15.5	15.8	16.0
LSD	10.4	10.3	9.7	9.2 ^a	9.5	9.2 ^a	9.4	9.4 ^a	9.2 ^a	8.9 ^a	9.1 ^a	9.4	9.4 ^a	9.5 ^a	9.6	9.6	10.0	10.0
PCP	3.2 ^a	3.0 ^a	2.8 ^a	2.7 ^a	2.7 ^a	2.5 ^a	2.7 ^a	2.5 ^a	2.5 ^a	2.4 ^a	2.5 ^a	2.5 ^a	2.4 ^a	2.4 ^a	2.4 ^a	2.2	2.2	2.0
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6.8 ^a	6.9 ^a	7.0	7.3	7.3
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.6 ^a	9.1	9.3	9.1	9.1
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.4	5.4	5.4	5.4	5.8
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	73.1 ^a	72.7 ^a	71.4 ^a	70.8 ^a	70.7 ^a	69.6 ^a	69.7 ^a	69.1 ^a	68.8 ^a	67.5 ^a	66.8 ^a	66.8 ^a	66.2 ^a	63.9 ^a	62.9 ^a	62.7 ^a	61.5	61.0
Cigarettes	69.1 ^a	68.7 ^a	67.3 ^a	66.6 ^a	66.2 ^a	65.3 ^a	65.1 ^a	64.6 ^a	64.2 ^a	62.8 ^a	61.9 ^a	61.8 ^a	61.0 ^a	58.5 ^a	57.4 ^a	57.1 ^a	55.7	55.0
Daily Cigarettes	40.5 ^a	39.9 ^a	38.8 ^a	38.4 ^a	38.4 ^a	38.1 ^a	37.8 ^a	36.6 ^a	36.8 ^a	35.3 ^a	35.9 ^a	35.2 ^a	34.6 ^a	33.3 ^a	32.7 ^a	31.4 ^a	30.6	30.5
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	16.3 ^a	16.1 ^a	16.1 ^a	15.6	15.5
Cigars	37.4 ^a	37.1 ^a	36.3 ^a	36.3 ^a	36.0 ^a	35.7 ^a	35.9 ^a	35.9 ^a	35.0 ^a	34.4 ^a	34.1 ^a	34.0 ^a	33.7 ^a	32.8 ^a	31.7	31.7	31.6	31.2
Pipe Tobacco	17.0 ^a	16.9 ^a	16.4 ^a	15.8 ^a	15.6 ^a	14.3 ^a	14.7 ^a	14.0 ^a	13.6 ^a	13.4 ^a	13.3 ^a	13.0 ^a	12.7 ^a	12.5 ^a	12.3 ^a	12.2 ^a	12.0	11.4
ALCOHOL	83.1 ^a	83.1 ^a	82.4 ^a	82.9 ^a	82.7 ^a	82.3 ^a	82.2 ^a	82.8 ^a	82.5 ^a	82.2 ^a	82.3 ^a	81.5 ^a	82.1 ^a	81.0 ^a	80.2	80.9	80.8	80.3
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	85.5 ^a	84.7	85.3 ^a	85.1	84.7
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	83.0	82.3	83.0	82.8	82.4
Tobacco Products or Alcohol	87.6 ^a	87.3 ^a	86.8 ^a	87.0 ^a	86.9 ^a	86.2 ^a	86.3 ^a	86.4 ^a	86.4 ^a	85.7 ^a	85.7 ^a	85.5 ^a	85.5 ^a	84.3 ^a	83.5	84.1 ^a	83.9	83.3

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.2A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 12 or Older: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	47,730 ^a	48,501 ^a	51,795 ^a	53,182 ^a	57,203
Marijuana	25,755 ^a	25,231 ^a	25,451 ^a	25,375 ^a	25,432 ^a	25,136 ^a	25,891 ^a	28,688 ^a	29,301 ^a	29,739 ^a	31,513 ^a	32,952 ^a	35,124 ^a	36,043 ^a	37,570 ^a	40,935 ^a	43,486 ^a	48,242
Cocaine	5,902	5,908	5,658	5,523	6,075	5,748	5,283	4,806 ^a	4,533 ^a	3,857 ^a	4,671 ^a	4,182 ^a	4,553 ^a	4,828 ^a	5,071	5,943	5,529	5,468
Crack	1,554 ^a	1,406 ^a	1,304 ^a	1,381 ^a	1,478 ^a	1,452 ^a	1,113 ^a	1,008	885	625	921	632	773	833	882	930	757	778
Heroin	404 ^a	314 ^a	398 ^a	379 ^a	560	373 ^a	455 ^a	582	621	620	669	681	914	828	948	886	808	745
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,692 ^a	4,903 ^a	5,125 ^a	5,595	6,010
LSD	999 ^a	558 ^a	592 ^a	563 ^a	667 ^a	621 ^a	808 ^a	790 ^a	881 ^a	880 ^a	1,057 ^a	1,111 ^a	1,290 ^a	1,535 ^a	1,896 ^a	2,243	2,319	2,470
PCP	235 ^a	219 ^a	210 ^a	164 ^a	187 ^a	139 ^a	99	125	96	119	172 ^a	90	90	120	103	96	71	73
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,560	2,485	2,487	2,516	2,539
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,759 ^a	1,660 ^a	1,759 ^a	2,003	2,142
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,713	1,391 ^a	1,633 ^a	1,867	1,999
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18,942 ^a	18,671 ^a	18,077 ^a	16,882	16,304
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12,462 ^a	11,517 ^a	11,077 ^a	9,948	9,724
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,251	5,647 ^a	5,839 ^a	5,109	4,929
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,967 ^a	7,021 ^a	6,743 ^a	6,435	5,895
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,050 ^a	6,060 ^a	5,944 ^a	5,742	5,220
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,511 ^a	1,531 ^a	1,351	1,084	1,098
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,536 ^a	5,700 ^a	5,674 ^a	5,438 ^a	4,841
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12,693 ^a	11,824 ^a	11,401 ^a	10,250	10,065
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24,539	23,984	24,402	23,323	23,588
TOBACCO PRODUCTS ³	84,731 ^a	83,415 ^a	83,066 ^a	84,958 ^a	86,034 ^a	85,017 ^a	84,550 ^a	83,514 ^a	83,384 ^a	81,859 ^a	82,829 ^a	80,846 ^a	81,141 ^a	78,299 ^a	76,751 ^a	74,736 ^a	73,167	71,977
Cigarettes	71,310 ^a	69,853 ^a	69,909 ^a	70,832 ^a	71,694 ^a	70,718 ^a	70,130 ^a	69,261 ^a	68,599 ^a	67,126 ^a	67,802 ^a	66,256 ^a	65,858 ^a	61,848 ^a	61,252 ^a	58,408 ^a	57,443	55,551
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12,527 ^a	11,824	11,705	10,936	11,478
Cigars	25,928 ^a	25,386 ^a	25,974 ^a	26,908 ^a	26,857 ^a	26,649 ^a	26,282 ^a	26,592 ^a	26,061 ^a	24,980 ^a	25,647 ^a	24,933 ^a	23,734 ^a	24,382 ^a	22,772	23,443 ^a	22,950	22,225
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	155,476 ^a	154,540 ^a	156,686 ^a	161,626 ^a	162,448 ^a	162,975 ^a	164,966 ^a	168,135 ^a	168,381 ^a	170,422 ^a	173,573 ^a	173,966 ^a	176,556 ^a	175,847 ^a	174,625 ^a	178,736	179,278	179,144
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	194,056 ^a	192,668 ^a	196,623	197,337	197,541
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	182,263 ^a	180,924 ^a	185,553	185,914	187,022
Tobacco Products or Alcohol ³	170,546 ^a	169,981 ^a	171,067 ^a	177,074 ^a	177,691 ^a	177,857 ^a	179,943 ^a	182,025 ^a	183,323 ^a	184,839 ^a	187,830 ^a	188,393 ^a	191,273	190,488 ^a	189,189 ^a	192,849	193,672	193,278

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.
³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.2B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 12 or Older: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17.8 ^a	18.0 ^a	19.0 ^a	19.4 ^a	20.8
Marijuana	11.0 ^a	10.6 ^a	10.6 ^a	10.4 ^a	10.3 ^a	10.1 ^a	10.4 ^a	11.4 ^a	11.6 ^a	11.5 ^a	12.1 ^a	12.6 ^a	13.2 ^a	13.5 ^a	13.9 ^a	15.0 ^a	15.9 ^a	17.5
Cocaine	2.5 ^a	2.5 ^a	2.4 ^a	2.3 ^a	2.5 ^a	2.3 ^a	2.1	1.9	1.8	1.5 ^a	1.8	1.6 ^a	1.7 ^a	1.8	1.9	2.2	2.0	2.0
Crack	0.7 ^a	0.6 ^a	0.5 ^a	0.6 ^a	0.6 ^a	0.6 ^a	0.4 ^a	0.4 ^a	0.3	0.2	0.4	0.2	0.3	0.3	0.3	0.3	0.3	0.3
Heroin	0.2 ^a	0.1 ^a	0.2 ^a	0.2 ^a	0.2	0.2 ^a	0.2 ^a	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.8 ^a	1.8 ^a	1.9 ^a	2.0	2.2
LSD	0.4 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.4 ^a	0.4 ^a	0.5 ^a	0.6 ^a	0.7 ^a	0.8	0.8	0.9
PCP	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.0	0.0 ^a	0.0	0.0	0.1 ^a	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.0	0.9	0.9	0.9	0.9
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7 ^a	0.6 ^a	0.6 ^a	0.7	0.8
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.5 ^a	0.6 ^a	0.7	0.7
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.1 ^a	6.9 ^a	6.6 ^a	6.2	5.9
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.7 ^a	4.3 ^a	4.1 ^a	3.6	3.5
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.0	2.1 ^a	2.1 ^a	1.9	1.8
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.6 ^a	2.6 ^a	2.5 ^a	2.4	2.1
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.3 ^a	2.2 ^a	2.2 ^a	2.1	1.9
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6 ^a	0.6 ^a	0.5	0.4	0.4
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.1 ^a	2.1 ^a	2.1 ^a	2.0 ^a	1.8
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.7 ^a	4.4 ^a	4.2 ^a	3.7	3.7
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.2 ^a	8.9	9.0	8.5	8.6
TOBACCO PRODUCTS ³	36.0 ^a	35.1 ^a	34.5 ^a	34.9 ^a	35.0 ^a	34.3 ^a	33.8 ^a	33.2 ^a	32.9 ^a	31.8 ^a	31.9 ^a	30.8 ^a	30.6 ^a	29.2 ^a	28.5 ^a	27.5 ^a	26.7	26.2
Cigarettes	30.3 ^a	29.4 ^a	29.1 ^a	29.1 ^a	29.1 ^a	28.5 ^a	28.1 ^a	27.5 ^a	27.0 ^a	26.1 ^a	26.1 ^a	25.3 ^a	24.8 ^a	23.1 ^a	22.7 ^a	21.5 ^a	21.0 ^a	20.2
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.7 ^a	4.4	4.3	4.0	4.2
Cigars	11.0 ^a	10.7 ^a	10.8 ^a	11.1 ^a	10.9 ^a	10.8 ^a	10.5 ^a	10.6 ^a	10.3 ^a	9.7 ^a	9.9 ^a	9.5 ^a	9.0 ^a	9.1 ^a	8.5	8.6 ^a	8.4	8.1
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	66.1 ^a	65.0	65.1	66.5 ^a	66.0	65.8	66.0	66.8 ^a	66.4 ^a	66.2 ^a	66.7 ^a	66.3 ^a	66.6 ^a	65.7	64.8	65.7	65.5	65.1
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	72.5	71.5	72.3	72.1	71.8
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	68.1	67.2	68.2	67.9	68.0
Tobacco Products or Alcohol ³	72.5 ^a	71.5 ^a	71.1	72.8 ^a	72.2 ^a	71.8 ^a	72.0 ^a	72.3 ^a	72.3 ^a	71.8 ^a	72.2 ^a	71.8 ^a	72.1 ^a	71.2 ^a	70.2	70.9	70.7	70.2

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.3A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27,080 ^a	28,564 ^a	30,476 ^a	31,918 ^a	35,803
Marijuana	14,584 ^a	14,638 ^a	14,576 ^a	14,626 ^a	14,849 ^a	14,470 ^a	15,269 ^a	16,826 ^a	17,409 ^a	18,071 ^a	18,855 ^a	19,810 ^a	22,188 ^a	22,226 ^a	23,981 ^a	25,997 ^a	27,667 ^a	31,606
Cocaine	2,020	2,281	2,021	2,397 ^a	2,426 ^a	2,077	1,865	1,642	1,472 ^a	1,369 ^a	1,650	1,549 ^a	1,530 ^a	1,876	1,874	2,167	1,949	1,998
Crack	567 ^a	604 ^a	467	682 ^a	704 ^a	611 ^a	363	497	378	228 ^a	443	377	354	394	432	473	436	378
Heroin	166 ^a	119 ^a	166 ^a	136 ^a	339	161 ^a	213 ^a	193 ^a	239 ^a	281	335	289	435	329	475	494	354	431
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,240 ^a	1,390 ^a	1,438 ^a	1,630	1,915
LSD	112 ^a	133 ^a	141 ^a	104 ^a	130 ^a	144 ^a	157 ^a	159 ^a	155 ^a	152 ^a	184 ^a	229 ^a	287 ^a	352 ^a	374 ^a	512	458	580
PCP	58	56	49	48	31	43	25	54	36	26	32	33	*	25	21	37	34	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	557	619	587	689	663
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	527 ^a	600	556 ^a	612	807
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	897	667 ^a	774 ^a	1,001	1,173
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,365 ^a	6,207 ^a	5,956 ^a	5,424	5,337
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,775 ^a	3,350 ^a	3,239	2,852	2,819
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,653	1,735	1,841	1,670	1,566
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,185	2,325	1,955	1,799	1,958
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,874	1,953	1,727	1,634	1,781
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	446	497 ^a	352	243	304
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,963 ^a	3,649 ^a	3,549	3,042	3,101
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9,273	9,118	9,159	8,855	9,333
TOBACCO PRODUCTS	71,499 ^a	70,757 ^a	70,257 ^a	71,519 ^a	72,878 ^a	71,073 ^a	70,955 ^a	69,825 ^a	69,663 ^a	68,225 ^a	69,497 ^a	66,879 ^a	66,899 ^a	63,959 ^a	63,429 ^a	61,072 ^a	58,775	58,074
Cigarettes	61,136 ^a	60,434 ^a	59,896 ^a	60,532 ^a	61,568 ^a	60,183 ^a	59,833 ^a	58,723 ^a	58,336 ^a	56,819 ^a	57,525 ^a	55,778 ^a	55,241 ^a	51,952 ^a	51,333 ^a	48,692 ^a	46,956	45,885
Daily Cigarettes	38,738 ^a	37,989 ^a	37,343 ^a	38,131 ^a	38,331 ^a	36,901 ^a	36,788 ^a	35,834 ^a	34,718 ^a	34,488 ^a	34,936 ^a	33,247 ^a	32,471 ^a	30,190 ^a	29,701 ^a	27,787	27,328	26,796
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,991	8,769	8,575	7,972	8,516
Cigars	12,751 ^a	12,837 ^a	13,727 ^a	13,640 ^a	13,701 ^a	13,300 ^a	13,225 ^a	13,345 ^a	13,273 ^a	12,865 ^a	13,417 ^a	12,438	11,964	12,508	12,261	12,532 ^a	12,211	11,697
Pipe Tobacco	1,816	1,619	1,835	2,190	2,315 ^a	2,044	1,885	2,104	2,155	2,137	2,530 ^a	2,271	2,247	2,267	2,264 ^a	2,333 ^a	2,083	1,910
ALCOHOL	119,820 ^a	118,965 ^a	120,934 ^a	126,028 ^a	125,360 ^a	126,865 ^a	128,884 ^a	130,642 ^a	131,374 ^a	133,385 ^a	135,502 ^a	136,868 ^a	139,677	138,322	136,735 ^a	140,588	139,835	139,727
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	66,690	65,327	66,636	67,059	65,845
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17,326 ^a	16,288	16,717	16,569	16,044
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	163,115	162,136 ^a	165,240	164,826	165,344
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	144,798 ^a	143,774 ^a	147,809	147,492	149,061
Tobacco Products or Alcohol	143,405 ^a	142,735 ^a	143,284 ^a	148,620 ^a	149,363 ^a	149,838 ^a	151,353 ^a	152,665 ^a	154,385 ^a	155,319 ^a	158,533	159,092	161,787	160,163	158,699	161,747	160,996	160,450

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.3B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 12 or Older: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10.1 ^a	10.6 ^a	11.2 ^a	11.7 ^a	13.0
Marijuana	6.2 ^a	6.2 ^a	6.1 ^a	6.0 ^a	6.0 ^a	5.8 ^a	6.1 ^a	6.7 ^a	6.9 ^a	7.0 ^a	7.3 ^a	7.5 ^a	8.4 ^a	8.3 ^a	8.9 ^a	9.6 ^a	10.1 ^a	11.5
Cocaine	0.9	1.0 ^a	0.8	1.0 ^a	1.0 ^a	0.8	0.7	0.7	0.6 ^a	0.5 ^a	0.6	0.6 ^a	0.6 ^a	0.7	0.7	0.8	0.7	0.7
Crack	0.2 ^a	0.3 ^a	0.2	0.3 ^a	0.3 ^a	0.2 ^a	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.1
Heroin	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1	0.1 ^a	0.1 ^a	0.1 ^a	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5 ^a	0.5 ^a	0.5 ^a	0.6	0.7
LSD	0.0 ^a	0.1 ^a	0.1 ^a	0.0 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.2	0.2	0.2
PCP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.2	0.2	0.3	0.2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2 ^a	0.2	0.2 ^a	0.2	0.3
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3	0.2 ^a	0.3 ^a	0.4	0.4
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.4 ^a	2.3 ^a	2.2 ^a	2.0	1.9
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.4 ^a	1.2 ^a	1.2 ^a	1.0	1.0
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.6	0.7 ^a	0.6	0.6
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.9 ^a	0.7	0.7	0.7
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.7	0.6	0.6	0.6
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2 ^a	0.2 ^a	0.1	0.1	0.1
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.5 ^a	1.4 ^a	1.3	1.1	1.1
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.5	3.4	3.4	3.2	3.4
TOBACCO PRODUCTS	30.4 ^a	29.8 ^a	29.2 ^a	29.4 ^a	29.6 ^a	28.7 ^a	28.4 ^a	27.7 ^a	27.5 ^a	26.5 ^a	26.7 ^a	25.5 ^a	25.2 ^a	23.9 ^a	23.5 ^a	22.4 ^a	21.5	21.1
Cigarettes	26.0 ^a	25.4 ^a	24.9 ^a	24.9 ^a	25.0 ^a	24.3 ^a	24.0 ^a	23.3 ^a	23.0 ^a	22.1 ^a	22.1 ^a	21.3 ^a	20.8 ^a	19.4 ^a	19.1 ^a	17.9 ^a	17.2	16.7
Daily Cigarettes	16.5 ^a	16.0 ^a	15.5 ^a	15.7 ^a	15.6 ^a	14.9 ^a	14.7 ^a	14.2 ^a	13.7 ^a	13.4 ^a	13.4 ^a	12.7 ^a	12.2 ^a	11.3 ^a	11.0 ^a	10.2	10.0	9.7
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.4	3.3	3.2	2.9	3.1
Cigars	5.4 ^a	5.4 ^a	5.7 ^a	5.6 ^a	5.6 ^a	5.4 ^a	5.3 ^a	5.3 ^a	5.2 ^a	5.0 ^a	5.2 ^a	4.7 ^a	4.5	4.7 ^a	4.6 ^a	4.6 ^a	4.5	4.3
Pipe Tobacco	0.8	0.7	0.8	0.9 ^a	0.9 ^a	0.8	0.8	0.8	0.8 ^a	0.8	1.0 ^a	0.9 ^a	0.8 ^a	0.8 ^a	0.8 ^a	0.9 ^a	0.8	0.7
ALCOHOL	51.0	50.1	50.3	51.8 ^a	51.0	51.2	51.6	51.9 ^a	51.8 ^a	51.8	52.1 ^a	52.2 ^a	52.7 ^a	51.7	50.7	51.7	51.1	50.8
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24.9 ^a	24.2	24.5	24.5	23.9
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6.5 ^a	6.0	6.1	6.1	5.8
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	60.9 ^a	60.2	60.7	60.2	60.1
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	54.1	53.4	54.3	53.9	54.2
Tobacco Products or Alcohol	61.0 ^a	60.1 ^a	59.6 ^a	61.1 ^a	60.7 ^a	60.5 ^a	60.6 ^a	60.6 ^a	60.9 ^a	60.3 ^a	61.0 ^a	60.6 ^a	61.0 ^a	59.8 ^a	58.9	59.4 ^a	58.8	58.3

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.4A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 12 to 17: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,297	5,737 ^a	5,963	5,952	6,090
Marijuana	5,104 ^a	4,888 ^a	4,788 ^a	4,402 ^a	4,400 ^a	4,096	4,138	4,204 ^a	4,157	4,378 ^a	4,232 ^a	4,093	4,091	3,912	3,676 ^a	3,806	3,823	3,947
Cocaine	670 ^a	648 ^a	611 ^a	582 ^a	571 ^a	544 ^a	473 ^a	405 ^a	363 ^a	337 ^a	265 ^a	215 ^a	222 ^a	208	212	169	173	154
Crack	163 ^a	157 ^a	125 ^a	108 ^a	129 ^a	107 ^a	80 ^a	58 ^a	60 ^a	68 ^a	34	23	35	12	17	31	15	20
Heroin	94 ^a	80 ^a	78 ^a	60 ^a	60 ^a	55 ^a	67 ^a	56 ^a	46	70 ^a	59 ^a	38	36	35	32	32	16	21
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	760 ^a	674	700	565	615
LSD	670 ^a	397	313 ^a	288 ^a	219 ^a	202 ^a	271 ^a	249 ^a	231 ^a	229 ^a	249 ^a	221 ^a	291 ^a	329	288 ^a	364	326	392
PCP	233 ^a	204 ^a	175 ^a	182 ^a	128 ^a	105 ^a	102 ^a	99 ^a	76 ^a	76 ^a	96 ^a	46	60	60	38	46	30	41
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	357 ^a	288	257	209	225
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,271	2,065	2,144	2,125	2,202
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	71	69	86	70	75
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	9,113 ^a	8,631 ^a	8,249 ^a	7,795 ^a	7,565 ^a	7,027 ^a	6,821 ^a	6,668 ^a	6,112 ^a	5,782 ^a	5,354 ^a	4,922 ^a	4,591 ^a	4,299 ^a	3,817 ^a	3,711 ^a	3,328	3,177
Cigarettes	8,242 ^a	7,752 ^a	7,363 ^a	6,781 ^a	6,565 ^a	5,987 ^a	5,750 ^a	5,498 ^a	4,986 ^a	4,773 ^a	4,338 ^a	3,903 ^a	3,523 ^a	3,293 ^a	2,888 ^a	2,682 ^a	2,397	2,253
Daily Cigarettes	2,038 ^a	1,850 ^a	1,707 ^a	1,470 ^a	1,457 ^a	1,349 ^a	1,131 ^a	1,172 ^a	1,052 ^a	957 ^a	802 ^a	679 ^a	634 ^a	490 ^a	374 ^a	345 ^a	319	269
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,382 ^a	1,162 ^a	1,239 ^a	1,086	1,003
Cigars	4,033 ^a	3,776 ^a	3,743 ^a	3,573 ^a	3,479 ^a	3,290 ^a	3,119 ^a	3,088 ^a	2,693 ^a	2,675 ^a	2,389 ^a	2,070 ^a	1,985 ^a	1,782 ^a	1,530 ^a	1,598 ^a	1,325	1,261
Pipe Tobacco	687 ^a	640 ^a	700 ^a	634 ^a	643 ^a	577 ^a	573 ^a	642 ^a	540 ^a	574 ^a	619 ^a	518 ^a	554 ^a	420	456 ^a	418	343	360
ALCOHOL	10,747 ^a	10,713 ^a	10,596 ^a	10,306 ^a	10,270 ^a	9,976 ^a	9,614 ^a	9,450 ^a	8,622 ^a	8,610 ^a	8,067 ^a	7,669 ^a	7,375 ^a	7,075 ^a	6,715	6,765	6,551	6,641
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9,732 ^a	9,243	9,355	9,221	9,284
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9,191	8,676	8,897	8,777	8,891
Tobacco Products or Alcohol	12,665 ^a	12,431 ^a	12,182 ^a	11,836 ^a	11,667 ^a	11,322 ^a	10,919 ^a	10,722 ^a	9,924 ^a	9,819 ^a	9,138 ^a	8,775 ^a	8,428 ^a	8,065 ^a	7,653	7,599	7,385	7,375

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.4B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 12 to 17: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25.3	23.0 ^a	23.9	23.9	24.5
Marijuana	20.6 ^a	19.6 ^a	19.0 ^a	17.4 ^a	17.3 ^a	16.2	16.6	17.1 ^a	17.1 ^a	17.5 ^a	17.0 ^a	16.4	16.4	15.7	14.8 ^a	15.3	15.4	15.8
Cocaine	2.7 ^a	2.6 ^a	2.4 ^a	2.3 ^a	2.2 ^a	2.2 ^a	1.9 ^a	1.6 ^a	1.5 ^a	1.3 ^a	1.1 ^a	0.9 ^a	0.9 ^a	0.8	0.9	0.7	0.7	0.6
Crack	0.7 ^a	0.6 ^a	0.5 ^a	0.4 ^a	0.5 ^a	0.4 ^a	0.3 ^a	0.2 ^a	0.2 ^a	0.3 ^a	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Heroin	0.4 ^a	0.3 ^a	0.3 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.3 ^a	0.2 ^a	0.2 ^a	0.3 ^a	0.2 ^a	0.2	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.1 ^a	2.7	2.8	2.3	2.5
LSD	2.7 ^a	1.6	1.2 ^a	1.1 ^a	0.9 ^a	0.8 ^a	1.1 ^a	1.0 ^a	0.9 ^a	0.9 ^a	1.0 ^a	0.9 ^a	1.2 ^a	1.3	1.2 ^a	1.5	1.3	1.6
PCP	0.9 ^a	0.8 ^a	0.7 ^a	0.7 ^a	0.5 ^a	0.4 ^a	0.4 ^a	0.4 ^a	0.3 ^a	0.3 ^a	0.4 ^a	0.2	0.2	0.2	0.2	0.2	0.1	0.2
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.4 ^a	1.2	1.0	0.8	0.9
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.1	8.3	8.6	8.5	8.8
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3	0.3	0.3	0.3	0.3
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	36.8 ^a	34.5 ^a	32.7 ^a	30.7 ^a	29.8 ^a	27.8 ^a	27.4 ^a	27.1 ^a	25.1 ^a	23.2 ^a	21.5 ^a	19.8 ^a	18.5 ^a	17.3 ^a	15.3 ^a	14.9 ^a	13.4	12.8
Cigarettes	33.3 ^a	31.0 ^a	29.2 ^a	26.7 ^a	25.9 ^a	23.7 ^a	23.1 ^a	22.3 ^a	20.5 ^a	19.1 ^a	17.4 ^a	15.7 ^a	14.2 ^a	13.2 ^a	11.6 ^a	10.8 ^a	9.6	9.0
Daily Cigarettes	8.2 ^a	7.4 ^a	6.8 ^a	5.8 ^a	5.7 ^a	5.3 ^a	4.5 ^a	4.8 ^a	4.3 ^a	3.8 ^a	3.2 ^a	2.7 ^a	2.6 ^a	2.0 ^a	1.5 ^a	1.4 ^a	1.3	1.1
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.5 ^a	4.7 ^a	5.0 ^a	4.4	4.0
Cigars	16.3 ^a	15.1 ^a	14.8 ^a	14.1 ^a	13.7 ^a	13.0 ^a	12.5 ^a	12.5 ^a	11.1 ^a	10.7 ^a	9.6 ^a	8.3 ^a	8.0 ^a	7.2 ^a	6.1 ^a	6.4 ^a	5.3	5.1
Pipe Tobacco	2.8 ^a	2.6 ^a	2.8 ^a	2.5 ^a	2.5 ^a	2.3 ^a	2.3 ^a	2.6 ^a	2.2 ^a	2.3 ^a	2.5 ^a	2.1 ^a	2.2 ^a	1.7	1.8 ^a	1.7	1.4	1.4
ALCOHOL	43.4 ^a	42.9 ^a	42.0 ^a	40.6 ^a	40.4 ^a	39.5 ^a	38.6 ^a	38.4 ^a	35.4 ^a	34.5 ^a	32.4 ^a	30.8 ^a	29.6 ^a	28.4 ^a	27.0	27.1	26.3	26.7
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	39.1 ^a	37.1	37.5	37.0	37.3
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	36.9	34.8	35.7	35.3	35.7
Tobacco Products or Alcohol	51.2 ^a	49.7 ^a	48.3 ^a	46.7 ^a	45.9 ^a	44.9 ^a	43.9 ^a	43.6 ^a	40.8 ^a	39.3 ^a	36.6 ^a	35.3 ^a	33.9 ^a	32.4 ^a	30.7	30.5	29.7	29.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.5A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 12 to 17: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,346	3,941 ^a	4,069	4,151	4,279
Marijuana	3,905 ^a	3,745 ^a	3,656 ^a	3,383	3,355	3,158	3,258	3,363	3,414	3,553 ^a	3,363	3,346	3,262	3,137	2,982 ^a	3,094	3,110	3,284
Cocaine	508 ^a	438 ^a	411 ^a	423 ^a	411 ^a	385 ^a	306 ^a	242 ^a	239 ^a	229 ^a	180 ^a	131	168 ^a	153	136	127	112	97
Crack	100 ^a	95 ^a	63 ^a	54 ^a	74 ^a	65 ^a	34 ^a	29	18	29	19	11	20	5	11	16	4	11
Heroin	51	36	48	37	37	24	41	34	28	54	31	31	28	21	13	14	10	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	523	456	512	376	440
LSD	314	149 ^a	157 ^a	150 ^a	106 ^a	126 ^a	185 ^a	143 ^a	136 ^a	159 ^a	152 ^a	150 ^a	214	251	204 ^a	259	204 ^a	279
PCP	110 ^a	89 ^a	72 ^a	85 ^a	59 ^a	56 ^a	61 ^a	48 ^a	35	39	48 ^a	29	33	34	18	23	15	21
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	201	177	174	130	144
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	684	554 ^a	574 ^a	662	743
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	40	32	48	43	41
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,464 ^a	1,317 ^a	1,232 ^a	1,196	1,062
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	969 ^a	881 ^a	767 ^a	695 ^a	567
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	491	427	452	369	430
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	448	482	492	460	436
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	394	434	458	423	392
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	102	100	74	63	82
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	369	417	441	399	381
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	980 ^a	891 ^a	769 ^a	699 ^a	567
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,263 ^a	1,965	1,945	1,901	1,862
TOBACCO PRODUCTS ³	5,839 ^a	5,634 ^a	5,562 ^a	5,365 ^a	5,295 ^a	5,010 ^a	4,747 ^a	4,799 ^a	4,419 ^a	4,203 ^a	3,801 ^a	3,461 ^a	3,161 ^a	2,877 ^a	2,607 ^a	2,430 ^a	2,072	2,072
Cigarettes	5,037 ^a	4,737 ^a	4,645 ^a	4,387 ^a	4,325 ^a	3,973 ^a	3,762 ^a	3,724 ^a	3,460 ^a	3,287 ^a	2,948 ^a	2,561 ^a	2,210 ^a	2,021 ^a	1,785 ^a	1,567 ^a	1,365	1,333
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	879 ^a	752 ^a	749 ^a	625	620
Cigars	2,511 ^a	2,487 ^a	2,568 ^a	2,485 ^a	2,382 ^a	2,373 ^a	2,127 ^a	2,218 ^a	1,882 ^a	1,939 ^a	1,684 ^a	1,424 ^a	1,426 ^a	1,271 ^a	1,101 ^a	1,136 ^a	928	896
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	8,564 ^a	8,563 ^a	8,537 ^a	8,454 ^a	8,375 ^a	8,042 ^a	7,727 ^a	7,516 ^a	6,982 ^a	6,940 ^a	6,555 ^a	6,133 ^a	5,979 ^a	5,652 ^a	5,385	5,466	5,191	5,274
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7,446 ^a	7,140	7,239	7,020	7,119
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7,054	6,681	6,884	6,691	6,826
Tobacco Products or Alcohol ³	9,883 ^a	9,805 ^a	9,729 ^a	9,608 ^a	9,486 ^a	9,127 ^a	8,735 ^a	8,609 ^a	8,062 ^a	7,937 ^a	7,399 ^a	7,026 ^a	6,765 ^a	6,353 ^a	6,111	6,086	5,777	5,832

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.
³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.5B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 12 to 17: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17.5	15.8 ^a	16.3	16.7	17.2
Marijuana	15.8 ^a	15.0 ^a	14.5 ^a	13.3	13.2	12.5	13.1	13.7	14.0	14.2 ^a	13.5	13.4	13.1	12.6	12.0 ^a	12.4	12.5	13.2
Cocaine	2.1 ^a	1.8 ^a	1.6 ^a	1.7 ^a	1.6 ^a	1.5 ^a	1.2 ^a	1.0 ^a	1.0 ^a	0.9 ^a	0.7 ^a	0.5	0.7 ^a	0.6	0.5	0.5	0.4	0.4
Crack	0.4 ^a	0.4 ^a	0.3 ^a	0.2 ^a	0.3 ^a	0.3 ^a	0.1 ^a	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0
Heroin	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.1	1.8	2.1	1.5	1.8
LSD	1.3	0.6 ^a	0.6 ^a	0.6 ^a	0.4 ^a	0.5 ^a	0.7 ^a	0.6 ^a	0.6 ^a	0.6 ^a	0.6 ^a	0.6 ^a	0.9	1.0	0.8 ^a	1.0	0.8 ^a	1.1
PCP	0.4 ^a	0.4 ^a	0.3 ^a	0.3 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.1	0.2	0.2 ^a	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.7	0.7	0.5	0.6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.7	2.2 ^a	2.3 ^a	2.7	3.0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.1	0.2	0.2	0.2
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.9 ^a	5.3 ^a	4.9 ^a	4.8	4.3
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.9 ^a	3.5 ^a	3.1 ^a	2.8 ^a	2.3
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.0	1.7	1.8	1.5	1.7
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.8	1.9	2.0	1.8	1.8
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.6	1.7	1.8	1.7	1.6
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.4	0.3	0.3	0.3
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.5	1.7	1.8	1.6	1.5
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.9 ^a	3.6 ^a	3.1 ^a	2.8 ^a	2.3
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.1 ^a	7.9	7.8	7.6	7.5
TOBACCO PRODUCTS ³	23.6 ^a	22.5 ^a	22.1 ^a	21.2 ^a	20.9 ^a	19.8 ^a	19.1 ^a	19.5 ^a	18.1 ^a	16.8 ^a	15.2 ^a	13.9 ^a	12.7 ^a	11.6 ^a	10.5 ^a	9.7 ^a	8.3	8.3
Cigarettes	20.3 ^a	19.0 ^a	18.4 ^a	17.3 ^a	17.0 ^a	15.7 ^a	15.1 ^a	15.1 ^a	14.2 ^a	13.2 ^a	11.8 ^a	10.3 ^a	8.9 ^a	8.1 ^a	7.2 ^a	6.3 ^a	5.5	5.4
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.5 ^a	3.0 ^a	3.0 ^a	2.5	2.5
Cigars	10.1 ^a	10.0 ^a	10.2 ^a	9.8 ^a	9.4 ^a	9.4 ^a	8.5 ^a	9.0 ^a	7.7 ^a	7.8 ^a	6.8 ^a	5.7 ^a	5.7 ^a	5.1 ^a	4.4 ^a	4.6 ^a	3.7	3.6
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	34.6 ^a	34.3 ^a	33.9 ^a	33.3 ^a	33.0 ^a	31.9 ^a	31.0 ^a	30.5 ^a	28.7 ^a	27.8 ^a	26.3 ^a	24.6 ^a	24.0 ^a	22.7 ^a	21.6	21.9	20.8	21.2
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29.9 ^a	28.7	29.0	28.2	28.6
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	28.3	26.8	27.6	26.9	27.4
Tobacco Products or Alcohol ³	39.9 ^a	39.2 ^a	38.6 ^a	37.9 ^a	37.4 ^a	36.2 ^a	35.1 ^a	35.0 ^a	33.1 ^a	31.8 ^a	29.7 ^a	28.2 ^a	27.2 ^a	25.5 ^a	24.5	24.4	23.2	23.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.
³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.6A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 12 to 17: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,193	1,959 ^a	1,966 ^a	2,000	2,167
Marijuana	2,023 ^a	1,971	1,909	1,730	1,695	1,693	1,668 ^a	1,813	1,802	1,967	1,800	1,762	1,830	1,752	1,609 ^a	1,613 ^a	1,658	1,837
Cocaine	146 ^a	153 ^a	126 ^a	142 ^a	110 ^a	104 ^a	98 ^a	70 ^a	60	67 ^a	30	43	39	53	28	26	12	34
Crack	26 ^a	32 ^a	16	25 ^a	12	16	7	8	4	3	*	3	8	1	3	*	*	5
Heroin	11	18	15	15	16	3	14	13	8	15	*	13	16	5	3	2	8	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	121	114	143	139	152
LSD	61	51	38 ^a	32 ^a	31 ^a	30 ^a	52	35 ^a	46	34 ^a	26 ^a	51	65	53	42	53	55	68
PCP	23	20	11	17	12	9	15	12	6	4	5	7	3	9	5	5	4	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	33	29	41	53	40
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	149 ^a	153 ^a	184	216
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	9	16	17	11
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	492 ^a	389	364	312	329
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	276 ^a	239 ^a	214	161	165
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	117	92	123	120	123
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175	138	140	88	121
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	162	121	128	81	112
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	21	23	19	9	29
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	277 ^a	241 ^a	215	169	165
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	750 ^a	601	610	584	598
TOBACCO PRODUCTS	3,767 ^a	3,610 ^a	3,635 ^a	3,324 ^a	3,282 ^a	3,141 ^a	2,870 ^a	2,894 ^a	2,612 ^a	2,490 ^a	2,152 ^a	1,951 ^a	1,742 ^a	1,492 ^a	1,324 ^a	1,216 ^a	1,052	947
Cigarettes	3,209 ^a	3,044 ^a	2,998 ^a	2,733 ^a	2,642 ^a	2,495 ^a	2,282 ^a	2,216 ^a	2,040 ^a	1,939 ^a	1,634 ^a	1,397 ^a	1,213 ^a	1,039 ^a	855 ^a	787 ^a	672	572
Daily Cigarettes	1,021 ^a	904 ^a	828 ^a	704 ^a	701 ^a	659 ^a	510 ^a	511 ^a	459 ^a	440 ^a	360 ^a	271 ^a	292 ^a	208 ^a	129 ^a	96	99	75
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	367 ^a	352 ^a	335 ^a	278	248
Cigars	1,117 ^a	1,115 ^a	1,201 ^a	1,064 ^a	1,049 ^a	1,073 ^a	951 ^a	990 ^a	788 ^a	858 ^a	645 ^a	576 ^a	521 ^a	517 ^a	448 ^a	479 ^a	411	353
Pipe Tobacco	137 ^a	160 ^a	178 ^a	158 ^a	168 ^a	181 ^a	178 ^a	231 ^a	155 ^a	182 ^a	165 ^a	160 ^a	179 ^a	84	123	112	72	83
ALCOHOL	4,365 ^a	4,425 ^a	4,436 ^a	4,191 ^a	4,228 ^a	4,040 ^a	3,671 ^a	3,649 ^a	3,319 ^a	3,326 ^a	3,217 ^a	2,877 ^a	2,872 ^a	2,392	2,289	2,465	2,233	2,346
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,441 ^a	1,214	1,310	1,168	1,212
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	221	191	174	131 ^a	208
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,891	3,662	3,762	3,542	3,739
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,534	3,282	3,442	3,285	3,502
Tobacco Products or Alcohol	5,950 ^a	5,903 ^a	5,894 ^a	5,589 ^a	5,540 ^a	5,324 ^a	4,892 ^a	4,842 ^a	4,436 ^a	4,363 ^a	4,102 ^a	3,756 ^a	3,642 ^a	3,083 ^a	2,942	3,003	2,739	2,794

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.6B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 12 to 17: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.8	7.9 ^a	7.9 ^a	8.0	8.7
Marijuana	8.2 ^a	7.9	7.6	6.8	6.7 ^a	6.7	6.7 ^a	7.4	7.4	7.9	7.2	7.1	7.4	7.0	6.5 ^a	6.5 ^a	6.7	7.4
Cocaine	0.6 ^a	0.6 ^a	0.5 ^a	0.6 ^a	0.4 ^a	0.4 ^a	0.4 ^a	0.3 ^a	0.2	0.3 ^a	0.1	0.2	0.2	0.2	0.1	0.1	0.0	0.1
Crack	0.1 ^a	0.1 ^a	0.1	0.1 ^a	0.0	0.1	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	*	*	0.0
Heroin	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	*	0.1	0.1	0.0	0.0	0.0	0.0	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	0.5	0.6	0.6	0.6
LSD	0.2	0.2	0.2 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.2	0.1 ^a	0.2	0.1 ^a	0.1 ^a	0.2	0.3	0.2	0.2	0.2	0.2	0.3
PCP	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.2	0.2	0.2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.6 ^a	0.6 ^a	0.7	0.9
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.0	0.1	0.1	0.0
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.0 ^a	1.6	1.5	1.3	1.3
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.1 ^a	1.0 ^a	0.9	0.6	0.7
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	0.4	0.5	0.5	0.5
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.6	0.6	0.4	0.5
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.5	0.5	0.3	0.5
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.0	0.1
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.1 ^a	1.0 ^a	0.9	0.7	0.7
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.0 ^a	2.4	2.4	2.3	2.4
TOBACCO PRODUCTS	15.2 ^a	14.4 ^a	14.4 ^a	13.1 ^a	12.9 ^a	12.4 ^a	11.5 ^a	11.8 ^a	10.7 ^a	10.0 ^a	8.6 ^a	7.8 ^a	7.0 ^a	6.0 ^a	5.3 ^a	4.9 ^a	4.2	3.8
Cigarettes	13.0 ^a	12.2 ^a	11.9 ^a	10.8 ^a	10.4 ^a	9.9 ^a	9.2 ^a	9.0 ^a	8.4 ^a	7.8 ^a	6.6 ^a	5.6 ^a	4.9 ^a	4.2 ^a	3.4 ^a	3.2 ^a	2.7	2.3
Daily Cigarettes	4.1 ^a	3.6 ^a	3.3 ^a	2.8 ^a	2.8 ^a	2.6 ^a	2.0 ^a	2.1 ^a	1.9 ^a	1.8 ^a	1.4 ^a	1.1 ^a	1.2 ^a	0.8 ^a	0.5 ^a	0.4	0.4	0.3
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.5 ^a	1.4 ^a	1.3 ^a	1.1	1.0
Cigars	4.5 ^a	4.5 ^a	4.8 ^a	4.2 ^a	4.1 ^a	4.3 ^a	3.8 ^a	4.0 ^a	3.2 ^a	3.4 ^a	2.6 ^a	2.3 ^a	2.1 ^a	2.1 ^a	1.8 ^a	1.9 ^a	1.7	1.4
Pipe Tobacco	0.6 ^a	0.6 ^a	0.7 ^a	0.6 ^a	0.7 ^a	0.7 ^a	0.7 ^a	0.9 ^a	0.6 ^a	0.7 ^a	0.7 ^a	0.6 ^a	0.7 ^a	0.3	0.5	0.4	0.3	0.3
ALCOHOL	17.6 ^a	17.7 ^a	17.6 ^a	16.5 ^a	16.7 ^a	16.0 ^a	14.7 ^a	14.8 ^a	13.6 ^a	13.3 ^a	12.9 ^a	11.6 ^a	11.5 ^a	9.6	9.2	9.9	9.0	9.4
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.8 ^a	4.9	5.3	4.7	4.9
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9	0.8	0.7	0.5 ^a	0.8
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15.6	14.7	15.1	14.2	15.0
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14.2	13.2	13.8	13.2	14.1
Tobacco Products or Alcohol	24.0 ^a	23.6 ^a	23.4 ^a	22.0 ^a	21.8 ^a	21.1 ^a	19.7 ^a	19.7 ^a	18.2 ^a	17.5 ^a	16.5 ^a	15.1 ^a	14.6 ^a	12.4 ^a	11.8	12.0	11.0	11.2

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.7A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 18 or Older: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	124,313 ^a	124,891 ^a	128,741 ^a	128,840 ^a	131,937
Marijuana	89,842 ^a	91,723 ^a	91,984 ^a	93,143 ^a	93,393 ^a	96,641 ^a	98,720 ^a	100,747 ^a	102,456 ^a	103,464 ^a	107,007 ^a	110,619 ^a	113,121 ^a	113,952 ^a	114,847 ^a	119,137 ^a	120,112 ^a	123,192
Cocaine	33,239 ^a	34,243 ^a	33,542 ^a	33,090 ^a	34,732 ^a	35,402 ^a	36,443 ^a	36,337 ^a	36,998 ^a	36,584 ^a	37,423 ^a	37,419 ^a	38,978 ^a	38,535 ^a	38,668 ^a	40,381	40,021	41,291
Crack	8,239 ^a	7,792 ^a	7,715 ^a	7,820 ^a	8,430 ^a	8,509	8,374 ^a	8,332 ^a	9,148	8,146 ^a	8,981	8,847	9,389	9,022	8,759	9,569	9,163	9,355
Heroin	3,574 ^a	3,664 ^a	3,067 ^a	3,475 ^a	3,728 ^a	3,751 ^a	3,729 ^a	3,623 ^a	4,097 ^a	4,093 ^a	4,505 ^a	4,774 ^a	4,777 ^a	5,064	4,950 ^a	5,262	5,093	5,675
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	40,155 ^a	40,816 ^a	41,372 ^a	42,690	43,472
LSD	23,845 ^a	24,027 ^a	23,085 ^a	22,145 ^a	23,146 ^a	22,518 ^a	23,333 ^a	23,464 ^a	23,143 ^a	22,771 ^a	23,487 ^a	24,549 ^a	24,744 ^a	24,994 ^a	25,573 ^a	25,705 ^a	27,013	27,137
PCP	7,185 ^a	6,903 ^a	6,587 ^a	6,421 ^a	6,505 ^a	6,073	6,554 ^a	6,173	6,179	6,027	6,456 ^a	6,416 ^a	6,328 ^a	6,262 ^a	6,412 ^a	6,053	6,055	5,475
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17,971 ^a	18,171 ^a	18,915	19,740	19,872
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23,494	22,339	23,043	22,658	22,889
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14,440 ^a	14,464 ^a	14,636 ^a	14,822	15,939
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	162,725	164,212	163,579	164,422	166,339	165,393	167,179 ^a	167,437 ^a	168,297 ^a	168,108 ^a	168,300 ^a	170,337 ^a	170,825 ^a	166,821	165,611	166,784	164,981	164,609
Cigarettes	154,311 ^a	155,488 ^a	154,479 ^a	155,082 ^a	156,386 ^a	155,844 ^a	156,887 ^a	157,110 ^a	157,953 ^a	157,025 ^a	156,718 ^a	158,236 ^a	158,266 ^a	153,202 ^a	151,800 ^a	152,764 ^a	150,083	148,982
Daily Cigarettes	93,183 ^a	92,908 ^a	91,702 ^a	92,001 ^a	93,061 ^a	93,191 ^a	93,191 ^a	90,919 ^a	92,158 ^a	89,878 ^a	92,569 ^a	91,747 ^a	91,139 ^a	88,748 ^a	87,641 ^a	85,214	83,533	83,747
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	42,166	42,119	42,647	41,513	41,582
Cigars	84,020	84,320	83,666	84,687	85,181	85,231	86,645	87,372 ^a	86,067	85,830	86,206	87,047 ^a	87,282 ^a	85,950	83,809	84,766	85,187	84,657
Pipe Tobacco	39,316 ^a	39,424 ^a	38,799 ^a	37,829 ^a	37,706 ^a	34,950 ^a	36,049 ^a	34,578 ^a	33,840 ^a	33,958 ^a	33,984 ^a	33,655 ^a	33,141 ^a	33,073 ^a	32,637	32,646	32,434	31,110
ALCOHOL	184,705 ^a	186,820 ^a	187,624 ^a	191,361 ^a	193,139 ^a	193,976 ^a	195,805 ^a	199,084 ^a	200,642 ^a	203,137 ^a	205,946 ^a	206,125 ^a	210,390 ^a	209,764 ^a	209,437 ^a	213,297	214,668	214,317
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	219,260 ^a	218,984 ^a	222,849	223,722	223,729
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	213,053 ^a	212,983 ^a	216,865	217,893	218,022
Tobacco Products or Alcohol	193,321 ^a	194,996 ^a	196,497 ^a	199,731 ^a	202,039 ^a	202,302 ^a	204,559 ^a	206,795 ^a	209,122 ^a	210,883 ^a	213,749 ^a	215,469 ^a	218,208 ^a	217,661 ^a	217,428 ^a	221,274	222,228	221,931

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.7B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 18 or Older: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	51.2 ^a	51.1 ^a	52.1	51.8 ^a	52.7
Marijuana	42.7 ^a	43.1 ^a	42.7 ^a	42.8 ^a	42.3 ^a	43.4 ^a	43.9 ^a	44.3 ^a	44.7 ^a	44.5 ^a	45.5 ^a	46.6 ^a	47.1 ^a	46.9 ^a	47.0 ^a	48.2 ^a	48.3 ^a	49.2
Cocaine	15.8	16.1	15.6 ^a	15.2 ^a	15.7	15.9	16.2	16.0	16.1	15.7	15.9	15.8	16.2	15.9	15.8	16.3	16.1	16.5
Crack	3.9	3.7	3.6	3.6	3.8	3.8	3.7	3.7	4.0	3.5	3.8	3.7	3.9	3.7	3.6	3.9	3.7	3.7
Heroin	1.7 ^a	1.7 ^a	1.4 ^a	1.6 ^a	1.7 ^a	1.7 ^a	1.7 ^a	1.6 ^a	1.8 ^a	1.8 ^a	1.9 ^a	2.0	2.0 ^a	2.1	2.0	2.1	2.0	2.3
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	16.5 ^a	16.7	16.7	17.2	17.4
LSD	11.3	11.3	10.7	10.2 ^a	10.5	10.1 ^a	10.4	10.3	10.1 ^a	9.8 ^a	10.0 ^a	10.3	10.3	10.3	10.5	10.4	10.9	10.8
PCP	3.4 ^a	3.2 ^a	3.1 ^a	2.9 ^a	2.9 ^a	2.7 ^a	2.9 ^a	2.7 ^a	2.7 ^a	2.6 ^a	2.7 ^a	2.7 ^a	2.6 ^a	2.6 ^a	2.6 ^a	2.4	2.4	2.2
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.4 ^a	7.4 ^a	7.7	7.9	7.9
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.7 ^a	9.1	9.3	9.1	9.1
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.9	5.9	5.9	6.0	6.4
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	77.3 ^a	77.2 ^a	76.0 ^a	75.5 ^a	75.4 ^a	74.3 ^a	74.3 ^a	73.7 ^a	73.4 ^a	72.3 ^a	71.6 ^a	71.7 ^a	71.1 ^a	68.7 ^a	67.7 ^a	67.5 ^a	66.3	65.8
Cigarettes	73.3 ^a	73.1 ^a	71.8 ^a	71.2 ^a	70.9 ^a	70.0 ^a	69.8 ^a	69.1 ^a	68.9 ^a	67.5 ^a	66.7 ^a	66.6 ^a	65.9 ^a	63.1 ^a	62.1 ^a	61.8 ^a	60.3	59.5
Daily Cigarettes	44.3 ^a	43.7 ^a	42.6 ^a	42.2 ^a	42.2 ^a	41.9 ^a	41.4 ^a	40.0 ^a	40.2 ^a	38.6 ^a	39.4 ^a	38.6 ^a	37.9 ^a	36.6 ^a	35.8 ^a	34.5 ^a	33.6	33.5
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17.4 ^a	17.2	17.3 ^a	16.7	16.6
Cigars	39.9 ^a	39.6 ^a	38.9 ^a	38.9 ^a	38.6 ^a	38.3 ^a	38.5 ^a	38.5 ^a	37.5 ^a	36.9 ^a	36.7 ^a	36.7 ^a	36.3 ^a	35.4 ^a	34.3	34.3	34.2	33.8
Pipe Tobacco	18.7 ^a	18.5 ^a	18.0 ^a	17.4 ^a	17.1 ^a	15.7 ^a	16.0 ^a	15.2 ^a	14.8 ^a	14.6 ^a	14.5 ^a	14.2 ^a	13.8 ^a	13.6 ^a	13.3 ^a	13.2 ^a	13.0	12.4
ALCOHOL	87.8 ^a	87.8 ^a	87.1 ^a	87.8 ^a	87.5 ^a	87.1 ^a	87.1 ^a	87.6 ^a	87.5 ^a	87.3 ^a	87.6 ^a	86.8 ^a	87.6 ^a	86.4 ^a	85.6	86.3	86.3	85.6
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	90.3 ^a	89.6	90.2 ^a	89.9	89.4
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	87.7	87.1	87.7	87.6	87.1
Tobacco Products or Alcohol	91.9 ^a	91.7 ^a	91.3 ^a	91.7 ^a	91.6 ^a	90.9 ^a	90.9 ^a	91.0 ^a	91.2 ^a	90.7 ^a	90.9 ^a	90.7 ^a	90.8 ^a	89.6 ^a	88.9	89.5 ^a	89.3 ^a	88.7

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.8A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 18 or Older: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	43,384 ^a	44,559 ^a	47,726 ^a	49,031 ^a	52,924
Marijuana	21,850 ^a	21,486 ^a	21,796 ^a	21,991 ^a	22,077 ^a	21,978 ^a	22,633 ^a	25,325 ^a	25,887 ^a	26,186 ^a	28,150 ^a	29,606 ^a	31,862 ^a	32,906 ^a	34,588 ^a	37,841 ^a	40,377 ^a	44,958
Cocaine	5,394	5,470	5,247	5,099	5,663	5,362	4,977	4,564 ^a	4,294 ^a	3,628 ^a	4,491 ^a	4,051 ^a	4,385 ^a	4,675 ^a	4,936	5,816	5,418	5,371
Crack	1,454 ^a	1,310 ^a	1,241 ^a	1,327 ^a	1,404 ^a	1,387 ^a	1,079 ^a	979	866	597	902	621	754	828	871	913	753	766
Heroin	353 ^a	278 ^a	350 ^a	343 ^a	524	349 ^a	415 ^a	547	593	566	638	650	885	807	934	872	798	745
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,169 ^a	4,447 ^a	4,613 ^a	5,219	5,571
LSD	684 ^a	409 ^a	434 ^a	413 ^a	561 ^a	495 ^a	623 ^a	647 ^a	746 ^a	721 ^a	905 ^a	962 ^a	1,075 ^a	1,284 ^a	1,692 ^a	1,984	2,115	2,191
PCP	126 ^a	130 ^a	138 ^a	79	129	83	37	77	61	80	124 ^a	61	57	86	85	73	56	52
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,359	2,308	2,313	2,386	2,395
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,076 ^a	1,106 ^a	1,185	1,341	1,399
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,673	1,360 ^a	1,585 ^a	1,824	1,958
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17,478 ^a	17,354 ^a	16,844 ^a	15,686	15,242
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	11,492 ^a	10,635 ^a	10,310 ^a	9,253	9,158
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,760	5,220 ^a	5,386 ^a	4,739	4,499
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,519 ^a	6,539 ^a	6,251 ^a	5,975	5,459
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,656 ^a	5,626 ^a	5,485 ^a	5,319	4,829
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,409 ^a	1,431 ^a	1,278	1,021	1,016
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,167 ^a	5,283 ^a	5,233 ^a	5,039	4,460
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	11,712 ^a	10,933 ^a	10,632 ^a	9,551	9,499
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	22,276	22,019	22,458	21,422	21,727
TOBACCO PRODUCTS ³	78,892 ^a	77,781 ^a	77,504 ^a	79,593 ^a	80,739 ^a	80,008 ^a	79,803 ^a	78,716 ^a	78,965 ^a	77,656 ^a	79,029 ^a	77,385 ^a	77,979 ^a	75,422 ^a	74,145 ^a	72,306 ^a	71,095	69,905
Cigarettes	66,273 ^a	65,116 ^a	65,264 ^a	66,446 ^a	67,368 ^a	66,745 ^a	66,368 ^a	65,537 ^a	65,139 ^a	63,839 ^a	64,854 ^a	63,695 ^a	63,648 ^a	59,827 ^a	59,466 ^a	56,841 ^a	56,078	54,218
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	11,648	11,071	10,956	10,310	10,857
Cigars	23,417 ^a	22,898 ^a	23,405 ^a	24,423 ^a	24,475 ^a	24,276 ^a	24,155 ^a	24,374 ^a	24,179 ^a	23,040 ^a	23,964 ^a	23,509 ^a	22,309	23,111 ^a	21,671	22,307	22,023	21,329
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	146,912 ^a	145,978 ^a	148,149 ^a	153,172 ^a	154,073 ^a	154,933 ^a	157,239 ^a	160,620 ^a	161,399 ^a	163,482 ^a	167,018 ^a	167,833 ^a	170,577 ^a	170,195 ^a	169,240 ^a	173,270	174,087	173,870
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	186,610 ^a	185,528 ^a	189,384	190,317	190,422
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	175,209 ^a	174,243 ^a	178,669	179,223	180,196
Tobacco Products or Alcohol ³	160,664 ^a	160,175 ^a	161,339 ^a	167,466 ^a	168,206 ^a	168,730 ^a	171,208 ^a	173,417 ^a	175,261 ^a	176,903 ^a	180,430 ^a	181,367 ^a	184,508 ^a	184,135 ^a	183,079 ^a	186,763	187,895	187,446

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.
³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.8B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 18 or Older: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17.9 ^a	18.2 ^a	19.3 ^a	19.7 ^a	21.1
Marijuana	10.4 ^a	10.1 ^a	10.1 ^a	10.1 ^a	10.0 ^a	9.9 ^a	10.1 ^a	11.1 ^a	11.3 ^a	11.3 ^a	12.0 ^a	12.5 ^a	13.3 ^a	13.6 ^a	14.1 ^a	15.3 ^a	16.2 ^a	18.0
Cocaine	2.6 ^a	2.6 ^a	2.4 ^a	2.3	2.6 ^a	2.4	2.2	2.0	1.9 ^a	1.6 ^a	1.9	1.7 ^a	1.8 ^a	1.9	2.0	2.4	2.2	2.1
Crack	0.7 ^a	0.6 ^a	0.6 ^a	0.6 ^a	0.6 ^a	0.6 ^a	0.5 ^a	0.4 ^a	0.4	0.3	0.4	0.3	0.3	0.3	0.4	0.4	0.3	0.3
Heroin	0.2 ^a	0.1 ^a	0.2 ^a	0.2 ^a	0.2	0.2 ^a	0.2 ^a	0.2	0.3	0.2	0.3	0.3	0.4	0.3	0.4	0.4	0.3	0.3
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.7 ^a	1.8 ^a	1.9 ^a	2.1	2.2
LSD	0.3 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.3 ^a	0.2 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.4 ^a	0.4 ^a	0.4 ^a	0.5 ^a	0.7 ^a	0.8	0.9	0.9
PCP	0.1 ^a	0.1 ^a	0.1 ^a	0.0	0.1 ^a	0.0	0.0	0.0	0.0	0.0	0.1 ^a	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.0	0.9	0.9	1.0	1.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4 ^a	0.5	0.5	0.5	0.6
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.6 ^a	0.6 ^a	0.7	0.8
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.2 ^a	7.1 ^a	6.8 ^a	6.3	6.1
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.7 ^a	4.3 ^a	4.2 ^a	3.7	3.7
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.0	2.1 ^a	2.2 ^a	1.9	1.8
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.7 ^a	2.7 ^a	2.5 ^a	2.4	2.2
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.3 ^a	2.3 ^a	2.2 ^a	2.1	1.9
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6 ^a	0.6 ^a	0.5	0.4	0.4
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.1 ^a	2.2 ^a	2.1 ^a	2.0 ^a	1.8
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.8 ^a	4.5 ^a	4.3 ^a	3.8	3.8
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.2	9.0	9.1	8.6	8.7
TOBACCO PRODUCTS ³	37.5 ^a	36.6 ^a	36.0 ^a	36.5 ^a	36.6 ^a	35.9 ^a	35.5 ^a	34.6 ^a	34.4 ^a	33.4 ^a	33.6 ^a	32.6 ^a	32.5 ^a	31.1 ^a	30.3 ^a	29.3 ^a	28.6	27.9
Cigarettes	31.5 ^a	30.6 ^a	30.3 ^a	30.5 ^a	30.5 ^a	30.0 ^a	29.5 ^a	28.8 ^a	28.4 ^a	27.4 ^a	27.6 ^a	26.8 ^a	26.5 ^a	24.6 ^a	24.3 ^a	23.0 ^a	22.5 ^a	21.7
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.8 ^a	4.5	4.4	4.1	4.3
Cigars	11.1 ^a	10.8 ^a	10.9 ^a	11.2 ^a	11.1 ^a	10.9 ^a	10.7 ^a	10.7 ^a	10.5 ^a	9.9 ^a	10.2 ^a	9.9 ^a	9.3 ^a	9.5 ^a	8.9	9.0 ^a	8.8	8.5
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	69.8	68.6	68.8	70.3	69.8	69.6	69.9	70.7 ^a	70.4	70.3	71.0 ^a	70.7 ^a	71.0 ^a	70.1	69.2	70.1	70.0	69.5
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	76.9	75.9	76.6	76.5	76.1
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	72.2	71.3	72.3	72.0	72.0
Tobacco Products or Alcohol ³	76.4 ^a	75.3	74.9	76.9 ^a	76.2 ^a	75.8	76.1 ^a	76.3 ^a	76.4 ^a	76.0 ^a	76.7 ^a	76.4 ^a	76.8 ^a	75.8 ^a	74.9	75.6	75.5	74.9

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.
³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.9A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 18 or Older: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24,887 ^a	26,605 ^a	28,510 ^a	29,917 ^a	33,636
Marijuana	12,561 ^a	12,667 ^a	12,667 ^a	12,896 ^a	13,154 ^a	12,777 ^a	13,601 ^a	15,013 ^a	15,607 ^a	16,103 ^a	17,055 ^a	18,048 ^a	20,357 ^a	20,474 ^a	22,373 ^a	24,383 ^a	26,009 ^a	29,769
Cocaine	1,874	2,128	1,895	2,255	2,316	1,972	1,767	1,572 ^a	1,412 ^a	1,302 ^a	1,620	1,505 ^a	1,491 ^a	1,822	1,847	2,141	1,938	1,965
Crack	541	572	451	657 ^a	691 ^a	595 ^a	356	489	375	225 ^a	443	375	347	393	429	472	436	372
Heroin	155 ^a	101 ^a	151 ^a	121 ^a	323	157 ^a	200 ^a	180 ^a	231 ^a	267	335	277	419	325	471	492	347	431
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,118 ^a	1,276 ^a	1,295 ^a	1,491	1,763
LSD	51 ^a	82 ^a	103 ^a	72 ^a	99 ^a	114 ^a	105 ^a	124 ^a	109 ^a	118 ^a	158 ^a	177 ^a	222 ^a	299 ^a	332 ^a	459	403	512
PCP	35	35	37	31	19	34	*	42	30	22	27	26	*	17	17	32	30	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	524	590	547	636	623
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	352 ^a	451	403 ^a	428	591
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	885	658 ^a	758 ^a	984	1,161
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,873 ^a	5,818 ^a	5,592	5,112	5,008
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,499 ^a	3,111 ^a	3,024	2,691	2,654
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,536	1,643	1,718 ^a	1,550	1,443
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,010	2,187	1,815	1,711	1,837
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,712	1,832	1,599	1,553	1,669
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	425 ^a	474 ^a	333	234	275
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,686 ^a	3,408 ^a	3,333	2,874	2,936
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,523	8,517	8,550	8,271	8,735
TOBACCO PRODUCTS	67,732 ^a	67,147 ^a	66,622 ^a	68,195 ^a	69,596 ^a	67,932 ^a	68,085 ^a	66,932 ^a	67,051 ^a	65,735 ^a	67,345 ^a	64,928 ^a	65,157 ^a	62,467 ^a	62,105 ^a	59,856 ^a	57,723	57,127
Cigarettes	57,928 ^a	57,391 ^a	56,897 ^a	57,799 ^a	58,926 ^a	57,688 ^a	57,551 ^a	56,507 ^a	56,295 ^a	54,880 ^a	55,890 ^a	54,381 ^a	54,028 ^a	50,912 ^a	50,478 ^a	47,905 ^a	46,284	45,313
Daily Cigarettes	37,717 ^a	37,085 ^a	36,516 ^a	37,428 ^a	37,631 ^a	36,242 ^a	36,278 ^a	35,323 ^a	34,259 ^a	34,049 ^a	34,577 ^a	32,976 ^a	32,179 ^a	29,982 ^a	29,573 ^a	27,691	27,229	26,721
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,625	8,416	8,239	7,694	8,268
Cigars	11,634	11,722	12,526 ^a	12,576 ^a	12,652 ^a	12,227 ^a	12,274 ^a	12,355 ^a	12,485 ^a	12,007	12,772 ^a	11,862	11,443	11,991	11,813	12,053	11,800	11,344
Pipe Tobacco	1,679	1,458 ^a	1,657	2,032	2,147	1,863	1,707	1,873	2,000	1,955	2,365 ^a	2,111	2,067	2,183	2,141	2,221 ^a	2,012	1,827
ALCOHOL	115,455 ^a	114,539 ^a	116,498 ^a	121,837 ^a	121,133 ^a	122,825 ^a	125,213 ^a	126,994 ^a	128,055 ^a	130,059 ^a	132,285 ^a	133,991 ^a	136,804	135,929	134,446 ^a	138,123	137,602	137,381
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	65,249	64,113	65,326	65,891	64,633
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17,105 ^a	16,098	16,543	16,437	15,835
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	159,224 ^a	158,474 ^a	161,478	161,284	161,605
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	141,264 ^a	140,492 ^a	144,367	144,208	145,559
Tobacco Products or Alcohol	137,456 ^a	136,833 ^a	137,390 ^a	143,031 ^a	143,823 ^a	144,514 ^a	146,460 ^a	147,823 ^a	149,948 ^a	150,956 ^a	154,431 ^a	155,336	158,145	157,080	155,758	158,743	158,257	157,655

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.9B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 18 or Older: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10.2 ^a	10.9 ^a	11.5 ^a	12.0 ^a	13.4
Marijuana	6.0 ^a	6.0 ^a	5.9 ^a	5.9 ^a	6.0 ^a	5.7 ^a	6.0 ^a	6.6 ^a	6.8 ^a	6.9 ^a	7.3 ^a	7.6 ^a	8.5 ^a	8.4 ^a	9.1 ^a	9.9 ^a	10.5 ^a	11.9
Cocaine	0.9	1.0 ^a	0.9	1.0 ^a	1.0 ^a	0.9	0.8	0.7	0.6 ^a	0.6 ^a	0.7	0.6 ^a	0.6 ^a	0.8	0.8	0.9	0.8	0.8
Crack	0.3 ^a	0.3 ^a	0.2	0.3 ^a	0.3 ^a	0.3 ^a	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.1
Heroin	0.1 ^a	0.0 ^a	0.1 ^a	0.1 ^a	0.1	0.1 ^a	0.1 ^a	0.1 ^a	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5 ^a	0.5 ^a	0.5 ^a	0.6	0.7
LSD	0.0 ^a	0.0 ^a	0.0 ^a	0.0 ^a	0.0 ^a	0.1 ^a	0.0 ^a	0.1 ^a	0.0 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.2	0.2	0.2
PCP	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.2	0.2	0.3	0.2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1 ^a	0.2	0.2	0.2	0.2
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.3 ^a	0.3 ^a	0.4	0.5
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.4 ^a	2.4 ^a	2.3 ^a	2.1	2.0
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.4 ^a	1.3 ^a	1.2	1.1	1.1
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.7	0.7 ^a	0.6	0.6
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.9 ^a	0.7	0.7	0.7
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.7	0.6	0.6	0.7
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2 ^a	0.2 ^a	0.1	0.1	0.1
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.5 ^a	1.4 ^a	1.3	1.2	1.2
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.5	3.5	3.5	3.3	3.5
TOBACCO PRODUCTS	32.2 ^a	31.6 ^a	30.9 ^a	31.3 ^a	31.5 ^a	30.5 ^a	30.3 ^a	29.5 ^a	29.2 ^a	28.3 ^a	28.6 ^a	27.3 ^a	27.1 ^a	25.7 ^a	25.4 ^a	24.2 ^a	23.2	22.8
Cigarettes	27.5 ^a	27.0 ^a	26.4 ^a	26.5 ^a	26.7 ^a	25.9 ^a	25.6 ^a	24.9 ^a	24.6 ^a	23.6 ^a	23.8 ^a	22.9 ^a	22.5 ^a	21.0 ^a	20.6 ^a	19.4 ^a	18.6	18.1
Daily Cigarettes	17.9 ^a	17.4 ^a	17.0 ^a	17.2 ^a	17.1 ^a	16.3 ^a	16.1 ^a	15.5 ^a	14.9 ^a	14.6 ^a	14.7 ^a	13.9 ^a	13.4 ^a	12.3 ^a	12.1 ^a	11.2	10.9	10.7
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.6	3.4	3.3	3.1	3.3
Cigars	5.5 ^a	5.5 ^a	5.8 ^a	5.8 ^a	5.7 ^a	5.5 ^a	5.5 ^a	5.4 ^a	5.4 ^a	5.2 ^a	5.4 ^a	5.0 ^a	4.8	4.9 ^a	4.8	4.9 ^a	4.7	4.5
Pipe Tobacco	0.8	0.7	0.8	0.9 ^a	1.0 ^a	0.8	0.8	0.8	0.9	0.8	1.0 ^a	0.9 ^a	0.9	0.9 ^a	0.9 ^a	0.9 ^a	0.8	0.7
ALCOHOL	54.9	53.9	54.1	55.9	54.9	55.2	55.7	55.9	55.9	55.9	56.3 ^a	56.4 ^a	56.9 ^a	56.0 ^a	55.0	55.9 ^a	55.3	54.9
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26.9 ^a	26.2	26.4	26.5	25.8
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.0 ^a	6.6	6.7	6.6	6.3
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	65.6 ^a	64.8	65.3	64.8	64.6
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	58.2	57.5	58.4	57.9	58.2
Tobacco Products or Alcohol	65.3 ^a	64.3 ^a	63.8	65.7 ^a	65.2 ^a	64.9 ^a	65.1 ^a	65.1 ^a	65.4 ^a	64.9 ^a	65.7 ^a	65.4 ^a	65.8 ^a	64.7 ^a	63.7	64.2 ^a	63.6	63.0

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.10A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 18 to 25: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20,083 ^a	19,469 ^a	19,549 ^a	18,922	18,832
Marijuana	16,680 ^a	17,103	16,983	17,032	17,180	16,652 ^a	16,718 ^a	17,677	17,529	17,796	18,052 ^a	18,051 ^a	18,390 ^a	18,392 ^a	17,897	18,087 ^a	17,512	17,450
Cocaine	4,786 ^a	4,755 ^a	4,893 ^a	4,905 ^a	5,139 ^a	4,925 ^a	4,772 ^a	4,997 ^a	4,568 ^a	4,253 ^a	4,267 ^a	4,041	3,881	4,074	3,901	4,125	3,872	3,809
Crack	1,182 ^a	1,193 ^a	1,135 ^a	1,145 ^a	1,176 ^a	985 ^a	916 ^a	965 ^a	886 ^a	714 ^a	654 ^a	563 ^a	546 ^a	531 ^a	387	436	340	339
Heroin	487 ^a	516 ^a	529 ^a	496 ^a	514 ^a	498 ^a	467	587 ^a	614 ^a	594 ^a	664 ^a	619 ^a	683 ^a	616 ^a	539 ^a	602 ^a	459	389
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,486 ^a	5,940	5,859	5,597	5,597
LSD	4,928 ^a	4,450 ^a	3,900 ^a	3,417	2,933 ^a	2,381 ^a	2,167 ^a	2,326 ^a	2,194 ^a	2,054 ^a	2,056 ^a	2,246 ^a	2,451 ^a	2,691 ^a	2,884 ^a	3,125	3,338	3,368
PCP	834 ^a	948 ^a	737 ^a	716 ^a	641 ^a	540 ^a	523 ^a	480 ^a	447 ^a	351 ^a	345 ^a	326	305	267	235	261	215	249
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,561 ^a	4,018 ^a	4,105 ^a	3,586	3,500
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,463 ^a	3,387	3,242	3,053	3,099
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,135 ^a	836	1,024	867	904
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	23,426 ^a	23,723 ^a	23,658 ^a	23,496 ^a	23,525 ^a	23,016 ^a	23,151 ^a	23,383 ^a	23,437 ^a	23,304 ^a	22,926 ^a	22,650 ^a	22,290 ^a	21,524 ^a	20,490 ^a	19,866 ^a	18,704 ^a	17,776
Cigarettes	22,099 ^a	22,267 ^a	22,118 ^a	21,879 ^a	21,808 ^a	21,206 ^a	21,201 ^a	21,420 ^a	21,224 ^a	20,929 ^a	20,593 ^a	20,141 ^a	19,608 ^a	18,596 ^a	17,467 ^a	16,988 ^a	15,609 ^a	14,686
Daily Cigarettes	11,508 ^a	11,423 ^a	11,213 ^a	11,069 ^a	10,717 ^a	10,198 ^a	9,944 ^a	9,920 ^a	9,532 ^a	9,324 ^a	9,037 ^a	8,669 ^a	8,332 ^a	7,893 ^a	6,860 ^a	6,268 ^a	5,610	5,455
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,842 ^a	6,284 ^a	6,160 ^a	5,688	5,618
Cigars	14,148 ^a	14,327 ^a	14,213 ^a	14,036 ^a	14,132 ^a	13,887 ^a	13,792 ^a	14,132 ^a	13,988 ^a	13,540 ^a	13,490 ^a	13,379 ^a	13,170 ^a	12,659 ^a	12,081 ^a	11,466 ^a	11,104 ^a	10,446
Pipe Tobacco	2,495	2,441	2,661	2,693	2,613	2,587	2,801	2,911 ^a	3,277 ^a	3,331 ^a	3,421 ^a	3,597 ^a	3,475 ^a	3,437 ^a	3,199 ^a	3,044 ^a	2,818	2,604
ALCOHOL	26,889	27,622 ^a	27,752 ^a	27,836 ^a	28,309 ^a	27,885 ^a	28,191 ^a	28,804 ^a	29,189 ^a	28,901 ^a	29,195 ^a	29,148 ^a	29,126 ^a	28,753 ^a	28,111 ^a	27,805 ^a	27,110 ^a	26,622
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30,560 ^a	29,777 ^a	29,482 ^a	28,826 ^a	28,259
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29,702 ^a	29,005 ^a	28,692 ^a	28,095 ^a	27,563
Tobacco Products or Alcohol	27,936	28,676 ^a	28,877 ^a	28,986 ^a	29,326 ^a	28,946 ^a	29,385 ^a	29,833 ^a	30,237 ^a	30,115 ^a	30,359 ^a	30,251 ^a	30,250 ^a	29,990 ^a	29,305 ^a	28,963 ^a	28,244 ^a	27,626

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.10B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 18 to 25: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	57.5 ^a	56.3	57.0	55.6	55.8
Marijuana	53.8 ^a	53.9 ^a	52.8	52.4	52.5	50.9	50.8	52.6	51.4	51.9	52.2	51.9	52.6	52.7	51.8	52.7	51.5	51.7
Cocaine	15.4 ^a	15.0 ^a	15.2 ^a	15.1 ^a	15.7 ^a	15.0 ^a	14.5 ^a	14.9 ^a	13.4 ^a	12.4 ^a	12.3 ^a	11.6	11.1	11.7	11.3	12.0	11.4	11.3
Crack	3.8 ^a	3.8 ^a	3.5 ^a	3.5 ^a	3.6 ^a	3.0 ^a	2.8 ^a	2.9 ^a	2.6 ^a	2.1 ^a	1.9 ^a	1.6 ^a	1.6 ^a	1.5 ^a	1.1	1.3	1.0	1.0
Heroin	1.6 ^a	1.6 ^a	1.6 ^a	1.5 ^a	1.6 ^a	1.5 ^a	1.4	1.7 ^a	1.8 ^a	1.7 ^a	1.9 ^a	1.8 ^a	2.0 ^a	1.8 ^a	1.6 ^a	1.8 ^a	1.3	1.2
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18.6 ^a	17.2	17.1	16.4	16.6
LSD	15.9 ^a	14.0 ^a	12.1 ^a	10.5	9.0 ^a	7.3 ^a	6.6 ^a	6.9 ^a	6.4 ^a	6.0 ^a	5.9 ^a	6.5 ^a	7.0 ^a	7.7 ^a	8.3 ^a	9.1 ^a	9.8	10.0
PCP	2.7 ^a	3.0 ^a	2.3 ^a	2.2 ^a	2.0 ^a	1.6 ^a	1.6 ^a	1.4 ^a	1.3 ^a	1.0 ^a	1.0 ^a	0.9	0.9	0.8	0.7	0.8	0.6	0.7
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13.1 ^a	11.6 ^a	12.0 ^a	10.5	10.4
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.9	9.8	9.5	9.0	9.2
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.3 ^a	2.4	3.0	2.5	2.7
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	75.5 ^a	74.8 ^a	73.5 ^a	72.3 ^a	71.9 ^a	70.3 ^a	70.3 ^a	69.6 ^a	68.8 ^a	67.9 ^a	66.3 ^a	65.1 ^a	63.8 ^a	61.7 ^a	59.3 ^a	57.9 ^a	55.0 ^a	52.7
Cigarettes	71.2 ^a	70.2 ^a	68.7 ^a	67.3 ^a	66.6 ^a	64.8 ^a	64.4 ^a	63.8 ^a	62.3 ^a	61.0 ^a	59.5 ^a	57.9 ^a	56.1 ^a	53.3 ^a	50.5 ^a	49.5 ^a	45.9 ^a	43.5
Daily Cigarettes	37.1 ^a	36.0 ^a	34.8 ^a	34.1 ^a	32.7 ^a	31.2 ^a	30.2 ^a	29.5 ^a	28.0 ^a	27.2 ^a	26.1 ^a	24.9 ^a	23.8 ^a	22.6 ^a	19.8 ^a	18.3 ^a	16.5	16.2
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	19.6 ^a	18.2 ^a	18.0 ^a	16.7	16.7
Cigars	45.6 ^a	45.2 ^a	44.1 ^a	43.2 ^a	43.2 ^a	42.4 ^a	41.9 ^a	42.1 ^a	41.1 ^a	39.5 ^a	39.0 ^a	38.5 ^a	37.7 ^a	36.3 ^a	34.9 ^a	33.4 ^a	32.6 ^a	31.0
Pipe Tobacco	8.0	7.7	8.3	8.3	8.0	7.9	8.5 ^a	8.7 ^a	9.6 ^a	9.7 ^a	9.9 ^a	10.3 ^a	9.9 ^a	9.8 ^a	9.3 ^a	8.9 ^a	8.3	7.7
ALCOHOL	86.7 ^a	87.1 ^a	86.2 ^a	85.7 ^a	86.5 ^a	85.2 ^a	85.6 ^a	85.8 ^a	85.7 ^a	84.3 ^a	84.4 ^a	83.8 ^a	83.4 ^a	82.4 ^a	81.3 ^a	81.1 ^a	79.7	78.9
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	87.5 ^a	86.1 ^a	85.9 ^a	84.7	83.8
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	85.1 ^a	83.9 ^a	83.6 ^a	82.5	81.7
Tobacco Products or Alcohol	90.0 ^a	90.4 ^a	89.7 ^a	89.2 ^a	89.6 ^a	88.4 ^a	89.2 ^a	88.8 ^a	88.7 ^a	87.8 ^a	87.8 ^a	87.0 ^a	86.6 ^a	85.9 ^a	84.8 ^a	84.4 ^a	83.0	81.9

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.11A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 18 to 25: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13,102	13,034	13,522	13,168	13,193
Marijuana	9,238 ^a	9,044 ^a	8,963 ^a	9,111 ^a	9,188 ^a	9,008 ^a	9,154 ^a	10,343 ^a	10,215 ^a	10,554 ^a	10,887 ^a	11,000 ^a	11,154 ^a	11,246 ^a	11,401 ^a	11,956	11,829	11,952
Cocaine	2,087 ^a	2,098 ^a	2,134 ^a	2,247 ^a	2,263 ^a	2,087 ^a	1,844	1,790	1,593	1,563 ^a	1,600	1,543 ^a	1,604	1,876	1,919	2,128 ^a	1,967	1,789
Crack	266 ^a	275 ^a	263 ^a	328 ^a	293 ^a	249 ^a	217 ^a	172 ^a	180 ^a	107 ^a	140 ^a	95	127 ^a	109 ^a	90	108 ^a	87	61
Heroin	122	96	118	159 ^a	147 ^a	142 ^a	149 ^a	183 ^a	211 ^a	230 ^a	272 ^a	244 ^a	268 ^a	217 ^a	227 ^a	214 ^a	157 ^a	87
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,453	2,388	2,406	2,332	2,425
LSD	553 ^a	336 ^a	317 ^a	322 ^a	380 ^a	375 ^a	507 ^a	523 ^a	549 ^a	586 ^a	622 ^a	708 ^a	800 ^a	979 ^a	1,161	1,310	1,187	1,202
PCP	95 ^a	117 ^a	100 ^a	57	76 ^a	57	30	35	37	63	57	26	36	32	15	27	10	30
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,422 ^a	1,223	1,209	1,063	1,089
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	487	485	562	495	577
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	329	265	375 ^a	273	275
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,330 ^a	5,026 ^a	4,956 ^a	4,202 ^a	3,868
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,979 ^a	2,454 ^a	2,460 ^a	1,858	1,754
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,537 ^a	2,578 ^a	2,545 ^a	2,216 ^a	1,951
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,988 ^a	1,987 ^a	1,949 ^a	1,658 ^a	1,409
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,874 ^a	1,844 ^a	1,880 ^a	1,566 ^a	1,313
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	265 ^a	256 ^a	199	194	175
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,799 ^a	1,794 ^a	1,830 ^a	1,526 ^a	1,266
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,029 ^a	2,516 ^a	2,494 ^a	1,895	1,776
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7,036 ^a	6,649 ^a	6,657 ^a	6,006	5,791
TOBACCO PRODUCTS ³	17,028 ^a	17,073 ^a	17,481 ^a	17,637 ^a	17,695 ^a	17,156 ^a	17,248 ^a	17,601 ^a	17,484 ^a	17,159 ^a	16,891 ^a	16,597 ^a	16,083 ^a	15,301 ^a	14,014 ^a	13,661 ^a	12,488 ^a	11,874
Cigarettes	15,214 ^a	15,113 ^a	15,290 ^a	15,348 ^a	15,403 ^a	14,787 ^a	14,865 ^a	15,212 ^a	14,733 ^a	14,516 ^a	14,195 ^a	13,750 ^a	13,157 ^a	12,215 ^a	10,956 ^a	10,645 ^a	9,501 ^a	8,720
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,156 ^a	2,772	2,653	2,402	2,586
Cigars	7,034 ^a	7,196 ^a	7,724 ^a	7,856 ^a	7,931 ^a	7,756 ^a	7,601 ^a	7,904 ^a	7,735 ^a	7,568 ^a	7,521 ^a	7,214 ^a	6,975 ^a	6,798 ^a	6,217 ^a	6,140 ^a	5,818	5,495
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	24,153	24,778 ^a	25,127 ^a	25,303 ^a	25,815 ^a	25,497 ^a	25,691 ^a	26,437 ^a	26,783 ^a	26,429 ^a	26,778 ^a	26,707 ^a	26,713 ^a	26,355 ^a	25,720 ^a	25,382 ^a	24,866 ^a	24,279
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	28,438 ^a	27,609 ^a	27,403 ^a	26,721 ^a	26,287
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27,280 ^a	26,630 ^a	26,428 ^a	25,889 ^a	25,368
Tobacco Products or Alcohol ³	25,571	26,254 ^a	26,657 ^a	26,824 ^a	27,232 ^a	26,975 ^a	27,261 ^a	27,850 ^a	28,306 ^a	28,118 ^a	28,307 ^a	28,266 ^a	28,229 ^a	27,926 ^a	27,181 ^a	26,839 ^a	26,107 ^a	25,614

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.
³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.11B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 18 to 25: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	37.5 ^a	37.7	39.4	38.7	39.1
Marijuana	29.8 ^a	28.5 ^a	27.8 ^a	28.0 ^a	28.1 ^a	27.5 ^a	27.8 ^a	30.8 ^a	30.0 ^a	30.8 ^a	31.5 ^a	31.6 ^a	31.9 ^a	32.2 ^a	33.0 ^a	34.9	34.8	35.4
Cocaine	6.7 ^a	6.6 ^a	6.6 ^a	6.9 ^a	6.9 ^a	6.4 ^a	5.6	5.3	4.7 ^a	4.6 ^a	4.6 ^a	4.4 ^a	4.6 ^a	5.4	5.6	6.2 ^a	5.8	5.3
Crack	0.9 ^a	0.9 ^a	0.8 ^a	1.0 ^a	0.9 ^a	0.8 ^a	0.7 ^a	0.5 ^a	0.5 ^a	0.3 ^a	0.4 ^a	0.3	0.4 ^a	0.3 ^a	0.3	0.3	0.3	0.2
Heroin	0.4	0.3	0.4	0.5 ^a	0.4 ^a	0.4 ^a	0.5 ^a	0.5 ^a	0.6 ^a	0.7 ^a	0.8 ^a	0.7 ^a	0.8 ^a	0.6 ^a	0.7 ^a	0.6 ^a	0.5 ^a	0.3
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.0	6.9	7.0	6.9	7.2
LSD	1.8 ^a	1.1 ^a	1.0 ^a	1.0 ^a	1.2 ^a	1.1 ^a	1.5 ^a	1.6 ^a	1.6 ^a	1.7 ^a	1.8 ^a	2.0 ^a	2.3 ^a	2.8 ^a	3.4	3.8	3.5	3.6
PCP	0.3 ^a	0.4 ^a	0.3 ^a	0.2	0.2 ^a	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.1
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.1 ^a	3.5	3.5	3.1	3.2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.4	1.4	1.6	1.5	1.7
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9	0.8	1.1	0.8	0.8
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15.3 ^a	14.5 ^a	14.4 ^a	12.3	11.5
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.5 ^a	7.1 ^a	7.2 ^a	5.5	5.2
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.3 ^a	7.5 ^a	7.4 ^a	6.5	5.8
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.7 ^a	5.7 ^a	5.7 ^a	4.9 ^a	4.2
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.4 ^a	5.3 ^a	5.5 ^a	4.6 ^a	3.9
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8 ^a	0.7	0.6	0.6	0.5
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.2 ^a	5.2 ^a	5.3 ^a	4.5 ^a	3.8
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.7 ^a	7.3 ^a	7.3 ^a	5.6	5.3
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20.2 ^a	19.2 ^a	19.4 ^a	17.6	17.2
TOBACCO PRODUCTS ³	54.9 ^a	53.8 ^a	54.3 ^a	54.3 ^a	54.0 ^a	52.4 ^a	52.4 ^a	52.4 ^a	51.3 ^a	50.0 ^a	48.8 ^a	47.7 ^a	46.0 ^a	43.8 ^a	40.5 ^a	39.8 ^a	36.7 ^a	35.2
Cigarettes	49.0 ^a	47.6 ^a	47.5 ^a	47.2 ^a	47.0 ^a	45.2 ^a	45.1 ^a	45.3 ^a	43.2 ^a	42.3 ^a	41.0 ^a	39.5 ^a	37.7 ^a	35.0 ^a	31.7 ^a	31.0 ^a	27.9 ^a	25.8
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.0 ^a	8.0	7.7	7.1	7.7
Cigars	22.7 ^a	22.7 ^a	24.0 ^a	24.2 ^a	24.2 ^a	23.7 ^a	23.1 ^a	23.5 ^a	22.7 ^a	22.1 ^a	21.7 ^a	20.7 ^a	20.0 ^a	19.5 ^a	18.0 ^a	17.9 ^a	17.1	16.3
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	77.9 ^a	78.1 ^a	78.0 ^a	77.9 ^a	78.8 ^a	77.9 ^a	78.0 ^a	78.7 ^a	78.6 ^a	77.0 ^a	77.4 ^a	76.8 ^a	76.5 ^a	75.5 ^a	74.4 ^a	74.0 ^a	73.1	72.0
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	81.5 ^a	79.9 ^a	79.9 ^a	78.5	77.9
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	78.2 ^a	77.0 ^a	77.0 ^a	76.1	75.2
Tobacco Products or Alcohol ³	82.4 ^a	82.7 ^a	82.8 ^a	82.6 ^a	83.2 ^a	82.4 ^a	82.8 ^a	82.9 ^a	83.1 ^a	82.0 ^a	81.8 ^a	81.3 ^a	80.8 ^a	80.0 ^a	78.6 ^a	78.2 ^a	76.7	75.9

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.
³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.12A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 18 to 25: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7,797 ^a	8,012	8,302	8,130	8,406
Marijuana	5,376 ^a	5,400 ^a	5,196 ^a	5,388 ^a	5,337 ^a	5,392 ^a	5,459 ^a	6,128 ^a	6,313 ^a	6,526 ^a	6,485 ^a	6,636 ^a	6,836 ^a	6,921 ^a	7,184 ^a	7,591	7,528	7,749
Cocaine	631	696 ^a	692 ^a	832 ^a	730 ^a	572	515	466	503	464	398 ^a	398 ^a	473	580	552	665 ^a	524	540
Crack	52 ^a	55 ^a	80 ^a	104 ^a	72 ^a	56 ^a	54 ^a	40	72 ^a	20	38	36	29	39	15	24	28	18
Heroin	39	25	43	59	55	49	76 ^a	67	90 ^a	107 ^a	138 ^a	92 ^a	82 ^a	88 ^a	88 ^a	102 ^a	61	38
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	636	668	594	580	625
LSD	36 ^a	67 ^a	83 ^a	60 ^a	58 ^a	69 ^a	98 ^a	97 ^a	105 ^a	92 ^a	118 ^a	105 ^a	118 ^a	219	209	283	237	260
PCP	15	30	17	11	14	15	4	5	6	12	12	4	5	2	*	*	*	8
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	307 ^a	303 ^a	245	245	214
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	126	121	168	128	157
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	128	65	151	90	110
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,766 ^a	1,600 ^a	1,554 ^a	1,261	1,145
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	829 ^a	631 ^a	634 ^a	475	420
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	757 ^a	767 ^a	715	587	587
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	621 ^a	571 ^a	575 ^a	422	365
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	582 ^a	536 ^a	552 ^a	395	337
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	86 ^a	50	52	43	44
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	880 ^a	688 ^a	695 ^a	508	439
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,645 ^a	2,440 ^a	2,432 ^a	2,053	2,059
TOBACCO PRODUCTS	14,049 ^a	14,201 ^a	14,359 ^a	14,382 ^a	14,396 ^a	13,700 ^a	13,638 ^a	13,986 ^a	13,934 ^a	13,532 ^a	13,167 ^a	12,882 ^a	12,244 ^a	11,516 ^a	10,359 ^a	9,972 ^a	8,792 ^a	8,203
Cigarettes	12,650 ^a	12,764 ^a	12,731 ^a	12,667 ^a	12,595 ^a	11,845 ^a	11,774 ^a	12,038 ^a	11,702 ^a	11,488 ^a	11,008 ^a	10,657 ^a	9,905 ^a	9,330 ^a	8,120 ^a	7,653 ^a	6,514 ^a	5,917
Daily Cigarettes	6,549 ^a	6,726 ^a	6,574 ^a	6,349 ^a	6,149 ^a	5,829 ^a	5,623 ^a	5,458 ^a	5,358 ^a	5,207 ^a	4,967 ^a	4,591 ^a	4,263 ^a	3,923 ^a	3,237 ^a	2,939 ^a	2,438 ^a	2,097
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,893 ^a	1,807	1,631	1,494	1,660
Cigars	3,417 ^a	3,623 ^a	4,103 ^a	3,895 ^a	3,972 ^a	3,887 ^a	3,770 ^a	3,871 ^a	3,858 ^a	3,724 ^a	3,716 ^a	3,472 ^a	3,392 ^a	3,106 ^a	3,048 ^a	3,137 ^a	2,920 ^a	2,610
Pipe Tobacco	332 ^a	292 ^a	396	471	430	395	461	592 ^a	619 ^a	635 ^a	625 ^a	758 ^a	666 ^a	612 ^a	573 ^a	563 ^a	597 ^a	418
ALCOHOL	18,759	19,466 ^a	19,474 ^a	19,783 ^a	20,298 ^a	20,049 ^a	20,125 ^a	20,752 ^a	20,917 ^a	20,814 ^a	20,828 ^a	20,738 ^a	20,815 ^a	20,367 ^a	19,754 ^a	19,330 ^a	18,757	18,323
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13,626 ^a	13,258 ^a	12,652 ^a	11,876	11,559
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,803 ^a	3,500 ^a	3,307 ^a	3,074	2,844
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23,690 ^a	23,080 ^a	22,578 ^a	21,933	21,593
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	21,612 ^a	21,271 ^a	20,885 ^a	20,401	20,169
Tobacco Products or Alcohol	21,801 ^a	22,444 ^a	22,596 ^a	22,771 ^a	23,256 ^a	22,881 ^a	22,945 ^a	23,635 ^a	23,902 ^a	23,870 ^a	23,852 ^a	23,602 ^a	23,629 ^a	23,158 ^a	22,331 ^a	21,868 ^a	21,041 ^a	20,505

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.12B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 18 to 25: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	22.3 ^a	23.2 ^a	24.2	23.9	24.9
Marijuana	17.3 ^a	17.0 ^a	16.1 ^a	16.6 ^a	16.3 ^a	16.5 ^a	16.6 ^a	18.2 ^a	18.5 ^a	19.0 ^a	18.7 ^a	19.1 ^a	19.6 ^a	19.8 ^a	20.8 ^a	22.1	22.1	23.0
Cocaine	2.0 ^a	2.2 ^a	2.1 ^a	2.6 ^a	2.2 ^a	1.7	1.6	1.4	1.5	1.4	1.1 ^a	1.1 ^a	1.4	1.7	1.6	1.9	1.5	1.6
Crack	0.2 ^a	0.2 ^a	0.3 ^a	0.3 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.1	0.2 ^a	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1
Heroin	0.1	0.1	0.1	0.2	0.2	0.1	0.2 ^a	0.2	0.3 ^a	0.3 ^a	0.4 ^a	0.3 ^a	0.2 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.2	0.1
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.8	1.9	1.7	1.7	1.9
LSD	0.1 ^a	0.2 ^a	0.3 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.3 ^a	0.6	0.6	0.8	0.7	0.8
PCP	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	0.0
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9	0.9	0.7	0.7	0.6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.4	0.5	0.4	0.5
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.2 ^a	0.4	0.3	0.3
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.1 ^a	4.6 ^a	4.5 ^a	3.7	3.4
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.4 ^a	1.8 ^a	1.8 ^a	1.4	1.2
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.2 ^a	2.2 ^a	2.1	1.7	1.7
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.8 ^a	1.7 ^a	1.7 ^a	1.2	1.1
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.7 ^a	1.5 ^a	1.6 ^a	1.2	1.0
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.1	0.2	0.1	0.1
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.5 ^a	2.0 ^a	2.0 ^a	1.5	1.3
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.6 ^a	7.1 ^a	7.1 ^a	6.0	6.1
TOBACCO PRODUCTS	45.3 ^a	44.8 ^a	44.6 ^a	44.3 ^a	44.0 ^a	41.9 ^a	41.4 ^a	41.6 ^a	40.9 ^a	39.5 ^a	38.1 ^a	37.0 ^a	35.0 ^a	33.0 ^a	30.0 ^a	29.1 ^a	25.8 ^a	24.3
Cigarettes	40.8 ^a	40.2 ^a	39.5 ^a	39.0 ^a	38.5 ^a	36.2 ^a	35.7 ^a	35.8 ^a	34.3 ^a	33.5 ^a	31.8 ^a	30.6 ^a	28.4 ^a	26.7 ^a	23.5 ^a	22.3 ^a	19.1 ^a	17.5
Daily Cigarettes	21.1 ^a	21.2 ^a	20.4 ^a	19.5 ^a	18.8 ^a	17.8 ^a	17.1 ^a	16.3 ^a	15.7 ^a	15.2 ^a	14.4 ^a	13.2 ^a	12.2 ^a	11.2 ^a	9.4 ^a	8.6 ^a	7.2 ^a	6.2
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.4	5.2	4.8	4.4	4.9
Cigars	11.0 ^a	11.4 ^a	12.7 ^a	12.0 ^a	12.1 ^a	11.9 ^a	11.4 ^a	11.5 ^a	11.3 ^a	10.9 ^a	10.7 ^a	10.0 ^a	9.7 ^a	8.9 ^a	8.8 ^a	9.1 ^a	8.6 ^a	7.7
Pipe Tobacco	1.1	0.9 ^a	1.2	1.5	1.3	1.2	1.4	1.8 ^a	1.8 ^a	1.9 ^a	1.8 ^a	2.2 ^a	1.9 ^a	1.8 ^a	1.7 ^a	1.6 ^a	1.8 ^a	1.2
ALCOHOL	60.5 ^a	61.4 ^a	60.5 ^a	60.9 ^a	62.0 ^a	61.3 ^a	61.1 ^a	61.8 ^a	61.4 ^a	60.7 ^a	60.2 ^a	59.6 ^a	59.6 ^a	58.3 ^a	57.1 ^a	56.3 ^a	55.1	54.3
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	39.0 ^a	38.4 ^a	36.9 ^a	34.9	34.3
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10.9 ^a	10.1 ^a	9.6 ^a	9.0	8.4
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	67.9 ^a	66.8 ^a	65.8 ^a	64.4	64.0
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	61.9 ^a	61.5 ^a	60.9	59.9	59.8
Tobacco Products or Alcohol	70.3 ^a	70.7 ^a	70.2 ^a	70.1 ^a	71.0 ^a	69.9 ^a	69.7 ^a	70.4 ^a	70.2 ^a	69.6 ^a	69.0 ^a	67.9 ^a	67.6 ^a	66.3 ^a	64.6 ^a	63.7 ^a	61.8	60.8

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.13A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 26 or Older: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	104,230 ^a	105,422 ^a	109,192 ^a	109,917 ^a	113,104
Marijuana	73,162 ^a	74,620 ^a	75,001 ^a	76,111 ^a	76,213 ^a	79,988 ^a	82,001 ^a	83,070 ^a	84,927 ^a	85,668 ^a	88,955 ^a	92,568 ^a	94,732 ^a	95,561 ^a	96,950 ^a	101,050 ^a	102,600 ^a	105,742
Cocaine	28,453 ^a	29,488 ^a	28,649 ^a	28,185 ^a	29,593 ^a	30,477 ^a	31,671 ^a	31,339 ^a	32,430 ^a	32,332 ^a	33,156 ^a	33,378 ^a	35,097 ^a	34,462 ^a	34,767 ^a	36,256	36,150	37,483
Crack	7,057 ^a	6,599 ^a	6,580 ^a	6,675 ^a	7,254 ^a	7,524 ^a	7,458 ^a	7,368 ^a	8,262	7,433 ^a	8,327	8,284	8,843	8,491	8,372	9,133	8,823	9,016
Heroin	3,087 ^a	3,148 ^a	2,538 ^a	2,979 ^a	3,214 ^a	3,253 ^a	3,262 ^a	3,036 ^a	3,483 ^a	3,499 ^a	3,841 ^a	4,155 ^a	4,095 ^a	4,448 ^a	4,411 ^a	4,661	4,633	5,287
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	33,669 ^a	34,876 ^a	35,513 ^a	37,093	37,876
LSD	18,917 ^a	19,577 ^a	19,185 ^a	18,728 ^a	20,213 ^a	20,137 ^a	21,166 ^a	21,138 ^a	20,950 ^a	20,716 ^a	21,430 ^a	22,303	22,293 ^a	22,304 ^a	22,689	22,581	23,675	23,769
PCP	6,352 ^a	5,955	5,851	5,705	5,865	5,533	6,032	5,692	5,731	5,676	6,112 ^a	6,090 ^a	6,023 ^a	5,995 ^a	6,178 ^a	5,792	5,839	5,226
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13,411 ^a	14,154 ^a	14,811 ^a	16,155	16,372
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20,031	18,952	19,801	19,605	19,790
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13,305 ^a	13,628 ^a	13,612 ^a	13,954	15,034
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	139,299 ^a	140,489 ^a	139,921 ^a	140,926 ^a	142,814 ^a	142,377 ^a	144,028 ^a	144,054 ^a	144,860	144,804	145,374	147,688	148,534	145,297	145,121	146,918	146,277	146,833
Cigarettes	132,212	133,221	132,360	133,203	134,578	134,638	135,686	135,690	136,729 ^a	136,096	136,125	138,095 ^a	138,658 ^a	134,606	134,333	135,776	134,473	134,296
Daily Cigarettes	81,675 ^a	81,485 ^a	80,489	80,931 ^a	82,343 ^a	82,993 ^a	83,247 ^a	80,999 ^a	82,625 ^a	80,554	83,532 ^a	83,078 ^a	82,807 ^a	80,855 ^a	80,781 ^a	78,946	77,923	78,292
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	35,324	35,835	36,487	35,825	35,964
Cigars	69,872 ^a	69,992 ^a	69,453 ^a	70,652 ^a	71,049 ^a	71,345 ^a	72,853	73,240	72,079	72,290	72,716	73,668	74,112	73,291	71,728 ^a	73,301	74,084	74,212
Pipe Tobacco	36,821 ^a	36,983 ^a	36,138 ^a	35,135 ^a	35,094 ^a	32,363 ^a	33,248 ^a	31,668 ^a	30,563 ^a	30,627 ^a	30,563 ^a	30,058	29,666	29,636	29,439	29,602	29,616	28,506
ALCOHOL	157,816 ^a	159,198 ^a	159,872 ^a	163,525 ^a	164,830 ^a	166,091 ^a	167,615 ^a	170,280 ^a	171,453 ^a	174,236 ^a	176,751 ^a	176,977 ^a	181,265 ^a	181,011 ^a	181,326 ^a	185,492 ^a	187,558	187,695
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	188,700 ^a	189,208 ^a	193,368 ^a	194,896	195,470
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	183,351 ^a	183,978 ^a	188,173 ^a	189,798	190,459
Tobacco Products or Alcohol	165,385 ^a	166,320 ^a	167,620 ^a	170,745 ^a	172,713 ^a	173,356 ^a	175,174 ^a	176,962 ^a	178,885 ^a	180,768 ^a	183,390 ^a	185,218 ^a	187,958 ^a	187,670 ^a	188,123 ^a	192,310 ^a	193,984	194,306

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.13B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime among Persons Aged 26 or Older: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	50.1 ^a	50.2 ^a	51.3	51.2 ^a	52.2
Marijuana	40.8 ^a	41.2 ^a	41.0 ^a	41.1 ^a	40.6 ^a	42.1 ^a	42.7 ^a	42.9 ^a	43.5 ^a	43.2 ^a	44.4 ^a	45.7 ^a	46.1 ^a	46.0 ^a	46.2 ^a	47.5 ^a	47.8 ^a	48.8
Cocaine	15.9 ^a	16.3 ^a	15.6 ^a	15.2 ^a	15.7 ^a	16.1 ^a	16.5	16.2 ^a	16.6	16.3 ^a	16.5	16.5	17.1	16.6	16.6	17.0	16.8	17.3
Crack	3.9	3.6 ^a	3.6 ^a	3.6 ^a	3.9	4.0	3.9	3.8	4.2	3.7	4.2	4.1	4.3	4.1	4.0	4.3	4.1	4.2
Heroin	1.7 ^a	1.7 ^a	1.4 ^a	1.6 ^a	1.7 ^a	1.7 ^a	1.7 ^a	1.6 ^a	1.8 ^a	1.8 ^a	1.9 ^a	2.0 ^a	2.0 ^a	2.1	2.1 ^a	2.2	2.2	2.4
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	16.2 ^a	16.6 ^a	16.7	17.3	17.5
LSD	10.5	10.8	10.5	10.1 ^a	10.8	10.6	11.0	10.9	10.7	10.4	10.7	11.0	10.9	10.7	10.8	10.6	11.0	11.0
PCP	3.5 ^a	3.3 ^a	3.2 ^a	3.1 ^a	3.1 ^a	2.9 ^a	3.1 ^a	2.9 ^a	2.9 ^a	2.9 ^a	3.0 ^a	3.0 ^a	2.9 ^a	2.9 ^a	2.9 ^a	2.7	2.7	2.4
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6.5 ^a	6.7 ^a	7.0 ^a	7.5	7.6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9.6	9.0	9.3	9.1	9.1
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6.4	6.5	6.4 ^a	6.5	6.9
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nr	nr	nr	nr	nr
TOBACCO PRODUCTS	77.7 ^a	77.6 ^a	76.4 ^a	76.0 ^a	76.0 ^a	75.0 ^a	75.0 ^a	74.4 ^a	74.2 ^a	73.0 ^a	72.5 ^a	72.9 ^a	72.3 ^a	69.9 ^a	69.1 ^a	69.0 ^a	68.1	67.8
Cigarettes	73.7 ^a	73.6 ^a	72.3 ^a	71.9 ^a	71.6 ^a	70.9 ^a	70.7 ^a	70.1 ^a	70.0 ^a	68.6 ^a	67.9 ^a	68.1 ^a	67.5 ^a	64.7 ^a	64.0 ^a	63.8 ^a	62.6	62.0
Daily Cigarettes	45.5 ^a	45.0 ^a	44.0 ^a	43.7 ^a	43.8 ^a	43.7 ^a	43.4 ^a	41.8 ^a	42.3 ^a	40.6 ^a	41.7 ^a	41.0 ^a	40.3 ^a	38.9 ^a	38.5 ^a	37.1	36.3	36.1
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17.0	17.1	17.1	16.7	16.6
Cigars	39.0 ^a	38.7 ^a	37.9 ^a	38.1 ^a	37.8 ^a	37.6 ^a	37.9 ^a	37.8 ^a	36.9 ^a	36.5 ^a	36.3 ^a	36.3 ^a	36.1 ^a	35.3 ^a	34.2	34.4	34.5	34.3
Pipe Tobacco	20.5 ^a	20.4 ^a	19.7 ^a	19.0 ^a	18.7 ^a	17.0 ^a	17.3 ^a	16.4 ^a	15.7 ^a	15.4 ^a	15.2 ^a	14.8 ^a	14.4 ^a	14.3 ^a	14.0 ^a	13.9	13.8	13.2
ALCOHOL	88.0 ^a	88.0 ^a	87.3	88.2 ^a	87.7 ^a	87.5	87.3	87.9 ^a	87.8 ^a	87.9 ^a	88.1 ^a	87.3	88.3 ^a	87.1	86.4	87.1	87.3	86.7
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	90.8	90.1	90.8	90.7	90.3
Illicit Drugs or Alcohol ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	88.2	87.6	88.4	88.4	87.9
Tobacco Products or Alcohol	92.2 ^a	91.9 ^a	91.5 ^a	92.1 ^a	91.9 ^a	91.3 ^a	91.2 ^a	91.4 ^a	91.6 ^a	91.1 ^a	91.5 ^a	91.4 ^a	91.5 ^a	90.3	89.6	90.3	90.3	89.7

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.14A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 26 or Older: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30,281 ^a	31,525 ^a	34,203 ^a	35,863 ^a	39,731
Marijuana	12,612 ^a	12,441 ^a	12,833 ^a	12,880 ^a	12,889 ^a	12,970 ^a	13,479 ^a	14,983 ^a	15,672 ^a	15,632 ^a	17,263 ^a	18,606 ^a	20,707 ^a	21,660 ^a	23,187 ^a	25,885 ^a	28,548 ^a	33,007
Cocaine	3,307	3,372	3,114	2,852 ^a	3,400	3,275	3,133	2,773 ^a	2,700 ^a	2,065 ^a	2,890 ^a	2,508 ^a	2,782 ^a	2,799 ^a	3,017 ^a	3,688	3,451	3,582
Crack	1,188 ^a	1,036 ^a	978	1,000 ^a	1,111 ^a	1,138 ^a	862	807	686	490	762	526	627	718	781	806	666	706
Heroin	231 ^a	182 ^a	232 ^a	184 ^a	376 ^a	207 ^a	265 ^a	364 ^a	382 ^a	336 ^a	366 ^a	406 ^a	618	591	708	658	641	658
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,716 ^a	2,059 ^a	2,207 ^a	2,887	3,146
LSD	131 ^a	73 ^a	117 ^a	91 ^a	181 ^a	120 ^a	115 ^a	124 ^a	197 ^a	135 ^a	283 ^a	253 ^a	275 ^a	305 ^a	531 ^a	674 ^a	928	989
PCP	31	13	38	22	52	26	*	42	24	17	67	35	21	54	69	46	45	22
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	937 ^a	1,084	1,103	1,324	1,306
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	588	620	623	846	822
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,344 ^a	1,095 ^a	1,210 ^a	1,551	1,682
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12,148	12,327 ^a	11,888	11,484	11,374
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,513 ^a	8,181 ^a	7,850	7,395	7,404
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,223	2,643	2,841	2,524	2,548
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,530	4,552	4,302	4,317	4,050
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,782	3,781	3,605	3,753	3,516
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,143 ^a	1,176 ^a	1,079	827	841
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3,368	3,489	3,403	3,513	3,194
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,683 ^a	8,417	8,138	7,656	7,723
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15,240	15,370	15,800	15,416	15,936
TOBACCO PRODUCTS ³	61,864 ^a	60,708 ^a	60,023	61,957 ^a	63,044 ^a	62,852 ^a	62,555 ^a	61,115 ^a	61,482 ^a	60,497 ^a	62,138 ^a	60,788 ^a	61,896 ^a	60,121 ^a	60,131 ^a	58,645	58,606	58,032
Cigarettes	51,060 ^a	50,004 ^a	49,974 ^a	51,098 ^a	51,965 ^a	51,958 ^a	51,502 ^a	50,325 ^a	50,406 ^a	49,323 ^a	50,659 ^a	49,945 ^a	50,491 ^a	47,612 ^a	48,510 ^a	46,196	46,577	45,498
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8,492	8,299	8,303	7,909	8,271
Cigars	16,382	15,702	15,681	16,567	16,544	16,519	16,554	16,470	16,444	15,472	16,443	16,296	15,333	16,313	15,454	16,167	16,205	15,834
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	122,759 ^a	121,200 ^a	123,022 ^a	127,869 ^a	128,257 ^a	129,435 ^a	131,548 ^a	134,183 ^a	134,616 ^a	137,053 ^a	140,240 ^a	141,126 ^a	143,864 ^a	143,840 ^a	143,520 ^a	147,887	149,221	149,591
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	158,172 ^a	157,919 ^a	161,981 ^a	163,596	164,135
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	147,928 ^a	147,613 ^a	152,242 ^a	153,334	154,828
Tobacco Products or Alcohol ³	135,093 ^a	133,922 ^a	134,681 ^a	140,642 ^a	140,973 ^a	141,755 ^a	143,947 ^a	145,567 ^a	146,955 ^a	148,785 ^a	152,124 ^a	153,101 ^a	156,279 ^a	156,209 ^a	155,897 ^a	159,924	161,788	161,832

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.
³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.14B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year among Persons Aged 26 or Older: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14.6 ^a	15.0 ^a	16.1 ^a	16.7 ^a	18.3
Marijuana	7.0 ^a	6.9 ^a	7.0 ^a	6.9 ^a	6.9 ^a	6.8 ^a	7.0 ^a	7.7 ^a	8.0 ^a	7.9 ^a	8.6 ^a	9.2 ^a	10.1 ^a	10.4 ^a	11.0 ^a	12.2 ^a	13.3 ^a	15.2
Cocaine	1.8	1.9	1.7	1.5	1.8	1.7	1.6	1.4	1.4 ^a	1.0 ^a	1.4	1.2 ^a	1.4 ^a	1.3 ^a	1.4	1.7	1.6	1.7
Crack	0.7 ^a	0.6 ^a	0.5 ^a	0.5 ^a	0.6 ^a	0.6 ^a	0.4	0.4	0.4	0.2	0.4	0.3	0.3	0.3	0.4	0.4	0.3	0.3
Heroin	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.2	0.1 ^a	0.1 ^a	0.2	0.2	0.2 ^a	0.2 ^a	0.2	0.3	0.3	0.3	0.3	0.3	0.3
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8 ^a	1.0 ^a	1.0 ^a	1.3	1.5
LSD	0.1 ^a	0.0 ^a	0.1 ^a	0.0 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.3 ^a	0.3 ^a	0.4	0.5
PCP	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5 ^a	0.5	0.5	0.6	0.6
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3	0.3	0.3	0.4	0.4
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.5 ^a	0.6 ^a	0.7	0.8
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5.8 ^a	5.9 ^a	5.6	5.3	5.3
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.1 ^a	3.9 ^a	3.7	3.4	3.4
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.1	1.3	1.3	1.2	1.2
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.2 ^a	2.2 ^a	2.0	2.0	1.9
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.8	1.8	1.7	1.7	1.6
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5 ^a	0.6 ^a	0.5	0.4	0.4
Benzodiazepines	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.6	1.7	1.6	1.6	1.5
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.2 ^a	4.0 ^a	3.8	3.6	3.6
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.3	7.3	7.4	7.2	7.4
TOBACCO PRODUCTS ³	34.5 ^a	33.5 ^a	32.8 ^a	33.4 ^a	33.6 ^a	33.1 ^a	32.6 ^a	31.6 ^a	31.5 ^a	30.5 ^a	31.0 ^a	30.0 ^a	30.1 ^a	28.9 ^a	28.6 ^a	27.6	27.3	26.8
Cigarettes	28.5 ^a	27.6 ^a	27.3 ^a	27.6 ^a	27.7 ^a	27.4 ^a	26.8 ^a	26.0 ^a	25.8 ^a	24.9 ^a	25.3 ^a	24.6 ^a	24.6 ^a	22.9 ^a	23.1 ^a	21.7	21.7	21.0
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.1	4.0	3.9	3.7	3.8
Cigars	9.1 ^a	8.7 ^a	8.6 ^a	8.9 ^a	8.8 ^a	8.7 ^a	8.6 ^a	8.5 ^a	8.4 ^a	7.8	8.2 ^a	8.0 ^a	7.5	7.8 ^a	7.4	7.6	7.5	7.3
Pipe Tobacco ³	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ALCOHOL	68.4	67.0 ^a	67.2 ^a	69.0	68.3	68.2	68.5	69.3	69.0	69.1	69.9	69.6	70.1	69.2	68.4	69.5	69.5	69.1
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	76.1	75.2	76.1	76.2	75.8
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	71.2	70.3 ^a	71.5	71.4	71.5
Tobacco Products or Alcohol ³	75.3	74.0	73.6 ^a	75.9 ^a	75.0	74.7	75.0	75.2	75.3	75.0	75.9 ^a	75.5	76.1 ^a	75.1	74.2	75.1	75.3	74.7

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.
¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.
² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.
³ Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.15A Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 26 or Older: Numbers in Thousands, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17,090 ^a	18,593 ^a	20,208 ^a	21,788 ^a	25,231
Marijuana	7,185 ^a	7,267 ^a	7,471 ^a	7,508 ^a	7,818 ^a	7,385 ^a	8,142 ^a	8,885 ^a	9,294 ^a	9,578 ^a	10,571 ^a	11,412 ^a	13,521 ^a	13,552 ^a	15,188 ^a	16,792 ^a	18,481 ^a	22,020
Cocaine	1,243	1,431	1,204	1,423	1,586	1,400	1,252	1,106	909 ^a	838 ^a	1,222	1,108	1,018 ^a	1,243	1,295	1,476	1,414	1,425
Crack	488	517	370	553	619 ^a	538	302	448	303	205 ^a	405	338	317	354	414	448	408	355
Heroin	116 ^a	76 ^a	108 ^a	62 ^a	268	109 ^a	124 ^a	112 ^a	141 ^a	159 ^a	197 ^a	185 ^a	337	236	383	390	285	392
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	482 ^a	608 ^a	701 ^a	911	1,138
LSD	15 ^a	15 ^a	20 ^a	12 ^a	41 ^a	45 ^a	*	27 ^a	*	26 ^a	39 ^a	72 ^a	104 ^a	80 ^a	123 ^a	176	166	252
PCP	20	*	21	20	*	19	*	36	24	*	16	22	*	15	15	31	30	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	217 ^a	286	301	391	409
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	226 ^a	329	235 ^a	300	434
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	757 ^a	594 ^a	607 ^a	894	1,051
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4,107	4,218	4,038	3,851	3,863
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,670 ^a	2,480	2,391	2,216	2,234
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	779	876	1,002	963	856
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,389	1,616	1,240	1,289	1,472
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1,130	1,296	1,047	1,159	1,332
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	340	425 ^a	281	191	231
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,806	2,720	2,638	2,366	2,497
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5,878 ^a	6,077	6,117	6,217	6,676
TOBACCO PRODUCTS	53,683 ^a	52,946 ^a	52,263 ^a	53,813 ^a	55,200 ^a	54,232 ^a	54,446 ^a	52,946 ^a	53,117 ^a	52,203 ^a	54,178 ^a	52,046 ^a	52,913 ^a	50,952 ^a	51,746 ^a	49,885	48,931	48,924
Cigarettes	45,278 ^a	44,626 ^a	44,166 ^a	45,133 ^a	46,331 ^a	45,843 ^a	45,777 ^a	44,469 ^a	44,593 ^a	43,392 ^a	44,882 ^a	43,724 ^a	44,123 ^a	41,582 ^a	42,358 ^a	40,252	39,770	39,396
Daily Cigarettes	31,168 ^a	30,359 ^a	29,942 ^a	31,079 ^a	31,481 ^a	30,414 ^a	30,655 ^a	29,865 ^a	28,901 ^a	28,841 ^a	29,610 ^a	28,385 ^a	27,916 ^a	26,059 ^a	26,336 ^a	24,751	24,792	24,624
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6,731	6,609	6,608	6,200	6,608
Cigars	8,217	8,099	8,423	8,681	8,680	8,340	8,504	8,484	8,627	8,283	9,055	8,389	8,051	8,885	8,764	8,916	8,879	8,734
Pipe Tobacco	1,347	1,166	1,261	1,561	1,717	1,467	1,246	1,280	1,381	1,320	1,740	1,353	1,402	1,571	1,568	1,658	1,415	1,409
ALCOHOL	96,696 ^a	95,073 ^a	97,023 ^a	102,054 ^a	100,835 ^a	102,777 ^a	105,089 ^a	106,242 ^a	107,138 ^a	109,245 ^a	111,457 ^a	113,253 ^a	115,990 ^a	115,563 ^a	114,692 ^a	118,794	118,844	119,058
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	51,623	50,855 ^a	52,674	54,015	53,073
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13,302	12,598	13,236	13,363	12,991
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	135,534 ^a	135,394 ^a	138,899	139,351	140,012
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	119,652 ^a	119,220 ^a	123,482	123,807	125,391
Tobacco Products or Alcohol	115,654 ^a	114,389 ^a	114,794 ^a	120,260 ^a	120,567 ^a	121,633 ^a	123,515 ^a	124,188 ^a	126,046 ^a	127,086 ^a	130,579 ^a	131,734 ^a	134,516 ^a	133,922 ^a	133,426 ^a	136,875	137,215	137,151

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.15B Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Persons Aged 26 or Older: Percentages, 2002-2019

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.2 ^a	8.9 ^a	9.5 ^a	10.1 ^a	11.6
Marijuana	4.0 ^a	4.0 ^a	4.1 ^a	4.1 ^a	4.2 ^a	3.9 ^a	4.2 ^a	4.6 ^a	4.8 ^a	4.8 ^a	5.3 ^a	5.6 ^a	6.6 ^a	6.5 ^a	7.2 ^a	7.9 ^a	8.6 ^a	10.2
Cocaine	0.7	0.8	0.7	0.8	0.8	0.7	0.7	0.6	0.5 ^a	0.4 ^a	0.6	0.5	0.5 ^a	0.6	0.6	0.7	0.7	0.7
Crack	0.3 ^a	0.3 ^a	0.2	0.3 ^a	0.3 ^a	0.3 ^a	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Heroin	0.1 ^a	0.0 ^a	0.1 ^a	0.0 ^a	0.1	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.1	0.1 ^a	0.2	0.1	0.2	0.2	0.1	0.2
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2 ^a	0.3 ^a	0.3 ^a	0.4	0.5
LSD	0.0 ^a	0.0 ^a	0.0 ^a	0.0 ^a	0.0 ^a	0.0 ^a	*	0.0 ^a	*	0.0 ^a	0.0 ^a	0.0 ^a	0.1 ^a	0.0 ^a	0.1 ^a	0.1	0.1	0.1
PCP	0.0	*	0.0	0.0	*	0.0	*	0.0	0.0	*	0.0	0.0	*	0.0	0.0	0.0	0.0	*
Ecstasy	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1 ^a	0.1	0.1	0.2	0.2
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1 ^a	0.2	0.1 ^a	0.1	0.2
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.3 ^a	0.3 ^a	0.4	0.5
Misuse of Psychotherapeutics ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.0	2.0	1.9	1.8	1.8
Pain Relievers ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.3 ^a	1.2	1.1	1.0	1.0
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4	0.4	0.5	0.4	0.4
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.8	0.6	0.6	0.7
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	0.6	0.5	0.5	0.6
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.2 ^a	0.1	0.1	0.1
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.3	1.3	1.2	1.1	1.2
Illicit Drugs Other than Marijuana ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.8	2.9	2.9	2.9	3.1
TOBACCO PRODUCTS	29.9 ^a	29.3 ^a	28.5 ^a	29.0 ^a	29.4 ^a	28.6 ^a	28.4 ^a	27.3 ^a	27.2 ^a	26.3 ^a	27.0 ^a	25.7 ^a	25.8 ^a	24.5 ^a	24.6 ^a	23.4	22.8	22.6
Cigarettes	25.2 ^a	24.7 ^a	24.1 ^a	24.3 ^a	24.7 ^a	24.1 ^a	23.8 ^a	23.0 ^a	22.8 ^a	21.9 ^a	22.4 ^a	21.6 ^a	21.5 ^a	20.0 ^a	20.2 ^a	18.9	18.5	18.2
Daily Cigarettes	17.4 ^a	16.8 ^a	16.4 ^a	16.8 ^a	16.8 ^a	16.0 ^a	16.0 ^a	15.4 ^a	14.8 ^a	14.5 ^a	14.8 ^a	14.0 ^a	13.6 ^a	12.5 ^a	12.5 ^a	11.6	11.5	11.4
Smokeless Tobacco	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.2	3.1	3.1	2.9	3.1
Cigars	4.6 ^a	4.5	4.6 ^a	4.7 ^a	4.6 ^a	4.4	4.4	4.4	4.4	4.2	4.5 ^a	4.1	3.9	4.3	4.2	4.2	4.1	4.0
Pipe Tobacco	0.8	0.6	0.7	0.8 ^a	0.9 ^a	0.8	0.6	0.7	0.7	0.7	0.9 ^a	0.7	0.7	0.8	0.7	0.8	0.7	0.7
ALCOHOL	53.9	52.5 ^a	53.0 ^a	55.1	53.7 ^a	54.1	54.7	54.9	54.9	55.1	55.6	55.9	56.5 ^a	55.6	54.6	55.8	55.3	55.0
Binge Alcohol Use ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24.8	24.2	24.7	25.1	24.5
Heavy Alcohol Use	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6.4	6.0	6.2	6.2	6.0
SUBSTANCE USE																		
Illicit Drugs, Tobacco Products, or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	65.2	64.5	65.3	64.9	64.6
Illicit Drugs or Alcohol	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	57.6	56.8	58.0	57.6	57.9
Tobacco Products or Alcohol	64.5	63.2	62.7	64.9 ^a	64.2	64.1	64.3	64.1	64.6 ^a	64.1	65.1 ^a	65.0 ^a	65.5 ^a	64.4 ^a	63.5	64.3	63.9	63.3

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and later years.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.