

Table 7.46C Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	220	226	213	266	250
Marijuana	158	140	158	143	154	155	157	161	184	149	175	183	156	145	154	153	174	183
Cocaine	119	115	114	108	127	125	100	101	101	82	117	81	87	83	83	87	93	93
Heroin	45	37	49	36	66	43	46	64	55	63	70	62	63	61	65	68	88	57
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	34	41	38	32	37
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	24	22	27	23
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	85	67	91	96	96
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	136	135	132	151	126
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	120	115	110	135	104
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	46	54	56	54	56
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	69	70	69	73	70
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	66	59	63	68	64
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	45	39	30	36
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	128	127	125	155	113
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	180	173	174	205	179
ALCOHOL	415	387	417	400	411	409	398	419	412	377	419	415	362	353	345	326	353	337
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	132	121	112	149	124
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	390	394	374	409	407
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	177	178	177	209	208
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	311	325	308	318	310

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.46D Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2019

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.08	0.10	0.09
Marijuana	0.07	0.06	0.07	0.06	0.06	0.06	0.06	0.06	0.07	0.06	0.07	0.07	0.06	0.05	0.06	0.06	0.06	0.07
Cocaine	0.05	0.05	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.03	0.05	0.03	0.03	0.03	0.03	0.03	0.03	0.03
Heroin	0.02	0.02	0.02	0.01	0.03	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.03	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.02	0.03	0.03	0.04
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.06	0.05
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.04	0.05	0.04
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.02	0.02
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.03	0.03	0.03
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.02	0.02
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.01	0.01	0.01
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.06	0.04
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.06	0.06	0.07	0.07
ALCOHOL	0.18	0.16	0.17	0.16	0.17	0.17	0.16	0.17	0.16	0.15	0.16	0.16	0.14	0.13	0.13	0.12	0.13	0.12
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.04	0.04	0.05	0.05
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.15	0.15	0.14	0.15	0.15
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.06	0.08	0.08
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.12	0.12	0.11	0.12	0.11

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.46P Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2915	0.0225	0.0396	0.6293	
Marijuana	0.4657	0.9184	0.2796	0.3953	0.5384	0.0682	0.4807	0.6590	0.8458	0.1122	0.2814	0.1105	0.0424	0.0023	0.0017	0.0027	0.1043	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.1663	0.5408	0.2949	0.2632	0.3650	0.6324	0.4941	0.3281	0.7905	0.8288	
Heroin	0.0158	0.0021	0.1072	0.0099	0.4173	0.0071	0.0989	0.7025	0.5784	0.8433	0.5459	0.2244	0.0431	0.0430	0.0147	0.0128	0.3879	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.0000	0.1765	0.3944	0.9910	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9880	0.6884	0.4053	0.8915	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2506	0.0029	0.5816	0.9471	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0010	0.0368	0.0625	0.0858	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0062	0.0343	0.0526	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1069	0.9418	0.7931	0.9356	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1854	0.4692	0.1265	0.4679	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1877	0.6031	0.0742	0.3261	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9373	0.4107	0.4756	0.3005	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0006	0.0033	0.0359	
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0433	0.8536	0.2978	0.2324	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0007	0.0716	0.7262	0.4302	
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0799	0.8265	0.8242	0.1795	
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0826	0.8023	0.3981	0.9499	
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0152	0.0083	0.0193	0.1520	
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0024	0.0433	0.6417	0.7582	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.47C Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2019

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	42	44	38	39	50
Marijuana	44	38	40	41	40	36	39	40	40	41	41	38	40	38	38	33	34	43
Cocaine	16	12	11	14	14	13	13	9	8	9	9	6	9	9	8	6	2	3
Heroin	4	4	7	4	4	3	5	6	3	10	8	4	7	4	1	3	3	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	12	11	9	10
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	11	11	7	7	12
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	8	4	7	6	7
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24	24	21	21	24
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	21	14	17	14
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	9	11	12	11	14
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17	16	14	13	18
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	15	14	12	16
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8	10	4	6	9
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	21	14	17	14
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	28	28	24	24	27
ALCOHOL	51	50	50	51	49	48	49	49	49	45	40	36	42	38	33	31	34	31
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	24	22	18	19	22
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	50	50	45	47	54
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	38	37	34	34	44
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	28	24	24	28	22

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.47D Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2019

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.18	0.15	0.16	0.20
Marijuana	0.18	0.15	0.16	0.16	0.16	0.14	0.16	0.16	0.16	0.16	0.16	0.15	0.16	0.15	0.15	0.13	0.14	0.17
Cocaine	0.07	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.03	0.04	0.04	0.02	0.03	0.04	0.03	0.02	0.01	0.01
Heroin	0.02	0.01	0.03	0.01	0.01	0.01	0.02	0.02	0.01	0.04	0.03	0.02	0.03	0.01	0.00	0.01	0.01	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.05	0.04	0.04	0.04
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.03	0.03	0.05
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.02	0.03	0.02	0.03
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.10	0.08	0.09	0.10
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.08	0.06	0.07	0.06
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.04	0.04	0.05	0.04	0.06
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.06	0.05	0.07
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.06	0.05	0.07
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.04	0.02	0.02	0.04
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.08	0.06	0.07	0.06
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.11	0.10	0.09	0.11
ALCOHOL	0.20	0.20	0.20	0.20	0.19	0.19	0.20	0.20	0.20	0.18	0.16	0.14	0.17	0.15	0.13	0.12	0.14	0.12
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.10	0.09	0.07	0.08	0.09
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.20	0.20	0.18	0.19	0.22
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.15	0.15	0.14	0.14	0.18
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.10	0.10	0.11	0.09

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.47P Substance Use Disorder for Specific Substances in Past Year among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5459	0.1091	0.0156	0.0009	
Marijuana	0.0000	0.0000	0.0000	0.0013	0.0091	0.1747	0.0116	0.0145	0.0017	0.0028	0.0760	0.7772	0.5853	0.4078	0.0394	0.0093	0.0008	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0009	0.0001	0.0005	0.0088	0.0147	0.0053	0.0056	0.0242	0.9047	
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1324	0.1171	0.2736	0.8841	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7087	0.6196	0.0130	0.0465	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7715	0.2435	0.5697	0.9168	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6946	0.4991	0.8489	0.5283	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1107	0.0097	0.5666	0.4424	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1050	0.5653	0.8338	0.4754	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8855	0.9202	0.5952	0.2250	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9860	0.7084	0.9085	0.3912	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9528	0.6314	0.1391	0.2870	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0766	0.0087	0.4379	0.3525	
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2136	0.4847	0.9042	0.3678	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1034	0.5108	0.7722	
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0803	0.4446	0.9236	0.4283	
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1198	0.4586	0.0772	0.0048	
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1044	0.0218	0.0058	0.0007	
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.1236	0.4385	0.7867	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.48C Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	217	220	210	263	242
Marijuana	152	135	152	137	150	150	151	153	179	142	167	180	150	138	147	150	167	173
Cocaine	120	114	113	107	126	124	99	101	101	82	117	80	86	83	83	86	93	92
Heroin	45	36	49	36	66	43	46	64	55	63	70	63	62	61	65	68	88	57
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	31	39	37	31	35
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23	21	21	26	20
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	85	66	91	96	96
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	134	132	130	150	124
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	119	111	110	135	104
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	46	53	55	53	54
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	66	67	68	72	68
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	63	57	62	67	62
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	42	39	29	34
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	126	124	124	155	113
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	178	170	172	204	177
ALCOHOL	410	382	411	394	407	406	396	414	409	374	412	413	358	348	346	324	352	334
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	129	119	111	147	122
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	386	393	373	407	398
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	174	173	173	206	200
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	307	326	305	318	308

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.48D Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2019

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.09	0.08	0.11	0.10
Marijuana	0.07	0.06	0.07	0.06	0.07	0.07	0.07	0.07	0.08	0.06	0.07	0.08	0.06	0.06	0.06	0.06	0.07	0.07
Cocaine	0.06	0.05	0.05	0.05	0.06	0.06	0.04	0.04	0.04	0.04	0.05	0.03	0.04	0.03	0.03	0.03	0.04	0.04
Heroin	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.02
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.03	0.03	0.04	0.04	0.04
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.05	0.05	0.06	0.05
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.04	0.05	0.04
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.02	0.02
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.03	0.03	0.03
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.02	0.02	0.03	0.02
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.02	0.01	0.01
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.06	0.05
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.08	0.07
ALCOHOL	0.19	0.18	0.19	0.18	0.18	0.18	0.18	0.18	0.18	0.16	0.18	0.17	0.15	0.14	0.14	0.13	0.14	0.13
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.04	0.06	0.05
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.16	0.16	0.15	0.16	0.16
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.07	0.07	0.07	0.08	0.08
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.13	0.13	0.12	0.13	0.12

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.48P Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3274	0.0427	0.0999	0.9189	
Marijuana	0.2581	0.1735	0.7528	0.0406	0.1220	0.0153	0.1232	0.2226	0.5264	0.0093	0.0963	0.0748	0.0425	0.0024	0.0050	0.0115	0.3774	
Cocaine	0.0002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0011	0.2530	0.6574	0.1896	0.3546	0.3097	0.5306	0.3833	0.2473	0.7121	0.8343	
Heroin	0.0108	0.0013	0.0656	0.0078	0.3691	0.0057	0.0652	0.5694	0.5372	0.8930	0.6842	0.2675	0.0692	0.0489	0.0148	0.0141	0.4092	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5699	0.3380	0.5679	0.9605	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8907	0.8285	0.7853	0.3325	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2445	0.0036	0.5567	0.9388	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0010	0.0454	0.0532	0.0658	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0184	0.0395	0.0650	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2011	0.9527	0.7517	0.8057	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1841	0.4688	0.0895	0.3081	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1677	0.6654	0.0713	0.2345	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9156	0.4539	0.3027	0.4323	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0021	0.0040	0.0455	
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0601	0.9351	0.2807	0.1862	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0023	0.0912	0.7475	0.4077	
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1384	0.7161	0.8108	0.1375	
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1103	0.7023	0.5426	0.7661	
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0298	0.0252	0.0673	0.4114	
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0056	0.0507	0.6594	0.7661	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.49C Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2019

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	89	93	92	92	88
Marijuana	63	64	73	70	70	69	71	74	76	73	80	76	78	75	84	83	85	77
Cocaine	29	28	33	34	31	33	32	28	26	24	27	28	24	29	28	27	27	30
Heroin	12	10	12	14	12	14	16	15	18	22	22	23	24	22	21	25	19	13
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	19	24	21	21	21
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	5	9	12	9
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	24	20	28	21	19
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	47	40	45	41	37
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	37	30	31	28	23
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20	23	22	26	26
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	26	33	25	23
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	25	32	25	22
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8	9	8	4	10
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	40	35	37	32	25
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	61	54	57	52	50
ALCOHOL	112	109	119	119	122	116	116	117	125	116	114	123	120	112	111	106	104	97
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	57	55	55	56	58
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	128	129	123	122	112
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	70	72	74	73	71
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	98	95	90	89	85

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.49D Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2019

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.26	0.27	0.27	0.27	0.26
Marijuana	0.20	0.20	0.23	0.22	0.21	0.21	0.22	0.22	0.22	0.21	0.23	0.22	0.22	0.21	0.24	0.24	0.25	0.23
Cocaine	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.08	0.08	0.07	0.08	0.08	0.07	0.08	0.08	0.08	0.08	0.09
Heroin	0.04	0.03	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.06	0.06	0.07	0.07	0.06	0.06	0.07	0.06	0.04
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.07	0.06	0.06	0.06
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.01	0.03	0.04	0.03
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.07	0.06	0.08	0.06	0.06
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.12	0.13	0.12	0.11
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.11	0.09	0.09	0.08	0.07
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.07	0.06	0.08	0.08
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.08	0.10	0.07	0.07
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.09	0.07	0.06
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.03	0.02	0.01	0.03
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.12	0.10	0.11	0.09	0.07
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.16	0.17	0.15	0.15
ALCOHOL	0.36	0.34	0.37	0.37	0.37	0.35	0.35	0.35	0.37	0.34	0.33	0.35	0.34	0.32	0.32	0.31	0.31	0.29
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.16	0.16	0.16	0.17	0.17
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.37	0.37	0.36	0.36	0.33
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.20	0.21	0.22	0.22	0.21
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.28	0.27	0.26	0.26	0.25

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the 2019 National Survey on Drug Use and Health: Methodological Summary and Definitions).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.49P Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5650	0.2597	0.7304	0.6241	
Marijuana	0.5411	0.6606	0.5243	0.8187	0.6939	0.5424	0.6076	0.4182	0.8173	0.6724	0.3282	0.1933	0.0029	0.0299	0.0210	0.0986	0.8253	
Cocaine	0.0002	0.0001	0.0000	0.0000	0.0000	0.0000	0.0007	0.1520	0.5747	0.1949	0.3399	0.5375	0.0586	0.4826	0.3342	0.7854	0.3229	
Heroin	0.5736	0.3176	0.5277	0.1305	0.7425	0.3842	0.0630	0.0361	0.0145	0.0032	0.0000	0.0000	0.0002	0.0005	0.0004	0.0004	0.0972	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7535	0.1561	0.8420	0.5999	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3201	0.2244	0.7542	0.3078	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.4013	0.8271	0.0755	0.7926	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0003	0.1332	0.0015	0.0732	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0216	0.0004	0.1641	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2551	0.4974	0.8816	0.8893	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0345	0.1883	0.0024	0.0746	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0133	0.1923	0.0007	0.0182	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7371	0.7640	0.9045	0.1301	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0000	0.0003	0.0000	0.0377	
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0005	0.0782	0.0010	0.0625	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0013	0.0725	0.0688	
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1455	0.8013	0.8974	0.7811	
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0221	0.0434	0.1780	0.0674	
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0634	0.2226	0.7392	0.6932	
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0003	0.0001	0.0277	0.0488	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.50C Substance Use Disorder for Specific Substances in Past Year among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2019

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLICIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	196	192	186	236	213
Marijuana	130	114	131	118	131	127	124	134	158	118	141	164	126	109	117	119	135	141
Cocaine	114	109	110	100	124	118	93	97	98	81	113	76	84	77	78	82	88	84
Heroin	43	34	47	33	65	41	42	62	52	58	66	56	56	57	62	61	85	55
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25	30	30	22	27
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	22	20	19	23	18
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	82	63	84	92	93
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	126	124	118	145	119
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	114	106	104	134	103
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	41	49	49	45	48
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	60	61	56	67	62
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	56	50	50	61	56
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27	41	38	29	33
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	122	118	116	153	111
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	167	156	160	196	168
ALCOHOL	391	356	376	355	382	386	368	396	388	354	386	392	324	322	324	303	333	312
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	110	103	100	130	104
ILLICIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	355	363	344	385	369
ILLICIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	158	155	153	189	181
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	288	310	287	307	293

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.50D Substance Use Disorder for Specific Substances in Past Year among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2019

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.09	0.09	0.09	0.11	0.10
Marijuana	0.07	0.06	0.07	0.06	0.07	0.07	0.06	0.07	0.08	0.06	0.07	0.08	0.06	0.05	0.06	0.06	0.06	0.07
Cocaine	0.06	0.06	0.06	0.05	0.07	0.06	0.05	0.05	0.05	0.04	0.06	0.04	0.04	0.04	0.04	0.04	0.04	0.04
Heroin	0.02	0.02	0.03	0.02	0.03	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.03
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01	0.01
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.01	0.01	0.01	0.01
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.04	0.03	0.04	0.04	0.04
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.06	0.07	0.06
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.06	0.05
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.02	0.02	0.02	0.02	0.02
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.03	0.03	0.03	0.03
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.03	0.02	0.02	0.03	0.03
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.01	0.02	0.02	0.01	0.02
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.06	0.05	0.07	0.05
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.08	0.09	0.08
ALCOHOL	0.22	0.20	0.21	0.19	0.20	0.20	0.19	0.20	0.20	0.18	0.19	0.19	0.16	0.15	0.15	0.14	0.16	0.14
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.05	0.05	0.05	0.06	0.05
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.17	0.17	0.16	0.18	0.17
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.08	0.07	0.07	0.09	0.08
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.14	0.15	0.13	0.14	0.14

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.

Table 7.50P Substance Use Disorder for Specific Substances in Past Year among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2002-2018

Substance Use Disorder	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
ILLCIT DRUGS	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2193	0.0341	0.0596	0.8716	
Marijuana	0.0158	0.0050	0.1076	0.0005	0.0156	0.0009	0.0209	0.0802	0.1690	0.0002	0.0306	0.0446	0.1600	0.0026	0.0136	0.0190	0.2009	
Cocaine	0.0046	0.0019	0.0039	0.0085	0.0006	0.0048	0.0261	0.5129	0.5815	0.2967	0.2374	0.3325	0.9019	0.4419	0.3362	0.7372	0.9301	
Heroin	0.0121	0.0018	0.0365	0.0008	0.3177	0.0015	0.0103	0.2570	0.1508	0.2548	0.3757	0.7263	0.5597	0.3671	0.1551	0.1607	0.6375	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5048	0.9567	0.6182	0.6792	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6250	0.8494	0.8960	0.5701	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1565	0.0021	0.2694	0.9848	
Misuse of Psychotherapeutics	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0432	0.1244	0.3500	0.1544	
Pain Relievers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0023	0.0725	0.2366	0.1128	
Stimulants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3148	0.7586	0.7134	0.7367	
Tranquilizers or Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6467	0.8509	0.6726	0.6822	
Tranquilizers	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7474	0.8758	0.7837	0.7482	
Sedatives	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9834	0.4981	0.2788	0.6604	
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Opioids	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0029	0.0319	0.0913	0.1059	
Illicit Drugs Other Than Marijuana ¹	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.4728	0.5453	0.9637	0.3828	
ALCOHOL	0.0000	0.0001	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0007	0.0982	0.0003	0.0002	0.0002	0.0810	0.5542	0.7225	0.7899	
BOTH ILLICIT DRUGS AND ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5187	0.6117	0.7341	0.1341	
ILLCIT DRUGS OR ALCOHOL	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5296	0.6083	0.2081	0.7517	
ILLCIT DRUGS ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0536	0.0284	0.0426	0.2654	
ALCOHOL ONLY	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0980	0.4256	0.7966	0.7806	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.
NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2019 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019.