

Table 8.17C Received Mental Health Services in Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Demographic Characteristic	Total (2018)	Total (2019)	Any Mental Illness (2018)	Any Mental Illness (2019)	Serious Mental Illness (2018)	Serious Mental Illness (2019)	Any Mental Illness Excluding Serious Mental Illness (2018)	Any Mental Illness Excluding Serious Mental Illness (2019)	No Mental Illness ¹ (2018)	No Mental Illness ¹ (2019)
TOTAL	591	606	470	485	258	276	373	381	427	444
AGE GROUP										
18-25	120	132	104	128	64	72	78	100	79	85
26 or Older	572	580	446	467	244	266	360	372	420	433
26-49	291	318	274	275	156	161	208	214	196	218
50 or Older	481	468	340	350	189	200	287	286	376	379
GENDER										
Male	341	357	252	277	147	153	204	219	247	261
Female	453	468	374	382	207	227	301	297	340	355
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	560	566	448	444	242	251	350	355	412	418
White	589	627	404	413	220	226	323	336	380	389
Black or African American	168	167	123	124	78	76	91	91	106	97
AIAN	37	36	*	*	*	*	*	*	26	27
NHOPI	32	17	*	*	*	*	*	*	4	11
Asian	106	123	77	67	*	*	67	51	71	101
Two or More Races	80	81	48	62	*	*	32	49	63	51
Hispanic or Latino	183	215	151	164	86	111	125	119	112	154
CURRENT EMPLOYMENT										
Full-Time	419	426	290	291	151	166	234	230	275	261
Part-Time	221	228	159	152	84	92	132	124	152	174
Unemployed	106	114	88	91	61	61	63	68	52	68
Other ²	410	448	287	318	171	193	231	252	280	293

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

¹ Respondents with no mental illness may still have received mental health services for a past disorder that is in partial or full remission or treatment for a disorder that was not included in the definition of mental illness or for other reasons.

² The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.17D Received Mental Health Services in Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019

Demographic Characteristic	Total (2018)	Total (2019)	Any Mental Illness (2018)	Any Mental Illness (2019)	Serious Mental Illness (2018)	Serious Mental Illness (2019)	Any Mental Illness Excluding Serious Mental Illness (2018)	Any Mental Illness Excluding Serious Mental Illness (2019)	No Mental Illness ¹ (2018)	No Mental Illness ¹ (2019)
TOTAL	0.24	0.24	0.68	0.65	1.24	1.18	0.79	0.73	0.20	0.20
AGE GROUP										
18-25	0.36	0.39	0.87	0.90	1.72	1.76	0.98	1.09	0.30	0.33
26 or Older	0.27	0.27	0.82	0.79	1.49	1.42	0.94	0.88	0.23	0.23
26-49	0.29	0.32	0.82	0.78	1.55	1.42	0.95	0.87	0.24	0.27
50 or Older	0.42	0.41	1.61	1.58	3.30	3.17	1.75	1.69	0.37	0.35
GENDER										
Male	0.29	0.30	1.07	1.09	2.27	2.19	1.22	1.17	0.24	0.25
Female	0.35	0.36	0.88	0.83	1.47	1.35	1.02	0.95	0.33	0.33
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.27	0.27	0.75	0.70	1.33	1.14	0.86	0.79	0.23	0.23
White	0.33	0.32	0.82	0.76	1.50	1.21	0.97	0.89	0.29	0.28
Black or African American	0.53	0.51	1.97	1.88	4.03	3.86	2.10	1.96	0.42	0.39
AIAN	2.45	2.51	*	*	*	*	*	*	2.13	2.39
NHOPI	3.46	1.74	*	*	*	*	*	*	0.57	1.34
Asian	0.71	0.82	2.97	2.82	*	*	3.22	2.90	0.57	0.80
Two or More Races	1.70	1.67	3.89	3.43	*	*	3.86	4.13	1.84	1.61
Hispanic or Latino	0.45	0.52	1.76	1.69	3.45	3.95	1.91	1.83	0.33	0.44
CURRENT EMPLOYMENT										
Full-Time	0.30	0.30	0.95	0.88	1.83	1.67	1.10	0.98	0.26	0.25
Part-Time	0.62	0.63	1.58	1.46	2.78	3.07	1.87	1.66	0.58	0.66
Unemployed	0.98	1.04	2.58	2.58	4.09	4.83	2.80	2.90	0.70	0.92
Other ²	0.46	0.47	1.37	1.23	2.32	1.96	1.53	1.47	0.41	0.41

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

¹ Respondents with no mental illness may still have received mental health services for a past disorder that is in partial or full remission or treatment for a disorder that was not included in the definition of mental illness or for other reasons.

² The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.17P Received Mental Health Services in Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Demographic Characteristic	Total (2018)	Total (2019)	Any Mental Illness (2018)	Any Mental Illness (2019)	Serious Mental Illness (2018)	Serious Mental Illness (2019)	Any Mental Illness Excluding Serious Mental Illness (2018)	Any Mental Illness Excluding Serious Mental Illness (2019)	No Mental Illness ¹ (2018)	No Mental Illness ¹ (2019)
TOTAL	0.0009		0.1046		0.3934		0.4119		0.1291	
AGE GROUP										
18-25	0.0001		0.1996		0.2868		0.4017		0.0329	
26 or Older	0.0084		0.1715		0.6500		0.4894		0.2490	
26-49	0.0000		0.1562		0.5069		0.3544		0.0718	
50 or Older	0.5365		0.5092		0.9860		0.8133		0.7654	
GENDER										
Male	0.0104		0.2030		0.9719		0.2676		0.1340	
Female	0.0170		0.3315		0.2682		0.8878		0.4146	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.0017		0.1171		0.1390		0.4544		0.1872	
White	0.0053		0.2394		0.0800		0.7647		0.3090	
Black or African American	0.1681		0.4061		0.9899		0.3502		0.3911	
AIAN	0.9686		*		*		*		0.7656	
NHOPI	0.2074		*		*		*		0.2106	
Asian	0.5419		0.6986		*		0.2082		0.2489	
Two or More Races	0.0529		0.0281		*		0.0205		0.9070	
Hispanic or Latino	0.1843		0.6912		0.5481		0.9345		0.3162	
CURRENT EMPLOYMENT										
Full-Time	0.2115		0.3415		0.3089		0.8715		0.4790	
Part-Time	0.0105		0.3067		0.3845		0.3981		0.0056	
Unemployed	0.0792		0.4648		0.7062		0.6068		0.0339	
Other ²	0.0306		0.0573		0.3794		0.1567		0.3211	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) that are used in the comparisons are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. The mental illness estimates that are used in the comparisons are based on a predictive model and are not direct measures of diagnostic status.

¹ Respondents with no mental illness may still have received mental health services for a past disorder that is in partial or full remission or treatment for a disorder that was not included in the definition of mental illness or for other reasons.

² The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.