

Table 8.38C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: Standard Errors of Numbers in Thousands, 2018 and 2019

Gender/Age Group	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	379	385	311	331	333	342	285	298
18-25	115	124	93	101	91	103	73	84
26 or Older	356	360	293	316	312	327	267	288
26-49	225	221	189	184	191	196	160	169
50 or Older	274	275	222	236	254	255	209	218
MALE	227	240	184	200	185	194	159	161
18-25	70	73	57	60	49	58	39	46
26 or Older	213	230	175	189	177	187	154	156
26-49	146	138	122	116	110	111	95	93
50 or Older	164	183	125	146	147	153	*	125
FEMALE	303	310	244	259	271	278	227	241
18-25	94	96	74	79	74	84	57	70
26 or Older	282	289	226	246	252	262	211	230
26-49	166	176	138	148	147	158	123	140
50 or Older	223	214	180	184	206	204	171	177

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.38D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: Standard Errors of Percentages, 2018 and 2019

Gender/Age Group	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	0.15	0.16	0.13	0.13	0.96	0.94	1.18	1.07
18-25	0.34	0.37	0.28	0.30	1.36	1.35	1.65	1.61
26 or Older	0.17	0.17	0.14	0.15	1.19	1.18	1.43	1.29
26-49	0.23	0.22	0.19	0.18	1.37	1.25	1.67	1.43
50 or Older	0.24	0.24	0.20	0.21	2.18	2.34	2.43	2.55
MALE	0.19	0.20	0.16	0.17	1.76	1.68	2.17	2.02
18-25	0.42	0.44	0.34	0.36	2.17	2.30	2.56	2.62
26 or Older	0.21	0.22	0.17	0.18	2.25	2.13	2.79	2.57
26-49	0.30	0.28	0.25	0.23	2.39	2.31	3.01	2.68
50 or Older	0.31	0.34	0.24	0.27	4.48	4.35	*	5.37
FEMALE	0.24	0.24	0.19	0.20	1.15	1.11	1.39	1.16
18-25	0.56	0.58	0.44	0.48	1.71	1.78	2.06	2.14
26 or Older	0.25	0.26	0.20	0.22	1.38	1.31	1.64	1.31
26-49	0.33	0.35	0.27	0.29	1.58	1.38	1.96	1.54
50 or Older	0.37	0.35	0.30	0.30	2.36	2.50	2.60	2.38

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.38P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Gender/Age Group	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	0.0029		0.0004		0.2383		0.0202	
18-25	0.0039		0.0004		0.5027		0.2287	
26 or Older	0.0244		0.0076		0.3029		0.0340	
26-49	0.0044		0.0025		0.0155		0.0036	
50 or Older	0.5426		0.2905		0.4543		0.8891	
MALE	0.0125		0.0237		0.9596		0.8988	
18-25	0.0602		0.0458		0.4218		0.4067	
26 or Older	0.0387		0.0698		0.7601		0.8560	
26-49	0.1417		0.2937		0.3776		0.6918	
50 or Older	0.1451		0.1312		0.1804		*	
FEMALE	0.0808		0.0071		0.0947		0.0020	
18-25	0.0258		0.0032		0.8156		0.3938	
26 or Older	0.2466		0.0516		0.0587		0.0011	
26-49	0.0132		0.0023		0.0101		0.0005	
50 or Older	0.6952		0.8460		0.6190		0.1862	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.39C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Demographic Characteristic	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	379	385	311	331	333	342	285	298
GENDER								
Male	227	240	184	200	185	194	159	161
Female	303	310	244	259	271	278	227	241
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	351	347	286	299	317	313	262	269
White	339	330	266	279	290	285	234	244
Black or African American	127	123	102	103	107	98	87	82
AIAN	25	30	22	29	*	*	*	*
NHOPI	22	12	22	8	*	*	*	*
Asian	71	80	53	65	46	57	*	*
Two or More Races	55	68	42	50	50	48	*	38
Hispanic or Latino	140	170	115	134	117	133	97	115
CURRENT EMPLOYMENT								
Full-Time	260	248	204	202	208	200	169	173
Part-Time	132	154	101	126	109	119	82	106
Unemployed	85	87	70	71	71	67	61	54
Other ³	246	263	210	234	221	240	192	215

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.39D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019

Demographic Characteristic	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	0.15	0.16	0.13	0.13	0.96	0.94	1.18	1.07
GENDER								
Male	0.19	0.20	0.16	0.17	1.76	1.68	2.17	2.02
Female	0.24	0.24	0.19	0.20	1.15	1.11	1.39	1.16
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.17	0.17	0.14	0.14	1.04	1.02	1.21	1.10
White	0.21	0.20	0.16	0.17	1.19	1.07	1.34	1.16
Black or African American	0.41	0.40	0.34	0.34	3.00	2.93	3.73	3.47
AIAN	1.77	2.14	1.57	2.09	*	*	*	*
NHOPI	2.34	1.25	2.29	0.85	*	*	*	*
Asian	0.49	0.56	0.36	0.45	5.15	5.78	*	*
Two or More Races	1.25	1.47	0.98	1.11	5.19	4.81	*	5.59
Hispanic or Latino	0.35	0.42	0.29	0.33	2.80	2.54	3.58	3.19
CURRENT EMPLOYMENT								
Full-Time	0.20	0.19	0.16	0.16	1.48	1.38	1.86	1.67
Part-Time	0.40	0.46	0.32	0.38	2.13	2.16	2.70	2.44
Unemployed	0.83	0.85	0.68	0.70	3.55	4.04	4.31	4.72
Other ³	0.30	0.31	0.25	0.28	1.76	1.63	1.85	1.76

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.39P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Demographic Characteristic	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	0.0029		0.0004		0.2383		0.0202	
GENDER								
Male	0.0125		0.0237		0.9596		0.8988	
Female	0.0808		0.0071		0.0947		0.0020	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0056		0.0015		0.4115		0.0478	
White	0.0092		0.0028		0.2903		0.0527	
Black or African American	0.8122		0.4738		0.7133		0.9687	
AIAN	0.7387		0.5471		*		*	
NHOPI	0.2031		0.0910		*		*	
Asian	0.5510		0.6372		0.3259		*	
Two or More Races	0.0770		0.0964		0.4418		*	
Hispanic or Latino	0.2819		0.1239		0.2846		0.1292	
CURRENT EMPLOYMENT								
Full-Time	0.0266		0.0449		0.9448		0.1978	
Part-Time	0.0160		0.0012		0.4098		0.0555	
Unemployed	0.9087		0.6888		0.9836		0.7701	
Other ³	0.3665		0.1326		0.0902		0.1339	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.