

Table 8.60C Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in Past Year among Persons Aged 18 or Older, by Type of Illicit Drug Use in Past Year and Alcohol Use in Past Year and Past Month: Standard Errors of Numbers in Thousands, 2018 and 2019

Substance	Had Serious Thoughts of Suicide (2018)	Had Serious Thoughts of Suicide (2019)	Made Any Suicide Plans ¹ (2018)	Made Any Suicide Plans ¹ (2019)	Attempted Suicide ¹ (2018)	Attempted Suicide ¹ (2019)
TOTAL	282	300	155	152	101	93
ILLCIT DRUGS	194	182	108	100	76	59
Marijuana	167	173	92	89	70	56
Cocaine	81	77	45	43	32	24
Crack	41	38	28	19	23	7
Heroin	40	33	25	23	19	10
Hallucinogens	78	74	43	39	27	18
LSD	54	47	33	23	18	10
PCP	*	*	*	*	*	*
Ecstasy	52	47	29	27	20	13
Inhalants	38	40	21	20	11	12
Methamphetamine	60	51	42	29	32	14
Misuse of Psychotherapeutics	136	117	74	74	46	43
Pain Relievers	110	100	64	63	40	35
Stimulants	73	64	37	42	21	21
Tranquilizers or Sedatives	87	71	49	47	35	30
Tranquilizers	83	69	48	46	34	29
Sedatives	37	26	21	12	16	11
Benzodiazepines	81	68	46	45	34	29
Opioids	114	102	67	65	44	35
Illicit Drugs Other Than Marijuana ²	151	140	83	84	54	47
PAST YEAR ALCOHOL	265	250	137	123	83	77
PAST YEAR ALCOHOL OR ILLICIT DRUGS	270	263	142	128	87	80
PAST YEAR ALCOHOL AND ILLICIT DRUGS	185	169	100	95	72	54
PAST MONTH ALCOHOL	224	226	115	115	66	63
Binge Alcohol Use ³	150	168	80	87	54	47
Heavy Alcohol Use	92	108	52	48	34	24

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.60D Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in Past Year among Persons Aged 18 or Older, by Type of Illicit Drug Use in Past Year and Alcohol Use in Past Year and Past Month: Standard Errors of Percentages, 2018 and 2019

Substance	Had Serious Thoughts of Suicide (2018)	Had Serious Thoughts of Suicide (2019)	Made Any Suicide Plans ¹ (2018)	Made Any Suicide Plans ¹ (2019)	Attempted Suicide ¹ (2018)	Attempted Suicide ¹ (2019)
TOTAL	0.11	0.12	0.06	0.06	0.04	0.04
ILLCIT DRUGS	0.36	0.33	0.21	0.19	0.16	0.11
Marijuana	0.37	0.36	0.22	0.20	0.17	0.12
Cocaine	1.38	1.34	0.81	0.79	0.61	0.45
Crack	4.75	4.91	3.51	2.51	2.90	1.01
Heroin	4.92	4.25	3.09	3.11	2.31	1.38
Hallucinogens	1.29	1.20	0.79	0.68	0.51	0.33
LSD	2.14	1.99	1.48	1.02	0.87	0.48
PCP	*	*	*	*	*	*
Ecstasy	1.94	1.84	1.15	1.13	0.85	0.55
Inhalants	2.71	2.83	1.52	1.45	0.82	0.87
Methamphetamine	2.89	2.37	2.17	1.44	1.70	0.74
Misuse of Psychotherapeutics	0.78	0.73	0.46	0.49	0.29	0.28
Pain Relievers	1.10	1.03	0.67	0.68	0.43	0.38
Stimulants	1.35	1.35	0.75	0.94	0.44	0.46
Tranquilizers or Sedatives	1.36	1.25	0.82	0.85	0.59	0.55
Tranquilizers	1.44	1.38	0.89	0.94	0.64	0.61
Sedatives	3.39	2.56	2.05	1.18	1.58	1.11
Benzodiazepines	1.50	1.46	0.91	1.00	0.67	0.65
Opioids	1.10	1.02	0.69	0.67	0.46	0.37
Illicit Drugs Other Than Marijuana ²	0.64	0.60	0.37	0.38	0.25	0.22
PAST YEAR ALCOHOL	0.14	0.14	0.08	0.07	0.05	0.04
PAST YEAR ALCOHOL OR ILLICIT DRUGS	0.14	0.14	0.08	0.07	0.05	0.04
PAST YEAR ALCOHOL AND ILLICIT DRUGS	0.38	0.35	0.22	0.21	0.16	0.12
PAST MONTH ALCOHOL	0.15	0.16	0.08	0.08	0.05	0.05
Binge Alcohol Use ³	0.22	0.25	0.12	0.13	0.08	0.07
Heavy Alcohol Use	0.55	0.65	0.31	0.30	0.21	0.15

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.60P Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in Past Year among Persons Aged 18 or Older, by Type of Illicit Drug Use in Past Year and Alcohol Use in Past Year and Past Month: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Substance	Had Serious Thoughts of Suicide (2018)	Had Serious Thoughts of Suicide (2019)	Made Any Suicide Plans ¹ (2018)	Made Any Suicide Plans ¹ (2019)	Attempted Suicide ¹ (2018)	Attempted Suicide ¹ (2019)
TOTAL	0.0044		0.5683		0.6047	
ILLICIT DRUGS	0.5986		0.6357		0.0501	
Marijuana	0.9837		0.9950		0.1233	
Cocaine	0.4154		0.3828		0.2038	
Crack	0.4104		0.3475		0.1218	
Heroin	0.2384		0.8445		0.3042	
Hallucinogens	0.1505		0.1632		0.0150	
LSD	0.0479		0.0691		0.0075	
PCP	*		*		*	
Ecstasy	0.6166		0.6771		0.2193	
Inhalants	0.7923		0.8147		0.7351	
Methamphetamine	0.1464		0.0249		0.0151	
Misuse of Psychotherapeutics	0.0733		0.9835		0.2361	
Pain Relievers	0.3118		0.6631		0.4581	
Stimulants	0.3879		0.9462		0.8891	
Tranquilizers or Sedatives	0.0163		0.5708		0.1758	
Tranquilizers	0.0670		0.6465		0.1524	
Sedatives	0.0331		0.0527		0.2734	
Benzodiazepines	0.1539		0.8267		0.2276	
Opioids	0.1789		0.4781		0.2188	
Illicit Drugs Other Than Marijuana ²	0.2024		0.7878		0.0806	
PAST YEAR ALCOHOL	0.0261		0.3425		0.7466	
PAST YEAR ALCOHOL OR ILLICIT DRUGS	0.0206		0.5642		0.6661	
PAST YEAR ALCOHOL AND ILLICIT DRUGS	0.6103		0.8598		0.0723	
PAST MONTH ALCOHOL	0.0068		0.5194		0.3551	
Binge Alcohol Use ³	0.0003		0.3973		0.2856	
Heavy Alcohol Use	0.2198		0.2679		0.0552	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

³ Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.