

**Table 8.62C Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older, by Past Year Suicide Behavior: Standard Errors of Numbers in Thousands, 2018 and 2019**

Substance Use Disorder Status	Had Serious Thoughts of Suicide (2018)	Had Serious Thoughts of Suicide (2019)	No Serious Thoughts of Suicide (2018)	No Serious Thoughts of Suicide (2019)	Made Any Suicide Plans <sup>1</sup> (2018)	Made Any Suicide Plans <sup>1</sup> (2019)	Did Not Make Any Suicide Plans <sup>1</sup> (2018)	Did Not Make Any Suicide Plans <sup>1</sup> (2019)	Attempted Suicide <sup>1</sup> (2018)	Attempted Suicide <sup>1</sup> (2019)	Did Not Attempt Suicide <sup>1</sup> (2018)	Did Not Attempt Suicide <sup>1</sup> (2019)
<b>TOTAL POPULATION</b>	294	308	1,945	2,077	156	153	1,995	2,118	101	93	2,006	2,127
<b>ILLICIT DRUGS</b>	110	103	230	218	65	63	255	235	46	36	263	242
Marijuana	64	66	150	159	42	41	162	168	31	27	167	173
Cocaine	58	45	71	81	27	28	88	89	17	12	91	92
Heroin	35	27	80	50	23	20	84	53	16	8	85	56
Hallucinogens	20	14	22	30	13	7	27	32	12	3	28	33
Inhalants	11	12	24	16	4	9	26	18	10	7	24	19
Methamphetamine	51	45	78	78	37	26	85	87	25	13	92	95
Misuse of Psychotherapeutics	66	64	132	106	39	43	145	115	30	22	146	122
Pain Relievers	52	54	122	89	30	37	131	95	28	16	131	103
Stimulants	33	21	42	50	21	13	49	53	10	11	53	53
Tranquilizers or Sedatives	37	37	61	53	28	26	66	63	21	15	68	66
Tranquilizers	36	37	56	47	27	25	61	57	19	13	64	60
Sedatives	15	8	25	33	14	8	25	33	14	7	26	34
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	61	56	142	98	36	38	151	104	30	16	151	112
Illicit Drugs Other Than Marijuana <sup>2</sup>	96	87	180	150	55	54	198	164	40	25	201	176
<b>ALCOHOL</b>	112	120	338	323	67	64	359	342	43	37	366	350
<b>BOTH ILLICIT DRUGS AND ALCOHOL</b>	69	62	124	108	45	39	138	119	34	20	143	121
<b>ILLICIT DRUGS OR ALCOHOL</b>	139	149	390	378	80	81	423	405	54	47	429	417
<b>ILLICIT DRUGS ONLY</b>	82	82	186	180	48	47	201	191	33	29	205	198
<b>ALCOHOL ONLY</b>	93	107	314	298	51	53	326	311	27	30	331	318
<b>NO SUBSTANCE USE DISORDER</b>	248	272	1,861	1,979	126	132	1,890	2,015	84	79	1,899	2,018

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 8.62D Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older, by Past Year Suicide Behavior: Standard Errors of Percentages, 2018 and 2019**

Substance Use Disorder Status	Had Serious Thoughts of Suicide (2018)	Had Serious Thoughts of Suicide (2019)	No Serious Thoughts of Suicide (2018)	No Serious Thoughts of Suicide (2019)	Made Any Suicide Plans <sup>1</sup> (2018)	Made Any Suicide Plans <sup>1</sup> (2019)	Did Not Make Any Suicide Plans <sup>1</sup> (2018)	Did Not Make Any Suicide Plans <sup>1</sup> (2019)	Attempted Suicide <sup>1</sup> (2018)	Attempted Suicide <sup>1</sup> (2019)	Did Not Attempt Suicide <sup>1</sup> (2018)	Did Not Attempt Suicide <sup>1</sup> (2019)
<b>TOTAL POPULATION</b>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>ILLICIT DRUGS</b>	0.92	0.83	0.10	0.09	1.73	1.67	0.10	0.09	2.77	2.39	0.10	0.10
Marijuana	0.58	0.54	0.06	0.07	1.22	1.17	0.07	0.07	2.05	1.90	0.07	0.07
Cocaine	0.53	0.37	0.03	0.03	0.79	0.81	0.04	0.04	1.19	0.84	0.04	0.04
Heroin	0.31	0.22	0.03	0.02	0.67	0.57	0.03	0.02	1.07	0.60	0.03	0.02
Hallucinogens	0.19	0.12	0.01	0.01	0.41	0.20	0.01	0.01	0.84	0.24	0.01	0.01
Inhalants	0.10	0.10	0.01	0.01	0.13	0.25	0.01	0.01	0.70	0.54	0.01	0.01
Methamphetamine	0.46	0.37	0.03	0.03	1.08	0.74	0.03	0.04	1.67	0.94	0.04	0.04
Misuse of Psychotherapeutics	0.60	0.53	0.06	0.04	1.12	1.18	0.06	0.05	1.97	1.56	0.06	0.05
Pain Relievers	0.47	0.45	0.05	0.04	0.86	1.02	0.05	0.04	1.83	1.11	0.05	0.04
Stimulants	0.30	0.18	0.02	0.02	0.64	0.39	0.02	0.02	0.70	0.82	0.02	0.02
Tranquilizers or Sedatives	0.34	0.31	0.03	0.02	0.82	0.73	0.03	0.03	1.44	1.04	0.03	0.03
Tranquilizers	0.33	0.31	0.02	0.02	0.78	0.70	0.03	0.02	1.31	0.90	0.03	0.02
Sedatives	0.14	0.07	0.01	0.01	0.41	0.22	0.01	0.01	0.93	0.54	0.01	0.01
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	0.55	0.46	0.06	0.04	1.02	1.06	0.06	0.04	1.96	1.12	0.06	0.05
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.83	0.70	0.08	0.06	1.51	1.47	0.08	0.07	2.48	1.77	0.08	0.07
<b>ALCOHOL</b>	0.94	0.93	0.14	0.13	1.75	1.72	0.14	0.13	2.70	2.45	0.14	0.13
<b>BOTH ILLICIT DRUGS AND ALCOHOL</b>	0.62	0.51	0.05	0.05	1.27	1.11	0.06	0.05	2.20	1.39	0.06	0.05
<b>ILLICIT DRUGS OR ALCOHOL</b>	1.09	1.11	0.16	0.15	1.96	2.03	0.16	0.16	3.12	2.91	0.16	0.16
<b>ILLICIT DRUGS ONLY</b>	0.72	0.67	0.08	0.08	1.39	1.26	0.08	0.08	2.14	2.03	0.08	0.08
<b>ALCOHOL ONLY</b>	0.82	0.84	0.13	0.12	1.45	1.47	0.13	0.12	1.84	2.06	0.13	0.12
<b>NO SUBSTANCE USE DISORDER</b>	1.09	1.11	0.16	0.15	1.96	2.03	0.16	0.16	3.12	2.91	0.16	0.16

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 8.62P Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older, by Past Year Suicide Behavior: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Substance Use Disorder Status	Had Serious Thoughts of Suicide (2018)	Had Serious Thoughts of Suicide (2019)	No Serious Thoughts of Suicide (2018)	No Serious Thoughts of Suicide (2019)	Made Any Suicide Plans <sup>1</sup> (2018)	Made Any Suicide Plans <sup>1</sup> (2019)	Did Not Make Any Suicide Plans <sup>1</sup> (2018)	Did Not Make Any Suicide Plans <sup>1</sup> (2019)	Attempted Suicide <sup>1</sup> (2018)	Attempted Suicide <sup>1</sup> (2019)	Did Not Attempt Suicide <sup>1</sup> (2018)	Did Not Attempt Suicide <sup>1</sup> (2019)
<b>TOTAL POPULATION</b>	da		da		da		da		da		da	
<b>ILLICIT DRUGS</b>	0.0754		0.7943		0.1704		0.8232		0.3125		0.8789	
Marijuana	0.7708		0.4284		0.9542		0.3700		0.5392		0.3875	
Cocaine	0.1391		0.3157		0.5857		0.7379		0.2494		0.6869	
Heroin	0.0589		0.8405		0.3607		0.5197		0.1852		0.5307	
Hallucinogens	0.0195		0.2965		0.0313		0.5666		0.0078		0.6029	
Inhalants	0.6502		0.1473		0.4873		0.2207		0.9036		0.3280	
Methamphetamine	0.3171		0.8368		0.0796		0.6459		0.2065		0.8686	
Misuse of Psychotherapeutics	0.0466		0.1752		0.4836		0.0862		0.1688		0.1298	
Pain Relievers	0.3919		0.0655		0.7746		0.0717		0.0539		0.1553	
Stimulants	0.0251		0.3702		0.1049		0.7592		0.7567		0.7827	
Tranquilizers or Sedatives	0.1143		0.6646		0.3189		0.4939		0.3451		0.4668	
Tranquilizers	0.1553		0.4833		0.3712		0.3717		0.3751		0.3569	
Sedatives	0.1213		0.1315		0.2201		0.1742		0.2583		0.1800	
Benzodiazepines	--		--		--		--		--		--	
Opioids	0.1143		0.0899		0.3065		0.0720		0.0170		0.1208	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0212		0.4615		0.0722		0.3476		0.0167		0.3609	
<b>ALCOHOL</b>	0.9785		0.2354		0.2304		0.5216		0.0984		0.5536	
<b>BOTH ILLICIT DRUGS AND ALCOHOL</b>	0.0943		0.2617		0.1883		0.2554		0.0633		0.2818	
<b>ILLICIT DRUGS OR ALCOHOL</b>	0.5554		0.5847		0.1550		0.9585		0.2560		0.9400	
<b>ILLICIT DRUGS ONLY</b>	0.3908		0.3099		0.5736		0.3177		0.7308		0.3878	
<b>ALCOHOL ONLY</b>	0.2612		0.3928		0.7385		0.8110		0.6706		0.8309	
<b>NO SUBSTANCE USE DISORDER</b>	0.5554		0.5847		0.1550		0.9585		0.2560		0.9400	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.