

**Table 9.10C Type of Treatment Received in Past Year for Depression among Persons Aged 12 to 17 with Major Depressive Episode in Past Year, by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019**

Demographic/Socioeconomic Characteristic	Saw or Talked to a Health Professional OR Used Prescription Medication (2018)	Saw or Talked to a Health Professional OR Used Prescription Medication (2019)	Saw or Talked to a Health Professional BUT Did Not Use Prescription Medication (2018)	Saw or Talked to a Health Professional BUT Did Not Use Prescription Medication (2019)	Used Prescription Medication BUT Did Not See or Talk to a Health Professional (2018)	Used Prescription Medication BUT Did Not See or Talk to a Health Professional (2019)	Saw or Talked to a Health Professional AND Used Prescription Medication (2018)	Saw or Talked to a Health Professional AND Used Prescription Medication (2019)
<b>TOTAL</b>	59	63	46	42	12	19	33	41
<b>GENDER</b>								
Male	28	29	22	18	7	12	17	19
Female	53	55	41	38	10	14	30	36
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	47	54	34	34	11	17	31	36
White	42	48	29	30	10	16	29	33
Black or African American	15	17	12	13	4	2	8	11
AIAN	*	*	*	*	*	*	*	*
NHOPI	*	*	*	*	*	*	*	*
Asian	*	*	*	*	*	*	*	*
Two or More Races	8	13	5	10	*	4	7	7
Hispanic or Latino	32	33	29	25	6	9	12	18
<b>POVERTY LEVEL</b>								
Less Than 100%	28	25	25	18	7	9	13	16
100-199%	23	29	17	20	6	10	15	19
200% or More	46	50	34	32	8	14	28	32
<b>HEALTH INSURANCE<sup>1</sup></b>								
Private	45	47	33	31	8	14	28	32
Medicaid/CHIP	36	37	29	25	10	13	20	23
Other <sup>2</sup>	15	14	*	9	*	3	9	*
No Coverage	8	11	5	9	1	*	5	5

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year treatment for depression data were excluded.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 9.10D Type of Treatment Received in Past Year for Depression among Persons Aged 12 to 17 with Major Depressive Episode in Past Year, by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019**

<b>Demographic/Socioeconomic Characteristic</b>	<b>Saw or Talked to a Health Professional OR Used Prescription Medication (2018)</b>	<b>Saw or Talked to a Health Professional OR Used Prescription Medication (2019)</b>	<b>Saw or Talked to a Health Professional BUT Did Not Use Prescription Medication (2018)</b>	<b>Saw or Talked to a Health Professional BUT Did Not Use Prescription Medication (2019)</b>	<b>Used Prescription Medication BUT Did Not See or Talk to a Health Professional (2018)</b>	<b>Used Prescription Medication BUT Did Not See or Talk to a Health Professional (2019)</b>	<b>Saw or Talked to a Health Professional AND Used Prescription Medication (2018)</b>	<b>Saw or Talked to a Health Professional AND Used Prescription Medication (2019)</b>
<b>TOTAL</b>	1.36	1.34	1.20	1.03	0.36	0.50	0.89	0.98
<b>GENDER</b>								
Male	2.53	2.21	2.24	1.57	0.76	1.08	1.70	1.64
Female	1.59	1.61	1.41	1.29	0.40	0.50	1.11	1.21
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1.46	1.46	1.18	1.15	0.42	0.60	1.10	1.15
White	1.72	1.64	1.37	1.39	0.50	0.77	1.37	1.37
Black or African American	3.55	3.86	3.14	3.24	1.25	0.46	2.11	2.93
AIAN	*	*	*	*	*	*	*	*
NHOPI	*	*	*	*	*	*	*	*
Asian	*	*	*	*	*	*	*	*
Two or More Races	5.22	4.82	3.35	4.39	*	2.16	4.42	3.32
Hispanic or Latino	3.01	2.68	2.84	2.19	0.68	0.83	1.30	1.68
<b>POVERTY LEVEL</b>								
Less Than 100%	3.24	2.91	3.19	2.47	1.04	1.29	1.91	2.25
100-199%	2.67	2.73	2.18	2.18	0.82	1.16	1.98	2.09
200% or More	1.69	1.71	1.42	1.29	0.40	0.59	1.25	1.25
<b>HEALTH INSURANCE<sup>1</sup></b>								
Private	1.76	1.67	1.44	1.27	0.38	0.62	1.25	1.30
Medicaid/CHIP	2.24	2.11	2.07	1.70	0.79	0.92	1.51	1.54
Other <sup>2</sup>	5.67	5.57	*	4.59	*	1.35	4.03	*
No Coverage	4.79	5.37	3.15	4.69	0.85	*	3.30	2.46

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year treatment for depression data were excluded.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 9.10P Type of Treatment Received in Past Year for Depression among Persons Aged 12 to 17 with Major Depressive Episode in Past Year, by Demographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018**

Demographic/Socioeconomic Characteristic	Saw or Talked to a Health Professional OR Used Prescription Medication (2018)	Saw or Talked to a Health Professional OR Used Prescription Medication (2019)	Saw or Talked to a Health Professional BUT Did Not Use Prescription Medication (2018)	Saw or Talked to a Health Professional BUT Did Not Use Prescription Medication (2019)	Used Prescription Medication BUT Did Not See or Talk to a Health Professional (2018)	Used Prescription Medication BUT Did Not See or Talk to a Health Professional (2019)	Saw or Talked to a Health Professional AND Used Prescription Medication (2018)	Saw or Talked to a Health Professional AND Used Prescription Medication (2019)
<b>TOTAL</b>	0.2264		0.7130		0.0556		0.2129	
<b>GENDER</b>								
Male	0.8934		0.0884		0.1708		0.1191	
Female	0.1696		0.5795		0.1729		0.5349	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.0773		0.4382		0.0413		0.5844	
White	0.0418		0.4273		0.0195		0.5673	
Black or African American	0.8843		0.8283		0.0857		0.5694	
AIAN	*		*		*		*	
NHOPI	*		*		*		*	
Asian	*		*		*		*	
Two or More Races	0.1820		0.0550		*		0.4997	
Hispanic or Latino	0.8215		0.1132		0.7656		0.0304	
<b>POVERTY LEVEL</b>								
Less Than 100%	0.8490		0.3953		0.7664		0.2431	
100-199%	0.2351		0.3161		0.5536		0.8489	
200% or More	0.4214		0.6489		0.0382		0.4157	
<b>HEALTH INSURANCE<sup>1</sup></b>								
Private	0.3397		0.7860		0.1800		0.6669	
Medicaid/CHIP	0.6956		0.1781		0.3425		0.1256	
Other <sup>2</sup>	0.9407		*		*		*	
No Coverage	0.0802		0.0106		*		0.6015	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year treatment for depression data were excluded.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.