

Table 9.5C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Demographic Characteristic	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	88	90	71	77	60	64	53	58
AGE GROUP								
12-13	39	40	29	34	24	24	19	21
14-15	56	61	47	53	36	40	31	37
16-17	70	63	59	54	41	42	36	38
GENDER								
Male	47	47	37	42	29	29	26	26
Female	70	75	60	65	53	57	46	52
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	73	73	63	65	49	55	43	50
White	68	72	56	60	44	50	38	45
Black or African American	28	29	22	25	15	18	13	17
AIAN	7	5	*	5	*	*	*	*
NHOPI	*	*	*	*	*	*	*	*
Asian	27	30	21	26	*	*	*	*
Two or More Races	16	19	14	16	9	13	*	11
Hispanic or Latino	46	52	37	44	33	33	29	29

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 9.5D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019

Demographic Characteristic	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	0.36	0.37	0.29	0.32	1.36	1.34	1.65	1.63
AGE GROUP								
12-13	0.50	0.49	0.36	0.43	3.00	2.50	3.83	3.08
14-15	0.61	0.68	0.53	0.60	2.26	2.27	2.65	2.73
16-17	0.71	0.69	0.61	0.62	2.00	1.99	2.32	2.29
GENDER								
Male	0.38	0.38	0.30	0.34	2.55	2.21	3.13	2.82
Female	0.59	0.63	0.51	0.55	1.58	1.62	1.89	1.89
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.40	0.41	0.34	0.36	1.46	1.45	1.73	1.76
White	0.48	0.50	0.41	0.44	1.73	1.64	2.08	1.88
Black or African American	0.79	0.85	0.64	0.73	3.58	3.89	4.64	4.93
AIAN	4.09	3.19	*	3.12	*	*	*	*
NHOPI	*	*	*	*	*	*	*	*
Asian	1.79	2.02	1.40	1.85	*	*	*	*
Two or More Races	1.85	1.82	1.73	1.67	5.23	4.80	*	5.79
Hispanic or Latino	0.79	0.87	0.64	0.74	3.02	2.67	3.77	3.51

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 9.5P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Demographic Characteristic	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	0.0109		0.0129		0.3235		0.2268	
AGE GROUP								
12-13	0.0032		0.0022		0.4098		0.2702	
14-15	0.2444		0.2316		0.4021		0.1758	
16-17	0.2455		0.3311		0.1676		0.1734	
GENDER								
Male	0.0359		0.0377		0.8161		0.5401	
Female	0.0735		0.0947		0.1874		0.0736	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0741		0.0767		0.1283		0.1423	
White	0.2514		0.2813		0.0737		0.0536	
Black or African American	0.3381		0.2903		0.8534		0.7461	
AIAN	0.5525		*		*		*	
NHOPI	*		*		*		*	
Asian	0.5696		0.3439		*		*	
Two or More Races	0.2299		0.7831		0.1756		*	
Hispanic or Latino	0.0638		0.0799		0.7800		0.8810	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.