

Table 9.6C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic/ Health Characteristic	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	88	90	71	77	60	64	53	58
GEOGRAPHIC REGION								
Northeast	30	30	25	25	17	21	16	18
Midwest	39	37	34	33	26	31	26	29
South	54	61	45	51	39	41	34	38
West	45	50	37	41	33	32	28	29
COUNTY TYPE								
Large Metro	78	84	64	70	48	51	43	47
Small Metro	56	56	44	48	32	33	28	30
Nonmetro	33	33	27	26	24	20	20	17
POVERTY LEVEL								
Less Than 100%	42	40	36	34	28	26	26	24
100-199%	42	45	34	38	24	29	21	28
200% or More	79	85	65	70	48	51	42	46
HEALTH INSURANCE³								
Private	75	79	62	63	46	49	40	43
Medicaid/CHIP	56	59	44	49	37	37	33	35
Other ⁴	24	24	20	22	16	14	*	14
No Coverage	19	23	17	18	8	11	*	*
OVERALL HEALTH⁵								
Excellent	47	48	39	40	27	26	25	23
Very Good	62	60	51	51	38	38	33	35
Good	51	54	41	43	31	33	26	29
Fair/Poor	27	27	22	25	19	22	18	21

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

⁵ Respondents with unknown health data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 9.6D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic/ Health Characteristic	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	0.36	0.37	0.29	0.32	1.36	1.34	1.65	1.63
GEOGRAPHIC REGION								
Northeast	0.76	0.78	0.64	0.66	2.95	3.04	4.04	3.77
Midwest	0.76	0.72	0.66	0.65	2.63	2.53	3.39	2.82
South	0.58	0.65	0.49	0.55	2.25	2.40	2.66	2.88
West	0.78	0.86	0.63	0.72	2.91	2.49	3.46	3.23
COUNTY TYPE								
Large Metro	0.49	0.56	0.41	0.48	2.12	1.89	2.54	2.29
Small Metro	0.66	0.62	0.53	0.54	2.04	2.30	2.53	2.85
Nonmetro	0.85	0.79	0.70	0.69	3.37	2.84	3.86	3.34
POVERTY LEVEL								
Less Than 100%	0.73	0.75	0.64	0.65	3.25	2.90	3.88	3.47
100-199%	0.76	0.80	0.65	0.70	2.68	2.74	3.33	3.26
200% or More	0.49	0.50	0.41	0.44	1.71	1.72	2.08	2.14
HEALTH INSURANCE³								
Private	0.48	0.49	0.40	0.41	1.76	1.68	2.11	2.13
Medicaid/CHIP	0.56	0.59	0.45	0.52	2.24	2.09	2.72	2.48
Other ⁴	1.89	1.74	1.68	1.60	5.63	5.54	*	5.99
No Coverage	1.71	1.83	1.52	1.47	4.79	5.42	*	*
OVERALL HEALTH⁵								
Excellent	0.53	0.52	0.45	0.45	2.60	2.66	3.40	3.51
Very Good	0.58	0.56	0.48	0.49	2.07	1.92	2.42	2.34
Good	0.88	0.93	0.73	0.76	2.70	2.42	3.14	2.87
Fair/Poor	2.14	2.20	1.87	2.10	5.07	4.88	5.40	5.58

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

⁵ Respondents with unknown health data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 9.6P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in Past Year, by Geographic, Socioeconomic, and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic/ Health Characteristic	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment¹ (2018)	Had MDE with Severe Impairment¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE² (2018)	Received Treatment for Depression in Past Year among Persons with MDE² (2019)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment^{1,2} (2019)
TOTAL	0.0109		0.0129		0.3235		0.2268	
GEOGRAPHIC REGION								
Northeast	0.1284		0.0719		0.2829		0.6812	
Midwest	0.4529		0.5849		0.3247		0.7974	
South	0.3860		0.2582		0.6845		0.4706	
West	0.0298		0.0907		0.9464		0.3168	
COUNTY TYPE								
Large Metro	0.0004		0.0017		0.4770		0.2979	
Small Metro	0.5842		0.8419		0.3280		0.3787	
Nonmetro	0.9866		0.5708		0.8113		0.8845	
POVERTY LEVEL								
Less Than 100%	0.1743		0.1153		0.8581		0.9105	
100-199%	0.2163		0.2773		0.2330		0.0504	
200% or More	0.0865		0.1259		0.6101		0.6961	
HEALTH INSURANCE³								
Private	0.0980		0.3755		0.4587		0.2666	
Medicaid/CHIP	0.0400		0.0025		0.7295		0.8716	
Other ⁴	0.5055		0.9272		0.7813		*	
No Coverage	0.4406		0.9523		0.0604		*	
OVERALL HEALTH⁵								
Excellent	0.9034		0.8046		0.6651		0.8333	
Very Good	0.1886		0.1590		0.9394		0.6617	
Good	0.0054		0.0095		0.8464		0.4111	
Fair/Poor	0.4537		0.1765		0.0310		0.3451	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

⁵ Respondents with unknown health data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.