

2010-2012 National Survey on Drug Use and Health Substate Age Group Tables

NOTE: The methodology used to suppress small area age group estimates with low precision is provided after [Table 25](#).

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs*

State/Substate Region	12-17		18-25		26+		18+	
	12-17 (Estimate)	(95% Confidence Interval)	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
Total United States	9.93	(9.63 - 10.24)	21.37	(20.88 - 21.87)	6.61	(6.36 - 6.87)	8.79	(8.55 - 9.03)
Northeast	10.25	(9.69 - 10.83)	23.88	(22.98 - 24.81)	6.92	(6.42 - 7.46)	9.36	(8.89 - 9.86)
Midwest	9.50	(9.06 - 9.95)	20.72	(20.04 - 21.43)	6.27	(5.89 - 6.68)	8.38	(8.03 - 8.75)
South	9.05	(8.62 - 9.50)	18.98	(18.36 - 19.61)	5.51	(5.16 - 5.88)	7.48	(7.15 - 7.82)
West	11.45	(10.76 - 12.17)	23.74	(22.79 - 24.73)	8.46	(7.87 - 9.09)	10.79	(10.25 - 11.36)
Alabama	8.94	(7.49 - 10.64)	17.00	(14.77 - 19.48)	5.78	(4.62 - 7.21)	7.45	(6.31 - 8.78)
Region 1	8.31	(6.26 - 10.96)	16.37	(12.61 - 20.98)	5.44	(3.95 - 7.45)	6.91	(5.32 - 8.94)
Region 2	10.01	(7.83 - 12.71)	20.09	(16.14 - 24.72)	6.48	(4.79 - 8.71)	8.57	(6.81 - 10.72)
Region 3	7.18	(5.27 - 9.69)	13.21	(9.67 - 17.79)	4.71	(3.34 - 6.59)	6.24	(4.71 - 8.22)
Region 4	9.62	(7.35 - 12.49)	16.73	(13.17 - 21.03)	6.04	(4.45 - 8.16)	7.49	(5.85 - 9.55)
Alaska	10.63	(8.92 - 12.64)	26.31	(23.44 - 29.40)	12.23	(10.13 - 14.69)	14.42	(12.49 - 16.59)
Anchorage	11.00	(8.69 - 13.83)	26.95	(22.90 - 31.43)	12.76	(10.22 - 15.82)	15.06	(12.68 - 17.80)
Northern	9.74	(7.37 - 12.77)	25.26	(20.40 - 30.84)	12.82	(9.77 - 16.64)	15.16	(12.21 - 18.67)
South Central	10.45	(7.92 - 13.68)	25.55	(20.12 - 31.86)	11.12	(8.17 - 14.96)	13.01	(10.10 - 16.61)
Southeast	11.80	(8.80 - 15.63)	*	(* - *)	11.82	(8.70 - 15.86)	13.85	(10.72 - 17.71)
Arizona	12.06	(10.14 - 14.28)	19.88	(17.22 - 22.84)	7.47	(5.95 - 9.33)	9.30	(7.84 - 11.01)
Maricopa	12.28	(9.98 - 15.01)	18.96	(15.64 - 22.79)	7.56	(5.87 - 9.70)	9.27	(7.60 - 11.25)
Pima	12.46	(9.30 - 16.49)	*	(* - *)	8.19	(5.83 - 11.40)	10.57	(8.07 - 13.74)
Rural North	12.14	(8.91 - 16.34)	*	(* - *)	7.31	(5.15 - 10.28)	9.46	(7.12 - 12.48)
Rural South	10.63	(7.71 - 14.49)	*	(* - *)	6.37	(4.31 - 9.32)	7.83	(5.58 - 10.89)
Arkansas	8.90	(7.51 - 10.53)	16.70	(14.53 - 19.11)	5.65	(4.49 - 7.08)	7.26	(6.11 - 8.60)
Catchment Area 1	8.83	(6.61 - 11.71)	17.73	(13.43 - 23.04)	5.86	(4.15 - 8.22)	7.80	(5.92 - 10.21)
Catchment Area 2	8.32	(6.05 - 11.34)	*	(* - *)	5.07	(3.43 - 7.42)	6.42	(4.56 - 8.97)
Catchment Area 3	8.42	(6.23 - 11.29)	*	(* - *)	5.07	(3.54 - 7.23)	6.43	(4.71 - 8.73)
Catchment Area 4	7.73	(5.57 - 10.63)	*	(* - *)	5.98	(4.12 - 8.61)	7.26	(5.25 - 9.96)
Catchment Area 5	8.54	(6.24 - 11.59)	13.83	(10.18 - 18.51)	5.28	(3.65 - 7.60)	6.74	(4.99 - 9.05)
Catchment Area 6	10.04	(7.34 - 13.60)	*	(* - *)	5.66	(3.87 - 8.19)	7.41	(5.37 - 10.15)
Catchment Area 7	7.62	(5.43 - 10.60)	*	(* - *)	4.74	(3.19 - 7.01)	5.91	(4.15 - 8.36)
Catchment Area 8	10.54	(8.00 - 13.76)	22.54	(17.85 - 28.03)	6.71	(4.86 - 9.18)	8.79	(6.84 - 11.24)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
California	11.36	(10.32 - 12.49)	23.75	(22.22 - 25.34)	8.18	(7.29 - 9.17)	10.64	(9.83 - 11.52)
Region 1R	12.60	(9.46 - 16.60)	*	(* - *)	14.09	(10.65 - 18.42)	17.30	(13.73 - 21.58)
Region 2R	13.92	(10.64 - 18.00)	*	(* - *)	9.80	(7.29 - 13.06)	12.76	(10.02 - 16.11)
Region 3R (Sacramento)	11.75	(8.95 - 15.27)	*	(* - *)	10.14	(7.68 - 13.27)	12.35	(9.73 - 15.55)
Region 4R	13.70	(10.63 - 17.49)	*	(* - *)	9.85	(7.51 - 12.83)	12.20	(9.73 - 15.20)
Region 5R (San Francisco)	*	(* - *)	*	(* - *)	14.64	(11.02 - 19.20)	16.96	(13.31 - 21.35)
Region 6 (Santa Clara)	10.26	(7.73 - 13.49)	*	(* - *)	5.59	(4.07 - 7.63)	7.69	(5.90 - 9.98)
Region 7R (Contra Costa)	12.18	(9.27 - 15.84)	*	(* - *)	8.05	(5.94 - 10.83)	10.35	(7.99 - 13.30)
Region 8R (Alameda)	11.17	(8.63 - 14.33)	27.33	(21.75 - 33.73)	8.41	(6.39 - 11.00)	11.09	(8.89 - 13.76)
Region 9R (San Mateo)	10.81	(7.99 - 14.46)	*	(* - *)	6.64	(4.70 - 9.31)	8.68	(6.45 - 11.59)
Region 10	11.87	(8.99 - 15.52)	*	(* - *)	7.99	(5.91 - 10.73)	10.62	(8.25 - 13.57)
Region 11 (Los Angeles)	10.76	(9.43 - 12.24)	22.23	(19.96 - 24.66)	7.77	(6.65 - 9.07)	10.10	(8.99 - 11.34)
LA SPA 1 and 5	11.11	(8.33 - 14.67)	*	(* - *)	8.75	(6.51 - 11.66)	11.58	(8.97 - 14.81)
LA SPA 2	9.95	(7.71 - 12.74)	21.05	(16.37 - 26.64)	7.29	(5.52 - 9.55)	9.32	(7.41 - 11.67)
LA SPA 3	10.01	(7.58 - 13.12)	18.62	(14.35 - 23.80)	5.68	(4.21 - 7.63)	7.70	(6.04 - 9.76)
LA SPA 4	10.76	(8.08 - 14.18)	*	(* - *)	9.50	(7.02 - 12.75)	11.75	(9.06 - 15.11)
LA SPA 6	11.58	(8.83 - 15.05)	*	(* - *)	9.72	(7.14 - 13.12)	12.28	(9.53 - 15.68)
LA SPA 7	9.88	(7.48 - 12.93)	18.10	(13.63 - 23.63)	6.02	(4.31 - 8.34)	8.14	(6.21 - 10.60)
LA SPA 8	12.69	(9.89 - 16.14)	27.99	(22.69 - 33.99)	9.16	(6.93 - 12.00)	11.97	(9.62 - 14.81)
Region 12R	10.58	(7.93 - 13.98)	*	(* - *)	7.55	(5.35 - 10.57)	9.38	(6.88 - 12.66)
Regions 13 and 19R	10.93	(8.66 - 13.70)	23.54	(19.22 - 28.49)	7.61	(5.89 - 9.78)	10.27	(8.43 - 12.45)
Region 13 (Riverside)	10.98	(8.57 - 13.96)	23.99	(19.37 - 29.31)	7.78	(5.96 - 10.11)	10.48	(8.51 - 12.83)
Region 19R (Imperial)	10.35	(7.54 - 14.04)	*	(* - *)	*	(* - *)	7.59	(5.44 - 10.49)
Region 14 (Orange)	11.07	(8.75 - 13.92)	24.51	(20.29 - 29.29)	6.42	(4.98 - 8.25)	9.19	(7.63 - 11.02)
Region 15R (Fresno)	9.83	(7.39 - 12.98)	*	(* - *)	7.19	(5.21 - 9.85)	9.30	(7.04 - 12.19)
Region 16R (San Diego)	12.18	(9.81 - 15.04)	23.57	(19.37 - 28.37)	8.51	(6.72 - 10.72)	11.07	(9.22 - 13.24)
Region 17R	10.69	(8.29 - 13.69)	18.35	(13.75 - 24.07)	6.94	(5.17 - 9.25)	8.99	(6.99 - 11.51)
Region 18R (San Bernardino)	11.46	(9.04 - 14.44)	20.21	(16.11 - 25.04)	7.03	(5.30 - 9.28)	9.38	(7.52 - 11.65)
Region 20R	11.55	(8.81 - 15.01)	*	(* - *)	8.35	(6.16 - 11.23)	10.72	(8.26 - 13.79)
Region 21R	13.12	(10.03 - 16.98)	*	(* - *)	10.10	(7.50 - 13.47)	13.97	(11.05 - 17.50)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	13.23	(11.26 - 15.49)	30.87	(27.79 - 34.14)	11.04	(9.21 - 13.19)	13.92	(12.17 - 15.87)
Region 1	12.59	(9.48 - 16.54)	*	(* - *)	8.91	(6.51 - 12.06)	12.68	(10.03 - 15.91)
Regions 2 and 7	13.89	(11.30 - 16.97)	33.87	(29.70 - 38.31)	12.67	(10.22 - 15.62)	15.62	(13.27 - 18.29)
Region 3	12.10	(9.11 - 15.90)	*	(* - *)	8.58	(6.23 - 11.72)	10.97	(8.47 - 14.10)
Region 4	11.71	(8.61 - 15.74)	*	(* - *)	8.59	(5.95 - 12.26)	10.72	(7.80 - 14.54)
Regions 5 and 6	13.06	(9.65 - 17.45)	*	(* - *)	9.68	(6.94 - 13.36)	12.31	(9.37 - 16.01)
Connecticut	10.83	(9.11 - 12.83)	25.84	(23.00 - 28.91)	7.36	(5.93 - 9.10)	9.85	(8.44 - 11.47)
Eastern	10.01	(7.37 - 13.47)	20.34	(15.51 - 26.19)	6.66	(4.74 - 9.28)	9.09	(6.96 - 11.78)
North Central	9.74	(7.39 - 12.74)	25.99	(21.45 - 31.11)	7.34	(5.47 - 9.80)	9.76	(7.84 - 12.10)
Northwestern	11.57	(8.74 - 15.16)	*	(* - *)	7.22	(5.12 - 10.10)	9.36	(7.04 - 12.35)
South Central	12.25	(9.35 - 15.90)	31.25	(25.89 - 37.18)	8.63	(6.39 - 11.56)	11.79	(9.47 - 14.58)
Southwest	10.57	(7.90 - 14.02)	*	(* - *)	6.35	(4.48 - 8.94)	8.49	(6.39 - 11.20)
Delaware	11.89	(10.10 - 13.94)	22.40	(19.69 - 25.37)	6.15	(4.94 - 7.63)	8.52	(7.30 - 9.92)
Kent	10.25	(7.71 - 13.51)	17.09	(12.56 - 22.83)	5.80	(4.11 - 8.12)	7.63	(5.75 - 10.05)
New Castle (excluding Wilmington City)	12.58	(10.15 - 15.49)	24.05	(20.35 - 28.19)	5.81	(4.44 - 7.56)	8.68	(7.23 - 10.39)
Sussex	10.90	(8.25 - 14.26)	*	(* - *)	5.57	(4.01 - 7.69)	7.40	(5.68 - 9.60)
Wilmington City	13.58	(10.16 - 17.91)	*	(* - *)	10.69	(7.62 - 14.80)	12.52	(9.37 - 16.53)
District of Columbia	13.58	(11.71 - 15.69)	26.01	(23.32 - 28.91)	11.29	(9.41 - 13.49)	14.15	(12.44 - 16.05)
Ward 1	12.63	(9.28 - 16.97)	*	(* - *)	12.16	(8.89 - 16.41)	14.60	(11.31 - 18.66)
Ward 2	*	(* - *)	23.81	(19.02 - 29.37)	10.99	(8.07 - 14.79)	14.81	(11.85 - 18.36)
Ward 3	11.37	(8.41 - 15.20)	*	(* - *)	10.19	(7.39 - 13.89)	13.32	(10.41 - 16.89)
Ward 4	12.58	(9.50 - 16.48)	*	(* - *)	10.75	(7.88 - 14.49)	12.59	(9.61 - 16.32)
Ward 5	13.52	(10.49 - 17.27)	*	(* - *)	11.64	(8.64 - 15.49)	14.59	(11.52 - 18.32)
Ward 6	12.97	(9.75 - 17.04)	*	(* - *)	12.16	(8.97 - 16.30)	14.53	(11.25 - 18.56)
Ward 7	13.71	(10.49 - 17.73)	*	(* - *)	10.64	(7.73 - 14.48)	13.15	(10.02 - 17.07)
Ward 8	15.98	(12.74 - 19.86)	*	(* - *)	11.90	(8.85 - 15.84)	15.64	(12.43 - 19.49)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	9.28	(8.42 - 10.22)	21.29	(19.98 - 22.67)	6.30	(5.55 - 7.15)	8.28	(7.57 - 9.05)
Region A - Northwest	9.54	(8.04 - 11.28)	23.46	(20.09 - 27.21)	7.64	(6.26 - 9.30)	10.42	(8.93 - 12.12)
Circuit 1	8.32	(6.45 - 10.66)	20.24	(15.82 - 25.54)	7.43	(5.61 - 9.79)	9.40	(7.45 - 11.78)
Circuit 2	11.08	(8.40 - 14.48)	*	(* - *)	8.06	(5.98 - 10.77)	12.78	(10.22 - 15.87)
Circuit 14	10.66	(7.91 - 14.22)	*	(* - *)	7.62	(5.54 - 10.39)	9.63	(7.26 - 12.68)
Region B - Northeast	9.81	(8.20 - 11.69)	21.45	(18.40 - 24.84)	7.49	(6.21 - 9.00)	9.59	(8.25 - 11.13)
Circuits 3 and 8	8.88	(6.68 - 11.70)	21.77	(17.16 - 27.21)	8.05	(6.01 - 10.70)	10.90	(8.68 - 13.60)
Circuit 4	10.17	(7.86 - 13.06)	21.79	(16.72 - 27.89)	8.48	(6.48 - 11.02)	10.43	(8.26 - 13.08)
Circuit 7	9.84	(7.51 - 12.79)	20.54	(15.84 - 26.20)	5.96	(4.41 - 8.01)	7.69	(5.99 - 9.81)
Region C - Central	9.45	(8.27 - 10.79)	22.40	(20.04 - 24.95)	6.32	(5.35 - 7.44)	8.43	(7.44 - 9.53)
Circuit 5	9.32	(7.03 - 12.25)	21.35	(16.31 - 27.44)	5.33	(3.92 - 7.19)	6.81	(5.26 - 8.77)
Circuit 9	9.53	(7.60 - 11.88)	23.00	(19.05 - 27.49)	7.01	(5.35 - 9.14)	9.84	(8.06 - 11.98)
Circuit 10	8.55	(6.55 - 11.09)	19.79	(15.39 - 25.07)	5.87	(4.41 - 7.78)	7.64	(6.04 - 9.62)
Circuit 18	10.02	(7.87 - 12.69)	24.35	(19.40 - 30.09)	6.85	(5.16 - 9.03)	9.09	(7.21 - 11.39)
Circuit 19	9.64	(7.29 - 12.65)	*	(* - *)	6.35	(4.65 - 8.62)	7.97	(6.10 - 10.35)
Region D - Southeast	8.75	(7.26 - 10.51)	18.44	(15.63 - 21.62)	5.51	(4.43 - 6.85)	7.06	(5.93 - 8.38)
Circuit 15 (Palm Beach)	8.19	(6.27 - 10.63)	18.87	(15.05 - 23.38)	5.38	(4.00 - 7.19)	6.91	(5.45 - 8.73)
Circuit 17 (Broward)	9.13	(7.20 - 11.51)	18.13	(14.55 - 22.37)	5.62	(4.27 - 7.36)	7.17	(5.76 - 8.90)
Region E - Sun Coast	10.02	(8.61 - 11.62)	23.08	(20.55 - 25.83)	7.00	(5.89 - 8.31)	8.84	(7.72 - 10.10)
Circuit 6	10.48	(8.09 - 13.47)	26.37	(21.16 - 32.33)	7.75	(5.86 - 10.17)	9.66	(7.69 - 12.07)
Circuit 12	11.61	(8.87 - 15.06)	*	(* - *)	7.17	(5.32 - 9.58)	9.08	(7.08 - 11.56)
Circuit 13 (Hillsborough)	8.57	(6.63 - 11.01)	19.36	(16.14 - 23.04)	6.26	(4.74 - 8.22)	8.25	(6.71 - 10.10)
Circuit 20	10.38	(7.96 - 13.42)	22.10	(17.04 - 28.15)	6.73	(4.96 - 9.07)	8.30	(6.40 - 10.70)
Region F - Southern (Circuits 11 and 16)	7.72	(6.16 - 9.63)	18.07	(15.26 - 21.28)	4.12	(3.17 - 5.33)	6.06	(5.05 - 7.26)
Georgia	9.14	(7.67 - 10.86)	17.74	(15.37 - 20.39)	4.85	(3.83 - 6.13)	6.81	(5.75 - 8.04)
Region 1	8.56	(6.48 - 11.22)	17.46	(13.45 - 22.35)	4.13	(2.94 - 5.76)	5.89	(4.53 - 7.63)
Region 2	8.35	(6.18 - 11.18)	14.08	(10.10 - 19.29)	4.42	(3.06 - 6.34)	6.08	(4.47 - 8.22)
Region 3	10.66	(8.12 - 13.86)	22.06	(17.81 - 26.99)	5.96	(4.38 - 8.06)	8.30	(6.61 - 10.38)
Region 4	10.36	(7.53 - 14.10)	*	(* - *)	4.83	(3.33 - 6.96)	6.69	(4.86 - 9.14)
Region 5	8.13	(5.78 - 11.32)	*	(* - *)	4.84	(3.27 - 7.11)	6.98	(5.01 - 9.64)
Region 6	8.17	(6.03 - 10.97)	*	(* - *)	4.29	(2.93 - 6.23)	5.90	(4.29 - 8.06)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	11.82	(9.86 - 14.10)	20.91	(18.33 - 23.74)	7.02	(5.61 - 8.75)	8.87	(7.53 - 10.41)
Hawaii Island	12.73	(9.58 - 16.74)	*	(* - *)	8.84	(6.32 - 12.23)	10.75	(8.16 - 14.04)
Honolulu	11.60	(9.36 - 14.30)	19.74	(16.87 - 22.97)	6.20	(4.78 - 8.00)	8.10	(6.72 - 9.73)
Kauai and Maui	11.92	(9.14 - 15.40)	23.88	(18.69 - 29.98)	8.95	(6.54 - 12.15)	10.61	(8.16 - 13.69)
Kauai	12.14	(8.78 - 16.54)	*	(* - *)	8.98	(6.06 - 13.12)	10.54	(7.42 - 14.76)
Maui	11.83	(8.67 - 15.93)	*	(* - *)	8.94	(6.24 - 12.65)	10.65	(7.88 - 14.24)
Idaho	9.86	(8.33 - 11.63)	18.27	(15.90 - 20.91)	6.42	(5.13 - 8.00)	8.22	(6.96 - 9.69)
Region 1	9.80	(7.28 - 13.06)	*	(* - *)	5.90	(4.10 - 8.42)	7.42	(5.46 - 10.00)
Region 2	9.64	(6.96 - 13.21)	*	(* - *)	7.58	(5.13 - 11.07)	10.37	(7.53 - 14.12)
Region 3	9.52	(7.04 - 12.76)	*	(* - *)	6.06	(4.30 - 8.47)	7.83	(5.92 - 10.29)
Region 4	11.87	(9.12 - 15.31)	24.60	(19.76 - 30.18)	7.59	(5.65 - 10.12)	9.95	(7.95 - 12.38)
Region 5	8.66	(6.54 - 11.38)	11.73	(8.28 - 16.36)	4.94	(3.46 - 7.00)	5.90	(4.32 - 8.00)
Region 6	8.99	(6.67 - 12.02)	16.85	(12.38 - 22.53)	7.29	(5.11 - 10.30)	8.83	(6.53 - 11.84)
Region 7	8.12	(5.94 - 10.99)	11.58	(8.22 - 16.07)	4.70	(3.19 - 6.87)	6.13	(4.47 - 8.35)
Illinois	8.80	(7.90 - 9.80)	22.43	(20.98 - 23.96)	6.12	(5.36 - 6.98)	8.49	(7.78 - 9.27)
Region I (Cook)	9.05	(7.66 - 10.66)	25.65	(23.31 - 28.15)	7.96	(6.71 - 9.41)	10.54	(9.36 - 11.86)
Region II	8.72	(7.44 - 10.20)	20.87	(18.49 - 23.46)	4.58	(3.70 - 5.66)	6.83	(5.95 - 7.84)
Region III	8.72	(6.88 - 10.99)	19.64	(16.45 - 23.29)	5.28	(4.10 - 6.77)	7.74	(6.49 - 9.22)
Region IV	7.81	(5.96 - 10.17)	15.63	(12.10 - 19.97)	4.15	(2.97 - 5.77)	5.73	(4.42 - 7.40)
Region V	8.88	(7.02 - 11.17)	22.28	(18.66 - 26.38)	5.76	(4.46 - 7.42)	8.11	(6.72 - 9.77)
Indiana	8.87	(7.51 - 10.45)	20.78	(18.20 - 23.62)	6.35	(5.05 - 7.96)	8.53	(7.23 - 10.03)
Central	9.56	(7.27 - 12.46)	22.43	(17.39 - 28.43)	6.59	(4.79 - 9.01)	8.78	(6.82 - 11.23)
East	8.92	(6.51 - 12.11)	*	(* - *)	6.96	(4.86 - 9.86)	9.48	(7.12 - 12.51)
North Central	9.14	(6.83 - 12.13)	20.52	(15.85 - 26.15)	6.70	(4.77 - 9.34)	8.67	(6.61 - 11.30)
Northeast	8.45	(6.16 - 11.47)	*	(* - *)	5.51	(3.78 - 7.98)	7.19	(5.24 - 9.80)
Northwest	9.34	(6.95 - 12.45)	*	(* - *)	6.87	(4.82 - 9.70)	8.84	(6.62 - 11.72)
Southeast	8.27	(6.10 - 11.11)	18.65	(13.91 - 24.54)	5.82	(4.03 - 8.33)	7.41	(5.47 - 9.96)
Southwest	8.11	(5.86 - 11.12)	*	(* - *)	5.22	(3.44 - 7.86)	6.77	(4.71 - 9.62)
West	7.57	(5.55 - 10.23)	22.53	(17.32 - 28.78)	6.41	(4.47 - 9.11)	10.17	(7.86 - 13.07)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	8.85	(7.43 - 10.50)	18.56	(16.01 - 21.42)	4.55	(3.57 - 5.78)	6.64	(5.59 - 7.87)
Central	9.41	(7.09 - 12.39)	16.53	(12.14 - 22.12)	4.99	(3.53 - 7.01)	6.59	(4.95 - 8.74)
North Central	9.34	(6.79 - 12.72)	*	(* - *)	4.91	(3.36 - 7.13)	8.59	(6.41 - 11.42)
Northeast	8.59	(6.55 - 11.20)	17.86	(14.14 - 22.29)	4.18	(2.98 - 5.82)	6.25	(4.89 - 7.97)
Northwest	8.03	(5.91 - 10.82)	13.40	(9.48 - 18.60)	3.88	(2.60 - 5.76)	5.13	(3.65 - 7.16)
Southeast	8.95	(6.78 - 11.72)	20.88	(16.02 - 26.74)	5.03	(3.56 - 7.05)	7.57	(5.84 - 9.77)
Southwest	9.02	(6.54 - 12.31)	*	(* - *)	4.31	(2.95 - 6.26)	5.83	(4.26 - 7.92)
Kansas	7.70	(6.36 - 9.31)	14.74	(12.62 - 17.15)	3.81	(2.93 - 4.95)	5.49	(4.56 - 6.61)
Kansas City Metro	7.56	(5.77 - 9.84)	17.05	(13.46 - 21.37)	3.91	(2.79 - 5.46)	5.86	(4.57 - 7.48)
Northeast	6.96	(5.03 - 9.56)	12.38	(8.86 - 17.03)	3.52	(2.40 - 5.14)	5.09	(3.73 - 6.91)
South Central	7.41	(5.36 - 10.18)	*	(* - *)	3.69	(2.44 - 5.54)	5.13	(3.62 - 7.21)
Southeast	7.43	(5.28 - 10.36)	*	(* - *)	4.33	(2.91 - 6.40)	6.05	(4.32 - 8.40)
West	8.11	(5.83 - 11.17)	*	(* - *)	3.50	(2.36 - 5.16)	5.15	(3.73 - 7.07)
Wichita (Sedgwick)	8.79	(6.45 - 11.87)	13.90	(10.30 - 18.50)	4.03	(2.74 - 5.89)	5.50	(4.05 - 7.45)
Kentucky	7.58	(6.28 - 9.13)	18.68	(16.34 - 21.26)	4.91	(3.87 - 6.21)	6.84	(5.79 - 8.07)
Adanta, Cumberland River, and Lifeskills	6.44	(4.74 - 8.68)	15.18	(11.25 - 20.16)	3.98	(2.78 - 5.65)	5.58	(4.18 - 7.41)
Bluegrass, Comprehend, and North Key	7.74	(5.79 - 10.28)	19.29	(15.59 - 23.61)	4.90	(3.54 - 6.75)	7.09	(5.61 - 8.94)
Communicare and River Valley	7.69	(5.56 - 10.55)	*	(* - *)	4.91	(3.33 - 7.18)	6.56	(4.75 - 8.98)
Four Rivers and Pennyroyal	7.46	(5.34 - 10.32)	*	(* - *)	4.32	(2.99 - 6.22)	6.05	(4.45 - 8.16)
Kentucky River, Mountain, and Pathways	7.07	(5.03 - 9.85)	*	(* - *)	4.04	(2.72 - 5.95)	5.36	(3.83 - 7.45)
Seven Counties	8.49	(6.40 - 11.18)	24.81	(19.50 - 31.00)	6.33	(4.61 - 8.64)	8.74	(6.84 - 11.09)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	7.89	(6.65 - 9.35)	16.61	(14.57 - 18.88)	4.90	(3.91 - 6.14)	6.74	(5.74 - 7.90)
Regions 1 and 10	8.76	(6.82 - 11.19)	22.08	(17.67 - 27.23)	6.27	(4.67 - 8.37)	8.72	(6.95 - 10.89)
Region 1	8.62	(6.31 - 11.67)	*	(* - *)	6.58	(4.61 - 9.30)	9.57	(7.25 - 12.52)
Region 10 (Jefferson)	8.90	(6.48 - 12.10)	*	(* - *)	5.98	(4.15 - 8.53)	7.88	(5.81 - 10.60)
Regions 2 and 9	7.90	(6.06 - 10.25)	17.47	(14.12 - 21.43)	4.60	(3.32 - 6.33)	6.69	(5.29 - 8.42)
Region 3	7.46	(5.41 - 10.20)	*	(* - *)	5.42	(3.80 - 7.68)	6.99	(5.13 - 9.45)
Regions 4, 5, and 6	7.24	(5.48 - 9.49)	13.86	(10.53 - 18.04)	4.56	(3.33 - 6.22)	5.99	(4.64 - 7.69)
Regions 7 and 8	8.26	(6.24 - 10.86)	13.94	(10.52 - 18.23)	4.20	(3.00 - 5.87)	5.75	(4.39 - 7.50)
Maine	10.69	(9.14 - 12.48)	26.12	(23.43 - 29.01)	7.62	(6.19 - 9.36)	9.92	(8.50 - 11.53)
Aroostook/Downeast	10.14	(7.87 - 12.98)	20.80	(16.46 - 25.94)	6.50	(4.81 - 8.73)	8.11	(6.32 - 10.34)
Aroostook	9.48	(6.82 - 13.03)	*	(* - *)	6.29	(4.29 - 9.14)	7.70	(5.55 - 10.59)
Downeast	10.75	(7.80 - 14.64)	*	(* - *)	6.66	(4.64 - 9.49)	8.44	(6.22 - 11.35)
Central	10.18	(7.57 - 13.57)	*	(* - *)	7.40	(5.32 - 10.21)	9.64	(7.38 - 12.50)
Cumberland	11.23	(8.57 - 14.57)	27.95	(22.35 - 34.34)	8.29	(6.16 - 11.07)	10.80	(8.54 - 13.57)
Midcoast	10.83	(7.97 - 14.56)	*	(* - *)	7.36	(5.18 - 10.37)	9.22	(6.85 - 12.30)
Penquis	10.84	(8.36 - 13.95)	*	(* - *)	7.70	(5.57 - 10.55)	10.62	(8.25 - 13.57)
Western	10.97	(8.32 - 14.32)	27.82	(22.26 - 34.16)	8.68	(6.40 - 11.67)	11.15	(8.77 - 14.06)
York	10.32	(7.81 - 13.54)	25.77	(20.55 - 31.78)	6.91	(4.89 - 9.67)	9.05	(6.92 - 11.76)
Maryland	9.51	(8.03 - 11.24)	19.75	(17.40 - 22.35)	5.29	(4.23 - 6.60)	7.35	(6.26 - 8.62)
Anne Arundel	9.62	(6.97 - 13.15)	*	(* - *)	4.97	(3.37 - 7.28)	6.84	(4.93 - 9.42)
Baltimore City	9.80	(7.24 - 13.15)	23.18	(18.20 - 29.03)	7.82	(5.60 - 10.83)	10.57	(8.18 - 13.55)
Baltimore County	10.18	(7.50 - 13.67)	18.25	(13.61 - 24.03)	5.44	(3.85 - 7.63)	7.28	(5.50 - 9.56)
Montgomery	9.54	(7.14 - 12.65)	*	(* - *)	4.88	(3.40 - 6.95)	6.76	(5.05 - 8.98)
North Central	8.77	(6.35 - 12.00)	*	(* - *)	4.72	(3.24 - 6.84)	6.75	(5.00 - 9.05)
Northeast	9.33	(6.77 - 12.72)	*	(* - *)	4.46	(3.01 - 6.56)	6.02	(4.30 - 8.38)
Prince George's	9.48	(6.89 - 12.91)	*	(* - *)	4.95	(3.46 - 7.05)	7.23	(5.43 - 9.56)
South	10.15	(7.48 - 13.62)	*	(* - *)	5.94	(4.14 - 8.47)	8.49	(6.35 - 11.28)
West	8.33	(6.01 - 11.43)	*	(* - *)	4.36	(2.94 - 6.41)	5.92	(4.25 - 8.18)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	12.78	(11.06 - 14.72)	29.06	(26.10 - 32.21)	8.02	(6.57 - 9.75)	11.17	(9.76 - 12.77)
Boston	10.54	(7.73 - 14.21)	26.81	(21.46 - 32.92)	9.33	(6.70 - 12.87)	13.50	(10.71 - 16.88)
Central	13.49	(10.26 - 17.53)	*	(* - *)	8.41	(6.04 - 11.59)	11.60	(8.96 - 14.90)
Metrowest	13.81	(10.91 - 17.33)	*	(* - *)	7.86	(5.85 - 10.47)	10.98	(8.77 - 13.67)
Northeast	11.86	(9.29 - 15.04)	26.63	(21.50 - 32.48)	7.52	(5.57 - 10.10)	10.02	(7.93 - 12.58)
Southeast	13.61	(10.71 - 17.15)	31.46	(25.59 - 38.00)	8.09	(5.99 - 10.84)	11.04	(8.77 - 13.80)
Western	11.73	(9.01 - 15.14)	*	(* - *)	7.40	(5.31 - 10.21)	10.76	(8.36 - 13.76)
Michigan	11.27	(10.31 - 12.31)	23.14	(21.79 - 24.56)	8.61	(7.71 - 9.60)	10.74	(9.93 - 11.61)
Detroit City	12.15	(9.59 - 15.29)	29.56	(25.15 - 34.40)	15.03	(11.87 - 18.84)	17.64	(14.67 - 21.06)
Genesee	12.38	(9.73 - 15.61)	24.05	(19.16 - 29.74)	9.41	(7.27 - 12.08)	11.43	(9.20 - 14.11)
Kalamazoo	10.25	(8.16 - 12.80)	20.62	(16.57 - 25.36)	8.47	(6.58 - 10.83)	10.39	(8.47 - 12.68)
Kent	11.39	(8.90 - 14.47)	21.77	(17.82 - 26.33)	7.93	(6.08 - 10.27)	10.11	(8.21 - 12.39)
Lakeshore	11.51	(9.24 - 14.24)	19.43	(15.71 - 23.78)	7.30	(5.67 - 9.35)	9.14	(7.46 - 11.14)
Macomb	11.78	(9.38 - 14.69)	20.89	(17.01 - 25.37)	7.32	(5.66 - 9.42)	9.02	(7.32 - 11.08)
Mid South	8.96	(7.07 - 11.30)	21.96	(18.27 - 26.15)	8.32	(6.50 - 10.60)	10.75	(8.92 - 12.90)
Northern	11.83	(9.30 - 14.93)	25.74	(21.63 - 30.33)	8.51	(6.62 - 10.87)	10.93	(9.03 - 13.17)
Oakland	11.45	(9.39 - 13.88)	22.70	(19.21 - 26.60)	7.64	(6.03 - 9.64)	9.41	(7.81 - 11.30)
Pathways and Western	11.06	(8.40 - 14.42)	*	(* - *)	10.29	(7.73 - 13.59)	13.23	(10.53 - 16.49)
Riverhaven	9.74	(7.41 - 12.70)	21.95	(17.15 - 27.64)	8.46	(6.36 - 11.18)	10.12	(7.95 - 12.80)
Saginaw	11.84	(9.01 - 15.41)	*	(* - *)	8.89	(6.55 - 11.95)	11.19	(8.63 - 14.40)
Southeast	12.21	(9.97 - 14.87)	23.51	(20.18 - 27.19)	8.84	(7.03 - 11.05)	10.79	(9.04 - 12.82)
St. Clair	11.51	(8.78 - 14.96)	*	(* - *)	7.45	(5.53 - 9.96)	9.18	(7.11 - 11.78)
Washtenaw	10.14	(7.80 - 13.08)	21.40	(17.66 - 25.67)	6.99	(5.26 - 9.23)	9.71	(7.92 - 11.86)
Minnesota	9.23	(7.74 - 10.97)	20.00	(17.41 - 22.86)	5.80	(4.64 - 7.22)	7.81	(6.65 - 9.15)
Regions 1 and 2	9.34	(6.69 - 12.88)	*	(* - *)	6.25	(4.27 - 9.06)	8.08	(5.84 - 11.08)
Regions 3 and 4	9.60	(7.22 - 12.67)	18.19	(13.80 - 23.60)	5.02	(3.57 - 7.02)	6.94	(5.28 - 9.07)
Regions 5 and 6	9.12	(6.81 - 12.11)	22.29	(17.17 - 28.40)	5.40	(3.87 - 7.48)	7.89	(6.10 - 10.15)
Region 7A (Hennepin)	9.34	(6.91 - 12.52)	20.62	(16.22 - 25.85)	6.28	(4.55 - 8.60)	8.27	(6.44 - 10.56)
Region 7B (Ramsey)	8.98	(6.51 - 12.28)	*	(* - *)	7.54	(5.16 - 10.89)	9.54	(6.89 - 13.05)
Region 7C	9.02	(6.83 - 11.82)	19.42	(14.85 - 24.98)	5.30	(3.83 - 7.30)	7.04	(5.41 - 9.10)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	8.92	(7.56 - 10.50)	17.44	(15.21 - 19.91)	5.84	(4.68 - 7.26)	7.63	(6.50 - 8.95)
Region 1	9.29	(7.03 - 12.18)	18.13	(13.85 - 23.38)	5.27	(3.84 - 7.20)	7.23	(5.62 - 9.25)
Region 2	8.79	(6.52 - 11.76)	16.78	(12.28 - 22.51)	6.48	(4.55 - 9.16)	8.09	(6.00 - 10.82)
Region 3	7.99	(5.95 - 10.65)	16.33	(12.23 - 21.47)	5.62	(3.95 - 7.94)	7.48	(5.64 - 9.84)
Region 4	9.25	(7.04 - 12.08)	18.45	(14.30 - 23.47)	5.75	(4.14 - 7.93)	7.68	(5.95 - 9.86)
Region 5	7.84	(5.53 - 10.99)	*	(* - *)	5.59	(3.75 - 8.27)	7.09	(4.97 - 10.02)
Region 6	8.24	(6.11 - 11.03)	14.45	(10.43 - 19.68)	5.19	(3.64 - 7.36)	6.73	(4.99 - 9.03)
Region 7	9.78	(7.39 - 12.83)	19.55	(14.96 - 25.13)	6.93	(5.00 - 9.53)	8.74	(6.69 - 11.32)
Missouri	9.57	(8.06 - 11.34)	19.38	(16.93 - 22.09)	5.00	(3.97 - 6.28)	7.10	(6.04 - 8.32)
Central	7.46	(5.51 - 10.02)	16.87	(12.59 - 22.23)	4.03	(2.78 - 5.81)	6.33	(4.77 - 8.37)
Eastern	11.17	(8.96 - 13.84)	23.17	(19.22 - 27.65)	5.68	(4.32 - 7.45)	8.12	(6.64 - 9.89)
Eastern (St. Louis City and County)	11.04	(8.41 - 14.36)	23.66	(18.81 - 29.31)	6.17	(4.51 - 8.39)	8.71	(6.88 - 10.97)
Eastern (excluding St. Louis)	11.37	(8.40 - 15.20)	*	(* - *)	4.85	(3.37 - 6.92)	7.09	(5.32 - 9.39)
Northwest	9.80	(7.70 - 12.39)	18.95	(15.28 - 23.27)	5.23	(3.93 - 6.94)	7.17	(5.74 - 8.93)
Northwest (Jackson)	10.57	(7.88 - 14.05)	19.79	(15.02 - 25.62)	5.81	(4.08 - 8.21)	7.77	(5.85 - 10.24)
Northwest (excluding Jackson)	9.18	(6.75 - 12.36)	*	(* - *)	4.74	(3.33 - 6.70)	6.66	(4.99 - 8.84)
Southeast	7.40	(5.38 - 10.09)	14.63	(10.46 - 20.11)	3.96	(2.70 - 5.77)	5.43	(3.95 - 7.42)
Southwest	8.90	(6.55 - 11.97)	*	(* - *)	4.72	(3.30 - 6.71)	6.65	(5.00 - 8.80)
Montana	11.93	(10.19 - 13.92)	28.49	(25.62 - 31.54)	9.26	(7.64 - 11.18)	11.95	(10.42 - 13.68)
Region 1	10.88	(8.06 - 14.53)	*	(* - *)	7.64	(5.40 - 10.70)	9.45	(7.04 - 12.56)
Region 2	9.53	(7.10 - 12.67)	*	(* - *)	8.67	(6.18 - 12.05)	11.07	(8.42 - 14.43)
Region 3	12.40	(9.68 - 15.75)	24.89	(19.94 - 30.59)	9.31	(6.95 - 12.35)	11.24	(8.88 - 14.14)
Region 4	13.33	(10.44 - 16.87)	32.39	(27.00 - 38.28)	10.08	(7.75 - 13.02)	13.54	(11.16 - 16.33)
Region 5	11.97	(9.42 - 15.09)	29.48	(25.04 - 34.36)	9.20	(7.09 - 11.87)	12.09	(9.99 - 14.56)
Nebraska	8.40	(6.91 - 10.16)	16.55	(14.31 - 19.06)	4.33	(3.40 - 5.51)	6.17	(5.20 - 7.31)
Regions 1 and 2	7.94	(5.97 - 10.47)	13.63	(9.82 - 18.62)	3.67	(2.53 - 5.29)	4.92	(3.58 - 6.72)
Region 1	7.80	(5.42 - 11.10)	*	(* - *)	4.08	(2.61 - 6.34)	5.50	(3.70 - 8.12)
Region 2	8.05	(5.66 - 11.31)	*	(* - *)	3.30	(2.11 - 5.13)	4.40	(2.98 - 6.44)
Region 3	7.49	(5.44 - 10.23)	14.67	(10.58 - 19.98)	3.64	(2.49 - 5.30)	5.22	(3.84 - 7.06)
Region 4	6.64	(4.67 - 9.36)	9.18	(5.96 - 13.89)	2.77	(1.75 - 4.34)	3.62	(2.42 - 5.37)
Region 5	7.55	(5.57 - 10.16)	14.51	(11.21 - 18.57)	3.92	(2.73 - 5.61)	5.77	(4.40 - 7.54)
Region 6	9.65	(7.44 - 12.44)	20.92	(17.23 - 25.16)	5.39	(4.06 - 7.12)	7.70	(6.29 - 9.40)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	11.66	(9.52 - 14.21)	22.76	(19.57 - 26.32)	8.84	(7.10 - 10.96)	10.78	(9.09 - 12.73)
Clark – Region 1	11.20	(8.82 - 14.14)	22.36	(18.54 - 26.71)	8.90	(6.98 - 11.29)	10.77	(8.90 - 12.97)
Region 3	10.99	(8.41 - 14.24)	*	(* - *)	7.39	(5.32 - 10.19)	9.07	(6.82 - 11.98)
Capital District	11.65	(8.40 - 15.94)	*	(* - *)	7.29	(4.97 - 10.56)	8.95	(6.40 - 12.37)
Rural/Frontier	10.46	(7.45 - 14.49)	*	(* - *)	7.49	(4.99 - 11.10)	9.19	(6.40 - 13.03)
Washoe – Region 2	14.41	(10.82 - 18.95)	25.31	(20.49 - 30.83)	9.73	(7.11 - 13.17)	12.14	(9.54 - 15.32)
New Hampshire	13.23	(11.43 - 15.25)	30.32	(27.45 - 33.35)	7.70	(6.29 - 9.39)	10.74	(9.36 - 12.29)
Central	13.48	(10.99 - 16.43)	30.30	(26.07 - 34.89)	7.86	(6.07 - 10.12)	11.11	(9.27 - 13.26)
Central 1	14.27	(10.96 - 18.36)	33.89	(28.28 - 39.98)	9.50	(6.96 - 12.84)	13.56	(10.93 - 16.70)
Central 2	12.79	(9.69 - 16.69)	*	(* - *)	6.32	(4.47 - 8.88)	8.72	(6.67 - 11.33)
Northern	13.95	(10.60 - 18.15)	*	(* - *)	8.63	(6.24 - 11.82)	12.00	(9.41 - 15.17)
Southern	12.99	(10.92 - 15.39)	29.62	(25.91 - 33.61)	7.41	(5.88 - 9.30)	10.27	(8.71 - 12.07)
Southern 1 (Rockingham)	12.22	(9.48 - 15.62)	34.17	(28.30 - 40.57)	6.73	(4.90 - 9.18)	9.83	(7.82 - 12.28)
Southern 2	13.49	(10.93 - 16.54)	27.31	(22.78 - 32.37)	7.85	(5.97 - 10.25)	10.54	(8.60 - 12.85)
New Jersey	9.36	(7.84 - 11.15)	22.28	(19.49 - 25.35)	5.79	(4.57 - 7.31)	7.95	(6.70 - 9.39)
Central	9.54	(7.14 - 12.64)	23.20	(18.05 - 29.31)	5.18	(3.73 - 7.16)	7.38	(5.70 - 9.50)
Metropolitan	9.51	(7.28 - 12.33)	20.37	(15.94 - 25.64)	5.53	(3.98 - 7.65)	7.62	(5.91 - 9.79)
Northern	8.89	(6.81 - 11.52)	22.35	(17.92 - 27.50)	6.01	(4.36 - 8.22)	8.08	(6.35 - 10.23)
Southern	9.70	(7.30 - 12.78)	23.57	(18.58 - 29.42)	6.42	(4.62 - 8.85)	8.73	(6.75 - 11.20)
New Mexico	13.05	(11.15 - 15.22)	24.61	(21.79 - 27.67)	7.87	(6.31 - 9.78)	10.35	(8.86 - 12.06)
Region 1	13.00	(10.12 - 16.54)	23.70	(18.80 - 29.42)	8.25	(6.07 - 11.12)	10.52	(8.30 - 13.24)
Region 2	13.58	(10.30 - 17.70)	*	(* - *)	7.33	(5.08 - 10.48)	9.17	(6.79 - 12.27)
Region 3 (Bernalillo)	15.38	(12.01 - 19.48)	32.22	(27.12 - 37.78)	9.92	(7.45 - 13.08)	13.25	(10.79 - 16.18)
Region 4	11.77	(8.71 - 15.71)	*	(* - *)	5.66	(3.95 - 8.04)	7.58	(5.65 - 10.10)
Region 5	10.12	(7.61 - 13.33)	18.87	(14.37 - 24.39)	5.86	(4.11 - 8.27)	7.99	(6.09 - 10.42)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	9.88	(8.96 - 10.88)	23.06	(21.64 - 24.54)	7.23	(6.36 - 8.21)	9.61	(8.79 - 10.49)
Region A	9.58	(8.27 - 11.08)	20.52	(18.52 - 22.69)	7.52	(6.40 - 8.82)	9.52	(8.44 - 10.72)
Region 1	10.36	(8.13 - 13.12)	18.37	(14.47 - 23.05)	6.71	(5.02 - 8.92)	8.80	(7.00 - 11.00)
Region 2	9.29	(7.40 - 11.60)	19.40	(16.48 - 22.71)	7.85	(6.22 - 9.85)	9.64	(8.06 - 11.50)
Region 3	9.70	(7.37 - 12.67)	23.52	(19.07 - 28.63)	9.03	(6.90 - 11.73)	11.21	(9.01 - 13.87)
Region 4	9.34	(7.22 - 12.00)	21.25	(17.30 - 25.82)	6.42	(4.88 - 8.39)	8.48	(6.86 - 10.43)
Region B	10.45	(9.05 - 12.05)	24.99	(22.33 - 27.84)	6.39	(5.33 - 7.66)	8.91	(7.82 - 10.13)
Region 5	10.66	(8.73 - 12.96)	26.56	(22.96 - 30.51)	6.40	(5.07 - 8.05)	9.06	(7.69 - 10.65)
Region 6	9.43	(7.39 - 11.97)	20.36	(15.83 - 25.79)	6.14	(4.55 - 8.24)	7.98	(6.24 - 10.15)
Region 7	11.42	(8.84 - 14.65)	26.58	(21.35 - 32.55)	6.78	(5.08 - 9.01)	9.84	(7.91 - 12.18)
Region C	9.80	(8.49 - 11.28)	24.91	(22.54 - 27.44)	7.45	(6.32 - 8.76)	10.21	(9.09 - 11.46)
Region 8	10.71	(8.37 - 13.61)	24.88	(19.90 - 30.62)	6.78	(5.12 - 8.91)	9.48	(7.64 - 11.70)
Region 9	10.63	(8.29 - 13.52)	24.04	(19.64 - 29.08)	8.11	(6.19 - 10.55)	10.67	(8.68 - 13.04)
Region 10	9.47	(7.04 - 12.62)	22.68	(17.61 - 28.71)	8.01	(5.84 - 10.91)	10.91	(8.53 - 13.85)
Region 11	9.94	(7.71 - 12.73)	25.73	(20.97 - 31.13)	7.39	(5.61 - 9.67)	10.29	(8.37 - 12.59)
Region 12	8.27	(6.28 - 10.81)	26.09	(21.08 - 31.82)	7.35	(5.59 - 9.61)	10.14	(8.20 - 12.49)
Region D	9.40	(7.82 - 11.26)	25.38	(21.82 - 29.30)	7.76	(6.32 - 9.50)	10.47	(8.94 - 12.24)
Region 13	10.74	(8.15 - 14.03)	*	(* - *)	7.89	(5.71 - 10.81)	10.69	(8.30 - 13.67)
Region 14	8.96	(6.71 - 11.86)	*	(* - *)	8.20	(6.09 - 10.95)	11.13	(8.71 - 14.13)
Region 15	8.67	(6.45 - 11.55)	*	(* - *)	7.22	(5.36 - 9.66)	9.63	(7.52 - 12.25)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	9.82	(8.32 - 11.55)	22.26	(19.56 - 25.22)	5.61	(4.44 - 7.08)	7.97	(6.75 - 9.39)
Alliance	9.71	(7.31 - 12.80)	*	(* - *)	5.23	(3.74 - 7.27)	7.74	(5.99 - 9.95)
Cardinal Innovations	9.98	(7.50 - 13.16)	*	(* - *)	5.53	(3.85 - 7.88)	8.06	(6.15 - 10.50)
CenterPoint/Guilford	9.85	(7.65 - 12.59)	20.73	(16.13 - 26.23)	5.69	(4.11 - 7.82)	7.87	(6.06 - 10.17)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	7.73	(5.52 - 10.74)
Guilford	*	(* - *)	*	(* - *)	5.82	(3.94 - 8.52)	8.02	(5.79 - 11.02)
CoastalCare	10.41	(7.40 - 14.45)	*	(* - *)	5.56	(3.71 - 8.27)	8.83	(6.30 - 12.24)
Eastpointe	9.26	(6.82 - 12.46)	*	(* - *)	5.97	(4.13 - 8.56)	7.85	(5.78 - 10.58)
ECBH	9.85	(7.13 - 13.47)	*	(* - *)	*	(* - *)	7.87	(5.68 - 10.80)
MeckLINK	9.49	(6.92 - 12.87)	*	(* - *)	5.98	(4.09 - 8.68)	8.37	(6.12 - 11.35)
Partners	10.11	(7.54 - 13.41)	*	(* - *)	5.90	(4.11 - 8.38)	7.87	(5.86 - 10.50)
Sandhills	9.24	(6.73 - 12.54)	*	(* - *)	5.40	(3.59 - 8.05)	7.19	(5.05 - 10.15)
Smoky Mountain	*	(* - *)	*	(* - *)	*	(* - *)	7.34	(5.25 - 10.17)
Western Highlands	*	(* - *)	*	(* - *)	6.44	(4.39 - 9.33)	8.83	(6.45 - 11.98)
North Dakota	7.07	(5.80 - 8.58)	14.69	(12.49 - 17.20)	3.58	(2.70 - 4.72)	5.52	(4.59 - 6.63)
Badlands and West Central	7.05	(5.23 - 9.44)	12.08	(8.75 - 16.44)	3.31	(2.25 - 4.85)	4.50	(3.30 - 6.12)
Lake Region and South Central	7.63	(5.57 - 10.36)	16.13	(11.78 - 21.70)	4.01	(2.67 - 5.97)	5.53	(4.01 - 7.58)
North Central and Northwest	6.71	(4.89 - 9.13)	12.46	(8.82 - 17.31)	3.33	(2.23 - 4.96)	4.83	(3.50 - 6.63)
Northeast	6.76	(4.87 - 9.32)	16.15	(12.40 - 20.77)	3.91	(2.65 - 5.73)	6.89	(5.31 - 8.91)
Southeast	7.14	(5.35 - 9.48)	16.23	(12.62 - 20.64)	3.64	(2.54 - 5.20)	6.31	(4.92 - 8.07)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	9.97	(9.09 - 10.93)	21.74	(20.39 - 23.16)	6.93	(6.14 - 7.82)	9.03	(8.30 - 9.82)
Boards 2, 46, 55, and 68	9.17	(7.07 - 11.83)	19.09	(14.78 - 24.30)	6.49	(4.88 - 8.57)	8.19	(6.47 - 10.33)
Boards 3, 52, and 85	10.08	(7.71 - 13.07)	19.19	(14.51 - 24.92)	5.84	(4.24 - 7.98)	7.63	(5.87 - 9.87)
Boards 4 and 78	9.10	(6.82 - 12.03)	*	(* - *)	7.10	(5.13 - 9.77)	8.66	(6.51 - 11.43)
Boards 5 and 60	9.29	(7.02 - 12.20)	25.03	(19.82 - 31.08)	8.13	(5.95 - 11.02)	11.21	(8.80 - 14.16)
Boards 7, 15, 41, 79, and 84	8.56	(6.41 - 11.35)	13.88	(10.70 - 17.81)	5.28	(3.84 - 7.21)	6.31	(4.86 - 8.17)
Boards 8, 13, and 83	8.93	(6.87 - 11.53)	19.63	(15.18 - 25.00)	5.42	(4.05 - 7.22)	7.13	(5.59 - 9.06)
Board 9 (Butler)	10.02	(7.65 - 13.03)	22.78	(17.76 - 28.73)	7.26	(5.41 - 9.68)	9.78	(7.72 - 12.32)
Board 12	10.20	(7.68 - 13.43)	*	(* - *)	5.48	(3.97 - 7.54)	7.58	(5.77 - 9.90)
Boards 18 and 47	10.57	(8.68 - 12.81)	23.98	(20.74 - 27.56)	7.59	(6.09 - 9.42)	9.75	(8.27 - 11.47)
Boards 20, 32, 54, and 69	8.72	(6.59 - 11.45)	14.55	(10.70 - 19.49)	4.71	(3.37 - 6.54)	6.00	(4.51 - 7.94)
Boards 21, 39, 51, 70, and 80	9.43	(7.31 - 12.09)	21.11	(16.22 - 27.00)	6.04	(4.47 - 8.10)	7.85	(6.11 - 10.03)
Boards 22, 74, and 87	9.15	(6.81 - 12.18)	20.70	(16.17 - 26.10)	5.44	(3.99 - 7.38)	7.81	(6.13 - 9.90)
Boards 23 and 45	9.72	(7.49 - 12.51)	*	(* - *)	5.91	(4.33 - 8.01)	7.98	(6.15 - 10.29)
Board 25 (Franklin)	9.88	(7.83 - 12.39)	26.07	(22.11 - 30.46)	9.16	(7.22 - 11.55)	12.05	(10.10 - 14.32)
Boards 27, 71, and 73	8.34	(6.36 - 10.86)	16.37	(12.51 - 21.14)	5.88	(4.38 - 7.85)	7.21	(5.61 - 9.23)
Boards 28, 43, and 67	10.40	(8.11 - 13.25)	20.68	(16.25 - 25.95)	5.72	(4.30 - 7.57)	7.90	(6.29 - 9.88)
Board 31 (Hamilton)	11.31	(8.98 - 14.14)	22.69	(18.62 - 27.36)	7.54	(5.73 - 9.86)	9.84	(7.97 - 12.10)
Board 48 (Lucas)	10.53	(8.03 - 13.70)	23.63	(18.67 - 29.43)	8.18	(6.14 - 10.83)	10.63	(8.44 - 13.32)
Boards 50 and 76	10.82	(8.49 - 13.68)	22.00	(17.74 - 26.94)	6.54	(4.94 - 8.60)	8.52	(6.83 - 10.58)
Board 57 (Montgomery)	11.00	(8.44 - 14.22)	20.47	(15.93 - 25.90)	7.35	(5.49 - 9.78)	9.19	(7.22 - 11.63)
Board 77 (Summit)	11.20	(8.69 - 14.32)	25.10	(20.40 - 30.46)	8.60	(6.62 - 11.10)	10.82	(8.79 - 13.26)
Oklahoma	9.25	(7.78 - 10.96)	18.76	(16.31 - 21.49)	6.34	(5.11 - 7.83)	8.23	(7.00 - 9.66)
Central	8.91	(6.56 - 12.00)	*	(* - *)	5.23	(3.63 - 7.49)	7.57	(5.63 - 10.11)
East Central	8.73	(6.38 - 11.83)	*	(* - *)	6.15	(4.20 - 8.91)	7.69	(5.53 - 10.59)
Northeast	7.23	(5.30 - 9.79)	15.13	(11.12 - 20.27)	5.26	(3.64 - 7.52)	6.88	(5.12 - 9.17)
Northwest and Southwest	11.07	(8.18 - 14.81)	*	(* - *)	7.23	(5.10 - 10.16)	9.61	(7.21 - 12.71)
Oklahoma County	10.91	(8.20 - 14.37)	20.97	(16.15 - 26.77)	7.36	(5.39 - 9.98)	9.46	(7.33 - 12.13)
Southeast	7.86	(5.73 - 10.69)	*	(* - *)	6.05	(4.25 - 8.55)	7.74	(5.77 - 10.32)
Tulsa County	9.22	(6.79 - 12.40)	16.85	(12.52 - 22.29)	6.40	(4.61 - 8.82)	7.94	(6.02 - 10.40)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	11.89	(10.20 - 13.82)	27.16	(24.42 - 30.10)	11.24	(9.47 - 13.30)	13.44	(11.77 - 15.30)
Region 1 (Multnomah)	14.76	(11.25 - 19.13)	34.84	(29.06 - 41.09)	17.43	(13.61 - 22.05)	19.77	(16.14 - 23.99)
Region 2	11.11	(8.59 - 14.27)	26.98	(21.68 - 33.04)	10.04	(7.55 - 13.23)	12.18	(9.67 - 15.23)
Region 3	11.36	(8.98 - 14.26)	25.91	(21.95 - 30.30)	10.01	(7.80 - 12.75)	12.60	(10.46 - 15.10)
Region 4	12.11	(9.19 - 15.80)	*	(* - *)	9.41	(6.92 - 12.68)	11.19	(8.63 - 14.40)
Region 5 (Central)	12.05	(8.78 - 16.32)	*	(* - *)	8.44	(5.87 - 12.00)	10.13	(7.36 - 13.80)
Region 6 (Eastern)	10.25	(7.33 - 14.16)	*	(* - *)	*	(* - *)	10.15	(7.08 - 14.34)
Pennsylvania	9.05	(8.14 - 10.05)	20.57	(19.06 - 22.17)	5.79	(5.04 - 6.64)	7.91	(7.20 - 8.69)
Region 1 (Allegheny)	11.85	(9.40 - 14.84)	27.14	(22.79 - 31.98)	7.74	(6.00 - 9.92)	10.42	(8.63 - 12.53)
Regions 3, 8, 9, and 51	8.88	(6.81 - 11.49)	18.66	(14.39 - 23.85)	4.61	(3.38 - 6.27)	6.63	(5.19 - 8.45)
Regions 4, 11, 37, and 49	9.10	(7.05 - 11.66)	18.00	(13.98 - 22.87)	4.69	(3.44 - 6.36)	6.48	(5.07 - 8.26)
Regions 5, 18, 23, 24, and 46	9.21	(6.96 - 12.10)	19.12	(14.53 - 24.74)	4.97	(3.63 - 6.77)	6.85	(5.28 - 8.83)
Regions 6, 12, 16, 31, 35, 45, and 47	7.06	(5.26 - 9.42)	16.63	(12.91 - 21.17)	3.98	(2.86 - 5.51)	6.49	(5.10 - 8.23)
Regions 7, 13, 20, and 33	8.86	(7.20 - 10.85)	21.91	(18.80 - 25.38)	5.58	(4.41 - 7.03)	7.69	(6.49 - 9.08)
Regions 10, 15, 27, 32, 43, and 44	9.05	(6.91 - 11.78)	16.90	(12.67 - 22.20)	4.64	(3.40 - 6.30)	6.13	(4.72 - 7.93)
Regions 17 and 21	10.04	(7.64 - 13.07)	*	(* - *)	6.05	(4.40 - 8.26)	8.22	(6.29 - 10.68)
Regions 19, 26, 28, and 42	7.75	(6.09 - 9.81)	15.19	(12.09 - 18.90)	4.25	(3.23 - 5.58)	5.72	(4.61 - 7.08)
Regions 22, 38, 40, 41, and 48	8.65	(6.64 - 11.20)	18.17	(14.25 - 22.88)	4.31	(3.22 - 5.73)	5.92	(4.70 - 7.43)
Regions 29 and 34	9.12	(6.95 - 11.87)	21.65	(16.62 - 27.70)	5.52	(4.04 - 7.50)	7.72	(5.99 - 9.89)
Regions 30 and 50	7.65	(5.69 - 10.23)	15.37	(11.30 - 20.55)	4.74	(3.40 - 6.56)	6.16	(4.66 - 8.09)
Region 36 (Philadelphia)	9.98	(7.84 - 12.63)	25.91	(22.11 - 30.11)	10.46	(8.25 - 13.17)	13.42	(11.30 - 15.87)
Rhode Island	14.34	(12.19 - 16.78)	33.36	(30.39 - 36.47)	11.90	(9.92 - 14.21)	15.37	(13.53 - 17.41)
Bristol and Newport	13.42	(9.97 - 17.82)	*	(* - *)	10.40	(7.55 - 14.16)	13.82	(10.72 - 17.64)
Kent	16.44	(12.64 - 21.10)	*	(* - *)	10.96	(8.14 - 14.60)	13.61	(10.71 - 17.13)
Providence	13.62	(11.01 - 16.73)	32.14	(28.44 - 36.09)	12.76	(10.29 - 15.72)	16.11	(13.82 - 18.69)
Washington	15.97	(12.31 - 20.48)	*	(* - *)	10.62	(7.77 - 14.36)	15.76	(12.68 - 19.42)
South Carolina	9.32	(7.86 - 11.02)	20.57	(18.18 - 23.19)	6.13	(4.92 - 7.60)	8.24	(7.04 - 9.61)
Region 1	9.76	(7.40 - 12.77)	18.00	(14.16 - 22.60)	5.54	(3.99 - 7.65)	7.34	(5.68 - 9.43)
Region 2	8.66	(6.66 - 11.19)	20.82	(16.94 - 25.31)	6.19	(4.63 - 8.22)	8.42	(6.78 - 10.41)
Region 3	9.00	(6.75 - 11.91)	21.26	(16.25 - 27.31)	6.37	(4.54 - 8.88)	8.37	(6.36 - 10.95)
Region 4	9.86	(7.57 - 12.74)	22.32	(17.87 - 27.50)	6.47	(4.78 - 8.70)	8.81	(6.99 - 11.06)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	7.63	(6.32 - 9.19)	14.32	(12.09 - 16.88)	4.64	(3.62 - 5.94)	6.08	(5.04 - 7.32)
Region 1	8.68	(6.52 - 11.48)	17.14	(13.01 - 22.26)	5.84	(4.14 - 8.20)	7.46	(5.64 - 9.81)
Region 2	7.56	(5.38 - 10.51)	*	(* - *)	5.12	(3.33 - 7.78)	6.13	(4.23 - 8.81)
Region 3	6.78	(4.98 - 9.17)	12.60	(9.32 - 16.82)	3.88	(2.67 - 5.60)	5.37	(4.01 - 7.17)
Region 4	7.05	(5.15 - 9.59)	*	(* - *)	3.79	(2.56 - 5.58)	5.24	(3.73 - 7.29)
Region 5	7.74	(5.79 - 10.28)	14.45	(10.99 - 18.76)	4.48	(3.23 - 6.18)	5.88	(4.51 - 7.63)
Tennessee	8.40	(7.05 - 9.99)	17.67	(15.26 - 20.37)	5.13	(4.03 - 6.50)	6.89	(5.78 - 8.20)
Region 1	8.15	(5.81 - 11.31)	*	(* - *)	4.26	(2.87 - 6.28)	5.66	(4.05 - 7.86)
Region 2	8.39	(6.24 - 11.20)	*	(* - *)	4.61	(3.18 - 6.64)	6.18	(4.53 - 8.37)
Region 3	8.21	(6.02 - 11.12)	18.38	(13.86 - 23.97)	4.77	(3.35 - 6.74)	6.62	(4.99 - 8.73)
Region 4 (Davidson)	8.27	(6.01 - 11.28)	*	(* - *)	6.18	(4.27 - 8.88)	8.57	(6.38 - 11.44)
Region 5	8.42	(6.37 - 11.06)	15.78	(12.00 - 20.49)	4.92	(3.47 - 6.93)	6.43	(4.84 - 8.49)
Region 6	8.58	(6.29 - 11.60)	*	(* - *)	4.73	(3.21 - 6.92)	6.22	(4.46 - 8.61)
Region 7 (Shelby)	8.62	(6.28 - 11.70)	*	(* - *)	6.65	(4.66 - 9.40)	8.90	(6.74 - 11.66)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	8.88	(8.02 - 9.83)	17.07	(15.84 - 18.37)	4.97	(4.30 - 5.74)	6.89	(6.26 - 7.59)
Region 1	9.40	(7.14 - 12.27)	16.35	(12.17 - 21.62)	4.84	(3.49 - 6.66)	6.93	(5.30 - 9.03)
Region 2	7.89	(5.82 - 10.61)	*	(* - *)	4.63	(3.23 - 6.61)	6.38	(4.67 - 8.66)
Region 3	9.13	(7.80 - 10.66)	18.29	(16.19 - 20.58)	5.34	(4.42 - 6.44)	7.25	(6.33 - 8.28)
Region 3a	9.32	(7.60 - 11.38)	17.02	(14.38 - 20.03)	5.18	(4.10 - 6.52)	6.92	(5.82 - 8.21)
Region 3bc	8.78	(6.97 - 11.01)	20.49	(17.13 - 24.32)	5.62	(4.32 - 7.28)	7.81	(6.43 - 9.44)
Region 4	7.49	(5.59 - 9.97)	14.24	(10.52 - 19.00)	4.81	(3.48 - 6.60)	6.10	(4.63 - 7.99)
Region 5	7.95	(5.99 - 10.48)	13.91	(10.18 - 18.72)	5.01	(3.57 - 6.99)	6.34	(4.75 - 8.41)
Region 6	8.52	(7.05 - 10.25)	14.46	(12.33 - 16.89)	4.83	(3.85 - 6.06)	6.30	(5.32 - 7.45)
Region 6a	8.43	(6.88 - 10.30)	14.25	(12.00 - 16.83)	4.80	(3.76 - 6.12)	6.26	(5.22 - 7.49)
Region 6bc	9.26	(6.93 - 12.27)	*	(* - *)	5.09	(3.62 - 7.11)	6.63	(4.94 - 8.85)
Region 7	9.96	(8.23 - 12.01)	22.58	(19.61 - 25.86)	6.36	(5.08 - 7.95)	9.40	(8.03 - 10.98)
Region 7a	10.91	(8.53 - 13.86)	28.52	(23.83 - 33.71)	7.44	(5.67 - 9.70)	11.00	(9.05 - 13.31)
Region 7bcd	8.37	(6.40 - 10.89)	14.86	(11.50 - 18.98)	4.44	(3.22 - 6.09)	6.71	(5.26 - 8.53)
Region 8	8.67	(6.81 - 10.98)	18.58	(14.94 - 22.88)	4.73	(3.58 - 6.21)	6.90	(5.59 - 8.49)
Region 9	9.51	(7.00 - 12.79)	15.90	(11.69 - 21.27)	4.46	(3.16 - 6.27)	6.34	(4.75 - 8.42)
Region 10	8.72	(6.59 - 11.44)	14.99	(11.06 - 20.00)	3.30	(2.31 - 4.71)	5.39	(4.06 - 7.13)
Region 11	8.97	(7.23 - 11.08)	13.88	(10.91 - 17.50)	3.35	(2.53 - 4.41)	5.18	(4.19 - 6.40)
Region 11abd	10.14	(7.73 - 13.21)	16.18	(12.15 - 21.23)	3.82	(2.76 - 5.26)	5.90	(4.58 - 7.57)
Region 11c (Hidalgo)	7.17	(5.28 - 9.65)	10.09	(6.75 - 14.81)	2.48	(1.69 - 3.64)	3.89	(2.77 - 5.43)
Utah	6.82	(5.52 - 8.39)	11.66	(9.73 - 13.92)	3.71	(2.87 - 4.79)	5.22	(4.34 - 6.26)
Bear River, Northeastern, Summit, Tooele, and Wasatch	6.20	(4.44 - 8.59)	10.15	(7.05 - 14.41)	2.69	(1.79 - 4.03)	4.11	(2.94 - 5.72)
Central, Four Corners, San Juan, and Southwest	6.16	(4.35 - 8.66)	9.82	(6.56 - 14.45)	3.21	(2.10 - 4.88)	4.35	(3.02 - 6.22)
Davis County	6.80	(4.82 - 9.52)	*	(* - *)	3.20	(2.18 - 4.68)	5.01	(3.64 - 6.86)
Salt Lake County	7.80	(5.85 - 10.31)	13.26	(10.24 - 17.01)	4.58	(3.32 - 6.28)	6.03	(4.72 - 7.69)
Utah County	5.83	(4.16 - 8.09)	10.32	(7.46 - 14.11)	3.08	(2.10 - 4.49)	5.03	(3.74 - 6.73)
Weber, Morgan	6.98	(4.97 - 9.72)	*	(* - *)	3.71	(2.44 - 5.60)	4.98	(3.46 - 7.13)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	15.34	(13.24 - 17.70)	34.30	(31.13 - 37.63)	10.74	(8.91 - 12.88)	14.17	(12.45 - 16.08)
Champlain Valley	17.34	(14.28 - 20.89)	38.19	(33.34 - 43.29)	11.92	(9.47 - 14.91)	16.65	(14.24 - 19.38)
Rural Northeast	13.81	(10.76 - 17.56)	31.51	(26.13 - 37.44)	10.19	(7.62 - 13.51)	12.93	(10.35 - 16.03)
Rural Southeast	14.80	(11.49 - 18.86)	*	(* - *)	10.11	(7.57 - 13.37)	12.36	(9.77 - 15.51)
Rural Southwest	13.19	(10.03 - 17.17)	*	(* - *)	9.58	(7.00 - 12.98)	12.17	(9.52 - 15.43)
Virginia	9.18	(7.73 - 10.86)	19.99	(17.48 - 22.76)	5.43	(4.35 - 6.76)	7.55	(6.45 - 8.84)
Region 1	9.61	(7.30 - 12.54)	24.45	(19.40 - 30.31)	6.46	(4.70 - 8.82)	9.29	(7.33 - 11.71)
Region 2	7.75	(5.82 - 10.24)	15.26	(11.44 - 20.07)	4.19	(2.92 - 5.96)	5.51	(4.12 - 7.33)
Region 3	9.58	(7.23 - 12.58)	20.71	(16.28 - 25.97)	5.56	(3.97 - 7.72)	7.81	(6.06 - 10.01)
Region 4	8.19	(6.11 - 10.91)	*	(* - *)	5.24	(3.66 - 7.46)	6.91	(5.10 - 9.30)
Region 5	11.16	(8.48 - 14.56)	23.08	(18.36 - 28.59)	6.35	(4.65 - 8.63)	9.15	(7.25 - 11.48)
Washington	12.05	(10.37 - 13.97)	27.75	(25.05 - 30.62)	9.51	(7.91 - 11.40)	12.11	(10.59 - 13.82)
Region 1	10.54	(8.35 - 13.22)	19.98	(15.87 - 24.83)	7.52	(5.68 - 9.89)	9.59	(7.63 - 11.99)
East 1 (previously Region 1)	10.49	(7.76 - 14.02)	*	(* - *)	7.90	(5.61 - 11.01)	10.06	(7.54 - 13.29)
East 2 (previously Region 2)	10.60	(7.86 - 14.16)	*	(* - *)	7.01	(4.92 - 9.89)	8.94	(6.60 - 12.01)
Region 2	13.15	(10.89 - 15.80)	33.09	(29.15 - 37.29)	10.49	(8.44 - 12.95)	13.55	(11.56 - 15.82)
North 1 (previously Region 3)	13.76	(10.67 - 17.57)	30.06	(24.82 - 35.88)	10.62	(8.01 - 13.94)	13.40	(10.78 - 16.53)
North 2 (previously Region 4)	12.74	(10.07 - 15.99)	34.96	(29.75 - 40.56)	10.41	(8.05 - 13.37)	13.64	(11.28 - 16.39)
Region 3	11.76	(9.57 - 14.38)	26.44	(22.29 - 31.07)	9.40	(7.43 - 11.82)	11.73	(9.75 - 14.05)
West 1 (previously Region 5)	12.17	(9.31 - 15.74)	*	(* - *)	9.30	(6.82 - 12.55)	11.91	(9.30 - 15.13)
West 2 (previously Region 6)	11.39	(8.73 - 14.71)	26.13	(20.78 - 32.29)	9.49	(7.09 - 12.58)	11.56	(9.11 - 14.57)
West Virginia	8.93	(7.48 - 10.63)	21.26	(19.01 - 23.70)	4.90	(3.91 - 6.13)	7.04	(6.04 - 8.19)
Region I	8.42	(6.08 - 11.55)	*	(* - *)	4.54	(3.09 - 6.62)	6.07	(4.37 - 8.37)
Region II	10.44	(7.70 - 14.01)	*	(* - *)	4.92	(3.36 - 7.13)	6.71	(4.89 - 9.14)
Region III	7.08	(5.16 - 9.64)	*	(* - *)	4.03	(2.73 - 5.92)	5.30	(3.80 - 7.34)
Region IV	9.89	(7.39 - 13.12)	30.53	(26.30 - 35.12)	6.23	(4.58 - 8.44)	10.55	(8.78 - 12.63)
Region V	8.90	(6.80 - 11.58)	18.79	(15.06 - 23.20)	4.61	(3.37 - 6.29)	6.29	(4.96 - 7.96)
Region VI	7.77	(5.70 - 10.50)	13.99	(10.05 - 19.15)	4.47	(3.09 - 6.41)	5.54	(4.03 - 7.56)

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	12-17 (Estimate)	(95% Confidence Interval)	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
Wisconsin	10.01	(8.49 - 11.76)	20.11	(17.51 - 22.98)	6.17	(4.91-7.73)	8.17	(6.89-9.65)
Milwaukee	10.82	(8.03 - 14.42)	*	(* - *)	9.03	(6.41-12.57)	11.50	(8.71-15.04)
Northeastern	9.09	(6.93 - 11.85)	17.63	(13.71 - 22.37)	5.56	(4.07-7.55)	7.15	(5.58-9.13)
Northern	9.19	(6.66 - 12.56)	*	(* - *)	5.08	(3.36-7.63)	6.58	(4.61-9.31)
Southeastern	11.19	(8.53 - 14.54)	*	(* - *)	5.84	(4.09-8.27)	7.86	(5.90-10.39)
Southern	10.38	(7.82 - 13.65)	20.81	(16.35 - 26.11)	5.82	(4.15-8.13)	8.10	(6.26-10.41)
Western	8.52	(6.27 - 11.48)	17.11	(12.59 - 22.83)	5.50	(3.86-7.79)	7.35	(5.50-9.77)
Wyoming	9.11	(7.63 - 10.85)	16.08	(13.89 - 18.53)	5.26	(4.17-6.62)	6.87	(5.77-8.15)
Judicial District 1 (Laramie)	9.27	(6.89 - 12.36)	16.51	(12.27 - 21.86)	5.15	(3.64-7.24)	6.75	(5.08-8.92)
Judicial District 2	8.52	(6.17 - 11.66)	18.73	(14.19 - 24.33)	5.55	(3.87-7.91)	9.45	(7.27-12.20)
Judicial District 3	8.07	(5.87 - 11.00)	9.81	(6.91 - 13.73)	3.83	(2.59-5.62)	4.64	(3.32-6.46)
Judicial District 4	10.14	(7.30 - 13.91)	*	(* - *)	5.01	(3.35-7.43)	6.08	(4.28-8.58)
Judicial District 5	9.47	(6.90 - 12.87)	*	(* - *)	4.71	(3.18-6.91)	5.98	(4.25-8.34)
Judicial District 6	9.09	(6.73 - 12.19)	*	(* - *)	4.54	(3.11-6.59)	5.79	(4.16-8.01)
Judicial District 7 (Natrona)	9.98	(7.36 - 13.40)	16.00	(11.71 - 21.49)	5.55	(3.90-7.83)	7.03	(5.21-9.43)
Judicial District 8	8.79	(6.39 - 11.97)	*	(* - *)	5.22	(3.54-7.64)	6.96	(5.04-9.55)
Judicial District 9	9.10	(6.60 - 12.41)	*	(* - *)	7.62	(5.27-10.90)	9.17	(6.66-12.49)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	13.91	(13.56 - 14.27)	30.66	(30.06 - 31.26)	8.13	(7.86 - 8.42)	11.46	(11.19 - 11.73)
Northeast	14.65	(13.95 - 15.37)	35.24	(34.16 - 36.33)	8.74	(8.15 - 9.36)	12.54	(11.97 - 13.14)
Midwest	13.14	(12.63 - 13.67)	30.56	(29.67 - 31.45)	7.66	(7.18 - 8.16)	11.00	(10.53 - 11.49)
South	12.68	(12.20 - 13.18)	27.18	(26.36 - 28.01)	6.67	(6.22 - 7.15)	9.68	(9.24 - 10.14)
West	15.99	(15.21 - 16.81)	32.69	(31.53 - 33.87)	10.45	(9.78 - 11.17)	13.85	(13.21 - 14.51)
Alabama	10.99	(9.45 - 12.75)	22.59	(20.12 - 25.28)	6.36	(5.10 - 7.90)	8.78	(7.51 - 10.24)
Region 1	10.04	(7.69 - 13.00)	19.94	(15.97 - 24.60)	5.76	(4.23 - 7.82)	7.67	(6.02 - 9.74)
Region 2	12.37	(9.86 - 15.42)	25.86	(21.56 - 30.68)	7.18	(5.36 - 9.55)	10.05	(8.12 - 12.38)
Region 3	8.56	(6.42 - 11.33)	21.65	(17.17 - 26.92)	5.33	(3.80 - 7.43)	8.28	(6.49 - 10.50)
Region 4	12.17	(9.56 - 15.37)	21.55	(17.54 - 26.19)	6.73	(4.93 - 9.14)	8.75	(6.86 - 11.09)
Alaska	16.68	(14.42 - 19.21)	37.66	(34.49 - 40.93)	15.53	(13.17 - 18.21)	18.97	(16.82 - 21.32)
Anchorage	16.48	(13.51 - 19.96)	39.50	(34.95 - 44.24)	15.57	(12.74 - 18.88)	19.44	(16.80 - 22.39)
Northern	16.36	(12.87 - 20.57)	37.78	(32.37 - 43.52)	17.63	(13.82 - 22.23)	21.43	(17.82 - 25.53)
South Central	16.38	(12.81 - 20.71)	33.66	(28.09 - 39.73)	13.72	(10.45 - 17.81)	16.34	(13.16 - 20.11)
Southeast	19.16	(14.87 - 24.32)	*	(* - *)	15.70	(11.74 - 20.69)	18.47	(14.59 - 23.09)
Arizona	15.54	(13.34 - 18.04)	28.16	(25.25 - 31.27)	8.92	(7.26 - 10.91)	11.76	(10.16 - 13.58)
Maricopa	15.45	(12.78 - 18.56)	27.75	(24.00 - 31.83)	8.92	(7.06 - 11.20)	11.73	(9.91 - 13.83)
Pima	16.84	(12.83 - 21.80)	31.80	(26.06 - 38.16)	9.73	(7.06 - 13.26)	13.14	(10.34 - 16.56)
Rural North	14.93	(11.17 - 19.69)	*	(* - *)	8.61	(6.17 - 11.89)	11.53	(8.90 - 14.81)
Rural South	15.14	(11.24 - 20.10)	*	(* - *)	8.26	(5.74 - 11.75)	10.47	(7.78 - 13.96)
Arkansas	11.74	(10.10 - 13.61)	23.26	(20.86 - 25.84)	6.22	(4.96 - 7.78)	8.71	(7.44 - 10.16)
Catchment Area 1	11.72	(8.77 - 15.50)	24.30	(19.48 - 29.87)	6.06	(4.28 - 8.52)	9.05	(7.02 - 11.59)
Catchment Area 2	10.91	(8.12 - 14.52)	*	(* - *)	5.37	(3.69 - 7.76)	7.15	(5.27 - 9.63)
Catchment Area 3	10.29	(7.70 - 13.62)	17.32	(13.05 - 22.63)	5.25	(3.65 - 7.49)	7.07	(5.29 - 9.39)
Catchment Area 4	11.17	(8.35 - 14.80)	*	(* - *)	6.62	(4.55 - 9.55)	8.76	(6.48 - 11.74)
Catchment Area 5	12.57	(9.41 - 16.61)	23.87	(19.16 - 29.32)	6.44	(4.61 - 8.94)	9.41	(7.36 - 11.95)
Catchment Area 6	13.45	(10.05 - 17.78)	*	(* - *)	6.58	(4.56 - 9.41)	9.35	(7.07 - 12.27)
Catchment Area 7	9.69	(7.04 - 13.19)	*	(* - *)	5.11	(3.44 - 7.52)	6.85	(4.93 - 9.44)
Catchment Area 8	13.18	(10.19 - 16.89)	29.97	(24.88 - 35.62)	7.53	(5.55 - 10.15)	10.48	(8.38 - 13.05)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
California	16.00	(14.79 - 17.29)	32.78	(31.03 - 34.58)	10.17	(9.17 - 11.28)	13.75	(12.81 - 14.74)
Region 1R	20.38	(15.82 - 25.84)	*	(* - *)	17.40	(13.47 - 22.19)	21.72	(17.73 - 26.32)
Region 2R	18.22	(14.19 - 23.09)	*	(* - *)	11.09	(8.39 - 14.53)	15.27	(12.35 - 18.72)
Region 3R (Sacramento)	16.66	(12.96 - 21.16)	*	(* - *)	12.66	(9.84 - 16.14)	16.05	(13.09 - 19.54)
Region 4R	19.39	(15.50 - 23.99)	39.53	(33.44 - 45.97)	11.99	(9.34 - 15.27)	15.59	(12.82 - 18.82)
Region 5R (San Francisco)	*	(* - *)	*	(* - *)	19.33	(14.99 - 24.56)	23.02	(18.71 - 27.97)
Region 6 (Santa Clara)	14.15	(10.95 - 18.10)	31.68	(25.87 - 38.13)	6.94	(5.20 - 9.22)	10.22	(8.20 - 12.67)
Region 7R (Contra Costa)	17.48	(13.66 - 22.10)	*	(* - *)	10.06	(7.60 - 13.19)	13.55	(10.86 - 16.77)
Region 8R (Alameda)	15.19	(11.81 - 19.31)	37.07	(31.18 - 43.36)	10.54	(8.17 - 13.50)	14.30	(11.76 - 17.27)
Region 9R (San Mateo)	17.15	(13.14 - 22.08)	*	(* - *)	8.82	(6.44 - 11.98)	11.90	(9.20 - 15.25)
Region 10	17.19	(13.43 - 21.74)	36.76	(30.54 - 43.45)	10.46	(7.94 - 13.67)	15.05	(12.29 - 18.30)
Region 11 (Los Angeles)	14.82	(13.16 - 16.65)	29.93	(27.50 - 32.47)	9.65	(8.39 - 11.08)	12.92	(11.69 - 14.27)
LA SPA 1 and 5	15.61	(11.95 - 20.13)	*	(* - *)	11.29	(8.62 - 14.66)	15.16	(12.16 - 18.73)
LA SPA 2	14.74	(11.67 - 18.44)	30.69	(25.63 - 36.27)	9.72	(7.53 - 12.46)	12.83	(10.49 - 15.60)
LA SPA 3	13.71	(10.63 - 17.51)	25.93	(21.20 - 31.30)	7.27	(5.56 - 9.46)	10.18	(8.29 - 12.44)
LA SPA 4	15.36	(11.88 - 19.62)	33.03	(27.13 - 39.51)	12.02	(9.15 - 15.62)	15.24	(12.26 - 18.79)
LA SPA 6	14.33	(11.02 - 18.42)	27.79	(22.43 - 33.88)	10.52	(7.77 - 14.10)	14.17	(11.28 - 17.66)
LA SPA 7	14.31	(11.14 - 18.20)	25.44	(20.42 - 31.22)	7.16	(5.33 - 9.55)	10.37	(8.30 - 12.88)
LA SPA 8	16.37	(12.96 - 20.46)	33.36	(27.76 - 39.46)	10.82	(8.35 - 13.91)	14.19	(11.58 - 17.28)
Region 12R	15.70	(12.00 - 20.26)	*	(* - *)	10.24	(7.54 - 13.76)	13.25	(10.27 - 16.93)
Regions 13 and 19R	15.08	(12.14 - 18.58)	30.45	(26.06 - 35.23)	8.40	(6.53 - 10.73)	12.07	(10.11 - 14.36)
Region 13 (Riverside)	15.26	(12.13 - 19.01)	31.11	(26.42 - 36.23)	8.60	(6.62 - 11.10)	12.34	(10.25 - 14.79)
Region 19R (Imperial)	12.85	(9.53 - 17.11)	*	(* - *)	*	(* - *)	8.68	(6.48 - 11.52)
Region 14 (Orange)	15.42	(12.61 - 18.72)	31.05	(26.61 - 35.87)	7.67	(6.04 - 9.70)	11.25	(9.50 - 13.27)
Region 15R (Fresno)	14.84	(11.39 - 19.10)	*	(* - *)	9.74	(7.24 - 12.98)	12.99	(10.19 - 16.42)
Region 16R (San Diego)	16.24	(13.31 - 19.66)	33.17	(28.51 - 38.19)	11.05	(8.83 - 13.73)	14.81	(12.54 - 17.40)
Region 17R	14.79	(11.76 - 18.43)	24.41	(19.55 - 30.03)	8.33	(6.32 - 10.90)	11.23	(9.02 - 13.88)
Region 18R (San Bernardino)	17.33	(14.12 - 21.10)	29.42	(24.85 - 34.45)	8.87	(6.85 - 11.41)	12.54	(10.41 - 15.04)
Region 20R	17.10	(13.32 - 21.69)	*	(* - *)	9.80	(7.29 - 13.06)	13.27	(10.53 - 16.59)
Region 21R	18.89	(14.68 - 23.97)	*	(* - *)	13.08	(10.03 - 16.88)	18.84	(15.50 - 22.70)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	17.83	(15.49 - 20.44)	40.81	(37.79 - 43.90)	13.58	(11.48 - 15.98)	17.52	(15.58 - 19.66)
Region 1	17.25	(13.27 - 22.12)	39.49	(33.25 - 46.09)	11.20	(8.33 - 14.91)	16.14	(13.09 - 19.73)
Regions 2 and 7	18.58	(15.50 - 22.11)	44.17	(40.04 - 48.38)	15.56	(12.75 - 18.86)	19.53	(16.90 - 22.46)
Region 3	15.84	(12.27 - 20.20)	35.31	(29.40 - 41.70)	10.86	(8.19 - 14.26)	14.60	(11.85 - 17.87)
Region 4	15.41	(11.29 - 20.68)	*	(* - *)	10.11	(7.08 - 14.25)	13.13	(9.84 - 17.32)
Regions 5 and 6	18.91	(14.38 - 24.46)	*	(* - *)	11.52	(8.47 - 15.47)	15.07	(11.86 - 18.95)
Connecticut	16.57	(14.41 - 18.98)	38.89	(35.70 - 42.17)	9.55	(7.83 - 11.59)	13.50	(11.81 - 15.39)
Eastern	14.75	(11.22 - 19.16)	33.20	(27.53 - 39.41)	8.78	(6.33 - 12.04)	13.12	(10.47 - 16.31)
North Central	16.91	(13.66 - 20.74)	41.50	(36.04 - 47.17)	10.25	(7.78 - 13.39)	14.30	(11.79 - 17.25)
Northwestern	17.16	(13.50 - 21.57)	*	(* - *)	8.93	(6.59 - 12.00)	12.39	(9.81 - 15.52)
South Central	18.12	(14.18 - 22.86)	42.41	(36.72 - 48.32)	10.70	(8.09 - 14.01)	15.12	(12.41 - 18.29)
Southwest	14.94	(11.49 - 19.19)	*	(* - *)	8.10	(5.90 - 11.02)	11.54	(9.10 - 14.52)
Delaware	16.54	(14.29 - 19.06)	36.95	(33.74 - 40.28)	8.85	(7.39 - 10.58)	12.95	(11.49 - 14.57)
Kent	15.08	(11.84 - 19.02)	30.64	(24.98 - 36.95)	7.93	(5.82 - 10.71)	11.61	(9.26 - 14.47)
New Castle (excluding Wilmington City)	16.68	(13.75 - 20.10)	38.86	(34.64 - 43.25)	8.65	(6.92 - 10.76)	13.41	(11.63 - 15.41)
Sussex	17.21	(13.42 - 21.81)	*	(* - *)	8.35	(6.32 - 10.95)	11.39	(9.20 - 14.01)
Wilmington City	17.52	(13.46 - 22.48)	*	(* - *)	13.59	(10.04 - 18.14)	17.32	(13.67 - 21.70)
District of Columbia	17.51	(15.34 - 19.92)	40.40	(37.41 - 43.46)	14.49	(12.33 - 16.95)	19.52	(17.51 - 21.70)
Ward 1	18.83	(14.25 - 24.47)	45.09	(38.52 - 51.84)	20.14	(15.57 - 25.66)	25.50	(21.07 - 30.50)
Ward 2	*	(* - *)	38.10	(32.67 - 43.84)	15.66	(12.02 - 20.15)	22.37	(18.78 - 26.43)
Ward 3	15.82	(11.87 - 20.79)	40.43	(34.27 - 46.91)	12.58	(9.54 - 16.42)	17.78	(14.64 - 21.43)
Ward 4	16.72	(12.86 - 21.46)	*	(* - *)	13.45	(10.05 - 17.78)	16.53	(13.01 - 20.77)
Ward 5	17.17	(13.44 - 21.69)	*	(* - *)	13.93	(10.67 - 18.00)	19.28	(15.87 - 23.23)
Ward 6	17.49	(13.28 - 22.70)	*	(* - *)	15.20	(11.39 - 20.00)	19.22	(15.31 - 23.84)
Ward 7	16.93	(13.36 - 21.23)	*	(* - *)	12.17	(9.00 - 16.27)	16.74	(13.30 - 20.86)
Ward 8	19.38	(15.63 - 23.77)	*	(* - *)	12.40	(9.27 - 16.39)	17.78	(14.43 - 21.70)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	13.63	(12.56 - 14.78)	30.87	(29.25 - 32.54)	7.84	(6.96 - 8.81)	10.88	(10.05 - 11.77)
Region A - Northwest	15.07	(12.95 - 17.47)	34.59	(30.82 - 38.57)	9.44	(7.86 - 11.29)	13.86	(12.18 - 15.73)
Circuit 1	14.49	(11.67 - 17.86)	29.28	(24.21 - 34.91)	9.04	(7.01 - 11.60)	12.14	(9.95 - 14.73)
Circuit 2	15.92	(12.32 - 20.34)	42.25	(35.87 - 48.91)	10.33	(7.81 - 13.54)	18.21	(15.20 - 21.67)
Circuit 14	15.46	(11.74 - 20.08)	*	(* - *)	9.30	(6.91 - 12.40)	12.02	(9.35 - 15.31)
Region B - Northeast	14.73	(12.59 - 17.16)	31.10	(27.82 - 34.58)	9.27	(7.80 - 10.98)	12.56	(11.06 - 14.23)
Circuits 3 and 8	13.06	(10.07 - 16.78)	31.92	(26.68 - 37.65)	10.43	(7.97 - 13.54)	14.90	(12.25 - 18.01)
Circuit 4	15.00	(11.90 - 18.74)	28.87	(23.57 - 34.82)	9.86	(7.68 - 12.59)	12.64	(10.34 - 15.37)
Circuit 7	15.32	(12.07 - 19.25)	33.61	(27.95 - 39.79)	7.86	(5.98 - 10.25)	10.90	(8.85 - 13.36)
Region C - Central	13.55	(12.03 - 15.23)	32.50	(29.87 - 35.25)	7.90	(6.75 - 9.24)	11.13	(9.97 - 12.41)
Circuit 5	14.28	(11.15 - 18.10)	31.44	(25.76 - 37.73)	7.21	(5.42 - 9.52)	9.44	(7.52 - 11.79)
Circuit 9	12.87	(10.47 - 15.72)	34.29	(29.86 - 39.01)	8.94	(7.00 - 11.35)	13.44	(11.44 - 15.72)
Circuit 10	11.95	(9.27 - 15.27)	26.55	(21.82 - 31.89)	6.56	(4.89 - 8.76)	9.10	(7.28 - 11.31)
Circuit 18	14.63	(11.71 - 18.13)	36.26	(30.75 - 42.15)	8.58	(6.54 - 11.18)	12.13	(9.92 - 14.74)
Circuit 19	14.42	(11.18 - 18.41)	*	(* - *)	7.49	(5.54 - 10.06)	9.71	(7.57 - 12.38)
Region D - Southeast	12.37	(10.59 - 14.40)	28.08	(24.80 - 31.62)	6.72	(5.48 - 8.21)	9.27	(8.00 - 10.72)
Circuit 15 (Palm Beach)	11.67	(9.27 - 14.58)	29.00	(24.54 - 33.92)	6.75	(5.14 - 8.82)	9.28	(7.56 - 11.34)
Circuit 17 (Broward)	12.84	(10.47 - 15.66)	27.43	(23.08 - 32.26)	6.69	(5.20 - 8.58)	9.26	(7.70 - 11.10)
Region E - Sun Coast	15.14	(13.34 - 17.15)	33.44	(30.62 - 36.39)	8.94	(7.61 - 10.48)	11.73	(10.39 - 13.22)
Circuit 6	15.45	(12.39 - 19.09)	37.56	(31.90 - 43.57)	9.68	(7.53 - 12.38)	12.54	(10.27 - 15.23)
Circuit 12	18.46	(14.56 - 23.13)	*	(* - *)	8.75	(6.55 - 11.61)	11.52	(9.16 - 14.39)
Circuit 13 (Hillsborough)	13.04	(10.44 - 16.18)	29.48	(25.56 - 33.72)	9.01	(7.11 - 11.35)	12.11	(10.17 - 14.37)
Circuit 20	15.49	(12.27 - 19.38)	31.54	(26.30 - 37.30)	8.12	(6.15 - 10.65)	10.52	(8.45 - 13.01)
Region F - Southern (Circuits 11 and 16)	11.00	(9.04 - 13.33)	24.37	(21.15 - 27.91)	4.86	(3.79 - 6.21)	7.57	(6.41 - 8.92)
Georgia	12.73	(11.02 - 14.67)	25.37	(22.74 - 28.20)	6.24	(5.02 - 7.73)	9.14	(7.90 - 10.55)
Region 1	12.54	(9.89 - 15.77)	23.41	(19.22 - 28.20)	5.31	(3.86 - 7.25)	7.70	(6.12 - 9.65)
Region 2	11.34	(8.60 - 14.82)	21.18	(16.39 - 26.93)	5.51	(3.88 - 7.75)	8.21	(6.31 - 10.62)
Region 3	14.16	(11.21 - 17.73)	31.16	(26.39 - 36.37)	7.57	(5.68 - 10.02)	11.01	(9.01 - 13.38)
Region 4	14.25	(10.68 - 18.76)	*	(* - *)	6.13	(4.35 - 8.56)	9.00	(6.86 - 11.73)
Region 5	12.40	(9.04 - 16.79)	*	(* - *)	6.49	(4.50 - 9.28)	9.64	(7.25 - 12.70)
Region 6	11.17	(8.41 - 14.68)	23.23	(18.19 - 29.17)	5.67	(3.98 - 8.00)	8.33	(6.40 - 10.77)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	15.87	(13.68 - 18.34)	29.50	(26.61 - 32.56)	9.27	(7.57 - 11.30)	11.96	(10.34 - 13.80)
Hawaii Island	19.19	(15.07 - 24.12)	*	(* - *)	12.73	(9.37 - 17.07)	15.46	(12.08 - 19.59)
Honolulu	14.43	(11.95 - 17.32)	27.54	(24.26 - 31.07)	7.79	(6.15 - 9.82)	10.56	(8.95 - 12.41)
Kauai and Maui	18.90	(15.15 - 23.32)	34.98	(29.11 - 41.34)	12.62	(9.53 - 16.53)	15.10	(11.98 - 18.86)
Kauai	*	(* - *)	*	(* - *)	11.28	(7.84 - 15.96)	13.54	(9.91 - 18.23)
Maui	19.58	(15.15 - 24.93)	*	(* - *)	13.21	(9.65 - 17.82)	15.79	(12.18 - 20.21)
Idaho	13.93	(12.07 - 16.02)	25.99	(23.39 - 28.77)	8.18	(6.64 - 10.03)	10.89	(9.40 - 12.59)
Region 1	15.11	(11.57 - 19.49)	*	(* - *)	8.14	(5.82 - 11.27)	10.68	(8.15 - 13.86)
Region 2	13.20	(9.76 - 17.61)	*	(* - *)	8.72	(6.19 - 12.16)	12.51	(9.65 - 16.07)
Region 3	13.45	(10.16 - 17.59)	22.76	(17.97 - 28.40)	7.37	(5.23 - 10.28)	9.60	(7.34 - 12.45)
Region 4	16.39	(13.16 - 20.24)	35.30	(29.91 - 41.08)	9.88	(7.54 - 12.86)	13.41	(11.00 - 16.24)
Region 5	13.53	(10.42 - 17.38)	20.15	(15.56 - 25.68)	6.88	(4.93 - 9.52)	8.75	(6.67 - 11.41)
Region 6	13.70	(10.43 - 17.79)	*	(* - *)	9.35	(6.78 - 12.76)	12.10	(9.37 - 15.49)
Region 7	9.27	(6.68 - 12.71)	14.91	(11.17 - 19.63)	5.08	(3.46 - 7.41)	7.12	(5.31 - 9.50)
Illinois	12.61	(11.54 - 13.77)	32.08	(30.39 - 33.82)	7.43	(6.56 - 8.41)	11.02	(10.20 - 11.91)
Region I (Cook)	12.62	(10.94 - 14.52)	35.32	(32.60 - 38.13)	9.39	(8.00 - 10.99)	13.18	(11.86 - 14.62)
Region II	12.74	(11.05 - 14.65)	30.31	(27.62 - 33.14)	5.67	(4.61 - 6.96)	9.07	(8.00 - 10.28)
Region III	12.03	(9.79 - 14.71)	30.38	(26.70 - 34.34)	6.61	(5.21 - 8.35)	10.69	(9.20 - 12.38)
Region IV	11.82	(9.39 - 14.77)	25.73	(21.40 - 30.59)	5.60	(4.22 - 7.41)	8.38	(6.83 - 10.23)
Region V	13.35	(10.92 - 16.22)	30.58	(26.30 - 35.22)	7.21	(5.70 - 9.07)	10.53	(8.93 - 12.39)
Indiana	11.74	(10.03 - 13.70)	29.32	(26.47 - 32.34)	7.21	(5.81 - 8.92)	10.54	(9.13 - 12.15)
Central	13.21	(10.15 - 17.02)	32.98	(27.20 - 39.33)	8.04	(5.94 - 10.79)	11.47	(9.20 - 14.22)
East	11.40	(8.38 - 15.32)	*	(* - *)	7.27	(5.07 - 10.33)	10.87	(8.37 - 13.98)
North Central	12.21	(9.24 - 15.96)	29.89	(24.24 - 36.23)	7.56	(5.47 - 10.35)	10.73	(8.44 - 13.56)
Northeast	10.94	(8.07 - 14.66)	*	(* - *)	6.12	(4.27 - 8.72)	8.82	(6.66 - 11.59)
Northwest	10.96	(8.29 - 14.35)	*	(* - *)	7.30	(5.15 - 10.25)	10.19	(7.82 - 13.19)
Southeast	11.03	(8.24 - 14.63)	23.60	(18.61 - 29.45)	6.04	(4.32 - 8.41)	8.22	(6.30 - 10.64)
Southwest	10.29	(7.46 - 14.03)	*	(* - *)	5.65	(3.83 - 8.27)	8.18	(6.03 - 11.02)
West	10.91	(8.10 - 14.53)	32.10	(26.45 - 38.33)	7.96	(5.70 - 11.02)	13.60	(10.97 - 16.74)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	12.70	(10.99 - 14.64)	28.91	(26.05 - 31.95)	6.08	(4.87 - 7.57)	9.49	(8.25 - 10.91)
Central	14.67	(11.36 - 18.75)	29.74	(24.00 - 36.20)	7.65	(5.60 - 10.38)	10.71	(8.45 - 13.49)
North Central	13.14	(9.84 - 17.35)	*	(* - *)	6.53	(4.55 - 9.30)	12.38	(9.73 - 15.62)
Northeast	12.18	(9.52 - 15.45)	29.40	(24.74 - 34.53)	5.63	(4.13 - 7.64)	9.24	(7.56 - 11.24)
Northwest	10.67	(8.00 - 14.09)	18.31	(13.80 - 23.88)	4.54	(3.11 - 6.59)	6.35	(4.71 - 8.51)
Southeast	12.73	(9.91 - 16.20)	29.94	(24.48 - 36.03)	6.42	(4.62 - 8.85)	10.20	(8.13 - 12.72)
Southwest	13.05	(9.72 - 17.30)	*	(* - *)	5.59	(3.94 - 7.89)	8.04	(6.11 - 10.49)
Kansas	11.85	(10.14 - 13.80)	24.08	(21.44 - 26.94)	5.19	(4.06 - 6.62)	8.10	(6.91 - 9.47)
Kansas City Metro	11.86	(9.40 - 14.86)	28.28	(23.83 - 33.21)	5.15	(3.76 - 7.02)	8.58	(6.98 - 10.49)
Northeast	11.47	(8.65 - 15.04)	24.06	(19.15 - 29.76)	5.40	(3.79 - 7.64)	8.71	(6.81 - 11.08)
South Central	11.00	(8.18 - 14.62)	*	(* - *)	4.58	(3.08 - 6.74)	6.85	(5.02 - 9.26)
Southeast	11.43	(8.35 - 15.46)	*	(* - *)	5.51	(3.66 - 8.21)	7.87	(5.71 - 10.76)
West	12.43	(9.31 - 16.40)	19.96	(15.25 - 25.69)	4.67	(3.24 - 6.69)	6.92	(5.23 - 9.10)
Wichita (Sedgwick)	12.60	(9.62 - 16.33)	22.61	(17.90 - 28.14)	5.69	(4.01 - 8.03)	8.22	(6.34 - 10.59)
Kentucky	11.46	(9.78 - 13.40)	25.12	(22.48 - 27.95)	5.76	(4.57 - 7.23)	8.48	(7.27 - 9.87)
Adanta, Cumberland River, and Lifeskills	8.67	(6.37 - 11.70)	17.32	(13.30 - 22.23)	4.04	(2.80 - 5.81)	5.94	(4.50 - 7.81)
Bluegrass, Comprehend, and North Key	12.82	(10.09 - 16.14)	28.12	(23.77 - 32.92)	6.10	(4.53 - 8.17)	9.45	(7.73 - 11.51)
Communicare and River Valley	10.61	(7.78 - 14.32)	*	(* - *)	5.07	(3.47 - 7.36)	7.19	(5.34 - 9.62)
Four Rivers and Pennyroyal	10.26	(7.66 - 13.63)	*	(* - *)	4.89	(3.33 - 7.13)	7.16	(5.31 - 9.60)
Kentucky River, Mountain, and Pathways	10.09	(7.45 - 13.53)	17.60	(13.13 - 23.20)	4.66	(3.18 - 6.77)	6.33	(4.64 - 8.58)
Seven Counties	13.41	(10.47 - 17.02)	35.10	(29.29 - 41.39)	7.89	(5.83 - 10.60)	11.43	(9.23 - 14.07)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	10.74	(9.27 - 12.42)	23.76	(21.39 - 26.31)	5.95	(4.82 - 7.33)	8.74	(7.61 - 10.03)
Regions 1 and 10	11.33	(9.13 - 13.97)	29.04	(24.39 - 34.18)	7.62	(5.76 - 10.02)	10.94	(8.93 - 13.35)
Region 1	11.72	(8.87 - 15.35)	*	(* - *)	8.59	(6.13 - 11.92)	12.61	(9.85 - 15.99)
Region 10 (Jefferson)	10.95	(8.19 - 14.50)	*	(* - *)	6.71	(4.74 - 9.40)	9.29	(7.09 - 12.07)
Regions 2 and 9	10.61	(8.38 - 13.34)	25.12	(21.30 - 29.37)	5.60	(4.09 - 7.62)	8.77	(7.14 - 10.73)
Region 3	10.04	(7.60 - 13.15)	*	(* - *)	5.86	(4.11 - 8.29)	8.03	(6.05 - 10.57)
Regions 4, 5, and 6	10.21	(7.89 - 13.13)	21.06	(17.06 - 25.71)	5.50	(4.11 - 7.34)	7.89	(6.34 - 9.77)
Regions 7 and 8	11.51	(8.87 - 14.80)	21.63	(17.37 - 26.60)	5.43	(3.93 - 7.44)	8.00	(6.31 - 10.10)
Maine	15.48	(13.63 - 17.55)	37.07	(34.06 - 40.18)	10.60	(8.86 - 12.63)	13.88	(12.19 - 15.75)
Aroostook/Downeast	14.54	(11.67 - 17.97)	30.67	(25.84 - 35.97)	9.69	(7.45 - 12.52)	12.05	(9.75 - 14.81)
Aroostook	12.87	(9.49 - 17.23)	*	(* - *)	8.78	(6.16 - 12.36)	10.78	(8.04 - 14.29)
Downeast	16.06	(12.19 - 20.87)	*	(* - *)	10.43	(7.64 - 14.09)	13.08	(10.16 - 16.69)
Central	13.47	(10.33 - 17.37)	33.72	(27.62 - 40.41)	9.19	(6.87 - 12.21)	12.08	(9.63 - 15.06)
Cumberland	15.47	(12.29 - 19.30)	41.64	(35.49 - 48.06)	11.79	(8.99 - 15.31)	15.60	(12.73 - 18.98)
Midcoast	16.11	(12.11 - 21.12)	*	(* - *)	10.61	(7.66 - 14.54)	13.09	(9.99 - 16.97)
Penquis	15.15	(11.89 - 19.11)	39.27	(32.97 - 45.96)	11.22	(8.44 - 14.78)	15.78	(12.91 - 19.15)
Western	16.96	(13.41 - 21.23)	35.09	(29.22 - 41.45)	11.49	(8.77 - 14.92)	14.53	(11.75 - 17.83)
York	16.32	(12.67 - 20.77)	38.16	(32.01 - 44.72)	9.49	(6.99 - 12.75)	12.75	(10.13 - 15.93)
Maryland	13.73	(11.83 - 15.88)	31.97	(29.03 - 35.05)	5.99	(4.79 - 7.47)	9.70	(8.44 - 11.11)
Anne Arundel	13.17	(9.78 - 17.51)	*	(* - *)	5.53	(3.86 - 7.86)	8.77	(6.73 - 11.36)
Baltimore City	14.24	(10.68 - 18.73)	33.70	(27.86 - 40.10)	8.89	(6.40 - 12.21)	13.33	(10.65 - 16.57)
Baltimore County	13.39	(10.05 - 17.60)	*	(* - *)	5.85	(4.09 - 8.29)	9.42	(7.32 - 12.04)
Montgomery	13.83	(10.56 - 17.90)	*	(* - *)	5.50	(3.87 - 7.77)	8.55	(6.66 - 10.90)
North Central	13.00	(9.58 - 17.40)	*	(* - *)	5.07	(3.50 - 7.28)	8.21	(6.24 - 10.72)
Northeast	13.95	(10.44 - 18.39)	*	(* - *)	5.50	(3.81 - 7.87)	8.62	(6.57 - 11.24)
Prince George's	14.60	(10.93 - 19.24)	*	(* - *)	5.95	(4.18 - 8.38)	10.98	(8.76 - 13.67)
South	14.98	(11.47 - 19.33)	*	(* - *)	6.43	(4.60 - 8.93)	10.59	(8.34 - 13.35)
West	11.60	(8.65 - 15.40)	*	(* - *)	5.19	(3.56 - 7.50)	8.00	(6.05 - 10.51)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	17.76	(15.68 - 20.06)	42.28	(39.17 - 45.46)	10.56	(8.87 - 12.52)	15.32	(13.70 - 17.08)
Boston	15.59	(11.75 - 20.39)	39.75	(33.53 - 46.33)	13.42	(10.16 - 17.53)	19.71	(16.30 - 23.62)
Central	17.07	(13.31 - 21.63)	*	(* - *)	9.80	(7.24 - 13.16)	14.22	(11.42 - 17.56)
Metrowest	18.27	(14.79 - 22.35)	47.53	(40.99 - 54.15)	10.50	(8.12 - 13.48)	15.34	(12.79 - 18.28)
Northeast	19.24	(15.61 - 23.47)	41.87	(36.12 - 47.85)	10.31	(7.91 - 13.33)	14.43	(11.97 - 17.29)
Southeast	18.75	(14.93 - 23.28)	42.83	(36.78 - 49.10)	10.18	(7.72 - 13.31)	14.31	(11.76 - 17.29)
Western	15.12	(11.63 - 19.44)	*	(* - *)	9.83	(7.33 - 13.06)	14.94	(12.17 - 18.19)
Michigan	14.77	(13.70 - 15.91)	33.40	(31.83 - 35.00)	10.08	(9.12 - 11.13)	13.49	(12.61 - 14.43)
Detroit City	15.35	(12.32 - 18.96)	38.54	(33.80 - 43.50)	15.43	(12.22 - 19.29)	19.59	(16.56 - 23.02)
Genesee	16.72	(13.52 - 20.51)	34.73	(29.37 - 40.50)	11.26	(8.80 - 14.28)	14.50	(11.99 - 17.43)
Kalamazoo	14.08	(11.50 - 17.13)	31.84	(26.92 - 37.19)	10.88	(8.54 - 13.76)	14.19	(11.79 - 16.98)
Kent	14.54	(11.70 - 17.93)	32.32	(27.67 - 37.34)	9.56	(7.46 - 12.17)	13.13	(10.96 - 15.66)
Lakeshore	15.32	(12.52 - 18.63)	30.14	(25.86 - 34.79)	9.34	(7.37 - 11.77)	12.49	(10.51 - 14.79)
Macomb	15.12	(12.30 - 18.46)	31.09	(26.79 - 35.74)	8.80	(7.02 - 10.98)	11.60	(9.78 - 13.70)
Mid South	13.27	(10.87 - 16.12)	31.88	(27.84 - 36.21)	9.79	(7.90 - 12.07)	13.72	(11.79 - 15.91)
Northern	17.12	(14.00 - 20.77)	35.49	(30.86 - 40.40)	9.42	(7.46 - 11.85)	13.09	(11.08 - 15.39)
Oakland	14.80	(12.43 - 17.53)	34.08	(30.04 - 38.36)	9.23	(7.45 - 11.39)	12.15	(10.39 - 14.18)
Pathways and Western	15.74	(12.35 - 19.85)	42.67	(36.34 - 49.26)	12.38	(9.58 - 15.86)	16.77	(13.87 - 20.14)
Riverhaven	12.81	(10.00 - 16.25)	27.49	(22.48 - 33.14)	9.48	(7.16 - 12.44)	11.70	(9.32 - 14.58)
Saginaw	14.85	(11.52 - 18.95)	*	(* - *)	10.41	(7.79 - 13.78)	13.91	(11.05 - 17.36)
Southeast	14.21	(11.93 - 16.85)	32.86	(29.06 - 36.91)	10.28	(8.31 - 12.66)	13.29	(11.36 - 15.48)
St. Clair	14.68	(11.48 - 18.60)	30.90	(25.22 - 37.21)	8.69	(6.59 - 11.39)	11.41	(9.14 - 14.14)
Washtenaw	13.23	(10.45 - 16.62)	34.01	(29.46 - 38.87)	8.01	(6.17 - 10.33)	12.92	(10.94 - 15.20)
Minnesota	13.34	(11.55 - 15.36)	33.22	(30.15 - 36.43)	7.41	(6.07 - 9.03)	11.06	(9.69 - 12.61)
Regions 1 and 2	12.65	(9.46 - 16.72)	*	(* - *)	7.21	(5.03 - 10.23)	10.54	(8.02 - 13.73)
Regions 3 and 4	12.65	(9.67 - 16.39)	30.12	(24.88 - 35.93)	6.23	(4.54 - 8.49)	9.71	(7.77 - 12.07)
Regions 5 and 6	14.47	(11.24 - 18.44)	35.51	(29.60 - 41.90)	7.04	(5.28 - 9.34)	11.24	(9.20 - 13.67)
Region 7A (Hennepin)	12.94	(9.87 - 16.78)	34.94	(29.45 - 40.87)	8.76	(6.60 - 11.55)	12.41	(10.11 - 15.14)
Region 7B (Ramsey)	12.67	(9.37 - 16.92)	*	(* - *)	9.15	(6.43 - 12.87)	13.26	(10.15 - 17.13)
Region 7C	13.77	(11.01 - 17.09)	32.98	(27.55 - 38.91)	6.62	(4.98 - 8.76)	9.85	(8.03 - 12.03)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	10.99	(9.40 - 12.80)	23.56	(21.10 - 26.22)	6.17	(4.95 - 7.67)	8.86	(7.65 - 10.25)
Region 1	11.58	(8.91 - 14.92)	23.66	(19.12 - 28.89)	5.69	(4.14 - 7.77)	8.42	(6.71 - 10.53)
Region 2	10.39	(7.79 - 13.74)	22.14	(17.21 - 28.01)	6.75	(4.77 - 9.47)	9.15	(6.98 - 11.91)
Region 3	9.99	(7.43 - 13.30)	21.89	(17.31 - 27.28)	5.93	(4.23 - 8.24)	8.69	(6.79 - 11.07)
Region 4	10.97	(8.42 - 14.18)	27.07	(22.30 - 32.43)	6.31	(4.62 - 8.56)	9.48	(7.60 - 11.75)
Region 5	9.46	(6.81 - 12.99)	*	(* - *)	5.24	(3.53 - 7.71)	7.10	(5.13 - 9.74)
Region 6	10.31	(7.73 - 13.62)	20.82	(16.14 - 26.42)	5.87	(4.10 - 8.34)	8.36	(6.36 - 10.91)
Region 7	12.55	(9.52 - 16.36)	26.06	(20.69 - 32.26)	7.00	(4.98 - 9.75)	9.72	(7.49 - 12.52)
Missouri	13.80	(11.97 - 15.87)	27.95	(25.20 - 30.89)	6.75	(5.50 - 8.26)	9.84	(8.58 - 11.26)
Central	10.93	(8.17 - 14.49)	23.50	(18.34 - 29.58)	5.26	(3.68 - 7.46)	8.54	(6.58 - 11.00)
Eastern	15.60	(12.96 - 18.66)	34.22	(29.73 - 39.00)	7.44	(5.84 - 9.43)	11.17	(9.47 - 13.13)
Eastern (St. Louis City and County)	14.61	(11.58 - 18.28)	35.46	(29.95 - 41.39)	8.04	(6.06 - 10.59)	12.02	(9.88 - 14.53)
Eastern (excluding St. Louis)	17.14	(13.22 - 21.92)	*	(* - *)	6.41	(4.62 - 8.81)	9.68	(7.61 - 12.24)
Northwest	14.23	(11.48 - 17.49)	27.88	(23.63 - 32.57)	7.47	(5.77 - 9.62)	10.35	(8.54 - 12.49)
Northwest (Jackson)	14.75	(11.28 - 19.05)	29.53	(24.12 - 35.59)	8.90	(6.60 - 11.91)	11.79	(9.36 - 14.74)
Northwest (excluding Jackson)	13.81	(10.34 - 18.19)	*	(* - *)	6.25	(4.40 - 8.80)	9.12	(6.99 - 11.82)
Southeast	10.46	(7.87 - 13.78)	19.12	(14.65 - 24.54)	5.21	(3.63 - 7.42)	7.12	(5.36 - 9.41)
Southwest	13.86	(10.54 - 18.00)	25.94	(20.54 - 32.19)	6.54	(4.68 - 9.07)	9.34	(7.27 - 11.93)
Montana	18.96	(16.75 - 21.40)	38.98	(36.00 - 42.04)	12.38	(10.57 - 14.45)	16.11	(14.40 - 17.97)
Region 1	18.33	(14.02 - 23.60)	*	(* - *)	10.83	(8.00 - 14.50)	13.34	(10.37 - 16.98)
Region 2	16.21	(12.56 - 20.68)	*	(* - *)	11.62	(8.69 - 15.38)	14.79	(11.77 - 18.42)
Region 3	18.57	(15.03 - 22.70)	34.72	(29.51 - 40.32)	11.73	(9.14 - 14.94)	14.58	(11.99 - 17.62)
Region 4	20.40	(16.59 - 24.83)	43.58	(37.83 - 49.50)	13.12	(10.45 - 16.36)	17.84	(15.15 - 20.88)
Region 5	19.66	(16.15 - 23.71)	40.98	(36.14 - 45.99)	12.93	(10.31 - 16.10)	16.92	(14.37 - 19.83)
Nebraska	12.39	(10.53 - 14.53)	25.68	(23.05 - 28.50)	5.53	(4.40 - 6.94)	8.56	(7.40 - 9.89)
Regions 1 and 2	12.29	(9.53 - 15.71)	21.25	(16.69 - 26.66)	5.40	(3.88 - 7.47)	7.39	(5.68 - 9.55)
Region 1	12.37	(8.97 - 16.82)	*	(* - *)	5.71	(3.82 - 8.46)	7.74	(5.57 - 10.65)
Region 2	12.22	(8.85 - 16.65)	*	(* - *)	5.12	(3.43 - 7.58)	7.08	(5.10 - 9.73)
Region 3	9.86	(7.35 - 13.11)	19.85	(15.30 - 25.35)	4.05	(2.77 - 5.88)	6.31	(4.77 - 8.29)
Region 4	9.29	(6.67 - 12.81)	15.35	(11.09 - 20.86)	3.78	(2.47 - 5.75)	5.31	(3.76 - 7.45)
Region 5	11.44	(8.83 - 14.69)	25.24	(20.92 - 30.12)	5.40	(3.88 - 7.46)	8.87	(7.14 - 10.98)
Region 6	14.45	(11.53 - 17.95)	31.07	(26.75 - 35.74)	6.57	(5.02 - 8.57)	10.22	(8.57 - 12.15)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	16.38	(13.86 - 19.25)	30.59	(27.20 - 34.20)	10.95	(8.97 - 13.30)	13.68	(11.77 - 15.84)
Clark – Region 1	15.50	(12.60 - 18.92)	30.05	(25.93 - 34.52)	11.04	(8.83 - 13.71)	13.67	(11.52 - 16.15)
Region 3	16.64	(12.92 - 21.18)	28.93	(23.32 - 35.25)	9.18	(6.72 - 12.42)	11.56	(8.96 - 14.81)
Capital District	*	(* - *)	*	(* - *)	9.27	(6.44 - 13.17)	11.89	(8.81 - 15.85)
Rural/Frontier	16.10	(11.72 - 21.71)	*	(* - *)	9.10	(6.17 - 13.24)	11.27	(8.10 - 15.47)
Washoe – Region 2	20.32	(15.82 - 25.72)	33.80	(28.67 - 39.34)	11.98	(8.99 - 15.81)	15.36	(12.39 - 18.89)
New Hampshire	19.05	(16.85 - 21.46)	42.46	(39.31 - 45.68)	9.51	(7.81 - 11.53)	13.94	(12.28 - 15.78)
Central	20.46	(17.09 - 24.30)	44.58	(40.11 - 49.14)	10.34	(8.06 - 13.17)	15.31	(13.03 - 17.90)
Central 1	22.12	(17.39 - 27.71)	49.67	(43.73 - 55.61)	12.06	(8.93 - 16.09)	18.32	(15.13 - 21.99)
Central 2	19.00	(14.80 - 24.05)	37.91	(31.77 - 44.47)	8.73	(6.34 - 11.91)	12.36	(9.83 - 15.43)
Northern	19.41	(15.16 - 24.50)	*	(* - *)	10.50	(7.69 - 14.17)	15.02	(12.07 - 18.54)
Southern	18.39	(15.82 - 21.27)	41.02	(36.93 - 45.25)	8.89	(7.10 - 11.06)	13.01	(11.20 - 15.07)
Southern 1 (Rockingham)	17.16	(13.82 - 21.11)	42.13	(36.22 - 48.27)	7.97	(5.85 - 10.77)	11.82	(9.57 - 14.52)
Southern 2	19.18	(15.92 - 22.94)	40.46	(35.51 - 45.62)	9.47	(7.35 - 12.13)	13.75	(11.58 - 16.25)
New Jersey	13.75	(11.86 - 15.89)	32.97	(29.84 - 36.27)	6.72	(5.38 - 8.36)	10.15	(8.79 - 11.69)
Central	15.22	(11.92 - 19.23)	*	(* - *)	5.98	(4.33 - 8.21)	9.55	(7.62 - 11.89)
Metropolitan	13.03	(10.14 - 16.60)	31.28	(26.22 - 36.82)	6.38	(4.68 - 8.64)	9.89	(8.01 - 12.14)
Northern	13.74	(10.91 - 17.16)	32.45	(27.42 - 37.92)	7.17	(5.30 - 9.64)	10.38	(8.40 - 12.76)
Southern	12.93	(9.95 - 16.65)	33.52	(27.97 - 39.56)	7.22	(5.31 - 9.75)	10.76	(8.65 - 13.30)
New Mexico	19.61	(17.23 - 22.22)	32.16	(29.18 - 35.30)	9.72	(7.98 - 11.80)	13.04	(11.39 - 14.90)
Region 1	18.97	(15.34 - 23.23)	30.29	(25.25 - 35.85)	9.38	(7.05 - 12.38)	12.45	(10.11 - 15.25)
Region 2	20.44	(15.92 - 25.85)	*	(* - *)	9.34	(6.69 - 12.90)	11.80	(9.05 - 15.24)
Region 3 (Bernalillo)	23.33	(19.08 - 28.20)	40.17	(34.83 - 45.76)	12.11	(9.40 - 15.47)	16.31	(13.61 - 19.42)
Region 4	17.82	(13.88 - 22.58)	25.28	(20.14 - 31.23)	7.63	(5.49 - 10.51)	10.45	(8.13 - 13.34)
Region 5	15.41	(12.13 - 19.38)	26.70	(21.77 - 32.28)	7.67	(5.63 - 10.37)	10.80	(8.61 - 13.46)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	13.84	(12.70 - 15.06)	33.54	(31.81 - 35.31)	9.27	(8.34 - 10.30)	12.91	(12.03 - 13.86)
Region A	12.94	(11.40 - 14.65)	29.90	(27.59 - 32.32)	9.84	(8.56 - 11.29)	12.92	(11.69 - 14.27)
Region 1	12.99	(10.38 - 16.12)	26.85	(22.38 - 31.84)	8.45	(6.52 - 10.88)	11.75	(9.71 - 14.15)
Region 2	13.39	(10.98 - 16.23)	28.37	(24.95 - 32.07)	10.11	(8.09 - 12.55)	12.95	(11.02 - 15.16)
Region 3	12.20	(9.38 - 15.72)	34.36	(29.35 - 39.75)	12.09	(9.50 - 15.26)	15.45	(12.83 - 18.48)
Region 4	12.55	(9.94 - 15.73)	30.65	(26.17 - 35.53)	8.56	(6.74 - 10.81)	11.62	(9.73 - 13.83)
Region B	15.03	(13.21 - 17.05)	36.56	(33.42 - 39.82)	8.15	(6.96 - 9.53)	11.99	(10.76 - 13.34)
Region 5	15.74	(13.24 - 18.62)	38.31	(34.03 - 42.78)	8.45	(6.87 - 10.36)	12.39	(10.74 - 14.26)
Region 6	13.50	(10.63 - 17.00)	31.76	(26.27 - 37.82)	7.47	(5.66 - 9.79)	10.61	(8.60 - 13.01)
Region 7	15.16	(12.18 - 18.70)	37.90	(32.20 - 43.95)	8.23	(6.31 - 10.66)	12.81	(10.65 - 15.33)
Region C	13.96	(12.38 - 15.71)	37.22	(34.48 - 40.05)	9.33	(8.09 - 10.75)	13.75	(12.50 - 15.10)
Region 8	14.85	(11.93 - 18.33)	39.57	(33.90 - 45.53)	9.15	(7.16 - 11.63)	13.69	(11.50 - 16.22)
Region 9	13.73	(11.02 - 16.99)	36.82	(31.94 - 41.98)	10.01	(7.85 - 12.69)	14.32	(12.11 - 16.87)
Region 10	13.36	(10.22 - 17.26)	33.72	(27.91 - 40.06)	10.13	(7.62 - 13.34)	14.79	(12.05 - 18.02)
Region 11	15.43	(12.38 - 19.06)	37.29	(31.81 - 43.12)	9.28	(7.17 - 11.93)	13.71	(11.41 - 16.39)
Region 12	12.19	(9.63 - 15.31)	37.29	(31.77 - 43.16)	8.69	(6.75 - 11.12)	12.96	(10.82 - 15.44)
Region D	13.36	(11.29 - 15.73)	33.05	(29.34 - 36.99)	9.74	(8.07 - 11.71)	13.33	(11.61 - 15.26)
Region 13	15.15	(11.76 - 19.30)	*	(* - *)	10.41	(7.85 - 13.68)	14.38	(11.60 - 17.68)
Region 14	12.96	(9.84 - 16.88)	33.42	(27.37 - 40.07)	10.03	(7.51 - 13.26)	13.86	(11.13 - 17.12)
Region 15	12.21	(9.33 - 15.83)	29.14	(23.69 - 35.27)	8.85	(6.69 - 11.62)	11.87	(9.54 - 14.66)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	13.66	(11.84 - 15.72)	30.69	(27.82 - 33.72)	6.87	(5.50 - 8.54)	10.24	(8.86 - 11.80)
Alliance	12.52	(9.75 - 15.94)	28.67	(23.46 - 34.51)	5.82	(4.18 - 8.05)	9.27	(7.39 - 11.56)
Cardinal Innovations	14.29	(10.95 - 18.43)	33.28	(27.21 - 39.95)	6.76	(4.85 - 9.34)	10.33	(8.19 - 12.95)
CenterPoint/Guilford	14.34	(11.32 - 18.00)	32.27	(26.74 - 38.35)	7.55	(5.54 - 10.20)	11.14	(8.88 - 13.88)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	10.78	(8.04 - 14.32)
Guilford	*	(* - *)	*	(* - *)	7.66	(5.28 - 10.99)	11.52	(8.75 - 15.03)
CoastalCare	15.46	(11.40 - 20.64)	*	(* - *)	7.46	(5.15 - 10.70)	12.30	(9.35 - 16.01)
Eastpointe	12.38	(9.22 - 16.43)	*	(* - *)	7.18	(5.03 - 10.16)	9.81	(7.46 - 12.80)
ECBH	13.00	(9.61 - 17.37)	*	(* - *)	*	(* - *)	9.98	(7.58 - 13.04)
MeckLINK	13.87	(10.28 - 18.45)	*	(* - *)	7.32	(5.09 - 10.42)	10.98	(8.39 - 14.24)
Partners	13.98	(10.61 - 18.19)	*	(* - *)	7.27	(5.22 - 10.05)	10.00	(7.74 - 12.82)
Sandhills	13.67	(10.09 - 18.26)	*	(* - *)	6.94	(4.78 - 9.96)	9.61	(7.13 - 12.83)
Smoky Mountain	*	(* - *)	*	(* - *)	*	(* - *)	9.44	(7.01 - 12.59)
Western Highlands	*	(* - *)	*	(* - *)	7.58	(5.40 - 10.56)	10.42	(7.95 - 13.55)
North Dakota	11.21	(9.50 - 13.18)	25.21	(22.61 - 27.99)	5.18	(4.09 - 6.55)	8.68	(7.55 - 9.96)
Badlands and West Central	12.04	(9.27 - 15.51)	20.92	(16.61 - 26.00)	4.91	(3.50 - 6.86)	7.08	(5.49 - 9.08)
Lake Region and South Central	12.30	(9.29 - 16.11)	*	(* - *)	5.79	(4.07 - 8.18)	8.33	(6.36 - 10.83)
North Central and Northwest	10.66	(8.08 - 13.93)	23.61	(18.59 - 29.49)	5.20	(3.68 - 7.30)	8.22	(6.42 - 10.46)
Northeast	11.12	(8.31 - 14.72)	27.77	(23.05 - 33.04)	5.87	(4.12 - 8.29)	11.22	(9.13 - 13.73)
Southeast	10.10	(7.80 - 12.97)	27.02	(22.76 - 31.76)	4.80	(3.48 - 6.57)	9.51	(7.89 - 11.41)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	13.67	(12.64 - 14.76)	31.81	(30.25 - 33.42)	8.63	(7.73 - 9.62)	11.91	(11.07 - 12.81)
Boards 2, 46, 55, and 68	11.98	(9.30 - 15.31)	26.76	(22.05 - 32.06)	7.87	(6.04 - 10.19)	10.43	(8.48 - 12.76)
Boards 3, 52, and 85	12.70	(9.83 - 16.26)	27.23	(22.07 - 33.08)	6.43	(4.80 - 8.56)	9.22	(7.37 - 11.49)
Boards 4 and 78	12.96	(9.93 - 16.73)	*	(* - *)	8.99	(6.58 - 12.18)	11.70	(9.09 - 14.93)
Boards 5 and 60	13.13	(10.09 - 16.91)	33.45	(28.16 - 39.19)	9.72	(7.33 - 12.79)	14.04	(11.50 - 17.04)
Boards 7, 15, 41, 79, and 84	10.62	(8.08 - 13.84)	20.32	(16.68 - 24.51)	6.24	(4.58 - 8.44)	7.93	(6.22 - 10.06)
Boards 8, 13, and 83	13.65	(10.89 - 16.98)	28.73	(23.79 - 34.25)	7.18	(5.45 - 9.42)	9.78	(7.89 - 12.06)
Board 9 (Butler)	12.70	(9.77 - 16.35)	30.74	(25.51 - 36.51)	7.45	(5.59 - 9.85)	11.23	(9.12 - 13.76)
Board 12	14.85	(11.57 - 18.86)	*	(* - *)	8.23	(6.14 - 10.95)	12.13	(9.72 - 15.04)
Boards 18 and 47	15.09	(12.64 - 17.92)	34.34	(30.56 - 38.34)	9.57	(7.83 - 11.66)	12.84	(11.11 - 14.79)
Boards 20, 32, 54, and 69	11.06	(8.44 - 14.37)	22.37	(17.55 - 28.07)	5.97	(4.38 - 8.09)	8.12	(6.33 - 10.35)
Boards 21, 39, 51, 70, and 80	14.46	(11.51 - 18.01)	31.33	(26.10 - 37.08)	7.71	(5.92 - 9.98)	10.54	(8.60 - 12.85)
Boards 22, 74, and 87	11.94	(9.17 - 15.39)	29.83	(24.27 - 36.05)	6.58	(4.91 - 8.75)	10.19	(8.21 - 12.58)
Boards 23 and 45	12.83	(10.10 - 16.17)	30.64	(24.89 - 37.05)	7.09	(5.26 - 9.48)	10.35	(8.25 - 12.90)
Board 25 (Franklin)	14.01	(11.40 - 17.11)	37.05	(32.93 - 41.36)	11.85	(9.63 - 14.51)	16.17	(13.99 - 18.61)
Boards 27, 71, and 73	11.55	(8.89 - 14.88)	22.14	(17.86 - 27.11)	7.30	(5.49 - 9.64)	9.19	(7.27 - 11.55)
Boards 28, 43, and 67	14.01	(11.11 - 17.51)	30.39	(25.16 - 36.18)	6.62	(5.03 - 8.66)	10.09	(8.27 - 12.26)
Board 31 (Hamilton)	14.32	(11.64 - 17.50)	37.11	(32.26 - 42.23)	9.84	(7.68 - 12.53)	13.99	(11.79 - 16.53)
Board 48 (Lucas)	15.30	(12.02 - 19.28)	36.93	(31.11 - 43.15)	10.68	(8.26 - 13.71)	14.85	(12.25 - 17.89)
Boards 50 and 76	14.72	(11.84 - 18.14)	31.98	(27.38 - 36.97)	8.07	(6.27 - 10.32)	11.14	(9.24 - 13.37)
Board 57 (Montgomery)	14.56	(11.54 - 18.20)	30.99	(25.84 - 36.66)	8.82	(6.82 - 11.34)	11.93	(9.78 - 14.46)
Board 77 (Summit)	14.66	(11.52 - 18.49)	34.19	(28.68 - 40.16)	10.20	(7.98 - 12.95)	13.43	(11.10 - 16.16)
Oklahoma	12.33	(10.58 - 14.31)	24.72	(22.03 - 27.62)	7.14	(5.82 - 8.73)	9.82	(8.49 - 11.33)
Central	13.06	(9.81 - 17.19)	*	(* - *)	6.43	(4.56 - 8.99)	10.19	(7.92 - 13.02)
East Central	11.23	(8.33 - 14.97)	*	(* - *)	6.49	(4.49 - 9.30)	8.48	(6.25 - 11.40)
Northeast	10.63	(7.87 - 14.22)	22.89	(18.08 - 28.54)	6.27	(4.48 - 8.72)	9.00	(6.98 - 11.52)
Northwest and Southwest	14.73	(11.35 - 18.90)	*	(* - *)	7.78	(5.59 - 10.74)	10.67	(8.23 - 13.71)
Oklahoma County	13.91	(10.77 - 17.78)	27.24	(22.27 - 32.86)	8.49	(6.38 - 11.23)	11.39	(9.16 - 14.08)
Southeast	10.68	(7.91 - 14.28)	20.97	(16.20 - 26.70)	6.63	(4.73 - 9.22)	8.61	(6.58 - 11.19)
Tulsa County	11.46	(8.57 - 15.17)	23.90	(18.81 - 29.87)	7.10	(5.14 - 9.72)	9.58	(7.42 - 12.27)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	17.22	(15.20 - 19.44)	37.86	(34.87 - 40.95)	13.20	(11.29 - 15.39)	16.61	(14.79 - 18.60)
Region 1 (Multnomah)	20.76	(16.62 - 25.60)	45.84	(39.92 - 51.88)	20.46	(16.48 - 25.11)	23.87	(20.07 - 28.14)
Region 2	15.47	(12.23 - 19.38)	34.86	(29.38 - 40.78)	10.53	(8.08 - 13.60)	13.60	(11.10 - 16.56)
Region 3	17.44	(14.32 - 21.08)	39.21	(34.50 - 44.13)	12.85	(10.26 - 15.97)	17.14	(14.59 - 20.03)
Region 4	17.68	(13.85 - 22.29)	*	(* - *)	10.84	(8.08 - 14.39)	13.63	(10.78 - 17.09)
Region 5 (Central)	17.37	(13.13 - 22.62)	*	(* - *)	10.20	(7.37 - 13.96)	12.76	(9.72 - 16.58)
Region 6 (Eastern)	13.77	(9.99 - 18.69)	*	(* - *)	*	(* - *)	12.02	(8.57 - 16.61)
Pennsylvania	13.11	(12.00 - 14.31)	31.99	(30.26 - 33.76)	7.19	(6.35 - 8.12)	10.75	(9.93 - 11.63)
Region 1 (Allegheny)	14.86	(12.03 - 18.21)	37.91	(33.10 - 42.96)	8.46	(6.67 - 10.69)	12.54	(10.62 - 14.74)
Regions 3, 8, 9, and 51	11.18	(8.58 - 14.44)	27.42	(22.48 - 32.98)	5.56	(4.11 - 7.47)	8.70	(7.00 - 10.76)
Regions 4, 11, 37, and 49	13.13	(10.41 - 16.44)	28.04	(23.39 - 33.21)	5.93	(4.46 - 7.85)	8.91	(7.25 - 10.91)
Regions 5, 18, 23, 24, and 46	12.20	(9.50 - 15.54)	28.36	(23.16 - 34.20)	6.34	(4.74 - 8.44)	9.27	(7.42 - 11.51)
Regions 6, 12, 16, 31, 35, 45, and 47	11.24	(8.74 - 14.35)	28.11	(23.41 - 33.34)	5.45	(4.10 - 7.20)	9.95	(8.26 - 11.95)
Regions 7, 13, 20, and 33	14.79	(12.58 - 17.31)	38.37	(34.46 - 42.43)	7.44	(6.06 - 9.12)	11.44	(9.99 - 13.05)
Regions 10, 15, 27, 32, 43, and 44	12.12	(9.43 - 15.44)	26.69	(21.78 - 32.24)	6.28	(4.75 - 8.25)	8.75	(7.06 - 10.81)
Regions 17 and 21	14.30	(11.11 - 18.22)	32.55	(26.54 - 39.18)	7.55	(5.59 - 10.14)	11.53	(9.23 - 14.31)
Regions 19, 26, 28, and 42	11.91	(9.71 - 14.53)	26.52	(22.46 - 31.03)	5.67	(4.41 - 7.26)	8.46	(7.07 - 10.10)
Regions 22, 38, 40, 41, and 48	11.77	(9.31 - 14.76)	26.55	(22.17 - 31.43)	5.29	(4.00 - 6.95)	7.75	(6.33 - 9.47)
Regions 29 and 34	12.49	(9.61 - 16.10)	30.52	(24.91 - 36.77)	6.81	(5.06 - 9.11)	10.04	(8.04 - 12.46)
Regions 30 and 50	10.42	(7.88 - 13.67)	24.21	(19.24 - 29.99)	6.00	(4.36 - 8.22)	8.43	(6.57 - 10.75)
Region 36 (Philadelphia)	14.24	(11.56 - 17.43)	37.11	(33.06 - 41.35)	12.17	(9.83 - 14.98)	16.95	(14.72 - 19.44)
Rhode Island	19.30	(16.87 - 22.00)	46.16	(42.92 - 49.44)	14.02	(11.85 - 16.51)	19.23	(17.23 - 21.40)
Bristol and Newport	19.98	(15.45 - 25.44)	*	(* - *)	12.79	(9.50 - 17.01)	18.41	(14.91 - 22.52)
Kent	21.42	(17.07 - 26.53)	45.67	(39.03 - 52.47)	13.36	(10.25 - 17.23)	17.15	(13.98 - 20.88)
Providence	17.83	(14.88 - 21.22)	43.34	(39.33 - 47.44)	14.85	(12.21 - 17.95)	19.77	(17.34 - 22.45)
Washington	22.91	(18.27 - 28.31)	*	(* - *)	12.26	(8.99 - 16.51)	20.19	(16.71 - 24.18)
South Carolina	13.60	(11.79 - 15.64)	30.25	(27.51 - 33.15)	7.70	(6.34 - 9.32)	10.99	(9.64 - 12.50)
Region 1	15.26	(12.06 - 19.13)	30.39	(25.87 - 35.31)	7.73	(5.78 - 10.26)	10.99	(8.98 - 13.38)
Region 2	13.16	(10.58 - 16.27)	30.35	(25.97 - 35.13)	7.62	(5.84 - 9.89)	11.09	(9.21 - 13.29)
Region 3	13.27	(10.18 - 17.13)	29.38	(23.77 - 35.70)	8.16	(6.07 - 10.88)	11.01	(8.74 - 13.77)
Region 4	12.61	(9.87 - 15.98)	30.53	(25.74 - 35.78)	7.46	(5.62 - 9.85)	10.88	(8.89 - 13.24)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	11.24	(9.59 - 13.13)	24.76	(21.95 - 27.80)	6.08	(4.87 - 7.56)	8.85	(7.61 - 10.27)
Region 1	14.36	(11.27 - 18.11)	29.17	(24.04 - 34.89)	7.61	(5.60 - 10.28)	10.70	(8.55 - 13.31)
Region 2	11.34	(8.35 - 15.23)	*	(* - *)	6.70	(4.57 - 9.72)	8.35	(6.06 - 11.39)
Region 3	9.66	(7.30 - 12.69)	23.00	(18.45 - 28.29)	5.42	(3.87 - 7.54)	8.43	(6.63 - 10.65)
Region 4	10.64	(7.93 - 14.14)	*	(* - *)	5.31	(3.67 - 7.62)	8.25	(6.21 - 10.88)
Region 5	10.14	(7.82 - 13.05)	24.07	(19.81 - 28.92)	5.44	(3.98 - 7.41)	8.06	(6.45 - 10.04)
Tennessee	11.25	(9.61 - 13.14)	25.18	(22.45 - 28.13)	6.16	(4.98 - 7.60)	8.84	(7.62 - 10.22)
Region 1	10.64	(7.79 - 14.36)	*	(* - *)	5.47	(3.83 - 7.75)	7.75	(5.82 - 10.26)
Region 2	9.79	(7.32 - 12.98)	22.45	(17.34 - 28.54)	5.23	(3.73 - 7.27)	7.51	(5.76 - 9.74)
Region 3	12.46	(9.46 - 16.24)	25.46	(20.37 - 31.32)	5.95	(4.24 - 8.28)	8.60	(6.69 - 10.99)
Region 4 (Davidson)	11.62	(8.62 - 15.48)	*	(* - *)	8.47	(6.16 - 11.54)	12.11	(9.55 - 15.23)
Region 5	11.62	(8.94 - 14.97)	23.96	(19.27 - 29.38)	5.90	(4.22 - 8.19)	8.41	(6.56 - 10.71)
Region 6	11.81	(8.64 - 15.93)	*	(* - *)	5.71	(3.99 - 8.10)	7.85	(5.90 - 10.37)
Region 7 (Shelby)	10.95	(8.25 - 14.39)	28.45	(23.06 - 34.54)	7.22	(5.20 - 9.95)	10.56	(8.33 - 13.30)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	12.27	(11.27 - 13.36)	24.52	(23.06 - 26.05)	6.11	(5.35 - 6.95)	9.04	(8.31 - 9.82)
Region 1	14.12	(10.89 - 18.10)	26.79	(21.70 - 32.58)	6.61	(4.84 - 8.96)	10.29	(8.22 - 12.80)
Region 2	10.33	(7.57 - 13.95)	*	(* - *)	5.52	(3.92 - 7.73)	8.01	(6.06 - 10.52)
Region 3	12.33	(10.73 - 14.14)	26.83	(24.20 - 29.63)	6.48	(5.43 - 7.73)	9.48	(8.39 - 10.69)
Region 3a	12.24	(10.19 - 14.63)	25.17	(21.84 - 28.81)	6.04	(4.83 - 7.53)	8.86	(7.56 - 10.35)
Region 3bc	12.50	(10.26 - 15.15)	29.72	(25.74 - 34.03)	7.25	(5.69 - 9.18)	10.55	(8.92 - 12.44)
Region 4	10.99	(8.51 - 14.08)	23.17	(18.47 - 28.64)	6.53	(4.83 - 8.76)	8.80	(6.94 - 11.09)
Region 5	11.28	(8.69 - 14.50)	21.55	(17.06 - 26.84)	6.48	(4.74 - 8.79)	8.73	(6.82 - 11.10)
Region 6	11.64	(9.91 - 13.63)	20.23	(17.65 - 23.09)	5.63	(4.58 - 6.92)	7.86	(6.78 - 9.10)
Region 6a	11.45	(9.59 - 13.62)	19.64	(16.87 - 22.75)	5.46	(4.34 - 6.84)	7.65	(6.51 - 8.99)
Region 6bc	13.32	(10.13 - 17.32)	25.92	(20.50 - 32.19)	7.05	(5.15 - 9.59)	9.58	(7.45 - 12.25)
Region 7	13.26	(11.09 - 15.77)	30.76	(27.50 - 34.24)	7.81	(6.40 - 9.51)	12.11	(10.63 - 13.77)
Region 7a	14.82	(11.87 - 18.35)	37.62	(32.81 - 42.68)	9.29	(7.29 - 11.76)	14.08	(11.95 - 16.51)
Region 7bcd	10.64	(8.22 - 13.66)	21.84	(17.89 - 26.39)	5.18	(3.83 - 6.98)	8.82	(7.18 - 10.78)
Region 8	12.46	(10.16 - 15.20)	25.64	(21.57 - 30.19)	5.92	(4.57 - 7.62)	9.02	(7.52 - 10.78)
Region 9	13.15	(9.96 - 17.16)	22.47	(17.59 - 28.25)	5.77	(4.20 - 7.89)	8.52	(6.62 - 10.90)
Region 10	12.70	(9.76 - 16.37)	21.53	(16.90 - 27.01)	4.02	(2.87 - 5.59)	7.15	(5.60 - 9.08)
Region 11	12.69	(10.43 - 15.34)	21.06	(17.60 - 24.98)	4.42	(3.41 - 5.70)	7.32	(6.10 - 8.77)
Region 11abd	14.15	(11.11 - 17.86)	24.74	(19.99 - 30.19)	5.14	(3.83 - 6.85)	8.44	(6.82 - 10.39)
Region 11c (Hidalgo)	10.43	(7.86 - 13.72)	15.02	(11.18 - 19.88)	3.09	(2.12 - 4.50)	5.31	(3.97 - 7.06)
Utah	9.88	(8.28 - 11.75)	17.51	(15.19 - 20.11)	4.45	(3.47 - 5.68)	6.93	(5.89 - 8.12)
Bear River, Northeastern, Summit, Tooele, and Wasatch	9.71	(7.23 - 12.93)	16.65	(12.64 - 21.63)	3.65	(2.49 - 5.31)	6.13	(4.64 - 8.06)
Central, Four Corners, San Juan, and Southwest	9.29	(6.62 - 12.89)	15.51	(11.22 - 21.04)	4.02	(2.68 - 5.99)	6.01	(4.35 - 8.23)
Davis County	9.16	(6.63 - 12.53)	17.65	(13.06 - 23.42)	3.47	(2.35 - 5.10)	5.85	(4.36 - 7.82)
Salt Lake County	11.48	(9.03 - 14.48)	20.55	(16.85 - 24.83)	5.70	(4.25 - 7.60)	8.19	(6.65 - 10.06)
Utah County	7.95	(5.86 - 10.69)	15.01	(11.50 - 19.35)	3.13	(2.12 - 4.61)	6.34	(4.87 - 8.20)
Weber, Morgan	9.84	(7.05 - 13.58)	*	(* - *)	4.18	(2.78 - 6.23)	6.25	(4.55 - 8.53)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	21.30	(18.95 - 23.86)	47.78	(44.31 - 51.26)	13.39	(11.40 - 15.67)	18.40	(16.52 - 20.44)
Champlain Valley	23.28	(19.77 - 27.21)	52.78	(47.85 - 57.66)	14.59	(11.94 - 17.71)	21.47	(18.94 - 24.24)
Rural Northeast	19.82	(16.06 - 24.21)	43.81	(37.95 - 49.84)	13.05	(10.15 - 16.61)	17.00	(14.11 - 20.33)
Rural Southeast	21.08	(16.90 - 25.97)	42.16	(36.00 - 48.58)	12.96	(10.00 - 16.64)	16.16	(13.18 - 19.66)
Rural Southwest	18.73	(14.85 - 23.33)	42.56	(36.37 - 48.99)	11.64	(8.84 - 15.19)	15.74	(12.84 - 19.15)
Virginia	13.90	(12.13 - 15.90)	29.23	(26.37 - 32.26)	6.40	(5.17 - 7.91)	9.74	(8.46 - 11.19)
Region 1	15.42	(12.16 - 19.35)	35.39	(29.97 - 41.22)	7.56	(5.52 - 10.27)	11.94	(9.70 - 14.62)
Region 2	11.83	(9.16 - 15.14)	23.44	(18.81 - 28.81)	4.93	(3.51 - 6.89)	7.15	(5.55 - 9.15)
Region 3	12.92	(10.01 - 16.52)	28.10	(23.06 - 33.76)	6.38	(4.59 - 8.81)	9.61	(7.58 - 12.11)
Region 4	12.68	(9.73 - 16.38)	*	(* - *)	6.47	(4.68 - 8.88)	9.49	(7.40 - 12.09)
Region 5	17.06	(13.61 - 21.18)	32.65	(27.25 - 38.55)	7.47	(5.54 - 10.00)	11.68	(9.52 - 14.25)
Washington	16.31	(14.41 - 18.40)	37.29	(34.37 - 40.31)	11.83	(10.06 - 13.87)	15.46	(13.77 - 17.32)
Region 1	14.91	(12.20 - 18.10)	30.33	(25.78 - 35.30)	9.78	(7.60 - 12.49)	13.19	(10.90 - 15.87)
East 1 (previously Region 1)	14.94	(11.42 - 19.31)	*	(* - *)	10.28	(7.53 - 13.89)	13.87	(10.89 - 17.49)
East 2 (previously Region 2)	14.87	(11.38 - 19.21)	*	(* - *)	9.09	(6.61 - 12.36)	12.27	(9.55 - 15.62)
Region 2	17.00	(14.44 - 19.91)	42.44	(38.38 - 46.62)	13.03	(10.79 - 15.64)	17.01	(14.83 - 19.44)
North 1 (previously Region 3)	17.44	(13.84 - 21.73)	40.92	(35.20 - 46.90)	12.21	(9.44 - 15.66)	16.32	(13.49 - 19.60)
North 2 (previously Region 4)	16.71	(13.50 - 20.50)	43.38	(38.13 - 48.80)	13.48	(10.76 - 16.76)	17.41	(14.71 - 20.47)
Region 3	16.44	(13.78 - 19.51)	35.62	(31.16 - 40.34)	11.43	(9.20 - 14.12)	14.74	(12.51 - 17.30)
West 1 (previously Region 5)	17.43	(13.76 - 21.83)	37.25	(31.23 - 43.70)	11.59	(8.88 - 14.99)	15.44	(12.64 - 18.73)
West 2 (previously Region 6)	15.53	(12.23 - 19.53)	33.80	(27.93 - 40.20)	11.29	(8.56 - 14.75)	14.10	(11.31 - 17.43)
West Virginia	13.02	(11.24 - 15.04)	28.62	(26.04 - 31.34)	6.63	(5.43 - 8.07)	9.50	(8.28 - 10.87)
Region I	11.42	(8.47 - 15.23)	*	(* - *)	5.98	(4.11 - 8.63)	8.50	(6.32 - 11.35)
Region II	16.00	(12.25 - 20.62)	*	(* - *)	6.54	(4.66 - 9.10)	9.28	(7.14 - 11.99)
Region III	9.93	(7.38 - 13.24)	*	(* - *)	5.36	(3.75 - 7.59)	7.16	(5.35 - 9.53)
Region IV	14.21	(11.02 - 18.14)	36.93	(32.51 - 41.59)	8.20	(6.18 - 10.81)	13.31	(11.21 - 15.74)
Region V	12.40	(9.80 - 15.57)	25.50	(21.41 - 30.08)	6.15	(4.69 - 8.02)	8.44	(6.89 - 10.31)
Region VI	12.43	(9.44 - 16.19)	22.08	(17.38 - 27.62)	6.60	(4.80 - 9.01)	8.33	(6.40 - 10.78)

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	12.78	(11.01 - 14.79)	28.87	(25.96 - 31.97)	6.87	(5.55 - 8.48)	10.02	(8.68-11.54)
Milwaukee	13.77	(10.45 - 17.93)	*	(* - *)	9.76	(7.01 - 13.44)	13.66	(10.71-17.27)
Northeastern	10.72	(8.30 - 13.73)	24.53	(20.15 - 29.52)	6.13	(4.50 - 8.31)	8.56	(6.81-10.70)
Northern	11.26	(8.11 - 15.44)	*	(* - *)	5.41	(3.68 - 7.88)	7.61	(5.59-10.27)
Southeastern	14.49	(11.27 - 18.44)	*	(* - *)	6.56	(4.68 - 9.13)	9.84	(7.68-12.52)
Southern	13.66	(10.54 - 17.52)	29.30	(24.18 - 34.99)	6.68	(4.97 - 8.93)	10.11	(8.21-12.39)
Western	11.80	(8.94 - 15.42)	27.08	(21.59 - 33.38)	6.35	(4.56 - 8.76)	9.66	(7.60-12.20)
Wyoming	13.93	(12.13 - 15.94)	25.87	(23.20 - 28.72)	6.82	(5.52 - 8.39)	9.65	(8.36-11.11)
Judicial District 1 (Laramie)	13.71	(10.57 - 17.59)	*	(* - *)	6.16	(4.40 - 8.56)	9.05	(7.03-11.57)
Judicial District 2	14.60	(10.97 - 19.17)	30.12	(24.60 - 36.28)	8.46	(6.14 - 11.56)	14.88	(12.09-18.18)
Judicial District 3	10.84	(8.13 - 14.32)	15.16	(11.61 - 19.57)	4.69	(3.27 - 6.68)	6.12	(4.62-8.06)
Judicial District 4	15.13	(11.24 - 20.06)	*	(* - *)	6.59	(4.64 - 9.29)	8.95	(6.77-11.73)
Judicial District 5	12.64	(9.35 - 16.87)	*	(* - *)	5.61	(3.88 - 8.04)	7.49	(5.51-10.11)
Judicial District 6	13.94	(10.62 - 18.08)	*	(* - *)	5.97	(4.19 - 8.43)	7.98	(5.98-10.57)
Judicial District 7 (Natrona)	15.39	(11.79 - 19.86)	30.13	(24.62 - 36.28)	7.15	(5.25 - 9.68)	10.42	(8.29-13.02)
Judicial District 8	13.87	(10.43 - 18.20)	*	(* - *)	6.62	(4.59 - 9.47)	9.31	(7.00-12.27)
Judicial District 9	17.02	(12.79 - 22.29)	*	(* - *)	10.38	(7.40 - 14.37)	12.90	(9.77-16.85)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 3 *Marijuana Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	7.48	(7.22 - 7.76)	18.71	(18.25 - 19.18)	4.92	(4.71 - 5.15)	6.96	(6.76 - 7.16)
Northeast	8.25	(7.73 - 8.80)	21.40	(20.55 - 22.27)	5.28	(4.82 - 5.77)	7.59	(7.16 - 8.05)
Midwest	7.13	(6.76 - 7.52)	18.31	(17.68 - 18.96)	4.64	(4.30 - 5.01)	6.64	(6.31 - 6.98)
South	6.52	(6.16 - 6.89)	16.23	(15.64 - 16.83)	3.83	(3.53 - 4.16)	5.65	(5.37 - 5.96)
West	8.75	(8.18 - 9.35)	20.89	(19.94 - 21.86)	6.66	(6.12 - 7.24)	8.83	(8.33 - 9.35)
Alabama	5.49	(4.47 - 6.73)	13.72	(11.74 - 15.98)	3.43	(2.62 - 4.50)	4.97	(4.11 - 6.00)
Region 1	5.16	(3.69 - 7.17)	13.93	(10.52 - 18.23)	3.68	(2.51 - 5.36)	5.06	(3.75 - 6.79)
Region 2	6.28	(4.68 - 8.37)	15.74	(12.48 - 19.66)	3.62	(2.51 - 5.20)	5.48	(4.21 - 7.11)
Region 3	4.41	(3.09 - 6.26)	11.66	(8.46 - 15.87)	2.63	(1.73 - 3.99)	4.26	(3.09 - 5.84)
Region 4	5.65	(4.06 - 7.81)	12.31	(9.35 - 16.05)	3.47	(2.36 - 5.07)	4.67	(3.45 - 6.29)
Alaska	9.15	(7.53 - 11.07)	24.22	(21.37 - 27.32)	10.61	(8.67 - 12.92)	12.73	(10.94 - 14.75)
Anchorage	9.32	(7.21 - 11.96)	24.33	(20.44 - 28.71)	10.62	(8.26 - 13.56)	12.84	(10.58 - 15.50)
Northern	8.98	(6.62 - 12.08)	23.01	(18.45 - 28.30)	11.49	(8.49 - 15.37)	13.66	(10.78 - 17.14)
South Central	8.72	(6.41 - 11.77)	24.18	(18.97 - 30.27)	9.89	(7.15 - 13.53)	11.77	(9.02 - 15.20)
Southeast	10.06	(7.15 - 13.99)	*	(* - *)	10.60	(7.38 - 14.98)	12.69	(9.43 - 16.85)
Arizona	8.83	(7.26 - 10.70)	16.38	(13.97 - 19.11)	5.10	(3.93 - 6.59)	6.76	(5.58 - 8.17)
Maricopa	8.85	(6.99 - 11.16)	15.44	(12.59 - 18.80)	4.81	(3.57 - 6.45)	6.40	(5.11 - 7.99)
Pima	9.70	(6.97 - 13.35)	19.66	(14.83 - 25.59)	5.89	(3.93 - 8.72)	8.02	(5.86 - 10.87)
Rural North	8.88	(6.25 - 12.47)	*	(* - *)	5.35	(3.46 - 8.17)	7.28	(5.18 - 10.13)
Rural South	7.81	(5.37 - 11.24)	*	(* - *)	5.22	(3.28 - 8.21)	6.45	(4.34 - 9.47)
Arkansas	5.56	(4.55 - 6.79)	13.43	(11.52 - 15.59)	3.43	(2.62 - 4.47)	4.89	(4.04 - 5.91)
Catchment Area 1	5.63	(4.00 - 7.88)	13.27	(9.79 - 17.75)	3.63	(2.39 - 5.47)	5.21	(3.77 - 7.14)
Catchment Area 2	5.19	(3.60 - 7.43)	*	(* - *)	3.16	(2.00 - 4.94)	4.39	(2.99 - 6.39)
Catchment Area 3	4.77	(3.25 - 6.96)	10.77	(7.55 - 15.13)	2.68	(1.70 - 4.19)	3.89	(2.71 - 5.57)
Catchment Area 4	4.92	(3.38 - 7.10)	12.33	(8.56 - 17.45)	3.85	(2.43 - 6.04)	4.99	(3.39 - 7.29)
Catchment Area 5	5.66	(3.96 - 8.03)	12.21	(8.88 - 16.56)	3.51	(2.29 - 5.33)	4.99	(3.55 - 6.96)
Catchment Area 6	6.36	(4.37 - 9.16)	*	(* - *)	3.68	(2.31 - 5.83)	5.36	(3.67 - 7.76)
Catchment Area 7	4.70	(3.20 - 6.86)	10.85	(7.25 - 15.94)	2.80	(1.71 - 4.56)	3.90	(2.59 - 5.84)
Catchment Area 8	6.60	(4.75 - 9.09)	17.96	(13.93 - 22.83)	3.88	(2.67 - 5.62)	5.73	(4.34 - 7.55)

See notes at end of table.

(continued)

Table 3 Marijuana Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	8.81	(7.94 - 9.76)	21.10	(19.62 - 22.65)	6.42	(5.63 - 7.31)	8.74	(8.00 - 9.54)
Region 1R	10.57	(7.79 - 14.19)	*	(* - *)	13.02	(9.25 - 18.01)	15.85	(12.00 - 20.64)
Region 2R	10.47	(7.73 - 14.02)	*	(* - *)	8.14	(5.81 - 11.28)	10.86	(8.30 - 14.08)
Region 3R (Sacramento)	9.48	(6.92 - 12.86)	23.60	(18.37 - 29.76)	8.19	(5.91 - 11.25)	10.57	(8.11 - 13.68)
Region 4R	11.27	(8.43 - 14.91)	*	(* - *)	7.96	(5.79 - 10.83)	10.20	(7.87 - 13.12)
Region 5R (San Francisco)	*	(* - *)	*	(* - *)	11.21	(7.94 - 15.60)	13.54	(10.16 - 17.82)
Region 6 (Santa Clara)	8.35	(6.21 - 11.14)	19.59	(14.96 - 25.22)	4.29	(3.00 - 6.09)	6.31	(4.78 - 8.30)
Region 7R (Contra Costa)	9.25	(6.78 - 12.48)	*	(* - *)	6.48	(4.53 - 9.21)	8.75	(6.52 - 11.65)
Region 8R (Alameda)	8.77	(6.52 - 11.69)	25.18	(19.81 - 31.44)	6.43	(4.56 - 9.01)	9.09	(6.98 - 11.76)
Region 9R (San Mateo)	9.19	(6.54 - 12.75)	*	(* - *)	5.45	(3.61 - 8.13)	7.38	(5.23 - 10.32)
Region 10	9.37	(6.87 - 12.65)	*	(* - *)	6.65	(4.65 - 9.44)	9.28	(6.97 - 12.25)
Region 11 (Los Angeles)	8.20	(7.05 - 9.51)	19.19	(17.12 - 21.44)	5.88	(4.92 - 7.02)	8.02	(7.05 - 9.12)
LA SPA 1 and 5	8.30	(6.09 - 11.22)	*	(* - *)	6.70	(4.73 - 9.41)	9.36	(6.99 - 12.42)
LA SPA 2	7.50	(5.55 - 10.07)	17.63	(13.63 - 22.48)	5.06	(3.58 - 7.10)	6.92	(5.27 - 9.05)
LA SPA 3	7.28	(5.35 - 9.84)	15.92	(12.20 - 20.50)	4.11	(2.88 - 5.82)	5.95	(4.53 - 7.78)
LA SPA 4	8.89	(6.39 - 12.23)	22.55	(17.47 - 28.59)	7.68	(5.41 - 10.78)	9.96	(7.50 - 13.11)
LA SPA 6	9.28	(6.88 - 12.40)	18.79	(14.33 - 24.24)	7.80	(5.50 - 10.96)	10.12	(7.65 - 13.26)
LA SPA 7	7.58	(5.48 - 10.40)	14.79	(10.87 - 19.81)	4.13	(2.80 - 6.05)	6.00	(4.41 - 8.11)
LA SPA 8	9.47	(7.16 - 12.44)	24.26	(19.25 - 30.08)	7.44	(5.47 - 10.05)	9.96	(7.79 - 12.65)
Region 12R	8.02	(5.78 - 11.02)	*	(* - *)	6.36	(4.29 - 9.33)	8.18	(5.84 - 11.33)
Regions 13 and 19R	8.33	(6.37 - 10.81)	20.01	(16.28 - 24.35)	5.71	(4.23 - 7.66)	8.09	(6.48 - 10.07)
Region 13 (Riverside)	8.44	(6.36 - 11.11)	20.45	(16.47 - 25.10)	5.87	(4.30 - 7.98)	8.29	(6.57 - 10.42)
Region 19R (Imperial)	6.96	(4.83 - 9.93)	*	(* - *)	*	(* - *)	5.54	(3.78 - 8.06)
Region 14 (Orange)	8.37	(6.42 - 10.84)	21.09	(17.33 - 25.42)	4.51	(3.30 - 6.12)	7.04	(5.65 - 8.74)
Region 15R (Fresno)	7.50	(5.43 - 10.26)	*	(* - *)	5.75	(3.96 - 8.27)	7.85	(5.74 - 10.64)
Region 16R (San Diego)	8.77	(6.78 - 11.27)	21.42	(17.56 - 25.88)	6.62	(5.02 - 8.67)	9.13	(7.43 - 11.18)
Region 17R	8.27	(6.21 - 10.92)	16.08	(11.98 - 21.24)	5.73	(4.08 - 8.00)	7.59	(5.71 - 10.03)
Region 18R (San Bernardino)	9.17	(6.97 - 11.96)	17.31	(13.67 - 21.68)	5.44	(3.96 - 7.42)	7.56	(5.93 - 9.59)
Region 20R	9.13	(6.69 - 12.33)	18.94	(14.24 - 24.75)	6.23	(4.33 - 8.88)	8.42	(6.28 - 11.22)
Region 21R	10.84	(8.00 - 14.52)	*	(* - *)	8.87	(6.19 - 12.57)	12.40	(9.42 - 16.15)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	10.06	(8.39 - 12.02)	27.22	(24.30 - 30.35)	9.22	(7.52 - 11.25)	11.83	(10.21 - 13.65)
Region 1	8.98	(6.44 - 12.39)	*	(* - *)	6.42	(4.43 - 9.20)	9.65	(7.34 - 12.60)
Regions 2 and 7	10.99	(8.67 - 13.83)	30.88	(26.88 - 35.18)	10.93	(8.57 - 13.84)	13.70	(11.45 - 16.30)
Region 3	8.45	(6.11 - 11.58)	21.41	(16.43 - 27.40)	6.93	(4.82 - 9.87)	9.15	(6.87 - 12.09)
Region 4	8.32	(5.77 - 11.86)	*	(* - *)	6.82	(4.27 - 10.73)	8.52	(5.72 - 12.51)
Regions 5 and 6	9.87	(7.04 - 13.67)	*	(* - *)	7.92	(5.38 - 11.53)	10.13	(7.38 - 13.77)
Connecticut	8.95	(7.46 - 10.71)	22.99	(20.38 - 25.81)	5.95	(4.68 - 7.54)	8.25	(6.99 - 9.72)
Eastern	8.29	(5.85 - 11.63)	19.41	(14.99 - 24.76)	5.32	(3.65 - 7.70)	7.82	(5.91 - 10.28)
North Central	8.19	(6.09 - 10.92)	23.94	(19.46 - 29.09)	6.01	(4.30 - 8.36)	8.34	(6.52 - 10.61)
Northwestern	9.48	(7.00 - 12.73)	*	(* - *)	5.41	(3.70 - 7.86)	7.20	(5.27 - 9.78)
South Central	10.40	(7.69 - 13.93)	27.42	(22.60 - 32.82)	7.21	(5.07 - 10.16)	10.03	(7.78 - 12.83)
Southwest	8.34	(6.00 - 11.48)	*	(* - *)	5.18	(3.49 - 7.61)	7.10	(5.20 - 9.63)
Delaware	9.60	(7.93 - 11.57)	19.74	(17.23 - 22.51)	4.52	(3.54 - 5.76)	6.74	(5.72 - 7.94)
Kent	7.66	(5.50 - 10.58)	15.24	(11.21 - 20.38)	4.05	(2.68 - 6.07)	5.86	(4.24 - 8.06)
New Castle (excluding Wilmington City)	10.11	(7.89 - 12.87)	21.01	(17.65 - 24.82)	4.18	(3.07 - 5.66)	6.83	(5.60 - 8.31)
Sussex	9.44	(6.93 - 12.72)	19.75	(15.06 - 25.46)	4.42	(3.04 - 6.39)	6.06	(4.50 - 8.11)
Wilmington City	11.24	(8.08 - 15.43)	*	(* - *)	7.96	(5.46 - 11.46)	10.00	(7.35 - 13.46)
District of Columbia	10.14	(8.56 - 11.98)	23.17	(20.54 - 26.03)	7.40	(5.89 - 9.27)	10.46	(9.00 - 12.13)
Ward 1	10.00	(7.00 - 14.08)	22.22	(17.18 - 28.24)	8.99	(6.22 - 12.81)	11.82	(8.93 - 15.49)
Ward 2	*	(* - *)	19.86	(15.58 - 24.96)	6.91	(4.74 - 9.96)	10.77	(8.34 - 13.79)
Ward 3	8.70	(6.20 - 12.08)	22.74	(17.65 - 28.79)	5.93	(4.08 - 8.54)	9.06	(6.89 - 11.83)
Ward 4	9.38	(6.78 - 12.83)	*	(* - *)	8.10	(5.46 - 11.84)	10.04	(7.24 - 13.75)
Ward 5	10.07	(7.45 - 13.50)	*	(* - *)	7.51	(5.18 - 10.76)	10.86	(8.30 - 14.08)
Ward 6	10.02	(7.10 - 13.97)	*	(* - *)	7.58	(5.10 - 11.13)	10.34	(7.59 - 13.92)
Ward 7	10.04	(7.41 - 13.46)	*	(* - *)	6.71	(4.48 - 9.93)	9.51	(6.94 - 12.90)
Ward 8	11.69	(9.04 - 15.00)	*	(* - *)	7.56	(5.25 - 10.77)	11.41	(8.77 - 14.71)

See notes at end of table.

(continued)

Table 3 Marijuana Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	6.98	(6.21 - 7.84)	18.83	(17.56 - 20.16)	4.55	(3.89 - 5.31)	6.43	(5.81 - 7.12)
Region A - Northwest	7.49	(6.11 - 9.16)	21.89	(18.66 - 25.49)	5.77	(4.56 - 7.27)	8.60	(7.25 - 10.18)
Circuit 1	6.50	(4.88 - 8.60)	18.53	(14.34 - 23.59)	5.52	(3.99 - 7.60)	7.51	(5.80 - 9.68)
Circuit 2	8.32	(6.03 - 11.37)	26.00	(20.48 - 32.40)	5.84	(4.10 - 8.26)	10.81	(8.46 - 13.71)
Circuit 14	8.93	(6.30 - 12.49)	*	(* - *)	6.25	(4.24 - 9.11)	8.16	(5.86 - 11.25)
Region B - Northeast	7.47	(6.09 - 9.14)	19.59	(16.81 - 22.70)	5.40	(4.29 - 6.77)	7.54	(6.35 - 8.92)
Circuits 3 and 8	6.84	(4.95 - 9.37)	20.84	(16.27 - 26.29)	6.01	(4.27 - 8.39)	9.09	(7.06 - 11.64)
Circuit 4	7.59	(5.64 - 10.15)	19.16	(14.87 - 24.35)	5.89	(4.27 - 8.07)	7.83	(6.03 - 10.11)
Circuit 7	7.67	(5.68 - 10.29)	18.80	(14.52 - 23.99)	4.45	(3.14 - 6.28)	6.15	(4.66 - 8.07)
Region C - Central	7.11	(6.05 - 8.34)	19.49	(17.34 - 21.85)	4.75	(3.87 - 5.82)	6.68	(5.77 - 7.73)
Circuit 5	6.99	(5.11 - 9.49)	18.94	(14.42 - 24.48)	4.13	(2.89 - 5.88)	5.50	(4.10 - 7.36)
Circuit 9	6.70	(5.05 - 8.85)	19.92	(16.35 - 24.06)	5.11	(3.73 - 6.95)	7.73	(6.19 - 9.63)
Circuit 10	6.35	(4.63 - 8.64)	16.16	(12.43 - 20.75)	4.61	(3.20 - 6.58)	6.07	(4.54 - 8.09)
Circuit 18	8.24	(6.20 - 10.87)	22.28	(17.51 - 27.92)	5.23	(3.68 - 7.40)	7.42	(5.65 - 9.68)
Circuit 19	7.40	(5.41 - 10.05)	*	(* - *)	4.53	(3.03 - 6.70)	5.96	(4.26 - 8.27)
Region D - Southeast	6.37	(5.11 - 7.92)	16.04	(13.52 - 18.91)	3.67	(2.84 - 4.71)	5.15	(4.25 - 6.21)
Circuit 15 (Palm Beach)	6.16	(4.55 - 8.27)	16.21	(12.73 - 20.42)	3.69	(2.59 - 5.25)	5.12	(3.87 - 6.73)
Circuit 17 (Broward)	6.51	(4.95 - 8.54)	15.91	(12.63 - 19.85)	3.64	(2.66 - 4.97)	5.17	(4.06 - 6.55)
Region E - Sun Coast	7.62	(6.42 - 9.02)	20.05	(17.70 - 22.62)	5.02	(4.05 - 6.20)	6.74	(5.75 - 7.87)
Circuit 6	7.96	(6.02 - 10.46)	22.80	(18.03 - 28.40)	5.80	(4.22 - 7.93)	7.55	(5.85 - 9.69)
Circuit 12	8.52	(6.22 - 11.56)	*	(* - *)	4.88	(3.32 - 7.12)	6.40	(4.65 - 8.75)
Circuit 13 (Hillsborough)	6.48	(4.82 - 8.67)	18.40	(15.26 - 22.03)	4.58	(3.34 - 6.25)	6.68	(5.36 - 8.30)
Circuit 20	8.16	(6.09 - 10.84)	18.63	(14.28 - 23.94)	4.60	(3.20 - 6.58)	6.04	(4.49 - 8.08)
Region F - Southern (Circuits 11 and 16)	5.69	(4.40 - 7.34)	15.89	(13.28 - 18.89)	2.93	(2.16 - 3.98)	4.74	(3.86 - 5.80)
Georgia	6.79	(5.55 - 8.27)	15.53	(13.29 - 18.06)	3.32	(2.51 - 4.39)	5.17	(4.28 - 6.23)
Region 1	6.27	(4.57 - 8.53)	13.98	(10.59 - 18.25)	2.80	(1.86 - 4.19)	4.28	(3.17 - 5.76)
Region 2	5.89	(4.09 - 8.41)	12.18	(8.70 - 16.78)	2.77	(1.76 - 4.33)	4.39	(3.10 - 6.19)
Region 3	7.98	(5.90 - 10.72)	19.47	(15.57 - 24.08)	4.10	(2.83 - 5.90)	6.34	(4.87 - 8.21)
Region 4	8.03	(5.60 - 11.39)	*	(* - *)	3.45	(2.16 - 5.47)	5.35	(3.65 - 7.78)
Region 5	6.36	(4.37 - 9.17)	*	(* - *)	3.55	(2.18 - 5.72)	5.71	(3.87 - 8.35)
Region 6	5.98	(4.24 - 8.39)	13.62	(9.71 - 18.78)	2.92	(1.85 - 4.56)	4.54	(3.19 - 6.43)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	9.36	(7.66 - 11.40)	18.07	(15.68 - 20.74)	5.11	(3.95 - 6.59)	6.83	(5.67 - 8.21)
Hawaii Island	10.17	(7.27 - 14.04)	*	(* - *)	7.39	(4.94 - 10.90)	9.17	(6.61 - 12.60)
Honolulu	8.93	(7.00 - 11.32)	16.82	(14.12 - 19.92)	4.18	(3.07 - 5.66)	5.95	(4.81 - 7.35)
Kauai and Maui	10.44	(7.88 - 13.72)	21.22	(16.58 - 26.74)	7.12	(4.98 - 10.08)	8.69	(6.46 - 11.59)
Kauai	10.07	(6.95 - 14.36)	*	(* - *)	7.28	(4.57 - 11.41)	8.65	(5.76 - 12.79)
Maui	10.61	(7.63 - 14.56)	*	(* - *)	7.05	(4.69 - 10.46)	8.71	(6.20 - 12.09)
Idaho	7.09	(5.88 - 8.52)	14.90	(12.81 - 17.26)	4.83	(3.75 - 6.20)	6.36	(5.28 - 7.65)
Region 1	6.68	(4.72 - 9.37)	*	(* - *)	4.23	(2.71 - 6.56)	5.48	(3.77 - 7.91)
Region 2	7.42	(5.16 - 10.55)	*	(* - *)	5.20	(3.38 - 7.92)	7.71	(5.47 - 10.76)
Region 3	6.62	(4.78 - 9.10)	13.74	(10.09 - 18.45)	4.83	(3.23 - 7.16)	6.12	(4.40 - 8.47)
Region 4	9.08	(6.75 - 12.10)	20.32	(16.08 - 25.34)	5.87	(4.14 - 8.27)	7.88	(6.06 - 10.18)
Region 5	5.83	(4.19 - 8.07)	9.71	(6.82 - 13.63)	3.71	(2.37 - 5.75)	4.55	(3.12 - 6.60)
Region 6	6.57	(4.66 - 9.19)	14.50	(10.37 - 19.91)	5.30	(3.47 - 8.02)	6.78	(4.76 - 9.57)
Region 7	5.43	(3.81 - 7.69)	9.73	(6.84 - 13.67)	3.50	(2.26 - 5.39)	4.79	(3.36 - 6.79)
Illinois	6.75	(5.98 - 7.61)	19.89	(18.54 - 21.30)	4.51	(3.89 - 5.22)	6.75	(6.16 - 7.39)
Region I (Cook)	6.60	(5.41 - 8.03)	22.98	(20.79 - 25.32)	5.88	(4.86 - 7.10)	8.38	(7.39 - 9.48)
Region II	6.90	(5.75 - 8.26)	17.87	(15.64 - 20.36)	3.35	(2.62 - 4.28)	5.36	(4.58 - 6.26)
Region III	6.64	(5.15 - 8.52)	17.40	(14.51 - 20.72)	3.73	(2.78 - 4.97)	6.07	(4.98 - 7.38)
Region IV	6.28	(4.66 - 8.40)	14.84	(11.54 - 18.90)	3.04	(2.11 - 4.35)	4.67	(3.57 - 6.08)
Region V	7.30	(5.65 - 9.38)	19.95	(16.47 - 23.95)	4.49	(3.36 - 5.99)	6.69	(5.42 - 8.23)
Indiana	6.10	(4.99 - 7.44)	17.46	(15.08 - 20.14)	4.53	(3.53 - 5.81)	6.48	(5.43 - 7.73)
Central	6.64	(4.76 - 9.19)	19.20	(14.73 - 24.63)	4.79	(3.31 - 6.90)	6.78	(5.09 - 8.97)
East	6.02	(4.24 - 8.47)	*	(* - *)	4.77	(3.08 - 7.32)	6.87	(4.90 - 9.56)
North Central	6.49	(4.67 - 8.95)	17.43	(13.05 - 22.89)	5.12	(3.48 - 7.46)	6.87	(5.05 - 9.28)
Northeast	5.59	(3.90 - 7.95)	14.50	(10.40 - 19.86)	3.61	(2.38 - 5.45)	5.17	(3.69 - 7.21)
Northwest	6.03	(4.25 - 8.49)	*	(* - *)	4.96	(3.27 - 7.46)	6.74	(4.81 - 9.37)
Southeast	5.72	(4.03 - 8.05)	15.33	(11.24 - 20.57)	3.98	(2.66 - 5.90)	5.38	(3.89 - 7.40)
Southwest	5.84	(4.02 - 8.40)	*	(* - *)	3.69	(2.33 - 5.78)	5.24	(3.58 - 7.62)
West	5.27	(3.67 - 7.50)	18.58	(14.02 - 24.20)	4.54	(2.95 - 6.91)	7.81	(5.77 - 10.49)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	6.46	(5.31 - 7.85)	16.96	(14.53 - 19.69)	3.61	(2.75 - 4.72)	5.61	(4.66 - 6.73)
Central	7.26	(5.24 - 9.99)	16.23	(12.10 - 21.42)	4.15	(2.80 - 6.12)	5.82	(4.27 - 7.89)
North Central	7.25	(5.07 - 10.26)	*	(* - *)	4.36	(2.82 - 6.67)	7.84	(5.69 - 10.71)
Northeast	6.04	(4.35 - 8.32)	16.38	(12.83 - 20.69)	3.13	(2.11 - 4.62)	5.14	(3.90 - 6.74)
Northwest	5.36	(3.76 - 7.58)	10.37	(7.19 - 14.72)	2.60	(1.60 - 4.18)	3.62	(2.45 - 5.32)
Southeast	6.70	(4.85 - 9.17)	18.92	(14.41 - 24.45)	4.13	(2.78 - 6.10)	6.50	(4.84 - 8.68)
Southwest	6.48	(4.57 - 9.12)	*	(* - *)	3.52	(2.27 - 5.43)	4.97	(3.48 - 7.06)
Kansas	5.83	(4.71 - 7.19)	12.60	(10.64 - 14.87)	2.91	(2.13 - 3.97)	4.40	(3.56 - 5.43)
Kansas City Metro	5.84	(4.28 - 7.93)	14.75	(11.48 - 18.75)	2.96	(2.00 - 4.35)	4.70	(3.58 - 6.16)
Northeast	5.49	(3.79 - 7.88)	10.88	(7.76 - 15.06)	2.74	(1.73 - 4.32)	4.18	(2.95 - 5.91)
South Central	5.49	(3.80 - 7.88)	11.15	(7.69 - 15.89)	2.79	(1.71 - 4.53)	4.00	(2.70 - 5.89)
Southeast	5.99	(4.07 - 8.74)	*	(* - *)	3.35	(1.99 - 5.60)	4.84	(3.19 - 7.29)
West	6.13	(4.21 - 8.84)	12.02	(8.41 - 16.89)	2.78	(1.73 - 4.42)	4.13	(2.83 - 6.00)
Wichita (Sedgwick)	6.12	(4.33 - 8.59)	12.01	(8.77 - 16.24)	3.01	(1.90 - 4.74)	4.35	(3.06 - 6.15)
Kentucky	5.78	(4.69 - 7.10)	16.45	(14.24 - 18.92)	3.49	(2.67 - 4.57)	5.31	(4.43 - 6.36)
Adanta, Cumberland River, and Lifeskills	4.51	(3.13 - 6.47)	11.45	(8.20 - 15.76)	2.41	(1.53 - 3.77)	3.70	(2.60 - 5.23)
Bluegrass, Comprehend, and North Key	6.10	(4.44 - 8.31)	16.90	(13.46 - 21.01)	3.35	(2.33 - 4.77)	5.41	(4.21 - 6.94)
Communicare and River Valley	6.04	(4.18 - 8.65)	*	(* - *)	3.75	(2.35 - 5.91)	5.37	(3.71 - 7.70)
Four Rivers and Pennyroyal	5.36	(3.65 - 7.81)	*	(* - *)	3.41	(2.15 - 5.37)	5.03	(3.47 - 7.22)
Kentucky River, Mountain, and Pathways	5.12	(3.49 - 7.44)	*	(* - *)	2.64	(1.64 - 4.21)	3.94	(2.68 - 5.76)
Seven Counties	6.67	(4.81 - 9.16)	23.01	(17.90 - 29.05)	4.85	(3.37 - 6.94)	7.22	(5.50 - 9.41)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	5.24	(4.28 - 6.40)	13.15	(11.33 - 15.22)	2.80	(2.12 - 3.69)	4.42	(3.67 - 5.32)
Regions 1 and 10	5.80	(4.35 - 7.70)	17.42	(13.72 - 21.88)	3.85	(2.72 - 5.44)	5.96	(4.60 - 7.69)
Region 1	5.69	(3.94 - 8.14)	*	(* - *)	3.95	(2.60 - 5.98)	6.45	(4.68 - 8.83)
Region 10 (Jefferson)	5.91	(4.10 - 8.46)	*	(* - *)	3.76	(2.40 - 5.84)	5.47	(3.86 - 7.70)
Regions 2 and 9	5.36	(3.93 - 7.25)	13.98	(11.11 - 17.44)	2.68	(1.83 - 3.89)	4.51	(3.49 - 5.81)
Region 3	4.95	(3.41 - 7.12)	12.34	(8.58 - 17.45)	3.08	(1.95 - 4.82)	4.45	(3.05 - 6.44)
Regions 4, 5, and 6	4.56	(3.28 - 6.32)	10.55	(7.80 - 14.10)	2.40	(1.56 - 3.69)	3.65	(2.63 - 5.05)
Regions 7 and 8	5.68	(4.05 - 7.91)	11.58	(8.58 - 15.44)	2.33	(1.50 - 3.60)	3.80	(2.75 - 5.23)
Maine	8.71	(7.31 - 10.34)	23.79	(21.14 - 26.66)	6.20	(5.00 - 7.66)	8.38	(7.17 - 9.77)
Aroostook/Downeast	7.92	(5.96 - 10.47)	18.92	(14.80 - 23.86)	5.25	(3.70 - 7.40)	6.79	(5.10 - 8.98)
Aroostook	7.29	(5.02 - 10.47)	*	(* - *)	5.01	(3.20 - 7.77)	6.42	(4.41 - 9.25)
Downeast	8.51	(5.96 - 12.00)	*	(* - *)	5.44	(3.50 - 8.37)	7.09	(4.92 - 10.10)
Central	8.30	(6.02 - 11.33)	*	(* - *)	6.03	(4.25 - 8.49)	8.23	(6.24 - 10.79)
Cumberland	9.14	(6.78 - 12.21)	26.36	(21.08 - 32.42)	6.92	(4.98 - 9.55)	9.41	(7.30 - 12.05)
Midcoast	8.64	(6.05 - 12.20)	*	(* - *)	5.98	(4.01 - 8.82)	7.68	(5.51 - 10.59)
Penquis	8.06	(5.86 - 11.00)	22.75	(17.67 - 28.77)	5.85	(4.10 - 8.27)	8.59	(6.59 - 11.13)
Western	9.46	(6.97 - 12.71)	25.11	(19.89 - 31.17)	7.15	(5.07 - 10.00)	9.47	(7.22 - 12.32)
York	8.85	(6.47 - 11.99)	22.95	(18.05 - 28.71)	5.63	(3.84 - 8.18)	7.60	(5.65 - 10.16)
Maryland	7.09	(5.80 - 8.63)	17.44	(15.11 - 20.06)	3.57	(2.74 - 4.64)	5.55	(4.66 - 6.60)
Anne Arundel	6.79	(4.63 - 9.85)	*	(* - *)	3.19	(1.99 - 5.05)	4.95	(3.44 - 7.08)
Baltimore City	7.78	(5.50 - 10.90)	21.18	(16.43 - 26.86)	5.37	(3.65 - 7.84)	8.20	(6.21 - 10.76)
Baltimore County	6.95	(4.89 - 9.79)	15.13	(10.95 - 20.53)	3.36	(2.19 - 5.12)	5.04	(3.61 - 7.01)
Montgomery	7.14	(5.09 - 9.93)	*	(* - *)	3.40	(2.25 - 5.12)	5.19	(3.77 - 7.10)
North Central	6.44	(4.41 - 9.31)	*	(* - *)	3.21	(2.02 - 5.04)	5.10	(3.58 - 7.21)
Northeast	6.96	(4.84 - 9.93)	*	(* - *)	3.11	(1.93 - 4.95)	4.62	(3.15 - 6.72)
Prince George's	7.58	(5.24 - 10.84)	*	(* - *)	3.35	(2.16 - 5.15)	5.64	(4.07 - 7.78)
South	7.77	(5.45 - 10.96)	*	(* - *)	4.16	(2.67 - 6.42)	6.51	(4.62 - 9.10)
West	5.88	(4.09 - 8.37)	13.80	(9.77 - 19.14)	3.01	(1.90 - 4.75)	4.45	(3.09 - 6.38)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	10.75	(9.15 - 12.57)	27.25	(24.49 - 30.19)	6.52	(5.19 - 8.16)	9.63	(8.31 - 11.14)
Boston	8.93	(6.32 - 12.49)	25.69	(20.52 - 31.64)	7.33	(5.02 - 10.57)	11.70	(9.10 - 14.93)
Central	11.38	(8.31 - 15.38)	*	(* - *)	6.73	(4.64 - 9.67)	9.70	(7.32 - 12.76)
Metrowest	10.86	(8.33 - 14.06)	28.61	(22.87 - 35.14)	6.08	(4.31 - 8.51)	9.02	(7.03 - 11.52)
Northeast	10.31	(7.86 - 13.41)	25.88	(20.96 - 31.50)	6.44	(4.56 - 9.02)	8.98	(6.96 - 11.52)
Southeast	11.88	(9.02 - 15.50)	29.21	(23.85 - 35.22)	6.89	(4.86 - 9.68)	9.71	(7.53 - 12.43)
Western	9.92	(7.37 - 13.23)	*	(* - *)	5.95	(4.06 - 8.64)	9.48	(7.22 - 12.36)
Michigan	8.54	(7.71 - 9.45)	21.09	(19.77 - 22.46)	6.65	(5.85 - 7.55)	8.77	(8.03 - 9.56)
Detroit City	9.08	(6.81 - 12.01)	27.21	(23.00 - 31.86)	11.33	(8.56 - 14.85)	14.18	(11.53 - 17.33)
Genesee	9.66	(7.43 - 12.46)	23.21	(18.61 - 28.53)	7.38	(5.49 - 9.85)	9.57	(7.54 - 12.06)
Kalamazoo	8.01	(6.20 - 10.30)	19.61	(15.56 - 24.40)	6.95	(5.14 - 9.34)	8.95	(7.04 - 11.31)
Kent	8.79	(6.73 - 11.39)	19.52	(15.83 - 23.82)	6.38	(4.70 - 8.60)	8.44	(6.69 - 10.61)
Lakeshore	8.87	(6.86 - 11.40)	16.66	(13.27 - 20.69)	5.70	(4.20 - 7.70)	7.36	(5.78 - 9.33)
Macomb	9.00	(7.06 - 11.41)	18.74	(15.23 - 22.84)	5.15	(3.83 - 6.89)	6.86	(5.46 - 8.58)
Mid South	6.59	(5.03 - 8.59)	19.04	(15.73 - 22.87)	6.15	(4.63 - 8.12)	8.44	(6.86 - 10.35)
Northern	9.32	(7.16 - 12.05)	22.64	(18.78 - 27.03)	6.80	(5.18 - 8.89)	9.03	(7.35 - 11.05)
Oakland	9.00	(7.22 - 11.17)	21.50	(18.15 - 25.27)	5.95	(4.54 - 7.75)	7.78	(6.34 - 9.50)
Pathways and Western	9.45	(7.07 - 12.54)	28.31	(22.87 - 34.47)	8.78	(6.40 - 11.93)	11.61	(9.08 - 14.74)
Riverhaven	7.20	(5.26 - 9.77)	18.85	(14.56 - 24.05)	6.48	(4.62 - 9.04)	8.01	(6.04 - 10.55)
Saginaw	8.76	(6.38 - 11.90)	*	(* - *)	6.68	(4.63 - 9.54)	8.74	(6.47 - 11.69)
Southeast	8.19	(6.44 - 10.36)	21.90	(18.55 - 25.66)	6.69	(5.16 - 8.63)	8.71	(7.17 - 10.55)
St. Clair	8.84	(6.49 - 11.92)	19.49	(14.82 - 25.19)	6.04	(4.23 - 8.55)	7.68	(5.72 - 10.25)
Washtenaw	8.00	(6.00 - 10.59)	20.72	(17.20 - 24.75)	5.32	(3.84 - 7.32)	8.23	(6.60 - 10.21)
Minnesota	7.18	(5.93 - 8.68)	18.28	(15.90 - 20.92)	4.14	(3.22 - 5.31)	6.14	(5.16 - 7.29)
Regions 1 and 2	6.87	(4.80 - 9.75)	*	(* - *)	4.29	(2.69 - 6.77)	6.15	(4.23 - 8.85)
Regions 3 and 4	7.47	(5.37 - 10.31)	16.72	(12.62 - 21.81)	3.81	(2.58 - 5.58)	5.69	(4.22 - 7.63)
Regions 5 and 6	7.38	(5.38 - 10.04)	20.18	(15.49 - 25.86)	4.28	(2.93 - 6.21)	6.62	(5.00 - 8.73)
Region 7A (Hennepin)	7.19	(5.18 - 9.92)	19.35	(15.26 - 24.22)	4.37	(3.05 - 6.21)	6.45	(4.95 - 8.38)
Region 7B (Ramsey)	7.22	(4.97 - 10.38)	*	(* - *)	5.07	(3.22 - 7.89)	7.19	(5.03 - 10.18)
Region 7C	6.94	(5.09 - 9.39)	17.41	(13.17 - 22.67)	3.57	(2.45 - 5.19)	5.27	(3.93 - 7.04)

See notes at end of table.

(continued)

Table 3 Marijuana Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	5.76	(4.70 - 7.06)	14.50	(12.49 - 16.77)	3.77	(2.91 - 4.87)	5.43	(4.53 - 6.50)
Region 1	5.84	(4.20 - 8.07)	14.57	(11.09 - 18.91)	3.50	(2.38 - 5.12)	5.18	(3.86 - 6.93)
Region 2	5.98	(4.23 - 8.39)	15.13	(11.08 - 20.32)	4.31	(2.84 - 6.49)	5.99	(4.31 - 8.27)
Region 3	5.19	(3.57 - 7.50)	13.68	(10.00 - 18.45)	3.56	(2.30 - 5.49)	5.31	(3.79 - 7.41)
Region 4	6.09	(4.36 - 8.44)	15.57	(11.75 - 20.35)	3.48	(2.34 - 5.15)	5.33	(3.93 - 7.18)
Region 5	5.16	(3.43 - 7.69)	*	(* - *)	*	(* - *)	4.70	(3.12 - 7.03)
Region 6	5.08	(3.58 - 7.15)	11.94	(8.50 - 16.50)	3.36	(2.18 - 5.14)	4.78	(3.39 - 6.72)
Region 7	6.25	(4.43 - 8.76)	15.92	(11.83 - 21.10)	4.66	(3.13 - 6.87)	6.27	(4.57 - 8.55)
Missouri	7.39	(6.12 - 8.89)	17.22	(14.85 - 19.88)	3.75	(2.89 - 4.87)	5.72	(4.78 - 6.82)
Central	5.56	(3.95 - 7.76)	14.70	(10.65 - 19.94)	3.04	(1.97 - 4.68)	5.14	(3.71 - 7.08)
Eastern	9.03	(7.10 - 11.41)	20.84	(17.13 - 25.12)	4.22	(3.06 - 5.80)	6.54	(5.22 - 8.16)
Eastern (St. Louis City and County)	8.81	(6.59 - 11.67)	21.51	(17.01 - 26.82)	4.70	(3.23 - 6.78)	7.13	(5.45 - 9.29)
Eastern (excluding St. Louis)	9.37	(6.78 - 12.80)	*	(* - *)	3.41	(2.27 - 5.10)	5.50	(4.01 - 7.49)
Northwest	7.19	(5.52 - 9.31)	16.60	(13.24 - 20.62)	3.89	(2.78 - 5.40)	5.68	(4.43 - 7.26)
Northwest (Jackson)	7.59	(5.45 - 10.48)	17.92	(13.61 - 23.22)	4.48	(3.04 - 6.55)	6.36	(4.72 - 8.51)
Northwest (excluding Jackson)	6.86	(4.87 - 9.60)	15.50	(11.31 - 20.88)	3.38	(2.21 - 5.14)	5.10	(3.66 - 7.06)
Southeast	5.15	(3.56 - 7.42)	12.39	(8.78 - 17.20)	2.77	(1.74 - 4.37)	4.09	(2.83 - 5.89)
Southwest	7.08	(5.00 - 9.95)	*	(* - *)	3.85	(2.54 - 5.79)	5.69	(4.11 - 7.85)
Montana	9.77	(8.24 - 11.54)	26.80	(24.07 - 29.70)	8.12	(6.65 - 9.88)	10.74	(9.30 - 12.36)
Region 1	8.06	(5.72 - 11.25)	*	(* - *)	5.98	(3.89 - 9.07)	7.64	(5.38 - 10.74)
Region 2	7.96	(5.67 - 11.06)	*	(* - *)	7.54	(5.16 - 10.87)	9.84	(7.29 - 13.16)
Region 3	10.41	(7.91 - 13.58)	23.17	(18.58 - 28.50)	8.25	(6.04 - 11.17)	10.10	(7.84 - 12.91)
Region 4	10.77	(8.20 - 14.01)	30.27	(25.17 - 35.91)	8.61	(6.47 - 11.39)	11.97	(9.69 - 14.68)
Region 5	9.89	(7.59 - 12.79)	28.49	(24.07 - 33.36)	8.43	(6.29 - 11.22)	11.29	(9.10 - 13.92)
Nebraska	6.83	(5.55 - 8.39)	14.81	(12.72 - 17.17)	3.44	(2.62 - 4.51)	5.15	(4.27 - 6.20)
Regions 1 and 2	5.85	(4.28 - 7.95)	11.40	(8.16 - 15.71)	2.98	(1.91 - 4.61)	4.03	(2.79 - 5.80)
Region 1	5.63	(3.79 - 8.29)	*	(* - *)	3.22	(1.89 - 5.43)	4.38	(2.79 - 6.81)
Region 2	6.03	(4.08 - 8.81)	*	(* - *)	2.76	(1.64 - 4.62)	3.73	(2.39 - 5.78)
Region 3	5.70	(4.01 - 8.04)	12.82	(9.22 - 17.56)	2.88	(1.83 - 4.52)	4.30	(3.01 - 6.12)
Region 4	4.95	(3.36 - 7.24)	8.06	(5.35 - 11.98)	2.01	(1.19 - 3.38)	2.81	(1.82 - 4.31)
Region 5	5.98	(4.28 - 8.29)	13.45	(10.36 - 17.28)	2.98	(1.99 - 4.42)	4.81	(3.62 - 6.36)
Region 6	8.32	(6.22 - 11.03)	18.67	(15.22 - 22.70)	4.40	(3.17 - 6.08)	6.53	(5.18 - 8.19)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	8.10	(6.38 - 10.25)	19.46	(16.67 - 22.60)	6.10	(4.65 - 7.95)	7.95	(6.53 - 9.66)
Clark – Region 1	7.50	(5.57 - 10.03)	18.96	(15.59 - 22.85)	5.93	(4.37 - 8.01)	7.74	(6.17 - 9.67)
Region 3	8.28	(6.12 - 11.12)	18.00	(13.64 - 23.39)	5.66	(3.82 - 8.31)	7.15	(5.16 - 9.83)
Capital District	8.91	(6.06 - 12.93)	*	(* - *)	5.53	(3.43 - 8.80)	7.08	(4.74 - 10.46)
Rural/Frontier	7.78	(5.29 - 11.30)	*	(* - *)	5.78	(3.57 - 9.24)	7.22	(4.77 - 10.76)
Washoe – Region 2	10.80	(7.77 - 14.84)	22.41	(17.78 - 27.83)	7.21	(4.89 - 10.51)	9.56	(7.13 - 12.70)
New Hampshire	11.00	(9.30 - 12.98)	27.34	(24.61 - 30.26)	5.57	(4.37 - 7.06)	8.49	(7.29 - 9.87)
Central	11.40	(8.98 - 14.36)	28.15	(24.12 - 32.56)	5.73	(4.21 - 7.77)	8.99	(7.32 - 10.98)
Central 1	12.18	(9.05 - 16.19)	31.46	(26.17 - 37.28)	7.11	(4.93 - 10.14)	11.16	(8.78 - 14.07)
Central 2	10.72	(7.86 - 14.44)	23.82	(18.49 - 30.12)	4.45	(2.98 - 6.59)	6.86	(5.13 - 9.13)
Northern	12.23	(8.89 - 16.58)	*	(* - *)	6.53	(4.40 - 9.60)	9.70	(7.30 - 12.77)
Southern	10.62	(8.67 - 12.93)	26.33	(22.83 - 30.15)	5.27	(4.01 - 6.88)	7.97	(6.66 - 9.52)
Southern 1 (Rockingham)	10.44	(7.89 - 13.69)	30.78	(25.33 - 36.83)	5.02	(3.49 - 7.17)	7.92	(6.18 - 10.11)
Southern 2	10.73	(8.35 - 13.69)	24.07	(19.85 - 28.87)	5.43	(3.94 - 7.43)	8.00	(6.43 - 9.92)
New Jersey	7.38	(6.05 - 8.98)	18.88	(16.35 - 21.70)	4.27	(3.28 - 5.54)	6.18	(5.14 - 7.42)
Central	7.71	(5.64 - 10.44)	20.25	(15.56 - 25.93)	3.84	(2.61 - 5.62)	5.85	(4.37 - 7.77)
Metropolitan	7.03	(5.17 - 9.48)	16.57	(12.79 - 21.19)	3.91	(2.67 - 5.69)	5.70	(4.28 - 7.54)
Northern	7.21	(5.34 - 9.68)	18.91	(14.96 - 23.63)	4.61	(3.19 - 6.61)	6.42	(4.86 - 8.44)
Southern	7.66	(5.52 - 10.53)	20.25	(15.59 - 25.87)	4.64	(3.21 - 6.67)	6.74	(5.08 - 8.89)
New Mexico	9.90	(8.21 - 11.90)	21.39	(18.86 - 24.16)	6.19	(4.85 - 7.87)	8.44	(7.13 - 9.97)
Region 1	10.03	(7.56 - 13.21)	19.39	(15.25 - 24.34)	5.84	(4.08 - 8.31)	7.83	(5.97 - 10.22)
Region 2	10.47	(7.59 - 14.27)	*	(* - *)	5.74	(3.86 - 8.45)	7.48	(5.44 - 10.21)
Region 3 (Bernalillo)	11.84	(8.97 - 15.47)	28.29	(23.66 - 33.43)	8.06	(5.96 - 10.83)	11.09	(8.94 - 13.67)
Region 4	8.60	(6.22 - 11.78)	14.97	(10.95 - 20.12)	4.63	(3.03 - 7.01)	6.28	(4.51 - 8.70)
Region 5	7.34	(5.32 - 10.05)	16.97	(12.84 - 22.08)	4.75	(3.21 - 6.98)	6.76	(5.01 - 9.05)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	7.91	(7.05 - 8.86)	20.54	(19.19 - 21.95)	5.54	(4.81 - 6.39)	7.79	(7.09 - 8.55)
Region A	7.31	(6.20 - 8.59)	17.93	(16.10 - 19.90)	5.49	(4.57 - 6.59)	7.40	(6.49 - 8.43)
Region 1	7.52	(5.65 - 9.96)	16.62	(12.98 - 21.03)	4.85	(3.46 - 6.76)	6.96	(5.38 - 8.96)
Region 2	7.25	(5.63 - 9.29)	17.68	(15.00 - 20.71)	6.13	(4.69 - 7.96)	7.92	(6.50 - 9.63)
Region 3	6.84	(4.99 - 9.32)	18.29	(14.42 - 22.91)	5.30	(3.85 - 7.26)	7.26	(5.66 - 9.26)
Region 4	7.43	(5.68 - 9.67)	18.95	(15.39 - 23.12)	5.18	(3.88 - 6.89)	7.09	(5.68 - 8.83)
Region B	8.53	(7.22 - 10.07)	22.13	(19.60 - 24.88)	5.34	(4.33 - 6.56)	7.61	(6.56 - 8.81)
Region 5	8.86	(7.05 - 11.08)	23.23	(19.81 - 27.04)	5.41	(4.18 - 6.98)	7.76	(6.45 - 9.32)
Region 6	7.56	(5.66 - 10.01)	18.33	(14.17 - 23.39)	5.16	(3.65 - 7.24)	6.86	(5.19 - 9.01)
Region 7	9.04	(6.89 - 11.77)	23.98	(19.14 - 29.60)	5.38	(3.80 - 7.56)	8.26	(6.40 - 10.59)
Region C	8.09	(6.92 - 9.45)	22.69	(20.39 - 25.17)	5.63	(4.71 - 6.73)	8.33	(7.36 - 9.42)
Region 8	9.13	(7.05 - 11.75)	23.83	(19.18 - 29.20)	5.43	(3.99 - 7.35)	8.17	(6.49 - 10.24)
Region 9	8.74	(6.65 - 11.40)	22.90	(18.72 - 27.69)	6.20	(4.56 - 8.37)	8.88	(7.08 - 11.09)
Region 10	7.90	(5.66 - 10.94)	20.98	(16.38 - 26.46)	6.12	(4.30 - 8.66)	9.05	(6.93 - 11.74)
Region 11	7.78	(5.86 - 10.26)	21.66	(17.33 - 26.72)	5.33	(3.83 - 7.38)	7.91	(6.21 - 10.04)
Region 12	7.00	(5.17 - 9.42)	23.39	(18.64 - 28.93)	5.44	(3.98 - 7.38)	8.12	(6.42 - 10.21)
Region D	7.89	(6.42 - 9.65)	23.30	(19.99 - 26.97)	6.21	(4.87 - 7.90)	8.84	(7.38 - 10.56)
Region 13	9.22	(6.75 - 12.49)	*	(* - *)	6.57	(4.54 - 9.42)	9.38	(7.05 - 12.36)
Region 14	7.39	(5.25 - 10.30)	*	(* - *)	6.53	(4.58 - 9.23)	9.33	(7.05 - 12.25)
Region 15	7.22	(5.25 - 9.85)	21.10	(16.34 - 26.81)	5.57	(3.86 - 7.99)	7.88	(5.93 - 10.39)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	7.79	(6.49 - 9.32)	20.11	(17.55 - 22.94)	4.60	(3.52 - 6.00)	6.80	(5.67 - 8.13)
Alliance	7.75	(5.65 - 10.54)	19.81	(15.22 - 25.37)	4.19	(2.84 - 6.13)	6.55	(4.93 - 8.64)
Cardinal Innovations	7.32	(5.30 - 10.03)	20.34	(15.47 - 26.26)	4.24	(2.83 - 6.29)	6.41	(4.75 - 8.59)
CenterPoint/Guilford	7.54	(5.60 - 10.09)	19.54	(15.09 - 24.91)	4.56	(3.08 - 6.69)	6.74	(5.02 - 8.99)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	6.68	(4.52 - 9.77)
Guilford	*	(* - *)	*	(* - *)	*	(* - *)	6.80	(4.77 - 9.60)
CoastalCare	8.32	(5.72 - 11.96)	*	(* - *)	4.56	(2.87 - 7.18)	7.43	(5.15 - 10.61)
Eastpointe	7.73	(5.52 - 10.71)	*	(* - *)	4.88	(3.18 - 7.41)	6.76	(4.83 - 9.40)
ECBH	8.10	(5.71 - 11.38)	*	(* - *)	*	(* - *)	6.72	(4.75 - 9.42)
MeckLINK	7.86	(5.47 - 11.17)	*	(* - *)	4.81	(3.06 - 7.49)	7.21	(5.03 - 10.23)
Partners	7.91	(5.69 - 10.92)	*	(* - *)	5.09	(3.35 - 7.66)	6.88	(4.94 - 9.51)
Sandhills	7.58	(5.33 - 10.67)	*	(* - *)	4.82	(3.06 - 7.51)	6.51	(4.47 - 9.38)
Smoky Mountain	*	(* - *)	*	(* - *)	*	(* - *)	6.46	(4.40 - 9.38)
Western Highlands	*	(* - *)	*	(* - *)	5.80	(3.68 - 9.02)	7.90	(5.48 - 11.27)
North Dakota	5.48	(4.39 - 6.83)	12.89	(10.93 - 15.15)	2.66	(1.94 - 3.64)	4.45	(3.64 - 5.42)
Badlands and West Central	5.40	(3.81 - 7.60)	10.30	(7.37 - 14.20)	2.34	(1.50 - 3.62)	3.41	(2.42 - 4.80)
Lake Region and South Central	6.13	(4.24 - 8.78)	14.31	(10.29 - 19.56)	3.11	(1.95 - 4.92)	4.51	(3.14 - 6.44)
North Central and Northwest	5.13	(3.60 - 7.27)	10.67	(7.56 - 14.84)	2.63	(1.68 - 4.10)	3.95	(2.79 - 5.56)
Northeast	5.58	(3.86 - 8.01)	14.12	(10.75 - 18.32)	3.01	(1.93 - 4.69)	5.72	(4.28 - 7.60)
Southeast	5.39	(3.86 - 7.49)	14.55	(11.16 - 18.75)	2.62	(1.72 - 3.97)	5.14	(3.90 - 6.75)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	7.34	(6.59 - 8.17)	18.92	(17.67 - 20.22)	4.92	(4.27 - 5.65)	6.90	(6.29 - 7.57)
Boards 2, 46, 55, and 68	6.68	(5.01 - 8.85)	17.24	(13.42 - 21.89)	5.17	(3.72 - 7.14)	6.81	(5.21 - 8.84)
Boards 3, 52, and 85	6.78	(4.94 - 9.23)	16.03	(12.14 - 20.86)	3.79	(2.62 - 5.45)	5.44	(4.05 - 7.26)
Boards 4 and 78	6.56	(4.64 - 9.20)	*	(* - *)	5.14	(3.46 - 7.57)	6.47	(4.61 - 9.00)
Boards 5 and 60	6.80	(4.99 - 9.20)	21.99	(17.31 - 27.52)	5.92	(4.19 - 8.29)	8.84	(6.86 - 11.32)
Boards 7, 15, 41, 79, and 84	5.96	(4.26 - 8.27)	11.63	(8.91 - 15.05)	3.70	(2.54 - 5.37)	4.66	(3.44 - 6.28)
Boards 8, 13, and 83	6.38	(4.73 - 8.56)	16.81	(12.94 - 21.56)	3.81	(2.69 - 5.36)	5.38	(4.08 - 7.05)
Board 9 (Butler)	6.97	(5.13 - 9.41)	18.04	(13.92 - 23.05)	4.67	(3.30 - 6.58)	6.84	(5.21 - 8.94)
Board 12	7.57	(5.58 - 10.20)	16.65	(12.45 - 21.90)	4.03	(2.73 - 5.92)	6.07	(4.47 - 8.20)
Boards 18 and 47	7.97	(6.31 - 10.02)	20.53	(17.57 - 23.85)	5.23	(4.06 - 6.73)	7.25	(6.04 - 8.68)
Boards 20, 32, 54, and 69	5.91	(4.27 - 8.13)	12.36	(8.94 - 16.86)	3.50	(2.35 - 5.19)	4.66	(3.34 - 6.47)
Boards 21, 39, 51, 70, and 80	6.69	(5.01 - 8.89)	18.17	(14.04 - 23.18)	4.56	(3.19 - 6.47)	6.19	(4.67 - 8.17)
Boards 22, 74, and 87	6.88	(4.97 - 9.45)	17.80	(13.78 - 22.69)	4.23	(2.93 - 6.09)	6.34	(4.79 - 8.35)
Boards 23 and 45	7.03	(5.22 - 9.40)	18.99	(14.23 - 24.87)	4.33	(3.01 - 6.18)	6.36	(4.75 - 8.46)
Board 25 (Franklin)	7.46	(5.75 - 9.62)	23.88	(20.13 - 28.09)	6.51	(4.94 - 8.53)	9.48	(7.82 - 11.46)
Boards 27, 71, and 73	5.57	(4.02 - 7.68)	13.20	(9.81 - 17.53)	3.96	(2.73 - 5.71)	5.13	(3.77 - 6.95)
Boards 28, 43, and 67	8.08	(6.09 - 10.66)	17.92	(13.86 - 22.87)	4.04	(2.88 - 5.65)	6.07	(4.67 - 7.85)
Board 31 (Hamilton)	8.79	(6.76 - 11.34)	20.84	(17.02 - 25.25)	5.37	(3.90 - 7.34)	7.72	(6.14 - 9.68)
Board 48 (Lucas)	7.94	(5.86 - 10.67)	19.38	(15.12 - 24.49)	5.45	(3.82 - 7.73)	7.66	(5.80 - 10.05)
Boards 50 and 76	8.55	(6.48 - 11.22)	19.23	(15.27 - 23.93)	5.06	(3.66 - 6.96)	6.88	(5.35 - 8.81)
Board 57 (Montgomery)	7.69	(5.73 - 10.25)	17.28	(13.28 - 22.16)	4.72	(3.32 - 6.67)	6.48	(4.90 - 8.53)
Board 77 (Summit)	8.35	(6.28 - 11.01)	22.03	(17.61 - 27.20)	6.06	(4.40 - 8.30)	8.21	(6.41 - 10.46)
Oklahoma	6.55	(5.35 - 7.99)	14.96	(12.67 - 17.58)	4.45	(3.44 - 5.74)	6.05	(5.01 - 7.30)
Central	6.39	(4.43 - 9.15)	*	(* - *)	3.63	(2.31 - 5.68)	5.58	(3.90 - 7.92)
East Central	5.88	(4.13 - 8.32)	*	(* - *)	4.32	(2.75 - 6.74)	5.56	(3.80 - 8.07)
Northeast	5.44	(3.81 - 7.70)	13.27	(9.56 - 18.12)	3.97	(2.57 - 6.09)	5.50	(3.90 - 7.70)
Northwest and Southwest	8.36	(5.98 - 11.56)	*	(* - *)	5.64	(3.80 - 8.30)	7.53	(5.46 - 10.30)
Oklahoma County	7.61	(5.47 - 10.49)	16.88	(12.88 - 21.80)	4.92	(3.41 - 7.04)	6.76	(5.10 - 8.92)
Southeast	5.47	(3.82 - 7.77)	13.15	(9.48 - 17.97)	4.28	(2.78 - 6.55)	5.51	(3.88 - 7.76)
Tulsa County	6.18	(4.36 - 8.69)	13.85	(9.94 - 18.97)	4.07	(2.69 - 6.10)	5.51	(3.93 - 7.67)

See notes at end of table.

(continued)

Table 3 Marijuana Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	9.51	(8.01 - 11.26)	24.60	(21.89 - 27.52)	9.20	(7.57 - 11.14)	11.32	(9.76 - 13.10)
Region 1 (Multnomah)	12.86	(9.53 - 17.15)	31.96	(26.35 - 38.15)	13.86	(10.49 - 18.09)	16.29	(12.99 - 20.23)
Region 2	8.69	(6.50 - 11.53)	23.05	(18.42 - 28.44)	7.88	(5.66 - 10.86)	9.79	(7.52 - 12.66)
Region 3	9.07	(7.01 - 11.66)	24.11	(20.09 - 28.65)	8.23	(6.24 - 10.78)	10.81	(8.82 - 13.20)
Region 4	9.35	(6.78 - 12.76)	*	(* - *)	8.41	(5.84 - 11.96)	10.00	(7.37 - 13.44)
Region 5 (Central)	9.19	(6.53 - 12.79)	*	(* - *)	7.18	(4.77 - 10.67)	8.76	(6.17 - 12.30)
Region 6 (Eastern)	7.65	(5.15 - 11.22)	*	(* - *)	*	(* - *)	*	(* - *)
Pennsylvania	7.03	(6.24 - 7.92)	18.42	(17.06 - 19.86)	4.09	(3.50 - 4.77)	6.14	(5.57 - 6.77)
Region 1 (Allegheny)	9.44	(7.29 - 12.13)	24.01	(19.99 - 28.56)	5.01	(3.74 - 6.69)	7.65	(6.22 - 9.36)
Regions 3, 8, 9, and 51	6.88	(5.04 - 9.32)	17.78	(13.64 - 22.85)	3.22	(2.23 - 4.63)	5.31	(4.04 - 6.96)
Regions 4, 11, 37, and 49	6.94	(5.14 - 9.29)	15.26	(11.85 - 19.44)	3.25	(2.29 - 4.60)	4.87	(3.74 - 6.32)
Regions 5, 18, 23, 24, and 46	7.17	(5.28 - 9.67)	16.98	(12.85 - 22.10)	3.69	(2.56 - 5.28)	5.45	(4.09 - 7.23)
Regions 6, 12, 16, 31, 35, 45, and 47	5.75	(4.17 - 7.88)	15.61	(12.21 - 19.76)	2.84	(1.96 - 4.08)	5.37	(4.17 - 6.89)
Regions 7, 13, 20, and 33	7.08	(5.56 - 8.99)	19.01	(16.08 - 22.33)	4.12	(3.14 - 5.38)	6.04	(4.99 - 7.30)
Regions 10, 15, 27, 32, 43, and 44	6.39	(4.77 - 8.51)	15.35	(11.51 - 20.18)	3.27	(2.30 - 4.62)	4.74	(3.57 - 6.26)
Regions 17 and 21	7.90	(5.78 - 10.71)	18.66	(14.13 - 24.23)	4.13	(2.83 - 5.98)	6.44	(4.82 - 8.55)
Regions 19, 26, 28, and 42	5.82	(4.40 - 7.65)	13.99	(11.08 - 17.51)	3.10	(2.25 - 4.25)	4.56	(3.59 - 5.77)
Regions 22, 38, 40, 41, and 48	6.56	(4.86 - 8.80)	16.45	(12.83 - 20.84)	2.96	(2.07 - 4.21)	4.53	(3.47 - 5.89)
Regions 29 and 34	6.80	(5.03 - 9.13)	18.60	(14.01 - 24.28)	4.16	(2.90 - 5.92)	6.12	(4.60 - 8.12)
Regions 30 and 50	6.09	(4.41 - 8.37)	12.80	(9.44 - 17.15)	3.34	(2.24 - 4.94)	4.60	(3.34 - 6.31)
Region 36 (Philadelphia)	7.79	(5.96 - 10.14)	23.64	(20.14 - 27.53)	7.28	(5.57 - 9.46)	10.41	(8.69 - 12.44)
Rhode Island	12.02	(10.07 - 14.28)	30.70	(27.85 - 33.70)	9.22	(7.49 - 11.29)	12.69	(11.07 - 14.52)
Bristol and Newport	11.75	(8.60 - 15.85)	*	(* - *)	8.48	(5.88 - 12.07)	11.82	(8.94 - 15.48)
Kent	14.23	(10.71 - 18.67)	*	(* - *)	9.09	(6.49 - 12.58)	11.82	(9.12 - 15.18)
Providence	11.16	(8.83 - 14.02)	28.98	(25.49 - 32.73)	9.58	(7.45 - 12.22)	12.92	(10.90 - 15.25)
Washington	13.52	(9.94 - 18.12)	*	(* - *)	8.45	(5.82 - 12.12)	13.64	(10.74 - 17.18)
South Carolina	6.81	(5.58 - 8.28)	18.42	(16.09 - 21.01)	4.60	(3.60 - 5.86)	6.62	(5.59 - 7.82)
Region 1	7.01	(5.12 - 9.52)	16.19	(12.66 - 20.47)	4.21	(2.90 - 6.07)	5.94	(4.50 - 7.80)
Region 2	6.45	(4.77 - 8.66)	20.25	(16.57 - 24.50)	4.93	(3.59 - 6.75)	7.27	(5.79 - 9.09)
Region 3	7.29	(5.25 - 10.03)	18.99	(14.29 - 24.78)	5.03	(3.40 - 7.39)	6.91	(5.05 - 9.39)
Region 4	6.72	(4.99 - 8.99)	18.09	(14.25 - 22.70)	4.32	(3.04 - 6.12)	6.36	(4.89 - 8.24)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	5.91	(4.79 - 7.28)	13.25	(11.03 - 15.83)	3.65	(2.74 - 4.84)	5.08	(4.11 - 6.25)
Region 1	7.20	(5.24 - 9.81)	16.11	(12.18 - 21.01)	5.06	(3.44 - 7.39)	6.64	(4.89 - 8.96)
Region 2	6.25	(4.27 - 9.08)	*	(* - *)	3.98	(2.44 - 6.44)	5.00	(3.31 - 7.47)
Region 3	5.16	(3.62 - 7.31)	11.48	(8.29 - 15.69)	2.79	(1.78 - 4.34)	4.27	(3.05 - 5.97)
Region 4	5.55	(3.86 - 7.91)	*	(* - *)	2.92	(1.83 - 4.63)	4.40	(2.99 - 6.43)
Region 5	5.48	(3.93 - 7.60)	13.18	(9.95 - 17.24)	3.37	(2.30 - 4.91)	4.75	(3.53 - 6.37)
Tennessee	5.72	(4.63 - 7.06)	14.30	(12.16 - 16.74)	3.59	(2.72 - 4.73)	5.10	(4.18 - 6.21)
Region 1	5.51	(3.76 - 8.00)	*	(* - *)	3.18	(1.99 - 5.05)	4.40	(2.97 - 6.46)
Region 2	5.16	(3.63 - 7.29)	12.43	(8.73 - 17.40)	2.94	(1.90 - 4.52)	4.20	(2.95 - 5.96)
Region 3	5.56	(3.89 - 7.87)	13.85	(9.99 - 18.90)	3.32	(2.14 - 5.12)	4.75	(3.35 - 6.69)
Region 4 (Davidson)	6.12	(4.21 - 8.82)	*	(* - *)	4.47	(2.93 - 6.78)	6.63	(4.78 - 9.14)
Region 5	5.74	(4.12 - 7.95)	12.97	(9.73 - 17.09)	3.61	(2.41 - 5.37)	4.91	(3.56 - 6.72)
Region 6	5.93	(4.09 - 8.53)	*	(* - *)	3.45	(2.19 - 5.38)	4.77	(3.28 - 6.89)
Region 7 (Shelby)	6.22	(4.36 - 8.79)	17.52	(13.05 - 23.12)	4.51	(3.00 - 6.71)	6.55	(4.81 - 8.87)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	6.20	(5.50 - 6.98)	14.23	(13.04 - 15.52)	3.41	(2.87 - 4.05)	5.13	(4.60 - 5.71)
Region 1	6.40	(4.63 - 8.77)	13.79	(10.10 - 18.55)	3.52	(2.36 - 5.21)	5.39	(3.93 - 7.36)
Region 2	5.49	(3.80 - 7.87)	*	(* - *)	3.47	(2.25 - 5.31)	5.07	(3.55 - 7.19)
Region 3	6.44	(5.35 - 7.73)	15.47	(13.51 - 17.66)	3.66	(2.92 - 4.58)	5.40	(4.63 - 6.29)
Region 3a	6.49	(5.11 - 8.21)	14.78	(12.29 - 17.67)	3.43	(2.58 - 4.54)	5.10	(4.18 - 6.22)
Region 3bc	6.36	(4.91 - 8.21)	16.67	(13.75 - 20.07)	4.05	(3.02 - 5.41)	5.91	(4.78 - 7.28)
Region 4	5.22	(3.75 - 7.23)	12.46	(9.16 - 16.73)	3.47	(2.34 - 5.11)	4.70	(3.42 - 6.42)
Region 5	5.73	(4.16 - 7.84)	12.71	(9.31 - 17.11)	3.70	(2.46 - 5.53)	5.05	(3.64 - 6.96)
Region 6	5.82	(4.66 - 7.23)	12.03	(10.03 - 14.37)	3.22	(2.45 - 4.21)	4.56	(3.75 - 5.54)
Region 6a	5.77	(4.54 - 7.32)	11.76	(9.64 - 14.27)	3.16	(2.36 - 4.23)	4.49	(3.64 - 5.54)
Region 6bc	6.17	(4.37 - 8.64)	14.62	(10.49 - 20.02)	3.69	(2.43 - 5.56)	5.16	(3.64 - 7.25)
Region 7	7.12	(5.64 - 8.96)	19.12	(16.35 - 22.22)	4.63	(3.55 - 6.00)	7.34	(6.17 - 8.71)
Region 7a	8.33	(6.24 - 11.04)	24.71	(20.42 - 29.56)	5.57	(4.09 - 7.54)	8.80	(7.15 - 10.79)
Region 7bcd	5.09	(3.70 - 6.97)	11.83	(8.96 - 15.47)	2.94	(1.97 - 4.37)	4.88	(3.66 - 6.47)
Region 8	6.24	(4.78 - 8.09)	15.21	(12.16 - 18.85)	3.14	(2.25 - 4.36)	5.03	(3.98 - 6.34)
Region 9	6.04	(4.21 - 8.58)	12.20	(8.76 - 16.73)	3.01	(1.95 - 4.61)	4.52	(3.20 - 6.34)
Region 10	6.03	(4.33 - 8.35)	11.48	(8.25 - 15.77)	2.03	(1.31 - 3.12)	3.72	(2.66 - 5.16)
Region 11	6.16	(4.75 - 7.96)	10.78	(8.41 - 13.72)	2.11	(1.51 - 2.95)	3.62	(2.82 - 4.65)
Region 11abd	7.13	(5.20 - 9.70)	12.54	(9.23 - 16.81)	2.48	(1.68 - 3.65)	4.18	(3.09 - 5.63)
Region 11c (Hidalgo)	4.68	(3.25 - 6.70)	7.90	(5.41 - 11.41)	1.43	(0.87 - 2.32)	2.63	(1.79 - 3.83)
Utah	4.67	(3.69 - 5.89)	8.93	(7.26 - 10.95)	2.62	(1.91 - 3.58)	3.81	(3.05 - 4.76)
Bear River, Northeastern, Summit, Tooele, and Wasatch	3.97	(2.72 - 5.78)	7.66	(5.18 - 11.19)	1.95	(1.16 - 3.26)	3.04	(2.03 - 4.52)
Central, Four Corners, San Juan, and Southwest	4.14	(2.78 - 6.13)	7.44	(4.85 - 11.26)	2.22	(1.33 - 3.69)	3.12	(2.02 - 4.79)
Davis County	4.47	(3.00 - 6.63)	10.17	(6.93 - 14.68)	2.16	(1.33 - 3.49)	3.50	(2.38 - 5.11)
Salt Lake County	5.59	(4.05 - 7.67)	10.42	(7.87 - 13.68)	3.30	(2.25 - 4.82)	4.50	(3.36 - 6.00)
Utah County	3.94	(2.68 - 5.76)	7.80	(5.44 - 11.06)	2.08	(1.29 - 3.31)	3.61	(2.53 - 5.13)
Weber, Morgan	4.64	(3.12 - 6.84)	8.69	(5.79 - 12.82)	2.56	(1.57 - 4.16)	3.60	(2.40 - 5.37)

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	13.20	(11.28 - 15.38)	33.26	(30.08 - 36.59)	9.21	(7.61 - 11.11)	12.71	(11.18 - 14.41)
Champlain Valley	14.95	(12.04 - 18.43)	37.06	(32.23 - 42.17)	9.96	(7.83 - 12.59)	14.84	(12.68 - 17.28)
Rural Northeast	11.98	(9.09 - 15.62)	30.76	(25.47 - 36.61)	8.93	(6.51 - 12.13)	11.73	(9.24 - 14.79)
Rural Southeast	12.04	(9.16 - 15.65)	29.06	(23.68 - 35.10)	8.85	(6.44 - 12.05)	11.07	(8.61 - 14.12)
Rural Southwest	12.04	(8.97 - 15.98)	28.46	(22.73 - 34.98)	8.33	(5.94 - 11.56)	11.00	(8.46 - 14.18)
Virginia	6.74	(5.52 - 8.20)	16.67	(14.40 - 19.23)	3.54	(2.71 - 4.63)	5.46	(4.55 - 6.54)
Region 1	7.20	(5.24 - 9.82)	19.60	(15.27 - 24.79)	4.20	(2.83 - 6.18)	6.62	(5.01 - 8.70)
Region 2	5.94	(4.30 - 8.14)	12.76	(9.42 - 17.07)	2.67	(1.75 - 4.05)	3.88	(2.78 - 5.38)
Region 3	6.79	(4.91 - 9.32)	16.74	(12.91 - 21.44)	3.65	(2.43 - 5.44)	5.59	(4.16 - 7.47)
Region 4	5.73	(4.04 - 8.07)	*	(* - *)	3.22	(2.09 - 4.93)	4.92	(3.47 - 6.92)
Region 5	8.15	(5.93 - 11.10)	19.48	(15.07 - 24.81)	4.39	(3.03 - 6.34)	6.92	(5.27 - 9.03)
Washington	9.23	(7.80 - 10.90)	24.80	(22.25 - 27.53)	8.09	(6.60 - 9.87)	10.47	(9.05 - 12.08)
Region 1	7.86	(6.04 - 10.15)	18.25	(14.53 - 22.69)	6.15	(4.47 - 8.41)	8.16	(6.35 - 10.43)
East 1 (previously Region 1)	7.87	(5.60 - 10.96)	*	(* - *)	6.40	(4.31 - 9.40)	8.54	(6.21 - 11.64)
East 2 (previously Region 2)	7.84	(5.60 - 10.87)	16.89	(12.50 - 22.44)	5.81	(3.86 - 8.66)	7.64	(5.50 - 10.52)
Region 2	10.21	(8.19 - 12.64)	29.99	(26.22 - 34.05)	9.12	(7.17 - 11.54)	11.95	(10.02 - 14.20)
North 1 (previously Region 3)	10.88	(8.08 - 14.48)	27.83	(22.75 - 33.55)	9.55	(7.01 - 12.88)	12.16	(9.59 - 15.32)
North 2 (previously Region 4)	9.76	(7.41 - 12.75)	31.32	(26.37 - 36.74)	8.89	(6.62 - 11.82)	11.83	(9.52 - 14.62)
Region 3	9.01	(7.24 - 11.14)	22.72	(18.96 - 26.97)	7.85	(5.97 - 10.24)	9.88	(8.01 - 12.14)
West 1 (previously Region 5)	9.37	(7.02 - 12.42)	22.35	(17.60 - 27.94)	7.54	(5.34 - 10.54)	9.76	(7.49 - 12.63)
West 2 (previously Region 6)	8.67	(6.45 - 11.55)	23.13	(18.09 - 29.07)	8.12	(5.76 - 11.34)	10.00	(7.56 - 13.11)
West Virginia	6.52	(5.35 - 7.92)	18.19	(16.12 - 20.45)	3.54	(2.72 - 4.60)	5.46	(4.60 - 6.46)
Region I	6.19	(4.31 - 8.80)	*	(* - *)	3.08	(1.90 - 4.96)	4.42	(2.96 - 6.56)
Region II	7.84	(5.65 - 10.78)	*	(* - *)	3.64	(2.41 - 5.46)	5.35	(3.84 - 7.40)
Region III	5.09	(3.52 - 7.30)	*	(* - *)	2.98	(1.86 - 4.74)	4.13	(2.81 - 6.05)
Region IV	6.94	(4.95 - 9.64)	25.67	(21.79 - 29.98)	4.55	(3.17 - 6.50)	8.30	(6.73 - 10.20)
Region V	6.44	(4.75 - 8.68)	15.98	(12.68 - 19.95)	3.25	(2.25 - 4.69)	4.76	(3.63 - 6.23)
Region VI	5.91	(4.17 - 8.33)	12.47	(9.03 - 16.98)	3.29	(2.15 - 5.01)	4.32	(3.04 - 6.10)

See notes at end of table.

(continued)

Table 3 Marijuana Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	7.46	(6.17 - 8.99)	17.27	(14.92 - 19.90)	4.52	(3.49 - 5.84)	6.35	(5.27-7.63)
Milwaukee	8.68	(6.11 - 12.20)	*	(* - *)	6.63	(4.50 - 9.68)	8.99	(6.63-12.09)
Northeastern	6.55	(4.87 - 8.76)	15.37	(11.75 - 19.85)	4.02	(2.76 - 5.83)	5.52	(4.12-7.35)
Northern	6.57	(4.52 - 9.46)	*	(* - *)	3.75	(2.32 - 5.99)	5.15	(3.48-7.55)
Southeastern	8.35	(6.10 - 11.33)	*	(* - *)	4.67	(3.09 - 7.00)	6.49	(4.67-8.94)
Southern	7.55	(5.48 - 10.33)	17.19	(13.30 - 21.94)	4.17	(2.87 - 6.02)	6.14	(4.64-8.09)
Western	6.37	(4.48 - 8.97)	14.50	(10.46 - 19.74)	3.62	(2.35 - 5.54)	5.35	(3.82-7.46)
Wyoming	6.20	(5.02 - 7.65)	13.49	(11.47 - 15.80)	4.02	(3.03 - 5.30)	5.42	(4.43-6.62)
Judicial District 1 (Laramie)	6.43	(4.54 - 9.03)	13.90	(10.15 - 18.74)	4.13	(2.72 - 6.22)	5.51	(3.95-7.65)
Judicial District 2	6.44	(4.47 - 9.20)	16.58	(12.38 - 21.85)	4.28	(2.79 - 6.51)	7.91	(5.90-10.53)
Judicial District 3	5.36	(3.72 - 7.65)	8.09	(5.65 - 11.46)	2.82	(1.82 - 4.34)	3.54	(2.46-5.06)
Judicial District 4	6.95	(4.76 - 10.04)	*	(* - *)	3.94	(2.48 - 6.22)	5.03	(3.41-7.36)
Judicial District 5	5.90	(3.99 - 8.63)	*	(* - *)	3.68	(2.23 - 6.01)	4.74	(3.12-7.13)
Judicial District 6	5.83	(4.00 - 8.43)	9.69	(6.52 - 14.18)	2.99	(1.90 - 4.69)	3.96	(2.70-5.78)
Judicial District 7 (Natrona)	6.76	(4.76 - 9.50)	13.14	(9.40 - 18.09)	3.79	(2.47 - 5.79)	5.12	(3.61-7.23)
Judicial District 8	5.91	(4.07 - 8.53)	*	(* - *)	3.93	(2.40 - 6.36)	5.37	(3.61-7.90)
Judicial District 9	6.74	(4.64 - 9.70)	*	(* - *)	6.38	(4.09 - 9.82)	7.69	(5.27-11.09)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	27.91	(27.45 - 28.38)	17.85	(17.41 - 18.30)	34.75	(34.18 - 35.33)	32.24	(31.74 - 32.73)
Northeast	25.06	(24.13 - 26.02)	15.27	(14.54 - 16.02)	33.15	(32.14 - 34.17)	30.55	(29.67 - 31.45)
Midwest	28.78	(28.04 - 29.53)	16.56	(15.97 - 17.17)	32.57	(31.79 - 33.36)	30.21	(29.53 - 30.89)
South	31.09	(30.35 - 31.84)	20.48	(19.86 - 21.12)	39.37	(38.54 - 40.20)	36.57	(35.86 - 37.29)
West	24.24	(23.30 - 25.21)	16.90	(16.09 - 17.75)	30.67	(29.60 - 31.77)	28.55	(27.62 - 29.49)
Alabama	37.88	(34.87 - 40.99)	22.91	(20.41 - 25.62)	42.14	(38.78 - 45.56)	39.25	(36.31 - 42.26)
Region 1	38.55	(33.48 - 43.88)	24.63	(20.28 - 29.57)	41.85	(36.67 - 47.21)	39.50	(34.86 - 44.35)
Region 2	34.80	(30.44 - 39.43)	19.29	(15.90 - 23.19)	39.50	(34.53 - 44.69)	36.37	(32.04 - 40.93)
Region 3	39.33	(34.09 - 44.82)	23.03	(18.80 - 27.88)	46.90	(41.10 - 52.78)	42.57	(37.64 - 47.65)
Region 4	40.21	(34.93 - 45.73)	26.62	(22.19 - 31.57)	42.64	(37.17 - 48.29)	40.44	(35.56 - 45.51)
Alaska	24.03	(21.12 - 27.21)	13.03	(11.05 - 15.30)	22.71	(19.88 - 25.80)	21.17	(18.72 - 23.86)
Anchorage	23.94	(20.19 - 28.14)	11.80	(9.33 - 14.82)	21.42	(17.93 - 25.38)	19.83	(16.79 - 23.28)
Northern	22.51	(18.08 - 27.66)	13.51	(10.42 - 17.33)	22.16	(17.96 - 27.03)	20.51	(16.87 - 24.69)
South Central	26.26	(21.47 - 31.68)	15.53	(12.02 - 19.83)	24.76	(19.95 - 30.29)	23.52	(19.18 - 28.50)
Southeast	21.62	(16.77 - 27.42)	11.23	(8.18 - 15.22)	23.50	(18.64 - 29.18)	21.98	(17.57 - 27.13)
Arizona	24.52	(21.73 - 27.53)	17.35	(15.08 - 19.88)	31.14	(27.94 - 34.52)	29.08	(26.27 - 32.05)
Maricopa	24.29	(20.91 - 28.02)	17.09	(14.24 - 20.37)	28.91	(25.20 - 32.93)	27.12	(23.87 - 30.64)
Pima	22.14	(17.41 - 27.73)	15.57	(11.99 - 19.98)	30.36	(24.80 - 36.56)	28.05	(23.12 - 33.56)
Rural North	26.59	(21.36 - 32.58)	17.48	(13.41 - 22.47)	34.87	(28.86 - 41.40)	32.42	(27.04 - 38.30)
Rural South	26.31	(20.87 - 32.59)	20.77	(16.06 - 26.44)	*	(* - *)	35.98	(30.06 - 42.36)
Arkansas	33.44	(30.44 - 36.59)	19.22	(16.99 - 21.66)	40.13	(36.70 - 43.67)	37.06	(34.05 - 40.17)
Catchment Area 1	32.07	(26.40 - 38.33)	17.24	(13.56 - 21.66)	37.90	(32.11 - 44.06)	34.49	(29.44 - 39.92)
Catchment Area 2	33.53	(27.56 - 40.08)	18.18	(13.68 - 23.76)	*	(* - *)	36.32	(30.43 - 42.64)
Catchment Area 3	34.61	(29.17 - 40.49)	22.85	(18.05 - 28.48)	43.38	(36.87 - 50.13)	40.27	(34.52 - 46.31)
Catchment Area 4	*	(* - *)	20.91	(16.27 - 26.45)	*	(* - *)	37.57	(31.56 - 44.00)
Catchment Area 5	34.56	(28.90 - 40.69)	18.37	(14.55 - 22.93)	37.64	(31.67 - 44.02)	34.34	(29.15 - 39.92)
Catchment Area 6	*	(* - *)	21.97	(16.92 - 28.01)	*	(* - *)	42.86	(36.49 - 49.47)
Catchment Area 7	34.78	(28.65 - 41.46)	*	(* - *)	*	(* - *)	41.59	(35.29 - 48.17)
Catchment Area 8	31.52	(26.53 - 36.97)	16.69	(13.24 - 20.82)	38.14	(32.66 - 43.93)	35.29	(30.40 - 40.52)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
California	22.99	(21.52 - 24.53)	18.04	(16.74 - 19.41)	32.71	(30.98 - 34.49)	30.36	(28.89 - 31.88)
Region 1R	20.96	(16.35 - 26.48)	12.28	(9.16 - 16.28)	25.94	(21.16 - 31.37)	23.84	(19.58 - 28.69)
Region 2R	20.52	(16.16 - 25.70)	12.64	(9.68 - 16.35)	25.08	(20.43 - 30.38)	23.14	(19.00 - 27.88)
Region 3R (Sacramento)	19.99	(15.98 - 24.71)	16.13	(12.55 - 20.50)	28.92	(23.96 - 34.44)	26.92	(22.47 - 31.88)
Region 4R	20.11	(16.21 - 24.68)	14.06	(10.78 - 18.13)	25.46	(21.02 - 30.46)	23.94	(19.91 - 28.50)
Region 5R (San Francisco)	*	(* - *)	12.70	(9.59 - 16.64)	26.35	(21.26 - 32.17)	24.66	(20.03 - 29.97)
Region 6 (Santa Clara)	23.72	(19.40 - 28.65)	15.94	(12.30 - 20.41)	32.36	(27.51 - 37.63)	30.16	(25.78 - 34.94)
Region 7R (Contra Costa)	20.62	(16.25 - 25.81)	15.51	(11.76 - 20.18)	29.20	(24.16 - 34.82)	27.41	(22.78 - 32.59)
Region 8R (Alameda)	22.36	(18.15 - 27.23)	14.76	(11.51 - 18.73)	27.98	(23.34 - 33.14)	26.08	(21.91 - 30.73)
Region 9R (San Mateo)	23.77	(18.65 - 29.79)	16.92	(12.62 - 22.33)	30.15	(24.67 - 36.26)	28.63	(23.54 - 34.32)
Region 10	18.63	(14.79 - 23.20)	13.20	(10.08 - 17.10)	29.35	(24.37 - 34.88)	26.51	(22.18 - 31.34)
Region 11 (Los Angeles)	23.89	(21.78 - 26.13)	19.95	(17.99 - 22.06)	35.67	(33.08 - 38.36)	33.11	(30.84 - 35.47)
LA SPA 1 and 5	21.01	(16.56 - 26.30)	14.24	(10.80 - 18.56)	26.27	(21.56 - 31.60)	24.29	(20.08 - 29.06)
LA SPA 2	21.73	(17.87 - 26.17)	17.17	(13.63 - 21.40)	30.87	(26.16 - 36.00)	28.81	(24.60 - 33.43)
LA SPA 3	27.60	(23.08 - 32.63)	22.22	(18.18 - 26.88)	40.84	(35.39 - 46.51)	37.91	(33.12 - 42.95)
LA SPA 4	22.20	(17.42 - 27.84)	18.44	(14.45 - 23.24)	35.56	(29.95 - 41.61)	32.91	(27.89 - 38.35)
LA SPA 6	26.98	(22.24 - 32.32)	27.44	(22.49 - 33.02)	42.38	(36.01 - 49.01)	39.20	(33.74 - 44.94)
LA SPA 7	22.72	(18.65 - 27.37)	22.10	(17.68 - 27.26)	42.68	(36.92 - 48.65)	39.05	(34.00 - 44.34)
LA SPA 8	23.77	(19.69 - 28.41)	18.28	(14.71 - 22.48)	33.95	(28.91 - 39.38)	31.58	(27.08 - 36.44)
Region 12R	20.82	(16.43 - 26.01)	17.59	(13.46 - 22.65)	30.65	(25.25 - 36.63)	28.60	(23.74 - 34.00)
Regions 13 and 19R	23.18	(19.53 - 27.27)	21.45	(17.85 - 25.54)	34.26	(29.90 - 38.91)	32.10	(28.24 - 36.22)
Region 13 (Riverside)	22.68	(18.84 - 27.04)	20.81	(17.04 - 25.16)	33.18	(28.59 - 38.11)	31.10	(27.04 - 35.47)
Region 19R (Imperial)	*	(* - *)	*	(* - *)	*	(* - *)	44.92	(38.45 - 51.57)
Region 14 (Orange)	24.49	(20.82 - 28.57)	18.18	(14.88 - 22.02)	34.74	(30.64 - 39.08)	32.18	(28.56 - 36.03)
Region 15R (Fresno)	23.91	(19.24 - 29.30)	22.65	(17.89 - 28.24)	34.75	(29.47 - 40.42)	32.48	(27.77 - 37.56)
Region 16R (San Diego)	24.51	(20.87 - 28.57)	16.73	(13.80 - 20.13)	32.13	(28.21 - 36.33)	29.49	(26.10 - 33.12)
Region 17R	24.95	(20.76 - 29.67)	23.70	(19.15 - 28.95)	39.30	(33.91 - 44.96)	36.47	(31.77 - 41.44)
Region 18R (San Bernardino)	22.89	(19.21 - 27.03)	18.86	(15.52 - 22.72)	36.64	(31.67 - 41.92)	33.44	(29.17 - 38.00)
Region 20R	23.49	(19.09 - 28.54)	22.13	(17.63 - 27.39)	35.04	(29.42 - 41.11)	32.78	(27.80 - 38.19)
Region 21R	22.03	(17.47 - 27.38)	15.14	(11.69 - 19.38)	31.52	(26.44 - 37.07)	28.50	(24.08 - 33.38)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	21.05	(18.51 - 23.85)	11.84	(10.06 - 13.88)	24.00	(21.27 - 26.96)	22.21	(19.82 - 24.80)
Region 1	23.66	(18.67 - 29.50)	11.21	(8.39 - 14.83)	23.28	(18.57 - 28.76)	21.15	(17.06 - 25.92)
Regions 2 and 7	18.56	(15.54 - 22.02)	10.38	(8.26 - 12.96)	21.27	(18.12 - 24.81)	19.74	(16.95 - 22.85)
Region 3	21.27	(17.12 - 26.12)	12.61	(9.57 - 16.44)	25.99	(21.19 - 31.45)	23.92	(19.68 - 28.74)
Region 4	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Regions 5 and 6	*	(* - *)	14.55	(10.80 - 19.33)	*	(* - *)	26.36	(21.18 - 32.28)
Connecticut	22.58	(19.81 - 25.63)	12.81	(10.92 - 14.96)	30.86	(27.76 - 34.14)	28.40	(25.65 - 31.31)
Eastern	23.08	(18.24 - 28.76)	11.51	(8.70 - 15.08)	28.34	(23.39 - 33.87)	25.32	(21.06 - 30.11)
North Central	21.48	(17.57 - 25.98)	11.74	(8.97 - 15.22)	30.36	(25.80 - 35.35)	27.92	(23.82 - 32.43)
Northwestern	26.84	(21.99 - 32.32)	14.69	(11.09 - 19.20)	34.09	(28.56 - 40.08)	31.76	(26.77 - 37.21)
South Central	22.03	(17.65 - 27.14)	13.44	(10.50 - 17.05)	30.73	(25.63 - 36.36)	28.30	(23.78 - 33.30)
Southwest	20.59	(16.21 - 25.78)	13.15	(9.90 - 17.25)	30.35	(25.25 - 35.98)	28.20	(23.60 - 33.30)
Delaware	23.98	(21.19 - 27.01)	14.90	(12.83 - 17.24)	33.94	(30.76 - 37.27)	31.14	(28.36 - 34.06)
Kent	25.20	(20.51 - 30.56)	16.86	(13.04 - 21.52)	35.71	(30.03 - 41.82)	32.63	(27.67 - 38.02)
New Castle (excluding Wilmington City)	23.07	(19.63 - 26.90)	13.43	(10.99 - 16.30)	32.34	(28.50 - 36.44)	29.34	(26.01 - 32.90)
Sussex	26.36	(21.57 - 31.79)	16.76	(13.01 - 21.32)	36.11	(30.79 - 41.79)	34.03	(29.15 - 39.26)
Wilmington City	21.50	(16.67 - 27.27)	16.45	(12.27 - 21.68)	*	(* - *)	31.22	(25.53 - 37.54)
District of Columbia	22.68	(19.89 - 25.72)	12.56	(10.74 - 14.62)	28.35	(25.23 - 31.69)	25.26	(22.66 - 28.04)
Ward 1	18.74	(14.00 - 24.62)	12.21	(8.96 - 16.43)	23.76	(18.86 - 29.49)	21.26	(17.05 - 26.18)
Ward 2	*	(* - *)	9.30	(6.98 - 12.27)	20.12	(15.79 - 25.28)	16.86	(13.49 - 20.85)
Ward 3	21.41	(16.35 - 27.53)	8.70	(6.41 - 11.71)	20.94	(16.54 - 26.15)	18.63	(14.87 - 23.09)
Ward 4	22.10	(17.42 - 27.61)	16.36	(12.25 - 21.51)	30.28	(24.76 - 36.43)	28.63	(23.57 - 34.28)
Ward 5	23.60	(18.89 - 29.08)	14.54	(10.99 - 18.98)	34.50	(28.66 - 40.84)	30.66	(25.67 - 36.14)
Ward 6	*	(* - *)	12.16	(8.88 - 16.43)	25.77	(20.71 - 31.56)	23.66	(19.19 - 28.80)
Ward 7	22.15	(17.75 - 27.29)	15.57	(11.56 - 20.64)	*	(* - *)	33.24	(27.51 - 39.51)
Ward 8	24.55	(20.44 - 29.18)	16.89	(12.95 - 21.73)	37.95	(31.63 - 44.70)	33.48	(28.19 - 39.21)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	29.28	(27.76 - 30.84)	19.85	(18.60 - 21.17)	40.67	(38.91 - 42.46)	37.90	(36.36 - 39.46)
Region A - Northwest	28.16	(25.10 - 31.44)	17.20	(14.76 - 19.94)	35.56	(32.06 - 39.21)	32.31	(29.29 - 35.49)
Circuit 1	31.21	(26.90 - 35.87)	20.51	(16.65 - 25.01)	36.98	(32.08 - 42.17)	34.43	(30.11 - 39.04)
Circuit 2	22.56	(18.03 - 27.83)	13.52	(10.37 - 17.45)	30.92	(25.58 - 36.83)	26.60	(22.21 - 31.50)
Circuit 14	27.47	(22.06 - 33.64)	17.46	(13.25 - 22.65)	37.72	(31.46 - 44.41)	35.00	(29.30 - 41.17)
Region B - Northeast	29.71	(26.57 - 33.06)	18.42	(16.03 - 21.08)	38.77	(35.33 - 42.33)	35.68	(32.65 - 38.83)
Circuits 3 and 8	29.65	(24.58 - 35.28)	18.14	(14.63 - 22.28)	38.02	(32.61 - 43.74)	33.86	(29.32 - 38.71)
Circuit 4	29.57	(25.04 - 34.54)	18.59	(14.84 - 23.04)	39.60	(34.45 - 44.99)	36.50	(31.94 - 41.32)
Circuit 7	29.95	(25.08 - 35.32)	18.48	(14.80 - 22.82)	38.21	(33.01 - 43.70)	35.86	(31.14 - 40.87)
Region C - Central	27.20	(25.00 - 29.51)	18.12	(16.24 - 20.15)	38.41	(35.78 - 41.10)	35.72	(33.40 - 38.11)
Circuit 5	23.06	(18.87 - 27.86)	15.13	(11.73 - 19.30)	36.08	(30.58 - 41.97)	34.12	(29.04 - 39.59)
Circuit 9	29.32	(25.47 - 33.48)	19.77	(16.66 - 23.30)	40.08	(35.58 - 44.76)	36.46	(32.60 - 40.49)
Circuit 10	26.43	(22.00 - 31.40)	21.33	(17.31 - 25.99)	41.80	(36.61 - 47.18)	39.18	(34.50 - 44.06)
Circuit 18	27.24	(23.17 - 31.73)	14.14	(11.06 - 17.92)	37.77	(32.29 - 43.58)	34.72	(29.84 - 39.94)
Circuit 19	28.85	(23.91 - 34.35)	19.60	(15.38 - 24.65)	36.21	(30.63 - 42.20)	34.43	(29.28 - 39.99)
Region D - Southeast	29.47	(26.43 - 32.71)	20.18	(17.55 - 23.10)	40.84	(37.48 - 44.30)	38.35	(35.33 - 41.46)
Circuit 15 (Palm Beach)	28.09	(23.98 - 32.59)	20.38	(16.86 - 24.41)	38.16	(33.34 - 43.23)	36.12	(31.76 - 40.71)
Circuit 17 (Broward)	30.42	(26.42 - 34.74)	20.05	(16.58 - 24.03)	42.94	(38.45 - 47.55)	40.08	(36.04 - 44.26)
Region E - Sun Coast	26.64	(24.22 - 29.22)	17.98	(16.08 - 20.06)	35.64	(32.84 - 38.55)	33.61	(31.07 - 36.24)
Circuit 6	24.35	(20.38 - 28.82)	14.49	(11.44 - 18.18)	33.41	(28.54 - 38.66)	31.44	(26.98 - 36.28)
Circuit 12	25.20	(20.58 - 30.46)	14.51	(11.13 - 18.69)	34.11	(28.64 - 40.03)	32.25	(27.19 - 37.76)
Circuit 13 (Hillsborough)	31.91	(27.49 - 36.69)	23.30	(19.94 - 27.04)	41.07	(36.31 - 46.00)	38.35	(34.16 - 42.71)
Circuit 20	23.35	(19.05 - 28.30)	16.23	(12.74 - 20.45)	34.14	(29.14 - 39.51)	32.28	(27.70 - 37.23)
Region F - Southern (Circuits 11 and 16)	37.51	(33.98 - 41.18)	28.54	(25.27 - 32.06)	58.32	(54.43 - 62.12)	54.16	(50.75 - 57.52)
Georgia	33.26	(30.20 - 36.46)	22.06	(19.59 - 24.75)	38.79	(35.58 - 42.09)	36.23	(33.42 - 39.13)
Region 1	34.44	(29.52 - 39.72)	22.92	(18.79 - 27.64)	37.72	(32.64 - 43.09)	35.74	(31.16 - 40.59)
Region 2	32.09	(26.66 - 38.06)	20.06	(15.89 - 25.00)	39.48	(33.70 - 45.58)	36.10	(31.07 - 41.47)
Region 3	33.33	(28.48 - 38.56)	21.76	(17.89 - 26.19)	38.36	(33.70 - 43.24)	35.91	(31.79 - 40.25)
Region 4	*	(* - *)	*	(* - *)	*	(* - *)	38.90	(32.95 - 45.20)
Region 5	*	(* - *)	21.38	(16.31 - 27.50)	*	(* - *)	36.60	(30.49 - 43.18)
Region 6	32.70	(27.59 - 38.27)	23.54	(18.85 - 28.99)	38.75	(32.81 - 45.06)	36.42	(31.14 - 42.05)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	24.89	(22.03 - 27.97)	14.96	(12.87 - 17.31)	32.38	(29.07 - 35.87)	30.04	(27.12 - 33.12)
Hawaii Island	19.95	(15.62 - 25.11)	12.07	(8.94 - 16.11)	25.08	(19.94 - 31.04)	23.48	(18.81 - 28.90)
Honolulu	26.65	(23.19 - 30.43)	15.52	(13.13 - 18.26)	34.58	(30.86 - 38.50)	31.88	(28.64 - 35.32)
Kauai and Maui	21.91	(17.78 - 26.70)	14.49	(11.15 - 18.62)	29.15	(23.93 - 35.00)	27.50	(22.70 - 32.88)
Kauai	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Maui	21.82	(17.09 - 27.43)	13.79	(10.15 - 18.46)	*	(* - *)	26.44	(21.15 - 32.51)
Idaho	28.97	(26.33 - 31.77)	18.73	(16.49 - 21.18)	32.56	(29.29 - 36.01)	30.42	(27.57 - 33.44)
Region 1	25.73	(21.05 - 31.05)	14.08	(10.68 - 18.35)	30.87	(25.35 - 37.00)	28.82	(23.82 - 34.40)
Region 2	23.82	(18.67 - 29.86)	11.34	(8.23 - 15.44)	*	(* - *)	24.14	(19.28 - 29.79)
Region 3	28.37	(23.66 - 33.60)	22.33	(17.66 - 27.81)	39.18	(33.23 - 45.47)	36.71	(31.39 - 42.38)
Region 4	25.33	(21.11 - 30.07)	13.75	(10.77 - 17.38)	27.70	(22.99 - 32.96)	25.74	(21.56 - 30.41)
Region 5	29.51	(24.76 - 34.75)	25.67	(20.67 - 31.40)	36.47	(30.82 - 42.51)	34.92	(29.84 - 40.36)
Region 6	33.19	(27.42 - 39.51)	20.94	(16.44 - 26.28)	33.31	(27.50 - 39.67)	31.29	(26.12 - 36.98)
Region 7	38.26	(32.21 - 44.69)	24.50	(19.71 - 30.01)	36.38	(30.51 - 42.68)	33.89	(28.86 - 39.31)
Illinois	28.86	(27.40 - 30.37)	17.49	(16.26 - 18.79)	34.79	(33.09 - 36.52)	32.24	(30.77 - 33.75)
Region I (Cook)	27.81	(25.50 - 30.23)	18.04	(16.09 - 20.18)	35.29	(32.71 - 37.96)	32.74	(30.49 - 35.08)
Region II	27.06	(24.76 - 29.49)	16.50	(14.55 - 18.66)	33.43	(30.69 - 36.30)	31.07	(28.66 - 33.59)
Region III	32.43	(28.71 - 36.39)	17.42	(14.74 - 20.45)	33.53	(29.83 - 37.43)	30.74	(27.58 - 34.09)
Region IV	35.84	(31.24 - 40.72)	19.85	(16.51 - 23.66)	38.62	(33.97 - 43.49)	36.01	(31.88 - 40.35)
Region V	31.50	(27.69 - 35.58)	16.54	(13.72 - 19.80)	35.62	(31.38 - 40.10)	32.88	(29.15 - 36.84)
Indiana	30.04	(27.19 - 33.05)	17.15	(15.05 - 19.47)	34.04	(30.87 - 37.37)	31.47	(28.69 - 34.39)
Central	28.89	(24.13 - 34.18)	17.48	(13.84 - 21.84)	34.20	(29.02 - 39.78)	31.87	(27.25 - 36.88)
East	*	(* - *)	17.96	(13.84 - 22.97)	35.31	(29.18 - 41.97)	32.44	(27.03 - 38.36)
North Central	29.32	(24.12 - 35.12)	17.58	(13.93 - 21.95)	34.86	(29.36 - 40.80)	32.38	(27.50 - 37.67)
Northeast	29.31	(23.62 - 35.73)	16.81	(12.86 - 21.68)	32.41	(26.59 - 38.82)	30.14	(24.93 - 35.93)
Northwest	29.82	(24.55 - 35.69)	17.65	(13.72 - 22.42)	33.90	(28.35 - 39.92)	31.64	(26.66 - 37.08)
Southeast	31.17	(25.73 - 37.19)	19.77	(15.48 - 24.88)	35.07	(29.11 - 41.54)	33.15	(27.73 - 39.07)
Southwest	32.88	(26.91 - 39.45)	18.88	(14.29 - 24.52)	*	(* - *)	33.87	(28.17 - 40.07)
West	31.72	(26.04 - 38.00)	13.82	(10.48 - 18.01)	30.31	(24.54 - 36.77)	26.43	(21.70 - 31.78)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	32.41	(29.50 - 35.47)	16.98	(14.78 - 19.44)	33.86	(30.60 - 37.28)	31.31	(28.45 - 34.32)
Central	31.01	(26.00 - 36.52)	16.34	(12.66 - 20.83)	30.46	(25.48 - 35.96)	28.48	(23.99 - 33.45)
North Central	33.44	(27.47 - 39.99)	15.09	(11.37 - 19.74)	*	(* - *)	29.80	(24.51 - 35.69)
Northeast	34.06	(29.15 - 39.34)	17.77	(14.34 - 21.82)	33.74	(28.80 - 39.06)	31.30	(26.97 - 35.97)
Northwest	35.27	(29.84 - 41.10)	22.82	(18.05 - 28.42)	39.73	(33.67 - 46.13)	37.49	(31.99 - 43.32)
Southeast	28.91	(24.34 - 33.96)	13.89	(10.83 - 17.64)	31.77	(26.72 - 37.28)	28.87	(24.48 - 33.70)
Southwest	*	(* - *)	18.30	(13.89 - 23.72)	*	(* - *)	33.82	(28.03 - 40.14)
Kansas	30.01	(27.12 - 33.08)	19.14	(16.78 - 21.74)	33.24	(30.05 - 36.60)	31.05	(28.24 - 34.00)
Kansas City Metro	29.56	(25.29 - 34.22)	17.13	(13.87 - 20.96)	33.13	(28.64 - 37.95)	30.73	(26.76 - 35.02)
Northeast	29.11	(23.71 - 35.18)	16.15	(12.57 - 20.51)	33.04	(27.52 - 39.07)	30.02	(25.25 - 35.26)
South Central	28.82	(23.47 - 34.82)	18.34	(14.02 - 23.62)	31.21	(25.51 - 37.54)	29.33	(24.18 - 35.06)
Southeast	30.82	(25.01 - 37.32)	20.84	(15.88 - 26.85)	*	(* - *)	31.43	(25.72 - 37.77)
West	32.78	(26.84 - 39.33)	24.19	(19.13 - 30.10)	35.78	(29.64 - 42.44)	34.06	(28.51 - 40.08)
Wichita (Sedgwick)	30.63	(25.35 - 36.48)	23.76	(19.06 - 29.20)	33.51	(28.14 - 39.35)	32.03	(27.24 - 37.23)
Kentucky	35.83	(32.77 - 39.02)	22.72	(20.22 - 25.43)	39.33	(36.07 - 42.69)	36.97	(34.12 - 39.92)
Adanta, Cumberland River, and Lifeskills	41.63	(35.83 - 47.67)	28.80	(23.73 - 34.46)	43.80	(38.06 - 49.72)	41.63	(36.48 - 46.97)
Bluegrass, Comprehend, and North Key	31.72	(26.87 - 37.01)	18.84	(15.45 - 22.78)	34.50	(29.55 - 39.81)	32.09	(27.76 - 36.76)
Communicare and River Valley	*	(* - *)	23.19	(18.32 - 28.91)	40.57	(34.17 - 47.32)	38.24	(32.45 - 44.38)
Four Rivers and Pennyroyal	*	(* - *)	25.33	(19.89 - 31.66)	44.39	(37.94 - 51.04)	41.62	(35.78 - 47.70)
Kentucky River, Mountain, and Pathways	*	(* - *)	*	(* - *)	*	(* - *)	42.70	(36.59 - 49.04)
Seven Counties	34.33	(29.58 - 39.42)	19.66	(15.52 - 24.58)	36.51	(31.13 - 42.25)	34.29	(29.45 - 39.48)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	34.41	(31.64 - 37.29)	23.70	(21.35 - 26.23)	44.03	(40.85 - 47.27)	40.83	(38.09 - 43.62)
Regions 1 and 10	30.62	(26.28 - 35.33)	18.96	(15.47 - 23.02)	40.61	(35.58 - 45.84)	37.23	(32.80 - 41.89)
Region 1	31.32	(25.76 - 37.46)	18.84	(14.50 - 24.12)	40.06	(34.01 - 46.44)	36.25	(30.98 - 41.88)
Region 10 (Jefferson)	29.96	(24.43 - 36.14)	19.12	(14.61 - 24.64)	*	(* - *)	38.21	(32.25 - 44.54)
Regions 2 and 9	34.32	(29.90 - 39.02)	23.16	(19.51 - 27.25)	43.55	(38.44 - 48.80)	40.22	(35.79 - 44.81)
Region 3	35.39	(29.75 - 41.46)	25.63	(20.34 - 31.76)	48.25	(41.57 - 55.00)	44.89	(38.90 - 51.03)
Regions 4, 5, and 6	35.12	(30.30 - 40.27)	26.05	(21.71 - 30.91)	42.71	(37.63 - 47.95)	40.13	(35.71 - 44.73)
Regions 7 and 8	36.26	(31.26 - 41.58)	25.22	(20.97 - 30.01)	47.86	(42.51 - 53.27)	44.24	(39.58 - 49.00)
Maine	23.74	(21.07 - 26.63)	11.47	(9.78 - 13.41)	22.26	(19.50 - 25.29)	20.90	(18.44 - 23.59)
Aroostook/Downeast	24.74	(20.40 - 29.67)	14.32	(11.33 - 17.94)	24.70	(20.31 - 29.70)	23.51	(19.49 - 28.07)
Aroostook	*	(* - *)	16.61	(12.30 - 22.04)	*	(* - *)	25.77	(20.31 - 32.10)
Downeast	23.59	(18.56 - 29.49)	12.37	(9.08 - 16.63)	22.86	(17.71 - 28.99)	21.69	(16.96 - 27.30)
Central	23.57	(18.84 - 29.07)	11.64	(8.62 - 15.54)	21.62	(17.06 - 27.01)	20.42	(16.26 - 25.32)
Cumberland	24.53	(20.10 - 29.57)	10.17	(7.63 - 13.41)	20.78	(16.70 - 25.55)	19.40	(15.72 - 23.70)
Midcoast	23.12	(18.00 - 29.18)	10.35	(7.42 - 14.25)	22.32	(17.42 - 28.13)	21.12	(16.60 - 26.50)
Penquis	24.52	(19.96 - 29.74)	11.84	(9.02 - 15.40)	23.31	(18.76 - 28.57)	21.42	(17.45 - 26.01)
Western	23.20	(18.70 - 28.39)	13.07	(9.92 - 17.03)	23.92	(19.32 - 29.24)	22.50	(18.34 - 27.28)
York	22.42	(17.77 - 27.88)	9.63	(7.06 - 13.01)	20.37	(15.79 - 25.87)	19.12	(14.96 - 24.12)
Maryland	24.96	(22.18 - 27.97)	17.26	(15.05 - 19.72)	36.76	(33.52 - 40.12)	33.95	(31.09 - 36.94)
Anne Arundel	*	(* - *)	14.41	(10.89 - 18.82)	*	(* - *)	32.78	(27.02 - 39.11)
Baltimore City	30.29	(24.71 - 36.53)	22.17	(17.79 - 27.28)	43.82	(37.51 - 50.33)	39.91	(34.49 - 45.60)
Baltimore County	24.52	(19.63 - 30.17)	15.39	(11.90 - 19.68)	35.85	(30.29 - 41.82)	32.90	(27.97 - 38.23)
Montgomery	23.66	(19.25 - 28.71)	17.41	(13.29 - 22.47)	34.64	(29.26 - 40.44)	32.61	(27.67 - 37.96)
North Central	23.18	(18.23 - 28.99)	13.24	(9.64 - 17.92)	29.67	(23.92 - 36.15)	27.66	(22.43 - 33.57)
Northeast	23.94	(18.61 - 30.22)	14.19	(10.35 - 19.16)	*	(* - *)	30.99	(25.36 - 37.23)
Prince George's	24.40	(19.35 - 30.28)	18.91	(14.61 - 24.12)	42.83	(36.51 - 49.40)	38.69	(33.19 - 44.51)
South	26.39	(21.23 - 32.27)	18.45	(14.09 - 23.78)	*	(* - *)	34.36	(28.72 - 40.48)
West	25.57	(20.39 - 31.54)	16.07	(12.27 - 20.77)	34.58	(28.65 - 41.02)	32.09	(26.76 - 37.92)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	20.18	(17.93 - 22.64)	10.54	(8.95 - 12.38)	26.14	(23.21 - 29.31)	23.77	(21.22 - 26.54)
Boston	20.04	(15.49 - 25.51)	10.45	(7.80 - 13.86)	27.12	(21.84 - 33.13)	23.11	(18.79 - 28.08)
Central	23.25	(18.67 - 28.56)	12.75	(9.52 - 16.87)	28.73	(23.31 - 34.84)	26.42	(21.60 - 31.89)
Metrowest	18.74	(15.18 - 22.91)	8.22	(6.00 - 11.16)	21.97	(17.83 - 26.76)	20.15	(16.45 - 24.44)
Northeast	21.42	(17.68 - 25.70)	12.59	(9.73 - 16.14)	29.29	(24.34 - 34.78)	27.08	(22.65 - 32.02)
Southeast	18.98	(15.22 - 23.41)	10.19	(7.60 - 13.54)	26.00	(21.20 - 31.46)	23.98	(19.67 - 28.90)
Western	19.31	(15.38 - 23.96)	10.07	(7.48 - 13.44)	25.68	(20.95 - 31.05)	22.98	(18.91 - 27.63)
Michigan	25.64	(24.19 - 27.14)	14.67	(13.58 - 15.82)	29.30	(27.69 - 30.97)	27.14	(25.74 - 28.58)
Detroit City	23.04	(19.40 - 27.13)	19.84	(16.49 - 23.69)	36.95	(31.71 - 42.52)	33.84	(29.40 - 38.60)
Genesee	22.84	(19.04 - 27.13)	14.54	(11.43 - 18.32)	28.31	(23.94 - 33.14)	26.39	(22.47 - 30.72)
Kalamazoo	27.11	(23.31 - 31.29)	15.30	(12.35 - 18.82)	30.54	(26.23 - 35.22)	28.11	(24.34 - 32.22)
Kent	26.81	(22.64 - 31.45)	14.81	(12.01 - 18.13)	28.68	(24.47 - 33.29)	26.48	(22.79 - 30.52)
Lakeshore	27.99	(24.23 - 32.08)	17.75	(14.57 - 21.46)	33.25	(28.93 - 37.88)	30.88	(27.06 - 34.98)
Macomb	24.35	(20.78 - 28.33)	15.00	(12.31 - 18.16)	30.59	(26.63 - 34.86)	28.61	(25.07 - 32.43)
Mid South	24.55	(21.04 - 28.43)	12.62	(10.31 - 15.36)	25.52	(21.83 - 29.59)	23.20	(20.05 - 26.67)
Northern	23.12	(19.37 - 27.36)	11.37	(9.03 - 14.22)	25.94	(21.92 - 30.42)	23.87	(20.33 - 27.80)
Oakland	27.49	(24.05 - 31.21)	14.03	(11.51 - 17.00)	27.52	(23.95 - 31.40)	25.91	(22.69 - 29.42)
Pathways and Western	22.76	(18.47 - 27.70)	11.09	(8.50 - 14.36)	23.78	(19.38 - 28.83)	21.92	(18.00 - 26.41)
Riverhaven	26.13	(21.59 - 31.25)	14.81	(11.54 - 18.82)	30.07	(25.23 - 35.40)	28.17	(23.77 - 33.02)
Saginaw	23.06	(18.31 - 28.62)	15.02	(11.52 - 19.35)	30.59	(25.23 - 36.53)	28.15	(23.38 - 33.47)
Southeast	27.55	(24.16 - 31.23)	16.76	(14.17 - 19.73)	32.19	(28.44 - 36.17)	30.11	(26.81 - 33.63)
St. Clair	27.66	(22.70 - 33.24)	15.18	(11.69 - 19.48)	32.14	(26.76 - 38.03)	30.04	(25.17 - 35.40)
Washtenaw	24.60	(20.50 - 29.22)	10.47	(8.28 - 13.17)	22.79	(18.96 - 27.13)	20.43	(17.19 - 24.12)
Minnesota	28.32	(25.54 - 31.28)	14.40	(12.38 - 16.69)	30.47	(27.44 - 33.68)	28.17	(25.50 - 31.01)
Regions 1 and 2	28.95	(23.33 - 35.29)	14.65	(10.97 - 19.30)	*	(* - *)	29.94	(24.42 - 36.10)
Regions 3 and 4	30.17	(25.17 - 35.70)	15.36	(11.91 - 19.58)	33.14	(27.74 - 39.02)	30.52	(25.77 - 35.73)
Regions 5 and 6	31.20	(26.22 - 36.66)	16.07	(12.48 - 20.46)	32.81	(27.49 - 38.61)	30.31	(25.61 - 35.47)
Region 7A (Hennepin)	26.35	(21.51 - 31.83)	12.43	(9.52 - 16.07)	27.31	(22.86 - 32.25)	25.21	(21.24 - 29.64)
Region 7B (Ramsey)	*	(* - *)	15.14	(10.95 - 20.56)	27.38	(21.82 - 33.75)	25.26	(20.29 - 30.97)
Region 7C	26.71	(22.57 - 31.31)	13.44	(10.36 - 17.26)	30.05	(25.42 - 35.12)	27.99	(23.82 - 32.57)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	39.03	(35.92 - 42.23)	26.73	(24.16 - 29.47)	44.09	(40.80 - 47.43)	41.38	(38.52 - 44.30)
Region 1	38.08	(32.82 - 43.64)	25.57	(21.15 - 30.57)	43.29	(37.81 - 48.93)	40.57	(35.75 - 45.57)
Region 2	43.66	(37.44 - 50.08)	33.73	(28.01 - 39.98)	50.99	(44.58 - 57.38)	48.28	(42.58 - 54.02)
Region 3	36.59	(30.85 - 42.73)	24.09	(19.40 - 29.50)	41.99	(35.95 - 48.27)	38.86	(33.57 - 44.43)
Region 4	37.56	(32.36 - 43.06)	26.11	(21.52 - 31.29)	42.83	(37.48 - 48.35)	40.25	(35.53 - 45.16)
Region 5	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Region 6	42.33	(36.07 - 48.84)	28.62	(23.21 - 34.72)	45.58	(39.29 - 52.00)	42.73	(37.13 - 48.53)
Region 7	38.74	(32.84 - 44.99)	24.74	(19.82 - 30.43)	41.47	(35.50 - 47.69)	39.05	(33.71 - 44.67)
Missouri	27.22	(24.58 - 30.04)	17.99	(15.88 - 20.32)	35.38	(32.28 - 38.62)	32.82	(30.11 - 35.65)
Central	31.44	(26.00 - 37.44)	19.94	(15.81 - 24.85)	37.24	(31.52 - 43.33)	34.10	(29.14 - 39.44)
Eastern	23.69	(20.29 - 27.45)	14.85	(12.30 - 17.83)	31.84	(27.82 - 36.15)	29.45	(25.91 - 33.26)
Eastern (St. Louis City and County)	22.55	(18.37 - 27.36)	14.38	(11.36 - 18.03)	30.79	(25.94 - 36.11)	28.38	(24.13 - 33.06)
Eastern (excluding St. Louis)	25.46	(20.57 - 31.06)	15.79	(12.04 - 20.42)	33.65	(27.96 - 39.86)	31.32	(26.19 - 36.95)
Northwest	27.07	(22.99 - 31.58)	17.93	(14.78 - 21.58)	35.94	(31.26 - 40.91)	33.38	(29.21 - 37.82)
Northwest (Jackson)	25.01	(20.19 - 30.54)	19.27	(15.15 - 24.18)	36.39	(30.65 - 42.54)	33.97	(28.86 - 39.49)
Northwest (excluding Jackson)	28.72	(23.26 - 34.88)	16.82	(12.88 - 21.66)	35.56	(29.54 - 42.07)	32.87	(27.50 - 38.74)
Southeast	33.12	(27.88 - 38.83)	23.04	(18.45 - 28.39)	42.19	(36.03 - 48.59)	39.53	(34.03 - 45.31)
Southwest	27.74	(22.72 - 33.40)	19.02	(14.82 - 24.06)	35.61	(30.21 - 41.40)	33.19	(28.34 - 38.42)
Montana	23.74	(21.26 - 26.42)	12.14	(10.37 - 14.16)	26.34	(23.71 - 29.14)	24.32	(22.00 - 26.80)
Region 1	23.96	(19.17 - 29.52)	15.48	(11.73 - 20.15)	28.54	(23.17 - 34.60)	27.01	(22.10 - 32.56)
Region 2	26.98	(21.93 - 32.71)	17.64	(13.45 - 22.78)	30.80	(25.22 - 37.01)	28.87	(23.86 - 34.45)
Region 3	25.53	(21.43 - 30.11)	14.45	(11.32 - 18.26)	29.88	(25.40 - 34.78)	27.94	(23.92 - 32.34)
Region 4	24.21	(20.00 - 28.98)	9.87	(7.46 - 12.93)	22.87	(18.91 - 27.37)	20.83	(17.37 - 24.77)
Region 5	20.33	(16.89 - 24.26)	9.70	(7.60 - 12.29)	24.29	(20.40 - 28.65)	22.19	(18.77 - 26.02)
Nebraska	31.80	(28.75 - 35.02)	17.94	(15.83 - 20.25)	32.14	(29.05 - 35.38)	29.97	(27.29 - 32.81)
Regions 1 and 2	30.70	(25.63 - 36.28)	19.89	(15.89 - 24.61)	34.84	(29.49 - 40.60)	32.94	(28.04 - 38.23)
Region 1	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Region 2	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Region 3	41.93	(35.77 - 48.36)	25.98	(21.00 - 31.68)	42.46	(36.12 - 49.05)	40.08	(34.43 - 46.02)
Region 4	33.45	(27.52 - 39.96)	22.22	(17.44 - 27.87)	35.27	(29.18 - 41.89)	33.53	(27.98 - 39.57)
Region 5	28.56	(23.84 - 33.80)	15.68	(12.62 - 19.33)	29.95	(25.18 - 35.20)	27.43	(23.30 - 31.98)
Region 6	30.32	(25.85 - 35.19)	15.80	(12.99 - 19.08)	28.75	(24.59 - 33.31)	26.80	(23.14 - 30.80)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	23.75	(20.44 - 27.41)	15.79	(13.43 - 18.47)	31.08	(27.65 - 34.73)	28.93	(25.91 - 32.15)
Clark – Region 1	24.62	(20.66 - 29.05)	16.88	(13.98 - 20.24)	31.55	(27.60 - 35.80)	29.50	(26.00 - 33.25)
Region 3	24.16	(19.46 - 29.59)	15.04	(11.67 - 19.18)	32.51	(26.91 - 38.66)	30.38	(25.27 - 36.03)
Capital District	*	(* - *)	14.22	(10.22 - 19.44)	*	(* - *)	*	(* - *)
Rural/Frontier	*	(* - *)	15.71	(11.42 - 21.22)	*	(* - *)	*	(* - *)
Washoe – Region 2	19.30	(15.10 - 24.33)	11.77	(9.09 - 15.11)	27.72	(22.58 - 33.53)	25.23	(20.72 - 30.35)
New Hampshire	19.79	(17.35 - 22.48)	9.63	(8.16 - 11.33)	24.84	(22.03 - 27.89)	22.78	(20.30 - 25.45)
Central	19.58	(16.20 - 23.47)	9.59	(7.61 - 12.00)	24.04	(20.21 - 28.34)	21.92	(18.55 - 25.70)
Central 1	20.34	(15.92 - 25.62)	9.23	(6.95 - 12.16)	24.63	(19.77 - 30.24)	22.04	(17.86 - 26.88)
Central 2	18.91	(14.73 - 23.94)	10.05	(7.35 - 13.59)	23.49	(18.55 - 29.28)	21.80	(17.35 - 27.01)
Northern	19.91	(15.44 - 25.28)	9.78	(7.18 - 13.20)	25.51	(20.31 - 31.51)	23.33	(18.72 - 28.69)
Southern	19.87	(17.03 - 23.04)	9.62	(7.87 - 11.71)	25.08	(21.87 - 28.58)	23.07	(20.23 - 26.17)
Southern 1 (Rockingham)	21.14	(17.07 - 25.87)	8.39	(6.28 - 11.13)	24.59	(20.21 - 29.56)	22.74	(18.79 - 27.23)
Southern 2	19.04	(15.64 - 22.97)	10.24	(8.05 - 12.94)	25.39	(21.53 - 29.69)	23.28	(19.88 - 27.05)
New Jersey	25.99	(23.12 - 29.08)	15.14	(12.97 - 17.60)	37.46	(34.23 - 40.81)	34.52	(31.64 - 37.51)
Central	24.65	(20.19 - 29.73)	13.39	(10.17 - 17.42)	33.92	(28.85 - 39.38)	31.39	(26.82 - 36.34)
Metropolitan	25.92	(21.59 - 30.77)	17.01	(13.43 - 21.29)	40.42	(35.28 - 45.78)	37.10	(32.54 - 41.90)
Northern	27.28	(22.86 - 32.20)	15.31	(12.16 - 19.10)	40.61	(35.40 - 46.03)	37.38	(32.74 - 42.26)
Southern	25.69	(21.23 - 30.71)	14.40	(11.24 - 18.25)	33.18	(28.05 - 38.74)	30.63	(26.05 - 35.62)
New Mexico	24.58	(21.93 - 27.43)	17.39	(15.36 - 19.63)	35.03	(31.76 - 38.46)	32.40	(29.54 - 35.40)
Region 1	23.76	(19.58 - 28.50)	18.14	(14.68 - 22.21)	34.66	(29.50 - 40.22)	32.21	(27.66 - 37.13)
Region 2	24.65	(19.68 - 30.40)	18.41	(14.23 - 23.48)	35.53	(29.59 - 41.96)	33.55	(28.13 - 39.45)
Region 3 (Bernalillo)	20.41	(16.63 - 24.80)	12.82	(10.01 - 16.27)	30.76	(25.94 - 36.04)	28.05	(23.82 - 32.72)
Region 4	28.10	(23.06 - 33.77)	22.01	(17.55 - 27.22)	38.38	(32.59 - 44.53)	35.74	(30.61 - 41.22)
Region 5	29.37	(24.74 - 34.48)	20.27	(16.39 - 24.80)	40.12	(34.70 - 45.80)	36.84	(32.13 - 41.82)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	25.59	(24.02 - 27.24)	17.13	(15.88 - 18.46)	34.79	(32.99 - 36.63)	32.12	(30.56 - 33.71)
Region A	25.32	(23.05 - 27.73)	19.40	(17.56 - 21.38)	38.34	(35.74 - 41.00)	35.40	(33.16 - 37.71)
Region 1	26.38	(22.33 - 30.87)	25.27	(21.04 - 30.02)	47.77	(42.52 - 53.08)	43.72	(39.17 - 48.38)
Region 2	24.96	(21.69 - 28.54)	19.02	(16.29 - 22.08)	38.04	(33.98 - 42.26)	35.05	(31.55 - 38.73)
Region 3	23.49	(19.19 - 28.40)	14.70	(11.73 - 18.26)	28.30	(24.13 - 32.87)	26.22	(22.54 - 30.27)
Region 4	25.87	(21.75 - 30.47)	19.52	(16.19 - 23.33)	41.14	(36.29 - 46.17)	38.12	(33.82 - 42.62)
Region B	25.54	(23.19 - 28.04)	15.95	(14.03 - 18.09)	33.36	(30.65 - 36.17)	30.98	(28.58 - 33.49)
Region 5	25.21	(22.14 - 28.56)	14.78	(12.26 - 17.72)	32.40	(28.85 - 36.17)	30.05	(26.88 - 33.42)
Region 6	25.84	(21.69 - 30.47)	19.26	(15.57 - 23.57)	35.37	(30.32 - 40.77)	33.26	(28.70 - 38.16)
Region 7	26.15	(21.96 - 30.83)	14.94	(11.81 - 18.72)	33.36	(28.49 - 38.62)	30.49	(26.18 - 35.17)
Region C	25.77	(23.55 - 28.12)	14.71	(12.98 - 16.63)	30.88	(28.33 - 33.55)	28.30	(26.08 - 30.63)
Region 8	22.33	(18.64 - 26.51)	12.42	(9.73 - 15.72)	28.67	(24.38 - 33.40)	26.22	(22.45 - 30.38)
Region 9	23.51	(19.70 - 27.79)	14.78	(11.80 - 18.36)	29.69	(25.11 - 34.71)	27.26	(23.28 - 31.66)
Region 10	25.65	(20.59 - 31.47)	13.29	(10.24 - 17.07)	28.87	(23.61 - 34.76)	25.77	(21.31 - 30.79)
Region 11	26.67	(22.48 - 31.32)	16.25	(13.05 - 20.07)	32.38	(27.78 - 37.35)	29.81	(25.76 - 34.19)
Region 12	29.88	(25.36 - 34.84)	15.93	(12.74 - 19.73)	33.21	(28.37 - 38.43)	30.60	(26.33 - 35.24)
Region D	26.55	(23.46 - 29.89)	15.86	(13.47 - 18.58)	32.26	(28.71 - 36.02)	29.71	(26.57 - 33.04)
Region 13	25.56	(20.97 - 30.77)	14.52	(11.12 - 18.75)	31.39	(25.96 - 37.37)	28.84	(24.03 - 34.18)
Region 14	26.77	(21.68 - 32.56)	16.30	(12.64 - 20.77)	32.00	(26.44 - 38.11)	29.40	(24.51 - 34.82)
Region 15	27.18	(22.49 - 32.45)	16.58	(12.91 - 21.05)	33.29	(28.25 - 38.74)	30.78	(26.31 - 35.65)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	28.05	(25.34 - 30.92)	18.12	(15.98 - 20.47)	36.54	(33.32 - 39.88)	33.91	(31.06 - 36.88)
Alliance	27.21	(22.76 - 32.16)	17.16	(13.47 - 21.61)	32.65	(27.99 - 37.69)	30.29	(26.15 - 34.78)
Cardinal Innovations	25.71	(20.94 - 31.14)	16.16	(12.47 - 20.68)	35.88	(30.01 - 42.20)	33.20	(27.94 - 38.91)
CenterPoint/Guilford	29.06	(24.24 - 34.41)	19.29	(15.53 - 23.70)	36.74	(31.31 - 42.52)	34.18	(29.31 - 39.40)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Guilford	*	(* - *)	18.38	(13.77 - 24.10)	*	(* - *)	31.46	(25.50 - 38.11)
CoastalCare	*	(* - *)	*	(* - *)	*	(* - *)	31.06	(25.29 - 37.48)
Eastpointe	27.06	(21.87 - 32.97)	22.92	(17.92 - 28.83)	*	(* - *)	39.00	(32.97 - 45.38)
ECBH	*	(* - *)	18.92	(14.24 - 24.70)	*	(* - *)	*	(* - *)
MeckLINK	*	(* - *)	18.19	(13.78 - 23.62)	*	(* - *)	32.84	(27.15 - 39.08)
Partners	26.13	(21.30 - 31.61)	17.63	(13.61 - 22.53)	36.53	(30.84 - 42.64)	34.20	(29.02 - 39.78)
Sandhills	*	(* - *)	*	(* - *)	*	(* - *)	38.25	(32.00 - 44.90)
Smoky Mountain	*	(* - *)	16.80	(12.32 - 22.49)	*	(* - *)	*	(* - *)
Western Highlands	*	(* - *)	15.53	(11.23 - 21.09)	*	(* - *)	32.84	(27.00 - 39.26)
North Dakota	35.30	(32.20 - 38.53)	19.31	(17.01 - 21.84)	37.16	(34.02 - 40.42)	34.02	(31.34 - 36.80)
Badlands and West Central	35.30	(30.34 - 40.60)	22.20	(17.92 - 27.15)	38.18	(33.02 - 43.62)	35.99	(31.38 - 40.88)
Lake Region and South Central	32.18	(26.87 - 37.99)	22.47	(17.64 - 28.18)	40.30	(34.32 - 46.59)	38.05	(32.63 - 43.78)
North Central and Northwest	35.61	(30.39 - 41.19)	20.50	(16.19 - 25.60)	38.66	(33.02 - 44.61)	35.66	(30.71 - 40.93)
Northeast	33.66	(27.77 - 40.10)	16.50	(13.10 - 20.56)	35.24	(29.30 - 41.68)	30.64	(25.84 - 35.90)
Southeast	37.65	(32.49 - 43.11)	17.52	(14.16 - 21.47)	34.15	(29.64 - 38.96)	30.60	(26.82 - 34.66)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Ohio	28.43	(26.96 - 29.95)	16.02	(14.92 - 17.18)	32.52	(30.89 - 34.18)	30.15	(28.75 - 31.60)
Boards 2, 46, 55, and 68	32.06	(27.46 - 37.03)	17.78	(14.40 - 21.76)	35.07	(30.10 - 40.38)	32.70	(28.26 - 37.48)
Boards 3, 52, and 85	31.20	(26.03 - 36.88)	17.98	(14.19 - 22.53)	34.69	(29.41 - 40.38)	32.42	(27.67 - 37.56)
Boards 4 and 78	28.80	(23.45 - 34.82)	16.08	(12.31 - 20.74)	31.33	(25.73 - 37.54)	29.47	(24.38 - 35.13)
Boards 5 and 60	29.22	(24.29 - 34.69)	16.46	(12.98 - 20.66)	33.69	(28.26 - 39.58)	30.53	(25.82 - 35.68)
Boards 7, 15, 41, 79, and 84	33.08	(28.32 - 38.21)	20.10	(16.72 - 23.97)	38.56	(33.34 - 44.05)	36.32	(31.62 - 41.29)
Boards 8, 13, and 83	28.46	(23.94 - 33.45)	15.63	(12.30 - 19.65)	32.36	(27.55 - 37.59)	30.32	(25.94 - 35.10)
Board 9 (Butler)	31.81	(26.45 - 37.70)	17.22	(13.60 - 21.56)	32.58	(27.31 - 38.33)	30.06	(25.43 - 35.13)
Board 12	25.80	(21.17 - 31.04)	13.17	(10.13 - 16.94)	29.44	(24.36 - 35.09)	26.78	(22.34 - 31.76)
Boards 18 and 47	24.71	(21.73 - 27.96)	15.30	(12.83 - 18.15)	31.40	(27.90 - 35.13)	29.25	(26.18 - 32.53)
Boards 20, 32, 54, and 69	36.95	(31.80 - 42.41)	22.72	(18.18 - 28.01)	39.24	(33.71 - 45.07)	37.06	(32.06 - 42.35)
Boards 21, 39, 51, 70, and 80	28.67	(24.45 - 33.31)	16.38	(12.99 - 20.46)	30.68	(26.23 - 35.52)	28.94	(24.89 - 33.36)
Boards 22, 74, and 87	29.19	(24.26 - 34.66)	15.22	(11.99 - 19.12)	31.26	(26.38 - 36.59)	28.74	(24.44 - 33.46)
Boards 23 and 45	31.97	(27.00 - 37.38)	17.42	(13.76 - 21.80)	33.86	(29.06 - 39.03)	31.56	(27.23 - 36.24)
Board 25 (Franklin)	26.01	(22.33 - 30.06)	14.00	(11.57 - 16.83)	29.59	(25.82 - 33.67)	26.90	(23.68 - 30.38)
Boards 27, 71, and 73	31.18	(26.55 - 36.22)	18.49	(14.79 - 22.87)	37.41	(32.16 - 42.98)	34.98	(30.28 - 39.99)
Boards 28, 43, and 67	28.67	(24.41 - 33.33)	12.74	(9.99 - 16.13)	30.76	(26.02 - 35.94)	28.11	(23.93 - 32.70)
Board 31 (Hamilton)	24.46	(20.63 - 28.74)	13.62	(11.01 - 16.73)	28.77	(24.44 - 33.53)	26.44	(22.65 - 30.60)
Board 48 (Lucas)	26.51	(21.88 - 31.72)	15.66	(12.44 - 19.52)	33.15	(27.90 - 38.85)	30.35	(25.76 - 35.36)
Boards 50 and 76	27.19	(23.21 - 31.57)	16.80	(13.64 - 20.50)	32.59	(28.16 - 37.36)	30.54	(26.56 - 34.83)
Board 57 (Montgomery)	29.51	(24.93 - 34.54)	18.43	(14.74 - 22.80)	36.05	(30.92 - 41.52)	33.56	(28.97 - 38.48)
Board 77 (Summit)	28.41	(23.96 - 33.33)	15.95	(12.81 - 19.68)	30.56	(25.97 - 35.57)	28.57	(24.47 - 33.05)
Oklahoma	31.20	(28.31 - 34.25)	21.61	(19.00 - 24.48)	36.63	(33.46 - 39.91)	34.31	(31.53 - 37.20)
Central	27.66	(22.25 - 33.82)	15.48	(11.65 - 20.29)	32.09	(26.30 - 38.50)	29.24	(24.16 - 34.91)
East Central	31.05	(25.46 - 37.25)	23.22	(18.01 - 29.39)	36.11	(30.01 - 42.70)	34.32	(28.76 - 40.35)
Northeast	31.24	(26.05 - 36.94)	20.05	(15.89 - 24.98)	37.05	(31.50 - 42.96)	34.23	(29.38 - 39.45)
Northwest and Southwest	31.60	(26.17 - 37.58)	22.39	(17.50 - 28.18)	36.59	(30.72 - 42.89)	34.34	(29.09 - 40.00)
Oklahoma County	32.03	(26.73 - 37.84)	23.58	(19.07 - 28.77)	37.66	(32.24 - 43.41)	35.46	(30.64 - 40.60)
Southeast	34.07	(28.28 - 40.39)	25.71	(20.55 - 31.63)	40.43	(34.58 - 46.56)	38.37	(33.09 - 43.93)
Tulsa County	30.29	(25.07 - 36.06)	20.95	(16.47 - 26.27)	35.58	(30.19 - 41.36)	33.40	(28.56 - 38.61)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	22.54	(20.07 - 25.21)	12.01	(10.20 - 14.08)	21.74	(19.05 - 24.69)	20.37	(18.00 - 22.98)
Region 1 (Multnomah)	18.69	(14.71 - 23.46)	9.11	(6.73 - 12.22)	18.02	(14.29 - 22.47)	16.80	(13.46 - 20.77)
Region 2	22.02	(18.00 - 26.65)	10.55	(7.86 - 14.02)	18.91	(14.99 - 23.57)	17.83	(14.28 - 22.03)
Region 3	22.72	(19.09 - 26.81)	12.72	(10.14 - 15.83)	24.23	(20.34 - 28.59)	22.33	(18.95 - 26.11)
Region 4	23.34	(18.56 - 28.91)	13.24	(9.83 - 17.60)	22.36	(17.62 - 27.94)	21.25	(16.93 - 26.33)
Region 5 (Central)	*	(* - *)	13.72	(9.97 - 18.57)	*	(* - *)	23.47	(18.43 - 29.38)
Region 6 (Eastern)	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Pennsylvania	27.86	(26.26 - 29.52)	17.07	(15.78 - 18.45)	34.88	(33.17 - 36.63)	32.30	(30.82 - 33.82)
Region 1 (Allegheny)	25.76	(21.98 - 29.93)	14.50	(11.81 - 17.69)	32.17	(28.04 - 36.60)	29.70	(26.04 - 33.64)
Regions 3, 8, 9, and 51	33.73	(28.73 - 39.11)	20.90	(16.84 - 25.64)	39.93	(34.56 - 45.56)	37.17	(32.39 - 42.22)
Regions 4, 11, 37, and 49	32.52	(27.96 - 37.44)	20.50	(16.75 - 24.84)	40.91	(35.89 - 46.12)	38.13	(33.65 - 42.82)
Regions 5, 18, 23, 24, and 46	32.36	(27.56 - 37.57)	18.92	(15.08 - 23.47)	40.16	(34.90 - 45.66)	37.32	(32.60 - 42.30)
Regions 6, 12, 16, 31, 35, 45, and 47	32.21	(27.51 - 37.30)	17.12	(13.93 - 20.87)	34.91	(30.13 - 40.02)	31.35	(27.31 - 35.70)
Regions 7, 13, 20, and 33	23.84	(20.91 - 27.03)	13.42	(11.19 - 16.02)	28.97	(25.69 - 32.48)	26.93	(24.02 - 30.06)
Regions 10, 15, 27, 32, 43, and 44	29.13	(24.63 - 34.09)	17.53	(13.83 - 21.96)	35.35	(30.54 - 40.48)	33.16	(28.79 - 37.84)
Regions 17 and 21	25.51	(20.86 - 30.79)	15.69	(12.08 - 20.12)	33.81	(28.18 - 39.95)	30.91	(25.94 - 36.35)
Regions 19, 26, 28, and 42	29.73	(26.14 - 33.60)	18.85	(15.79 - 22.35)	36.17	(32.26 - 40.28)	33.83	(30.35 - 37.50)
Regions 22, 38, 40, 41, and 48	29.44	(25.16 - 34.12)	18.04	(14.63 - 22.03)	38.54	(33.95 - 43.35)	36.14	(31.98 - 40.51)
Regions 29 and 34	23.45	(19.29 - 28.20)	15.19	(11.87 - 19.24)	32.42	(27.43 - 37.85)	30.05	(25.58 - 34.93)
Regions 30 and 50	32.27	(27.21 - 37.78)	18.41	(14.48 - 23.12)	38.15	(32.90 - 43.68)	35.49	(30.79 - 40.50)
Region 36 (Philadelphia)	24.60	(20.84 - 28.78)	18.03	(15.20 - 21.25)	34.65	(30.61 - 38.92)	31.44	(28.05 - 35.04)
Rhode Island	21.13	(18.44 - 24.10)	11.41	(9.65 - 13.45)	27.65	(24.49 - 31.06)	25.00	(22.27 - 27.94)
Bristol and Newport	22.59	(17.50 - 28.63)	9.96	(7.14 - 13.71)	*	(* - *)	21.61	(16.88 - 27.22)
Kent	21.57	(17.12 - 26.82)	9.20	(6.85 - 12.25)	25.52	(20.45 - 31.35)	23.58	(19.00 - 28.87)
Providence	21.18	(17.86 - 24.92)	12.91	(10.61 - 15.62)	30.18	(26.25 - 34.42)	27.17	(23.83 - 30.79)
Washington	18.89	(14.56 - 24.15)	7.70	(5.48 - 10.70)	22.69	(17.66 - 28.65)	19.93	(15.65 - 25.04)
South Carolina	29.89	(26.99 - 32.96)	18.68	(16.45 - 21.15)	39.04	(35.85 - 42.33)	36.05	(33.26 - 38.94)
Region 1	29.79	(25.05 - 35.02)	18.79	(15.31 - 22.84)	38.37	(33.42 - 43.58)	35.53	(31.18 - 40.13)
Region 2	31.62	(27.18 - 36.43)	19.10	(15.81 - 22.90)	37.94	(33.12 - 43.01)	35.04	(30.84 - 39.48)
Region 3	29.78	(24.72 - 35.39)	19.48	(15.26 - 24.54)	38.08	(32.26 - 44.26)	35.56	(30.35 - 41.13)
Region 4	27.95	(23.58 - 32.78)	17.63	(14.11 - 21.81)	41.56	(36.26 - 47.07)	38.00	(33.35 - 42.88)

See notes at end of table.

(continued)

Table 4 *Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	32.48	(29.59 - 35.51)	18.61	(16.17 - 21.32)	33.76	(30.78 - 36.88)	31.48	(28.87 - 34.22)
Region 1	29.04	(24.59 - 33.93)	15.71	(12.30 - 19.86)	30.97	(26.06 - 36.35)	28.76	(24.41 - 33.55)
Region 2	29.70	(23.90 - 36.23)	22.40	(17.44 - 28.28)	*	(* - *)	34.99	(29.15 - 41.32)
Region 3	34.02	(28.97 - 39.47)	20.15	(16.07 - 24.96)	35.77	(30.89 - 40.97)	33.08	(28.80 - 37.66)
Region 4	32.67	(26.95 - 38.95)	17.37	(13.24 - 22.47)	34.64	(28.98 - 40.77)	31.90	(26.89 - 37.37)
Region 5	35.01	(30.23 - 40.11)	19.26	(15.54 - 23.62)	33.13	(28.67 - 37.92)	31.16	(27.17 - 35.44)
Tennessee	31.43	(28.59 - 34.42)	19.69	(17.52 - 22.06)	39.63	(36.29 - 43.08)	36.80	(33.86 - 39.85)
Region 1	*	(* - *)	21.16	(16.13 - 27.26)	41.17	(34.65 - 48.02)	38.65	(32.70 - 44.96)
Region 2	30.35	(25.33 - 35.88)	18.30	(14.20 - 23.27)	38.04	(32.51 - 43.90)	35.40	(30.42 - 40.72)
Region 3	33.31	(27.86 - 39.25)	19.79	(15.76 - 24.55)	41.23	(35.33 - 47.38)	38.29	(33.01 - 43.86)
Region 4 (Davidson)	29.74	(24.10 - 36.08)	17.94	(13.98 - 22.73)	37.26	(31.44 - 43.47)	34.16	(29.03 - 39.68)
Region 5	32.55	(27.62 - 37.90)	18.79	(15.16 - 23.04)	38.56	(33.23 - 44.17)	35.79	(31.04 - 40.83)
Region 6	32.60	(26.90 - 38.87)	23.79	(18.73 - 29.72)	*	(* - *)	41.48	(35.31 - 47.94)
Region 7 (Shelby)	28.63	(23.52 - 34.35)	20.59	(16.37 - 25.58)	39.31	(33.14 - 45.84)	36.34	(30.91 - 42.15)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	32.10	(30.50 - 33.75)	21.86	(20.47 - 23.32)	41.48	(39.70 - 43.29)	38.34	(36.83 - 39.87)
Region 1	31.31	(26.14 - 37.00)	19.25	(15.49 - 23.66)	41.25	(35.70 - 47.05)	37.22	(32.44 - 42.26)
Region 2	38.30	(31.95 - 45.08)	21.23	(16.60 - 26.73)	44.25	(37.91 - 50.77)	40.49	(34.89 - 46.35)
Region 3	30.06	(27.62 - 32.62)	19.73	(17.58 - 22.06)	36.09	(33.36 - 38.92)	33.66	(31.27 - 36.13)
Region 3a	29.01	(25.85 - 32.38)	20.61	(17.81 - 23.73)	36.83	(33.37 - 40.42)	34.41	(31.40 - 37.56)
Region 3bc	31.91	(28.32 - 35.74)	18.18	(15.31 - 21.46)	34.81	(30.78 - 39.08)	32.34	(28.79 - 36.11)
Region 4	36.34	(31.10 - 41.93)	22.86	(18.73 - 27.59)	40.62	(34.89 - 46.61)	38.17	(33.05 - 43.56)
Region 5	32.39	(27.34 - 37.89)	19.56	(15.54 - 24.33)	40.46	(34.66 - 46.54)	37.32	(32.17 - 42.77)
Region 6	32.54	(29.54 - 35.70)	24.06	(21.35 - 27.00)	43.41	(40.03 - 46.86)	40.44	(37.51 - 43.44)
Region 6a	32.55	(29.31 - 35.97)	24.25	(21.34 - 27.41)	43.90	(40.25 - 47.62)	40.84	(37.68 - 44.07)
Region 6bc	32.46	(26.86 - 38.61)	22.25	(17.60 - 27.71)	39.43	(33.44 - 45.76)	37.10	(31.66 - 42.89)
Region 7	30.54	(27.19 - 34.12)	17.36	(14.95 - 20.07)	34.53	(31.20 - 38.02)	31.29	(28.44 - 34.29)
Region 7a	31.44	(27.00 - 36.25)	17.32	(14.19 - 20.97)	33.28	(29.13 - 37.71)	30.56	(26.93 - 34.45)
Region 7bcd	29.04	(24.41 - 34.14)	17.42	(14.18 - 21.22)	36.75	(31.87 - 41.92)	32.51	(28.47 - 36.83)
Region 8	33.33	(29.50 - 37.39)	22.95	(19.55 - 26.74)	45.27	(40.81 - 49.80)	41.74	(37.87 - 45.72)
Region 9	30.49	(24.59 - 37.10)	19.83	(15.59 - 24.89)	40.93	(34.92 - 47.23)	37.44	(32.16 - 43.04)
Region 10	32.03	(27.23 - 37.25)	25.18	(20.57 - 30.42)	53.17	(47.73 - 58.54)	48.15	(43.44 - 52.89)
Region 11	34.64	(30.69 - 38.81)	29.13	(25.19 - 33.42)	55.46	(51.23 - 59.61)	50.84	(47.15 - 54.52)
Region 11abd	34.64	(29.65 - 39.99)	27.27	(22.58 - 32.53)	55.08	(49.83 - 60.21)	50.37	(45.76 - 54.98)
Region 11c (Hidalgo)	34.65	(29.09 - 40.65)	32.19	(26.24 - 38.78)	56.16	(50.32 - 61.84)	51.70	(46.57 - 56.79)
Utah	41.97	(38.60 - 45.42)	26.04	(23.17 - 29.13)	40.73	(37.51 - 44.03)	37.92	(35.17 - 40.75)
Bear River, Northeastern, Summit, Tooele, and Wasatch	41.11	(34.93 - 47.59)	25.99	(20.90 - 31.82)	41.41	(35.45 - 47.64)	38.45	(33.25 - 43.92)
Central, Four Corners, San Juan, and Southwest	*	(* - *)	*	(* - *)	42.77	(36.33 - 49.47)	40.12	(34.33 - 46.19)
Davis County	*	(* - *)	22.66	(17.68 - 28.56)	39.66	(33.74 - 45.91)	36.79	(31.55 - 42.35)
Salt Lake County	38.77	(33.92 - 43.85)	24.86	(20.83 - 29.39)	38.70	(34.32 - 43.27)	36.35	(32.52 - 40.36)
Utah County	47.27	(41.23 - 53.39)	28.83	(23.86 - 34.38)	43.14	(37.27 - 49.22)	39.26	(34.50 - 44.23)
Weber, Morgan	41.13	(34.65 - 47.94)	24.16	(18.86 - 30.40)	42.88	(36.81 - 49.17)	39.69	(34.25 - 45.39)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	24.48	(21.79 - 27.39)	11.03	(9.37 - 12.93)	25.09	(22.32 - 28.08)	23.02	(20.59 - 25.63)
Champlain Valley	24.21	(20.54 - 28.31)	9.95	(7.84 - 12.55)	24.18	(20.42 - 28.38)	21.59	(18.40 - 25.16)
Rural Northeast	25.67	(21.24 - 30.66)	11.49	(8.77 - 14.90)	24.88	(20.40 - 29.97)	23.13	(19.11 - 27.71)
Rural Southeast	22.55	(18.39 - 27.34)	10.70	(8.14 - 13.94)	22.76	(18.60 - 27.53)	21.41	(17.63 - 25.76)
Rural Southwest	25.88	(21.02 - 31.40)	14.37	(10.98 - 18.60)	30.73	(25.24 - 36.82)	28.54	(23.63 - 34.01)
Virginia	25.49	(22.92 - 28.25)	16.74	(14.52 - 19.23)	32.13	(29.02 - 35.40)	29.85	(27.12 - 32.74)
Region 1	26.19	(21.95 - 30.92)	16.17	(12.80 - 20.21)	33.34	(28.27 - 38.82)	30.61	(26.18 - 35.42)
Region 2	28.01	(23.61 - 32.88)	19.17	(15.25 - 23.82)	33.08	(28.27 - 38.27)	31.39	(27.01 - 36.14)
Region 3	28.08	(23.08 - 33.69)	17.98	(14.05 - 22.73)	34.96	(29.28 - 41.09)	32.41	(27.41 - 37.84)
Region 4	25.08	(20.58 - 30.18)	18.04	(13.85 - 23.16)	33.80	(28.31 - 39.77)	31.44	(26.55 - 36.79)
Region 5	20.38	(16.54 - 24.84)	13.27	(10.15 - 17.15)	26.49	(21.81 - 31.76)	24.25	(20.17 - 28.87)
Washington	23.86	(21.32 - 26.60)	12.96	(11.18 - 14.97)	25.02	(22.34 - 27.91)	23.28	(20.92 - 25.81)
Region 1	26.33	(22.33 - 30.76)	16.64	(13.49 - 20.36)	28.21	(23.97 - 32.86)	26.26	(22.53 - 30.36)
East 1 (previously Region 1)	25.53	(20.69 - 31.05)	13.98	(10.51 - 18.35)	25.90	(21.07 - 31.39)	23.88	(19.64 - 28.71)
East 2 (previously Region 2)	27.27	(21.79 - 33.55)	20.34	(15.71 - 25.91)	31.37	(25.41 - 38.02)	29.53	(24.18 - 35.50)
Region 2	22.59	(19.42 - 26.12)	10.94	(8.98 - 13.26)	23.74	(20.52 - 27.29)	21.98	(19.13 - 25.12)
North 1 (previously Region 3)	24.26	(19.81 - 29.34)	12.20	(9.38 - 15.72)	24.48	(20.07 - 29.50)	22.70	(18.77 - 27.17)
North 2 (previously Region 4)	21.48	(17.60 - 25.95)	10.16	(7.88 - 13.01)	23.32	(19.36 - 27.82)	21.57	(18.04 - 25.57)
Region 3	23.66	(20.30 - 27.39)	12.85	(10.52 - 15.60)	24.81	(21.21 - 28.80)	23.15	(19.94 - 26.70)
West 1 (previously Region 5)	22.21	(17.91 - 27.19)	12.11	(9.28 - 15.66)	24.33	(19.90 - 29.38)	22.47	(18.56 - 26.94)
West 2 (previously Region 6)	25.00	(20.42 - 30.23)	13.66	(10.56 - 17.51)	25.25	(20.54 - 30.61)	23.78	(19.52 - 28.62)
West Virginia	31.41	(28.68 - 34.28)	19.50	(17.29 - 21.92)	40.35	(37.01 - 43.79)	37.60	(34.65 - 40.65)
Region I	31.20	(25.27 - 37.82)	18.79	(14.30 - 24.28)	*	(* - *)	*	(* - *)
Region II	26.80	(21.81 - 32.45)	17.42	(13.21 - 22.62)	36.59	(30.74 - 42.86)	34.19	(28.89 - 39.93)
Region III	35.69	(29.90 - 41.94)	23.51	(18.46 - 29.45)	43.42	(36.97 - 50.10)	41.20	(35.30 - 47.37)
Region IV	30.01	(25.17 - 35.33)	14.53	(11.63 - 17.99)	38.87	(33.31 - 44.74)	34.52	(29.85 - 39.50)
Region V	32.38	(28.06 - 37.02)	21.95	(18.49 - 25.84)	40.25	(35.68 - 44.99)	38.06	(33.94 - 42.35)
Region VI	33.33	(28.07 - 39.04)	25.03	(20.15 - 30.63)	44.37	(38.06 - 50.86)	42.18	(36.45 - 48.13)

See notes at end of table.

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	30.80	(27.97 - 33.78)	15.92	(13.91 - 18.14)	29.24	(26.16 - 32.52)	27.31	(24.60-30.19)
Milwaukee	25.21	(20.18 - 31.01)	14.40	(10.99 - 18.66)	29.17	(23.96 - 34.98)	26.74	(22.18-31.86)
Northeastern	32.24	(27.52 - 37.35)	16.06	(12.80 - 19.95)	30.04	(25.47 - 35.05)	28.17	(24.09-32.65)
Northern	*	(* - *)	19.94	(15.25 - 25.64)	*	(* - *)	29.87	(24.36-36.02)
Southeastern	30.16	(25.18 - 35.65)	14.27	(10.86 - 18.53)	28.31	(23.24 - 33.99)	26.50	(21.92-31.65)
Southern	29.11	(24.23 - 34.52)	14.75	(11.52 - 18.71)	27.02	(22.00 - 32.71)	25.14	(20.69-30.18)
Western	37.43	(31.63 - 43.62)	19.01	(14.99 - 23.81)	31.23	(25.57 - 37.52)	29.26	(24.25-34.82)
Wyoming	34.46	(31.40 - 37.66)	17.77	(15.58 - 20.20)	33.22	(30.23 - 36.35)	30.90	(28.28-33.65)
Judicial District 1 (Laramie)	33.30	(28.01 - 39.05)	18.58	(14.51 - 23.47)	35.11	(29.81 - 40.80)	32.75	(28.01-37.88)
Judicial District 2	31.24	(25.31 - 37.85)	12.71	(9.68 - 16.52)	28.48	(23.04 - 34.63)	23.78	(19.56-28.59)
Judicial District 3	42.57	(36.36 - 49.02)	24.24	(19.47 - 29.76)	39.34	(33.55 - 45.45)	37.26	(32.09-42.75)
Judicial District 4	*	(* - *)	16.79	(12.65 - 21.94)	32.58	(26.78 - 38.97)	30.77	(25.45-36.65)
Judicial District 5	*	(* - *)	18.13	(13.56 - 23.81)	33.27	(27.22 - 39.93)	31.47	(25.92-37.61)
Judicial District 6	35.81	(29.89 - 42.20)	21.64	(16.74 - 27.49)	33.85	(28.08 - 40.13)	32.06	(26.83-37.78)
Judicial District 7 (Natrona)	28.87	(23.42 - 35.01)	14.66	(11.20 - 18.96)	28.51	(23.33 - 34.32)	26.51	(21.88-31.73)
Judicial District 8	36.42	(30.40 - 42.91)	19.32	(14.71 - 24.95)	*	(* - *)	34.33	(28.57-40.58)
Judicial District 9	*	(* - *)	17.77	(13.48 - 23.06)	30.15	(24.65 - 36.28)	28.59	(23.57-34.20)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	5.97	(5.79 - 6.16)	7.39	(7.09 - 7.71)	0.19	(0.16 - 0.24)	1.19	(1.13 - 1.25)
Northeast	6.27	(5.95 - 6.61)	8.50	(7.96 - 9.08)	0.22	(0.17 - 0.29)	1.32	(1.22 - 1.43)
Midwest	5.72	(5.48 - 5.97)	7.27	(6.88 - 7.69)	0.18	(0.14 - 0.23)	1.15	(1.07 - 1.23)
South	5.50	(5.27 - 5.74)	6.55	(6.19 - 6.93)	0.16	(0.12 - 0.21)	1.04	(0.96 - 1.12)
West	6.76	(6.40 - 7.14)	8.10	(7.53 - 8.71)	0.24	(0.18 - 0.32)	1.36	(1.26 - 1.48)
Alabama	4.89	(4.17 - 5.73)	5.73	(4.69 - 7.00)	0.12	(0.08 - 0.19)	0.91	(0.75 - 1.11)
Region 1	3.58	(2.59 - 4.93)	5.25	(3.77 - 7.27)	*	(* - *)	0.77	(0.58 - 1.03)
Region 2	6.06	(4.76 - 7.68)	6.99	(5.11 - 9.51)	0.13	(0.08 - 0.22)	1.10	(0.83 - 1.45)
Region 3	2.88	(2.06 - 4.01)	6.00	(4.22 - 8.47)	*	(* - *)	1.10	(0.81 - 1.49)
Region 4	6.66	(5.03 - 8.76)	4.25	(2.93 - 6.12)	*	(* - *)	0.68	(0.50 - 0.94)
Alaska	6.76	(5.75 - 7.94)	8.54	(6.98 - 10.41)	0.40	(0.26 - 0.61)	1.77	(1.46 - 2.15)
Anchorage	6.44	(5.10 - 8.10)	8.97	(6.70 - 11.93)	0.42	(0.26 - 0.66)	1.85	(1.43 - 2.40)
Northern	7.37	(5.50 - 9.82)	8.43	(5.96 - 11.80)	*	(* - *)	2.02	(1.50 - 2.73)
South Central	6.46	(4.85 - 8.57)	7.40	(5.05 - 10.73)	*	(* - *)	1.45	(1.06 - 1.98)
Southeast	7.52	(5.42 - 10.35)	10.16	(6.82 - 14.88)	*	(* - *)	1.71	(1.23 - 2.38)
Arizona	6.72	(5.70 - 7.91)	7.14	(5.81 - 8.76)	0.22	(0.15 - 0.32)	1.18	(0.97 - 1.43)
Maricopa	6.57	(5.32 - 8.10)	6.97	(5.29 - 9.14)	0.23	(0.15 - 0.35)	1.20	(0.94 - 1.52)
Pima	7.82	(5.61 - 10.80)	8.32	(5.68 - 12.02)	*	(* - *)	1.38	(1.00 - 1.90)
Rural North	6.32	(4.43 - 8.94)	7.46	(4.98 - 11.05)	*	(* - *)	1.13	(0.81 - 1.58)
Rural South	6.63	(4.56 - 9.56)	6.30	(4.10 - 9.56)	*	(* - *)	0.95	(0.66 - 1.36)
Arkansas	5.17	(4.44 - 6.01)	5.43	(4.50 - 6.53)	0.13	(0.09 - 0.20)	0.92	(0.77 - 1.10)
Catchment Area 1	5.62	(4.06 - 7.73)	5.22	(3.66 - 7.41)	*	(* - *)	1.02	(0.75 - 1.40)
Catchment Area 2	4.56	(3.18 - 6.49)	4.57	(2.99 - 6.92)	*	(* - *)	0.70	(0.49 - 1.00)
Catchment Area 3	4.71	(3.33 - 6.61)	4.01	(2.69 - 5.96)	*	(* - *)	0.74	(0.52 - 1.03)
Catchment Area 4	4.47	(3.09 - 6.41)	5.50	(3.64 - 8.22)	*	(* - *)	0.87	(0.61 - 1.24)
Catchment Area 5	6.19	(4.47 - 8.51)	6.81	(4.73 - 9.72)	*	(* - *)	1.25	(0.90 - 1.73)
Catchment Area 6	6.64	(4.58 - 9.54)	6.00	(3.96 - 8.97)	*	(* - *)	1.00	(0.70 - 1.42)
Catchment Area 7	3.91	(2.66 - 5.70)	3.95	(2.53 - 6.13)	*	(* - *)	0.64	(0.44 - 0.92)
Catchment Area 8	5.11	(3.73 - 6.96)	6.72	(4.69 - 9.53)	*	(* - *)	1.00	(0.73 - 1.35)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	6.79	(6.25 - 7.38)	8.40	(7.54 - 9.34)	0.26	(0.18 - 0.35)	1.44	(1.29 - 1.60)
Region 1R	10.03	(7.17 - 13.85)	10.94	(7.33 - 16.02)	*	(* - *)	1.78	(1.27 - 2.47)
Region 2R	7.76	(5.64 - 10.59)	10.30	(7.15 - 14.61)	*	(* - *)	1.68	(1.23 - 2.29)
Region 3R (Sacramento)	6.74	(4.92 - 9.16)	9.50	(6.49 - 13.69)	*	(* - *)	1.63	(1.20 - 2.22)
Region 4R	7.73	(5.73 - 10.35)	10.16	(7.00 - 14.53)	*	(* - *)	1.46	(1.08 - 1.98)
Region 5R (San Francisco)	*	(* - *)	11.83	(8.20 - 16.77)	*	(* - *)	1.56	(1.17 - 2.09)
Region 6 (Santa Clara)	5.41	(3.92 - 7.42)	9.32	(6.42 - 13.33)	*	(* - *)	1.24	(0.93 - 1.66)
Region 7R (Contra Costa)	7.89	(5.66 - 10.91)	11.51	(7.89 - 16.48)	*	(* - *)	1.55	(1.14 - 2.11)
Region 8R (Alameda)	6.74	(4.97 - 9.08)	8.55	(5.97 - 12.11)	*	(* - *)	1.37	(1.03 - 1.81)
Region 9R (San Mateo)	6.74	(4.64 - 9.71)	9.68	(6.28 - 14.64)	*	(* - *)	1.15	(0.83 - 1.60)
Region 10	7.73	(5.59 - 10.60)	9.30	(6.38 - 13.39)	*	(* - *)	1.66	(1.21 - 2.27)
Region 11 (Los Angeles)	6.38	(5.57 - 7.30)	7.01	(5.94 - 8.26)	0.27	(0.19 - 0.40)	1.29	(1.11 - 1.50)
LA SPA 1 and 5	7.22	(5.13 - 10.09)	9.11	(5.95 - 13.70)	*	(* - *)	1.79	(1.27 - 2.50)
LA SPA 2	6.40	(4.86 - 8.40)	7.23	(5.10 - 10.15)	*	(* - *)	1.25	(0.95 - 1.65)
LA SPA 3	5.52	(4.04 - 7.49)	6.54	(4.66 - 9.11)	0.23	(0.14 - 0.38)	1.13	(0.85 - 1.49)
LA SPA 4	7.30	(5.12 - 10.31)	7.73	(5.34 - 11.07)	*	(* - *)	1.35	(1.02 - 1.78)
LA SPA 6	5.48	(3.92 - 7.62)	5.65	(3.90 - 8.12)	*	(* - *)	1.33	(0.97 - 1.82)
LA SPA 7	6.17	(4.54 - 8.33)	6.10	(4.19 - 8.82)	*	(* - *)	1.12	(0.82 - 1.52)
LA SPA 8	7.32	(5.53 - 9.65)	7.51	(5.33 - 10.48)	*	(* - *)	1.34	(1.02 - 1.77)
Region 12R	6.75	(4.74 - 9.53)	9.20	(6.11 - 13.64)	*	(* - *)	1.57	(1.12 - 2.20)
Regions 13 and 19R	5.80	(4.52 - 7.43)	9.32	(7.16 - 12.05)	0.21	(0.14 - 0.34)	1.56	(1.24 - 1.97)
Region 13 (Riverside)	5.86	(4.49 - 7.61)	9.67	(7.32 - 12.68)	*	(* - *)	1.61	(1.26 - 2.05)
Region 19R (Imperial)	5.12	(3.43 - 7.57)	*	(* - *)	*	(* - *)	*	(* - *)
Region 14 (Orange)	6.39	(5.06 - 8.03)	7.80	(5.81 - 10.41)	0.24	(0.15 - 0.36)	1.31	(1.02 - 1.69)
Region 15R (Fresno)	5.68	(4.03 - 7.97)	6.19	(4.14 - 9.16)	*	(* - *)	1.32	(0.95 - 1.82)
Region 16R (San Diego)	6.11	(4.81 - 7.73)	8.48	(6.32 - 11.28)	0.28	(0.19 - 0.41)	1.52	(1.19 - 1.95)
Region 17R	7.26	(5.51 - 9.51)	6.00	(4.16 - 8.58)	*	(* - *)	1.19	(0.88 - 1.61)
Region 18R (San Bernardino)	8.16	(6.43 - 10.29)	8.59	(6.31 - 11.59)	0.23	(0.15 - 0.36)	1.59	(1.22 - 2.07)
Region 20R	9.24	(6.85 - 12.36)	8.96	(6.17 - 12.83)	*	(* - *)	1.63	(1.19 - 2.23)
Region 21R	6.65	(4.65 - 9.43)	13.27	(9.11 - 18.92)	*	(* - *)	2.27	(1.65 - 3.11)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	8.09	(6.99 - 9.36)	9.68	(7.92 - 11.79)	0.27	(0.18 - 0.39)	1.48	(1.23 - 1.78)
Region 1	8.19	(5.96 - 11.17)	10.33	(6.97 - 15.05)	*	(* - *)	1.77	(1.26 - 2.48)
Regions 2 and 7	8.45	(6.91 - 10.30)	10.49	(7.98 - 13.67)	0.29	(0.19 - 0.44)	1.55	(1.22 - 1.97)
Region 3	6.33	(4.68 - 8.52)	8.41	(5.68 - 12.29)	*	(* - *)	1.41	(1.03 - 1.94)
Region 4	7.00	(4.72 - 10.28)	*	(* - *)	*	(* - *)	0.98	(0.68 - 1.42)
Regions 5 and 6	9.45	(6.65 - 13.24)	8.22	(5.35 - 12.43)	*	(* - *)	1.18	(0.84 - 1.66)
Connecticut	6.83	(5.87 - 7.94)	9.49	(7.85 - 11.44)	0.22	(0.15 - 0.32)	1.33	(1.11 - 1.59)
Eastern	6.02	(4.31 - 8.35)	8.76	(6.14 - 12.34)	*	(* - *)	1.70	(1.25 - 2.32)
North Central	7.42	(5.72 - 9.56)	9.92	(7.08 - 13.74)	0.24	(0.15 - 0.38)	1.34	(1.01 - 1.77)
Northwestern	7.13	(5.32 - 9.51)	8.79	(5.77 - 13.16)	*	(* - *)	1.10	(0.79 - 1.53)
South Central	6.73	(4.96 - 9.07)	10.61	(7.79 - 14.28)	*	(* - *)	1.43	(1.10 - 1.87)
Southwest	6.31	(4.61 - 8.58)	8.70	(5.85 - 12.74)	*	(* - *)	1.15	(0.83 - 1.58)
Delaware	6.96	(5.95 - 8.12)	9.32	(7.62 - 11.36)	0.24	(0.16 - 0.35)	1.41	(1.17 - 1.69)
Kent	6.83	(5.14 - 9.02)	9.43	(6.48 - 13.53)	*	(* - *)	1.52	(1.11 - 2.09)
New Castle (excluding Wilmington City)	6.58	(5.26 - 8.20)	9.91	(7.62 - 12.81)	0.27	(0.17 - 0.42)	1.63	(1.30 - 2.05)
Sussex	7.30	(5.44 - 9.73)	7.81	(5.29 - 11.41)	*	(* - *)	0.83	(0.60 - 1.14)
Wilmington City	9.05	(6.49 - 12.49)	7.81	(5.16 - 11.65)	*	(* - *)	1.39	(1.00 - 1.94)
District of Columbia	8.30	(7.25 - 9.47)	11.96	(10.13 - 14.08)	0.43	(0.27 - 0.66)	2.58	(2.19 - 3.03)
Ward 1	9.85	(6.69 - 14.28)	18.53	(13.32 - 25.20)	*	(* - *)	4.42	(3.27 - 5.95)
Ward 2	*	(* - *)	12.03	(8.84 - 16.17)	*	(* - *)	4.39	(3.32 - 5.78)
Ward 3	7.55	(5.28 - 10.70)	12.81	(8.88 - 18.13)	*	(* - *)	2.48	(1.83 - 3.35)
Ward 4	6.43	(4.62 - 8.86)	10.26	(6.59 - 15.63)	*	(* - *)	1.29	(0.91 - 1.81)
Ward 5	7.63	(5.68 - 10.19)	14.19	(10.01 - 19.75)	*	(* - *)	2.72	(2.01 - 3.67)
Ward 6	9.75	(6.86 - 13.66)	8.34	(5.36 - 12.76)	*	(* - *)	1.72	(1.21 - 2.42)
Ward 7	8.23	(6.23 - 10.79)	10.20	(6.61 - 15.42)	*	(* - *)	1.83	(1.27 - 2.61)
Ward 8	9.46	(7.53 - 11.81)	7.66	(5.13 - 11.28)	*	(* - *)	1.85	(1.31 - 2.59)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	5.67	(5.20 - 6.18)	6.92	(6.18 - 7.73)	0.18	(0.13 - 0.25)	0.98	(0.87 - 1.11)
Region A - Northwest	6.86	(5.78 - 8.12)	7.69	(6.09 - 9.67)	0.20	(0.14 - 0.29)	1.51	(1.23 - 1.85)
Circuit 1	6.39	(5.04 - 8.08)	6.13	(4.32 - 8.62)	0.19	(0.12 - 0.29)	1.15	(0.86 - 1.53)
Circuit 2	7.99	(5.99 - 10.58)	10.15	(7.10 - 14.32)	*	(* - *)	2.64	(1.92 - 3.62)
Circuit 14	6.63	(4.59 - 9.50)	6.56	(4.24 - 10.00)	*	(* - *)	0.98	(0.70 - 1.37)
Region B - Northeast	6.42	(5.32 - 7.72)	6.53	(5.20 - 8.17)	0.18	(0.13 - 0.26)	1.13	(0.93 - 1.38)
Circuits 3 and 8	4.93	(3.54 - 6.83)	6.87	(4.90 - 9.54)	*	(* - *)	1.63	(1.22 - 2.18)
Circuit 4	6.55	(4.99 - 8.56)	5.88	(3.98 - 8.60)	*	(* - *)	1.02	(0.75 - 1.40)
Circuit 7	7.13	(5.35 - 9.44)	7.19	(5.01 - 10.20)	*	(* - *)	0.93	(0.68 - 1.27)
Region C - Central	5.71	(4.99 - 6.53)	7.81	(6.58 - 9.25)	0.17	(0.12 - 0.23)	1.05	(0.90 - 1.23)
Circuit 5	6.59	(4.92 - 8.79)	7.85	(5.45 - 11.18)	*	(* - *)	0.72	(0.53 - 0.97)
Circuit 9	5.22	(4.08 - 6.65)	8.68	(6.60 - 11.33)	0.23	(0.15 - 0.34)	1.60	(1.26 - 2.03)
Circuit 10	4.80	(3.53 - 6.50)	6.07	(4.33 - 8.43)	*	(* - *)	0.79	(0.59 - 1.05)
Circuit 18	6.16	(4.77 - 7.92)	8.13	(5.70 - 11.47)	*	(* - *)	1.08	(0.80 - 1.44)
Circuit 19	6.10	(4.44 - 8.32)	6.52	(4.27 - 9.83)	*	(* - *)	0.72	(0.52 - 1.01)
Region D - Southeast	5.11	(4.25 - 6.14)	6.06	(4.78 - 7.67)	0.18	(0.12 - 0.27)	0.82	(0.67 - 1.01)
Circuit 15 (Palm Beach)	4.29	(3.24 - 5.67)	6.14	(4.45 - 8.41)	*	(* - *)	0.79	(0.61 - 1.03)
Circuit 17 (Broward)	5.69	(4.52 - 7.15)	6.01	(4.34 - 8.27)	0.20	(0.12 - 0.31)	0.85	(0.65 - 1.11)
Region E - Sun Coast	6.21	(5.34 - 7.21)	7.52	(6.34 - 8.89)	0.17	(0.12 - 0.25)	0.93	(0.79 - 1.09)
Circuit 6	5.91	(4.50 - 7.72)	7.31	(5.10 - 10.38)	*	(* - *)	0.85	(0.63 - 1.14)
Circuit 12	8.43	(6.35 - 11.11)	8.08	(5.56 - 11.59)	*	(* - *)	0.74	(0.54 - 1.01)
Circuit 13 (Hillsborough)	5.06	(3.82 - 6.69)	8.04	(6.26 - 10.27)	0.22	(0.14 - 0.34)	1.32	(1.06 - 1.66)
Circuit 20	6.80	(5.15 - 8.93)	6.57	(4.48 - 9.54)	*	(* - *)	0.72	(0.53 - 0.99)
Region F - Southern (Circuits 11 and 16)	4.10	(3.26 - 5.16)	5.66	(4.43 - 7.21)	0.18	(0.10 - 0.31)	0.81	(0.65 - 1.02)
Georgia	5.90	(5.07 - 6.85)	5.73	(4.72 - 6.94)	0.16	(0.11 - 0.23)	1.00	(0.84 - 1.20)
Region 1	5.79	(4.40 - 7.59)	5.87	(4.13 - 8.28)	*	(* - *)	0.93	(0.69 - 1.26)
Region 2	5.36	(3.92 - 7.27)	5.39	(3.69 - 7.82)	*	(* - *)	1.02	(0.74 - 1.41)
Region 3	6.74	(5.20 - 8.69)	6.59	(4.84 - 8.91)	0.20	(0.12 - 0.32)	1.12	(0.85 - 1.47)
Region 4	7.90	(5.53 - 11.18)	4.95	(3.17 - 7.65)	*	(* - *)	0.89	(0.62 - 1.29)
Region 5	5.84	(4.01 - 8.43)	5.19	(3.34 - 7.99)	*	(* - *)	1.01	(0.70 - 1.44)
Region 6	4.28	(3.06 - 5.95)	5.15	(3.42 - 7.68)	*	(* - *)	0.92	(0.65 - 1.29)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	7.12	(6.05 - 8.37)	7.57	(6.10 - 9.36)	0.32	(0.17 - 0.59)	1.19	(0.95 - 1.48)
Hawaii Island	8.76	(6.45 - 11.79)	10.07	(6.77 - 14.73)	*	(* - *)	1.46	(1.05 - 2.02)
Honolulu	6.24	(5.09 - 7.63)	6.84	(5.26 - 8.84)	0.31	(0.16 - 0.60)	1.11	(0.86 - 1.44)
Kauai and Maui	9.53	(7.28 - 12.39)	9.82	(6.90 - 13.79)	*	(* - *)	1.36	(1.01 - 1.83)
Kauai	8.26	(5.50 - 12.22)	*	(* - *)	*	(* - *)	1.20	(0.82 - 1.76)
Maui	10.09	(7.28 - 13.82)	9.99	(6.55 - 14.96)	*	(* - *)	1.43	(1.01 - 2.02)
Idaho	5.66	(4.87 - 6.56)	6.48	(5.32 - 7.88)	0.16	(0.11 - 0.24)	1.13	(0.94 - 1.36)
Region 1	6.53	(4.82 - 8.80)	8.12	(5.26 - 12.32)	*	(* - *)	0.99	(0.70 - 1.42)
Region 2	5.92	(4.09 - 8.50)	9.37	(6.06 - 14.22)	*	(* - *)	1.83	(1.27 - 2.63)
Region 3	6.74	(5.00 - 9.04)	6.61	(4.47 - 9.67)	*	(* - *)	1.03	(0.73 - 1.44)
Region 4	6.65	(5.06 - 8.70)	10.51	(7.56 - 14.43)	0.23	(0.14 - 0.38)	1.60	(1.19 - 2.14)
Region 5	4.48	(3.27 - 6.11)	4.42	(2.95 - 6.57)	*	(* - *)	0.74	(0.52 - 1.03)
Region 6	5.41	(3.88 - 7.49)	4.94	(3.18 - 7.57)	*	(* - *)	0.92	(0.64 - 1.33)
Region 7	2.82	(1.86 - 4.24)	2.80	(1.78 - 4.37)	*	(* - *)	0.75	(0.51 - 1.12)
Illinois	5.59	(5.10 - 6.12)	7.59	(6.76 - 8.51)	0.19	(0.13 - 0.26)	1.15	(1.02 - 1.29)
Region I (Cook)	5.68	(4.90 - 6.57)	7.73	(6.49 - 9.17)	0.23	(0.15 - 0.33)	1.17	(0.99 - 1.38)
Region II	5.45	(4.71 - 6.29)	7.69	(6.37 - 9.26)	0.17	(0.11 - 0.26)	1.14	(0.95 - 1.36)
Region III	5.29	(4.24 - 6.57)	8.48	(6.60 - 10.84)	0.16	(0.10 - 0.25)	1.47	(1.16 - 1.84)
Region IV	5.00	(3.86 - 6.45)	5.95	(4.29 - 8.19)	0.14	(0.09 - 0.22)	0.86	(0.65 - 1.13)
Region V	6.59	(5.31 - 8.15)	6.58	(4.86 - 8.84)	0.15	(0.10 - 0.24)	0.92	(0.71 - 1.19)
Indiana	5.28	(4.51 - 6.17)	7.17	(5.93 - 8.65)	0.16	(0.11 - 0.23)	1.13	(0.95 - 1.35)
Central	5.78	(4.34 - 7.66)	6.97	(4.83 - 9.97)	*	(* - *)	1.03	(0.76 - 1.40)
East	5.91	(4.14 - 8.38)	6.78	(4.50 - 10.08)	*	(* - *)	1.12	(0.79 - 1.57)
North Central	5.59	(4.04 - 7.69)	7.58	(5.24 - 10.86)	*	(* - *)	1.09	(0.79 - 1.49)
Northeast	5.06	(3.54 - 7.19)	7.22	(4.81 - 10.70)	*	(* - *)	1.08	(0.78 - 1.51)
Northwest	5.22	(3.72 - 7.27)	7.00	(4.67 - 10.37)	*	(* - *)	1.05	(0.75 - 1.45)
Southeast	4.79	(3.38 - 6.75)	5.16	(3.50 - 7.54)	*	(* - *)	0.72	(0.52 - 1.00)
Southwest	4.43	(3.08 - 6.35)	5.87	(3.75 - 9.08)	*	(* - *)	0.88	(0.61 - 1.26)
West	4.46	(3.15 - 6.28)	9.05	(6.40 - 12.64)	*	(* - *)	2.11	(1.55 - 2.87)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	5.27	(4.53 - 6.11)	7.14	(5.94 - 8.56)	0.14	(0.09 - 0.21)	1.08	(0.91 - 1.28)
Central	5.65	(4.17 - 7.61)	7.38	(5.06 - 10.65)	*	(* - *)	1.05	(0.77 - 1.44)
North Central	4.18	(2.89 - 6.00)	9.44	(6.38 - 13.74)	*	(* - *)	1.67	(1.19 - 2.33)
Northeast	4.98	(3.74 - 6.59)	8.20	(6.11 - 10.92)	*	(* - *)	1.23	(0.95 - 1.61)
Northwest	4.25	(3.09 - 5.81)	5.39	(3.66 - 7.86)	*	(* - *)	0.73	(0.53 - 1.00)
Southeast	6.52	(5.02 - 8.44)	6.06	(4.11 - 8.85)	*	(* - *)	1.05	(0.76 - 1.45)
Southwest	5.54	(3.87 - 7.88)	5.89	(3.91 - 8.79)	*	(* - *)	0.72	(0.51 - 1.01)
Kansas	5.23	(4.46 - 6.12)	6.50	(5.34 - 7.89)	0.15	(0.10 - 0.22)	1.10	(0.91 - 1.32)
Kansas City Metro	5.55	(4.32 - 7.09)	7.78	(5.68 - 10.58)	0.16	(0.10 - 0.25)	1.25	(0.95 - 1.64)
Northeast	4.38	(3.07 - 6.21)	6.88	(4.87 - 9.63)	*	(* - *)	1.29	(0.95 - 1.75)
South Central	4.72	(3.34 - 6.61)	4.67	(3.08 - 7.04)	*	(* - *)	0.75	(0.53 - 1.07)
Southeast	5.22	(3.56 - 7.59)	5.23	(3.42 - 7.91)	*	(* - *)	0.88	(0.62 - 1.26)
West	5.44	(3.82 - 7.69)	5.52	(3.67 - 8.21)	*	(* - *)	0.87	(0.62 - 1.22)
Wichita (Sedgwick)	5.76	(4.25 - 7.77)	6.15	(4.23 - 8.86)	*	(* - *)	1.09	(0.80 - 1.50)
Kentucky	5.34	(4.57 - 6.23)	5.58	(4.55 - 6.83)	0.15	(0.10 - 0.22)	0.88	(0.73 - 1.06)
Adanta, Cumberland River, and Lifeskills	3.98	(2.87 - 5.49)	5.45	(3.83 - 7.70)	*	(* - *)	0.88	(0.65 - 1.20)
Bluegrass, Comprehend, and North Key	6.21	(4.74 - 8.09)	5.48	(3.93 - 7.58)	*	(* - *)	0.93	(0.70 - 1.23)
Communicare and River Valley	4.41	(3.07 - 6.30)	4.71	(3.17 - 6.96)	*	(* - *)	0.71	(0.51 - 0.99)
Four Rivers and Pennyroyal	4.87	(3.38 - 6.99)	4.79	(3.11 - 7.31)	*	(* - *)	0.73	(0.51 - 1.04)
Kentucky River, Mountain, and Pathways	4.05	(2.76 - 5.90)	3.81	(2.51 - 5.75)	*	(* - *)	0.61	(0.43 - 0.87)
Seven Counties	6.65	(5.09 - 8.63)	8.25	(5.70 - 11.80)	*	(* - *)	1.15	(0.84 - 1.56)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	4.37	(3.73 - 5.12)	5.70	(4.78 - 6.77)	0.14	(0.09 - 0.22)	0.97	(0.82 - 1.15)
Regions 1 and 10	4.13	(3.13 - 5.42)	5.45	(4.01 - 7.37)	0.19	(0.12 - 0.31)	0.99	(0.76 - 1.29)
Region 1	4.29	(3.05 - 6.01)	4.86	(3.24 - 7.23)	*	(* - *)	1.04	(0.74 - 1.45)
Region 10 (Jefferson)	3.97	(2.69 - 5.82)	6.29	(4.21 - 9.29)	*	(* - *)	0.94	(0.68 - 1.31)
Regions 2 and 9	4.59	(3.53 - 5.95)	6.86	(5.18 - 9.02)	0.14	(0.08 - 0.23)	1.16	(0.90 - 1.49)
Region 3	4.33	(3.07 - 6.09)	4.45	(2.94 - 6.68)	*	(* - *)	0.76	(0.54 - 1.06)
Regions 4, 5, and 6	4.27	(3.21 - 5.67)	5.15	(3.67 - 7.17)	0.13	(0.08 - 0.22)	0.88	(0.66 - 1.18)
Regions 7 and 8	4.45	(3.32 - 5.94)	5.65	(4.05 - 7.84)	*	(* - *)	0.93	(0.70 - 1.25)
Maine	6.64	(5.78 - 7.61)	8.42	(6.98 - 10.11)	0.24	(0.16 - 0.35)	1.22	(1.02 - 1.46)
Aroostook/Downeast	6.42	(4.88 - 8.40)	7.10	(5.18 - 9.64)	*	(* - *)	1.00	(0.76 - 1.31)
Aroostook	5.91	(4.04 - 8.57)	6.33	(4.16 - 9.52)	*	(* - *)	0.97	(0.67 - 1.38)
Downeast	6.89	(4.81 - 9.76)	7.81	(5.18 - 11.59)	*	(* - *)	1.02	(0.72 - 1.45)
Central	5.55	(4.05 - 7.56)	8.67	(5.77 - 12.82)	*	(* - *)	1.19	(0.85 - 1.65)
Cumberland	5.86	(4.38 - 7.81)	8.42	(5.73 - 12.19)	*	(* - *)	1.31	(0.97 - 1.78)
Midcoast	7.83	(5.46 - 11.11)	9.21	(5.85 - 14.20)	*	(* - *)	1.01	(0.70 - 1.46)
Penquis	6.35	(4.76 - 8.42)	8.76	(6.03 - 12.57)	*	(* - *)	1.62	(1.18 - 2.22)
Western	8.32	(6.31 - 10.89)	8.26	(5.67 - 11.88)	*	(* - *)	1.25	(0.91 - 1.69)
York	6.67	(4.90 - 9.03)	8.60	(5.91 - 12.37)	*	(* - *)	1.10	(0.80 - 1.51)
Maryland	6.06	(5.23 - 7.02)	7.40	(6.18 - 8.85)	0.20	(0.14 - 0.30)	1.16	(0.98 - 1.38)
Anne Arundel	5.44	(3.68 - 7.96)	7.85	(5.14 - 11.79)	*	(* - *)	1.15	(0.82 - 1.61)
Baltimore City	6.77	(4.90 - 9.29)	5.86	(4.04 - 8.41)	*	(* - *)	1.25	(0.92 - 1.70)
Baltimore County	5.46	(3.87 - 7.64)	8.40	(5.84 - 11.94)	*	(* - *)	1.25	(0.92 - 1.70)
Montgomery	6.77	(5.11 - 8.93)	8.01	(5.48 - 11.56)	*	(* - *)	1.06	(0.78 - 1.45)
North Central	4.92	(3.41 - 7.06)	7.45	(4.94 - 11.08)	*	(* - *)	1.08	(0.77 - 1.51)
Northeast	6.07	(4.22 - 8.67)	6.70	(4.30 - 10.31)	*	(* - *)	0.92	(0.65 - 1.30)
Prince George's	6.84	(4.84 - 9.58)	7.51	(5.04 - 11.05)	*	(* - *)	1.36	(0.98 - 1.88)
South	6.31	(4.53 - 8.73)	8.15	(5.33 - 12.26)	*	(* - *)	1.25	(0.88 - 1.77)
West	5.06	(3.58 - 7.12)	6.33	(4.20 - 9.43)	*	(* - *)	0.97	(0.70 - 1.34)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	7.93	(6.96 - 9.01)	11.28	(9.44 - 13.41)	0.30	(0.20 - 0.43)	1.80	(1.53 - 2.13)
Boston	7.55	(5.40 - 10.45)	9.86	(7.04 - 13.65)	*	(* - *)	2.59	(1.94 - 3.46)
Central	7.05	(5.20 - 9.48)	8.93	(5.88 - 13.33)	*	(* - *)	1.45	(1.02 - 2.04)
Metrowest	7.78	(6.12 - 9.84)	15.69	(11.02 - 21.86)	0.34	(0.21 - 0.54)	2.13	(1.58 - 2.86)
Northeast	9.80	(7.77 - 12.29)	11.26	(8.08 - 15.48)	*	(* - *)	1.50	(1.13 - 1.99)
Southeast	7.98	(6.17 - 10.26)	9.61	(6.74 - 13.52)	*	(* - *)	1.28	(0.96 - 1.70)
Western	6.44	(4.76 - 8.65)	11.77	(8.14 - 16.72)	*	(* - *)	2.07	(1.52 - 2.82)
Michigan	6.37	(5.86 - 6.91)	8.46	(7.65 - 9.35)	0.21	(0.15 - 0.28)	1.42	(1.28 - 1.57)
Detroit City	7.83	(6.19 - 9.85)	8.68	(6.62 - 11.31)	*	(* - *)	1.79	(1.39 - 2.29)
Genesee	7.78	(6.03 - 9.99)	9.99	(7.18 - 13.74)	*	(* - *)	1.51	(1.14 - 1.98)
Kalamazoo	5.85	(4.60 - 7.42)	6.46	(4.57 - 9.05)	*	(* - *)	1.22	(0.92 - 1.63)
Kent	5.05	(3.85 - 6.60)	7.96	(5.86 - 10.73)	0.22	(0.14 - 0.34)	1.38	(1.06 - 1.80)
Lakeshore	6.27	(5.00 - 7.85)	8.23	(6.17 - 10.89)	0.18	(0.12 - 0.27)	1.34	(1.04 - 1.73)
Macomb	6.57	(5.21 - 8.26)	8.84	(6.65 - 11.66)	0.22	(0.15 - 0.34)	1.27	(1.00 - 1.62)
Mid South	5.52	(4.38 - 6.94)	8.70	(6.61 - 11.36)	0.22	(0.15 - 0.33)	1.74	(1.37 - 2.21)
Northern	7.82	(6.17 - 9.86)	10.74	(8.17 - 14.00)	0.18	(0.11 - 0.30)	1.63	(1.27 - 2.09)
Oakland	6.27	(5.09 - 7.70)	8.39	(6.44 - 10.87)	0.22	(0.15 - 0.34)	1.22	(0.96 - 1.54)
Pathways and Western	5.35	(3.83 - 7.44)	14.08	(9.87 - 19.70)	*	(* - *)	1.93	(1.42 - 2.62)
Riverhaven	5.32	(3.93 - 7.17)	5.73	(3.97 - 8.22)	*	(* - *)	0.83	(0.61 - 1.12)
Saginaw	7.85	(5.51 - 11.08)	6.76	(4.47 - 10.10)	*	(* - *)	1.20	(0.86 - 1.67)
Southeast	6.05	(4.95 - 7.38)	7.16	(5.50 - 9.26)	0.21	(0.14 - 0.31)	1.14	(0.91 - 1.44)
St. Clair	6.00	(4.38 - 8.17)	6.83	(4.64 - 9.94)	*	(* - *)	0.97	(0.71 - 1.32)
Washtenaw	6.37	(4.92 - 8.21)	9.29	(7.07 - 12.11)	*	(* - *)	2.29	(1.78 - 2.94)
Minnesota	5.43	(4.66 - 6.33)	7.87	(6.54 - 9.43)	0.22	(0.15 - 0.30)	1.20	(1.01 - 1.42)
Regions 1 and 2	5.15	(3.50 - 7.50)	6.82	(4.37 - 10.50)	*	(* - *)	0.97	(0.68 - 1.38)
Regions 3 and 4	4.94	(3.64 - 6.67)	6.19	(4.32 - 8.79)	*	(* - *)	0.98	(0.73 - 1.32)
Regions 5 and 6	6.11	(4.55 - 8.16)	8.23	(5.72 - 11.71)	*	(* - *)	1.11	(0.82 - 1.50)
Region 7A (Hennepin)	4.69	(3.38 - 6.46)	8.64	(6.19 - 11.94)	0.31	(0.20 - 0.49)	1.38	(1.05 - 1.81)
Region 7B (Ramsey)	7.00	(4.81 - 10.06)	8.33	(5.44 - 12.54)	*	(* - *)	1.68	(1.18 - 2.38)
Region 7C	5.44	(4.17 - 7.07)	8.60	(6.04 - 12.09)	0.22	(0.14 - 0.33)	1.20	(0.90 - 1.61)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	4.68	(4.02 - 5.44)	5.34	(4.40 - 6.46)	0.13	(0.08 - 0.19)	0.89	(0.74 - 1.07)
Region 1	4.74	(3.52 - 6.35)	5.76	(4.02 - 8.20)	*	(* - *)	0.89	(0.66 - 1.22)
Region 2	3.93	(2.76 - 5.56)	4.88	(3.27 - 7.24)	*	(* - *)	0.83	(0.59 - 1.17)
Region 3	5.08	(3.67 - 6.98)	5.98	(4.17 - 8.52)	*	(* - *)	1.08	(0.78 - 1.48)
Region 4	4.57	(3.42 - 6.09)	4.98	(3.49 - 7.08)	*	(* - *)	0.85	(0.63 - 1.16)
Region 5	4.41	(2.92 - 6.62)	4.50	(2.89 - 6.94)	*	(* - *)	*	(* - *)
Region 6	4.76	(3.39 - 6.65)	4.89	(3.29 - 7.21)	*	(* - *)	0.87	(0.63 - 1.21)
Region 7	5.05	(3.63 - 6.97)	5.53	(3.75 - 8.10)	*	(* - *)	0.88	(0.63 - 1.22)
Missouri	6.30	(5.43 - 7.29)	5.79	(4.76 - 7.03)	0.16	(0.11 - 0.23)	0.94	(0.78 - 1.13)
Central	4.59	(3.27 - 6.41)	5.78	(3.95 - 8.38)	*	(* - *)	1.13	(0.81 - 1.57)
Eastern	7.41	(6.00 - 9.11)	6.97	(5.25 - 9.19)	0.19	(0.12 - 0.28)	1.07	(0.83 - 1.36)
Eastern (St. Louis City and County)	6.84	(5.28 - 8.81)	7.54	(5.35 - 10.54)	*	(* - *)	1.20	(0.90 - 1.60)
Eastern (excluding St. Louis)	8.34	(6.08 - 11.34)	5.90	(3.85 - 8.92)	*	(* - *)	0.85	(0.60 - 1.20)
Northwest	6.85	(5.36 - 8.71)	5.75	(4.24 - 7.74)	*	(* - *)	0.91	(0.70 - 1.18)
Northwest (Jackson)	7.16	(5.15 - 9.87)	5.44	(3.70 - 7.94)	*	(* - *)	0.90	(0.66 - 1.23)
Northwest (excluding Jackson)	6.60	(4.68 - 9.22)	6.01	(3.99 - 8.95)	*	(* - *)	0.91	(0.65 - 1.28)
Southeast	4.22	(3.03 - 5.86)	4.24	(2.85 - 6.26)	*	(* - *)	0.68	(0.48 - 0.95)
Southwest	5.97	(4.29 - 8.24)	4.86	(3.21 - 7.30)	*	(* - *)	0.79	(0.56 - 1.11)
Montana	8.43	(7.36 - 9.65)	11.24	(9.38 - 13.42)	0.22	(0.15 - 0.34)	1.57	(1.32 - 1.87)
Region 1	9.35	(6.72 - 12.88)	10.16	(6.57 - 15.39)	*	(* - *)	1.18	(0.82 - 1.68)
Region 2	6.84	(5.02 - 9.25)	8.91	(6.07 - 12.89)	*	(* - *)	1.31	(0.95 - 1.79)
Region 3	8.06	(6.29 - 10.28)	9.17	(6.41 - 12.96)	*	(* - *)	1.13	(0.84 - 1.52)
Region 4	9.52	(7.38 - 12.19)	14.43	(10.70 - 19.17)	0.24	(0.14 - 0.41)	2.05	(1.57 - 2.68)
Region 5	8.40	(6.75 - 10.40)	11.12	(8.31 - 14.74)	0.24	(0.14 - 0.40)	1.72	(1.31 - 2.26)
Nebraska	5.42	(4.60 - 6.38)	6.37	(5.25 - 7.71)	0.15	(0.10 - 0.22)	1.02	(0.85 - 1.23)
Regions 1 and 2	4.86	(3.51 - 6.69)	5.43	(3.77 - 7.76)	*	(* - *)	0.70	(0.51 - 0.94)
Region 1	6.02	(3.93 - 9.11)	*	(* - *)	*	(* - *)	*	(* - *)
Region 2	3.95	(2.58 - 6.01)	4.93	(3.10 - 7.77)	*	(* - *)	0.60	(0.41 - 0.88)
Region 3	3.77	(2.66 - 5.31)	4.64	(3.12 - 6.84)	*	(* - *)	0.71	(0.51 - 0.99)
Region 4	4.13	(2.87 - 5.89)	4.21	(2.80 - 6.27)	*	(* - *)	0.65	(0.46 - 0.91)
Region 5	4.93	(3.63 - 6.66)	7.24	(5.31 - 9.80)	*	(* - *)	1.34	(1.02 - 1.75)
Region 6	6.67	(5.27 - 8.41)	7.18	(5.34 - 9.59)	0.18	(0.11 - 0.29)	1.16	(0.89 - 1.50)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	6.87	(5.66 - 8.31)	8.25	(6.66 - 10.18)	0.22	(0.15 - 0.32)	1.26	(1.03 - 1.53)
Clark – Region 1	6.36	(4.99 - 8.07)	7.98	(6.07 - 10.42)	0.22	(0.14 - 0.33)	1.21	(0.95 - 1.55)
Region 3	6.34	(4.63 - 8.62)	7.84	(5.53 - 11.00)	*	(* - *)	1.04	(0.77 - 1.39)
Capital District	6.84	(4.55 - 10.16)	9.12	(5.75 - 14.15)	*	(* - *)	1.07	(0.74 - 1.55)
Rural/Frontier	5.94	(3.88 - 9.00)	6.90	(4.31 - 10.86)	*	(* - *)	1.00	(0.68 - 1.47)
Washoe – Region 2	9.94	(7.30 - 13.38)	9.75	(7.10 - 13.25)	*	(* - *)	1.67	(1.25 - 2.22)
New Hampshire	8.26	(7.19 - 9.48)	11.05	(9.28 - 13.10)	0.27	(0.18 - 0.41)	1.65	(1.40 - 1.94)
Central	9.50	(7.75 - 11.60)	13.26	(10.42 - 16.72)	*	(* - *)	2.04	(1.64 - 2.54)
Central 1	10.39	(7.79 - 13.73)	15.80	(11.77 - 20.89)	*	(* - *)	2.60	(2.00 - 3.38)
Central 2	8.74	(6.59 - 11.52)	10.07	(6.92 - 14.43)	*	(* - *)	1.47	(1.06 - 2.03)
Northern	8.17	(5.98 - 11.08)	14.01	(9.75 - 19.74)	*	(* - *)	1.94	(1.42 - 2.65)
Southern	7.76	(6.48 - 9.26)	9.20	(7.21 - 11.66)	0.27	(0.18 - 0.42)	1.39	(1.12 - 1.73)
Southern 1 (Rockingham)	7.11	(5.48 - 9.18)	9.35	(6.59 - 13.12)	*	(* - *)	1.23	(0.91 - 1.65)
Southern 2	8.19	(6.56 - 10.20)	9.12	(6.69 - 12.33)	0.28	(0.18 - 0.45)	1.49	(1.14 - 1.93)
New Jersey	6.34	(5.44 - 7.39)	8.12	(6.69 - 9.83)	0.20	(0.14 - 0.29)	1.13	(0.94 - 1.34)
Central	8.06	(6.21 - 10.40)	8.84	(6.15 - 12.57)	*	(* - *)	1.17	(0.86 - 1.58)
Metropolitan	5.52	(4.19 - 7.24)	8.08	(5.87 - 11.03)	0.20	(0.13 - 0.31)	1.17	(0.89 - 1.52)
Northern	5.87	(4.53 - 7.57)	7.86	(5.64 - 10.87)	0.20	(0.13 - 0.31)	1.06	(0.80 - 1.40)
Southern	6.10	(4.54 - 8.15)	7.87	(5.56 - 11.03)	*	(* - *)	1.14	(0.86 - 1.52)
New Mexico	8.91	(7.75 - 10.23)	8.13	(6.63 - 9.92)	0.24	(0.15 - 0.38)	1.21	(1.00 - 1.47)
Region 1	8.00	(6.19 - 10.29)	6.85	(4.74 - 9.79)	0.27	(0.16 - 0.46)	1.14	(0.84 - 1.55)
Region 2	9.97	(7.32 - 13.44)	7.75	(5.08 - 11.64)	*	(* - *)	0.94	(0.66 - 1.32)
Region 3 (Bernalillo)	10.76	(8.44 - 13.61)	9.74	(6.95 - 13.49)	0.28	(0.16 - 0.48)	1.42	(1.06 - 1.90)
Region 4	9.71	(7.22 - 12.94)	7.80	(5.32 - 11.28)	*	(* - *)	1.17	(0.85 - 1.60)
Region 5	6.21	(4.71 - 8.14)	7.73	(5.39 - 10.97)	*	(* - *)	1.22	(0.90 - 1.66)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana*, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	5.58	(5.09 - 6.12)	7.46	(6.67 - 8.33)	0.24	(0.18 - 0.33)	1.26	(1.12 - 1.42)
Region A	4.86	(4.20 - 5.63)	6.23	(5.27 - 7.35)	0.27	(0.19 - 0.38)	1.12	(0.96 - 1.32)
Region 1	4.87	(3.71 - 6.37)	5.11	(3.65 - 7.11)	0.24	(0.14 - 0.41)	1.04	(0.79 - 1.38)
Region 2	5.31	(4.21 - 6.66)	6.16	(4.80 - 7.89)	0.23	(0.15 - 0.34)	1.13	(0.90 - 1.41)
Region 3	4.60	(3.26 - 6.44)	6.98	(5.01 - 9.65)	0.42	(0.26 - 0.69)	1.42	(1.08 - 1.86)
Region 4	4.31	(3.22 - 5.75)	6.64	(4.92 - 8.90)	0.24	(0.15 - 0.37)	0.99	(0.77 - 1.26)
Region B	6.14	(5.28 - 7.13)	8.96	(7.44 - 10.74)	0.21	(0.15 - 0.31)	1.30	(1.10 - 1.54)
Region 5	6.41	(5.26 - 7.79)	9.70	(7.55 - 12.37)	0.22	(0.14 - 0.34)	1.36	(1.09 - 1.70)
Region 6	5.37	(4.10 - 7.00)	6.82	(4.80 - 9.62)	*	(* - *)	0.99	(0.74 - 1.32)
Region 7	6.53	(4.97 - 8.52)	10.07	(7.21 - 13.90)	*	(* - *)	1.66	(1.25 - 2.20)
Region C	5.93	(5.18 - 6.79)	8.43	(7.17 - 9.87)	0.23	(0.17 - 0.32)	1.49	(1.28 - 1.72)
Region 8	6.46	(5.02 - 8.27)	9.51	(6.93 - 12.92)	0.24	(0.16 - 0.37)	1.58	(1.21 - 2.07)
Region 9	5.01	(3.85 - 6.50)	6.94	(5.08 - 9.41)	*	(* - *)	1.31	(1.01 - 1.70)
Region 10	5.95	(4.23 - 8.32)	7.33	(5.12 - 10.39)	*	(* - *)	1.64	(1.20 - 2.24)
Region 11	7.39	(5.72 - 9.50)	7.72	(5.61 - 10.53)	0.23	(0.15 - 0.36)	1.41	(1.08 - 1.85)
Region 12	4.95	(3.69 - 6.61)	10.42	(7.55 - 14.21)	*	(* - *)	1.56	(1.18 - 2.05)
Region D	5.94	(4.85 - 7.25)	7.88	(6.24 - 9.90)	0.21	(0.14 - 0.30)	1.33	(1.09 - 1.63)
Region 13	7.64	(5.60 - 10.34)	9.56	(6.61 - 13.63)	*	(* - *)	1.45	(1.06 - 1.98)
Region 14	5.64	(3.95 - 7.98)	8.37	(5.71 - 12.10)	*	(* - *)	1.55	(1.12 - 2.14)
Region 15	4.86	(3.51 - 6.68)	6.13	(4.15 - 8.95)	*	(* - *)	1.04	(0.76 - 1.41)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana*, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	5.72	(4.93 - 6.63)	7.12	(5.93 - 8.53)	0.15	(0.10 - 0.21)	1.03	(0.87 - 1.22)
Alliance	5.21	(3.81 - 7.10)	7.06	(4.81 - 10.26)	*	(* - *)	1.15	(0.84 - 1.57)
Cardinal Innovations	5.87	(4.31 - 7.95)	7.21	(4.95 - 10.39)	*	(* - *)	0.98	(0.71 - 1.34)
CenterPoint/Guilford	6.40	(4.71 - 8.65)	7.66	(5.49 - 10.60)	*	(* - *)	1.12	(0.85 - 1.49)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Guilford	*	(* - *)	7.40	(4.78 - 11.28)	*	(* - *)	1.25	(0.87 - 1.79)
CoastalCare	7.58	(5.16 - 11.01)	7.80	(4.92 - 12.13)	*	(* - *)	1.37	(0.94 - 1.99)
Eastpointe	5.30	(3.71 - 7.50)	6.50	(4.29 - 9.71)	*	(* - *)	0.90	(0.64 - 1.26)
ECBH	5.20	(3.42 - 7.84)	6.17	(3.92 - 9.58)	*	(* - *)	1.00	(0.68 - 1.47)
MeckLINK	6.24	(4.38 - 8.81)	9.04	(5.90 - 13.61)	*	(* - *)	1.30	(0.92 - 1.84)
Partners	4.95	(3.54 - 6.87)	6.40	(4.26 - 9.51)	*	(* - *)	0.81	(0.58 - 1.14)
Sandhills	5.62	(3.88 - 8.10)	6.63	(4.29 - 10.12)	*	(* - *)	0.87	(0.60 - 1.24)
Smoky Mountain	*	(* - *)	6.22	(4.03 - 9.48)	*	(* - *)	*	(* - *)
Western Highlands	*	(* - *)	6.87	(4.33 - 10.75)	*	(* - *)	0.74	(0.51 - 1.06)
North Dakota	4.62	(3.89 - 5.49)	6.43	(5.29 - 7.80)	0.16	(0.10 - 0.24)	1.17	(0.97 - 1.40)
Badlands and West Central	6.02	(4.57 - 7.89)	4.53	(3.05 - 6.67)	*	(* - *)	0.71	(0.51 - 0.98)
Lake Region and South Central	5.03	(3.59 - 6.99)	6.79	(4.64 - 9.83)	*	(* - *)	0.86	(0.62 - 1.18)
North Central and Northwest	4.08	(2.96 - 5.60)	6.34	(4.31 - 9.25)	*	(* - *)	1.04	(0.75 - 1.43)
Northeast	3.72	(2.54 - 5.43)	7.50	(5.46 - 10.22)	*	(* - *)	1.92	(1.44 - 2.55)
Southeast	3.72	(2.74 - 5.03)	6.98	(5.15 - 9.40)	0.18	(0.11 - 0.30)	1.51	(1.15 - 1.98)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	6.02	(5.57 - 6.50)	7.88	(7.11 - 8.72)	0.18	(0.13 - 0.25)	1.21	(1.09 - 1.35)
Boards 2, 46, 55, and 68	4.16	(3.09 - 5.60)	5.22	(3.69 - 7.33)	*	(* - *)	0.79	(0.59 - 1.06)
Boards 3, 52, and 85	4.78	(3.51 - 6.49)	6.17	(4.31 - 8.74)	*	(* - *)	0.99	(0.73 - 1.33)
Boards 4 and 78	7.18	(5.21 - 9.82)	7.12	(4.80 - 10.44)	*	(* - *)	0.91	(0.67 - 1.25)
Boards 5 and 60	5.27	(3.87 - 7.14)	10.07	(7.40 - 13.56)	*	(* - *)	1.89	(1.42 - 2.51)
Boards 7, 15, 41, 79, and 84	4.64	(3.31 - 6.46)	3.38	(2.42 - 4.70)	*	(* - *)	0.53	(0.40 - 0.72)
Boards 8, 13, and 83	5.61	(4.31 - 7.27)	8.27	(5.85 - 11.57)	*	(* - *)	1.04	(0.78 - 1.39)
Board 9 (Butler)	4.94	(3.54 - 6.84)	8.58	(6.10 - 11.94)	*	(* - *)	1.49	(1.11 - 2.00)
Board 12	6.93	(5.14 - 9.28)	9.62	(6.73 - 13.57)	*	(* - *)	1.51	(1.12 - 2.04)
Boards 18 and 47	7.26	(6.07 - 8.65)	8.31	(6.49 - 10.57)	0.21	(0.14 - 0.31)	1.21	(0.97 - 1.51)
Boards 20, 32, 54, and 69	3.94	(2.84 - 5.45)	5.68	(3.92 - 8.17)	*	(* - *)	0.78	(0.57 - 1.06)
Boards 21, 39, 51, 70, and 80	6.35	(4.96 - 8.09)	7.60	(5.31 - 10.77)	*	(* - *)	1.02	(0.75 - 1.37)
Boards 22, 74, and 87	4.30	(3.11 - 5.92)	7.07	(4.96 - 9.99)	*	(* - *)	1.09	(0.80 - 1.47)
Boards 23 and 45	5.14	(3.88 - 6.76)	7.68	(5.23 - 11.15)	*	(* - *)	1.14	(0.83 - 1.57)
Board 25 (Franklin)	6.00	(4.78 - 7.52)	9.36	(7.24 - 12.01)	0.24	(0.16 - 0.36)	1.77	(1.41 - 2.22)
Boards 27, 71, and 73	4.59	(3.41 - 6.16)	5.67	(4.01 - 7.94)	*	(* - *)	0.82	(0.62 - 1.09)
Boards 28, 43, and 67	5.61	(4.26 - 7.36)	7.16	(5.12 - 9.93)	*	(* - *)	1.18	(0.89 - 1.56)
Board 31 (Hamilton)	6.28	(4.94 - 7.94)	9.57	(7.07 - 12.85)	0.24	(0.16 - 0.37)	1.59	(1.22 - 2.08)
Board 48 (Lucas)	7.59	(5.70 - 10.03)	10.53	(7.50 - 14.59)	*	(* - *)	1.76	(1.31 - 2.35)
Boards 50 and 76	7.06	(5.54 - 8.96)	7.82	(5.57 - 10.87)	*	(* - *)	1.01	(0.76 - 1.33)
Board 57 (Montgomery)	7.83	(6.09 - 10.03)	8.11	(5.69 - 11.43)	*	(* - *)	1.20	(0.89 - 1.60)
Board 77 (Summit)	7.39	(5.66 - 9.61)	7.98	(5.59 - 11.27)	*	(* - *)	1.23	(0.91 - 1.65)
Oklahoma	5.38	(4.59 - 6.30)	5.60	(4.59 - 6.81)	0.16	(0.11 - 0.23)	0.96	(0.80 - 1.16)
Central	5.76	(4.00 - 8.23)	6.77	(4.59 - 9.88)	*	(* - *)	1.23	(0.89 - 1.72)
East Central	4.78	(3.32 - 6.84)	4.76	(3.14 - 7.17)	*	(* - *)	0.78	(0.55 - 1.11)
Northeast	4.37	(3.07 - 6.19)	5.79	(4.00 - 8.31)	*	(* - *)	1.06	(0.77 - 1.45)
Northwest and Southwest	7.10	(5.18 - 9.65)	5.66	(3.69 - 8.58)	*	(* - *)	1.00	(0.70 - 1.42)
Oklahoma County	6.30	(4.67 - 8.43)	5.68	(3.86 - 8.28)	*	(* - *)	1.02	(0.75 - 1.40)
Southeast	4.44	(3.13 - 6.26)	4.76	(3.16 - 7.11)	*	(* - *)	0.71	(0.51 - 0.99)
Tulsa County	4.77	(3.37 - 6.72)	5.63	(3.82 - 8.21)	*	(* - *)	0.97	(0.71 - 1.34)

See notes at end of table.

(continued)

Table 5 First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	6.50	(5.62 - 7.50)	9.26	(7.73 - 11.06)	0.24	(0.17 - 0.34)	1.46	(1.23 - 1.74)
Region 1 (Multnomah)	9.22	(6.89 - 12.25)	10.33	(7.14 - 14.72)	*	(* - *)	1.83	(1.34 - 2.50)
Region 2	5.42	(4.05 - 7.23)	9.41	(6.60 - 13.23)	*	(* - *)	1.42	(1.05 - 1.92)
Region 3	6.09	(4.79 - 7.72)	10.22	(7.81 - 13.27)	0.21	(0.13 - 0.33)	1.77	(1.38 - 2.28)
Region 4	7.42	(5.48 - 9.98)	7.52	(4.98 - 11.21)	*	(* - *)	0.97	(0.69 - 1.36)
Region 5 (Central)	7.50	(5.31 - 10.49)	7.77	(4.91 - 12.08)	*	(* - *)	0.95	(0.66 - 1.38)
Region 6 (Eastern)	4.19	(2.71 - 6.42)	*	(* - *)	*	(* - *)	*	(* - *)
Pennsylvania	5.76	(5.25 - 6.33)	8.44	(7.55 - 9.43)	0.17	(0.13 - 0.24)	1.27	(1.13 - 1.42)
Region 1 (Allegheny)	6.14	(4.79 - 7.84)	9.48	(7.06 - 12.61)	0.22	(0.15 - 0.33)	1.37	(1.06 - 1.76)
Regions 3, 8, 9, and 51	3.94	(2.90 - 5.35)	5.92	(4.14 - 8.38)	*	(* - *)	0.90	(0.67 - 1.21)
Regions 4, 11, 37, and 49	6.16	(4.76 - 7.95)	6.46	(4.51 - 9.16)	*	(* - *)	0.93	(0.69 - 1.25)
Regions 5, 18, 23, 24, and 46	4.16	(3.04 - 5.66)	6.87	(4.74 - 9.86)	*	(* - *)	0.92	(0.68 - 1.24)
Regions 6, 12, 16, 31, 35, 45, and 47	4.45	(3.29 - 6.00)	9.79	(7.23 - 13.14)	*	(* - *)	1.82	(1.39 - 2.39)
Regions 7, 13, 20, and 33	6.44	(5.37 - 7.69)	11.15	(8.97 - 13.79)	0.19	(0.13 - 0.29)	1.46	(1.20 - 1.78)
Regions 10, 15, 27, 32, 43, and 44	4.50	(3.32 - 6.07)	6.56	(4.47 - 9.54)	*	(* - *)	0.81	(0.59 - 1.11)
Regions 17 and 21	7.18	(5.32 - 9.62)	7.63	(5.13 - 11.19)	*	(* - *)	1.31	(0.94 - 1.82)
Regions 19, 26, 28, and 42	5.37	(4.30 - 6.69)	5.76	(4.27 - 7.74)	0.15	(0.09 - 0.23)	0.89	(0.69 - 1.14)
Regions 22, 38, 40, 41, and 48	5.71	(4.42 - 7.34)	6.74	(4.83 - 9.34)	*	(* - *)	0.80	(0.60 - 1.06)
Regions 29 and 34	5.50	(4.06 - 7.40)	8.02	(5.51 - 11.55)	*	(* - *)	1.15	(0.84 - 1.57)
Regions 30 and 50	5.08	(3.74 - 6.88)	5.30	(3.61 - 7.71)	*	(* - *)	0.79	(0.58 - 1.07)
Region 36 (Philadelphia)	7.31	(5.84 - 9.10)	11.26	(8.94 - 14.07)	0.26	(0.16 - 0.41)	2.39	(1.94 - 2.96)
Rhode Island	8.09	(6.92 - 9.43)	11.69	(9.78 - 13.93)	0.30	(0.19 - 0.46)	1.89	(1.58 - 2.27)
Bristol and Newport	7.61	(5.40 - 10.64)	12.66	(8.29 - 18.85)	*	(* - *)	1.70	(1.20 - 2.40)
Kent	10.18	(7.68 - 13.36)	11.85	(8.06 - 17.08)	*	(* - *)	1.38	(1.01 - 1.90)
Providence	7.39	(5.95 - 9.15)	11.05	(8.78 - 13.82)	0.31	(0.20 - 0.50)	1.98	(1.59 - 2.46)
Washington	9.28	(6.91 - 12.35)	14.25	(9.68 - 20.49)	*	(* - *)	2.28	(1.64 - 3.16)
South Carolina	6.18	(5.33 - 7.16)	6.57	(5.46 - 7.88)	0.15	(0.10 - 0.21)	1.01	(0.85 - 1.20)
Region 1	8.10	(6.34 - 10.31)	6.99	(5.03 - 9.62)	*	(* - *)	1.02	(0.77 - 1.35)
Region 2	6.13	(4.75 - 7.88)	6.87	(5.13 - 9.15)	0.16	(0.10 - 0.25)	1.14	(0.88 - 1.48)
Region 3	5.15	(3.77 - 7.00)	6.80	(4.54 - 10.06)	*	(* - *)	0.96	(0.69 - 1.33)
Region 4	5.00	(3.78 - 6.58)	5.71	(4.09 - 7.93)	*	(* - *)	0.90	(0.68 - 1.19)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana*, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	4.87	(4.17 - 5.67)	6.31	(5.10 - 7.79)	0.15	(0.10 - 0.23)	0.99	(0.81 - 1.20)
Region 1	7.81	(6.07 - 9.99)	7.39	(5.12 - 10.57)	*	(* - *)	1.08	(0.78 - 1.48)
Region 2	6.08	(4.20 - 8.71)	6.25	(4.05 - 9.53)	*	(* - *)	0.82	(0.57 - 1.17)
Region 3	2.95	(2.10 - 4.13)	6.72	(4.72 - 9.49)	*	(* - *)	1.17	(0.86 - 1.59)
Region 4	4.18	(2.97 - 5.85)	6.59	(4.37 - 9.83)	*	(* - *)	1.01	(0.71 - 1.42)
Region 5	4.05	(3.00 - 5.46)	4.90	(3.46 - 6.89)	0.17	(0.10 - 0.27)	0.79	(0.59 - 1.05)
Tennessee	5.03	(4.31 - 5.88)	6.36	(5.24 - 7.68)	0.15	(0.10 - 0.22)	0.98	(0.82 - 1.17)
Region 1	6.14	(4.30 - 8.70)	5.95	(3.90 - 8.99)	*	(* - *)	0.77	(0.55 - 1.08)
Region 2	3.62	(2.54 - 5.14)	7.43	(5.09 - 10.71)	*	(* - *)	1.05	(0.76 - 1.46)
Region 3	5.77	(4.27 - 7.75)	6.91	(4.77 - 9.90)	*	(* - *)	0.97	(0.71 - 1.32)
Region 4 (Davidson)	4.52	(3.05 - 6.65)	7.88	(5.41 - 11.34)	*	(* - *)	1.40	(1.02 - 1.90)
Region 5	5.58	(4.20 - 7.37)	5.01	(3.49 - 7.16)	*	(* - *)	0.80	(0.59 - 1.09)
Region 6	5.85	(4.23 - 8.03)	4.98	(3.21 - 7.64)	*	(* - *)	0.75	(0.52 - 1.08)
Region 7 (Shelby)	4.38	(3.03 - 6.30)	6.72	(4.65 - 9.63)	*	(* - *)	1.19	(0.87 - 1.63)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	5.22	(4.76 - 5.71)	6.69	(5.98 - 7.47)	0.16	(0.11 - 0.22)	1.11	(0.99 - 1.25)
Region 1	6.96	(5.07 - 9.48)	8.08	(5.60 - 11.53)	*	(* - *)	1.34	(0.98 - 1.83)
Region 2	3.51	(2.33 - 5.24)	6.29	(4.11 - 9.52)	*	(* - *)	1.01	(0.71 - 1.44)
Region 3	5.26	(4.49 - 6.15)	7.65	(6.39 - 9.13)	0.16	(0.11 - 0.24)	1.18	(1.00 - 1.40)
Region 3a	5.40	(4.42 - 6.59)	6.46	(5.03 - 8.25)	0.17	(0.11 - 0.25)	1.04	(0.84 - 1.30)
Region 3bc	5.01	(3.99 - 6.27)	9.89	(7.82 - 12.43)	0.16	(0.10 - 0.24)	1.44	(1.16 - 1.78)
Region 4	3.81	(2.74 - 5.26)	5.53	(3.92 - 7.75)	*	(* - *)	0.80	(0.59 - 1.07)
Region 5	5.17	(3.85 - 6.92)	5.50	(3.93 - 7.64)	*	(* - *)	0.92	(0.69 - 1.23)
Region 6	4.90	(4.11 - 5.83)	5.53	(4.44 - 6.87)	0.16	(0.11 - 0.25)	0.99	(0.81 - 1.21)
Region 6a	4.83	(3.99 - 5.83)	5.38	(4.24 - 6.81)	0.17	(0.11 - 0.26)	0.98	(0.79 - 1.22)
Region 6bc	5.53	(3.89 - 7.82)	7.20	(4.85 - 10.56)	*	(* - *)	1.02	(0.74 - 1.42)
Region 7	5.12	(4.12 - 6.35)	8.48	(6.82 - 10.48)	0.19	(0.13 - 0.27)	1.61	(1.32 - 1.96)
Region 7a	5.63	(4.27 - 7.40)	10.23	(7.67 - 13.51)	0.22	(0.14 - 0.34)	1.72	(1.33 - 2.22)
Region 7bcd	4.29	(3.11 - 5.89)	6.68	(4.91 - 9.04)	*	(* - *)	1.46	(1.11 - 1.91)
Region 8	4.53	(3.57 - 5.74)	6.62	(4.92 - 8.87)	0.15	(0.09 - 0.24)	1.02	(0.79 - 1.33)
Region 9	6.36	(4.41 - 9.09)	6.62	(4.52 - 9.60)	*	(* - *)	1.06	(0.77 - 1.46)
Region 10	6.69	(4.99 - 8.90)	6.30	(4.44 - 8.86)	*	(* - *)	1.04	(0.77 - 1.40)
Region 11	6.38	(5.11 - 7.93)	5.51	(4.17 - 7.24)	0.14	(0.08 - 0.26)	0.94	(0.73 - 1.21)
Region 11abd	7.29	(5.58 - 9.47)	6.17	(4.33 - 8.72)	*	(* - *)	1.00	(0.73 - 1.36)
Region 11c (Hidalgo)	5.04	(3.63 - 6.95)	4.59	(3.15 - 6.64)	*	(* - *)	0.86	(0.62 - 1.19)
Utah	3.88	(3.20 - 4.69)	3.91	(3.13 - 4.87)	0.11	(0.06 - 0.20)	0.81	(0.66 - 1.00)
Bear River, Northeastern, Summit, Tooele, and Wasatch	3.49	(2.43 - 4.99)	3.78	(2.55 - 5.56)	*	(* - *)	0.78	(0.55 - 1.10)
Central, Four Corners, San Juan, and Southwest	3.92	(2.67 - 5.71)	4.30	(2.81 - 6.54)	*	(* - *)	0.77	(0.53 - 1.11)
Davis County	3.42	(2.30 - 5.06)	4.66	(3.12 - 6.90)	*	(* - *)	0.84	(0.59 - 1.19)
Salt Lake County	4.75	(3.55 - 6.32)	4.32	(3.08 - 6.03)	0.13	(0.07 - 0.24)	0.81	(0.60 - 1.08)
Utah County	2.86	(1.95 - 4.18)	2.86	(1.92 - 4.25)	*	(* - *)	0.86	(0.61 - 1.22)
Weber, Morgan	3.93	(2.65 - 5.79)	4.79	(3.11 - 7.29)	*	(* - *)	0.82	(0.57 - 1.18)

See notes at end of table.

(continued)

Table 5 *First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012*
NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	9.31	(8.14 - 10.63)	9.54	(7.70 - 11.76)	0.27	(0.18-0.41)	1.51	(1.24-1.84)
Champlain Valley	10.42	(8.55 - 12.64)	10.89	(8.00 - 14.65)	0.32	(0.20-0.53)	2.16	(1.65-2.84)
Rural Northeast	9.02	(7.04 - 11.49)	7.98	(5.51 - 11.41)	*	(* - *)	1.22	(0.90-1.67)
Rural Southeast	9.47	(7.34 - 12.12)	8.58	(5.72 - 12.68)	*	(* - *)	1.05	(0.76-1.44)
Rural Southwest	6.80	(5.03 - 9.13)	8.58	(5.78 - 12.56)	*	(* - *)	1.14	(0.82-1.58)
Virginia	6.16	(5.32 - 7.12)	7.51	(6.21 - 9.04)	0.20	(0.14-0.29)	1.25	(1.05-1.49)
Region 1	6.51	(4.92 - 8.58)	9.66	(7.01 - 13.19)	*	(* - *)	1.54	(1.17-2.04)
Region 2	4.30	(3.26 - 5.66)	6.34	(4.38 - 9.10)	0.23	(0.15-0.37)	0.95	(0.71-1.28)
Region 3	5.98	(4.42 - 8.05)	7.13	(5.12 - 9.86)	*	(* - *)	1.18	(0.88-1.58)
Region 4	6.29	(4.72 - 8.33)	8.20	(5.41 - 12.23)	*	(* - *)	1.40	(1.00-1.96)
Region 5	8.43	(6.53 - 10.83)	7.13	(4.94 - 10.19)	*	(* - *)	1.41	(1.03-1.93)
Washington	6.67	(5.78 - 7.68)	8.61	(7.19 - 10.29)	0.25	(0.18-0.36)	1.39	(1.17-1.64)
Region 1	6.56	(5.10 - 8.39)	6.59	(4.83 - 8.93)	*	(* - *)	1.24	(0.95-1.61)
East 1 (previously Region 1)	5.74	(4.07 - 8.05)	7.45	(4.97 - 11.03)	*	(* - *)	1.40	(1.00-1.95)
East 2 (previously Region 2)	7.57	(5.35 - 10.60)	5.49	(3.56 - 8.38)	*	(* - *)	1.04	(0.73-1.48)
Region 2	6.71	(5.53 - 8.11)	9.93	(7.78 - 12.59)	0.30	(0.21-0.44)	1.52	(1.23-1.87)
North 1 (previously Region 3)	6.26	(4.66 - 8.35)	10.53	(7.47 - 14.65)	*	(* - *)	1.60	(1.20-2.14)
North 2 (previously Region 4)	7.01	(5.46 - 8.97)	9.55	(6.92 - 13.05)	0.33	(0.22-0.50)	1.47	(1.12-1.91)
Region 3	6.70	(5.37 - 8.34)	8.68	(6.61 - 11.32)	0.22	(0.15-0.33)	1.32	(1.04-1.67)
West 1 (previously Region 5)	7.57	(5.61 - 10.15)	9.08	(6.31 - 12.89)	*	(* - *)	1.46	(1.07-2.00)
West 2 (previously Region 6)	5.92	(4.34 - 8.03)	8.27	(5.69 - 11.88)	*	(* - *)	1.19	(0.87-1.63)
West Virginia	6.30	(5.43 - 7.30)	7.26	(6.08 - 8.64)	0.14	(0.09-0.21)	0.93	(0.78-1.11)
Region I	6.20	(4.39 - 8.69)	5.19	(3.27 - 8.15)	*	(* - *)	0.68	(0.47-0.99)
Region II	8.75	(6.54 - 11.60)	7.01	(4.59 - 10.58)	*	(* - *)	0.89	(0.63-1.25)
Region III	3.86	(2.68 - 5.54)	4.41	(2.83 - 6.80)	*	(* - *)	0.54	(0.38-0.77)
Region IV	7.13	(5.38 - 9.37)	11.78	(9.13 - 15.08)	*	(* - *)	1.83	(1.44-2.32)
Region V	4.96	(3.79 - 6.45)	5.48	(3.91 - 7.61)	0.13	(0.08-0.21)	0.69	(0.52-0.92)
Region VI	6.98	(5.23 - 9.25)	5.62	(3.77 - 8.29)	*	(* - *)	0.65	(0.47-0.91)

See notes at end of table.

(continued)

Table 5 First Use of Marijuana, by Age Group and Substate Region: Average Annual Rates Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	5.30	(4.51 - 6.22)	5.88	(4.79 - 7.19)	0.18	(0.12 - 0.26)	0.97	(0.80-1.17)
Milwaukee	6.93	(4.96 - 9.60)	7.63	(5.16 - 11.14)	*	(* - *)	1.38	(0.99-1.92)
Northeastern	4.12	(3.10 - 5.47)	5.36	(3.74 - 7.64)	*	(* - *)	0.84	(0.62-1.13)
Northern	4.73	(3.16 - 7.03)	4.86	(3.14 - 7.44)	*	(* - *)	0.74	(0.52-1.06)
Southeastern	5.72	(4.24 - 7.68)	5.37	(3.60 - 7.93)	*	(* - *)	0.82	(0.59-1.13)
Southern	5.86	(4.33 - 7.90)	6.26	(4.39 - 8.85)	*	(* - *)	1.06	(0.78-1.43)
Western	4.31	(3.05 - 6.06)	5.32	(3.56 - 7.87)	*	(* - *)	0.97	(0.69-1.35)
Wyoming	5.95	(5.14 - 6.88)	6.12	(5.06 - 7.39)	0.17	(0.12 - 0.25)	0.99	(0.83-1.18)
Judicial District 1 (Laramie)	6.23	(4.62 - 8.36)	5.56	(3.73 - 8.22)	*	(* - *)	0.85	(0.61-1.17)
Judicial District 2	6.27	(4.37 - 8.92)	7.90	(5.47 - 11.28)	*	(* - *)	2.48	(1.79-3.43)
Judicial District 3	3.73	(2.62 - 5.29)	3.50	(2.34 - 5.21)	*	(* - *)	0.61	(0.43-0.87)
Judicial District 4	5.88	(4.07 - 8.42)	6.81	(4.43 - 10.33)	*	(* - *)	0.75	(0.53-1.06)
Judicial District 5	4.55	(3.14 - 6.56)	5.83	(3.70 - 9.09)	*	(* - *)	0.70	(0.48-1.03)
Judicial District 6	5.38	(3.81 - 7.53)	4.60	(2.95 - 7.11)	*	(* - *)	0.83	(0.59-1.19)
Judicial District 7 (Natrona)	7.63	(5.58 - 10.36)	7.24	(4.85 - 10.69)	*	(* - *)	1.08	(0.78-1.49)
Judicial District 8	5.72	(4.09 - 7.94)	7.77	(4.92 - 12.06)	*	(* - *)	0.85	(0.59-1.22)
Judicial District 9	8.98	(6.38 - 12.49)	7.11	(4.50 - 11.08)	*	(* - *)	1.05	(0.73-1.51)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: *Average annual marijuana initiation rate* = $100 * \{[X_1 \div (0.5 * X_1 + X_2)] \div 2\}$, where X_1 is the number of marijuana initiates in the past 24 months and X_2 is the number of persons who never used marijuana. Both of the computation components, X_1 and X_2 , are based on a survey-weighted hierarchical Bayes estimation approach. Note that the age group is based on a respondent's age at the time of the interview, not his or her age at first use.

NOTE: The substate, State, and census region Bayesian confidence (credible) intervals presented above use a simultaneous solution for the First Use of Marijuana and Never Used Marijuana outcomes, which had age group specific random effects that were allowed to be correlated across the two outcomes. The associated Markov Chain Monte Carlo chains were used to calculate the posterior variance. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	4.10	(3.91 - 4.31)	7.27	(6.98 - 7.57)	2.57	(2.42 - 2.73)	3.26	(3.12 - 3.41)
Northeast	3.61	(3.26 - 3.98)	7.45	(6.93 - 8.01)	2.60	(2.31 - 2.92)	3.29	(3.02 - 3.59)
Midwest	3.96	(3.67 - 4.27)	7.27	(6.87 - 7.69)	2.38	(2.15 - 2.63)	3.09	(2.88 - 3.32)
South	4.08	(3.79 - 4.38)	6.97	(6.60 - 7.36)	2.43	(2.21 - 2.68)	3.10	(2.90 - 3.32)
West	4.63	(4.21 - 5.09)	7.61	(7.05 - 8.20)	2.95	(2.61 - 3.32)	3.66	(3.35 - 4.00)
Alabama	4.56	(3.60 - 5.76)	7.27	(5.89 - 8.96)	2.76	(2.06 - 3.68)	3.43	(2.74 - 4.29)
Region 1	4.40	(3.07 - 6.26)	7.05	(5.03 - 9.79)	2.54	(1.68 - 3.84)	3.15	(2.26 - 4.38)
Region 2	4.72	(3.40 - 6.53)	8.25	(6.01 - 11.21)	3.10	(2.08 - 4.61)	3.89	(2.84 - 5.31)
Region 3	4.23	(2.95 - 6.02)	5.36	(3.67 - 7.77)	2.40	(1.55 - 3.69)	2.93	(2.06 - 4.16)
Region 4	4.79	(3.34 - 6.82)	8.00	(5.78 - 10.97)	2.81	(1.87 - 4.19)	3.51	(2.54 - 4.84)
Alaska	3.53	(2.71 - 4.60)	7.13	(5.73 - 8.83)	2.77	(2.01 - 3.82)	3.45	(2.68 - 4.42)
Anchorage	3.69	(2.60 - 5.22)	7.96	(6.00 - 10.49)	3.25	(2.20 - 4.79)	4.01	(2.96 - 5.42)
Northern	3.15	(2.11 - 4.69)	6.11	(4.16 - 8.90)	2.15	(1.34 - 3.42)	2.89	(1.99 - 4.17)
South Central	3.57	(2.43 - 5.21)	6.73	(4.57 - 9.82)	2.55	(1.59 - 4.08)	3.10	(2.09 - 4.59)
Southeast	3.67	(2.46 - 5.45)	7.16	(4.86 - 10.44)	2.74	(1.66 - 4.48)	3.28	(2.17 - 4.95)
Arizona	5.11	(3.95 - 6.58)	7.24	(5.76 - 9.07)	3.17	(2.31 - 4.33)	3.77	(2.92 - 4.85)
Maricopa	5.30	(3.90 - 7.18)	7.55	(5.67 - 9.99)	3.20	(2.21 - 4.61)	3.85	(2.85 - 5.17)
Pima	5.08	(3.41 - 7.51)	7.31	(4.98 - 10.60)	3.42	(2.16 - 5.38)	4.02	(2.74 - 5.87)
Rural North	4.69	(3.22 - 6.79)	6.95	(4.72 - 10.12)	3.32	(2.09 - 5.24)	3.83	(2.60 - 5.61)
Rural South	4.57	(3.04 - 6.84)	5.97	(3.88 - 9.08)	2.61	(1.57 - 4.30)	3.08	(1.99 - 4.72)
Arkansas	5.04	(3.95 - 6.42)	7.94	(6.54 - 9.62)	2.90	(2.18 - 3.84)	3.63	(2.92 - 4.51)
Catchment Area 1	5.20	(3.50 - 7.64)	9.16	(6.52 - 12.71)	2.86	(1.89 - 4.29)	3.89	(2.82 - 5.33)
Catchment Area 2	4.98	(3.37 - 7.29)	7.44	(4.91 - 11.13)	2.65	(1.68 - 4.17)	3.25	(2.21 - 4.74)
Catchment Area 3	5.07	(3.50 - 7.30)	7.13	(4.89 - 10.29)	2.78	(1.78 - 4.32)	3.44	(2.39 - 4.92)
Catchment Area 4	4.71	(3.17 - 6.94)	8.20	(5.57 - 11.92)	2.98	(1.88 - 4.70)	3.69	(2.52 - 5.38)
Catchment Area 5	5.04	(3.46 - 7.28)	7.30	(5.10 - 10.34)	2.62	(1.68 - 4.07)	3.42	(2.40 - 4.83)
Catchment Area 6	4.71	(3.18 - 6.93)	6.73	(4.52 - 9.91)	2.84	(1.78 - 4.52)	3.41	(2.30 - 5.03)
Catchment Area 7	4.70	(3.18 - 6.89)	6.66	(4.54 - 9.66)	2.65	(1.66 - 4.21)	3.20	(2.17 - 4.68)
Catchment Area 8	5.34	(3.69 - 7.68)	9.20	(6.64 - 12.61)	3.44	(2.25 - 5.24)	4.20	(2.99 - 5.87)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	4.62	(4.00 - 5.33)	7.27	(6.43 - 8.21)	2.77	(2.30 - 3.33)	3.48	(3.03 - 3.99)
Region 1R	4.33	(3.00 - 6.21)	8.52	(5.82 - 12.32)	3.85	(2.51 - 5.86)	4.56	(3.18 - 6.51)
Region 2R	5.23	(3.67 - 7.41)	9.14	(6.48 - 12.75)	2.90	(1.92 - 4.37)	3.86	(2.77 - 5.35)
Region 3R (Sacramento)	4.44	(3.14 - 6.24)	7.52	(5.22 - 10.73)	2.90	(1.96 - 4.27)	3.61	(2.60 - 4.99)
Region 4R	4.81	(3.45 - 6.66)	9.33	(6.60 - 13.04)	2.87	(1.92 - 4.26)	3.71	(2.69 - 5.11)
Region 5R (San Francisco)	*	(* - *)	9.11	(6.36 - 12.87)	4.07	(2.72 - 6.05)	4.69	(3.31 - 6.61)
Region 6 (Santa Clara)	4.00	(2.76 - 5.76)	6.72	(4.63 - 9.67)	2.14	(1.42 - 3.21)	2.75	(1.96 - 3.84)
Region 7R (Contra Costa)	4.88	(3.42 - 6.90)	9.01	(6.29 - 12.74)	2.42	(1.61 - 3.64)	3.28	(2.35 - 4.56)
Region 8R (Alameda)	4.11	(2.91 - 5.78)	7.09	(4.96 - 10.03)	2.82	(1.88 - 4.23)	3.43	(2.45 - 4.78)
Region 9R (San Mateo)	4.33	(3.00 - 6.23)	7.11	(4.85 - 10.31)	2.35	(1.52 - 3.60)	2.89	(2.00 - 4.15)
Region 10	4.45	(3.13 - 6.28)	8.07	(5.64 - 11.43)	2.86	(1.90 - 4.28)	3.76	(2.72 - 5.19)
Region 11 (Los Angeles)	4.64	(3.89 - 5.53)	6.07	(5.13 - 7.17)	2.82	(2.24 - 3.53)	3.34	(2.80 - 3.99)
LA SPA 1 and 5	4.53	(3.14 - 6.48)	6.77	(4.60 - 9.86)	3.11	(2.12 - 4.53)	3.70	(2.66 - 5.14)
LA SPA 2	4.31	(3.10 - 5.95)	6.68	(4.75 - 9.32)	2.96	(2.01 - 4.35)	3.51	(2.55 - 4.83)
LA SPA 3	4.47	(3.19 - 6.24)	5.72	(4.05 - 8.02)	2.41	(1.61 - 3.61)	2.93	(2.10 - 4.08)
LA SPA 4	4.59	(3.23 - 6.50)	5.88	(4.07 - 8.44)	3.10	(2.07 - 4.61)	3.52	(2.49 - 4.97)
LA SPA 6	4.62	(3.27 - 6.50)	5.42	(3.69 - 7.90)	2.74	(1.76 - 4.25)	3.30	(2.31 - 4.70)
LA SPA 7	4.58	(3.22 - 6.48)	5.62	(3.92 - 7.99)	2.70	(1.77 - 4.10)	3.21	(2.28 - 4.51)
LA SPA 8	5.45	(3.89 - 7.57)	6.23	(4.34 - 8.85)	2.79	(1.86 - 4.16)	3.30	(2.36 - 4.60)
Region 12R	4.40	(3.09 - 6.22)	7.16	(4.90 - 10.33)	2.62	(1.70 - 4.01)	3.32	(2.33 - 4.72)
Regions 13 and 19R	4.55	(3.33 - 6.19)	8.21	(6.05 - 11.05)	2.73	(1.91 - 3.89)	3.64	(2.74 - 4.82)
Region 13 (Riverside)	4.53	(3.25 - 6.27)	8.39	(6.08 - 11.46)	2.70	(1.84 - 3.94)	3.64	(2.69 - 4.91)
Region 19R (Imperial)	4.78	(3.30 - 6.88)	*	(* - *)	*	(* - *)	3.63	(2.46 - 5.33)
Region 14 (Orange)	4.60	(3.34 - 6.30)	6.93	(5.11 - 9.35)	2.33	(1.60 - 3.37)	3.03	(2.26 - 4.06)
Region 15R (Fresno)	4.29	(2.98 - 6.14)	5.99	(4.02 - 8.84)	2.71	(1.78 - 4.11)	3.32	(2.33 - 4.71)
Region 16R (San Diego)	4.77	(3.50 - 6.47)	7.53	(5.57 - 10.12)	2.82	(1.99 - 3.99)	3.62	(2.75 - 4.75)
Region 17R	5.10	(3.69 - 7.00)	7.40	(5.22 - 10.40)	3.08	(2.08 - 4.54)	3.85	(2.80 - 5.27)
Region 18R (San Bernardino)	4.84	(3.52 - 6.63)	6.79	(4.95 - 9.24)	2.30	(1.55 - 3.38)	3.10	(2.29 - 4.17)
Region 20R	4.77	(3.36 - 6.72)	7.39	(5.12 - 10.54)	2.87	(1.88 - 4.35)	3.65	(2.59 - 5.11)
Region 21R	4.86	(3.41 - 6.87)	10.40	(7.31 - 14.59)	3.07	(2.05 - 4.58)	4.41	(3.21 - 6.01)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	4.50	(3.47 - 5.81)	9.16	(7.53 - 11.09)	3.21	(2.39 - 4.30)	4.07	(3.25 - 5.09)
Region 1	4.31	(2.90 - 6.35)	10.67	(7.55 - 14.86)	3.44	(2.24 - 5.26)	4.70	(3.36 - 6.54)
Regions 2 and 7	4.56	(3.31 - 6.26)	9.49	(7.35 - 12.17)	3.27	(2.29 - 4.63)	4.13	(3.14 - 5.42)
Region 3	4.47	(3.00 - 6.59)	7.35	(5.00 - 10.69)	2.97	(1.89 - 4.64)	3.64	(2.51 - 5.26)
Region 4	4.45	(2.94 - 6.67)	*	(* - *)	2.93	(1.80 - 4.74)	3.54	(2.35 - 5.30)
Regions 5 and 6	4.47	(3.00 - 6.61)	8.80	(6.10 - 12.54)	3.08	(1.97 - 4.79)	3.84	(2.66 - 5.52)
Connecticut	3.53	(2.69 - 4.62)	7.89	(6.43 - 9.65)	2.66	(1.94 - 3.64)	3.37	(2.64 - 4.30)
Eastern	3.43	(2.26 - 5.18)	6.69	(4.59 - 9.64)	2.64	(1.64 - 4.22)	3.36	(2.32 - 4.84)
North Central	3.26	(2.21 - 4.79)	7.80	(5.64 - 10.69)	2.54	(1.63 - 3.96)	3.23	(2.27 - 4.56)
Northwestern	3.92	(2.66 - 5.75)	8.35	(5.64 - 12.21)	2.93	(1.85 - 4.62)	3.58	(2.43 - 5.24)
South Central	3.75	(2.53 - 5.52)	9.08	(6.69 - 12.21)	2.95	(1.90 - 4.55)	3.80	(2.70 - 5.33)
Southwest	3.38	(2.25 - 5.04)	7.09	(4.82 - 10.30)	2.26	(1.43 - 3.54)	2.86	(1.96 - 4.14)
Delaware	3.95	(3.04 - 5.12)	9.73	(7.92 - 11.92)	2.77	(2.02 - 3.78)	3.78	(3.00 - 4.75)
Kent	3.87	(2.70 - 5.51)	8.67	(6.00 - 12.36)	2.84	(1.83 - 4.37)	3.78	(2.68 - 5.32)
New Castle (excluding Wilmington City)	3.99	(2.84 - 5.59)	10.74	(8.33 - 13.73)	2.87	(1.96 - 4.20)	4.11	(3.14 - 5.37)
Sussex	3.98	(2.72 - 5.79)	9.25	(6.46 - 13.08)	2.27	(1.43 - 3.58)	3.02	(2.09 - 4.33)
Wilmington City	3.88	(2.61 - 5.74)	6.46	(4.27 - 9.67)	3.37	(2.09 - 5.39)	3.82	(2.54 - 5.71)
District of Columbia	4.65	(3.66 - 5.88)	6.78	(5.49 - 8.35)	4.67	(3.53 - 6.15)	5.08	(4.04 - 6.36)
Ward 1	4.68	(3.16 - 6.90)	6.47	(4.40 - 9.43)	5.50	(3.62 - 8.26)	5.70	(3.99 - 8.10)
Ward 2	*	(* - *)	8.04	(5.75 - 11.14)	5.47	(3.68 - 8.06)	6.22	(4.55 - 8.45)
Ward 3	4.60	(3.10 - 6.76)	8.25	(5.73 - 11.75)	4.67	(3.04 - 7.12)	5.34	(3.75 - 7.54)
Ward 4	4.61	(3.17 - 6.67)	5.90	(3.86 - 8.91)	3.91	(2.48 - 6.13)	4.15	(2.74 - 6.23)
Ward 5	4.39	(3.02 - 6.34)	6.11	(4.13 - 8.95)	4.35	(2.78 - 6.74)	4.68	(3.20 - 6.79)
Ward 6	4.38	(2.93 - 6.50)	7.35	(4.98 - 10.72)	4.80	(3.13 - 7.28)	5.19	(3.56 - 7.50)
Ward 7	4.49	(3.10 - 6.47)	4.84	(3.14 - 7.41)	4.06	(2.55 - 6.42)	4.19	(2.78 - 6.27)
Ward 8	5.06	(3.54 - 7.19)	5.45	(3.59 - 8.18)	4.58	(2.86 - 7.27)	4.76	(3.18 - 7.05)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	3.93	(3.37 - 4.58)	6.89	(6.12 - 7.75)	2.44	(2.02 - 2.94)	3.02	(2.63 - 3.48)
Region A - Northwest	3.84	(3.02 - 4.87)	7.62	(6.03 - 9.58)	2.80	(2.11 - 3.73)	3.65	(2.93 - 4.54)
Circuit 1	3.64	(2.62 - 5.04)	7.56	(5.40 - 10.49)	2.83	(1.91 - 4.17)	3.55	(2.59 - 4.86)
Circuit 2	4.18	(2.90 - 5.99)	7.80	(5.44 - 11.07)	2.65	(1.73 - 4.03)	3.91	(2.85 - 5.35)
Circuit 14	3.93	(2.75 - 5.59)	7.31	(4.92 - 10.72)	2.93	(1.89 - 4.51)	3.51	(2.42 - 5.07)
Region B - Northeast	3.95	(3.11 - 5.01)	6.81	(5.45 - 8.47)	2.74	(2.10 - 3.58)	3.36	(2.70 - 4.16)
Circuits 3 and 8	3.85	(2.67 - 5.52)	7.10	(5.05 - 9.90)	2.94	(2.00 - 4.28)	3.80	(2.82 - 5.10)
Circuit 4	3.98	(2.84 - 5.56)	6.68	(4.65 - 9.51)	3.13	(2.13 - 4.58)	3.65	(2.63 - 5.05)
Circuit 7	3.98	(2.80 - 5.62)	6.67	(4.70 - 9.38)	2.16	(1.43 - 3.26)	2.70	(1.92 - 3.78)
Region C - Central	3.99	(3.27 - 4.86)	7.10	(5.96 - 8.45)	2.31	(1.82 - 2.93)	2.94	(2.44 - 3.54)
Circuit 5	3.66	(2.57 - 5.19)	6.93	(4.88 - 9.75)	2.13	(1.39 - 3.23)	2.58	(1.80 - 3.67)
Circuit 9	4.38	(3.20 - 5.97)	6.80	(5.04 - 9.11)	2.49	(1.72 - 3.58)	3.25	(2.45 - 4.30)
Circuit 10	4.12	(2.94 - 5.76)	8.13	(5.84 - 11.21)	2.37	(1.58 - 3.53)	3.10	(2.25 - 4.26)
Circuit 18	3.72	(2.66 - 5.19)	7.25	(5.15 - 10.11)	2.24	(1.51 - 3.32)	2.89	(2.09 - 3.97)
Circuit 19	3.75	(2.65 - 5.30)	6.80	(4.64 - 9.86)	2.32	(1.50 - 3.56)	2.80	(1.93 - 4.03)
Region D - Southeast	3.89	(3.03 - 4.98)	6.23	(4.92 - 7.86)	2.29	(1.70 - 3.09)	2.77	(2.17 - 3.52)
Circuit 15 (Palm Beach)	3.68	(2.63 - 5.13)	6.82	(4.95 - 9.34)	2.38	(1.61 - 3.50)	2.89	(2.10 - 3.97)
Circuit 17 (Broward)	4.03	(2.94 - 5.50)	5.81	(4.21 - 7.99)	2.22	(1.52 - 3.24)	2.67	(1.95 - 3.64)
Region E - Sun Coast	3.89	(3.14 - 4.81)	7.44	(6.19 - 8.91)	2.56	(1.97 - 3.31)	3.12	(2.53 - 3.83)
Circuit 6	4.07	(2.89 - 5.70)	8.19	(5.88 - 11.32)	2.80	(1.89 - 4.14)	3.36	(2.42 - 4.66)
Circuit 12	4.11	(2.88 - 5.84)	9.20	(6.47 - 12.93)	2.55	(1.65 - 3.93)	3.18	(2.22 - 4.54)
Circuit 13 (Hillsborough)	3.72	(2.63 - 5.24)	6.30	(4.69 - 8.42)	2.32	(1.59 - 3.38)	2.92	(2.18 - 3.92)
Circuit 20	3.75	(2.62 - 5.35)	7.20	(5.07 - 10.12)	2.50	(1.64 - 3.79)	2.98	(2.09 - 4.23)
Region F - Southern (Circuits 11 and 16)	3.95	(2.94 - 5.30)	5.98	(4.53 - 7.86)	2.13	(1.49 - 3.02)	2.67	(2.02 - 3.50)
Georgia	3.89	(3.01 - 5.02)	6.42	(5.13 - 8.00)	2.30	(1.67 - 3.17)	2.93	(2.28 - 3.75)
Region 1	3.66	(2.52 - 5.30)	7.15	(5.14 - 9.85)	2.18	(1.42 - 3.33)	2.84	(2.03 - 3.96)
Region 2	3.78	(2.54 - 5.58)	6.42	(4.32 - 9.42)	2.36	(1.51 - 3.65)	3.06	(2.14 - 4.35)
Region 3	4.26	(2.94 - 6.13)	5.99	(4.26 - 8.37)	2.46	(1.57 - 3.83)	2.97	(2.06 - 4.27)
Region 4	4.00	(2.67 - 5.95)	5.98	(3.89 - 9.07)	2.53	(1.54 - 4.12)	3.11	(2.07 - 4.65)
Region 5	3.71	(2.46 - 5.57)	6.83	(4.46 - 10.33)	2.33	(1.46 - 3.71)	3.12	(2.13 - 4.55)
Region 6	3.80	(2.61 - 5.51)	5.95	(3.94 - 8.90)	2.05	(1.26 - 3.30)	2.64	(1.78 - 3.90)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	4.67	(3.58 - 6.07)	7.39	(5.92 - 9.19)	2.66	(1.89 - 3.73)	3.29	(2.53 - 4.27)
Hawaii Island	4.64	(3.13 - 6.83)	6.96	(4.68 - 10.22)	2.87	(1.78 - 4.61)	3.37	(2.24 - 5.04)
Honolulu	4.79	(3.51 - 6.51)	7.73	(6.02 - 9.87)	2.66	(1.81 - 3.91)	3.38	(2.53 - 4.49)
Kauai and Maui	4.21	(2.98 - 5.93)	5.97	(4.19 - 8.42)	2.49	(1.61 - 3.82)	2.88	(1.98 - 4.17)
Kauai	4.36	(2.87 - 6.56)	*	(* - *)	3.04	(1.80 - 5.11)	3.40	(2.12 - 5.40)
Maui	4.15	(2.77 - 6.19)	5.82	(3.86 - 8.70)	2.25	(1.35 - 3.71)	2.65	(1.72 - 4.07)
Idaho	4.26	(3.36 - 5.40)	7.95	(6.48 - 9.73)	2.70	(1.98 - 3.68)	3.50	(2.76 - 4.44)
Region 1	4.24	(2.91 - 6.13)	8.04	(5.39 - 11.85)	2.60	(1.61 - 4.16)	3.26	(2.20 - 4.79)
Region 2	4.16	(2.80 - 6.15)	7.66	(5.05 - 11.46)	2.45	(1.54 - 3.85)	3.46	(2.38 - 5.00)
Region 3	4.26	(2.96 - 6.09)	8.05	(5.63 - 11.38)	2.66	(1.68 - 4.18)	3.44	(2.40 - 4.91)
Region 4	4.46	(3.09 - 6.40)	10.07	(7.35 - 13.65)	2.93	(1.90 - 4.49)	3.92	(2.81 - 5.44)
Region 5	4.20	(2.88 - 6.09)	6.09	(4.14 - 8.87)	2.39	(1.51 - 3.74)	2.91	(1.99 - 4.23)
Region 6	4.11	(2.78 - 6.04)	7.37	(4.98 - 10.77)	2.98	(1.90 - 4.67)	3.69	(2.54 - 5.34)
Region 7	4.11	(2.80 - 6.01)	6.32	(4.25 - 9.29)	2.57	(1.64 - 4.03)	3.35	(2.33 - 4.79)
Illinois	3.73	(3.17 - 4.39)	7.00	(6.19 - 7.90)	2.30	(1.88 - 2.81)	2.98	(2.58 - 3.44)
Region I (Cook)	4.00	(3.16 - 5.05)	6.59	(5.43 - 7.99)	2.57	(1.92 - 3.42)	3.16	(2.54 - 3.92)
Region II	3.45	(2.68 - 4.44)	7.15	(5.83 - 8.74)	2.05	(1.52 - 2.77)	2.76	(2.21 - 3.44)
Region III	3.66	(2.70 - 4.94)	7.52	(5.78 - 9.74)	2.18	(1.52 - 3.12)	3.09	(2.37 - 4.02)
Region IV	3.71	(2.62 - 5.24)	5.62	(3.97 - 7.89)	1.93	(1.26 - 2.94)	2.44	(1.72 - 3.44)
Region V	3.81	(2.75 - 5.27)	8.55	(6.46 - 11.24)	2.37	(1.61 - 3.48)	3.25	(2.44 - 4.32)
Indiana	3.96	(3.08 - 5.06)	8.55	(7.00 - 10.40)	2.67	(1.94 - 3.67)	3.56	(2.79 - 4.52)
Central	4.04	(2.80 - 5.81)	8.04	(5.64 - 11.33)	2.46	(1.56 - 3.86)	3.23	(2.26 - 4.60)
East	4.14	(2.77 - 6.15)	9.53	(6.61 - 13.56)	2.94	(1.79 - 4.80)	4.02	(2.74 - 5.87)
North Central	3.99	(2.68 - 5.91)	8.83	(6.19 - 12.44)	2.66	(1.67 - 4.21)	3.54	(2.47 - 5.05)
Northeast	3.88	(2.59 - 5.78)	8.47	(5.79 - 12.23)	2.77	(1.69 - 4.51)	3.59	(2.42 - 5.30)
Northwest	4.27	(2.90 - 6.25)	8.14	(5.60 - 11.67)	2.83	(1.75 - 4.55)	3.56	(2.41 - 5.23)
Southeast	3.67	(2.47 - 5.42)	9.41	(6.58 - 13.29)	2.93	(1.86 - 4.61)	3.74	(2.58 - 5.38)
Southwest	3.68	(2.46 - 5.46)	7.53	(5.03 - 11.13)	2.47	(1.53 - 3.97)	3.18	(2.15 - 4.69)
West	3.71	(2.50 - 5.47)	8.76	(6.14 - 12.36)	2.59	(1.61 - 4.14)	4.02	(2.87 - 5.62)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	3.91	(3.04 - 5.03)	6.27	(4.94 - 7.93)	1.77	(1.25 - 2.49)	2.44	(1.89 - 3.15)
Central	3.87	(2.62 - 5.69)	5.82	(3.92 - 8.56)	1.82	(1.15 - 2.87)	2.37	(1.64 - 3.43)
North Central	3.87	(2.58 - 5.76)	7.54	(4.92 - 11.37)	1.85	(1.10 - 3.09)	2.94	(1.97 - 4.36)
Northeast	4.10	(2.83 - 5.91)	5.96	(4.20 - 8.40)	1.63	(1.00 - 2.63)	2.28	(1.59 - 3.27)
Northwest	4.05	(2.73 - 5.96)	6.27	(4.17 - 9.34)	1.86	(1.14 - 3.00)	2.44	(1.65 - 3.59)
Southeast	3.67	(2.53 - 5.30)	6.18	(4.24 - 8.94)	1.81	(1.15 - 2.84)	2.51	(1.76 - 3.57)
Southwest	3.88	(2.57 - 5.82)	6.08	(4.04 - 9.06)	1.69	(1.02 - 2.77)	2.21	(1.48 - 3.31)
Kansas	3.79	(2.93 - 4.91)	6.13	(4.83 - 7.75)	2.06	(1.48 - 2.86)	2.69	(2.09 - 3.45)
Kansas City Metro	3.69	(2.57 - 5.28)	6.41	(4.51 - 9.05)	1.90	(1.24 - 2.91)	2.57	(1.85 - 3.57)
Northeast	3.36	(2.21 - 5.07)	5.35	(3.54 - 8.01)	1.96	(1.22 - 3.13)	2.56	(1.76 - 3.71)
South Central	3.85	(2.64 - 5.58)	6.73	(4.48 - 9.99)	2.19	(1.35 - 3.52)	2.85	(1.93 - 4.18)
Southeast	3.82	(2.54 - 5.71)	6.74	(4.46 - 10.07)	2.29	(1.35 - 3.83)	2.97	(1.95 - 4.50)
West	3.99	(2.68 - 5.90)	6.07	(4.03 - 9.04)	2.06	(1.30 - 3.25)	2.65	(1.81 - 3.85)
Wichita (Sedgwick)	4.27	(2.90 - 6.24)	6.00	(4.05 - 8.80)	2.31	(1.42 - 3.73)	2.86	(1.93 - 4.22)
Kentucky	3.34	(2.59 - 4.30)	7.20	(5.88 - 8.78)	2.27	(1.65 - 3.11)	2.96	(2.34 - 3.75)
Adanta, Cumberland River, and Lifeskills	3.25	(2.19 - 4.79)	8.08	(5.69 - 11.35)	2.27	(1.43 - 3.59)	3.10	(2.17 - 4.42)
Bluegrass, Comprehend, and North Key	3.21	(2.20 - 4.66)	7.39	(5.48 - 9.89)	2.29	(1.48 - 3.53)	3.07	(2.22 - 4.22)
Communicare and River Valley	3.27	(2.19 - 4.85)	6.22	(4.24 - 9.04)	2.17	(1.37 - 3.42)	2.71	(1.86 - 3.92)
Four Rivers and Pennyroyal	3.41	(2.27 - 5.10)	5.94	(3.89 - 8.96)	2.15	(1.33 - 3.46)	2.70	(1.81 - 4.00)
Kentucky River, Mountain, and Pathways	3.56	(2.40 - 5.27)	6.77	(4.56 - 9.95)	2.53	(1.57 - 4.06)	3.08	(2.07 - 4.56)
Seven Counties	3.49	(2.41 - 5.04)	7.49	(5.19 - 10.71)	2.21	(1.40 - 3.46)	2.90	(2.01 - 4.15)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	4.23	(3.38 - 5.27)	7.47	(6.16 - 9.02)	2.76	(2.07 - 3.68)	3.50	(2.81 - 4.35)
Regions 1 and 10	4.24	(3.13 - 5.74)	7.53	(5.53 - 10.18)	3.00	(2.07 - 4.34)	3.70	(2.72 - 5.01)
Region 1	4.16	(2.85 - 6.03)	7.51	(5.07 - 10.99)	3.19	(2.03 - 4.98)	3.96	(2.74 - 5.68)
Region 10 (Jefferson)	4.33	(2.96 - 6.28)	7.55	(5.11 - 11.04)	2.82	(1.78 - 4.45)	3.45	(2.34 - 5.05)
Regions 2 and 9	4.35	(3.12 - 6.04)	8.01	(6.02 - 10.59)	2.80	(1.86 - 4.18)	3.64	(2.69 - 4.93)
Region 3	4.15	(2.80 - 6.13)	7.78	(5.34 - 11.19)	3.04	(1.94 - 4.72)	3.74	(2.58 - 5.38)
Regions 4, 5, and 6	4.25	(3.05 - 5.90)	7.29	(5.23 - 10.07)	2.71	(1.82 - 4.04)	3.41	(2.48 - 4.68)
Regions 7 and 8	4.05	(2.81 - 5.81)	6.75	(4.77 - 9.47)	2.42	(1.60 - 3.66)	3.11	(2.22 - 4.33)
Maine	3.52	(2.74 - 4.51)	9.40	(7.75 - 11.34)	2.47	(1.83 - 3.33)	3.33	(2.65 - 4.17)
Aroostook/Downeast	3.50	(2.52 - 4.85)	8.25	(6.15 - 10.99)	2.27	(1.52 - 3.40)	2.95	(2.14 - 4.05)
Aroostook	*	(* - *)	7.87	(5.33 - 11.47)	*	(* - *)	2.77	(1.89 - 4.05)
Downeast	3.55	(2.36 - 5.31)	8.58	(5.86 - 12.39)	2.41	(1.46 - 3.96)	3.09	(2.07 - 4.59)
Central	3.30	(2.20 - 4.92)	8.34	(5.75 - 11.95)	2.36	(1.49 - 3.74)	3.07	(2.12 - 4.42)
Cumberland	3.46	(2.36 - 5.04)	8.84	(6.18 - 12.48)	2.70	(1.74 - 4.17)	3.48	(2.44 - 4.95)
Midcoast	3.83	(2.56 - 5.69)	9.12	(6.16 - 13.30)	2.36	(1.47 - 3.78)	3.03	(2.04 - 4.47)
Penquis	3.85	(2.62 - 5.63)	10.78	(7.74 - 14.83)	2.87	(1.86 - 4.41)	4.15	(2.99 - 5.74)
Western	3.59	(2.47 - 5.20)	9.98	(7.14 - 13.78)	2.58	(1.66 - 4.01)	3.54	(2.51 - 4.96)
York	3.27	(2.21 - 4.83)	9.97	(7.16 - 13.73)	2.03	(1.27 - 3.22)	2.93	(2.06 - 4.16)
Maryland	3.60	(2.78 - 4.65)	5.90	(4.73 - 7.35)	2.12	(1.53 - 2.95)	2.66	(2.05 - 3.45)
Anne Arundel	3.57	(2.32 - 5.45)	6.51	(4.30 - 9.75)	2.37	(1.45 - 3.88)	2.92	(1.94 - 4.38)
Baltimore City	3.50	(2.33 - 5.22)	5.17	(3.54 - 7.48)	2.85	(1.74 - 4.62)	3.26	(2.18 - 4.85)
Baltimore County	3.87	(2.58 - 5.76)	6.57	(4.47 - 9.56)	2.10	(1.31 - 3.34)	2.74	(1.88 - 3.97)
Montgomery	3.89	(2.65 - 5.68)	5.38	(3.60 - 7.95)	1.71	(1.07 - 2.72)	2.14	(1.45 - 3.14)
North Central	3.40	(2.29 - 5.02)	6.96	(4.64 - 10.30)	2.03	(1.24 - 3.31)	2.63	(1.76 - 3.92)
Northeast	3.44	(2.28 - 5.15)	6.87	(4.53 - 10.28)	2.16	(1.31 - 3.54)	2.75	(1.83 - 4.13)
Prince George's	3.45	(2.25 - 5.24)	4.20	(2.70 - 6.47)	1.78	(1.08 - 2.93)	2.20	(1.45 - 3.31)
South	3.45	(2.26 - 5.25)	6.82	(4.57 - 10.08)	2.36	(1.43 - 3.85)	3.03	(2.03 - 4.51)
West	3.61	(2.42 - 5.37)	7.08	(4.79 - 10.35)	2.20	(1.34 - 3.61)	2.85	(1.90 - 4.27)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	4.01	(3.18 - 5.04)	8.22	(6.71 - 10.03)	2.64	(1.98 - 3.52)	3.48	(2.80 - 4.32)
Boston	3.94	(2.65 - 5.81)	7.22	(5.01 - 10.31)	3.34	(2.19 - 5.06)	4.26	(3.05 - 5.91)
Central	4.12	(2.86 - 5.90)	9.11	(6.34 - 12.92)	2.69	(1.72 - 4.18)	3.60	(2.52 - 5.13)
Metrowest	4.60	(3.21 - 6.56)	8.13	(5.62 - 11.63)	2.59	(1.67 - 4.00)	3.32	(2.34 - 4.68)
Northeast	3.67	(2.55 - 5.25)	6.82	(4.77 - 9.66)	2.36	(1.52 - 3.65)	2.94	(2.06 - 4.20)
Southeast	3.62	(2.52 - 5.18)	8.87	(6.28 - 12.38)	2.39	(1.53 - 3.71)	3.21	(2.27 - 4.53)
Western	4.03	(2.76 - 5.83)	9.86	(6.91 - 13.87)	2.92	(1.87 - 4.54)	4.11	(2.93 - 5.73)
Michigan	4.53	(3.90 - 5.25)	7.27	(6.48 - 8.14)	2.83	(2.37 - 3.37)	3.48	(3.05 - 3.96)
Detroit City	4.48	(3.21 - 6.22)	5.07	(3.66 - 6.99)	3.25	(2.13 - 4.92)	3.58	(2.53 - 5.03)
Genesee	4.23	(2.99 - 5.95)	7.48	(5.37 - 10.35)	2.93	(1.99 - 4.30)	3.56	(2.58 - 4.90)
Kalamazoo	4.08	(2.99 - 5.55)	6.79	(4.88 - 9.36)	2.64	(1.79 - 3.87)	3.29	(2.43 - 4.45)
Kent	4.70	(3.35 - 6.56)	7.37	(5.45 - 9.90)	2.97	(2.02 - 4.37)	3.67	(2.70 - 4.96)
Lakeshore	4.63	(3.43 - 6.24)	7.14	(5.33 - 9.49)	2.64	(1.83 - 3.80)	3.32	(2.49 - 4.42)
Macomb	4.80	(3.53 - 6.49)	6.72	(5.01 - 8.96)	2.52	(1.74 - 3.63)	3.05	(2.26 - 4.10)
Mid South	4.00	(2.90 - 5.50)	7.40	(5.53 - 9.82)	3.22	(2.28 - 4.53)	3.96	(3.03 - 5.17)
Northern	4.92	(3.56 - 6.76)	8.94	(6.75 - 11.73)	2.96	(2.04 - 4.27)	3.80	(2.85 - 5.04)
Oakland	4.25	(3.16 - 5.70)	7.90	(6.05 - 10.25)	2.48	(1.75 - 3.51)	3.12	(2.37 - 4.10)
Pathways and Western	3.82	(2.63 - 5.52)	7.49	(5.33 - 10.43)	2.54	(1.69 - 3.79)	3.26	(2.36 - 4.49)
Riverhaven	4.36	(3.09 - 6.13)	7.41	(5.20 - 10.46)	2.97	(1.98 - 4.43)	3.52	(2.51 - 4.91)
Saginaw	4.55	(3.14 - 6.57)	7.51	(5.15 - 10.83)	3.04	(1.98 - 4.65)	3.73	(2.60 - 5.33)
Southeast	5.32	(3.94 - 7.16)	7.91	(6.13 - 10.13)	2.99	(2.13 - 4.17)	3.64	(2.79 - 4.74)
St. Clair	4.80	(3.39 - 6.75)	8.00	(5.65 - 11.19)	2.91	(1.94 - 4.36)	3.54	(2.52 - 4.95)
Washtenaw	3.90	(2.75 - 5.50)	6.20	(4.58 - 8.34)	2.57	(1.74 - 3.77)	3.25	(2.41 - 4.36)
Minnesota	3.34	(2.57 - 4.32)	6.87	(5.49 - 8.57)	2.02	(1.48 - 2.74)	2.70	(2.13 - 3.42)
Regions 1 and 2	3.76	(2.48 - 5.66)	7.14	(4.73 - 10.65)	2.22	(1.36 - 3.61)	2.91	(1.95 - 4.32)
Regions 3 and 4	3.44	(2.33 - 5.04)	6.76	(4.70 - 9.64)	1.90	(1.22 - 2.96)	2.61	(1.85 - 3.67)
Regions 5 and 6	3.30	(2.22 - 4.88)	8.05	(5.54 - 11.55)	1.96	(1.25 - 3.04)	2.85	(2.02 - 4.02)
Region 7A (Hennepin)	3.27	(2.22 - 4.80)	6.54	(4.58 - 9.28)	2.21	(1.44 - 3.37)	2.81	(1.98 - 3.98)
Region 7B (Ramsey)	3.58	(2.36 - 5.39)	6.40	(4.21 - 9.62)	2.16	(1.33 - 3.50)	2.89	(1.94 - 4.27)
Region 7C	3.10	(2.10 - 4.57)	6.26	(4.26 - 9.09)	1.81	(1.16 - 2.80)	2.36	(1.65 - 3.35)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	4.41	(3.49 - 5.55)	6.77	(5.52 - 8.26)	2.87	(2.16 - 3.82)	3.48	(2.77-4.35)
Region 1	4.86	(3.41 - 6.88)	8.37	(6.02 - 11.53)	2.88	(1.89 - 4.36)	3.71	(2.68-5.12)
Region 2	4.20	(2.85 - 6.15)	5.57	(3.74 - 8.23)	2.90	(1.85 - 4.52)	3.32	(2.27-4.83)
Region 3	4.09	(2.78 - 5.98)	6.23	(4.28 - 8.98)	2.63	(1.66 - 4.14)	3.25	(2.24-4.69)
Region 4	4.14	(2.87 - 5.94)	5.64	(3.87 - 8.17)	2.93	(1.90 - 4.48)	3.34	(2.31-4.80)
Region 5	*	(* - *)	7.22	(4.85 - 10.61)	*	(* - *)	3.45	(2.31-5.11)
Region 6	4.40	(3.00 - 6.41)	7.21	(4.97 - 10.35)	2.99	(1.95 - 4.54)	3.69	(2.60-5.20)
Region 7	4.58	(3.16 - 6.60)	6.80	(4.69 - 9.77)	2.95	(1.91 - 4.51)	3.50	(2.44-4.99)
Missouri	3.74	(2.89 - 4.81)	6.84	(5.47 - 8.53)	1.96	(1.41 - 2.73)	2.67	(2.08-3.42)
Central	3.51	(2.38 - 5.14)	6.33	(4.29 - 9.26)	1.92	(1.18 - 3.10)	2.71	(1.86-3.93)
Eastern	3.77	(2.76 - 5.13)	7.22	(5.40 - 9.57)	1.90	(1.28 - 2.80)	2.64	(1.95-3.56)
Eastern (St. Louis City and County)	3.70	(2.54 - 5.37)	7.22	(5.11 - 10.11)	1.90	(1.21 - 2.97)	2.67	(1.88-3.78)
Eastern (excluding St. Louis)	3.88	(2.63 - 5.68)	7.21	(4.85 - 10.59)	1.90	(1.16 - 3.07)	2.58	(1.75-3.80)
Northwest	3.94	(2.82 - 5.48)	6.68	(4.90 - 9.04)	2.03	(1.39 - 2.97)	2.69	(1.99-3.63)
Northwest (Jackson)	3.96	(2.62 - 5.92)	5.88	(3.98 - 8.61)	2.15	(1.37 - 3.38)	2.68	(1.85-3.86)
Northwest (excluding Jackson)	3.93	(2.61 - 5.88)	7.34	(4.95 - 10.77)	1.93	(1.22 - 3.04)	2.70	(1.88-3.86)
Southeast	3.75	(2.54 - 5.49)	6.94	(4.72 - 10.09)	2.09	(1.29 - 3.36)	2.75	(1.88-4.01)
Southwest	3.51	(2.34 - 5.23)	6.79	(4.55 - 10.03)	1.94	(1.20 - 3.10)	2.64	(1.81-3.82)
Montana	4.72	(3.72 - 5.97)	7.46	(6.05 - 9.18)	2.41	(1.78 - 3.27)	3.12	(2.47-3.94)
Region 1	4.82	(3.26 - 7.08)	6.75	(4.52 - 9.95)	2.30	(1.43 - 3.69)	2.81	(1.88-4.19)
Region 2	4.34	(2.99 - 6.27)	6.81	(4.65 - 9.87)	2.74	(1.73 - 4.31)	3.33	(2.28-4.83)
Region 3	4.30	(3.00 - 6.14)	7.49	(5.32 - 10.45)	2.40	(1.57 - 3.66)	3.03	(2.15-4.26)
Region 4	5.46	(3.88 - 7.64)	8.57	(6.16 - 11.80)	2.67	(1.74 - 4.08)	3.58	(2.58-4.96)
Region 5	4.58	(3.23 - 6.46)	6.86	(5.02 - 9.32)	2.09	(1.35 - 3.23)	2.77	(1.99-3.84)
Nebraska	3.28	(2.48 - 4.32)	6.04	(4.77 - 7.63)	1.77	(1.23 - 2.54)	2.41	(1.84-3.16)
Regions 1 and 2	3.32	(2.31 - 4.75)	5.60	(3.91 - 7.98)	1.63	(1.02 - 2.59)	2.13	(1.46-3.10)
Region 1	*	(* - *)	*	(* - *)	*	(* - *)	2.22	(1.43-3.45)
Region 2	3.25	(2.12 - 4.96)	5.28	(3.39 - 8.12)	*	(* - *)	2.05	(1.31-3.19)
Region 3	3.34	(2.24 - 4.95)	5.58	(3.71 - 8.30)	1.84	(1.11 - 3.01)	2.37	(1.58-3.54)
Region 4	3.25	(2.10 - 4.98)	5.00	(3.25 - 7.63)	1.58	(0.93 - 2.67)	2.03	(1.32-3.11)
Region 5	3.39	(2.29 - 4.98)	6.12	(4.33 - 8.57)	1.83	(1.13 - 2.94)	2.58	(1.80-3.68)
Region 6	3.20	(2.21 - 4.61)	6.47	(4.67 - 8.89)	1.80	(1.15 - 2.81)	2.49	(1.78-3.48)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	5.13	(3.82 - 6.87)	7.71	(5.99 - 9.87)	3.40	(2.47 - 4.67)	4.00	(3.08 - 5.19)
Clark – Region 1	5.21	(3.70 - 7.29)	7.34	(5.37 - 9.95)	3.17	(2.20 - 4.56)	3.75	(2.77 - 5.05)
Region 3	4.63	(3.29 - 6.48)	8.33	(5.87 - 11.71)	3.37	(2.22 - 5.08)	3.97	(2.78 - 5.65)
Capital District	4.72	(3.09 - 7.15)	8.63	(5.55 - 13.18)	3.39	(2.06 - 5.51)	3.98	(2.60 - 6.06)
Rural/Frontier	4.56	(3.02 - 6.83)	8.10	(5.23 - 12.32)	3.35	(2.04 - 5.46)	3.96	(2.58 - 6.04)
Washoe – Region 2	5.18	(3.50 - 7.60)	8.84	(6.34 - 12.20)	4.49	(2.89 - 6.91)	5.16	(3.60 - 7.36)
New Hampshire	4.07	(3.16 - 5.22)	10.35	(8.65 - 12.35)	2.73	(2.03 - 3.66)	3.76	(3.03 - 4.65)
Central	3.84	(2.77 - 5.29)	10.68	(8.39 - 13.49)	2.50	(1.73 - 3.61)	3.69	(2.84 - 4.79)
Central 1	3.99	(2.68 - 5.91)	11.58	(8.61 - 15.41)	2.93	(1.90 - 4.51)	4.37	(3.20 - 5.93)
Central 2	3.70	(2.49 - 5.46)	9.49	(6.66 - 13.36)	2.11	(1.33 - 3.32)	3.03	(2.13 - 4.28)
Northern	4.08	(2.77 - 5.97)	9.92	(7.01 - 13.85)	2.72	(1.75 - 4.22)	3.71	(2.63 - 5.21)
Southern	4.17	(3.13 - 5.53)	10.28	(8.18 - 12.83)	2.84	(2.02 - 3.98)	3.80	(2.95 - 4.89)
Southern 1 (Rockingham)	3.80	(2.63 - 5.46)	10.35	(7.51 - 14.10)	2.22	(1.41 - 3.47)	3.14	(2.22 - 4.41)
Southern 2	4.40	(3.13 - 6.17)	10.24	(7.75 - 13.42)	3.24	(2.19 - 4.78)	4.21	(3.13 - 5.65)
New Jersey	3.67	(2.81 - 4.77)	7.65	(6.13 - 9.51)	2.46	(1.79 - 3.37)	3.14	(2.45 - 4.02)
Central	3.56	(2.43 - 5.18)	7.78	(5.34 - 11.19)	2.38	(1.56 - 3.64)	3.04	(2.14 - 4.32)
Metropolitan	3.74	(2.52 - 5.51)	7.54	(5.32 - 10.57)	2.48	(1.59 - 3.84)	3.19	(2.25 - 4.51)
Northern	3.61	(2.48 - 5.21)	6.66	(4.69 - 9.37)	2.40	(1.56 - 3.68)	2.94	(2.06 - 4.19)
Southern	3.81	(2.60 - 5.55)	9.11	(6.46 - 12.69)	2.61	(1.70 - 4.00)	3.49	(2.49 - 4.87)
New Mexico	5.83	(4.58 - 7.40)	6.87	(5.55 - 8.47)	3.23	(2.37 - 4.40)	3.77	(2.95 - 4.81)
Region 1	5.40	(3.77 - 7.68)	6.93	(4.90 - 9.70)	3.28	(2.11 - 5.06)	3.81	(2.66 - 5.45)
Region 2	5.70	(3.92 - 8.21)	5.86	(3.91 - 8.70)	2.99	(1.83 - 4.87)	3.33	(2.17 - 5.07)
Region 3 (Bernalillo)	6.61	(4.64 - 9.33)	7.57	(5.50 - 10.33)	3.64	(2.38 - 5.54)	4.23	(3.00 - 5.93)
Region 4	6.04	(4.15 - 8.72)	6.61	(4.55 - 9.49)	2.98	(1.87 - 4.73)	3.56	(2.43 - 5.18)
Region 5	5.12	(3.56 - 7.32)	6.43	(4.41 - 9.29)	2.84	(1.80 - 4.44)	3.43	(2.37 - 4.93)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	3.33	(2.80 - 3.95)	6.84	(6.05 - 7.73)	2.69	(2.21 - 3.27)	3.31	(2.86 - 3.83)
Region A	3.36	(2.70 - 4.17)	5.45	(4.58 - 6.47)	2.83	(2.24 - 3.58)	3.23	(2.67 - 3.91)
Region 1	3.58	(2.54 - 5.02)	4.53	(3.15 - 6.47)	2.69	(1.75 - 4.10)	3.02	(2.11 - 4.29)
Region 2	3.24	(2.34 - 4.47)	5.37	(4.10 - 7.00)	2.63	(1.83 - 3.77)	3.06	(2.28 - 4.09)
Region 3	3.71	(2.55 - 5.38)	7.25	(5.32 - 9.81)	4.18	(2.88 - 6.03)	4.64	(3.40 - 6.32)
Region 4	3.20	(2.25 - 4.54)	4.75	(3.41 - 6.58)	2.14	(1.46 - 3.13)	2.50	(1.82 - 3.43)
Region B	3.10	(2.43 - 3.94)	7.14	(5.84 - 8.71)	2.47	(1.88 - 3.25)	3.10	(2.51 - 3.83)
Region 5	2.97	(2.12 - 4.14)	7.78	(5.95 - 10.11)	2.63	(1.84 - 3.75)	3.32	(2.52 - 4.35)
Region 6	3.01	(2.06 - 4.38)	5.23	(3.58 - 7.56)	2.00	(1.29 - 3.07)	2.41	(1.67 - 3.47)
Region 7	3.67	(2.57 - 5.22)	7.86	(5.64 - 10.85)	2.69	(1.80 - 4.00)	3.48	(2.53 - 4.77)
Region C	3.52	(2.84 - 4.35)	8.31	(7.03 - 9.80)	2.69	(2.09 - 3.44)	3.58	(2.98 - 4.29)
Region 8	3.75	(2.69 - 5.20)	8.10	(5.89 - 11.04)	2.28	(1.54 - 3.35)	3.14	(2.33 - 4.24)
Region 9	3.74	(2.65 - 5.24)	7.75	(5.68 - 10.51)	2.91	(1.94 - 4.34)	3.69	(2.69 - 5.04)
Region 10	3.47	(2.41 - 4.97)	7.56	(5.29 - 10.69)	2.57	(1.69 - 3.90)	3.55	(2.56 - 4.90)
Region 11	3.49	(2.42 - 5.00)	8.93	(6.49 - 12.15)	2.80	(1.87 - 4.17)	3.76	(2.77 - 5.11)
Region 12	3.17	(2.20 - 4.55)	8.79	(6.43 - 11.91)	2.82	(1.91 - 4.14)	3.71	(2.74 - 4.99)
Region D	3.44	(2.66 - 4.45)	8.85	(7.02 - 11.10)	2.62	(1.96 - 3.50)	3.58	(2.87 - 4.46)
Region 13	3.64	(2.48 - 5.30)	8.04	(5.61 - 11.40)	2.36	(1.54 - 3.62)	3.21	(2.30 - 4.47)
Region 14	3.45	(2.37 - 5.00)	9.53	(6.65 - 13.47)	2.72	(1.79 - 4.11)	3.83	(2.76 - 5.29)
Region 15	3.27	(2.27 - 4.69)	8.84	(6.33 - 12.22)	2.76	(1.83 - 4.13)	3.66	(2.66 - 5.01)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	3.61	(2.82 - 4.61)	6.90	(5.55 - 8.54)	2.09	(1.51 - 2.90)	2.77	(2.16 - 3.55)
Alliance	3.41	(2.30 - 5.03)	6.12	(4.23 - 8.78)	2.16	(1.38 - 3.36)	2.75	(1.93 - 3.92)
Cardinal Innovations	3.85	(2.61 - 5.65)	8.06	(5.52 - 11.64)	2.10	(1.30 - 3.37)	2.90	(2.00 - 4.20)
CenterPoint/Guilford	3.69	(2.64 - 5.12)	7.27	(5.27 - 9.95)	2.14	(1.40 - 3.27)	2.89	(2.07 - 4.02)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	2.91	(1.95 - 4.33)
Guilford	*	(* - *)	6.81	(4.55 - 10.05)	*	(* - *)	2.86	(1.91 - 4.25)
CoastalCare	3.62	(2.42 - 5.39)	8.21	(5.39 - 12.30)	*	(* - *)	3.29	(2.21 - 4.86)
Eastpointe	3.49	(2.35 - 5.16)	6.02	(4.10 - 8.75)	1.94	(1.16 - 3.21)	2.49	(1.66 - 3.73)
ECBH	3.50	(2.31 - 5.27)	5.99	(3.90 - 9.11)	*	(* - *)	2.64	(1.73 - 3.99)
MeckLINK	3.62	(2.41 - 5.40)	5.96	(3.89 - 9.02)	*	(* - *)	2.62	(1.74 - 3.95)
Partners	3.63	(2.44 - 5.37)	7.37	(4.96 - 10.83)	2.13	(1.30 - 3.46)	2.78	(1.87 - 4.09)
Sandhills	3.70	(2.48 - 5.48)	6.60	(4.26 - 10.09)	*	(* - *)	2.52	(1.68 - 3.77)
Smoky Mountain	*	(* - *)	6.68	(4.38 - 10.07)	*	(* - *)	2.80	(1.85 - 4.22)
Western Highlands	*	(* - *)	7.98	(5.30 - 11.85)	2.10	(1.28 - 3.42)	2.74	(1.83 - 4.09)
North Dakota	3.11	(2.33 - 4.13)	5.13	(3.98 - 6.60)	1.48	(1.00 - 2.17)	2.11	(1.60 - 2.79)
Badlands and West Central	2.93	(1.96 - 4.37)	5.05	(3.40 - 7.42)	1.40	(0.85 - 2.30)	1.90	(1.28 - 2.80)
Lake Region and South Central	3.28	(2.16 - 4.96)	5.10	(3.38 - 7.63)	1.42	(0.83 - 2.43)	1.88	(1.23 - 2.87)
North Central and Northwest	3.15	(2.04 - 4.82)	5.84	(3.84 - 8.78)	1.37	(0.83 - 2.25)	2.10	(1.42 - 3.09)
Northeast	2.96	(1.93 - 4.52)	5.33	(3.61 - 7.79)	1.61	(0.97 - 2.68)	2.51	(1.73 - 3.64)
Southeast	3.23	(2.19 - 4.72)	4.73	(3.24 - 6.85)	1.61	(0.98 - 2.62)	2.26	(1.57 - 3.25)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Ohio	4.31	(3.74 - 4.96)	7.85	(7.01 - 8.79)	2.81	(2.39 - 3.31)	3.52	(3.12 - 3.98)
Boards 2, 46, 55, and 68	4.20	(2.98 - 5.88)	7.24	(5.16 - 10.08)	2.38	(1.62 - 3.49)	3.04	(2.22 - 4.15)
Boards 3, 52, and 85	4.72	(3.33 - 6.64)	8.32	(5.94 - 11.54)	3.04	(2.03 - 4.54)	3.75	(2.69 - 5.21)
Boards 4 and 78	4.38	(3.07 - 6.22)	7.38	(5.09 - 10.58)	3.08	(2.06 - 4.59)	3.60	(2.55 - 5.07)
Boards 5 and 60	4.39	(3.07 - 6.23)	9.28	(6.78 - 12.56)	3.04	(2.06 - 4.49)	4.17	(3.09 - 5.61)
Boards 7, 15, 41, 79, and 84	4.36	(3.10 - 6.08)	6.53	(4.77 - 8.88)	2.66	(1.79 - 3.92)	3.12	(2.26 - 4.30)
Boards 8, 13, and 83	3.99	(2.88 - 5.51)	7.96	(5.69 - 11.01)	2.42	(1.66 - 3.51)	3.09	(2.26 - 4.20)
Board 9 (Butler)	4.57	(3.19 - 6.51)	9.43	(6.87 - 12.80)	2.73	(1.84 - 4.02)	3.81	(2.82 - 5.13)
Board 12	4.36	(3.08 - 6.14)	6.76	(4.76 - 9.52)	2.50	(1.66 - 3.76)	3.19	(2.29 - 4.43)
Boards 18 and 47	4.52	(3.42 - 5.94)	7.60	(5.88 - 9.77)	2.71	(1.95 - 3.75)	3.36	(2.59 - 4.34)
Boards 20, 32, 54, and 69	4.15	(2.96 - 5.79)	6.65	(4.59 - 9.56)	2.39	(1.58 - 3.60)	2.95	(2.09 - 4.16)
Boards 21, 39, 51, 70, and 80	4.27	(3.09 - 5.86)	7.80	(5.55 - 10.86)	2.66	(1.83 - 3.86)	3.28	(2.40 - 4.47)
Boards 22, 74, and 87	4.04	(2.83 - 5.74)	8.80	(6.28 - 12.20)	2.48	(1.67 - 3.67)	3.46	(2.55 - 4.70)
Boards 23 and 45	4.16	(3.00 - 5.76)	7.77	(5.40 - 11.06)	2.77	(1.85 - 4.12)	3.46	(2.48 - 4.81)
Board 25 (Franklin)	4.05	(2.90 - 5.63)	7.82	(5.91 - 10.27)	3.61	(2.60 - 4.99)	4.33	(3.34 - 5.60)
Boards 27, 71, and 73	4.14	(2.94 - 5.79)	7.83	(5.64 - 10.77)	3.31	(2.25 - 4.84)	3.89	(2.82 - 5.34)
Boards 28, 43, and 67	4.22	(3.00 - 5.90)	8.39	(6.04 - 11.54)	2.54	(1.75 - 3.68)	3.39	(2.52 - 4.55)
Board 31 (Hamilton)	4.24	(3.09 - 5.81)	7.15	(5.23 - 9.70)	2.54	(1.76 - 3.65)	3.24	(2.42 - 4.32)
Board 48 (Lucas)	4.38	(3.08 - 6.19)	8.62	(6.16 - 11.93)	2.86	(1.95 - 4.19)	3.78	(2.78 - 5.11)
Boards 50 and 76	4.44	(3.20 - 6.14)	8.20	(6.11 - 10.92)	2.43	(1.67 - 3.53)	3.17	(2.37 - 4.23)
Board 57 (Montgomery)	4.30	(3.10 - 5.94)	7.82	(5.59 - 10.84)	2.75	(1.88 - 4.01)	3.47	(2.54 - 4.71)
Board 77 (Summit)	4.58	(3.29 - 6.34)	8.04	(5.82 - 11.01)	3.43	(2.35 - 4.97)	4.05	(2.96 - 5.53)
Oklahoma	3.99	(3.15 - 5.06)	7.62	(6.20 - 9.34)	2.93	(2.19 - 3.90)	3.64	(2.91 - 4.55)
Central	3.95	(2.66 - 5.82)	8.17	(5.58 - 11.83)	2.44	(1.56 - 3.80)	3.42	(2.41 - 4.82)
East Central	3.88	(2.63 - 5.69)	7.30	(4.89 - 10.77)	2.82	(1.74 - 4.52)	3.43	(2.31 - 5.08)
Northeast	3.58	(2.43 - 5.23)	7.01	(4.82 - 10.09)	2.65	(1.70 - 4.13)	3.37	(2.35 - 4.79)
Northwest and Southwest	4.16	(2.83 - 6.08)	7.52	(5.07 - 11.03)	3.05	(1.95 - 4.75)	3.75	(2.59 - 5.41)
Oklahoma County	4.39	(3.02 - 6.34)	8.39	(5.95 - 11.71)	3.19	(2.10 - 4.83)	3.99	(2.86 - 5.56)
Southeast	3.64	(2.42 - 5.45)	7.48	(5.04 - 10.98)	2.95	(1.87 - 4.63)	3.58	(2.45 - 5.20)
Tulsa County	4.16	(2.87 - 5.98)	7.12	(4.93 - 10.20)	3.15	(2.04 - 4.83)	3.73	(2.60 - 5.33)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Oregon	4.68	(3.71 - 5.90)	9.00	(7.45 - 10.82)	3.39	(2.54 - 4.51)	4.17	(3.33 - 5.20)
Region 1 (Multnomah)	4.58	(3.14 - 6.64)	9.50	(6.84 - 13.06)	4.69	(3.14 - 6.97)	5.34	(3.81 - 7.43)
Region 2	4.52	(3.17 - 6.41)	8.75	(6.20 - 12.21)	2.66	(1.72 - 4.09)	3.43	(2.43 - 4.83)
Region 3	4.88	(3.48 - 6.81)	9.83	(7.49 - 12.81)	3.30	(2.26 - 4.80)	4.36	(3.29 - 5.75)
Region 4	4.71	(3.21 - 6.85)	7.15	(4.85 - 10.43)	3.13	(1.97 - 4.93)	3.61	(2.43 - 5.31)
Region 5 (Central)	4.69	(3.17 - 6.90)	8.04	(5.44 - 11.73)	3.32	(2.07 - 5.29)	3.86	(2.58 - 5.74)
Region 6 (Eastern)	4.55	(3.05 - 6.74)	*	(* - *)	*	(* - *)	3.71	(2.43 - 5.64)
Pennsylvania	3.67	(3.12 - 4.33)	6.95	(6.10 - 7.92)	2.37	(1.95 - 2.89)	3.03	(2.62 - 3.50)
Region 1 (Allegheny)	4.25	(3.02 - 5.95)	8.79	(6.59 - 11.64)	3.10	(2.13 - 4.49)	3.89	(2.90 - 5.20)
Regions 3, 8, 9, and 51	3.64	(2.55 - 5.19)	6.05	(4.25 - 8.55)	1.98	(1.29 - 3.03)	2.57	(1.83 - 3.59)
Regions 4, 11, 37, and 49	3.94	(2.80 - 5.52)	6.98	(5.02 - 9.62)	2.26	(1.50 - 3.39)	2.90	(2.09 - 4.01)
Regions 5, 18, 23, 24, and 46	3.67	(2.54 - 5.29)	6.96	(4.89 - 9.80)	2.06	(1.41 - 3.02)	2.71	(1.99 - 3.69)
Regions 6, 12, 16, 31, 35, 45, and 47	3.33	(2.32 - 4.76)	6.50	(4.60 - 9.10)	2.02	(1.34 - 3.04)	2.90	(2.12 - 3.96)
Regions 7, 13, 20, and 33	3.36	(2.49 - 4.52)	7.35	(5.77 - 9.32)	2.08	(1.48 - 2.93)	2.77	(2.14 - 3.57)
Regions 10, 15, 27, 32, 43, and 44	4.06	(2.82 - 5.83)	5.83	(4.01 - 8.41)	1.89	(1.22 - 2.92)	2.37	(1.66 - 3.38)
Regions 17 and 21	3.94	(2.76 - 5.60)	6.20	(4.22 - 9.02)	2.31	(1.50 - 3.53)	2.92	(2.05 - 4.15)
Regions 19, 26, 28, and 42	3.44	(2.46 - 4.78)	5.89	(4.31 - 8.00)	2.06	(1.40 - 3.01)	2.57	(1.89 - 3.49)
Regions 22, 38, 40, 41, and 48	3.83	(2.74 - 5.33)	9.02	(6.68 - 12.07)	2.18	(1.48 - 3.21)	2.98	(2.21 - 3.99)
Regions 29 and 34	3.87	(2.75 - 5.44)	7.34	(5.19 - 10.29)	2.07	(1.38 - 3.09)	2.79	(2.01 - 3.84)
Regions 30 and 50	3.71	(2.60 - 5.27)	6.77	(4.76 - 9.55)	2.01	(1.33 - 3.02)	2.65	(1.90 - 3.67)
Region 36 (Philadelphia)	3.66	(2.58 - 5.18)	6.27	(4.71 - 8.30)	3.77	(2.63 - 5.37)	4.24	(3.18 - 5.64)
Rhode Island	4.07	(3.08 - 5.35)	9.89	(8.22 - 11.87)	3.99	(2.93 - 5.40)	4.94	(3.93 - 6.19)
Bristol and Newport	4.01	(2.66 - 5.99)	9.10	(6.11 - 13.35)	2.82	(1.73 - 4.56)	3.76	(2.54 - 5.53)
Kent	4.07	(2.78 - 5.91)	10.09	(7.14 - 14.06)	3.17	(2.02 - 4.94)	3.98	(2.77 - 5.70)
Providence	4.00	(2.82 - 5.65)	9.63	(7.63 - 12.09)	4.55	(3.18 - 6.46)	5.42	(4.15 - 7.07)
Washington	4.46	(2.99 - 6.61)	11.62	(8.29 - 16.05)	3.67	(2.30 - 5.79)	5.11	(3.62 - 7.17)
South Carolina	3.97	(3.13 - 5.03)	7.25	(5.92 - 8.86)	2.65	(1.99 - 3.54)	3.32	(2.65 - 4.16)
Region 1	4.08	(2.85 - 5.80)	6.45	(4.56 - 9.04)	2.30	(1.48 - 3.55)	2.90	(2.04 - 4.10)
Region 2	3.71	(2.61 - 5.26)	6.57	(4.75 - 9.01)	2.57	(1.72 - 3.82)	3.18	(2.31 - 4.37)
Region 3	3.85	(2.65 - 5.57)	7.36	(5.11 - 10.50)	2.73	(1.72 - 4.31)	3.36	(2.30 - 4.88)
Region 4	4.26	(2.98 - 6.07)	8.74	(6.40 - 11.83)	3.04	(2.03 - 4.52)	3.88	(2.83 - 5.31)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	3.36	(2.56 - 4.38)	5.44	(4.20 - 7.02)	1.82	(1.27 - 2.60)	2.36	(1.77 - 3.13)
Region 1	3.39	(2.30 - 4.97)	5.40	(3.66 - 7.89)	1.92	(1.19 - 3.08)	2.42	(1.64 - 3.55)
Region 2	3.26	(2.12 - 4.96)	5.22	(3.39 - 7.94)	1.99	(1.18 - 3.33)	2.37	(1.53 - 3.66)
Region 3	3.16	(2.14 - 4.64)	5.00	(3.37 - 7.34)	1.54	(0.95 - 2.49)	2.13	(1.46 - 3.10)
Region 4	3.26	(2.16 - 4.90)	5.70	(3.74 - 8.60)	1.58	(0.95 - 2.62)	2.23	(1.50 - 3.30)
Region 5	3.56	(2.46 - 5.13)	5.85	(4.03 - 8.42)	2.03	(1.26 - 3.24)	2.57	(1.75 - 3.76)
Tennessee	4.41	(3.50 - 5.55)	8.50	(6.95 - 10.36)	2.64	(1.98 - 3.52)	3.47	(2.78 - 4.32)
Region 1	4.66	(3.15 - 6.84)	8.93	(6.02 - 13.05)	2.37	(1.47 - 3.79)	3.19	(2.17 - 4.67)
Region 2	4.53	(3.16 - 6.47)	9.05	(6.26 - 12.92)	2.66	(1.75 - 4.04)	3.51	(2.49 - 4.93)
Region 3	4.19	(2.87 - 6.08)	9.73	(6.89 - 13.57)	2.56	(1.64 - 3.97)	3.53	(2.50 - 4.96)
Region 4 (Davidson)	4.15	(2.80 - 6.10)	8.40	(5.86 - 11.90)	2.79	(1.84 - 4.23)	3.68	(2.63 - 5.14)
Region 5	4.64	(3.28 - 6.53)	7.78	(5.47 - 10.95)	2.41	(1.59 - 3.63)	3.15	(2.25 - 4.40)
Region 6	4.51	(3.08 - 6.55)	7.37	(5.00 - 10.75)	2.54	(1.58 - 4.04)	3.20	(2.17 - 4.70)
Region 7 (Shelby)	4.06	(2.75 - 5.95)	8.38	(5.73 - 12.09)	3.26	(2.05 - 5.15)	4.06	(2.79 - 5.88)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	4.41	(3.77 - 5.14)	6.40	(5.67 - 7.22)	2.27	(1.85 - 2.77)	2.92	(2.53 - 3.38)
Region 1	4.67	(3.33 - 6.52)	6.78	(4.74 - 9.60)	2.40	(1.61 - 3.57)	3.20	(2.32 - 4.39)
Region 2	4.26	(2.97 - 6.08)	6.24	(4.28 - 9.01)	2.25	(1.47 - 3.44)	2.90	(2.05 - 4.08)
Region 3	4.41	(3.49 - 5.56)	6.84	(5.66 - 8.25)	2.39	(1.82 - 3.14)	3.05	(2.48 - 3.74)
Region 3a	4.71	(3.54 - 6.25)	6.28	(4.87 - 8.07)	2.40	(1.72 - 3.34)	2.97	(2.29 - 3.85)
Region 3bc	3.87	(2.80 - 5.33)	7.81	(6.00 - 10.10)	2.38	(1.66 - 3.41)	3.18	(2.42 - 4.16)
Region 4	4.04	(2.82 - 5.74)	6.43	(4.52 - 9.07)	2.16	(1.42 - 3.29)	2.75	(1.95 - 3.85)
Region 5	4.38	(3.16 - 6.04)	6.22	(4.38 - 8.76)	2.41	(1.61 - 3.59)	2.98	(2.15 - 4.12)
Region 6	4.14	(3.21 - 5.32)	5.25	(4.10 - 6.69)	2.03	(1.48 - 2.77)	2.52	(1.98 - 3.20)
Region 6a	4.11	(3.13 - 5.39)	5.15	(3.93 - 6.72)	2.02	(1.44 - 2.82)	2.50	(1.93 - 3.24)
Region 6bc	4.38	(3.11 - 6.13)	6.16	(4.27 - 8.80)	2.16	(1.41 - 3.30)	2.70	(1.91 - 3.81)
Region 7	4.71	(3.62 - 6.12)	8.05	(6.41 - 10.07)	2.59	(1.93 - 3.47)	3.61	(2.90 - 4.48)
Region 7a	4.65	(3.32 - 6.48)	8.80	(6.54 - 11.74)	2.70	(1.87 - 3.87)	3.72	(2.82 - 4.90)
Region 7bcd	4.82	(3.42 - 6.76)	7.08	(5.15 - 9.66)	2.40	(1.61 - 3.55)	3.41	(2.53 - 4.59)
Region 8	4.15	(3.00 - 5.71)	6.54	(4.80 - 8.85)	2.22	(1.50 - 3.29)	2.90	(2.14 - 3.93)
Region 9	4.82	(3.31 - 6.96)	6.72	(4.70 - 9.54)	2.40	(1.56 - 3.68)	3.11	(2.20 - 4.38)
Region 10	4.94	(3.52 - 6.88)	5.55	(3.84 - 7.95)	2.10	(1.35 - 3.26)	2.71	(1.91 - 3.84)
Region 11	4.83	(3.68 - 6.31)	5.55	(4.17 - 7.34)	2.11	(1.49 - 2.98)	2.70	(2.06 - 3.55)
Region 11abd	4.98	(3.54 - 6.95)	6.33	(4.47 - 8.89)	2.10	(1.38 - 3.18)	2.81	(2.02 - 3.89)
Region 11c (Hidalgo)	4.61	(3.22 - 6.55)	4.26	(2.87 - 6.28)	2.12	(1.36 - 3.28)	2.51	(1.74 - 3.61)
Utah	3.18	(2.40 - 4.21)	5.84	(4.64 - 7.33)	2.19	(1.61 - 2.99)	2.88	(2.28 - 3.63)
Bear River, Northeastern, Summit, Tooele, and Wasatch	3.12	(2.09 - 4.63)	5.84	(3.98 - 8.49)	1.95	(1.22 - 3.11)	2.69	(1.87 - 3.86)
Central, Four Corners, San Juan, and Southwest	3.27	(2.13 - 4.98)	6.19	(4.09 - 9.24)	2.03	(1.29 - 3.19)	2.75	(1.90 - 3.96)
Davis County	3.16	(2.08 - 4.77)	7.01	(4.68 - 10.38)	1.99	(1.26 - 3.14)	2.84	(1.96 - 4.09)
Salt Lake County	3.23	(2.19 - 4.73)	5.51	(3.90 - 7.73)	2.27	(1.51 - 3.38)	2.81	(2.04 - 3.86)
Utah County	3.10	(2.05 - 4.66)	5.88	(4.04 - 8.48)	2.43	(1.57 - 3.75)	3.35	(2.39 - 4.67)
Weber, Morgan	3.20	(2.11 - 4.82)	5.28	(3.44 - 8.05)	2.25	(1.42 - 3.55)	2.76	(1.88 - 4.05)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	4.62	(3.60 - 5.91)	9.75	(8.06 - 11.75)	2.96	(2.21 - 3.96)	3.95	(3.18 - 4.89)
Champlain Valley	5.17	(3.68 - 7.22)	10.00	(7.66 - 12.96)	3.09	(2.11 - 4.50)	4.33	(3.30 - 5.66)
Rural Northeast	4.09	(2.82 - 5.90)	9.99	(7.29 - 13.56)	3.04	(1.99 - 4.63)	3.94	(2.83 - 5.47)
Rural Southeast	4.77	(3.28 - 6.87)	9.84	(7.08 - 13.53)	2.88	(1.84 - 4.47)	3.64	(2.55 - 5.18)
Rural Southwest	3.80	(2.55 - 5.61)	8.45	(5.92 - 11.93)	2.64	(1.64 - 4.23)	3.41	(2.34 - 4.95)
Virginia	3.77	(2.94 - 4.80)	7.27	(5.94 - 8.86)	2.41	(1.78 - 3.26)	3.12	(2.47 - 3.94)
Region 1	3.65	(2.51 - 5.27)	8.21	(5.88 - 11.34)	2.62	(1.69 - 4.05)	3.50	(2.49 - 4.91)
Region 2	3.36	(2.27 - 4.93)	5.61	(3.88 - 8.05)	2.06	(1.32 - 3.20)	2.49	(1.72 - 3.59)
Region 3	4.35	(2.98 - 6.31)	8.13	(5.87 - 11.16)	2.49	(1.57 - 3.94)	3.33	(2.34 - 4.73)
Region 4	3.65	(2.54 - 5.22)	6.80	(4.59 - 9.97)	2.55	(1.61 - 4.02)	3.18	(2.17 - 4.63)
Region 5	4.06	(2.80 - 5.86)	7.82	(5.55 - 10.91)	2.54	(1.64 - 3.91)	3.42	(2.43 - 4.78)
Washington	4.70	(3.69 - 5.97)	9.31	(7.76 - 11.14)	3.49	(2.62 - 4.64)	4.32	(3.48 - 5.36)
Region 1	5.01	(3.63 - 6.86)	7.91	(5.86 - 10.59)	3.28	(2.25 - 4.74)	4.04	(3.00 - 5.43)
East 1 (previously Region 1)	4.75	(3.20 - 7.00)	8.12	(5.56 - 11.70)	3.30	(2.14 - 5.05)	4.10	(2.87 - 5.82)
East 2 (previously Region 2)	5.30	(3.56 - 7.83)	7.62	(5.12 - 11.18)	3.24	(2.02 - 5.18)	3.96	(2.69 - 5.80)
Region 2	4.86	(3.64 - 6.47)	10.23	(8.14 - 12.77)	3.58	(2.55 - 4.99)	4.48	(3.46 - 5.78)
North 1 (previously Region 3)	5.06	(3.48 - 7.32)	9.26	(6.70 - 12.68)	3.39	(2.21 - 5.15)	4.23	(3.01 - 5.91)
North 2 (previously Region 4)	4.73	(3.33 - 6.67)	10.82	(8.15 - 14.23)	3.68	(2.50 - 5.40)	4.62	(3.42 - 6.22)
Region 3	4.27	(3.13 - 5.80)	9.16	(7.04 - 11.83)	3.52	(2.50 - 4.94)	4.29	(3.27 - 5.61)
West 1 (previously Region 5)	4.36	(2.99 - 6.32)	9.25	(6.62 - 12.79)	3.51	(2.32 - 5.27)	4.37	(3.15 - 6.02)
West 2 (previously Region 6)	4.19	(2.85 - 6.12)	9.05	(6.39 - 12.67)	3.53	(2.32 - 5.33)	4.22	(2.99 - 5.93)
West Virginia	3.69	(2.89 - 4.70)	8.88	(7.38 - 10.64)	2.32	(1.71 - 3.15)	3.18	(2.55 - 3.96)
Region I	3.78	(2.55 - 5.58)	7.78	(5.23 - 11.43)	*	(* - *)	2.87	(1.94 - 4.25)
Region II	3.66	(2.46 - 5.40)	8.64	(5.81 - 12.68)	2.38	(1.52 - 3.72)	3.16	(2.19 - 4.53)
Region III	3.56	(2.41 - 5.22)	8.08	(5.50 - 11.73)	2.07	(1.31 - 3.27)	2.74	(1.89 - 3.96)
Region IV	4.26	(2.90 - 6.23)	11.04	(8.51 - 14.21)	2.66	(1.71 - 4.12)	4.15	(3.11 - 5.50)
Region V	3.61	(2.54 - 5.10)	8.61	(6.35 - 11.56)	2.37	(1.58 - 3.54)	3.11	(2.27 - 4.24)
Region VI	3.24	(2.14 - 4.87)	6.32	(4.27 - 9.27)	2.01	(1.26 - 3.21)	2.50	(1.70 - 3.67)

See notes at end of table.

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	12-17 (Estimate)	(95% Confidence Interval)	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
Wisconsin	4.11	(3.24 - 5.19)	8.17	(6.68 - 9.96)	2.24	(1.63 - 3.05)	3.09	(2.45-3.88)
Milwaukee	3.91	(2.65 - 5.73)	7.86	(5.47 - 11.15)	2.53	(1.63 - 3.91)	3.39	(2.39-4.80)
Northeastern	3.97	(2.77 - 5.66)	7.11	(5.06 - 9.90)	2.11	(1.36 - 3.26)	2.77	(1.96-3.90)
Northern	4.13	(2.76 - 6.14)	8.05	(5.36 - 11.91)	2.23	(1.38 - 3.60)	2.98	(2.01-4.38)
Southeastern	4.51	(3.14 - 6.44)	9.85	(6.86 - 13.95)	2.04	(1.27 - 3.25)	3.03	(2.12-4.32)
Southern	4.23	(2.94 - 6.05)	8.56	(6.19 - 11.72)	2.31	(1.49 - 3.56)	3.26	(2.35-4.49)
Western	3.71	(2.50 - 5.46)	7.53	(5.22 - 10.74)	2.29	(1.43 - 3.63)	3.12	(2.16-4.49)
Wyoming	3.83	(2.99 - 4.90)	5.49	(4.31 - 6.96)	2.23	(1.61 - 3.06)	2.71	(2.09-3.50)
Judicial District 1 (Laramie)	3.65	(2.44 - 5.42)	4.90	(3.21 - 7.41)	2.20	(1.38 - 3.49)	2.58	(1.73-3.84)
Judicial District 2	3.83	(2.56 - 5.70)	5.90	(3.98 - 8.66)	2.16	(1.39 - 3.36)	3.26	(2.31-4.57)
Judicial District 3	3.65	(2.51 - 5.29)	4.81	(3.23 - 7.11)	2.15	(1.35 - 3.39)	2.51	(1.70-3.68)
Judicial District 4	3.91	(2.60 - 5.85)	4.91	(3.15 - 7.58)	1.91	(1.16 - 3.13)	2.26	(1.47-3.44)
Judicial District 5	3.90	(2.62 - 5.79)	5.34	(3.45 - 8.19)	1.95	(1.19 - 3.19)	2.35	(1.55-3.57)
Judicial District 6	3.84	(2.63 - 5.56)	6.10	(4.02 - 9.16)	2.30	(1.44 - 3.65)	2.85	(1.93-4.19)
Judicial District 7 (Natrona)	4.10	(2.78 - 6.02)	6.07	(4.06 - 8.98)	2.64	(1.66 - 4.16)	3.12	(2.12-4.58)
Judicial District 8	3.63	(2.44 - 5.39)	5.88	(3.81 - 8.97)	2.10	(1.29 - 3.41)	2.57	(1.69-3.87)
Judicial District 9	4.03	(2.68 - 6.01)	5.29	(3.42 - 8.10)	2.34	(1.45 - 3.74)	2.70	(1.79-4.07)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	0.87	(0.78 - 0.97)	4.60	(4.37 - 4.84)	1.28	(1.18 - 1.39)	1.77	(1.68 - 1.87)
Northeast	0.79	(0.67 - 0.94)	5.42	(4.97 - 5.91)	1.52	(1.29 - 1.79)	2.08	(1.86 - 2.32)
Midwest	0.75	(0.65 - 0.88)	3.78	(3.48 - 4.11)	1.09	(0.92 - 1.28)	1.48	(1.33 - 1.65)
South	0.83	(0.72 - 0.96)	3.97	(3.69 - 4.28)	1.19	(1.03 - 1.37)	1.60	(1.45 - 1.76)
West	1.10	(0.92 - 1.32)	5.68	(5.17 - 6.23)	1.42	(1.19 - 1.69)	2.07	(1.85 - 2.31)
Alabama	0.60	(0.38 - 0.94)	2.41	(1.69 - 3.43)	0.89	(0.54 - 1.46)	1.11	(0.75 - 1.65)
Region 1	0.78	(0.42 - 1.43)	3.16	(1.93 - 5.13)	0.88	(0.48 - 1.58)	1.18	(0.74 - 1.88)
Region 2	0.51	(0.27 - 0.97)	2.36	(1.42 - 3.89)	0.95	(0.54 - 1.65)	1.16	(0.74 - 1.83)
Region 3	0.46	(0.24 - 0.88)	1.80	(1.04 - 3.08)	0.76	(0.42 - 1.37)	0.95	(0.58 - 1.53)
Region 4	0.60	(0.31 - 1.16)	2.23	(1.33 - 3.70)	0.90	(0.51 - 1.59)	1.08	(0.67 - 1.74)
Alaska	0.84	(0.56 - 1.27)	5.11	(3.90 - 6.66)	1.29	(0.86 - 1.94)	1.89	(1.41 - 2.52)
Anchorage	0.87	(0.51 - 1.48)	5.99	(4.21 - 8.47)	1.39	(0.88 - 2.20)	2.14	(1.54 - 2.95)
Northern	0.77	(0.41 - 1.44)	3.59	(2.23 - 5.72)	1.27	(0.78 - 2.08)	1.70	(1.14 - 2.54)
South Central	0.85	(0.46 - 1.55)	4.78	(2.98 - 7.58)	1.16	(0.70 - 1.92)	1.64	(1.09 - 2.45)
Southeast	0.92	(0.51 - 1.68)	6.28	(3.97 - 9.82)	1.29	(0.76 - 2.18)	1.91	(1.26 - 2.87)
Arizona	1.03	(0.69 - 1.53)	5.32	(4.04 - 6.98)	1.58	(1.05 - 2.36)	2.13	(1.58 - 2.87)
Maricopa	1.00	(0.60 - 1.66)	5.02	(3.51 - 7.14)	1.67	(1.08 - 2.58)	2.17	(1.55 - 3.03)
Pima	1.04	(0.58 - 1.88)	6.94	(4.50 - 10.56)	1.59	(0.96 - 2.63)	2.42	(1.66 - 3.51)
Rural North	1.02	(0.55 - 1.87)	5.47	(3.40 - 8.69)	1.46	(0.87 - 2.45)	2.02	(1.34 - 3.04)
Rural South	*	(* - *)	4.49	(2.66 - 7.48)	1.28	(0.74 - 2.18)	1.72	(1.10 - 2.67)
Arkansas	0.81	(0.55 - 1.18)	3.00	(2.22 - 4.05)	0.99	(0.63 - 1.56)	1.28	(0.90 - 1.83)
Catchment Area 1	0.85	(0.47 - 1.54)	3.45	(2.08 - 5.67)	0.86	(0.50 - 1.47)	1.28	(0.83 - 1.97)
Catchment Area 2	*	(* - *)	3.19	(1.85 - 5.45)	*	(* - *)	1.04	(0.65 - 1.66)
Catchment Area 3	0.67	(0.36 - 1.25)	2.19	(1.28 - 3.70)	0.98	(0.55 - 1.72)	1.16	(0.72 - 1.87)
Catchment Area 4	*	(* - *)	3.68	(2.20 - 6.10)	*	(* - *)	1.14	(0.73 - 1.78)
Catchment Area 5	0.79	(0.41 - 1.53)	2.81	(1.67 - 4.67)	0.86	(0.49 - 1.51)	1.19	(0.76 - 1.86)
Catchment Area 6	*	(* - *)	2.25	(1.29 - 3.88)	*	(* - *)	1.77	(1.06 - 2.95)
Catchment Area 7	*	(* - *)	2.49	(1.45 - 4.24)	*	(* - *)	1.09	(0.68 - 1.74)
Catchment Area 8	0.86	(0.46 - 1.61)	3.49	(2.16 - 5.59)	1.27	(0.74 - 2.17)	1.56	(1.00 - 2.43)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	1.19	(0.92 - 1.56)	5.67	(4.92 - 6.53)	1.46	(1.12 - 1.89)	2.12	(1.79 - 2.51)
Region 1R	*	(* - *)	6.51	(4.24 - 9.87)	1.45	(0.95 - 2.22)	2.22	(1.59 - 3.09)
Region 2R	1.41	(0.78 - 2.53)	7.09	(4.71 - 10.54)	1.22	(0.79 - 1.88)	2.12	(1.52 - 2.95)
Region 3R (Sacramento)	0.99	(0.54 - 1.80)	4.75	(3.01 - 7.44)	1.55	(1.03 - 2.32)	2.04	(1.44 - 2.88)
Region 4R	1.07	(0.60 - 1.92)	6.77	(4.53 - 10.01)	1.26	(0.84 - 1.88)	1.98	(1.44 - 2.70)
Region 5R (San Francisco)	*	(* - *)	9.89	(6.61 - 14.53)	2.76	(1.80 - 4.20)	3.63	(2.58 - 5.08)
Region 6 (Santa Clara)	0.93	(0.50 - 1.71)	4.55	(2.94 - 6.98)	0.96	(0.62 - 1.47)	1.43	(1.02 - 2.01)
Region 7R (Contra Costa)	1.15	(0.65 - 2.03)	6.40	(4.10 - 9.88)	1.21	(0.79 - 1.84)	1.88	(1.33 - 2.64)
Region 8R (Alameda)	0.93	(0.52 - 1.67)	6.29	(4.20 - 9.33)	1.52	(1.01 - 2.28)	2.20	(1.59 - 3.03)
Region 9R (San Mateo)	*	(* - *)	*	(* - *)	*	(* - *)	1.63	(1.13 - 2.35)
Region 10	1.18	(0.67 - 2.09)	6.48	(4.26 - 9.74)	1.55	(1.02 - 2.33)	2.40	(1.74 - 3.31)
Region 11 (Los Angeles)	1.15	(0.82 - 1.59)	5.02	(4.07 - 6.18)	1.60	(1.20 - 2.13)	2.15	(1.74 - 2.65)
LA SPA 1 and 5	*	(* - *)	5.88	(3.63 - 9.38)	1.89	(1.25 - 2.85)	2.54	(1.77 - 3.61)
LA SPA 2	1.04	(0.58 - 1.86)	5.05	(3.27 - 7.71)	1.46	(0.97 - 2.18)	1.99	(1.42 - 2.78)
LA SPA 3	1.09	(0.60 - 1.98)	4.61	(2.96 - 7.10)	1.24	(0.81 - 1.88)	1.76	(1.26 - 2.45)
LA SPA 4	*	(* - *)	5.54	(3.56 - 8.52)	2.18	(1.45 - 3.26)	2.69	(1.91 - 3.79)
LA SPA 6	1.19	(0.65 - 2.19)	4.52	(2.85 - 7.11)	1.84	(1.19 - 2.81)	2.40	(1.69 - 3.38)
LA SPA 7	1.16	(0.63 - 2.14)	4.68	(2.96 - 7.31)	1.41	(0.92 - 2.15)	1.98	(1.40 - 2.78)
LA SPA 8	1.33	(0.76 - 2.30)	5.19	(3.41 - 7.84)	1.60	(1.06 - 2.39)	2.13	(1.54 - 2.95)
Region 12R	1.13	(0.61 - 2.08)	5.21	(3.20 - 8.38)	1.43	(0.93 - 2.18)	2.01	(1.41 - 2.87)
Regions 13 and 19R	1.16	(0.68 - 1.97)	4.51	(3.06 - 6.61)	1.23	(0.82 - 1.85)	1.77	(1.30 - 2.42)
Region 13 (Riverside)	1.15	(0.65 - 2.02)	4.52	(2.98 - 6.79)	1.20	(0.78 - 1.85)	1.75	(1.26 - 2.43)
Region 19R (Imperial)	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Region 14 (Orange)	1.21	(0.73 - 2.00)	6.48	(4.61 - 9.04)	1.18	(0.81 - 1.72)	1.99	(1.51 - 2.61)
Region 15R (Fresno)	1.06	(0.56 - 2.00)	4.04	(2.44 - 6.62)	1.75	(1.13 - 2.71)	2.18	(1.50 - 3.15)
Region 16R (San Diego)	1.18	(0.69 - 1.99)	6.00	(4.12 - 8.66)	1.55	(1.05 - 2.27)	2.30	(1.70 - 3.11)
Region 17R	1.65	(0.95 - 2.87)	6.08	(3.88 - 9.40)	1.79	(1.18 - 2.72)	2.56	(1.82 - 3.59)
Region 18R (San Bernardino)	1.50	(0.88 - 2.57)	5.48	(3.69 - 8.05)	1.33	(0.88 - 2.01)	2.07	(1.51 - 2.83)
Region 20R	1.46	(0.81 - 2.61)	4.81	(3.03 - 7.53)	1.34	(0.88 - 2.04)	1.94	(1.37 - 2.73)
Region 21R	*	(* - *)	7.11	(4.65 - 10.73)	1.30	(0.86 - 1.94)	2.35	(1.69 - 3.25)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	1.17	(0.77 - 1.76)	9.32	(7.59 - 11.40)	1.84	(1.24 - 2.73)	2.92	(2.26 - 3.77)
Region 1	1.32	(0.72 - 2.39)	10.73	(7.45 - 15.22)	1.59	(0.95 - 2.64)	3.18	(2.26 - 4.45)
Regions 2 and 7	1.20	(0.70 - 2.03)	9.98	(7.65 - 12.91)	2.03	(1.32 - 3.11)	3.13	(2.35 - 4.17)
Region 3	1.00	(0.54 - 1.83)	7.30	(4.75 - 11.07)	1.75	(1.06 - 2.89)	2.60	(1.78 - 3.80)
Region 4	*	(* - *)	*	(* - *)	*	(* - *)	2.50	(1.60 - 3.88)
Regions 5 and 6	*	(* - *)	7.69	(4.97 - 11.73)	1.34	(0.81 - 2.23)	2.18	(1.48 - 3.20)
Connecticut	0.86	(0.58 - 1.26)	6.15	(4.83 - 7.80)	1.36	(0.90 - 2.05)	2.01	(1.51 - 2.67)
Eastern	*	(* - *)	4.60	(2.90 - 7.22)	1.29	(0.77 - 2.17)	1.88	(1.27 - 2.78)
North Central	0.86	(0.49 - 1.52)	6.74	(4.60 - 9.77)	1.45	(0.90 - 2.34)	2.14	(1.50 - 3.04)
Northwestern	0.92	(0.49 - 1.71)	6.21	(3.87 - 9.82)	1.20	(0.72 - 2.01)	1.80	(1.20 - 2.68)
South Central	0.95	(0.54 - 1.69)	6.78	(4.68 - 9.74)	1.40	(0.86 - 2.28)	2.15	(1.52 - 3.03)
Southwest	0.75	(0.40 - 1.40)	5.75	(3.60 - 9.06)	1.35	(0.80 - 2.27)	1.90	(1.26 - 2.85)
Delaware	0.77	(0.51 - 1.19)	5.08	(3.88 - 6.62)	1.38	(0.93 - 2.05)	1.92	(1.44 - 2.55)
Kent	0.80	(0.43 - 1.46)	3.61	(2.25 - 5.73)	1.36	(0.83 - 2.22)	1.73	(1.16 - 2.57)
New Castle (excluding Wilmington City)	0.76	(0.43 - 1.33)	5.75	(4.08 - 8.06)	1.53	(0.99 - 2.38)	2.20	(1.60 - 3.02)
Sussex	0.92	(0.50 - 1.66)	5.44	(3.45 - 8.46)	0.78	(0.46 - 1.32)	1.28	(0.86 - 1.89)
Wilmington City	*	(* - *)	3.30	(1.94 - 5.56)	2.17	(1.31 - 3.59)	2.34	(1.49 - 3.64)
District of Columbia	0.35	(0.23 - 0.55)	4.62	(3.57 - 5.97)	2.79	(1.98 - 3.93)	3.14	(2.38 - 4.14)
Ward 1	*	(* - *)	5.23	(3.39 - 7.99)	3.43	(2.19 - 5.34)	3.81	(2.62 - 5.51)
Ward 2	*	(* - *)	5.73	(3.77 - 8.62)	3.22	(2.07 - 5.00)	3.96	(2.79 - 5.59)
Ward 3	*	(* - *)	7.68	(5.09 - 11.43)	2.36	(1.50 - 3.69)	3.35	(2.37 - 4.71)
Ward 4	*	(* - *)	3.71	(2.21 - 6.17)	2.31	(1.45 - 3.68)	2.48	(1.63 - 3.76)
Ward 5	*	(* - *)	3.40	(2.06 - 5.55)	2.49	(1.54 - 3.99)	2.66	(1.76 - 3.99)
Ward 6	*	(* - *)	5.74	(3.56 - 9.14)	3.11	(1.97 - 4.88)	3.51	(2.38 - 5.16)
Ward 7	*	(* - *)	1.68	(0.92 - 3.06)	2.71	(1.61 - 4.52)	2.53	(1.57 - 4.07)
Ward 8	*	(* - *)	1.52	(0.84 - 2.74)	2.74	(1.64 - 4.56)	2.48	(1.55 - 3.96)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	0.75	(0.57 - 1.00)	5.49	(4.76 - 6.34)	1.34	(1.03 - 1.74)	1.89	(1.58 - 2.26)
Region A - Northwest	0.75	(0.49 - 1.13)	5.06	(3.77 - 6.76)	1.72	(1.24 - 2.38)	2.30	(1.79 - 2.96)
Circuit 1	0.76	(0.43 - 1.32)	4.74	(3.10 - 7.18)	1.70	(1.14 - 2.54)	2.17	(1.55 - 3.01)
Circuit 2	*	(* - *)	5.39	(3.48 - 8.24)	2.06	(1.36 - 3.09)	2.87	(2.06 - 3.98)
Circuit 14	*	(* - *)	5.12	(3.09 - 8.35)	1.37	(0.90 - 2.09)	1.87	(1.29 - 2.69)
Region B - Northeast	0.68	(0.45 - 1.02)	4.81	(3.67 - 6.28)	1.56	(1.12 - 2.16)	2.05	(1.60 - 2.63)
Circuits 3 and 8	0.74	(0.41 - 1.34)	5.09	(3.37 - 7.60)	1.45	(0.97 - 2.17)	2.20	(1.60 - 3.03)
Circuit 4	0.64	(0.36 - 1.12)	4.19	(2.69 - 6.47)	1.87	(1.23 - 2.82)	2.21	(1.55 - 3.13)
Circuit 7	0.70	(0.38 - 1.27)	5.45	(3.60 - 8.17)	1.25	(0.82 - 1.91)	1.75	(1.25 - 2.44)
Region C - Central	0.73	(0.52 - 1.04)	5.12	(4.08 - 6.42)	1.23	(0.91 - 1.66)	1.74	(1.41 - 2.16)
Circuit 5	0.71	(0.38 - 1.31)	4.29	(2.70 - 6.74)	0.94	(0.60 - 1.46)	1.25	(0.87 - 1.80)
Circuit 9	0.72	(0.41 - 1.25)	5.41	(3.76 - 7.73)	1.77	(1.20 - 2.61)	2.41	(1.79 - 3.24)
Circuit 10	0.77	(0.43 - 1.35)	4.16	(2.73 - 6.28)	1.10	(0.72 - 1.67)	1.49	(1.07 - 2.07)
Circuit 18	0.76	(0.43 - 1.34)	6.20	(4.12 - 9.24)	1.14	(0.75 - 1.71)	1.79	(1.30 - 2.46)
Circuit 19	0.72	(0.41 - 1.27)	4.62	(2.88 - 7.33)	0.92	(0.60 - 1.43)	1.32	(0.91 - 1.89)
Region D - Southeast	0.65	(0.41 - 1.02)	5.71	(4.31 - 7.53)	1.23	(0.88 - 1.72)	1.77	(1.37 - 2.27)
Circuit 15 (Palm Beach)	0.72	(0.41 - 1.28)	6.29	(4.29 - 9.14)	1.22	(0.81 - 1.84)	1.80	(1.31 - 2.47)
Circuit 17 (Broward)	0.60	(0.34 - 1.05)	5.30	(3.62 - 7.71)	1.23	(0.83 - 1.82)	1.74	(1.28 - 2.35)
Region E - Sun Coast	0.87	(0.60 - 1.27)	6.73	(5.40 - 8.36)	1.45	(1.06 - 1.98)	2.06	(1.64 - 2.58)
Circuit 6	0.92	(0.53 - 1.61)	9.09	(6.31 - 12.93)	1.75	(1.13 - 2.68)	2.50	(1.81 - 3.46)
Circuit 12	1.05	(0.58 - 1.91)	7.97	(5.23 - 11.97)	1.35	(0.87 - 2.09)	1.97	(1.40 - 2.77)
Circuit 13 (Hillsborough)	0.74	(0.42 - 1.29)	4.93	(3.47 - 6.95)	1.51	(1.03 - 2.23)	2.03	(1.50 - 2.74)
Circuit 20	0.89	(0.49 - 1.60)	5.90	(3.83 - 9.00)	1.10	(0.72 - 1.68)	1.60	(1.14 - 2.23)
Region F - Southern (Circuits 11 and 16)	0.79	(0.47 - 1.31)	5.11	(3.74 - 6.95)	1.07	(0.73 - 1.57)	1.64	(1.24 - 2.15)
Georgia	0.64	(0.43 - 0.94)	3.11	(2.30 - 4.21)	1.44	(0.96 - 2.15)	1.69	(1.22 - 2.35)
Region 1	0.68	(0.36 - 1.28)	3.22	(1.99 - 5.16)	1.16	(0.71 - 1.90)	1.44	(0.95 - 2.17)
Region 2	0.59	(0.31 - 1.12)	3.20	(1.91 - 5.33)	1.61	(0.95 - 2.70)	1.88	(1.20 - 2.93)
Region 3	0.55	(0.30 - 1.02)	3.29	(2.06 - 5.21)	1.61	(1.01 - 2.56)	1.85	(1.24 - 2.76)
Region 4	*	(* - *)	*	(* - *)	1.80	(1.07 - 3.00)	1.90	(1.20 - 3.00)
Region 5	*	(* - *)	*	(* - *)	*	(* - *)	1.60	(1.03 - 2.48)
Region 6	0.73	(0.39 - 1.34)	3.11	(1.84 - 5.21)	1.36	(0.81 - 2.30)	1.63	(1.05 - 2.53)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	0.84	(0.51 - 1.38)	4.32	(3.27 - 5.69)	1.25	(0.79 - 1.98)	1.66	(1.19 - 2.32)
Hawaii Island	0.95	(0.49 - 1.83)	4.53	(2.73 - 7.45)	1.61	(0.93 - 2.77)	1.97	(1.25 - 3.08)
Honolulu	0.83	(0.47 - 1.46)	4.37	(3.18 - 5.98)	1.25	(0.76 - 2.04)	1.69	(1.19 - 2.40)
Kauai and Maui	0.83	(0.46 - 1.47)	3.90	(2.49 - 6.06)	0.97	(0.58 - 1.63)	1.30	(0.86 - 1.97)
Kauai	*	(* - *)	*	(* - *)	*	(* - *)	1.46	(0.90 - 2.39)
Maui	*	(* - *)	3.87	(2.28 - 6.49)	0.89	(0.51 - 1.56)	1.23	(0.78 - 1.92)
Idaho	0.73	(0.48 - 1.13)	3.19	(2.33 - 4.34)	0.75	(0.45 - 1.23)	1.12	(0.78 - 1.60)
Region 1	*	(* - *)	2.67	(1.53 - 4.62)	0.58	(0.32 - 1.04)	0.83	(0.52 - 1.34)
Region 2	*	(* - *)	3.70	(2.16 - 6.26)	*	(* - *)	1.24	(0.80 - 1.94)
Region 3	0.80	(0.42 - 1.55)	3.21	(1.90 - 5.37)	0.77	(0.42 - 1.40)	1.12	(0.70 - 1.79)
Region 4	0.70	(0.36 - 1.36)	3.75	(2.36 - 5.91)	0.93	(0.52 - 1.64)	1.32	(0.85 - 2.04)
Region 5	0.83	(0.44 - 1.55)	3.36	(1.99 - 5.64)	0.68	(0.37 - 1.23)	1.06	(0.66 - 1.69)
Region 6	0.75	(0.39 - 1.45)	2.86	(1.66 - 4.89)	*	(* - *)	1.03	(0.65 - 1.64)
Region 7	*	(* - *)	2.48	(1.43 - 4.26)	*	(* - *)	1.06	(0.68 - 1.66)
Illinois	0.77	(0.57 - 1.04)	4.30	(3.66 - 5.05)	1.50	(1.16 - 1.95)	1.91	(1.58 - 2.31)
Region I (Cook)	0.76	(0.49 - 1.17)	4.58	(3.59 - 5.83)	1.98	(1.45 - 2.69)	2.36	(1.85 - 3.00)
Region II	0.72	(0.46 - 1.14)	3.90	(2.95 - 5.13)	1.13	(0.79 - 1.60)	1.51	(1.17 - 1.96)
Region III	0.99	(0.59 - 1.65)	4.86	(3.42 - 6.87)	1.32	(0.89 - 1.94)	1.92	(1.44 - 2.56)
Region IV	0.89	(0.51 - 1.56)	3.59	(2.34 - 5.47)	1.22	(0.80 - 1.84)	1.54	(1.10 - 2.17)
Region V	0.73	(0.41 - 1.29)	4.04	(2.70 - 6.00)	1.16	(0.77 - 1.77)	1.57	(1.13 - 2.18)
Indiana	0.71	(0.47 - 1.09)	2.96	(2.13 - 4.10)	0.77	(0.45 - 1.30)	1.10	(0.75 - 1.62)
Central	0.67	(0.36 - 1.27)	2.90	(1.71 - 4.88)	0.84	(0.46 - 1.50)	1.12	(0.70 - 1.80)
East	*	(* - *)	2.62	(1.50 - 4.53)	*	(* - *)	1.07	(0.65 - 1.74)
North Central	0.75	(0.39 - 1.42)	2.79	(1.66 - 4.64)	0.69	(0.38 - 1.27)	0.99	(0.61 - 1.60)
Northeast	*	(* - *)	2.78	(1.62 - 4.74)	*	(* - *)	1.01	(0.62 - 1.63)
Northwest	0.61	(0.31 - 1.20)	2.82	(1.64 - 4.82)	0.80	(0.43 - 1.49)	1.08	(0.65 - 1.78)
Southeast	*	(* - *)	3.46	(2.05 - 5.79)	*	(* - *)	1.04	(0.64 - 1.68)
Southwest	*	(* - *)	*	(* - *)	*	(* - *)	1.07	(0.64 - 1.79)
West	0.76	(0.40 - 1.45)	3.32	(1.97 - 5.53)	*	(* - *)	1.38	(0.87 - 2.17)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	0.76	(0.51 - 1.14)	3.38	(2.51 - 4.54)	0.73	(0.45 - 1.19)	1.13	(0.80 - 1.59)
Central	0.67	(0.35 - 1.31)	2.86	(1.69 - 4.82)	0.75	(0.43 - 1.32)	1.04	(0.66 - 1.65)
North Central	*	(* - *)	4.04	(2.37 - 6.78)	*	(* - *)	1.38	(0.87 - 2.16)
Northeast	0.74	(0.40 - 1.37)	2.81	(1.79 - 4.40)	0.77	(0.44 - 1.34)	1.08	(0.71 - 1.64)
Northwest	0.84	(0.45 - 1.56)	3.12	(1.85 - 5.21)	0.60	(0.33 - 1.08)	0.93	(0.59 - 1.47)
Southeast	0.80	(0.43 - 1.47)	4.11	(2.58 - 6.50)	0.78	(0.45 - 1.35)	1.31	(0.87 - 1.97)
Southwest	*	(* - *)	3.38	(2.03 - 5.56)	0.72	(0.40 - 1.29)	1.04	(0.66 - 1.65)
Kansas	0.84	(0.58 - 1.23)	3.75	(2.82 - 4.97)	1.00	(0.64 - 1.57)	1.42	(1.03 - 1.96)
Kansas City Metro	0.84	(0.48 - 1.47)	3.75	(2.43 - 5.74)	1.05	(0.64 - 1.74)	1.45	(0.99 - 2.14)
Northeast	0.72	(0.38 - 1.35)	3.44	(2.10 - 5.58)	0.81	(0.47 - 1.41)	1.28	(0.83 - 1.95)
South Central	0.88	(0.46 - 1.66)	3.89	(2.34 - 6.40)	*	(* - *)	1.28	(0.82 - 1.98)
Southeast	*	(* - *)	3.45	(2.00 - 5.89)	*	(* - *)	1.25	(0.79 - 1.96)
West	1.04	(0.57 - 1.89)	4.25	(2.58 - 6.95)	*	(* - *)	1.24	(0.81 - 1.89)
Wichita (Sedgwick)	0.78	(0.41 - 1.45)	3.88	(2.39 - 6.24)	1.45	(0.82 - 2.55)	1.81	(1.16 - 2.84)
Kentucky	0.78	(0.52 - 1.15)	3.51	(2.62 - 4.68)	0.99	(0.62 - 1.56)	1.34	(0.95 - 1.88)
Adanta, Cumberland River, and Lifeskills	0.84	(0.45 - 1.57)	3.24	(1.96 - 5.31)	1.00	(0.58 - 1.73)	1.32	(0.85 - 2.04)
Bluegrass, Comprehend, and North Key	0.72	(0.39 - 1.34)	3.54	(2.29 - 5.44)	1.06	(0.62 - 1.80)	1.44	(0.95 - 2.17)
Communicare and River Valley	0.86	(0.45 - 1.62)	3.41	(2.02 - 5.69)	*	(* - *)	1.17	(0.75 - 1.82)
Four Rivers and Pennyroyal	*	(* - *)	3.85	(2.28 - 6.41)	1.00	(0.57 - 1.75)	1.41	(0.90 - 2.21)
Kentucky River, Mountain, and Pathways	*	(* - *)	3.05	(1.78 - 5.19)	*	(* - *)	1.26	(0.79 - 2.02)
Seven Counties	0.71	(0.39 - 1.29)	3.80	(2.32 - 6.16)	0.95	(0.56 - 1.63)	1.33	(0.86 - 2.04)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	0.69	(0.46 - 1.02)	3.20	(2.43 - 4.21)	1.29	(0.85 - 1.94)	1.59	(1.15 - 2.18)
Regions 1 and 10	0.52	(0.31 - 0.88)	4.10	(2.77 - 6.03)	1.75	(1.11 - 2.76)	2.12	(1.46 - 3.06)
Region 1	*	(* - *)	3.78	(2.25 - 6.28)	2.07	(1.22 - 3.49)	2.37	(1.53 - 3.67)
Region 10 (Jefferson)	*	(* - *)	4.53	(2.76 - 7.35)	1.45	(0.88 - 2.38)	1.86	(1.23 - 2.80)
Regions 2 and 9	0.63	(0.35 - 1.11)	2.69	(1.70 - 4.22)	1.20	(0.73 - 1.98)	1.44	(0.96 - 2.16)
Region 3	0.68	(0.36 - 1.30)	3.04	(1.78 - 5.13)	1.21	(0.72 - 2.02)	1.48	(0.96 - 2.27)
Regions 4, 5, and 6	0.90	(0.50 - 1.62)	3.68	(2.39 - 5.64)	1.22	(0.74 - 2.00)	1.59	(1.08 - 2.35)
Regions 7 and 8	0.62	(0.34 - 1.14)	2.52	(1.58 - 3.99)	1.09	(0.65 - 1.82)	1.31	(0.86 - 2.00)
Maine	0.87	(0.61 - 1.26)	6.05	(4.78 - 7.63)	1.30	(0.88 - 1.92)	1.89	(1.44 - 2.49)
Aroostook/Downeast	0.86	(0.51 - 1.43)	5.68	(3.91 - 8.19)	1.37	(0.85 - 2.20)	1.86	(1.29 - 2.66)
Aroostook	*	(* - *)	5.25	(3.23 - 8.42)	*	(* - *)	1.88	(1.22 - 2.90)
Downeast	*	(* - *)	6.05	(3.75 - 9.62)	*	(* - *)	1.84	(1.22 - 2.76)
Central	0.76	(0.39 - 1.45)	4.77	(2.92 - 7.69)	1.28	(0.78 - 2.12)	1.70	(1.13 - 2.55)
Cumberland	1.00	(0.55 - 1.82)	8.81	(5.98 - 12.79)	1.83	(1.14 - 2.93)	2.72	(1.93 - 3.84)
Midcoast	*	(* - *)	5.95	(3.65 - 9.53)	*	(* - *)	1.52	(1.00 - 2.30)
Penquis	0.80	(0.43 - 1.45)	5.31	(3.40 - 8.20)	1.45	(0.88 - 2.38)	2.08	(1.42 - 3.03)
Western	0.91	(0.49 - 1.66)	5.19	(3.28 - 8.13)	1.06	(0.65 - 1.73)	1.59	(1.08 - 2.34)
York	0.78	(0.42 - 1.45)	4.98	(3.14 - 7.80)	*	(* - *)	1.32	(0.88 - 1.95)
Maryland	0.61	(0.42 - 0.88)	3.56	(2.68 - 4.71)	1.12	(0.71 - 1.79)	1.47	(1.03 - 2.10)
Anne Arundel	*	(* - *)	4.29	(2.55 - 7.13)	*	(* - *)	1.53	(0.97 - 2.41)
Baltimore City	*	(* - *)	2.65	(1.61 - 4.32)	2.17	(1.23 - 3.81)	2.25	(1.38 - 3.66)
Baltimore County	*	(* - *)	3.40	(2.05 - 5.58)	1.20	(0.68 - 2.09)	1.51	(0.95 - 2.39)
Montgomery	0.70	(0.38 - 1.27)	4.35	(2.69 - 6.97)	0.74	(0.43 - 1.28)	1.16	(0.76 - 1.78)
North Central	*	(* - *)	3.94	(2.29 - 6.70)	*	(* - *)	1.34	(0.83 - 2.16)
Northeast	*	(* - *)	4.23	(2.52 - 7.04)	*	(* - *)	1.49	(0.93 - 2.38)
Prince George's	*	(* - *)	2.69	(1.54 - 4.65)	0.88	(0.49 - 1.57)	1.19	(0.74 - 1.91)
South	0.79	(0.41 - 1.51)	3.76	(2.24 - 6.25)	1.10	(0.62 - 1.95)	1.51	(0.95 - 2.39)
West	*	(* - *)	4.03	(2.44 - 6.59)	1.12	(0.63 - 1.97)	1.51	(0.95 - 2.38)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	0.93	(0.64 - 1.33)	6.00	(4.71 - 7.63)	1.49	(1.02 - 2.17)	2.17	(1.65 - 2.83)
Boston	*	(* - *)	6.06	(3.97 - 9.15)	2.37	(1.49 - 3.76)	3.24	(2.27 - 4.61)
Central	1.18	(0.64 - 2.16)	7.63	(4.91 - 11.68)	1.49	(0.91 - 2.44)	2.37	(1.62 - 3.45)
Metrowest	0.91	(0.51 - 1.59)	6.09	(3.93 - 9.34)	1.31	(0.83 - 2.06)	1.94	(1.36 - 2.75)
Northeast	0.87	(0.49 - 1.56)	5.42	(3.52 - 8.25)	1.35	(0.83 - 2.19)	1.88	(1.29 - 2.74)
Southeast	0.94	(0.52 - 1.70)	5.88	(3.77 - 9.06)	1.37	(0.83 - 2.24)	1.94	(1.32 - 2.84)
Western	0.88	(0.48 - 1.61)	5.27	(3.33 - 8.22)	1.44	(0.89 - 2.31)	2.09	(1.43 - 3.04)
Michigan	0.79	(0.59 - 1.04)	3.57	(3.02 - 4.20)	1.02	(0.75 - 1.38)	1.39	(1.13 - 1.71)
Detroit City	0.30	(0.15 - 0.60)	1.25	(0.73 - 2.11)	1.93	(1.18 - 3.14)	1.80	(1.15 - 2.82)
Genesee	0.64	(0.35 - 1.17)	2.71	(1.68 - 4.35)	1.14	(0.73 - 1.78)	1.36	(0.94 - 1.96)
Kalamazoo	0.79	(0.46 - 1.37)	3.51	(2.31 - 5.28)	0.86	(0.57 - 1.31)	1.28	(0.92 - 1.77)
Kent	0.81	(0.47 - 1.39)	3.82	(2.53 - 5.74)	1.08	(0.71 - 1.64)	1.51	(1.09 - 2.09)
Lakeshore	0.82	(0.47 - 1.41)	3.51	(2.30 - 5.33)	0.88	(0.58 - 1.34)	1.28	(0.91 - 1.79)
Macomb	0.71	(0.40 - 1.24)	3.15	(2.05 - 4.81)	0.89	(0.59 - 1.36)	1.18	(0.85 - 1.64)
Mid South	0.73	(0.42 - 1.28)	3.86	(2.59 - 5.73)	0.97	(0.64 - 1.48)	1.49	(1.07 - 2.05)
Northern	1.36	(0.77 - 2.39)	4.66	(3.19 - 6.77)	0.78	(0.50 - 1.23)	1.33	(0.97 - 1.82)
Oakland	0.82	(0.49 - 1.37)	4.29	(2.98 - 6.13)	0.92	(0.61 - 1.39)	1.32	(0.98 - 1.79)
Pathways and Western	0.87	(0.48 - 1.55)	3.88	(2.46 - 6.05)	0.73	(0.47 - 1.14)	1.19	(0.84 - 1.68)
Riverhaven	0.93	(0.52 - 1.66)	4.45	(2.87 - 6.83)	0.95	(0.61 - 1.49)	1.39	(0.98 - 1.97)
Saginaw	*	(* - *)	3.52	(2.18 - 5.65)	1.18	(0.73 - 1.90)	1.54	(1.04 - 2.27)
Southeast	0.80	(0.47 - 1.36)	3.52	(2.46 - 5.01)	1.24	(0.80 - 1.89)	1.54	(1.10 - 2.15)
St. Clair	0.84	(0.46 - 1.53)	3.77	(2.32 - 6.05)	0.78	(0.49 - 1.23)	1.15	(0.79 - 1.66)
Washtenaw	0.68	(0.38 - 1.23)	3.76	(2.56 - 5.48)	0.87	(0.56 - 1.34)	1.41	(1.03 - 1.94)
Minnesota	0.68	(0.46 - 1.01)	3.79	(2.86 - 5.01)	0.93	(0.61 - 1.44)	1.34	(0.97 - 1.84)
Regions 1 and 2	*	(* - *)	3.54	(2.05 - 6.04)	*	(* - *)	1.25	(0.80 - 1.95)
Regions 3 and 4	0.69	(0.36 - 1.31)	3.05	(1.85 - 4.98)	0.81	(0.48 - 1.38)	1.14	(0.74 - 1.74)
Regions 5 and 6	0.81	(0.44 - 1.48)	4.33	(2.67 - 6.95)	0.80	(0.46 - 1.37)	1.32	(0.87 - 2.00)
Region 7A (Hennepin)	0.66	(0.35 - 1.21)	4.91	(3.21 - 7.45)	1.29	(0.78 - 2.12)	1.79	(1.21 - 2.64)
Region 7B (Ramsey)	*	(* - *)	3.35	(1.98 - 5.62)	*	(* - *)	1.48	(0.95 - 2.29)
Region 7C	0.59	(0.32 - 1.11)	3.00	(1.83 - 4.89)	0.75	(0.44 - 1.28)	1.03	(0.67 - 1.58)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	0.73	(0.48 - 1.09)	2.53	(1.84 - 3.48)	1.38	(0.91 - 2.09)	1.56	(1.10 - 2.21)
Region 1	0.99	(0.53 - 1.83)	3.27	(2.03 - 5.22)	1.23	(0.74 - 2.04)	1.54	(1.01 - 2.36)
Region 2	*	(* - *)	1.60	(0.88 - 2.90)	1.64	(0.96 - 2.80)	1.64	(1.00 - 2.68)
Region 3	0.67	(0.35 - 1.26)	2.25	(1.36 - 3.68)	1.29	(0.77 - 2.16)	1.45	(0.93 - 2.26)
Region 4	0.56	(0.30 - 1.05)	2.08	(1.24 - 3.45)	1.58	(0.96 - 2.58)	1.65	(1.06 - 2.56)
Region 5	*	(* - *)	*	(* - *)	*	(* - *)	1.36	(0.84 - 2.19)
Region 6	0.69	(0.36 - 1.33)	2.27	(1.32 - 3.88)	1.35	(0.81 - 2.24)	1.50	(0.96 - 2.34)
Region 7	0.87	(0.46 - 1.65)	3.46	(2.07 - 5.72)	1.33	(0.81 - 2.16)	1.63	(1.07 - 2.48)
Missouri	0.79	(0.55 - 1.13)	3.40	(2.55 - 4.51)	0.95	(0.60 - 1.49)	1.30	(0.93 - 1.83)
Central	0.77	(0.40 - 1.45)	3.22	(1.97 - 5.22)	0.86	(0.50 - 1.49)	1.28	(0.84 - 1.96)
Eastern	0.77	(0.47 - 1.26)	3.58	(2.40 - 5.29)	1.06	(0.64 - 1.76)	1.41	(0.95 - 2.10)
Eastern (St. Louis City and County)	0.60	(0.32 - 1.13)	3.73	(2.30 - 5.98)	1.28	(0.74 - 2.22)	1.64	(1.05 - 2.55)
Eastern (excluding St. Louis)	1.03	(0.55 - 1.92)	3.28	(1.89 - 5.63)	*	(* - *)	1.01	(0.64 - 1.60)
Northwest	0.73	(0.44 - 1.19)	3.35	(2.29 - 4.88)	0.95	(0.58 - 1.55)	1.28	(0.87 - 1.89)
Northwest (Jackson)	*	(* - *)	3.47	(2.14 - 5.58)	1.28	(0.73 - 2.21)	1.58	(1.00 - 2.49)
Northwest (excluding Jackson)	*	(* - *)	3.24	(1.92 - 5.42)	*	(* - *)	1.03	(0.66 - 1.61)
Southeast	0.85	(0.47 - 1.53)	3.00	(1.77 - 5.04)	0.80	(0.45 - 1.40)	1.10	(0.70 - 1.74)
Southwest	0.89	(0.49 - 1.61)	3.58	(2.16 - 5.89)	0.88	(0.51 - 1.52)	1.27	(0.82 - 1.95)
Montana	1.09	(0.74 - 1.59)	5.15	(4.01 - 6.58)	0.97	(0.62 - 1.49)	1.55	(1.17 - 2.06)
Region 1	*	(* - *)	4.05	(2.41 - 6.74)	*	(* - *)	1.11	(0.72 - 1.71)
Region 2	0.96	(0.52 - 1.78)	4.20	(2.56 - 6.82)	1.01	(0.60 - 1.71)	1.47	(0.97 - 2.24)
Region 3	1.06	(0.59 - 1.90)	4.97	(3.27 - 7.47)	0.94	(0.55 - 1.59)	1.44	(0.98 - 2.13)
Region 4	1.09	(0.61 - 1.92)	5.12	(3.38 - 7.66)	0.97	(0.58 - 1.60)	1.61	(1.12 - 2.30)
Region 5	1.18	(0.69 - 2.03)	5.95	(4.14 - 8.46)	1.02	(0.61 - 1.69)	1.72	(1.23 - 2.40)
Nebraska	0.90	(0.61 - 1.32)	4.25	(3.23 - 5.58)	0.95	(0.62 - 1.47)	1.45	(1.07 - 1.95)
Regions 1 and 2	0.95	(0.57 - 1.58)	4.48	(2.94 - 6.75)	0.81	(0.49 - 1.35)	1.27	(0.86 - 1.87)
Region 1	*	(* - *)	*	(* - *)	*	(* - *)	1.34	(0.85 - 2.12)
Region 2	*	(* - *)	4.59	(2.74 - 7.59)	*	(* - *)	1.21	(0.78 - 1.87)
Region 3	0.83	(0.45 - 1.53)	3.49	(2.10 - 5.77)	0.78	(0.45 - 1.34)	1.17	(0.77 - 1.78)
Region 4	*	(* - *)	3.50	(2.09 - 5.79)	*	(* - *)	1.12	(0.72 - 1.73)
Region 5	0.84	(0.48 - 1.47)	4.19	(2.76 - 6.30)	0.95	(0.57 - 1.57)	1.51	(1.05 - 2.18)
Region 6	0.96	(0.55 - 1.66)	4.65	(3.16 - 6.80)	1.09	(0.67 - 1.78)	1.62	(1.14 - 2.32)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	0.94	(0.58 - 1.51)	4.82	(3.53 - 6.55)	1.21	(0.78 - 1.86)	1.71	(1.24 - 2.35)
Clark – Region 1	0.89	(0.49 - 1.60)	4.33	(2.90 - 6.42)	1.20	(0.76 - 1.91)	1.64	(1.14 - 2.34)
Region 3	1.01	(0.60 - 1.69)	5.46	(3.58 - 8.25)	0.87	(0.53 - 1.43)	1.43	(0.97 - 2.09)
Capital District	*	(* - *)	6.36	(3.79 - 10.49)	*	(* - *)	1.55	(1.00 - 2.38)
Rural/Frontier	*	(* - *)	4.73	(2.72 - 8.10)	*	(* - *)	1.32	(0.83 - 2.07)
Washoe – Region 2	1.13	(0.62 - 2.04)	6.41	(4.31 - 9.42)	1.49	(0.90 - 2.47)	2.25	(1.56 - 3.25)
New Hampshire	0.91	(0.61 - 1.34)	7.19	(5.77 - 8.92)	1.30	(0.88 - 1.93)	2.10	(1.61 - 2.72)
Central	0.98	(0.60 - 1.59)	7.50	(5.58 - 10.00)	1.47	(0.94 - 2.29)	2.35	(1.73 - 3.17)
Central 1	1.03	(0.56 - 1.90)	8.01	(5.50 - 11.54)	1.47	(0.90 - 2.39)	2.56	(1.80 - 3.61)
Central 2	0.93	(0.50 - 1.74)	6.82	(4.47 - 10.26)	1.47	(0.88 - 2.45)	2.14	(1.46 - 3.13)
Northern	0.96	(0.52 - 1.77)	7.63	(5.00 - 11.49)	1.14	(0.70 - 1.87)	2.03	(1.42 - 2.90)
Southern	0.87	(0.54 - 1.38)	6.91	(5.21 - 9.12)	1.26	(0.82 - 1.92)	1.99	(1.48 - 2.66)
Southern 1 (Rockingham)	0.96	(0.54 - 1.71)	7.08	(4.80 - 10.32)	0.92	(0.57 - 1.50)	1.62	(1.15 - 2.28)
Southern 2	0.80	(0.45 - 1.44)	6.83	(4.79 - 9.64)	1.47	(0.92 - 2.35)	2.21	(1.58 - 3.10)
New Jersey	0.81	(0.53 - 1.23)	5.61	(4.31 - 7.27)	1.58	(1.06 - 2.35)	2.11	(1.56 - 2.85)
Central	0.76	(0.41 - 1.42)	5.74	(3.60 - 9.05)	1.40	(0.86 - 2.27)	1.94	(1.31 - 2.86)
Metropolitan	0.82	(0.45 - 1.49)	6.30	(4.22 - 9.32)	2.06	(1.26 - 3.37)	2.66	(1.81 - 3.89)
Northern	0.90	(0.50 - 1.62)	5.74	(3.85 - 8.46)	1.44	(0.91 - 2.27)	1.99	(1.39 - 2.83)
Southern	0.72	(0.37 - 1.37)	4.46	(2.80 - 7.03)	1.45	(0.88 - 2.39)	1.86	(1.23 - 2.79)
New Mexico	1.36	(0.93 - 2.00)	5.82	(4.55 - 7.42)	1.58	(1.04 - 2.40)	2.21	(1.64 - 2.96)
Region 1	1.11	(0.60 - 2.05)	4.33	(2.78 - 6.66)	1.39	(0.83 - 2.32)	1.82	(1.22 - 2.71)
Region 2	1.22	(0.67 - 2.23)	6.50	(4.09 - 10.19)	1.38	(0.80 - 2.35)	1.96	(1.30 - 2.97)
Region 3 (Bernalillo)	1.61	(0.89 - 2.89)	7.23	(5.12 - 10.13)	1.96	(1.19 - 3.21)	2.75	(1.94 - 3.88)
Region 4	1.24	(0.67 - 2.27)	4.36	(2.72 - 6.91)	1.26	(0.77 - 2.07)	1.76	(1.18 - 2.60)
Region 5	1.47	(0.83 - 2.56)	5.58	(3.61 - 8.54)	1.51	(0.90 - 2.52)	2.18	(1.48 - 3.18)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	0.77	(0.59 - 1.01)	5.33	(4.63 - 6.14)	1.64	(1.27 - 2.11)	2.19	(1.84 - 2.62)
Region A	0.68	(0.47 - 0.98)	4.63	(3.76 - 5.69)	2.11	(1.59 - 2.79)	2.50	(2.01 - 3.10)
Region 1	0.66	(0.35 - 1.23)	2.94	(1.85 - 4.66)	2.18	(1.39 - 3.39)	2.31	(1.58 - 3.36)
Region 2	0.68	(0.40 - 1.14)	3.88	(2.75 - 5.44)	2.06	(1.44 - 2.95)	2.34	(1.74 - 3.14)
Region 3	0.75	(0.42 - 1.33)	7.32	(5.14 - 10.33)	2.83	(1.92 - 4.16)	3.51	(2.58 - 4.77)
Region 4	0.66	(0.37 - 1.18)	4.73	(3.25 - 6.83)	1.58	(1.07 - 2.32)	2.02	(1.48 - 2.73)
Region B	0.76	(0.52 - 1.11)	6.34	(5.05 - 7.92)	1.21	(0.88 - 1.67)	1.90	(1.54 - 2.35)
Region 5	0.72	(0.43 - 1.19)	6.66	(4.89 - 9.01)	1.12	(0.77 - 1.64)	1.85	(1.43 - 2.40)
Region 6	0.65	(0.35 - 1.20)	4.82	(3.17 - 7.26)	1.29	(0.84 - 1.97)	1.75	(1.25 - 2.44)
Region 7	1.09	(0.61 - 1.93)	7.41	(5.03 - 10.79)	1.39	(0.89 - 2.17)	2.32	(1.68 - 3.19)
Region C	0.87	(0.62 - 1.22)	5.67	(4.60 - 6.98)	1.41	(1.05 - 1.90)	2.08	(1.69 - 2.56)
Region 8	0.93	(0.53 - 1.61)	6.76	(4.56 - 9.90)	1.41	(0.94 - 2.09)	2.20	(1.62 - 3.00)
Region 9	1.04	(0.60 - 1.78)	5.24	(3.59 - 7.60)	1.40	(0.92 - 2.12)	2.01	(1.47 - 2.76)
Region 10	*	(* - *)	4.75	(3.06 - 7.30)	1.18	(0.79 - 1.76)	1.88	(1.36 - 2.59)
Region 11	0.83	(0.48 - 1.44)	6.01	(4.14 - 8.66)	1.42	(0.94 - 2.14)	2.14	(1.57 - 2.92)
Region 12	0.72	(0.41 - 1.28)	5.26	(3.50 - 7.83)	1.50	(1.01 - 2.22)	2.06	(1.49 - 2.84)
Region D	0.97	(0.64 - 1.47)	5.21	(3.90 - 6.94)	1.22	(0.88 - 1.69)	1.83	(1.44 - 2.34)
Region 13	0.90	(0.50 - 1.64)	5.59	(3.61 - 8.57)	1.18	(0.77 - 1.79)	1.84	(1.31 - 2.56)
Region 14	*	(* - *)	4.88	(3.04 - 7.73)	1.23	(0.82 - 1.86)	1.83	(1.31 - 2.56)
Region 15	1.05	(0.57 - 1.91)	5.24	(3.36 - 8.09)	1.24	(0.81 - 1.90)	1.83	(1.29 - 2.60)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	0.84	(0.59 - 1.20)	4.28	(3.26 - 5.61)	1.37	(0.90 - 2.07)	1.78	(1.29 - 2.46)
Alliance	0.69	(0.38 - 1.24)	3.89	(2.45 - 6.14)	1.55	(0.96 - 2.51)	1.91	(1.28 - 2.84)
Cardinal Innovations	1.12	(0.61 - 2.03)	5.73	(3.57 - 9.08)	1.35	(0.79 - 2.30)	1.94	(1.28 - 2.94)
CenterPoint/Guilford	*	(* - *)	3.83	(2.52 - 5.78)	*	(* - *)	1.71	(1.16 - 2.50)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Guilford	*	(* - *)	2.99	(1.76 - 5.03)	*	(* - *)	1.68	(1.06 - 2.63)
CoastalCare	*	(* - *)	5.10	(3.03 - 8.47)	*	(* - *)	2.22	(1.44 - 3.41)
Eastpointe	*	(* - *)	2.95	(1.75 - 4.93)	1.31	(0.77 - 2.23)	1.53	(0.97 - 2.42)
ECBH	*	(* - *)	3.89	(2.26 - 6.60)	*	(* - *)	1.80	(1.15 - 2.81)
MeckLINK	*	(* - *)	3.49	(2.06 - 5.84)	*	(* - *)	1.71	(1.09 - 2.66)
Partners	0.90	(0.48 - 1.67)	4.09	(2.49 - 6.65)	1.31	(0.78 - 2.20)	1.66	(1.08 - 2.54)
Sandhills	*	(* - *)	3.78	(2.17 - 6.53)	*	(* - *)	1.48	(0.94 - 2.34)
Smoky Mountain	*	(* - *)	4.78	(2.86 - 7.89)	*	(* - *)	1.65	(1.06 - 2.56)
Western Highlands	*	(* - *)	6.06	(3.69 - 9.79)	*	(* - *)	1.73	(1.14 - 2.62)
North Dakota	0.68	(0.44 - 1.06)	2.80	(2.00 - 3.89)	0.62	(0.36 - 1.07)	1.00	(0.69 - 1.45)
Badlands and West Central	0.68	(0.36 - 1.26)	2.79	(1.67 - 4.62)	0.55	(0.30 - 1.02)	0.86	(0.54 - 1.37)
Lake Region and South Central	0.81	(0.42 - 1.56)	3.50	(2.04 - 5.94)	0.53	(0.27 - 1.01)	0.90	(0.55 - 1.47)
North Central and Northwest	0.66	(0.34 - 1.29)	2.61	(1.51 - 4.45)	0.54	(0.29 - 1.00)	0.88	(0.55 - 1.40)
Northeast	*	(* - *)	3.07	(1.90 - 4.94)	0.74	(0.40 - 1.37)	1.30	(0.85 - 1.99)
Southeast	0.63	(0.33 - 1.19)	2.54	(1.54 - 4.15)	0.76	(0.41 - 1.40)	1.13	(0.71 - 1.79)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	0.71	(0.54 - 0.93)	3.96	(3.40 - 4.61)	1.24	(0.95 - 1.62)	1.63	(1.34 - 1.97)
Boards 2, 46, 55, and 68	0.91	(0.51 - 1.62)	4.21	(2.71 - 6.48)	1.07	(0.69 - 1.66)	1.50	(1.06 - 2.11)
Boards 3, 52, and 85	0.70	(0.38 - 1.30)	3.20	(1.97 - 5.15)	1.08	(0.70 - 1.68)	1.37	(0.95 - 1.97)
Boards 4 and 78	*	(* - *)	4.19	(2.59 - 6.71)	1.19	(0.77 - 1.83)	1.55	(1.08 - 2.23)
Boards 5 and 60	0.84	(0.46 - 1.52)	3.78	(2.42 - 5.87)	1.18	(0.77 - 1.80)	1.65	(1.17 - 2.32)
Boards 7, 15, 41, 79, and 84	0.74	(0.41 - 1.35)	3.62	(2.38 - 5.48)	0.98	(0.64 - 1.50)	1.30	(0.93 - 1.83)
Boards 8, 13, and 83	0.78	(0.44 - 1.38)	3.72	(2.40 - 5.74)	1.00	(0.65 - 1.54)	1.33	(0.95 - 1.87)
Board 9 (Butler)	*	(* - *)	3.73	(2.35 - 5.86)	0.80	(0.53 - 1.22)	1.28	(0.91 - 1.79)
Board 12	1.07	(0.56 - 2.03)	4.29	(2.69 - 6.79)	1.12	(0.71 - 1.77)	1.63	(1.13 - 2.35)
Boards 18 and 47	0.55	(0.32 - 0.94)	3.73	(2.61 - 5.31)	1.14	(0.77 - 1.69)	1.48	(1.09 - 2.03)
Boards 20, 32, 54, and 69	0.77	(0.44 - 1.36)	3.98	(2.52 - 6.24)	1.01	(0.66 - 1.55)	1.40	(0.99 - 1.98)
Boards 21, 39, 51, 70, and 80	0.77	(0.43 - 1.39)	3.88	(2.47 - 6.04)	0.88	(0.56 - 1.38)	1.25	(0.87 - 1.79)
Boards 22, 74, and 87	0.76	(0.43 - 1.36)	4.41	(2.90 - 6.66)	0.96	(0.63 - 1.48)	1.50	(1.08 - 2.08)
Boards 23 and 45	0.86	(0.47 - 1.56)	4.61	(2.84 - 7.41)	1.07	(0.71 - 1.62)	1.56	(1.11 - 2.21)
Board 25 (Franklin)	0.70	(0.40 - 1.24)	5.44	(3.83 - 7.66)	1.90	(1.30 - 2.78)	2.50	(1.86 - 3.37)
Boards 27, 71, and 73	0.78	(0.43 - 1.41)	3.43	(2.21 - 5.28)	1.35	(0.87 - 2.10)	1.62	(1.12 - 2.33)
Boards 28, 43, and 67	0.76	(0.43 - 1.35)	4.06	(2.61 - 6.24)	0.90	(0.59 - 1.38)	1.36	(0.98 - 1.90)
Board 31 (Hamilton)	0.49	(0.27 - 0.88)	3.17	(2.02 - 4.95)	1.74	(1.15 - 2.62)	1.96	(1.38 - 2.77)
Board 48 (Lucas)	0.68	(0.37 - 1.25)	3.50	(2.17 - 5.59)	1.25	(0.83 - 1.89)	1.61	(1.14 - 2.27)
Boards 50 and 76	0.63	(0.35 - 1.15)	3.49	(2.26 - 5.36)	1.12	(0.73 - 1.70)	1.42	(1.01 - 2.00)
Board 57 (Montgomery)	0.64	(0.36 - 1.15)	3.71	(2.34 - 5.85)	1.79	(1.15 - 2.76)	2.06	(1.42 - 2.97)
Board 77 (Summit)	0.58	(0.32 - 1.06)	3.36	(2.10 - 5.34)	1.20	(0.78 - 1.83)	1.49	(1.04 - 2.13)
Oklahoma	0.76	(0.50 - 1.15)	3.09	(2.26 - 4.21)	0.85	(0.53 - 1.38)	1.19	(0.83 - 1.71)
Central	*	(* - *)	3.60	(2.14 - 5.99)	*	(* - *)	1.21	(0.78 - 1.89)
East Central	*	(* - *)	2.39	(1.38 - 4.12)	*	(* - *)	0.99	(0.60 - 1.63)
Northeast	0.66	(0.33 - 1.30)	2.39	(1.42 - 3.99)	0.59	(0.33 - 1.06)	0.88	(0.56 - 1.38)
Northwest and Southwest	1.03	(0.53 - 2.00)	3.55	(2.09 - 5.97)	0.78	(0.43 - 1.39)	1.21	(0.76 - 1.92)
Oklahoma County	0.68	(0.35 - 1.29)	3.38	(2.06 - 5.48)	1.00	(0.57 - 1.75)	1.37	(0.88 - 2.12)
Southeast	0.80	(0.41 - 1.55)	2.85	(1.67 - 4.82)	0.93	(0.51 - 1.69)	1.20	(0.74 - 1.95)
Tulsa County	*	(* - *)	3.13	(1.85 - 5.23)	1.04	(0.59 - 1.84)	1.35	(0.85 - 2.14)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	1.16	(0.80 - 1.68)	6.41	(5.07 - 8.09)	1.30	(0.85 - 1.98)	2.01	(1.51 - 2.67)
Region 1 (Multnomah)	1.44	(0.79 - 2.62)	9.97	(6.92 - 14.16)	2.37	(1.43 - 3.89)	3.39	(2.36 - 4.86)
Region 2	1.14	(0.65 - 1.98)	5.96	(3.88 - 9.04)	0.98	(0.58 - 1.65)	1.61	(1.09 - 2.37)
Region 3	1.09	(0.63 - 1.87)	5.37	(3.71 - 7.73)	1.07	(0.65 - 1.75)	1.77	(1.24 - 2.50)
Region 4	1.10	(0.60 - 2.02)	5.55	(3.45 - 8.82)	1.05	(0.61 - 1.81)	1.59	(1.04 - 2.41)
Region 5 (Central)	*	(* - *)	5.93	(3.62 - 9.59)	*	(* - *)	1.57	(1.02 - 2.40)
Region 6 (Eastern)	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Pennsylvania	0.68	(0.50 - 0.94)	4.45	(3.77 - 5.24)	1.38	(1.05 - 1.81)	1.82	(1.50 - 2.21)
Region 1 (Allegheny)	0.66	(0.38 - 1.14)	5.23	(3.60 - 7.53)	1.80	(1.21 - 2.67)	2.28	(1.65 - 3.13)
Regions 3, 8, 9, and 51	0.75	(0.42 - 1.34)	3.95	(2.56 - 6.05)	1.36	(0.87 - 2.13)	1.73	(1.21 - 2.48)
Regions 4, 11, 37, and 49	0.83	(0.47 - 1.48)	5.01	(3.30 - 7.55)	0.90	(0.59 - 1.37)	1.46	(1.05 - 2.02)
Regions 5, 18, 23, 24, and 46	0.79	(0.44 - 1.41)	3.78	(2.45 - 5.79)	1.02	(0.66 - 1.58)	1.39	(0.98 - 1.96)
Regions 6, 12, 16, 31, 35, 45, and 47	0.73	(0.40 - 1.35)	3.92	(2.56 - 5.96)	0.93	(0.60 - 1.43)	1.52	(1.09 - 2.11)
Regions 7, 13, 20, and 33	0.65	(0.38 - 1.11)	4.55	(3.31 - 6.22)	1.05	(0.73 - 1.51)	1.50	(1.15 - 1.96)
Regions 10, 15, 27, 32, 43, and 44	0.72	(0.39 - 1.31)	3.93	(2.44 - 6.28)	1.23	(0.81 - 1.88)	1.56	(1.09 - 2.23)
Regions 17 and 21	0.68	(0.37 - 1.27)	3.51	(2.13 - 5.75)	1.35	(0.89 - 2.03)	1.69	(1.19 - 2.39)
Regions 19, 26, 28, and 42	0.63	(0.35 - 1.11)	3.93	(2.62 - 5.85)	1.10	(0.73 - 1.66)	1.48	(1.08 - 2.04)
Regions 22, 38, 40, 41, and 48	0.71	(0.41 - 1.25)	4.97	(3.30 - 7.41)	1.33	(0.86 - 2.03)	1.75	(1.25 - 2.45)
Regions 29 and 34	0.84	(0.46 - 1.50)	6.53	(4.29 - 9.82)	1.09	(0.72 - 1.66)	1.83	(1.33 - 2.53)
Regions 30 and 50	0.72	(0.40 - 1.29)	4.76	(3.02 - 7.43)	1.04	(0.68 - 1.59)	1.54	(1.09 - 2.16)
Region 36 (Philadelphia)	0.50	(0.27 - 0.93)	4.06	(2.77 - 5.92)	2.94	(2.01 - 4.28)	3.15	(2.30 - 4.31)
Rhode Island	0.82	(0.54 - 1.27)	6.46	(5.15 - 8.09)	1.91	(1.28 - 2.85)	2.65	(2.00 - 3.50)
Bristol and Newport	*	(* - *)	5.43	(3.37 - 8.63)	*	(* - *)	1.75	(1.17 - 2.60)
Kent	0.83	(0.44 - 1.59)	6.10	(3.89 - 9.43)	1.63	(0.97 - 2.72)	2.16	(1.43 - 3.23)
Providence	0.77	(0.43 - 1.36)	6.19	(4.60 - 8.29)	2.25	(1.45 - 3.46)	2.93	(2.14 - 4.00)
Washington	1.15	(0.60 - 2.18)	8.90	(5.91 - 13.19)	1.53	(0.89 - 2.61)	2.87	(1.97 - 4.16)
South Carolina	0.64	(0.42 - 0.96)	3.59	(2.71 - 4.75)	1.52	(1.03 - 2.25)	1.83	(1.33 - 2.50)
Region 1	0.73	(0.40 - 1.32)	3.72	(2.42 - 5.66)	1.60	(0.98 - 2.60)	1.90	(1.27 - 2.84)
Region 2	0.61	(0.33 - 1.14)	3.44	(2.21 - 5.32)	1.29	(0.81 - 2.06)	1.62	(1.10 - 2.37)
Region 3	0.57	(0.30 - 1.08)	2.86	(1.74 - 4.67)	1.69	(1.02 - 2.80)	1.85	(1.20 - 2.86)
Region 4	0.61	(0.34 - 1.12)	4.09	(2.62 - 6.32)	1.60	(1.00 - 2.53)	1.97	(1.34 - 2.88)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	0.70	(0.44 - 1.10)	2.64	(1.87 - 3.71)	0.63	(0.37 - 1.07)	0.93	(0.63 - 1.37)
Region 1	0.70	(0.38 - 1.30)	2.74	(1.65 - 4.53)	0.61	(0.34 - 1.11)	0.92	(0.58 - 1.45)
Region 2	*	(* - *)	2.35	(1.34 - 4.11)	*	(* - *)	0.73	(0.44 - 1.21)
Region 3	0.64	(0.33 - 1.23)	2.32	(1.36 - 3.95)	0.58	(0.31 - 1.07)	0.88	(0.54 - 1.41)
Region 4	*	(* - *)	2.52	(1.41 - 4.45)	0.51	(0.27 - 0.97)	0.83	(0.50 - 1.36)
Region 5	0.74	(0.39 - 1.38)	3.03	(1.87 - 4.87)	0.80	(0.45 - 1.42)	1.11	(0.71 - 1.74)
Tennessee	0.78	(0.53 - 1.14)	3.35	(2.47 - 4.53)	1.20	(0.79 - 1.81)	1.50	(1.08 - 2.09)
Region 1	*	(* - *)	4.28	(2.54 - 7.14)	1.04	(0.61 - 1.76)	1.45	(0.94 - 2.22)
Region 2	0.86	(0.47 - 1.57)	4.34	(2.62 - 7.11)	1.27	(0.75 - 2.12)	1.68	(1.10 - 2.55)
Region 3	0.97	(0.52 - 1.78)	3.66	(2.20 - 6.02)	1.16	(0.69 - 1.94)	1.50	(0.97 - 2.30)
Region 4 (Davidson)	*	(* - *)	3.96	(2.37 - 6.53)	1.59	(0.95 - 2.63)	1.96	(1.28 - 3.00)
Region 5	0.81	(0.44 - 1.47)	2.90	(1.76 - 4.73)	0.88	(0.53 - 1.47)	1.16	(0.76 - 1.77)
Region 6	0.80	(0.42 - 1.51)	2.61	(1.52 - 4.45)	*	(* - *)	1.36	(0.86 - 2.16)
Region 7 (Shelby)	*	(* - *)	2.20	(1.27 - 3.79)	1.52	(0.89 - 2.59)	1.63	(1.01 - 2.60)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	1.17	(0.90 - 1.52)	4.31	(3.67 - 5.05)	0.98	(0.73 - 1.33)	1.51	(1.25 - 1.82)
Region 1	1.36	(0.79 - 2.33)	5.47	(3.56 - 8.33)	1.00	(0.65 - 1.52)	1.81	(1.29 - 2.52)
Region 2	*	(* - *)	3.99	(2.41 - 6.54)	*	(* - *)	1.27	(0.86 - 1.88)
Region 3	1.19	(0.81 - 1.76)	4.55	(3.57 - 5.80)	1.02	(0.72 - 1.44)	1.54	(1.22 - 1.94)
Region 3a	1.34	(0.82 - 2.16)	4.93	(3.62 - 6.68)	1.01	(0.68 - 1.50)	1.59	(1.21 - 2.08)
Region 3bc	0.94	(0.58 - 1.54)	3.90	(2.70 - 5.59)	1.03	(0.68 - 1.58)	1.46	(1.06 - 1.99)
Region 4	0.94	(0.51 - 1.73)	3.56	(2.26 - 5.57)	0.88	(0.54 - 1.43)	1.25	(0.85 - 1.83)
Region 5	0.88	(0.49 - 1.58)	3.22	(2.04 - 5.05)	0.89	(0.56 - 1.42)	1.24	(0.86 - 1.78)
Region 6	1.10	(0.72 - 1.67)	3.72	(2.78 - 4.95)	1.01	(0.69 - 1.47)	1.42	(1.08 - 1.87)
Region 6a	1.09	(0.69 - 1.71)	3.60	(2.61 - 4.94)	1.02	(0.68 - 1.51)	1.41	(1.06 - 1.89)
Region 6bc	1.23	(0.67 - 2.22)	4.87	(3.05 - 7.70)	*	(* - *)	1.48	(1.02 - 2.14)
Region 7	1.10	(0.71 - 1.71)	5.21	(3.94 - 6.85)	1.09	(0.75 - 1.58)	1.86	(1.45 - 2.38)
Region 7a	1.22	(0.72 - 2.09)	6.24	(4.36 - 8.85)	1.18	(0.78 - 1.79)	2.03	(1.51 - 2.73)
Region 7bcd	0.90	(0.50 - 1.62)	3.86	(2.55 - 5.82)	0.93	(0.59 - 1.47)	1.57	(1.11 - 2.19)
Region 8	1.15	(0.68 - 1.94)	4.37	(2.97 - 6.41)	0.94	(0.60 - 1.46)	1.48	(1.07 - 2.04)
Region 9	*	(* - *)	5.58	(3.58 - 8.61)	*	(* - *)	1.79	(1.26 - 2.52)
Region 10	1.73	(0.99 - 3.01)	3.95	(2.51 - 6.16)	0.88	(0.55 - 1.41)	1.43	(1.00 - 2.04)
Region 11	1.29	(0.81 - 2.07)	3.70	(2.57 - 5.29)	0.86	(0.57 - 1.29)	1.35	(1.01 - 1.82)
Region 11abd	1.29	(0.73 - 2.29)	4.13	(2.69 - 6.30)	0.87	(0.55 - 1.38)	1.42	(1.00 - 2.00)
Region 11c (Hidalgo)	1.29	(0.71 - 2.33)	2.99	(1.78 - 4.99)	0.85	(0.53 - 1.36)	1.24	(0.85 - 1.83)
Utah	0.79	(0.52 - 1.20)	3.67	(2.77 - 4.84)	1.14	(0.77 - 1.69)	1.62	(1.22 - 2.15)
Bear River, Northeastern, Summit, Tooele, and Wasatch	0.73	(0.38 - 1.39)	3.34	(2.05 - 5.41)	0.93	(0.56 - 1.56)	1.39	(0.92 - 2.10)
Central, Four Corners, San Juan, and Southwest	*	(* - *)	2.94	(1.73 - 4.97)	*	(* - *)	1.27	(0.83 - 1.93)
Davis County	*	(* - *)	3.30	(1.92 - 5.64)	1.10	(0.65 - 1.85)	1.47	(0.95 - 2.26)
Salt Lake County	0.86	(0.48 - 1.56)	4.27	(2.86 - 6.32)	1.32	(0.85 - 2.06)	1.82	(1.29 - 2.55)
Utah County	0.71	(0.38 - 1.32)	3.21	(2.02 - 5.08)	1.05	(0.63 - 1.72)	1.62	(1.10 - 2.38)
Weber, Morgan	*	(* - *)	4.53	(2.72 - 7.45)	1.15	(0.69 - 1.93)	1.72	(1.14 - 2.60)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	1.18	(0.79 - 1.75)	8.54	(6.89 - 10.56)	1.46	(0.98 - 2.17)	2.49	(1.95 - 3.17)
Champlain Valley	1.28	(0.74 - 2.22)	9.19	(6.84 - 12.24)	1.50	(0.96 - 2.36)	2.88	(2.19 - 3.79)
Rural Northeast	1.05	(0.59 - 1.86)	7.93	(5.42 - 11.48)	1.63	(1.00 - 2.65)	2.44	(1.72 - 3.46)
Rural Southeast	1.29	(0.72 - 2.29)	9.11	(6.14 - 13.31)	1.39	(0.84 - 2.30)	2.24	(1.56 - 3.21)
Rural Southwest	0.97	(0.52 - 1.80)	6.61	(4.27 - 10.11)	1.17	(0.71 - 1.92)	1.89	(1.30 - 2.75)
Virginia	0.69	(0.47 - 1.01)	3.77	(2.88 - 4.92)	1.02	(0.67 - 1.55)	1.42	(1.05 - 1.94)
Region 1	0.84	(0.46 - 1.51)	4.68	(3.06 - 7.09)	0.90	(0.54 - 1.51)	1.50	(1.03 - 2.17)
Region 2	0.66	(0.37 - 1.19)	4.03	(2.51 - 6.42)	0.91	(0.54 - 1.52)	1.29	(0.85 - 1.93)
Region 3	0.85	(0.46 - 1.55)	3.88	(2.49 - 6.00)	0.98	(0.59 - 1.63)	1.41	(0.96 - 2.09)
Region 4	0.56	(0.30 - 1.02)	3.20	(1.93 - 5.25)	1.24	(0.74 - 2.08)	1.53	(1.00 - 2.35)
Region 5	0.60	(0.32 - 1.12)	3.25	(2.05 - 5.11)	1.11	(0.67 - 1.84)	1.47	(0.98 - 2.20)
Washington	0.87	(0.61 - 1.26)	5.31	(4.17 - 6.75)	1.24	(0.83 - 1.84)	1.82	(1.38 - 2.41)
Region 1	0.94	(0.57 - 1.54)	4.17	(2.87 - 6.04)	1.00	(0.64 - 1.57)	1.52	(1.08 - 2.14)
East 1 (previously Region 1)	*	(* - *)	4.23	(2.60 - 6.80)	1.04	(0.63 - 1.71)	1.57	(1.05 - 2.34)
East 2 (previously Region 2)	*	(* - *)	4.09	(2.47 - 6.71)	*	(* - *)	1.46	(0.97 - 2.20)
Region 2	0.84	(0.54 - 1.32)	6.27	(4.64 - 8.42)	1.37	(0.89 - 2.09)	2.04	(1.50 - 2.75)
North 1 (previously Region 3)	0.95	(0.52 - 1.73)	6.06	(3.98 - 9.12)	1.13	(0.70 - 1.83)	1.84	(1.28 - 2.63)
North 2 (previously Region 4)	0.77	(0.44 - 1.33)	6.40	(4.40 - 9.22)	1.50	(0.94 - 2.40)	2.15	(1.52 - 3.03)
Region 3	0.87	(0.54 - 1.38)	4.88	(3.45 - 6.86)	1.21	(0.78 - 1.87)	1.71	(1.22 - 2.39)
West 1 (previously Region 5)	0.79	(0.43 - 1.43)	4.95	(3.16 - 7.67)	1.24	(0.76 - 2.02)	1.80	(1.22 - 2.65)
West 2 (previously Region 6)	0.94	(0.52 - 1.69)	4.80	(3.04 - 7.50)	1.17	(0.71 - 1.93)	1.63	(1.10 - 2.41)
West Virginia	0.95	(0.65 - 1.37)	4.95	(3.88 - 6.29)	1.08	(0.69 - 1.70)	1.59	(1.17 - 2.16)
Region I	*	(* - *)	3.62	(2.14 - 6.05)	*	(* - *)	1.13	(0.72 - 1.75)
Region II	0.91	(0.49 - 1.67)	4.39	(2.69 - 7.08)	1.03	(0.60 - 1.76)	1.45	(0.94 - 2.21)
Region III	0.82	(0.43 - 1.57)	3.71	(2.18 - 6.24)	0.91	(0.52 - 1.57)	1.22	(0.78 - 1.90)
Region IV	1.17	(0.64 - 2.13)	7.37	(5.27 - 10.22)	1.27	(0.73 - 2.19)	2.35	(1.69 - 3.26)
Region V	0.90	(0.52 - 1.55)	3.96	(2.59 - 6.00)	1.21	(0.72 - 2.04)	1.54	(1.03 - 2.31)
Region VI	0.92	(0.49 - 1.70)	3.67	(2.21 - 6.04)	0.94	(0.55 - 1.60)	1.25	(0.81 - 1.92)

See notes at end of table.

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	0.74	(0.50 - 1.09)	4.43	(3.40 - 5.76)	0.98	(0.63 - 1.51)	1.47	(1.08-2.00)
Milwaukee	0.61	(0.32 - 1.17)	3.72	(2.23 - 6.13)	1.39	(0.82 - 2.36)	1.77	(1.13-2.74)
Northeastern	0.76	(0.41 - 1.38)	4.38	(2.84 - 6.70)	0.86	(0.51 - 1.44)	1.32	(0.90-1.95)
Northern	*	(* - *)	4.54	(2.76 - 7.38)	*	(* - *)	1.32	(0.86-2.02)
Southeastern	0.80	(0.43 - 1.49)	5.34	(3.35 - 8.41)	0.85	(0.49 - 1.47)	1.42	(0.94-2.13)
Southern	0.70	(0.39 - 1.26)	4.84	(3.13 - 7.42)	1.02	(0.61 - 1.69)	1.60	(1.10-2.31)
Western	0.77	(0.42 - 1.42)	3.67	(2.27 - 5.88)	0.91	(0.53 - 1.55)	1.35	(0.89-2.04)
Wyoming	0.77	(0.51 - 1.16)	3.99	(3.01 - 5.27)	0.75	(0.46 - 1.24)	1.23	(0.88-1.73)
Judicial District 1 (Laramie)	0.76	(0.40 - 1.43)	4.17	(2.54 - 6.77)	0.84	(0.47 - 1.50)	1.31	(0.84-2.03)
Judicial District 2	*	(* - *)	4.58	(2.88 - 7.22)	*	(* - *)	1.97	(1.29-2.99)
Judicial District 3	0.68	(0.36 - 1.30)	2.90	(1.74 - 4.78)	0.74	(0.40 - 1.34)	1.03	(0.65-1.64)
Judicial District 4	*	(* - *)	3.87	(2.30 - 6.44)	*	(* - *)	1.06	(0.66-1.70)
Judicial District 5	*	(* - *)	*	(* - *)	*	(* - *)	0.95	(0.60-1.51)
Judicial District 6	0.82	(0.43 - 1.53)	3.67	(2.17 - 6.16)	0.76	(0.42 - 1.38)	1.18	(0.74-1.88)
Judicial District 7 (Natrona)	0.88	(0.47 - 1.67)	4.38	(2.72 - 6.97)	0.90	(0.50 - 1.60)	1.39	(0.90-2.15)
Judicial District 8	*	(* - *)	4.49	(2.64 - 7.55)	*	(* - *)	1.00	(0.63-1.57)
Judicial District 9	*	(* - *)	3.68	(2.13 - 6.29)	*	(* - *)	1.09	(0.68-1.75)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	5.85	(5.63 - 6.09)	10.29	(9.96 - 10.63)	3.50	(3.33 - 3.68)	4.50	(4.34 - 4.66)
Northeast	5.00	(4.59 - 5.44)	9.69	(9.13 - 10.27)	3.17	(2.86 - 3.51)	4.11	(3.81 - 4.42)
Midwest	5.94	(5.60 - 6.30)	10.86	(10.37 - 11.37)	3.43	(3.17 - 3.70)	4.51	(4.27 - 4.77)
South	5.78	(5.44 - 6.13)	9.92	(9.48 - 10.37)	3.34	(3.09 - 3.61)	4.31	(4.07 - 4.55)
West	6.50	(5.99 - 7.06)	10.81	(10.16 - 11.49)	4.08	(3.70 - 4.49)	5.10	(4.75 - 5.48)
Alabama	6.82	(5.56 - 8.34)	10.09	(8.47 - 11.97)	3.77	(2.93 - 4.83)	4.71	(3.89 - 5.70)
Region 1	6.03	(4.31 - 8.37)	9.67	(7.17 - 12.91)	3.61	(2.50 - 5.19)	4.43	(3.28 - 5.94)
Region 2	7.14	(5.35 - 9.48)	11.12	(8.60 - 14.27)	3.98	(2.82 - 5.59)	5.08	(3.90 - 6.59)
Region 3	5.63	(4.04 - 7.80)	8.07	(5.88 - 10.97)	3.23	(2.17 - 4.78)	4.10	(3.01 - 5.58)
Region 4	8.29	(5.99 - 11.35)	11.07	(8.44 - 14.38)	4.09	(2.84 - 5.84)	5.03	(3.78 - 6.67)
Alaska	6.41	(5.22 - 7.86)	11.78	(9.94 - 13.90)	3.83	(2.97 - 4.93)	5.07	(4.20 - 6.10)
Anchorage	7.20	(5.41 - 9.52)	12.53	(10.03 - 15.55)	4.32	(3.11 - 5.98)	5.65	(4.44 - 7.16)
Northern	5.36	(3.75 - 7.61)	11.27	(8.43 - 14.91)	3.50	(2.39 - 5.09)	4.96	(3.75 - 6.54)
South Central	6.33	(4.56 - 8.72)	11.33	(8.32 - 15.25)	3.52	(2.41 - 5.11)	4.55	(3.36 - 6.13)
Southeast	5.91	(4.13 - 8.41)	10.69	(7.87 - 14.36)	3.43	(2.28 - 5.12)	4.32	(3.12 - 5.96)
Arizona	8.47	(6.88 - 10.39)	11.80	(9.86 - 14.08)	4.28	(3.30 - 5.54)	5.39	(4.42 - 6.56)
Maricopa	9.02	(7.02 - 11.54)	12.22	(9.79 - 15.16)	4.59	(3.36 - 6.23)	5.73	(4.52 - 7.23)
Pima	9.05	(6.35 - 12.74)	12.83	(9.54 - 17.05)	4.25	(2.85 - 6.30)	5.58	(4.08 - 7.58)
Rural North	6.20	(4.21 - 9.04)	10.29	(7.29 - 14.33)	3.57	(2.36 - 5.36)	4.51	(3.21 - 6.30)
Rural South	7.13	(4.88 - 10.29)	9.79	(6.86 - 13.79)	3.59	(2.32 - 5.50)	4.45	(3.11 - 6.31)
Arkansas	7.78	(6.44 - 9.39)	12.57	(10.71 - 14.71)	4.32	(3.38 - 5.50)	5.52	(4.58 - 6.63)
Catchment Area 1	7.55	(5.42 - 10.45)	11.69	(8.76 - 15.42)	3.95	(2.69 - 5.77)	5.21	(3.88 - 6.97)
Catchment Area 2	7.67	(5.35 - 10.89)	13.58	(9.81 - 18.50)	4.23	(2.85 - 6.25)	5.39	(3.90 - 7.40)
Catchment Area 3	7.60	(5.49 - 10.43)	11.28	(8.31 - 15.13)	4.40	(2.95 - 6.51)	5.43	(3.94 - 7.43)
Catchment Area 4	6.96	(4.86 - 9.87)	13.11	(9.59 - 17.67)	4.66	(3.08 - 7.00)	5.80	(4.17 - 8.02)
Catchment Area 5	7.19	(5.08 - 10.08)	12.46	(9.38 - 16.38)	4.33	(2.99 - 6.23)	5.72	(4.30 - 7.55)
Catchment Area 6	8.30	(5.83 - 11.70)	11.95	(8.69 - 16.22)	4.34	(2.86 - 6.53)	5.45	(3.90 - 7.57)
Catchment Area 7	7.22	(5.06 - 10.21)	11.32	(8.11 - 15.60)	3.92	(2.63 - 5.81)	4.93	(3.57 - 6.78)
Catchment Area 8	9.02	(6.57 - 12.26)	14.53	(11.17 - 18.69)	4.58	(3.16 - 6.60)	5.89	(4.43 - 7.79)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	5.92	(5.19 - 6.73)	9.91	(8.94 - 10.97)	4.00	(3.44 - 4.64)	4.93	(4.42 - 5.51)
Region 1R	6.65	(4.79 - 9.16)	12.72	(9.52 - 16.79)	4.34	(3.06 - 6.12)	5.61	(4.26 - 7.36)
Region 2R	7.59	(5.57 - 10.26)	13.38	(10.15 - 17.43)	4.42	(3.06 - 6.34)	5.79	(4.37 - 7.64)
Region 3R (Sacramento)	6.66	(4.78 - 9.22)	10.05	(7.37 - 13.57)	4.15	(2.93 - 5.85)	5.06	(3.81 - 6.71)
Region 4R	7.96	(5.83 - 10.77)	12.81	(9.68 - 16.76)	4.32	(3.08 - 6.02)	5.43	(4.14 - 7.09)
Region 5R (San Francisco)	*	(* - *)	11.06	(8.26 - 14.66)	4.64	(3.26 - 6.59)	5.43	(4.03 - 7.28)
Region 6 (Santa Clara)	5.04	(3.53 - 7.15)	10.15	(7.55 - 13.52)	3.56	(2.53 - 5.00)	4.44	(3.36 - 5.84)
Region 7R (Contra Costa)	6.53	(4.65 - 9.11)	10.96	(8.14 - 14.60)	3.59	(2.49 - 5.16)	4.54	(3.40 - 6.05)
Region 8R (Alameda)	5.50	(3.96 - 7.57)	10.44	(7.82 - 13.80)	3.98	(2.77 - 5.69)	4.89	(3.65 - 6.54)
Region 9R (San Mateo)	5.29	(3.61 - 7.68)	9.25	(6.60 - 12.81)	3.53	(2.39 - 5.20)	4.18	(3.00 - 5.80)
Region 10	6.80	(4.90 - 9.35)	11.16	(8.37 - 14.74)	4.10	(2.89 - 5.79)	5.33	(4.05 - 6.98)
Region 11 (Los Angeles)	4.84	(4.02 - 5.83)	9.00	(7.81 - 10.34)	4.00	(3.30 - 4.85)	4.81	(4.14 - 5.58)
LA SPA 1 and 5	5.41	(3.79 - 7.67)	10.34	(7.57 - 13.97)	4.15	(2.91 - 5.87)	5.15	(3.87 - 6.82)
LA SPA 2	5.26	(3.80 - 7.24)	9.95	(7.55 - 13.02)	3.99	(2.86 - 5.55)	4.88	(3.74 - 6.35)
LA SPA 3	4.28	(3.00 - 6.09)	7.74	(5.75 - 10.33)	3.55	(2.47 - 5.08)	4.20	(3.13 - 5.63)
LA SPA 4	4.44	(3.07 - 6.37)	8.23	(6.09 - 11.02)	4.35	(3.05 - 6.15)	4.94	(3.68 - 6.61)
LA SPA 6	4.63	(3.27 - 6.51)	8.55	(6.26 - 11.58)	4.22	(2.88 - 6.13)	5.13	(3.79 - 6.91)
LA SPA 7	4.61	(3.24 - 6.51)	8.53	(6.29 - 11.47)	4.26	(2.94 - 6.14)	5.01	(3.73 - 6.71)
LA SPA 8	5.24	(3.79 - 7.21)	9.57	(7.20 - 12.63)	3.85	(2.71 - 5.44)	4.71	(3.56 - 6.20)
Region 12R	6.87	(4.83 - 9.68)	10.60	(7.73 - 14.38)	4.48	(3.11 - 6.41)	5.43	(4.03 - 7.28)
Regions 13 and 19R	6.54	(4.93 - 8.62)	9.80	(7.62 - 12.54)	4.01	(2.94 - 5.47)	4.98	(3.90 - 6.33)
Region 13 (Riverside)	6.57	(4.87 - 8.80)	9.91	(7.59 - 12.84)	4.00	(2.87 - 5.55)	4.98	(3.84 - 6.43)
Region 19R (Imperial)	6.18	(4.32 - 8.77)	*	(* - *)	*	(* - *)	4.97	(3.59 - 6.84)
Region 14 (Orange)	5.53	(4.07 - 7.47)	8.98	(6.96 - 11.52)	3.28	(2.34 - 4.59)	4.15	(3.21 - 5.36)
Region 15R (Fresno)	6.28	(4.45 - 8.79)	9.62	(7.05 - 12.99)	4.13	(2.89 - 5.87)	5.15	(3.86 - 6.84)
Region 16R (San Diego)	6.21	(4.64 - 8.26)	9.77	(7.61 - 12.47)	4.29	(3.21 - 5.72)	5.23	(4.16 - 6.54)
Region 17R	6.71	(4.93 - 9.06)	9.03	(6.74 - 12.00)	4.00	(2.80 - 5.68)	4.91	(3.70 - 6.47)
Region 18R (San Bernardino)	5.64	(4.15 - 7.63)	8.92	(6.83 - 11.58)	3.73	(2.63 - 5.25)	4.65	(3.57 - 6.05)
Region 20R	7.22	(5.18 - 9.97)	10.78	(7.97 - 14.43)	4.37	(3.08 - 6.19)	5.48	(4.13 - 7.24)
Region 21R	6.18	(4.38 - 8.64)	11.01	(8.06 - 14.86)	4.35	(3.05 - 6.17)	5.56	(4.17 - 7.39)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	7.10	(5.76 - 8.73)	12.98	(11.01 - 15.24)	4.11	(3.21 - 5.24)	5.39	(4.49 - 6.47)
Region 1	6.89	(4.77 - 9.86)	13.84	(10.41 - 18.18)	4.14	(2.83 - 6.02)	5.83	(4.39 - 7.72)
Regions 2 and 7	7.36	(5.59 - 9.62)	13.11	(10.58 - 16.15)	4.30	(3.18 - 5.78)	5.52	(4.40 - 6.91)
Region 3	7.04	(5.03 - 9.78)	12.44	(9.18 - 16.64)	3.61	(2.47 - 5.24)	4.96	(3.71 - 6.61)
Region 4	6.83	(4.69 - 9.86)	*	(* - *)	3.72	(2.42 - 5.69)	4.68	(3.30 - 6.59)
Regions 5 and 6	6.24	(4.33 - 8.91)	13.03	(9.58 - 17.48)	3.94	(2.66 - 5.80)	5.14	(3.76 - 6.99)
Connecticut	4.69	(3.70 - 5.92)	9.60	(7.96 - 11.55)	3.21	(2.44 - 4.21)	4.07	(3.29 - 5.03)
Eastern	4.58	(3.13 - 6.66)	8.92	(6.46 - 12.19)	3.05	(2.02 - 4.57)	4.09	(2.98 - 5.58)
North Central	4.32	(3.05 - 6.09)	9.61	(7.22 - 12.67)	3.13	(2.14 - 4.57)	3.97	(2.94 - 5.34)
Northwestern	5.24	(3.64 - 7.49)	10.31	(7.40 - 14.20)	3.44	(2.29 - 5.13)	4.26	(3.05 - 5.92)
South Central	4.99	(3.52 - 7.03)	10.30	(7.85 - 13.40)	3.38	(2.30 - 4.93)	4.34	(3.24 - 5.80)
Southwest	4.43	(3.02 - 6.45)	8.64	(6.13 - 12.03)	3.00	(1.96 - 4.58)	3.70	(2.60 - 5.23)
Delaware	6.02	(4.84 - 7.47)	13.05	(10.98 - 15.44)	3.87	(3.01 - 4.95)	5.21	(4.33 - 6.25)
Kent	6.55	(4.72 - 9.03)	12.45	(9.23 - 16.60)	3.70	(2.54 - 5.38)	5.12	(3.85 - 6.78)
New Castle (excluding Wilmington City)	5.88	(4.38 - 7.84)	13.30	(10.74 - 16.36)	3.83	(2.81 - 5.20)	5.32	(4.26 - 6.63)
Sussex	6.03	(4.32 - 8.36)	13.94	(10.39 - 18.46)	3.82	(2.66 - 5.47)	4.90	(3.66 - 6.53)
Wilmington City	5.70	(3.88 - 8.31)	10.98	(7.84 - 15.17)	4.62	(3.08 - 6.86)	5.54	(3.97 - 7.70)
District of Columbia	4.32	(3.43 - 5.44)	7.96	(6.57 - 9.62)	3.67	(2.86 - 4.70)	4.50	(3.71 - 5.46)
Ward 1	4.08	(2.74 - 6.03)	7.34	(5.26 - 10.15)	4.74	(3.22 - 6.93)	5.30	(3.83 - 7.28)
Ward 2	*	(* - *)	8.50	(6.22 - 11.50)	4.08	(2.73 - 6.05)	5.39	(4.02 - 7.19)
Ward 3	4.60	(3.14 - 6.70)	9.42	(6.85 - 12.83)	3.41	(2.29 - 5.05)	4.53	(3.34 - 6.13)
Ward 4	4.29	(2.95 - 6.19)	7.56	(5.31 - 10.64)	3.24	(2.16 - 4.84)	3.75	(2.65 - 5.28)
Ward 5	4.03	(2.77 - 5.83)	7.68	(5.53 - 10.57)	3.46	(2.32 - 5.12)	4.26	(3.11 - 5.82)
Ward 6	4.03	(2.74 - 5.90)	8.39	(5.95 - 11.70)	4.12	(2.79 - 6.05)	4.77	(3.44 - 6.58)
Ward 7	4.44	(3.03 - 6.46)	6.45	(4.44 - 9.27)	3.01	(1.92 - 4.69)	3.60	(2.48 - 5.18)
Ward 8	4.49	(3.17 - 6.33)	7.48	(5.20 - 10.63)	3.18	(2.06 - 4.89)	4.09	(2.90 - 5.72)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	5.14	(4.48 - 5.89)	8.43	(7.55 - 9.40)	3.13	(2.63 - 3.72)	3.83	(3.36 - 4.37)
Region A - Northwest	5.93	(4.75 - 7.38)	10.44	(8.54 - 12.71)	3.75	(2.92 - 4.80)	4.92	(4.07 - 5.94)
Circuit 1	5.74	(4.25 - 7.71)	11.00	(8.24 - 14.52)	3.78	(2.72 - 5.23)	4.89	(3.76 - 6.32)
Circuit 2	5.99	(4.27 - 8.34)	9.62	(7.09 - 12.92)	3.54	(2.44 - 5.13)	5.04	(3.81 - 6.63)
Circuit 14	6.32	(4.34 - 9.10)	11.00	(7.94 - 15.04)	3.90	(2.68 - 5.64)	4.84	(3.55 - 6.56)
Region B - Northeast	5.47	(4.41 - 6.76)	9.17	(7.63 - 10.98)	3.42	(2.68 - 4.36)	4.29	(3.54 - 5.18)
Circuits 3 and 8	5.41	(3.86 - 7.54)	9.12	(6.83 - 12.09)	4.08	(2.85 - 5.81)	5.13	(3.88 - 6.74)
Circuit 4	5.50	(4.01 - 7.51)	8.65	(6.47 - 11.47)	3.41	(2.43 - 4.77)	4.18	(3.17 - 5.49)
Circuit 7	5.45	(3.97 - 7.44)	10.03	(7.49 - 13.29)	3.05	(2.12 - 4.37)	3.87	(2.89 - 5.16)
Region C - Central	5.61	(4.68 - 6.72)	8.71	(7.45 - 10.16)	3.18	(2.55 - 3.95)	3.90	(3.29 - 4.63)
Circuit 5	5.29	(3.78 - 7.35)	8.60	(6.35 - 11.54)	2.83	(1.94 - 4.11)	3.37	(2.45 - 4.62)
Circuit 9	5.64	(4.21 - 7.50)	7.90	(6.09 - 10.19)	3.40	(2.42 - 4.76)	4.20	(3.24 - 5.43)
Circuit 10	6.41	(4.64 - 8.78)	9.72	(7.28 - 12.88)	3.07	(2.11 - 4.45)	3.92	(2.90 - 5.26)
Circuit 18	5.56	(4.08 - 7.54)	9.75	(7.43 - 12.69)	3.23	(2.26 - 4.60)	4.06	(3.06 - 5.38)
Circuit 19	5.13	(3.63 - 7.20)	8.51	(6.15 - 11.66)	3.38	(2.32 - 4.89)	3.92	(2.84 - 5.38)
Region D - Southeast	4.84	(3.83 - 6.11)	7.42	(6.01 - 9.11)	2.74	(2.08 - 3.61)	3.30	(2.65 - 4.11)
Circuit 15 (Palm Beach)	4.68	(3.37 - 6.46)	7.94	(6.01 - 10.43)	2.68	(1.86 - 3.86)	3.28	(2.44 - 4.40)
Circuit 17 (Broward)	4.96	(3.71 - 6.59)	7.04	(5.29 - 9.32)	2.79	(1.99 - 3.89)	3.32	(2.52 - 4.36)
Region E - Sun Coast	5.26	(4.30 - 6.41)	9.27	(7.89 - 10.87)	3.32	(2.61 - 4.22)	4.00	(3.30 - 4.85)
Circuit 6	5.33	(3.89 - 7.27)	10.86	(8.23 - 14.19)	3.35	(2.32 - 4.82)	4.12	(3.06 - 5.54)
Circuit 12	5.47	(3.89 - 7.65)	10.51	(7.72 - 14.17)	3.40	(2.32 - 4.97)	4.07	(2.95 - 5.59)
Circuit 13 (Hillsborough)	5.19	(3.78 - 7.08)	7.67	(5.92 - 9.89)	3.10	(2.19 - 4.35)	3.79	(2.89 - 4.96)
Circuit 20	5.12	(3.66 - 7.13)	9.04	(6.74 - 12.04)	3.46	(2.39 - 5.00)	4.04	(2.94 - 5.52)
Region F - Southern (Circuits 11 and 16)	3.68	(2.71 - 4.97)	5.64	(4.32 - 7.32)	2.59	(1.83 - 3.65)	3.01	(2.28 - 3.97)
Georgia	5.23	(4.21 - 6.47)	8.75	(7.26 - 10.52)	2.97	(2.28 - 3.87)	3.85	(3.14 - 4.71)
Region 1	5.38	(3.88 - 7.41)	9.94	(7.47 - 13.10)	2.98	(2.04 - 4.32)	3.90	(2.91 - 5.21)
Region 2	5.83	(4.13 - 8.17)	9.73	(7.08 - 13.24)	3.20	(2.16 - 4.72)	4.33	(3.17 - 5.88)
Region 3	4.54	(3.19 - 6.42)	7.50	(5.61 - 9.96)	2.80	(1.91 - 4.08)	3.48	(2.57 - 4.70)
Region 4	5.57	(3.87 - 7.96)	8.57	(6.03 - 12.04)	3.16	(2.10 - 4.72)	4.08	(2.93 - 5.65)
Region 5	5.67	(3.86 - 8.25)	8.81	(6.19 - 12.39)	3.33	(2.17 - 5.06)	4.29	(3.05 - 5.99)
Region 6	5.30	(3.71 - 7.51)	8.38	(6.02 - 11.54)	2.76	(1.85 - 4.11)	3.62	(2.62 - 4.97)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	6.04	(4.78 - 7.61)	9.36	(7.72 - 11.30)	3.35	(2.50 - 4.46)	4.15	(3.32 - 5.16)
Hawaii Island	6.97	(4.82 - 9.98)	10.07	(7.31 - 13.72)	3.47	(2.30 - 5.21)	4.27	(3.06 - 5.92)
Honolulu	5.94	(4.50 - 7.80)	9.31	(7.48 - 11.55)	3.33	(2.38 - 4.64)	4.17	(3.25 - 5.34)
Kauai and Maui	5.71	(4.16 - 7.79)	8.95	(6.61 - 12.00)	3.32	(2.32 - 4.72)	3.95	(2.92 - 5.32)
Kauai	5.74	(3.85 - 8.46)	*	(* - *)	3.28	(2.11 - 5.07)	3.90	(2.68 - 5.65)
Maui	5.70	(3.93 - 8.19)	8.94	(6.26 - 12.62)	3.33	(2.21 - 5.01)	3.96	(2.80 - 5.59)
Idaho	6.68	(5.51 - 8.09)	12.95	(10.94 - 15.27)	4.26	(3.36 - 5.40)	5.59	(4.66 - 6.69)
Region 1	6.47	(4.61 - 9.02)	14.38	(10.49 - 19.39)	3.89	(2.60 - 5.78)	5.16	(3.75 - 7.04)
Region 2	6.19	(4.29 - 8.86)	12.91	(9.33 - 17.61)	4.23	(2.85 - 6.25)	5.93	(4.35 - 8.02)
Region 3	6.65	(4.77 - 9.19)	11.98	(8.92 - 15.91)	3.87	(2.63 - 5.66)	5.04	(3.73 - 6.79)
Region 4	7.37	(5.39 - 9.99)	15.00	(11.62 - 19.15)	4.88	(3.48 - 6.80)	6.28	(4.83 - 8.13)
Region 5	5.94	(4.25 - 8.23)	10.47	(7.65 - 14.16)	3.84	(2.59 - 5.65)	4.77	(3.47 - 6.54)
Region 6	7.32	(5.16 - 10.28)	13.86	(10.31 - 18.38)	4.77	(3.27 - 6.92)	6.24	(4.66 - 8.31)
Region 7	5.88	(4.12 - 8.33)	10.77	(7.81 - 14.69)	3.74	(2.48 - 5.61)	5.20	(3.80 - 7.07)
Illinois	4.81	(4.18 - 5.52)	9.74	(8.79 - 10.78)	2.79	(2.32 - 3.34)	3.80	(3.36 - 4.30)
Region I (Cook)	4.17	(3.31 - 5.24)	8.95	(7.63 - 10.48)	2.92	(2.26 - 3.78)	3.81	(3.16 - 4.57)
Region II	4.89	(3.99 - 5.98)	9.88	(8.30 - 11.73)	2.65	(2.02 - 3.48)	3.65	(3.01 - 4.42)
Region III	5.37	(4.05 - 7.10)	10.30	(8.23 - 12.82)	2.55	(1.84 - 3.52)	3.88	(3.10 - 4.84)
Region IV	5.98	(4.34 - 8.19)	9.18	(6.92 - 12.07)	2.50	(1.71 - 3.63)	3.42	(2.58 - 4.53)
Region V	5.72	(4.31 - 7.56)	12.35	(9.74 - 15.52)	3.13	(2.29 - 4.27)	4.44	(3.53 - 5.58)
Indiana	6.68	(5.42 - 8.20)	14.14	(12.08 - 16.48)	4.06	(3.20 - 5.14)	5.58	(4.69 - 6.62)
Central	6.51	(4.62 - 9.11)	14.96	(11.48 - 19.26)	3.90	(2.73 - 5.54)	5.42	(4.15 - 7.05)
East	7.18	(5.06 - 10.10)	15.74	(11.74 - 20.78)	4.59	(3.08 - 6.79)	6.42	(4.78 - 8.57)
North Central	6.34	(4.52 - 8.84)	12.52	(9.37 - 16.54)	4.03	(2.74 - 5.90)	5.24	(3.89 - 7.02)
Northeast	6.30	(4.38 - 8.98)	13.68	(10.15 - 18.20)	3.71	(2.46 - 5.54)	5.14	(3.77 - 6.97)
Northwest	8.03	(5.67 - 11.25)	14.55	(10.92 - 19.12)	4.06	(2.73 - 6.01)	5.50	(4.06 - 7.42)
Southeast	6.54	(4.52 - 9.37)	15.81	(11.77 - 20.90)	4.42	(3.01 - 6.46)	5.83	(4.31 - 7.85)
Southwest	6.36	(4.44 - 9.04)	12.85	(9.21 - 17.65)	3.81	(2.56 - 5.62)	5.08	(3.72 - 6.90)
West	6.39	(4.53 - 8.94)	13.11	(9.86 - 17.23)	4.16	(2.88 - 5.99)	6.25	(4.79 - 8.11)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	5.42	(4.35 - 6.73)	9.57	(7.97 - 11.46)	2.43	(1.81 - 3.26)	3.50	(2.84 - 4.31)
Central	5.66	(3.97 - 8.01)	9.42	(6.86 - 12.80)	2.60	(1.72 - 3.91)	3.55	(2.59 - 4.85)
North Central	5.08	(3.45 - 7.43)	9.90	(7.02 - 13.77)	2.57	(1.66 - 3.97)	3.98	(2.86 - 5.50)
Northeast	6.13	(4.38 - 8.50)	9.18	(6.98 - 12.00)	2.21	(1.46 - 3.32)	3.26	(2.44 - 4.35)
Northwest	4.77	(3.30 - 6.84)	8.73	(6.31 - 11.97)	2.41	(1.56 - 3.72)	3.24	(2.31 - 4.53)
Southeast	5.15	(3.64 - 7.25)	10.49	(7.80 - 13.97)	2.54	(1.69 - 3.79)	3.82	(2.86 - 5.08)
Southwest	5.20	(3.59 - 7.47)	9.26	(6.67 - 12.71)	2.32	(1.52 - 3.53)	3.15	(2.25 - 4.39)
Kansas	5.79	(4.68 - 7.14)	9.24	(7.61 - 11.17)	2.98	(2.29 - 3.87)	3.94	(3.22 - 4.82)
Kansas City Metro	5.90	(4.31 - 8.02)	9.07	(6.85 - 11.91)	2.88	(2.02 - 4.10)	3.80	(2.88 - 4.99)
Northeast	4.93	(3.36 - 7.17)	8.10	(5.77 - 11.26)	2.84	(1.86 - 4.32)	3.77	(2.70 - 5.25)
South Central	5.88	(4.16 - 8.25)	10.60	(7.53 - 14.72)	3.12	(2.08 - 4.68)	4.20	(3.02 - 5.82)
Southeast	5.64	(3.88 - 8.14)	10.47	(7.38 - 14.65)	3.07	(2.06 - 4.56)	4.21	(3.06 - 5.78)
West	5.57	(3.88 - 7.94)	9.62	(6.96 - 13.16)	3.09	(2.03 - 4.66)	4.04	(2.90 - 5.62)
Wichita (Sedgwick)	6.58	(4.70 - 9.15)	9.38	(6.81 - 12.77)	3.11	(2.10 - 4.58)	4.04	(2.96 - 5.50)
Kentucky	5.51	(4.45 - 6.79)	10.55	(8.90 - 12.48)	3.32	(2.57 - 4.27)	4.33	(3.57 - 5.26)
Adanta, Cumberland River, and Lifeskills	5.53	(3.91 - 7.78)	11.70	(8.74 - 15.48)	3.39	(2.33 - 4.89)	4.57	(3.44 - 6.06)
Bluegrass, Comprehend, and North Key	5.12	(3.61 - 7.20)	10.59	(8.12 - 13.69)	3.63	(2.52 - 5.19)	4.69	(3.54 - 6.17)
Communicare and River Valley	5.54	(3.78 - 8.04)	9.71	(7.00 - 13.31)	3.12	(2.06 - 4.70)	4.00	(2.88 - 5.54)
Four Rivers and Pennyroyal	5.76	(4.02 - 8.18)	10.26	(7.43 - 14.02)	3.07	(2.05 - 4.56)	4.10	(2.97 - 5.64)
Kentucky River, Mountain, and Pathways	5.07	(3.47 - 7.33)	9.87	(7.06 - 13.62)	3.32	(2.22 - 4.93)	4.17	(3.01 - 5.75)
Seven Counties	6.08	(4.38 - 8.40)	10.47	(7.80 - 13.91)	3.07	(2.09 - 4.51)	4.04	(2.99 - 5.42)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	6.23	(5.12 - 7.55)	10.95	(9.38 - 12.76)	3.77	(2.99 - 4.74)	4.89	(4.12 - 5.80)
Regions 1 and 10	5.71	(4.28 - 7.59)	9.64	(7.41 - 12.44)	3.72	(2.74 - 5.04)	4.64	(3.62 - 5.93)
Region 1	5.09	(3.49 - 7.36)	8.94	(6.42 - 12.32)	3.59	(2.45 - 5.23)	4.54	(3.35 - 6.13)
Region 10 (Jefferson)	6.31	(4.40 - 8.96)	10.58	(7.59 - 14.56)	3.85	(2.63 - 5.60)	4.74	(3.46 - 6.47)
Regions 2 and 9	6.64	(4.96 - 8.83)	12.24	(9.68 - 15.36)	3.93	(2.75 - 5.59)	5.28	(4.07 - 6.82)
Region 3	6.08	(4.29 - 8.56)	11.39	(8.27 - 15.49)	3.85	(2.63 - 5.61)	4.96	(3.67 - 6.69)
Regions 4, 5, and 6	6.58	(4.79 - 8.99)	11.21	(8.59 - 14.49)	3.83	(2.72 - 5.36)	4.96	(3.82 - 6.41)
Regions 7 and 8	5.68	(4.14 - 7.74)	9.96	(7.59 - 12.97)	3.49	(2.45 - 4.95)	4.52	(3.43 - 5.93)
Maine	5.29	(4.27 - 6.54)	11.28	(9.57 - 13.24)	3.10	(2.41 - 3.99)	4.11	(3.39 - 4.99)
Aroostook/Downeast	5.06	(3.69 - 6.90)	10.57	(8.21 - 13.52)	2.86	(2.02 - 4.03)	3.73	(2.82 - 4.91)
Aroostook	5.03	(3.43 - 7.33)	10.11	(7.31 - 13.81)	*	(* - *)	3.63	(2.58 - 5.08)
Downeast	5.09	(3.44 - 7.47)	10.97	(7.93 - 14.98)	2.92	(1.92 - 4.40)	3.80	(2.72 - 5.30)
Central	5.35	(3.73 - 7.63)	11.43	(8.41 - 15.35)	3.18	(2.13 - 4.72)	4.15	(3.02 - 5.68)
Cumberland	4.96	(3.52 - 6.95)	10.18	(7.59 - 13.51)	3.08	(2.12 - 4.46)	3.99	(2.96 - 5.36)
Midcoast	5.43	(3.68 - 7.93)	10.56	(7.50 - 14.67)	2.78	(1.81 - 4.25)	3.54	(2.49 - 5.02)
Penquis	5.83	(4.07 - 8.29)	13.01	(9.79 - 17.09)	3.34	(2.28 - 4.86)	4.91	(3.71 - 6.48)
Western	5.79	(4.07 - 8.18)	12.12	(9.14 - 15.91)	3.40	(2.31 - 4.97)	4.52	(3.36 - 6.05)
York	4.89	(3.38 - 7.02)	10.84	(7.99 - 14.54)	3.02	(1.99 - 4.56)	3.91	(2.81 - 5.43)
Maryland	4.59	(3.68 - 5.72)	8.33	(6.84 - 10.12)	2.94	(2.25 - 3.82)	3.71	(3.00 - 4.57)
Anne Arundel	5.30	(3.60 - 7.75)	9.02	(6.38 - 12.59)	3.12	(2.04 - 4.76)	3.90	(2.75 - 5.52)
Baltimore City	3.53	(2.39 - 5.18)	7.19	(5.19 - 9.88)	3.47	(2.34 - 5.10)	4.13	(3.01 - 5.66)
Baltimore County	5.32	(3.62 - 7.75)	8.85	(6.36 - 12.19)	3.05	(2.03 - 4.56)	3.88	(2.80 - 5.36)
Montgomery	4.26	(2.94 - 6.15)	8.32	(5.92 - 11.57)	2.65	(1.75 - 3.99)	3.31	(2.36 - 4.64)
North Central	4.82	(3.32 - 6.95)	9.76	(6.93 - 13.58)	2.80	(1.83 - 4.28)	3.65	(2.57 - 5.15)
Northeast	5.21	(3.53 - 7.61)	9.64	(6.74 - 13.62)	2.89	(1.90 - 4.39)	3.74	(2.64 - 5.28)
Prince George's	3.34	(2.22 - 5.00)	6.40	(4.44 - 9.14)	2.61	(1.71 - 3.96)	3.26	(2.31 - 4.58)
South	5.22	(3.55 - 7.61)	8.86	(6.27 - 12.38)	3.03	(2.01 - 4.56)	3.92	(2.81 - 5.44)
West	5.24	(3.63 - 7.51)	9.89	(7.12 - 13.56)	3.06	(2.02 - 4.59)	3.97	(2.85 - 5.49)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	4.90	(3.95 - 6.07)	9.59	(7.97 - 11.49)	2.97	(2.29 - 3.85)	3.97	(3.26 - 4.82)
Boston	4.49	(3.08 - 6.52)	8.68	(6.35 - 11.77)	3.73	(2.54 - 5.45)	4.91	(3.65 - 6.56)
Central	5.64	(3.92 - 8.05)	10.66	(7.76 - 14.47)	3.03	(2.04 - 4.48)	4.12	(3.02 - 5.59)
Metrowest	4.51	(3.18 - 6.35)	9.53	(6.90 - 13.03)	2.79	(1.90 - 4.08)	3.67	(2.71 - 4.96)
Northeast	4.24	(2.99 - 5.97)	9.00	(6.56 - 12.23)	2.75	(1.87 - 4.03)	3.56	(2.63 - 4.82)
Southeast	5.48	(3.90 - 7.67)	10.85	(8.05 - 14.47)	2.89	(1.97 - 4.22)	3.90	(2.90 - 5.22)
Western	5.20	(3.63 - 7.40)	9.28	(6.71 - 12.70)	3.07	(2.04 - 4.60)	4.14	(3.01 - 5.65)
Michigan	6.48	(5.75 - 7.29)	11.13	(10.12 - 12.22)	3.93	(3.39 - 4.56)	4.99	(4.48 - 5.55)
Detroit City	5.67	(4.14 - 7.71)	7.99	(6.11 - 10.39)	3.68	(2.62 - 5.16)	4.46	(3.42 - 5.79)
Genesee	6.97	(5.19 - 9.31)	13.34	(10.33 - 17.06)	3.98	(2.85 - 5.53)	5.27	(4.08 - 6.79)
Kalamazoo	6.01	(4.48 - 8.02)	9.64	(7.35 - 12.56)	3.62	(2.61 - 5.02)	4.57	(3.53 - 5.90)
Kent	7.01	(5.22 - 9.35)	11.87	(9.33 - 15.00)	3.86	(2.79 - 5.33)	5.12	(4.03 - 6.49)
Lakeshore	6.70	(5.09 - 8.78)	11.99	(9.41 - 15.14)	4.38	(3.21 - 5.94)	5.53	(4.35 - 7.01)
Macomb	7.34	(5.64 - 9.50)	11.47	(9.12 - 14.34)	3.66	(2.67 - 5.00)	4.64	(3.64 - 5.90)
Mid South	6.07	(4.62 - 7.94)	10.68	(8.49 - 13.35)	4.31	(3.19 - 5.80)	5.44	(4.33 - 6.81)
Northern	6.87	(5.21 - 9.03)	13.15	(10.50 - 16.35)	4.19	(3.04 - 5.75)	5.45	(4.29 - 6.90)
Oakland	6.29	(4.88 - 8.07)	11.20	(8.92 - 13.97)	3.93	(2.92 - 5.26)	4.78	(3.77 - 6.04)
Pathways and Western	5.31	(3.77 - 7.41)	10.95	(8.31 - 14.29)	3.64	(2.52 - 5.22)	4.70	(3.54 - 6.20)
Riverhaven	7.18	(5.30 - 9.66)	12.18	(9.27 - 15.84)	4.05	(2.88 - 5.66)	5.05	(3.84 - 6.62)
Saginaw	6.77	(4.86 - 9.36)	11.69	(8.64 - 15.64)	3.98	(2.78 - 5.68)	5.18	(3.89 - 6.86)
Southeast	6.86	(5.34 - 8.77)	12.04	(9.84 - 14.65)	3.87	(2.87 - 5.21)	4.96	(3.97 - 6.18)
St. Clair	6.69	(4.86 - 9.13)	12.68	(9.59 - 16.59)	4.13	(2.92 - 5.81)	5.17	(3.92 - 6.81)
Washtenaw	5.08	(3.69 - 6.94)	8.86	(6.78 - 11.50)	3.61	(2.54 - 5.10)	4.60	(3.52 - 5.99)
Minnesota	5.49	(4.44 - 6.76)	10.09	(8.40 - 12.08)	2.97	(2.27 - 3.86)	3.98	(3.25 - 4.85)
Regions 1 and 2	5.83	(4.05 - 8.32)	10.68	(7.67 - 14.69)	3.05	(2.00 - 4.61)	4.12	(2.97 - 5.70)
Regions 3 and 4	5.82	(4.17 - 8.06)	10.37	(7.65 - 13.92)	2.77	(1.84 - 4.14)	3.87	(2.85 - 5.24)
Regions 5 and 6	5.61	(3.96 - 7.89)	11.40	(8.44 - 15.24)	2.95	(2.00 - 4.35)	4.20	(3.13 - 5.61)
Region 7A (Hennepin)	5.52	(3.87 - 7.82)	9.56	(7.17 - 12.63)	3.09	(2.10 - 4.53)	3.99	(2.95 - 5.38)
Region 7B (Ramsey)	5.37	(3.69 - 7.74)	9.45	(6.68 - 13.20)	3.29	(2.19 - 4.91)	4.34	(3.13 - 5.99)
Region 7C	5.06	(3.62 - 7.05)	9.15	(6.74 - 12.32)	2.84	(1.95 - 4.12)	3.61	(2.67 - 4.87)

See notes at end of table.

(continued)

Table 8 Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	6.56	(5.36 - 8.00)	10.11	(8.52 - 11.96)	3.56	(2.82 - 4.50)	4.58	(3.82 - 5.48)
Region 1	7.15	(5.26 - 9.65)	12.32	(9.42 - 15.95)	3.87	(2.71 - 5.49)	5.15	(3.92 - 6.75)
Region 2	5.80	(4.05 - 8.24)	8.32	(5.88 - 11.65)	3.29	(2.19 - 4.92)	4.07	(2.92 - 5.64)
Region 3	6.50	(4.65 - 9.03)	9.52	(7.02 - 12.78)	3.53	(2.43 - 5.10)	4.57	(3.41 - 6.09)
Region 4	5.94	(4.24 - 8.27)	8.78	(6.51 - 11.75)	3.18	(2.20 - 4.58)	4.04	(3.01 - 5.39)
Region 5	6.04	(4.10 - 8.80)	9.37	(6.67 - 13.01)	*	(* - *)	4.23	(3.04 - 5.86)
Region 6	6.42	(4.47 - 9.14)	9.76	(6.98 - 13.49)	3.74	(2.59 - 5.38)	4.74	(3.50 - 6.39)
Region 7	7.38	(5.27 - 10.25)	11.14	(8.19 - 14.97)	3.75	(2.60 - 5.40)	4.81	(3.57 - 6.44)
Missouri	6.49	(5.33 - 7.87)	11.86	(10.10 - 13.90)	3.54	(2.80 - 4.46)	4.75	(3.99 - 5.65)
Central	6.08	(4.25 - 8.61)	11.34	(8.44 - 15.08)	3.35	(2.28 - 4.91)	4.78	(3.56 - 6.40)
Eastern	6.11	(4.70 - 7.89)	11.17	(8.95 - 13.87)	3.52	(2.60 - 4.74)	4.58	(3.64 - 5.75)
Eastern (St. Louis City and County)	5.60	(4.04 - 7.71)	10.42	(7.90 - 13.61)	3.64	(2.51 - 5.25)	4.62	(3.47 - 6.13)
Eastern (excluding St. Louis)	6.90	(4.91 - 9.60)	12.66	(9.33 - 16.96)	3.30	(2.24 - 4.84)	4.51	(3.33 - 6.08)
Northwest	7.08	(5.38 - 9.25)	11.81	(9.31 - 14.86)	3.53	(2.59 - 4.80)	4.69	(3.68 - 5.97)
Northwest (Jackson)	6.38	(4.53 - 8.92)	10.00	(7.34 - 13.48)	3.41	(2.32 - 4.99)	4.33	(3.17 - 5.89)
Northwest (excluding Jackson)	7.63	(5.39 - 10.70)	13.32	(9.85 - 17.78)	3.63	(2.48 - 5.27)	5.00	(3.73 - 6.69)
Southeast	6.26	(4.44 - 8.77)	12.43	(9.15 - 16.66)	3.63	(2.47 - 5.30)	4.84	(3.58 - 6.51)
Southwest	6.96	(5.01 - 9.60)	13.60	(10.23 - 17.86)	3.68	(2.55 - 5.30)	5.11	(3.87 - 6.74)
Montana	6.75	(5.50 - 8.25)	11.20	(9.40 - 13.30)	3.28	(2.54 - 4.23)	4.39	(3.62 - 5.32)
Region 1	6.98	(4.91 - 9.85)	11.44	(8.29 - 15.59)	3.11	(2.05 - 4.70)	4.07	(2.92 - 5.65)
Region 2	5.70	(3.94 - 8.18)	9.90	(7.13 - 13.58)	3.28	(2.18 - 4.90)	4.24	(3.06 - 5.84)
Region 3	6.31	(4.59 - 8.61)	10.03	(7.48 - 13.33)	3.06	(2.11 - 4.41)	3.92	(2.93 - 5.24)
Region 4	7.50	(5.42 - 10.29)	12.64	(9.70 - 16.30)	3.66	(2.54 - 5.24)	5.05	(3.85 - 6.60)
Region 5	6.92	(5.14 - 9.25)	11.08	(8.59 - 14.18)	3.17	(2.19 - 4.55)	4.29	(3.26 - 5.63)
Nebraska	4.86	(3.82 - 6.16)	8.64	(7.09 - 10.48)	2.89	(2.20 - 3.80)	3.76	(3.04 - 4.64)
Regions 1 and 2	4.93	(3.54 - 6.81)	9.50	(7.00 - 12.78)	2.78	(1.94 - 3.98)	3.63	(2.69 - 4.87)
Region 1	5.39	(3.54 - 8.11)	*	(* - *)	*	(* - *)	3.89	(2.70 - 5.59)
Region 2	4.56	(3.04 - 6.79)	8.76	(6.00 - 12.61)	*	(* - *)	3.39	(2.38 - 4.81)
Region 3	4.29	(2.94 - 6.23)	8.45	(5.97 - 11.81)	2.79	(1.86 - 4.15)	3.59	(2.60 - 4.96)
Region 4	4.08	(2.76 - 5.99)	7.71	(5.37 - 10.94)	2.57	(1.64 - 4.00)	3.25	(2.26 - 4.65)
Region 5	5.41	(3.85 - 7.56)	9.52	(7.18 - 12.51)	3.10	(2.13 - 4.51)	4.23	(3.18 - 5.59)
Region 6	4.93	(3.53 - 6.85)	8.10	(6.14 - 10.62)	2.92	(2.05 - 4.14)	3.69	(2.79 - 4.88)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	7.43	(5.81 - 9.45)	12.09	(9.92 - 14.65)	4.73	(3.61 - 6.17)	5.75	(4.65 - 7.10)
Clark – Region 1	7.53	(5.66 - 9.97)	11.63	(9.13 - 14.71)	4.80	(3.53 - 6.49)	5.74	(4.49 - 7.31)
Region 3	6.41	(4.68 - 8.74)	12.71	(9.55 - 16.70)	4.16	(2.91 - 5.93)	5.19	(3.85 - 6.97)
Capital District	6.48	(4.40 - 9.44)	12.80	(9.03 - 17.84)	4.01	(2.61 - 6.13)	5.01	(3.49 - 7.13)
Rural/Frontier	6.37	(4.29 - 9.36)	12.63	(8.86 - 17.69)	4.30	(2.82 - 6.51)	5.36	(3.78 - 7.56)
Washoe – Region 2	7.76	(5.51 - 10.80)	13.54	(10.33 - 17.56)	4.89	(3.36 - 7.05)	6.23	(4.67 - 8.25)
New Hampshire	5.88	(4.74 - 7.27)	11.80	(9.96 - 13.92)	3.09	(2.40 - 3.97)	4.26	(3.54 - 5.13)
Central	5.52	(4.17 - 7.29)	11.59	(9.21 - 14.49)	3.02	(2.17 - 4.18)	4.26	(3.34 - 5.43)
Central 1	5.65	(3.98 - 7.96)	12.02	(9.10 - 15.71)	3.17	(2.15 - 4.65)	4.64	(3.50 - 6.14)
Central 2	5.42	(3.75 - 7.76)	11.03	(8.06 - 14.90)	2.88	(1.88 - 4.37)	3.89	(2.80 - 5.38)
Northern	5.86	(4.08 - 8.35)	11.81	(8.70 - 15.83)	2.96	(1.96 - 4.44)	4.17	(3.05 - 5.66)
Southern	6.04	(4.69 - 7.74)	11.91	(9.70 - 14.55)	3.16	(2.38 - 4.18)	4.28	(3.45 - 5.30)
Southern 1 (Rockingham)	5.79	(4.15 - 8.02)	11.15	(8.37 - 14.72)	2.79	(1.92 - 4.05)	3.74	(2.79 - 4.99)
Southern 2	6.20	(4.56 - 8.37)	12.29	(9.62 - 15.59)	3.39	(2.43 - 4.72)	4.62	(3.59 - 5.94)
New Jersey	5.27	(4.20 - 6.59)	10.90	(9.05 - 13.07)	3.27	(2.52 - 4.25)	4.27	(3.49 - 5.22)
Central	5.40	(3.79 - 7.64)	11.46	(8.50 - 15.28)	2.95	(1.99 - 4.38)	3.99	(2.95 - 5.39)
Metropolitan	5.03	(3.55 - 7.09)	9.83	(7.37 - 12.99)	2.99	(2.01 - 4.41)	3.95	(2.92 - 5.34)
Northern	5.06	(3.62 - 7.03)	10.60	(8.04 - 13.85)	3.61	(2.52 - 5.15)	4.50	(3.37 - 5.98)
Southern	5.72	(4.09 - 7.93)	12.06	(9.07 - 15.87)	3.43	(2.35 - 4.99)	4.59	(3.44 - 6.11)
New Mexico	8.98	(7.32 - 10.97)	11.21	(9.41 - 13.30)	4.19	(3.22 - 5.42)	5.23	(4.28 - 6.36)
Region 1	8.57	(6.24 - 11.67)	11.32	(8.52 - 14.88)	3.68	(2.49 - 5.42)	4.80	(3.57 - 6.43)
Region 2	7.81	(5.53 - 10.92)	9.44	(6.71 - 13.10)	3.97	(2.65 - 5.91)	4.60	(3.26 - 6.45)
Region 3 (Bernalillo)	11.09	(8.22 - 14.81)	13.31	(10.40 - 16.88)	4.75	(3.35 - 6.70)	6.03	(4.63 - 7.82)
Region 4	7.79	(5.53 - 10.87)	9.29	(6.71 - 12.71)	3.84	(2.60 - 5.65)	4.71	(3.44 - 6.43)
Region 5	7.82	(5.68 - 10.68)	10.05	(7.37 - 13.58)	4.15	(2.83 - 6.04)	5.12	(3.77 - 6.90)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	4.44	(3.84 - 5.14)	8.78	(7.90 - 9.76)	3.33	(2.81 - 3.93)	4.14	(3.66 - 4.70)
Region A	3.87	(3.14 - 4.77)	7.24	(6.23 - 8.40)	3.45	(2.81 - 4.23)	4.03	(3.42 - 4.74)
Region 1	3.98	(2.82 - 5.58)	6.45	(4.80 - 8.60)	3.61	(2.54 - 5.11)	4.12	(3.09 - 5.47)
Region 2	3.82	(2.81 - 5.18)	6.88	(5.38 - 8.75)	3.19	(2.33 - 4.35)	3.76	(2.93 - 4.82)
Region 3	3.94	(2.75 - 5.61)	8.45	(6.42 - 11.05)	4.10	(2.93 - 5.69)	4.75	(3.61 - 6.24)
Region 4	3.83	(2.76 - 5.28)	7.34	(5.59 - 9.59)	3.20	(2.29 - 4.44)	3.77	(2.87 - 4.94)
Region B	4.15	(3.37 - 5.12)	8.98	(7.62 - 10.55)	3.07	(2.44 - 3.86)	3.87	(3.24 - 4.61)
Region 5	3.65	(2.68 - 4.95)	8.84	(7.04 - 11.03)	3.00	(2.20 - 4.08)	3.78	(2.97 - 4.79)
Region 6	3.60	(2.53 - 5.08)	7.58	(5.58 - 10.23)	2.99	(2.06 - 4.32)	3.58	(2.64 - 4.85)
Region 7	6.78	(4.99 - 9.15)	11.20	(8.53 - 14.59)	3.41	(2.40 - 4.82)	4.61	(3.55 - 5.97)
Region C	5.36	(4.46 - 6.42)	10.59	(9.21 - 12.15)	3.39	(2.74 - 4.20)	4.53	(3.88 - 5.29)
Region 8	5.69	(4.17 - 7.71)	11.03	(8.39 - 14.36)	3.20	(2.29 - 4.46)	4.37	(3.38 - 5.63)
Region 9	6.48	(4.76 - 8.75)	10.97	(8.50 - 14.05)	3.37	(2.37 - 4.75)	4.59	(3.54 - 5.92)
Region 10	5.89	(4.17 - 8.26)	9.92	(7.41 - 13.15)	3.57	(2.47 - 5.12)	4.82	(3.64 - 6.36)
Region 11	4.69	(3.39 - 6.46)	10.45	(8.04 - 13.48)	3.17	(2.24 - 4.47)	4.32	(3.34 - 5.58)
Region 12	4.55	(3.28 - 6.26)	10.36	(7.97 - 13.36)	3.72	(2.62 - 5.26)	4.71	(3.59 - 6.16)
Region D	5.52	(4.39 - 6.91)	10.85	(8.98 - 13.06)	3.33	(2.60 - 4.24)	4.49	(3.72 - 5.40)
Region 13	5.38	(3.78 - 7.61)	10.23	(7.60 - 13.63)	3.07	(2.15 - 4.38)	4.14	(3.13 - 5.46)
Region 14	5.79	(4.07 - 8.18)	11.36	(8.33 - 15.32)	3.53	(2.44 - 5.08)	4.81	(3.60 - 6.40)
Region 15	5.37	(3.84 - 7.47)	10.85	(8.14 - 14.31)	3.36	(2.36 - 4.75)	4.47	(3.39 - 5.87)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	5.97	(4.87 - 7.31)	9.88	(8.28 - 11.75)	3.17	(2.46 - 4.08)	4.12	(3.40 - 5.00)
Alliance	5.08	(3.52 - 7.26)	8.92	(6.47 - 12.17)	2.78	(1.90 - 4.05)	3.70	(2.74 - 4.99)
Cardinal Innovations	6.35	(4.50 - 8.88)	10.40	(7.67 - 13.94)	3.00	(2.01 - 4.46)	4.00	(2.94 - 5.42)
CenterPoint/Guilford	6.25	(4.59 - 8.45)	9.73	(7.45 - 12.61)	3.24	(2.28 - 4.57)	4.18	(3.17 - 5.49)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	4.27	(3.02 - 6.00)
Guilford	*	(* - *)	8.98	(6.43 - 12.41)	*	(* - *)	4.09	(2.92 - 5.69)
CoastalCare	6.35	(4.30 - 9.27)	10.78	(7.52 - 15.22)	*	(* - *)	4.77	(3.45 - 6.56)
Eastpointe	5.88	(4.06 - 8.44)	8.88	(6.35 - 12.29)	3.28	(2.14 - 4.98)	4.04	(2.86 - 5.68)
ECBH	5.81	(3.99 - 8.39)	9.42	(6.63 - 13.23)	*	(* - *)	4.12	(2.95 - 5.74)
MeckLINK	5.25	(3.57 - 7.67)	9.14	(6.54 - 12.64)	3.17	(2.10 - 4.75)	4.01	(2.88 - 5.57)
Partners	6.48	(4.52 - 9.22)	10.84	(7.87 - 14.75)	3.77	(2.51 - 5.64)	4.64	(3.31 - 6.45)
Sandhills	7.19	(4.99 - 10.25)	10.52	(7.46 - 14.64)	3.20	(2.08 - 4.90)	4.13	(2.91 - 5.81)
Smoky Mountain	*	(* - *)	10.49	(7.44 - 14.58)	*	(* - *)	4.18	(3.00 - 5.79)
Western Highlands	*	(* - *)	11.88	(8.46 - 16.43)	3.29	(2.19 - 4.93)	4.23	(3.02 - 5.89)
North Dakota	4.89	(3.87 - 6.17)	7.94	(6.47 - 9.72)	2.54	(1.91 - 3.36)	3.48	(2.82 - 4.29)
Badlands and West Central	5.07	(3.59 - 7.11)	7.71	(5.56 - 10.59)	2.35	(1.58 - 3.48)	3.07	(2.24 - 4.20)
Lake Region and South Central	4.36	(2.98 - 6.34)	8.13	(5.76 - 11.35)	2.34	(1.50 - 3.62)	3.06	(2.14 - 4.37)
North Central and Northwest	4.88	(3.42 - 6.92)	8.00	(5.79 - 10.95)	2.66	(1.78 - 3.97)	3.54	(2.58 - 4.84)
Northeast	4.62	(3.14 - 6.76)	8.06	(5.92 - 10.88)	2.79	(1.85 - 4.20)	4.07	(3.01 - 5.48)
Southeast	5.15	(3.64 - 7.24)	7.95	(5.87 - 10.67)	2.65	(1.80 - 3.88)	3.77	(2.83 - 5.00)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	6.60	(5.89 - 7.39)	11.45	(10.48 - 12.50)	4.01	(3.48 - 4.63)	5.07	(4.56 - 5.63)
Boards 2, 46, 55, and 68	6.63	(4.85 - 9.01)	11.78	(8.99 - 15.30)	4.00	(2.85 - 5.61)	5.06	(3.85 - 6.62)
Boards 3, 52, and 85	5.86	(4.25 - 8.03)	11.80	(8.96 - 15.39)	3.70	(2.58 - 5.27)	4.79	(3.61 - 6.33)
Boards 4 and 78	7.23	(5.17 - 10.02)	12.06	(8.94 - 16.08)	4.26	(2.98 - 6.06)	5.20	(3.87 - 6.96)
Boards 5 and 60	7.98	(5.73 - 11.01)	14.25	(11.03 - 18.22)	4.35	(3.09 - 6.09)	6.15	(4.79 - 7.87)
Boards 7, 15, 41, 79, and 84	6.43	(4.73 - 8.69)	10.42	(8.16 - 13.22)	3.71	(2.64 - 5.17)	4.51	(3.44 - 5.89)
Boards 8, 13, and 83	6.06	(4.47 - 8.17)	11.33	(8.59 - 14.80)	3.78	(2.72 - 5.24)	4.69	(3.59 - 6.11)
Board 9 (Butler)	6.59	(4.82 - 8.95)	11.38	(8.56 - 14.98)	3.99	(2.80 - 5.64)	5.19	(3.93 - 6.81)
Board 12	7.45	(5.42 - 10.16)	11.60	(8.62 - 15.43)	4.05	(2.89 - 5.65)	5.27	(4.01 - 6.89)
Boards 18 and 47	6.97	(5.50 - 8.80)	11.03	(8.98 - 13.49)	3.91	(2.99 - 5.09)	4.85	(3.93 - 5.96)
Boards 20, 32, 54, and 69	5.42	(3.85 - 7.58)	9.74	(7.12 - 13.20)	3.24	(2.22 - 4.72)	4.09	(3.01 - 5.54)
Boards 21, 39, 51, 70, and 80	6.30	(4.68 - 8.42)	11.99	(9.13 - 15.58)	3.86	(2.77 - 5.36)	4.83	(3.70 - 6.29)
Boards 22, 74, and 87	6.15	(4.44 - 8.48)	12.08	(9.20 - 15.71)	3.72	(2.64 - 5.21)	5.02	(3.86 - 6.50)
Boards 23 and 45	5.78	(4.23 - 7.84)	11.74	(8.84 - 15.44)	3.86	(2.72 - 5.46)	4.95	(3.74 - 6.54)
Board 25 (Franklin)	6.78	(5.18 - 8.83)	11.96	(9.67 - 14.70)	4.83	(3.63 - 6.39)	6.05	(4.87 - 7.49)
Boards 27, 71, and 73	6.07	(4.44 - 8.25)	10.93	(8.37 - 14.15)	4.07	(2.90 - 5.67)	4.94	(3.76 - 6.46)
Boards 28, 43, and 67	6.50	(4.80 - 8.74)	11.46	(8.78 - 14.82)	3.84	(2.80 - 5.25)	4.96	(3.86 - 6.34)
Board 31 (Hamilton)	5.60	(4.10 - 7.61)	9.60	(7.40 - 12.36)	3.76	(2.71 - 5.20)	4.65	(3.59 - 6.01)
Board 48 (Lucas)	7.27	(5.38 - 9.74)	11.79	(9.04 - 15.24)	4.45	(3.16 - 6.22)	5.61	(4.31 - 7.28)
Boards 50 and 76	6.87	(5.14 - 9.11)	11.22	(8.83 - 14.17)	3.77	(2.69 - 5.26)	4.73	(3.64 - 6.12)
Board 57 (Montgomery)	7.47	(5.54 - 10.01)	11.81	(9.06 - 15.27)	4.07	(2.92 - 5.64)	5.15	(3.97 - 6.66)
Board 77 (Summit)	7.06	(5.19 - 9.53)	11.81	(9.05 - 15.28)	4.25	(3.11 - 5.79)	5.27	(4.10 - 6.76)
Oklahoma	6.82	(5.58 - 8.32)	11.28	(9.48 - 13.37)	3.83	(3.03 - 4.84)	4.97	(4.15 - 5.94)
Central	7.35	(5.18 - 10.31)	12.21	(8.94 - 16.47)	3.83	(2.58 - 5.65)	5.25	(3.87 - 7.10)
East Central	7.03	(4.85 - 10.07)	11.70	(8.46 - 15.97)	3.69	(2.46 - 5.49)	4.79	(3.46 - 6.59)
Northeast	6.03	(4.20 - 8.57)	10.68	(7.91 - 14.28)	3.64	(2.50 - 5.27)	4.79	(3.59 - 6.37)
Northwest and Southwest	7.40	(5.24 - 10.35)	12.18	(8.91 - 16.43)	4.16	(2.82 - 6.10)	5.42	(3.98 - 7.34)
Oklahoma County	6.78	(4.89 - 9.34)	11.09	(8.30 - 14.67)	3.94	(2.77 - 5.59)	5.05	(3.82 - 6.65)
Southeast	6.28	(4.39 - 8.91)	10.91	(8.06 - 14.61)	3.52	(2.39 - 5.13)	4.54	(3.36 - 6.10)
Tulsa County	6.90	(4.92 - 9.61)	10.36	(7.56 - 14.04)	3.96	(2.71 - 5.75)	4.90	(3.61 - 6.63)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Oregon	6.85	(5.60 - 8.35)	14.50	(12.37 - 16.93)	4.73	(3.72 - 5.98)	6.07	(5.08 - 7.24)
Region 1 (Multnomah)	7.51	(5.37 - 10.41)	15.11	(11.60 - 19.45)	5.82	(4.16 - 8.10)	7.07	(5.37 - 9.26)
Region 2	6.82	(4.94 - 9.36)	14.01	(10.71 - 18.12)	4.55	(3.14 - 6.56)	5.75	(4.31 - 7.64)
Region 3	6.65	(4.96 - 8.85)	14.64	(11.72 - 18.14)	4.50	(3.23 - 6.24)	6.15	(4.85 - 7.76)
Region 4	6.94	(4.91 - 9.73)	14.45	(10.79 - 19.08)	4.17	(2.84 - 6.07)	5.39	(4.00 - 7.23)
Region 5 (Central)	6.65	(4.55 - 9.62)	14.42	(10.44 - 19.57)	4.58	(3.04 - 6.86)	5.71	(4.09 - 7.92)
Region 6 (Eastern)	6.37	(4.33 - 9.27)	*	(* - *)	*	(* - *)	5.62	(3.98 - 7.89)
Pennsylvania	5.60	(4.88 - 6.40)	9.78	(8.79 - 10.87)	2.91	(2.43 - 3.48)	3.90	(3.44 - 4.41)
Region 1 (Allegheny)	6.77	(5.05 - 9.03)	11.93	(9.43 - 15.00)	3.44	(2.46 - 4.79)	4.61	(3.59 - 5.91)
Regions 3, 8, 9, and 51	5.31	(3.85 - 7.27)	9.82	(7.48 - 12.79)	2.61	(1.79 - 3.78)	3.64	(2.76 - 4.79)
Regions 4, 11, 37, and 49	5.74	(4.17 - 7.86)	9.18	(6.92 - 12.10)	2.58	(1.82 - 3.66)	3.47	(2.65 - 4.54)
Regions 5, 18, 23, 24, and 46	5.50	(3.99 - 7.55)	10.39	(7.79 - 13.72)	2.77	(1.95 - 3.93)	3.78	(2.87 - 4.97)
Regions 6, 12, 16, 31, 35, 45, and 47	4.65	(3.30 - 6.50)	8.18	(6.13 - 10.84)	2.40	(1.64 - 3.50)	3.55	(2.70 - 4.64)
Regions 7, 13, 20, and 33	5.36	(4.17 - 6.86)	9.37	(7.52 - 11.62)	2.73	(2.01 - 3.70)	3.59	(2.86 - 4.50)
Regions 10, 15, 27, 32, 43, and 44	6.05	(4.43 - 8.20)	10.04	(7.51 - 13.30)	2.64	(1.84 - 3.77)	3.54	(2.67 - 4.67)
Regions 17 and 21	6.27	(4.49 - 8.68)	10.33	(7.67 - 13.77)	2.93	(2.03 - 4.22)	4.11	(3.11 - 5.42)
Regions 19, 26, 28, and 42	5.26	(3.96 - 6.95)	9.16	(7.11 - 11.74)	2.60	(1.85 - 3.65)	3.48	(2.68 - 4.50)
Regions 22, 38, 40, 41, and 48	6.32	(4.70 - 8.45)	12.09	(9.36 - 15.47)	2.88	(2.03 - 4.09)	3.95	(3.03 - 5.14)
Regions 29 and 34	5.39	(3.90 - 7.42)	9.83	(7.32 - 13.10)	2.86	(1.98 - 4.10)	3.81	(2.87 - 5.05)
Regions 30 and 50	5.51	(4.00 - 7.54)	10.59	(7.94 - 13.99)	2.67	(1.87 - 3.78)	3.72	(2.84 - 4.86)
Region 36 (Philadelphia)	5.38	(3.97 - 7.24)	8.96	(7.10 - 11.25)	4.00	(2.89 - 5.52)	4.95	(3.88 - 6.29)
Rhode Island	5.29	(4.18 - 6.67)	11.43	(9.60 - 13.57)	3.72	(2.85 - 4.84)	4.97	(4.10 - 6.02)
Bristol and Newport	5.23	(3.59 - 7.57)	11.09	(8.04 - 15.09)	3.45	(2.29 - 5.16)	4.59	(3.33 - 6.30)
Kent	6.31	(4.43 - 8.92)	13.88	(10.34 - 18.40)	4.08	(2.79 - 5.94)	5.24	(3.85 - 7.08)
Providence	4.84	(3.56 - 6.57)	10.34	(8.29 - 12.82)	3.69	(2.67 - 5.08)	4.84	(3.83 - 6.09)
Washington	6.14	(4.22 - 8.85)	14.69	(10.91 - 19.49)	3.63	(2.39 - 5.48)	5.64	(4.19 - 7.56)
South Carolina	6.37	(5.17 - 7.83)	11.20	(9.35 - 13.37)	3.66	(2.87 - 4.66)	4.76	(3.95 - 5.74)
Region 1	6.49	(4.67 - 8.96)	10.70	(8.06 - 14.06)	3.34	(2.31 - 4.79)	4.39	(3.31 - 5.82)
Region 2	6.22	(4.62 - 8.33)	10.48	(8.00 - 13.61)	3.69	(2.62 - 5.17)	4.73	(3.62 - 6.16)
Region 3	6.35	(4.44 - 9.02)	11.34	(8.31 - 15.30)	3.75	(2.58 - 5.44)	4.78	(3.53 - 6.43)
Region 4	6.44	(4.69 - 8.80)	12.43	(9.37 - 16.31)	3.89	(2.72 - 5.54)	5.15	(3.89 - 6.80)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	4.75	(3.72 - 6.07)	8.11	(6.61 - 9.90)	2.52	(1.90 - 3.33)	3.35	(2.71 - 4.14)
Region 1	4.40	(3.03 - 6.36)	8.22	(6.00 - 11.17)	2.60	(1.74 - 3.86)	3.40	(2.48 - 4.65)
Region 2	4.60	(3.09 - 6.80)	8.25	(5.80 - 11.62)	2.60	(1.65 - 4.07)	3.26	(2.25 - 4.70)
Region 3	4.07	(2.80 - 5.87)	7.28	(5.24 - 10.03)	2.34	(1.55 - 3.50)	3.18	(2.33 - 4.34)
Region 4	4.81	(3.24 - 7.09)	8.35	(5.81 - 11.87)	2.36	(1.55 - 3.56)	3.30	(2.36 - 4.59)
Region 5	5.63	(3.96 - 7.94)	8.68	(6.49 - 11.52)	2.66	(1.81 - 3.90)	3.51	(2.60 - 4.70)
Tennessee	6.39	(5.20 - 7.84)	12.19	(10.29 - 14.39)	3.56	(2.79 - 4.54)	4.78	(3.97 - 5.74)
Region 1	6.42	(4.46 - 9.15)	12.68	(9.21 - 17.21)	3.40	(2.29 - 5.02)	4.56	(3.33 - 6.21)
Region 2	5.80	(4.10 - 8.13)	11.64	(8.58 - 15.62)	3.35	(2.27 - 4.92)	4.46	(3.29 - 6.00)
Region 3	6.15	(4.36 - 8.63)	12.54	(9.30 - 16.69)	3.39	(2.30 - 4.97)	4.63	(3.43 - 6.22)
Region 4 (Davidson)	5.74	(3.95 - 8.26)	11.45	(8.29 - 15.62)	3.90	(2.67 - 5.66)	5.10	(3.77 - 6.87)
Region 5	7.39	(5.33 - 10.15)	14.04	(10.78 - 18.09)	3.91	(2.75 - 5.53)	5.31	(4.06 - 6.93)
Region 6	6.77	(4.75 - 9.56)	11.43	(8.26 - 15.61)	3.29	(2.18 - 4.96)	4.42	(3.19 - 6.09)
Region 7 (Shelby)	5.71	(4.04 - 8.00)	10.53	(7.66 - 14.31)	3.51	(2.37 - 5.17)	4.61	(3.38 - 6.26)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	5.71	(5.00 - 6.52)	9.55	(8.63 - 10.55)	3.30	(2.80 - 3.89)	4.29	(3.82 - 4.82)
Region 1	6.99	(5.03 - 9.64)	10.96	(8.29 - 14.35)	3.25	(2.25 - 4.68)	4.66	(3.54 - 6.10)
Region 2	5.71	(3.99 - 8.12)	10.38	(7.53 - 14.13)	3.17	(2.18 - 4.60)	4.34	(3.23 - 5.80)
Region 3	5.82	(4.80 - 7.05)	10.53	(8.98 - 12.31)	3.38	(2.68 - 4.26)	4.43	(3.73 - 5.26)
Region 3a	5.87	(4.55 - 7.55)	10.97	(8.96 - 13.38)	3.36	(2.48 - 4.52)	4.48	(3.59 - 5.57)
Region 3bc	5.73	(4.38 - 7.47)	9.75	(7.76 - 12.20)	3.43	(2.52 - 4.64)	4.36	(3.45 - 5.49)
Region 4	5.54	(3.95 - 7.71)	10.13	(7.58 - 13.41)	3.11	(2.16 - 4.45)	4.06	(3.05 - 5.40)
Region 5	6.34	(4.58 - 8.72)	9.72	(7.28 - 12.87)	3.19	(2.19 - 4.60)	4.16	(3.11 - 5.54)
Region 6	4.80	(3.78 - 6.08)	8.22	(6.78 - 9.94)	3.15	(2.41 - 4.10)	3.93	(3.22 - 4.78)
Region 6a	4.54	(3.47 - 5.93)	7.99	(6.46 - 9.85)	3.16	(2.37 - 4.20)	3.91	(3.14 - 4.84)
Region 6bc	7.06	(5.05 - 9.78)	10.45	(7.78 - 13.90)	3.11	(2.10 - 4.58)	4.09	(3.02 - 5.52)
Region 7	6.32	(4.99 - 7.97)	10.65	(8.80 - 12.83)	3.65	(2.80 - 4.73)	4.96	(4.09 - 6.00)
Region 7a	6.36	(4.70 - 8.54)	11.39	(8.86 - 14.54)	3.83	(2.76 - 5.28)	5.11	(3.98 - 6.52)
Region 7bcd	6.25	(4.53 - 8.56)	9.67	(7.40 - 12.56)	3.32	(2.32 - 4.74)	4.70	(3.62 - 6.10)
Region 8	6.60	(5.04 - 8.61)	9.73	(7.59 - 12.41)	3.26	(2.35 - 4.50)	4.27	(3.36 - 5.43)
Region 9	6.21	(4.42 - 8.66)	9.03	(6.68 - 12.08)	3.42	(2.34 - 4.97)	4.34	(3.20 - 5.85)
Region 10	6.20	(4.50 - 8.48)	8.60	(6.39 - 11.48)	3.24	(2.26 - 4.62)	4.19	(3.16 - 5.54)
Region 11	5.31	(4.09 - 6.88)	7.61	(5.95 - 9.68)	3.22	(2.40 - 4.31)	3.99	(3.16 - 5.02)
Region 11abd	5.66	(4.09 - 7.77)	8.20	(6.04 - 11.04)	3.29	(2.33 - 4.64)	4.12	(3.12 - 5.42)
Region 11c (Hidalgo)	4.78	(3.36 - 6.77)	6.64	(4.74 - 9.23)	3.10	(2.07 - 4.61)	3.75	(2.72 - 5.16)
Utah	4.88	(3.85 - 6.16)	8.36	(6.84 - 10.17)	2.98	(2.29 - 3.88)	4.00	(3.27 - 4.88)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.64	(3.15 - 6.77)	8.47	(6.10 - 11.63)	2.74	(1.84 - 4.07)	3.83	(2.82 - 5.18)
Central, Four Corners, San Juan, and Southwest	4.36	(2.93 - 6.45)	8.95	(6.26 - 12.64)	2.74	(1.77 - 4.21)	3.81	(2.71 - 5.34)
Davis County	4.99	(3.38 - 7.32)	9.32	(6.56 - 13.08)	2.82	(1.85 - 4.27)	3.91	(2.82 - 5.41)
Salt Lake County	5.49	(3.94 - 7.62)	8.41	(6.32 - 11.12)	3.05	(2.15 - 4.30)	3.95	(3.01 - 5.16)
Utah County	4.17	(2.84 - 6.09)	7.59	(5.42 - 10.54)	3.23	(2.14 - 4.83)	4.40	(3.24 - 5.94)
Weber, Morgan	4.93	(3.32 - 7.26)	8.38	(5.87 - 11.82)	3.14	(2.07 - 4.73)	4.02	(2.87 - 5.61)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	5.96	(4.82 - 7.34)	12.46	(10.60 - 14.59)	3.27	(2.53 - 4.22)	4.61	(3.85 - 5.52)
Champlain Valley	6.47	(4.82 - 8.64)	12.30	(9.78 - 15.36)	3.51	(2.52 - 4.86)	5.09	(4.04 - 6.39)
Rural Northeast	5.60	(4.00 - 7.79)	13.31	(10.31 - 17.01)	3.32	(2.26 - 4.85)	4.60	(3.47 - 6.07)
Rural Southeast	5.88	(4.20 - 8.18)	12.99	(9.89 - 16.87)	3.08	(2.10 - 4.50)	4.17	(3.11 - 5.57)
Rural Southwest	5.26	(3.65 - 7.52)	11.21	(8.41 - 14.78)	2.91	(1.94 - 4.33)	4.01	(2.97 - 5.39)
Virginia	5.54	(4.53 - 6.76)	11.15	(9.37 - 13.23)	3.34	(2.59 - 4.28)	4.48	(3.71 - 5.40)
Region 1	5.87	(4.21 - 8.13)	12.51	(9.60 - 16.14)	3.53	(2.41 - 5.14)	4.94	(3.75 - 6.49)
Region 2	4.42	(3.14 - 6.19)	9.20	(6.80 - 12.35)	2.99	(2.05 - 4.34)	3.73	(2.75 - 5.04)
Region 3	6.27	(4.44 - 8.79)	12.10	(9.24 - 15.69)	3.20	(2.16 - 4.73)	4.53	(3.40 - 6.00)
Region 4	6.34	(4.53 - 8.81)	11.61	(8.46 - 15.73)	4.00	(2.69 - 5.90)	5.13	(3.75 - 6.96)
Region 5	5.61	(4.07 - 7.69)	11.02	(8.21 - 14.63)	3.24	(2.22 - 4.72)	4.54	(3.40 - 6.04)
Washington	7.12	(5.83 - 8.67)	11.85	(10.08 - 13.89)	4.31	(3.41 - 5.44)	5.38	(4.49 - 6.45)
Region 1	6.62	(4.99 - 8.74)	11.12	(8.68 - 14.15)	3.99	(2.87 - 5.53)	5.17	(4.01 - 6.65)
East 1 (previously Region 1)	6.51	(4.58 - 9.19)	11.98	(8.81 - 16.08)	4.08	(2.72 - 6.06)	5.39	(3.95 - 7.33)
East 2 (previously Region 2)	6.75	(4.70 - 9.62)	9.94	(7.15 - 13.67)	3.87	(2.58 - 5.76)	4.87	(3.53 - 6.68)
Region 2	6.99	(5.44 - 8.95)	11.44	(9.35 - 13.92)	4.21	(3.19 - 5.53)	5.19	(4.17 - 6.43)
North 1 (previously Region 3)	6.68	(4.75 - 9.33)	11.78	(8.92 - 15.41)	4.46	(3.10 - 6.39)	5.51	(4.12 - 7.33)
North 2 (previously Region 4)	7.20	(5.31 - 9.70)	11.22	(8.68 - 14.40)	4.06	(2.88 - 5.71)	5.01	(3.80 - 6.56)
Region 3	7.64	(5.88 - 9.86)	13.03	(10.41 - 16.20)	4.66	(3.47 - 6.22)	5.81	(4.60 - 7.30)
West 1 (previously Region 5)	7.38	(5.33 - 10.12)	12.82	(9.59 - 16.92)	4.62	(3.26 - 6.52)	5.85	(4.44 - 7.68)
West 2 (previously Region 6)	7.87	(5.65 - 10.88)	13.28	(10.00 - 17.42)	4.69	(3.24 - 6.74)	5.76	(4.28 - 7.72)
West Virginia	6.18	(5.03 - 7.56)	11.98	(10.27 - 13.93)	3.28	(2.57 - 4.16)	4.41	(3.69 - 5.27)
Region I	6.76	(4.68 - 9.69)	13.10	(9.41 - 17.96)	3.38	(2.27 - 5.02)	4.57	(3.30 - 6.28)
Region II	6.22	(4.36 - 8.80)	12.20	(9.02 - 16.30)	3.20	(2.18 - 4.68)	4.31	(3.19 - 5.81)
Region III	5.77	(4.03 - 8.20)	11.41	(8.20 - 15.66)	3.00	(2.00 - 4.48)	3.93	(2.83 - 5.43)
Region IV	6.56	(4.78 - 8.93)	12.97	(10.38 - 16.08)	3.64	(2.55 - 5.17)	5.30	(4.16 - 6.73)
Region V	6.19	(4.53 - 8.40)	11.57	(9.03 - 14.70)	3.16	(2.23 - 4.46)	4.16	(3.19 - 5.40)
Region VI	5.67	(3.95 - 8.06)	10.34	(7.51 - 14.07)	3.20	(2.18 - 4.67)	4.00	(2.91 - 5.47)

See notes at end of table.

(continued)

Table 8 *Nonmedical Use of Pain Relievers in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Wisconsin	6.23	(5.01 - 7.73)	10.66	(8.91 - 12.72)	3.56	(2.76 - 4.58)	4.58	(3.75-5.57)
Milwaukee	6.69	(4.63 - 9.58)	10.76	(7.81 - 14.65)	4.54	(3.06 - 6.67)	5.55	(4.04-7.58)
Northeastern	5.32	(3.78 - 7.44)	9.64	(7.23 - 12.75)	3.19	(2.16 - 4.67)	4.04	(2.97-5.47)
Northern	5.95	(4.05 - 8.65)	11.18	(8.01 - 15.39)	3.27	(2.17 - 4.91)	4.28	(3.07-5.95)
Southeastern	7.39	(5.19 - 10.42)	13.03	(9.63 - 17.39)	3.68	(2.46 - 5.48)	4.87	(3.55-6.64)
Southern	6.12	(4.34 - 8.57)	9.51	(7.04 - 12.72)	3.25	(2.16 - 4.85)	4.20	(3.07-5.71)
Western	5.55	(3.88 - 7.87)	10.43	(7.67 - 14.02)	3.47	(2.35 - 5.09)	4.58	(3.39-6.16)
Wyoming	5.55	(4.48 - 6.86)	9.41	(7.80 - 11.31)	3.33	(2.62 - 4.23)	4.23	(3.51-5.10)
Judicial District 1 (Laramie)	6.04	(4.28 - 8.46)	9.41	(6.82 - 12.83)	3.10	(2.15 - 4.45)	3.99	(2.98-5.32)
Judicial District 2	5.31	(3.62 - 7.73)	9.24	(6.77 - 12.48)	3.96	(2.69 - 5.78)	5.51	(4.13-7.32)
Judicial District 3	5.44	(3.83 - 7.68)	8.46	(6.17 - 11.50)	3.15	(2.17 - 4.56)	3.87	(2.85-5.24)
Judicial District 4	5.23	(3.61 - 7.52)	9.12	(6.50 - 12.67)	2.93	(1.94 - 4.40)	3.63	(2.58-5.09)
Judicial District 5	5.09	(3.47 - 7.43)	9.36	(6.54 - 13.21)	3.08	(2.03 - 4.66)	3.82	(2.69-5.39)
Judicial District 6	5.21	(3.62 - 7.44)	9.47	(6.70 - 13.22)	3.22	(2.19 - 4.71)	4.12	(3.01-5.62)
Judicial District 7 (Natrona)	6.14	(4.26 - 8.77)	10.55	(7.68 - 14.32)	3.75	(2.54 - 5.50)	4.72	(3.46-6.40)
Judicial District 8	5.28	(3.65 - 7.60)	10.34	(7.33 - 14.40)	3.24	(2.15 - 4.86)	4.12	(2.94-5.74)
Judicial District 9	5.59	(3.86 - 8.05)	9.12	(6.47 - 12.70)	3.54	(2.38 - 5.23)	4.23	(3.03-5.87)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	13.25	(12.90 - 13.61)	60.66	(60.01 - 61.30)	55.11	(54.53 - 55.69)	55.93	(55.42 - 56.43)
Northeast	15.86	(15.13 - 16.62)	66.20	(65.21 - 67.18)	60.70	(59.64 - 61.74)	61.49	(60.57 - 62.39)
Midwest	13.11	(12.60 - 13.64)	64.05	(63.26 - 64.84)	58.14	(57.29 - 58.98)	59.00	(58.26 - 59.74)
South	12.23	(11.74 - 12.73)	57.43	(56.67 - 58.18)	50.90	(50.10 - 51.70)	51.86	(51.16 - 52.56)
West	13.11	(12.41 - 13.84)	58.46	(57.33 - 59.57)	54.56	(53.46 - 55.66)	55.16	(54.20 - 56.12)
Alabama	11.53	(9.87 - 13.43)	51.69	(48.55 - 54.82)	45.14	(41.87 - 48.45)	46.11	(43.24 - 49.02)
Region 1	10.48	(8.03 - 13.56)	44.98	(39.47 - 50.61)	41.54	(36.34 - 46.93)	42.00	(37.25 - 46.91)
Region 2	12.41	(9.87 - 15.49)	57.46	(52.52 - 62.26)	50.76	(45.58 - 55.92)	51.79	(47.16 - 56.39)
Region 3	9.39	(7.17 - 12.20)	49.80	(43.90 - 55.69)	40.40	(34.95 - 46.09)	42.09	(37.21 - 47.13)
Region 4	13.31	(10.32 - 17.01)	52.65	(47.39 - 57.86)	45.31	(39.86 - 50.86)	46.30	(41.39 - 51.29)
Alaska	14.09	(11.85 - 16.68)	59.16	(55.65 - 62.58)	56.97	(53.44 - 60.43)	57.31	(54.19 - 60.37)
Anchorage	13.89	(11.11 - 17.23)	65.30	(60.53 - 69.78)	62.37	(57.75 - 66.78)	62.85	(58.79 - 66.73)
Northern	12.26	(9.34 - 15.94)	51.55	(45.59 - 57.47)	48.13	(42.08 - 54.23)	48.78	(43.42 - 54.16)
South Central	15.80	(12.13 - 20.33)	56.49	(49.99 - 62.78)	56.19	(49.93 - 62.26)	56.23	(50.48 - 61.81)
Southeast	14.39	(10.72 - 19.04)	*	(* - *)	55.93	(49.25 - 62.40)	56.31	(50.12 - 62.31)
Arizona	13.78	(11.73 - 16.13)	57.01	(53.60 - 60.35)	53.46	(49.91 - 56.97)	53.98	(50.82 - 57.11)
Maricopa	14.03	(11.49 - 17.03)	59.20	(54.89 - 63.37)	56.49	(52.11 - 60.78)	56.90	(52.99 - 60.72)
Pima	14.80	(11.20 - 19.31)	60.40	(54.08 - 66.39)	55.22	(48.69 - 61.56)	56.02	(50.07 - 61.80)
Rural North	12.87	(9.59 - 17.06)	*	(* - *)	47.78	(41.26 - 54.38)	48.42	(42.38 - 54.50)
Rural South	12.35	(9.08 - 16.58)	*	(* - *)	*	(* - *)	43.58	(37.10 - 50.30)
Arkansas	12.22	(10.53 - 14.14)	51.02	(47.81 - 54.23)	41.14	(37.84 - 44.52)	42.58	(39.62 - 45.59)
Catchment Area 1	11.10	(8.44 - 14.45)	54.71	(48.48 - 60.80)	46.42	(40.18 - 52.78)	47.78	(42.10 - 53.52)
Catchment Area 2	12.35	(9.29 - 16.24)	*	(* - *)	*	(* - *)	39.23	(33.17 - 45.63)
Catchment Area 3	12.20	(9.27 - 15.90)	*	(* - *)	36.24	(30.33 - 42.59)	37.53	(31.99 - 43.40)
Catchment Area 4	12.32	(9.29 - 16.17)	*	(* - *)	*	(* - *)	40.96	(34.77 - 47.45)
Catchment Area 5	12.56	(9.50 - 16.42)	55.40	(49.19 - 61.45)	42.22	(35.76 - 48.96)	44.47	(38.64 - 50.45)
Catchment Area 6	12.76	(9.53 - 16.86)	*	(* - *)	*	(* - *)	36.70	(30.60 - 43.27)
Catchment Area 7	11.85	(8.86 - 15.67)	*	(* - *)	*	(* - *)	38.16	(31.96 - 44.77)
Catchment Area 8	12.77	(9.83 - 16.42)	55.20	(49.56 - 60.71)	46.01	(40.42 - 51.70)	47.22	(42.07 - 52.42)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
California	13.16	(12.06 - 14.35)	58.40	(56.57 - 60.20)	52.98	(51.21 - 54.74)	53.84	(52.30 - 55.37)
Region 1R	16.46	(12.59 - 21.23)	*	(* - *)	60.14	(53.59 - 66.35)	61.20	(55.15 - 66.93)
Region 2R	15.27	(11.87 - 19.42)	66.29	(59.89 - 72.14)	60.98	(54.45 - 67.14)	61.80	(55.81 - 67.44)
Region 3R (Sacramento)	11.89	(9.14 - 15.34)	56.91	(50.22 - 63.36)	49.73	(43.84 - 55.62)	50.84	(45.38 - 56.28)
Region 4R	15.82	(12.47 - 19.86)	65.42	(59.12 - 71.22)	60.69	(54.88 - 66.21)	61.31	(55.88 - 66.46)
Region 5R (San Francisco)	*	(* - *)	74.12	(68.05 - 79.38)	61.73	(55.36 - 67.72)	63.24	(57.29 - 68.81)
Region 6 (Santa Clara)	11.42	(8.76 - 14.77)	61.90	(55.36 - 68.04)	53.46	(47.51 - 59.32)	54.58	(49.01 - 60.04)
Region 7R (Contra Costa)	15.15	(11.68 - 19.42)	*	(* - *)	60.20	(53.99 - 66.09)	60.56	(54.74 - 66.09)
Region 8R (Alameda)	12.58	(9.74 - 16.10)	63.86	(57.72 - 69.57)	56.81	(51.13 - 62.32)	57.81	(52.55 - 62.90)
Region 9R (San Mateo)	13.82	(10.46 - 18.05)	*	(* - *)	*	(* - *)	58.80	(52.04 - 65.23)
Region 10	14.13	(10.88 - 18.14)	64.16	(57.86 - 70.00)	57.21	(51.06 - 63.16)	58.43	(52.83 - 63.82)
Region 11 (Los Angeles)	12.55	(11.11 - 14.15)	54.38	(51.62 - 57.12)	49.68	(47.02 - 52.35)	50.44	(48.06 - 52.81)
LA SPA 1 and 5	13.22	(10.10 - 17.12)	*	(* - *)	56.06	(49.44 - 62.47)	57.11	(50.93 - 63.07)
LA SPA 2	13.48	(10.61 - 16.98)	55.90	(49.99 - 61.64)	52.54	(46.89 - 58.12)	53.04	(47.87 - 58.13)
LA SPA 3	10.96	(8.39 - 14.19)	47.76	(41.83 - 53.76)	42.17	(36.61 - 47.94)	43.04	(37.97 - 48.27)
LA SPA 4	12.80	(9.74 - 16.64)	59.16	(52.80 - 65.23)	51.03	(44.93 - 57.10)	52.28	(46.64 - 57.86)
LA SPA 6	11.60	(8.86 - 15.05)	47.75	(41.20 - 54.38)	44.35	(37.90 - 50.99)	45.07	(39.28 - 50.99)
LA SPA 7	12.41	(9.60 - 15.90)	53.14	(46.62 - 59.56)	47.63	(41.50 - 53.84)	48.60	(43.01 - 54.23)
LA SPA 8	13.52	(10.65 - 17.01)	57.03	(50.99 - 62.87)	53.35	(47.67 - 58.94)	53.90	(48.64 - 59.08)
Region 12R	13.56	(10.34 - 17.58)	*	(* - *)	*	(* - *)	54.92	(48.44 - 61.23)
Regions 13 and 19R	12.75	(10.28 - 15.72)	54.99	(49.95 - 59.94)	52.19	(47.21 - 57.13)	52.66	(48.21 - 57.07)
Region 13 (Riverside)	12.72	(10.10 - 15.89)	55.33	(49.93 - 60.60)	53.09	(47.78 - 58.34)	53.47	(48.72 - 58.15)
Region 19R (Imperial)	13.19	(9.91 - 17.34)	*	(* - *)	*	(* - *)	42.40	(35.87 - 49.21)
Region 14 (Orange)	11.94	(9.63 - 14.72)	58.89	(53.93 - 63.67)	51.93	(47.36 - 56.46)	52.99	(48.86 - 57.08)
Region 15R (Fresno)	12.07	(9.16 - 15.75)	*	(* - *)	48.00	(41.58 - 54.48)	48.76	(42.80 - 54.75)
Region 16R (San Diego)	13.50	(10.95 - 16.53)	60.20	(55.46 - 64.75)	54.36	(49.83 - 58.83)	55.36	(51.31 - 59.33)
Region 17R	13.88	(11.05 - 17.30)	53.96	(47.82 - 59.98)	48.57	(43.01 - 54.17)	49.54	(44.46 - 54.63)
Region 18R (San Bernardino)	14.03	(11.13 - 17.54)	56.01	(50.84 - 61.06)	47.09	(41.88 - 52.36)	48.68	(44.05 - 53.34)
Region 20R	13.40	(10.36 - 17.16)	*	(* - *)	51.05	(44.36 - 57.69)	51.33	(45.20 - 57.42)
Region 21R	13.74	(10.49 - 17.80)	62.38	(55.75 - 68.57)	53.90	(47.67 - 60.00)	55.44	(49.78 - 60.96)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	14.06	(12.05 - 16.33)	69.82	(66.76 - 72.71)	63.67	(60.43 - 66.80)	64.57	(61.69 - 67.34)
Region 1	13.57	(10.31 - 17.66)	71.13	(64.97 - 76.59)	63.04	(56.70 - 68.96)	64.45	(58.75 - 69.76)
Regions 2 and 7	14.68	(12.05 - 17.76)	71.54	(67.48 - 75.27)	65.61	(61.48 - 69.52)	66.44	(62.74 - 69.94)
Region 3	12.90	(9.91 - 16.63)	67.92	(61.63 - 73.62)	64.08	(58.17 - 69.60)	64.67	(59.28 - 69.71)
Region 4	13.86	(10.34 - 18.34)	*	(* - *)	*	(* - *)	*	(* - *)
Regions 5 and 6	13.22	(9.82 - 17.56)	*	(* - *)	*	(* - *)	62.26	(55.63 - 68.47)
Connecticut	17.98	(15.60 - 20.63)	68.88	(65.47 - 72.10)	65.05	(61.70 - 68.25)	65.57	(62.58 - 68.43)
Eastern	18.84	(14.51 - 24.10)	68.06	(61.99 - 73.58)	62.08	(55.88 - 67.91)	63.14	(57.67 - 68.30)
North Central	16.13	(12.90 - 19.99)	67.95	(62.38 - 73.06)	62.52	(56.95 - 67.77)	63.22	(58.19 - 67.98)
Northwestern	17.77	(13.82 - 22.56)	*	(* - *)	65.99	(59.79 - 71.69)	66.07	(60.25 - 71.44)
South Central	20.16	(16.09 - 24.96)	71.39	(66.23 - 76.04)	67.41	(61.60 - 72.72)	67.96	(62.75 - 72.76)
Southwest	17.87	(14.01 - 22.53)	69.49	(63.09 - 75.22)	66.88	(61.00 - 72.27)	67.20	(61.74 - 72.23)
Delaware	14.11	(12.08 - 16.43)	63.84	(60.40 - 67.14)	56.64	(53.30 - 59.91)	57.69	(54.72 - 60.60)
Kent	14.98	(11.69 - 19.01)	63.12	(56.88 - 68.95)	55.06	(48.80 - 61.17)	56.37	(50.74 - 61.84)
New Castle (excluding Wilmington City)	14.06	(11.44 - 17.16)	65.08	(60.72 - 69.20)	58.13	(53.67 - 62.45)	59.22	(55.30 - 63.03)
Sussex	14.48	(11.25 - 18.45)	61.46	(54.93 - 67.61)	56.77	(51.14 - 62.22)	57.26	(52.02 - 62.35)
Wilmington City	11.55	(8.52 - 15.47)	*	(* - *)	*	(* - *)	52.05	(45.57 - 58.45)
District of Columbia	14.80	(12.51 - 17.41)	75.68	(72.89 - 78.27)	65.12	(61.80 - 68.30)	67.17	(64.44 - 69.79)
Ward 1	15.81	(11.59 - 21.21)	80.08	(74.67 - 84.57)	71.56	(65.38 - 77.02)	73.39	(68.01 - 78.16)
Ward 2	*	(* - *)	85.22	(81.02 - 88.62)	79.12	(73.64 - 83.71)	80.95	(76.56 - 84.68)
Ward 3	*	(* - *)	86.45	(82.23 - 89.79)	77.39	(71.78 - 82.17)	79.09	(74.24 - 83.23)
Ward 4	16.63	(12.65 - 21.56)	*	(* - *)	61.50	(54.80 - 67.79)	62.65	(56.40 - 68.51)
Ward 5	13.63	(10.27 - 17.87)	71.11	(65.04 - 76.51)	55.83	(49.39 - 62.08)	58.75	(53.10 - 64.18)
Ward 6	14.74	(10.94 - 19.57)	82.64	(77.50 - 86.81)	70.09	(63.82 - 75.69)	72.01	(66.38 - 77.02)
Ward 7	12.56	(9.50 - 16.42)	*	(* - *)	*	(* - *)	51.21	(45.00 - 57.40)
Ward 8	12.53	(9.70 - 16.05)	*	(* - *)	49.77	(43.31 - 56.23)	51.16	(45.44 - 56.85)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	12.84	(11.78 - 13.97)	58.43	(56.71 - 60.12)	54.27	(52.51 - 56.02)	54.82	(53.26 - 56.37)
Region A - Northwest	12.90	(11.03 - 15.05)	61.87	(58.04 - 65.56)	54.56	(50.80 - 58.27)	55.85	(52.48 - 59.16)
Circuit 1	11.59	(9.21 - 14.50)	55.59	(49.76 - 61.26)	54.36	(49.04 - 59.59)	54.55	(49.70 - 59.32)
Circuit 2	15.23	(11.75 - 19.52)	70.77	(64.96 - 75.97)	60.45	(54.27 - 66.30)	63.00	(57.62 - 68.07)
Circuit 14	13.31	(10.15 - 17.25)	*	(* - *)	*	(* - *)	49.30	(42.75 - 55.87)
Region B - Northeast	12.62	(10.80 - 14.68)	59.70	(56.18 - 63.13)	52.67	(49.21 - 56.11)	53.73	(50.61 - 56.82)
Circuits 3 and 8	12.69	(9.87 - 16.18)	63.54	(58.21 - 68.56)	50.00	(43.97 - 56.03)	52.82	(47.61 - 57.97)
Circuit 4	11.93	(9.35 - 15.10)	57.93	(51.91 - 63.72)	50.35	(44.86 - 55.84)	51.46	(46.42 - 56.48)
Circuit 7	13.55	(10.67 - 17.06)	57.99	(52.04 - 63.71)	57.07	(51.37 - 62.59)	57.18	(51.88 - 62.32)
Region C - Central	13.22	(11.68 - 14.93)	58.69	(55.95 - 61.37)	54.60	(51.78 - 57.40)	55.14	(52.59 - 57.66)
Circuit 5	13.20	(10.16 - 16.97)	53.62	(47.15 - 59.97)	51.92	(45.79 - 58.00)	52.08	(46.29 - 57.81)
Circuit 9	13.22	(10.81 - 16.06)	61.92	(57.54 - 66.12)	56.31	(51.47 - 61.04)	57.31	(53.10 - 61.41)
Circuit 10	10.61	(8.22 - 13.59)	47.46	(41.65 - 53.34)	45.07	(39.52 - 50.74)	45.37	(40.23 - 50.61)
Circuit 18	13.56	(10.83 - 16.84)	64.71	(59.03 - 69.99)	58.76	(53.20 - 64.11)	59.52	(54.41 - 64.44)
Circuit 19	15.99	(12.47 - 20.27)	*	(* - *)	60.34	(53.94 - 66.40)	60.14	(54.12 - 65.88)
Region D - Southeast	11.71	(9.92 - 13.77)	55.66	(51.99 - 59.28)	53.77	(50.08 - 57.42)	54.00	(50.62 - 57.34)
Circuit 15 (Palm Beach)	11.16	(8.84 - 13.99)	55.72	(50.70 - 60.63)	54.77	(49.44 - 60.00)	54.88	(49.98 - 59.69)
Circuit 17 (Broward)	12.09	(9.77 - 14.87)	55.62	(50.67 - 60.47)	52.99	(48.34 - 57.58)	53.31	(49.06 - 57.52)
Region E - Sun Coast	14.09	(12.37 - 16.01)	61.49	(58.50 - 64.40)	59.49	(56.66 - 62.26)	59.72	(57.10 - 62.28)
Circuit 6	13.87	(11.11 - 17.18)	63.12	(57.30 - 68.59)	59.87	(54.46 - 65.05)	60.20	(55.13 - 65.06)
Circuit 12	15.31	(11.99 - 19.34)	63.12	(56.54 - 69.24)	63.38	(57.59 - 68.80)	63.35	(57.84 - 68.53)
Circuit 13 (Hillsborough)	12.70	(10.11 - 15.84)	61.61	(57.39 - 65.66)	54.20	(49.18 - 59.14)	55.33	(50.89 - 59.68)
Circuit 20	15.43	(12.19 - 19.35)	58.41	(52.06 - 64.49)	61.55	(56.21 - 66.63)	61.23	(56.18 - 66.05)
Region F - Southern (Circuits 11 and 16)	11.59	(9.51 - 14.07)	52.67	(48.76 - 56.54)	46.10	(42.26 - 49.99)	47.02	(43.58 - 50.49)
Georgia	11.45	(9.76 - 13.39)	52.65	(49.41 - 55.87)	50.19	(46.98 - 53.40)	50.56	(47.71 - 53.41)
Region 1	11.28	(8.87 - 14.25)	52.09	(46.51 - 57.61)	52.44	(46.93 - 57.90)	52.40	(47.37 - 57.37)
Region 2	11.75	(9.00 - 15.19)	55.43	(48.96 - 61.72)	46.65	(40.67 - 52.73)	48.16	(42.74 - 53.63)
Region 3	11.51	(8.97 - 14.64)	55.96	(50.73 - 61.07)	54.86	(49.82 - 59.80)	55.02	(50.44 - 59.52)
Region 4	12.44	(9.15 - 16.69)	*	(* - *)	*	(* - *)	42.22	(36.03 - 48.67)
Region 5	11.55	(8.52 - 15.48)	*	(* - *)	*	(* - *)	*	(* - *)
Region 6	10.91	(8.24 - 14.32)	*	(* - *)	47.80	(41.44 - 54.22)	48.13	(42.26 - 54.06)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	13.43	(11.39 - 15.76)	58.23	(54.94 - 61.44)	51.58	(48.14 - 55.02)	52.47	(49.40 - 55.52)
Hawaii Island	15.45	(11.83 - 19.93)	*	(* - *)	58.68	(52.06 - 65.00)	58.55	(52.39 - 64.46)
Honolulu	12.88	(10.52 - 15.68)	59.08	(55.36 - 62.71)	49.05	(45.05 - 53.06)	50.46	(46.90 - 54.01)
Kauai and Maui	13.95	(10.98 - 17.58)	54.06	(47.40 - 60.58)	56.35	(50.38 - 62.13)	56.09	(50.49 - 61.54)
Kauai	13.35	(9.65 - 18.17)	*	(* - *)	*	(* - *)	*	(* - *)
Maui	14.21	(10.74 - 18.58)	*	(* - *)	*	(* - *)	56.19	(49.52 - 62.65)
Idaho	11.91	(10.30 - 13.74)	50.95	(47.65 - 54.25)	54.24	(50.84 - 57.60)	53.74	(50.73 - 56.72)
Region 1	13.69	(10.53 - 17.61)	*	(* - *)	*	(* - *)	60.70	(53.98 - 67.04)
Region 2	13.89	(10.43 - 18.25)	*	(* - *)	*	(* - *)	58.63	(52.02 - 64.94)
Region 3	11.79	(9.05 - 15.23)	45.97	(39.34 - 52.74)	47.61	(41.08 - 54.23)	47.38	(41.40 - 53.42)
Region 4	13.00	(10.24 - 16.36)	61.60	(55.96 - 66.94)	61.49	(56.05 - 66.66)	61.51	(56.55 - 66.23)
Region 5	12.33	(9.49 - 15.86)	*	(* - *)	52.33	(45.98 - 58.60)	51.81	(46.00 - 57.57)
Region 6	11.09	(8.41 - 14.49)	*	(* - *)	*	(* - *)	49.21	(42.79 - 55.66)
Region 7	7.74	(5.46 - 10.86)	*	(* - *)	*	(* - *)	38.87	(32.96 - 45.14)
Illinois	12.86	(11.78 - 14.03)	64.73	(63.05 - 66.38)	58.68	(56.90 - 60.44)	59.56	(58.02 - 61.08)
Region I (Cook)	12.70	(11.03 - 14.58)	64.69	(62.20 - 67.10)	59.71	(56.94 - 62.42)	60.44	(58.04 - 62.78)
Region II	12.85	(11.23 - 14.66)	66.23	(63.33 - 69.01)	62.27	(59.41 - 65.04)	62.81	(60.29 - 65.27)
Region III	13.23	(10.85 - 16.03)	66.65	(62.64 - 70.43)	55.28	(51.12 - 59.37)	57.23	(53.58 - 60.80)
Region IV	13.16	(10.58 - 16.25)	60.23	(55.21 - 65.04)	51.88	(46.95 - 56.78)	53.03	(48.56 - 57.45)
Region V	12.99	(10.62 - 15.80)	60.70	(56.19 - 65.04)	51.69	(47.00 - 56.35)	52.97	(48.78 - 57.12)
Indiana	11.30	(9.59 - 13.26)	61.67	(58.53 - 64.70)	54.60	(51.17 - 57.98)	55.66	(52.61 - 58.68)
Central	10.16	(7.64 - 13.39)	60.87	(54.82 - 66.61)	56.22	(50.46 - 61.81)	56.86	(51.56 - 62.00)
East	12.02	(8.91 - 16.03)	*	(* - *)	47.85	(41.23 - 54.54)	49.05	(42.98 - 55.14)
North Central	12.12	(9.16 - 15.86)	62.22	(55.86 - 68.18)	54.42	(48.02 - 60.67)	55.53	(49.68 - 61.22)
Northeast	11.00	(8.20 - 14.61)	*	(* - *)	*	(* - *)	56.26	(49.68 - 62.63)
Northwest	11.61	(8.79 - 15.19)	*	(* - *)	56.82	(50.40 - 63.01)	57.46	(51.49 - 63.23)
Southeast	11.61	(8.75 - 15.24)	55.59	(48.77 - 62.20)	*	(* - *)	50.68	(44.23 - 57.12)
Southwest	11.61	(8.53 - 15.60)	*	(* - *)	*	(* - *)	*	(* - *)
West	12.06	(9.02 - 15.95)	69.84	(63.84 - 75.23)	*	(* - *)	61.90	(55.85 - 67.60)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	14.79	(12.90 - 16.90)	66.80	(63.69 - 69.76)	58.74	(55.48 - 61.93)	59.94	(57.04 - 62.78)
Central	15.07	(11.82 - 19.01)	69.37	(63.36 - 74.78)	63.66	(57.90 - 69.05)	64.45	(59.16 - 69.41)
North Central	13.72	(10.33 - 18.00)	*	(* - *)	*	(* - *)	57.47	(51.26 - 63.46)
Northeast	14.24	(11.20 - 17.94)	69.90	(65.01 - 74.38)	64.27	(58.75 - 69.43)	65.12	(60.19 - 69.74)
Northwest	14.93	(11.70 - 18.86)	60.40	(53.79 - 66.65)	53.89	(47.52 - 60.14)	54.75	(48.88 - 60.48)
Southeast	14.86	(11.79 - 18.56)	65.69	(59.91 - 71.03)	55.16	(49.27 - 60.91)	56.85	(51.55 - 62.01)
Southwest	16.27	(12.42 - 21.04)	*	(* - *)	*	(* - *)	56.65	(50.18 - 62.90)
Kansas	12.42	(10.68 - 14.39)	60.56	(57.15 - 63.88)	54.99	(51.61 - 58.32)	55.85	(52.86 - 58.80)
Kansas City Metro	12.64	(10.14 - 15.65)	64.45	(59.30 - 69.28)	58.67	(53.73 - 63.44)	59.52	(55.09 - 63.80)
Northeast	12.50	(9.47 - 16.32)	60.34	(54.09 - 66.27)	55.69	(49.09 - 62.09)	56.52	(50.61 - 62.24)
South Central	12.20	(9.21 - 15.98)	*	(* - *)	*	(* - *)	49.68	(43.32 - 56.06)
Southeast	11.39	(8.32 - 15.39)	*	(* - *)	*	(* - *)	*	(* - *)
West	12.22	(9.26 - 15.96)	*	(* - *)	49.20	(42.48 - 55.95)	50.01	(43.77 - 56.25)
Wichita (Sedgwick)	12.56	(9.62 - 16.24)	62.31	(55.98 - 68.24)	58.97	(52.87 - 64.81)	59.47	(53.92 - 64.79)
Kentucky	11.57	(9.90 - 13.48)	54.33	(51.07 - 57.55)	45.50	(42.26 - 48.77)	46.74	(43.84 - 49.65)
Adanta, Cumberland River, and Lifeskills	9.44	(7.12 - 12.43)	44.08	(38.05 - 50.28)	33.65	(28.24 - 39.53)	35.14	(30.16 - 40.48)
Bluegrass, Comprehend, and North Key	12.63	(9.86 - 16.03)	61.04	(55.87 - 65.97)	54.00	(48.58 - 59.33)	55.08	(50.25 - 59.81)
Communicare and River Valley	11.76	(8.76 - 15.62)	*	(* - *)	*	(* - *)	46.48	(40.00 - 53.09)
Four Rivers and Pennyroyal	10.63	(7.95 - 14.07)	*	(* - *)	39.55	(33.13 - 46.34)	41.15	(35.17 - 47.41)
Kentucky River, Mountain, and Pathways	10.56	(7.83 - 14.09)	*	(* - *)	*	(* - *)	35.28	(29.28 - 41.78)
Seven Counties	12.57	(9.84 - 15.93)	60.37	(54.30 - 66.14)	51.86	(46.14 - 57.54)	52.97	(47.68 - 58.19)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	13.85	(12.05 - 15.87)	58.23	(55.41 - 60.99)	50.16	(47.02 - 53.30)	51.42	(48.66 - 54.18)
Regions 1 and 10	12.23	(9.83 - 15.11)	58.15	(52.83 - 63.29)	53.13	(47.88 - 58.32)	53.91	(49.10 - 58.65)
Region 1	11.24	(8.41 - 14.87)	*	(* - *)	50.69	(43.92 - 57.44)	51.87	(45.67 - 58.02)
Region 10 (Jefferson)	13.17	(10.04 - 17.08)	*	(* - *)	55.44	(48.61 - 62.07)	55.95	(49.56 - 62.15)
Regions 2 and 9	14.22	(11.45 - 17.53)	60.42	(55.95 - 64.72)	54.14	(48.74 - 59.44)	55.16	(50.39 - 59.82)
Region 3	14.55	(11.09 - 18.86)	*	(* - *)	49.81	(43.15 - 56.48)	50.61	(44.45 - 56.75)
Regions 4, 5, and 6	15.20	(12.09 - 18.93)	58.23	(53.00 - 63.28)	47.47	(42.40 - 52.58)	49.11	(44.55 - 53.69)
Regions 7 and 8	12.49	(9.77 - 15.84)	56.54	(50.87 - 62.05)	45.65	(40.39 - 51.00)	47.38	(42.63 - 52.18)
Maine	12.43	(10.67 - 14.42)	62.36	(59.10 - 65.51)	57.32	(53.78 - 60.79)	57.95	(54.75 - 61.07)
Aroostook/Downeast	13.41	(10.63 - 16.79)	61.94	(56.52 - 67.08)	53.96	(48.00 - 59.80)	54.85	(49.31 - 60.28)
Aroostook	13.56	(10.02 - 18.09)	*	(* - *)	*	(* - *)	*	(* - *)
Downeast	13.28	(9.88 - 17.62)	*	(* - *)	*	(* - *)	*	(* - *)
Central	11.78	(8.86 - 15.51)	*	(* - *)	*	(* - *)	54.52	(48.12 - 60.77)
Cumberland	11.80	(9.07 - 15.22)	65.03	(58.69 - 70.89)	63.07	(56.81 - 68.92)	63.32	(57.55 - 68.73)
Midcoast	13.20	(9.78 - 17.59)	*	(* - *)	*	(* - *)	*	(* - *)
Penquis	12.88	(9.82 - 16.72)	62.89	(56.53 - 68.83)	55.31	(49.13 - 61.34)	56.54	(50.98 - 61.95)
Western	13.10	(10.08 - 16.86)	60.13	(53.67 - 66.24)	53.81	(47.53 - 59.97)	54.62	(48.87 - 60.25)
York	11.59	(8.82 - 15.07)	62.37	(56.07 - 68.28)	*	(* - *)	60.71	(54.33 - 66.74)
Maryland	13.60	(11.75 - 15.69)	63.72	(60.61 - 66.72)	60.00	(56.68 - 63.22)	60.53	(57.58 - 63.40)
Anne Arundel	15.92	(11.88 - 21.02)	*	(* - *)	*	(* - *)	*	(* - *)
Baltimore City	11.09	(8.32 - 14.63)	59.85	(53.96 - 65.47)	50.55	(44.19 - 56.89)	52.22	(46.58 - 57.80)
Baltimore County	13.73	(10.49 - 17.78)	64.68	(58.55 - 70.36)	59.38	(52.98 - 65.47)	60.14	(54.34 - 65.66)
Montgomery	14.44	(11.18 - 18.46)	67.77	(61.11 - 73.77)	62.03	(55.78 - 67.90)	62.70	(56.86 - 68.18)
North Central	13.67	(10.38 - 17.79)	*	(* - *)	*	(* - *)	64.65	(58.09 - 70.70)
Northeast	14.16	(10.79 - 18.38)	*	(* - *)	*	(* - *)	60.36	(53.86 - 66.52)
Prince George's	11.36	(8.53 - 14.98)	*	(* - *)	56.84	(50.08 - 63.35)	57.65	(51.54 - 63.53)
South	15.28	(11.74 - 19.65)	*	(* - *)	*	(* - *)	63.36	(57.04 - 69.25)
West	13.33	(10.05 - 17.48)	*	(* - *)	*	(* - *)	59.49	(52.93 - 65.72)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	15.94	(14.04 - 18.04)	72.01	(69.09 - 74.75)	68.47	(65.40 - 71.39)	69.00	(66.30 - 71.59)
Boston	14.17	(10.64 - 18.62)	73.65	(68.09 - 78.54)	65.38	(59.18 - 71.09)	67.35	(62.01 - 72.28)
Central	16.31	(12.69 - 20.72)	69.33	(62.83 - 75.14)	67.20	(60.79 - 73.04)	67.51	(61.58 - 72.92)
Metrowest	18.32	(14.75 - 22.54)	80.86	(75.92 - 84.99)	75.14	(70.05 - 79.62)	75.89	(71.23 - 80.01)
Northeast	15.73	(12.55 - 19.54)	69.35	(63.88 - 74.33)	67.38	(62.15 - 72.20)	67.63	(62.87 - 72.06)
Southeast	14.56	(11.40 - 18.42)	68.35	(62.75 - 73.46)	68.60	(62.82 - 73.86)	68.57	(63.32 - 73.38)
Western	14.80	(11.47 - 18.90)	66.95	(60.56 - 72.77)	61.51	(55.23 - 67.43)	62.44	(56.78 - 67.79)
Michigan	13.07	(12.00 - 14.23)	62.79	(61.20 - 64.36)	57.51	(55.77 - 59.22)	58.28	(56.77 - 59.77)
Detroit City	10.12	(7.91 - 12.87)	51.96	(47.12 - 56.77)	39.55	(34.30 - 45.06)	41.79	(37.22 - 46.50)
Genesee	12.80	(10.01 - 16.21)	61.73	(55.95 - 67.21)	54.41	(48.89 - 59.82)	55.42	(50.36 - 60.37)
Kalamazoo	12.53	(10.05 - 15.53)	64.46	(59.24 - 69.36)	56.43	(50.98 - 61.73)	57.70	(52.80 - 62.44)
Kent	11.85	(9.25 - 15.05)	66.76	(62.19 - 71.04)	61.24	(56.33 - 65.94)	62.11	(57.75 - 66.29)
Lakeshore	12.19	(9.79 - 15.08)	58.08	(53.37 - 62.65)	56.33	(51.48 - 61.05)	56.59	(52.25 - 60.83)
Macomb	14.62	(11.87 - 17.87)	64.29	(59.61 - 68.71)	64.93	(60.39 - 69.21)	64.85	(60.74 - 68.75)
Mid South	12.00	(9.64 - 14.84)	65.30	(60.85 - 69.49)	56.80	(52.24 - 61.26)	58.32	(54.32 - 62.20)
Northern	15.22	(12.44 - 18.49)	63.20	(58.42 - 67.73)	58.49	(53.31 - 63.49)	59.16	(54.53 - 63.62)
Oakland	15.00	(12.49 - 17.92)	67.64	(63.43 - 71.58)	62.60	(58.45 - 66.57)	63.19	(59.42 - 66.81)
Pathways and Western	14.64	(11.54 - 18.39)	70.40	(64.49 - 75.70)	56.85	(50.73 - 62.77)	58.82	(53.26 - 64.16)
Riverhaven	15.52	(12.30 - 19.40)	63.93	(57.82 - 69.63)	57.93	(51.98 - 63.65)	58.66	(53.16 - 63.96)
Saginaw	14.62	(11.23 - 18.83)	64.65	(57.90 - 70.87)	*	(* - *)	56.67	(50.24 - 62.88)
Southeast	12.04	(9.93 - 14.52)	57.92	(53.76 - 61.97)	56.10	(51.84 - 60.27)	56.34	(52.53 - 60.08)
St. Clair	14.62	(11.33 - 18.67)	58.83	(52.33 - 65.04)	54.51	(48.32 - 60.57)	55.04	(49.26 - 60.69)
Washtenaw	11.39	(8.93 - 14.41)	67.39	(62.69 - 71.77)	61.88	(56.50 - 66.99)	62.93	(58.27 - 67.36)
Minnesota	13.16	(11.42 - 15.12)	66.62	(63.34 - 69.74)	62.92	(59.57 - 66.15)	63.44	(60.44 - 66.35)
Regions 1 and 2	14.04	(10.57 - 18.42)	*	(* - *)	*	(* - *)	*	(* - *)
Regions 3 and 4	13.61	(10.65 - 17.23)	64.59	(58.34 - 70.39)	63.26	(57.03 - 69.07)	63.45	(57.78 - 68.78)
Regions 5 and 6	13.70	(10.61 - 17.51)	67.77	(61.71 - 73.29)	59.90	(53.80 - 65.72)	61.06	(55.52 - 66.34)
Region 7A (Hennepin)	12.89	(9.89 - 16.62)	71.88	(66.49 - 76.71)	68.49	(63.14 - 73.40)	68.97	(64.09 - 73.46)
Region 7B (Ramsey)	12.07	(9.03 - 15.97)	*	(* - *)	*	(* - *)	58.34	(51.60 - 64.78)
Region 7C	12.72	(10.14 - 15.84)	67.32	(61.37 - 72.76)	64.67	(59.37 - 69.63)	65.00	(60.13 - 69.57)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	12.35	(10.66 - 14.27)	52.27	(49.18 - 55.35)	42.33	(39.25 - 45.48)	43.87	(41.16 - 46.63)
Region 1	12.71	(9.94 - 16.12)	50.70	(44.86 - 56.52)	38.54	(33.43 - 43.92)	40.39	(35.74 - 45.22)
Region 2	11.73	(8.82 - 15.43)	51.16	(44.49 - 57.78)	*	(* - *)	41.41	(35.46 - 47.62)
Region 3	11.90	(9.09 - 15.42)	53.35	(47.20 - 59.40)	39.70	(33.75 - 45.98)	42.06	(36.66 - 47.67)
Region 4	10.96	(8.41 - 14.17)	53.64	(47.79 - 59.39)	46.70	(41.05 - 52.43)	47.76	(42.61 - 52.96)
Region 5	11.87	(8.90 - 15.67)	*	(* - *)	*	(* - *)	*	(* - *)
Region 6	12.57	(9.54 - 16.39)	55.32	(48.55 - 61.91)	45.08	(38.69 - 51.64)	46.79	(40.94 - 52.72)
Region 7	14.48	(11.07 - 18.72)	52.69	(46.11 - 59.18)	47.16	(41.13 - 53.27)	47.95	(42.38 - 53.56)
Missouri	13.96	(12.10 - 16.05)	60.28	(57.05 - 63.43)	53.56	(50.27 - 56.82)	54.54	(51.59 - 57.45)
Central	15.00	(11.65 - 19.12)	61.89	(55.28 - 68.09)	51.63	(44.99 - 58.21)	53.47	(47.47 - 59.37)
Eastern	14.13	(11.66 - 17.02)	63.57	(59.05 - 67.86)	57.53	(53.02 - 61.92)	58.37	(54.29 - 62.34)
Eastern (St. Louis City and County)	12.76	(10.05 - 16.07)	61.90	(56.35 - 67.15)	55.23	(49.64 - 60.69)	56.20	(51.15 - 61.12)
Eastern (excluding St. Louis)	16.27	(12.62 - 20.72)	*	(* - *)	61.49	(55.06 - 67.55)	62.18	(56.21 - 67.81)
Northwest	13.86	(11.20 - 17.04)	62.59	(57.70 - 67.24)	55.78	(50.80 - 60.65)	56.74	(52.17 - 61.20)
Northwest (Jackson)	13.25	(10.11 - 17.17)	62.60	(56.29 - 68.51)	55.62	(49.22 - 61.84)	56.60	(50.70 - 62.31)
Northwest (excluding Jackson)	14.35	(10.92 - 18.63)	62.58	(55.77 - 68.92)	55.92	(49.08 - 62.54)	56.86	(50.53 - 62.98)
Southeast	14.85	(11.53 - 18.93)	*	(* - *)	46.90	(40.54 - 53.37)	47.93	(42.03 - 53.88)
Southwest	12.16	(9.20 - 15.91)	*	(* - *)	47.96	(41.51 - 54.48)	48.59	(42.65 - 54.57)
Montana	16.00	(13.96 - 18.26)	68.78	(65.82 - 71.60)	63.81	(60.69 - 66.81)	64.50	(61.75 - 67.16)
Region 1	16.69	(12.72 - 21.61)	*	(* - *)	*	(* - *)	60.98	(54.44 - 67.15)
Region 2	13.29	(10.16 - 17.20)	*	(* - *)	55.42	(49.00 - 61.67)	56.02	(50.11 - 61.76)
Region 3	13.59	(10.71 - 17.09)	65.29	(59.76 - 70.44)	60.53	(55.09 - 65.73)	61.12	(56.13 - 65.90)
Region 4	17.33	(13.84 - 21.48)	74.92	(70.07 - 79.21)	68.46	(63.27 - 73.22)	69.46	(64.83 - 73.72)
Region 5	17.83	(14.55 - 21.66)	69.79	(65.20 - 74.01)	66.80	(62.10 - 71.18)	67.22	(63.03 - 71.16)
Nebraska	12.25	(10.48 - 14.27)	63.80	(60.62 - 66.85)	56.81	(53.39 - 60.17)	57.86	(54.84 - 60.83)
Regions 1 and 2	13.24	(10.59 - 16.44)	58.90	(52.51 - 65.01)	52.13	(46.00 - 58.19)	52.98	(47.24 - 58.64)
Region 1	12.98	(9.63 - 17.26)	*	(* - *)	*	(* - *)	*	(* - *)
Region 2	13.46	(10.08 - 17.75)	*	(* - *)	*	(* - *)	*	(* - *)
Region 3	11.98	(9.11 - 15.61)	56.59	(49.85 - 63.09)	51.70	(45.17 - 58.17)	52.39	(46.46 - 58.26)
Region 4	12.48	(9.35 - 16.45)	*	(* - *)	*	(* - *)	53.03	(46.36 - 59.59)
Region 5	13.53	(10.63 - 17.07)	69.68	(64.71 - 74.23)	62.40	(56.78 - 67.69)	63.67	(58.74 - 68.33)
Region 6	11.40	(9.02 - 14.30)	64.71	(60.02 - 69.13)	57.43	(52.66 - 62.06)	58.51	(54.23 - 62.67)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	13.49	(11.10 - 16.28)	58.46	(54.54 - 62.28)	57.08	(53.40 - 60.68)	57.27	(53.94 - 60.53)
Clark – Region 1	12.42	(9.80 - 15.61)	56.32	(51.54 - 60.99)	55.58	(51.25 - 59.82)	55.68	(51.77 - 59.53)
Region 3	15.03	(11.51 - 19.39)	*	(* - *)	57.17	(50.93 - 63.19)	57.31	(51.38 - 63.04)
Capital District	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Rural/Frontier	14.53	(10.47 - 19.81)	*	(* - *)	*	(* - *)	*	(* - *)
Washoe – Region 2	17.29	(13.19 - 22.33)	67.23	(61.63 - 72.38)	63.93	(57.81 - 69.64)	64.44	(58.92 - 69.61)
New Hampshire	16.10	(14.01 - 18.43)	73.54	(70.76 - 76.14)	66.98	(63.73 - 70.07)	67.86	(64.98 - 70.61)
Central	16.06	(13.23 - 19.35)	72.85	(69.04 - 76.36)	66.31	(61.23 - 71.04)	67.26	(62.73 - 71.50)
Central 1	16.52	(12.75 - 21.14)	76.45	(71.71 - 80.61)	67.81	(61.55 - 73.48)	69.25	(63.77 - 74.23)
Central 2	15.65	(12.12 - 19.99)	68.14	(61.99 - 73.71)	*	(* - *)	65.32	(59.10 - 71.06)
Northern	17.00	(13.13 - 21.72)	75.25	(69.29 - 80.38)	63.09	(56.34 - 69.36)	64.75	(58.59 - 70.45)
Southern	15.96	(13.48 - 18.79)	73.50	(69.84 - 76.87)	68.18	(64.41 - 71.73)	68.87	(65.47 - 72.07)
Southern 1 (Rockingham)	16.02	(12.60 - 20.15)	77.21	(72.31 - 81.47)	70.98	(65.55 - 75.86)	71.68	(66.70 - 76.18)
Southern 2	15.92	(12.96 - 19.40)	71.63	(66.86 - 75.95)	66.40	(61.70 - 70.80)	67.13	(62.87 - 71.12)
New Jersey	16.71	(14.42 - 19.28)	63.02	(59.62 - 66.31)	60.73	(57.32 - 64.04)	61.03	(57.96 - 64.01)
Central	18.75	(14.99 - 23.20)	66.75	(60.25 - 72.67)	65.42	(59.52 - 70.88)	65.58	(60.09 - 70.68)
Metropolitan	15.21	(11.97 - 19.13)	62.03	(56.22 - 67.50)	59.42	(53.82 - 64.78)	59.79	(54.73 - 64.64)
Northern	17.47	(13.92 - 21.69)	63.65	(58.39 - 68.60)	60.29	(54.85 - 65.48)	60.71	(55.75 - 65.46)
Southern	14.99	(11.80 - 18.86)	59.62	(53.58 - 65.38)	57.70	(51.96 - 63.24)	57.96	(52.70 - 63.04)
New Mexico	12.94	(11.07 - 15.07)	56.71	(53.37 - 60.00)	47.43	(43.90 - 50.99)	48.80	(45.68 - 51.93)
Region 1	11.26	(8.70 - 14.46)	44.18	(38.58 - 49.93)	40.68	(35.46 - 46.11)	41.19	(36.47 - 46.08)
Region 2	13.48	(10.28 - 17.49)	*	(* - *)	50.59	(43.88 - 57.28)	51.19	(44.90 - 57.43)
Region 3 (Bernalillo)	14.83	(11.62 - 18.74)	65.79	(60.41 - 70.79)	52.14	(46.33 - 57.89)	54.18	(49.00 - 59.27)
Region 4	12.86	(9.86 - 16.59)	54.78	(48.23 - 61.17)	44.96	(38.58 - 51.51)	46.53	(40.69 - 52.47)
Region 5	11.76	(9.03 - 15.18)	56.16	(50.07 - 62.08)	45.59	(39.79 - 51.52)	47.32	(42.11 - 52.60)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	16.63	(15.35 - 17.99)	65.16	(63.44 - 66.84)	58.25	(56.40 - 60.07)	59.29	(57.69 - 60.87)
Region A	15.25	(13.59 - 17.08)	62.53	(60.12 - 64.87)	55.60	(53.02 - 58.15)	56.66	(54.42 - 58.88)
Region 1	15.04	(12.24 - 18.35)	56.88	(51.52 - 62.07)	47.40	(42.27 - 52.58)	49.10	(44.55 - 53.66)
Region 2	16.13	(13.51 - 19.14)	60.09	(56.18 - 63.87)	56.34	(51.99 - 60.59)	56.92	(53.11 - 60.65)
Region 3	14.57	(11.30 - 18.59)	71.88	(67.10 - 76.21)	64.99	(60.01 - 69.66)	66.03	(61.57 - 70.22)
Region 4	14.41	(11.63 - 17.72)	62.46	(57.49 - 67.19)	52.05	(47.19 - 56.87)	53.50	(49.12 - 57.82)
Region B	17.63	(15.67 - 19.77)	68.18	(65.30 - 70.93)	65.14	(62.24 - 67.93)	65.55	(62.93 - 68.07)
Region 5	18.27	(15.73 - 21.11)	69.30	(65.45 - 72.90)	66.73	(62.97 - 70.29)	67.07	(63.68 - 70.29)
Region 6	16.81	(13.60 - 20.61)	67.20	(61.60 - 72.35)	64.71	(59.51 - 69.58)	65.03	(60.21 - 69.56)
Region 7	16.81	(13.49 - 20.75)	66.29	(60.74 - 71.42)	60.39	(54.73 - 65.77)	61.30	(56.19 - 66.17)
Region C	17.48	(15.59 - 19.54)	67.55	(64.97 - 70.02)	57.38	(54.49 - 60.21)	58.99	(56.46 - 61.47)
Region 8	16.60	(13.64 - 20.05)	66.77	(61.39 - 71.74)	60.15	(54.79 - 65.28)	61.14	(56.31 - 65.76)
Region 9	17.54	(14.24 - 21.42)	63.55	(58.27 - 68.52)	54.19	(48.55 - 59.73)	55.70	(50.67 - 60.61)
Region 10	19.26	(15.15 - 24.16)	70.16	(64.48 - 75.29)	57.11	(50.66 - 63.32)	59.68	(53.98 - 65.13)
Region 11	19.17	(15.66 - 23.24)	68.55	(63.46 - 73.22)	56.80	(51.57 - 61.88)	58.66	(53.98 - 63.18)
Region 12	15.93	(12.69 - 19.80)	69.51	(64.52 - 74.08)	58.18	(52.80 - 63.37)	59.87	(55.02 - 64.53)
Region D	16.91	(14.50 - 19.64)	63.33	(59.32 - 67.16)	52.53	(48.47 - 56.55)	54.19	(50.51 - 57.82)
Region 13	17.09	(13.19 - 21.84)	63.75	(57.42 - 69.63)	53.42	(46.85 - 59.86)	54.96	(48.96 - 60.82)
Region 14	17.57	(13.78 - 22.13)	*	(* - *)	54.95	(48.21 - 61.51)	56.52	(50.37 - 62.49)
Region 15	16.16	(12.75 - 20.26)	61.56	(55.14 - 67.61)	49.37	(43.58 - 55.18)	51.18	(45.87 - 56.46)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	12.29	(10.64 - 14.16)	59.76	(56.46 - 62.97)	48.91	(45.45 - 52.37)	50.44	(47.33 - 53.55)
Alliance	12.32	(9.53 - 15.79)	64.80	(58.73 - 70.43)	55.34	(49.66 - 60.87)	56.76	(51.58 - 61.80)
Cardinal Innovations	12.83	(9.80 - 16.62)	59.34	(52.72 - 65.65)	49.70	(43.03 - 56.39)	51.00	(44.84 - 57.12)
CenterPoint/Guilford	11.31	(8.87 - 14.32)	58.08	(51.90 - 64.01)	46.03	(40.10 - 52.07)	47.78	(42.24 - 53.37)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Guilford	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
CoastalCare	13.85	(10.17 - 18.60)	*	(* - *)	*	(* - *)	*	(* - *)
Eastpointe	10.15	(7.59 - 13.44)	*	(* - *)	*	(* - *)	37.85	(31.89 - 44.21)
ECBH	11.07	(8.15 - 14.88)	*	(* - *)	*	(* - *)	*	(* - *)
MeckLINK	10.92	(8.03 - 14.68)	*	(* - *)	*	(* - *)	52.83	(46.01 - 59.54)
Partners	13.62	(10.43 - 17.60)	*	(* - *)	48.57	(42.01 - 55.18)	49.56	(43.46 - 55.67)
Sandhills	13.37	(9.95 - 17.74)	*	(* - *)	*	(* - *)	*	(* - *)
Smoky Mountain	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Western Highlands	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
North Dakota	13.08	(11.14 - 15.30)	71.86	(68.93 - 74.61)	62.24	(58.85 - 65.51)	63.92	(60.97 - 66.76)
Badlands and West Central	13.60	(10.63 - 17.25)	69.17	(63.70 - 74.16)	62.98	(57.07 - 68.53)	63.82	(58.45 - 68.86)
Lake Region and South Central	12.27	(9.24 - 16.13)	62.60	(55.95 - 68.81)	53.28	(46.66 - 59.79)	54.45	(48.30 - 60.46)
North Central and Northwest	12.97	(10.10 - 16.52)	67.43	(61.06 - 73.21)	58.76	(52.79 - 64.48)	60.18	(54.73 - 65.39)
Northeast	12.61	(9.45 - 16.62)	74.01	(68.88 - 78.55)	*	(* - *)	65.33	(59.58 - 70.68)
Southeast	13.29	(10.34 - 16.92)	77.39	(73.02 - 81.23)	68.78	(64.12 - 73.10)	70.61	(66.61 - 74.31)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	13.38	(12.36 - 14.47)	63.65	(62.14 - 65.13)	55.92	(54.22 - 57.61)	57.02	(55.52 - 58.50)
Boards 2, 46, 55, and 68	12.66	(9.97 - 15.95)	58.13	(52.56 - 63.49)	51.84	(46.17 - 57.46)	52.69	(47.51 - 57.82)
Boards 3, 52, and 85	13.35	(10.45 - 16.90)	61.88	(55.66 - 67.73)	60.49	(54.04 - 66.60)	60.68	(54.74 - 66.32)
Boards 4 and 78	14.59	(11.26 - 18.69)	*	(* - *)	57.30	(50.55 - 63.79)	57.87	(51.54 - 63.94)
Boards 5 and 60	14.14	(11.04 - 17.93)	61.77	(56.07 - 67.16)	52.35	(46.01 - 58.62)	54.06	(48.42 - 59.61)
Boards 7, 15, 41, 79, and 84	14.74	(11.59 - 18.57)	51.85	(46.75 - 56.92)	47.57	(42.01 - 53.20)	48.09	(43.02 - 53.19)
Boards 8, 13, and 83	12.54	(9.86 - 15.82)	61.43	(55.51 - 67.03)	57.29	(51.68 - 62.71)	57.79	(52.56 - 62.84)
Board 9 (Butler)	12.26	(9.45 - 15.77)	65.96	(60.20 - 71.27)	57.51	(51.42 - 63.39)	58.88	(53.34 - 64.21)
Board 12	14.93	(11.71 - 18.86)	65.62	(59.50 - 71.26)	56.03	(49.59 - 62.28)	57.58	(51.73 - 63.23)
Boards 18 and 47	16.70	(14.08 - 19.69)	67.78	(63.90 - 71.43)	60.57	(56.71 - 64.31)	61.52	(58.05 - 64.89)
Boards 20, 32, 54, and 69	14.50	(11.42 - 18.23)	62.77	(56.62 - 68.54)	54.99	(48.82 - 61.01)	56.01	(50.31 - 61.55)
Boards 21, 39, 51, 70, and 80	11.83	(9.34 - 14.88)	60.18	(54.20 - 65.87)	57.86	(52.14 - 63.38)	58.14	(52.81 - 63.28)
Boards 22, 74, and 87	13.78	(10.77 - 17.46)	68.36	(62.75 - 73.48)	56.69	(50.83 - 62.37)	58.51	(53.24 - 63.58)
Boards 23 and 45	11.83	(9.26 - 15.00)	59.78	(53.15 - 66.06)	54.78	(48.82 - 60.61)	55.47	(49.98 - 60.84)
Board 25 (Franklin)	11.55	(9.37 - 14.17)	68.07	(64.02 - 71.87)	57.03	(52.53 - 61.41)	58.92	(54.98 - 62.75)
Boards 27, 71, and 73	11.40	(8.78 - 14.69)	52.86	(46.62 - 59.02)	42.53	(36.65 - 48.63)	43.84	(38.36 - 49.47)
Boards 28, 43, and 67	14.99	(12.03 - 18.52)	69.17	(63.85 - 74.03)	64.15	(58.86 - 69.13)	64.89	(60.08 - 69.41)
Board 31 (Hamilton)	11.65	(9.40 - 14.36)	63.42	(58.86 - 67.76)	55.80	(50.87 - 60.62)	56.96	(52.57 - 61.24)
Board 48 (Lucas)	12.62	(9.83 - 16.06)	62.03	(56.17 - 67.57)	55.20	(48.89 - 61.34)	56.28	(50.56 - 61.84)
Boards 50 and 76	13.99	(11.15 - 17.40)	64.30	(59.35 - 68.95)	56.14	(50.84 - 61.29)	57.18	(52.35 - 61.89)
Board 57 (Montgomery)	11.53	(9.10 - 14.50)	60.86	(55.07 - 66.36)	50.30	(44.68 - 55.92)	51.78	(46.60 - 56.92)
Board 77 (Summit)	12.90	(10.20 - 16.19)	66.54	(61.35 - 71.36)	56.96	(51.56 - 62.20)	58.25	(53.31 - 63.03)
Oklahoma	11.78	(10.10 - 13.69)	56.40	(52.96 - 59.78)	46.59	(43.21 - 49.99)	48.08	(45.06 - 51.12)
Central	11.47	(8.54 - 15.24)	*	(* - *)	*	(* - *)	50.95	(44.48 - 57.39)
East Central	10.66	(7.92 - 14.20)	*	(* - *)	*	(* - *)	43.35	(36.81 - 50.13)
Northeast	13.01	(10.06 - 16.67)	57.57	(51.19 - 63.70)	48.10	(42.04 - 54.21)	49.65	(44.11 - 55.19)
Northwest and Southwest	12.44	(9.42 - 16.25)	*	(* - *)	42.21	(35.78 - 48.91)	43.69	(37.71 - 49.85)
Oklahoma County	12.28	(9.42 - 15.86)	61.91	(55.86 - 67.60)	50.84	(45.00 - 56.66)	52.55	(47.28 - 57.76)
Southeast	11.75	(8.90 - 15.36)	*	(* - *)	41.45	(35.11 - 48.08)	42.84	(36.98 - 48.91)
Tulsa County	10.79	(8.07 - 14.28)	57.61	(51.11 - 63.86)	50.05	(43.89 - 56.21)	51.16	(45.51 - 56.79)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	13.53	(11.71 - 15.60)	63.28	(60.09 - 66.36)	64.28	(61.05 - 67.38)	64.14	(61.25 - 66.94)
Region 1 (Multnomah)	15.57	(12.00 - 19.97)	70.68	(65.04 - 75.74)	70.51	(65.05 - 75.43)	70.53	(65.53 - 75.08)
Region 2	12.32	(9.53 - 15.79)	64.40	(58.40 - 69.97)	67.43	(61.76 - 72.64)	67.05	(61.83 - 71.89)
Region 3	13.18	(10.56 - 16.33)	62.90	(58.08 - 67.47)	62.74	(57.87 - 67.37)	62.77	(58.48 - 66.86)
Region 4	15.10	(11.68 - 19.30)	*	(* - *)	58.78	(52.52 - 64.77)	58.65	(52.81 - 64.25)
Region 5 (Central)	14.10	(10.51 - 18.65)	*	(* - *)	*	(* - *)	65.50	(58.82 - 71.63)
Region 6 (Eastern)	11.63	(8.45 - 15.80)	*	(* - *)	*	(* - *)	*	(* - *)
Pennsylvania	13.70	(12.58 - 14.90)	64.70	(62.94 - 66.42)	58.28	(56.58 - 59.95)	59.20	(57.71 - 60.67)
Region 1 (Allegheny)	15.97	(13.00 - 19.47)	73.97	(69.91 - 77.66)	62.97	(58.50 - 67.22)	64.49	(60.50 - 68.29)
Regions 3, 8, 9, and 51	13.32	(10.48 - 16.78)	61.07	(55.11 - 66.71)	56.65	(51.09 - 62.05)	57.28	(52.22 - 62.20)
Regions 4, 11, 37, and 49	12.00	(9.39 - 15.21)	61.35	(55.93 - 66.51)	56.35	(51.16 - 61.40)	57.02	(52.28 - 61.63)
Regions 5, 18, 23, 24, and 46	13.59	(10.64 - 17.20)	59.11	(52.99 - 64.96)	53.47	(47.90 - 58.96)	54.22	(49.08 - 59.27)
Regions 6, 12, 16, 31, 35, 45, and 47	12.17	(9.49 - 15.47)	65.32	(60.23 - 70.07)	53.89	(48.60 - 59.10)	56.16	(51.57 - 60.66)
Regions 7, 13, 20, and 33	15.12	(12.82 - 17.75)	70.09	(66.32 - 73.61)	66.81	(63.24 - 70.20)	67.23	(64.00 - 70.31)
Regions 10, 15, 27, 32, 43, and 44	14.51	(11.42 - 18.25)	58.34	(52.23 - 64.22)	49.75	(44.28 - 55.22)	50.79	(45.74 - 55.83)
Regions 17 and 21	15.76	(12.31 - 19.96)	66.41	(60.13 - 72.17)	58.22	(51.78 - 64.39)	59.52	(53.64 - 65.14)
Regions 19, 26, 28, and 42	11.58	(9.49 - 14.06)	59.52	(54.70 - 64.17)	56.25	(51.87 - 60.53)	56.69	(52.72 - 60.58)
Regions 22, 38, 40, 41, and 48	13.65	(10.92 - 16.93)	63.08	(57.80 - 68.05)	55.02	(49.84 - 60.09)	55.96	(51.20 - 60.61)
Regions 29 and 34	12.27	(9.57 - 15.60)	64.56	(58.24 - 70.41)	57.58	(51.96 - 63.02)	58.53	(53.34 - 63.54)
Regions 30 and 50	15.13	(11.97 - 18.94)	60.61	(54.43 - 66.46)	56.90	(51.55 - 62.10)	57.40	(52.50 - 62.16)
Region 36 (Philadelphia)	12.84	(10.39 - 15.77)	63.74	(59.63 - 67.66)	54.10	(49.69 - 58.45)	55.95	(52.16 - 59.67)
Rhode Island	14.92	(12.82 - 17.29)	72.08	(69.07 - 74.91)	66.35	(62.83 - 69.70)	67.28	(64.21 - 70.21)
Bristol and Newport	17.25	(13.05 - 22.46)	79.79	(73.89 - 84.64)	*	(* - *)	73.34	(67.31 - 78.62)
Kent	16.20	(12.64 - 20.52)	74.04	(68.33 - 79.04)	67.89	(61.74 - 73.47)	68.61	(62.95 - 73.76)
Providence	13.50	(11.02 - 16.42)	69.05	(65.22 - 72.63)	63.45	(58.97 - 67.70)	64.41	(60.56 - 68.09)
Washington	17.64	(13.55 - 22.65)	77.63	(71.74 - 82.59)	*	(* - *)	73.00	(67.03 - 78.24)
South Carolina	12.10	(10.40 - 14.04)	58.73	(55.57 - 61.82)	51.77	(48.52 - 55.01)	52.79	(49.90 - 55.65)
Region 1	13.11	(10.30 - 16.54)	58.43	(53.13 - 63.54)	48.53	(43.19 - 53.89)	49.95	(45.13 - 54.77)
Region 2	11.50	(9.14 - 14.36)	60.21	(55.47 - 64.77)	53.41	(48.18 - 58.56)	54.44	(49.81 - 59.00)
Region 3	12.05	(9.14 - 15.73)	54.07	(47.53 - 60.46)	49.43	(43.22 - 55.66)	50.05	(44.33 - 55.78)
Region 4	11.79	(9.16 - 15.07)	60.08	(54.67 - 65.25)	54.69	(49.56 - 59.72)	55.49	(50.86 - 60.02)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	14.90	(12.95 - 17.09)	69.13	(65.90 - 72.19)	60.10	(56.95 - 63.17)	61.44	(58.63 - 64.18)
Region 1	15.40	(12.23 - 19.22)	64.89	(58.85 - 70.48)	58.93	(53.18 - 64.44)	59.78	(54.54 - 64.80)
Region 2	15.76	(11.78 - 20.77)	*	(* - *)	*	(* - *)	56.48	(49.84 - 62.90)
Region 3	14.76	(11.69 - 18.47)	72.85	(67.40 - 77.69)	60.90	(55.43 - 66.11)	62.94	(58.08 - 67.56)
Region 4	15.46	(11.87 - 19.88)	*	(* - *)	57.65	(51.21 - 63.83)	59.91	(53.97 - 65.57)
Region 5	14.01	(11.13 - 17.49)	68.79	(63.59 - 73.56)	63.26	(58.46 - 67.82)	64.04	(59.66 - 68.20)
Tennessee	10.41	(8.86 - 12.19)	50.92	(47.66 - 54.16)	41.86	(38.66 - 45.13)	43.13	(40.28 - 46.04)
Region 1	10.44	(7.74 - 13.93)	*	(* - *)	36.70	(30.54 - 43.33)	37.87	(32.08 - 44.03)
Region 2	10.34	(7.93 - 13.38)	52.23	(45.42 - 58.95)	43.14	(37.49 - 48.97)	44.34	(39.08 - 49.74)
Region 3	10.71	(8.09 - 14.04)	48.34	(42.16 - 54.57)	37.07	(31.40 - 43.12)	38.60	(33.34 - 44.14)
Region 4 (Davidson)	9.05	(6.77 - 12.00)	57.84	(51.05 - 64.35)	45.34	(39.08 - 51.74)	47.33	(41.50 - 53.23)
Region 5	11.31	(8.66 - 14.63)	52.89	(47.21 - 58.49)	47.11	(41.30 - 53.01)	47.92	(42.62 - 53.26)
Region 6	11.61	(8.75 - 15.24)	*	(* - *)	*	(* - *)	37.15	(31.02 - 43.72)
Region 7 (Shelby)	8.67	(6.42 - 11.62)	48.99	(42.62 - 55.39)	41.43	(35.18 - 47.96)	42.61	(36.91 - 48.52)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	11.89	(10.87 - 12.99)	57.67	(55.98 - 59.36)	52.17	(50.36 - 53.97)	53.04	(51.48 - 54.60)
Region 1	14.49	(11.24 - 18.49)	62.73	(56.92 - 68.19)	50.36	(44.40 - 56.30)	52.61	(47.27 - 57.89)
Region 2	11.32	(8.53 - 14.87)	*	(* - *)	45.91	(39.44 - 52.53)	47.26	(41.20 - 53.40)
Region 3	12.08	(10.50 - 13.86)	59.07	(56.19 - 61.89)	55.60	(52.81 - 58.35)	56.11	(53.64 - 58.55)
Region 3a	12.19	(10.16 - 14.57)	58.18	(54.41 - 61.86)	55.30	(51.63 - 58.92)	55.73	(52.47 - 58.93)
Region 3bc	11.87	(9.75 - 14.38)	60.61	(56.56 - 64.52)	56.11	(51.92 - 60.20)	56.77	(53.02 - 60.44)
Region 4	11.32	(8.81 - 14.44)	51.86	(45.85 - 57.81)	46.90	(40.84 - 53.04)	47.58	(42.03 - 53.18)
Region 5	12.00	(9.32 - 15.32)	53.22	(47.21 - 59.14)	47.80	(41.98 - 53.69)	48.61	(43.28 - 53.98)
Region 6	11.01	(9.31 - 12.97)	55.96	(52.55 - 59.32)	52.75	(49.46 - 56.02)	53.24	(50.33 - 56.13)
Region 6a	10.81	(8.99 - 12.95)	55.53	(51.89 - 59.12)	52.65	(49.14 - 56.14)	53.10	(50.00 - 56.18)
Region 6bc	12.76	(9.80 - 16.44)	60.07	(53.57 - 66.24)	53.54	(46.88 - 60.08)	54.42	(48.23 - 60.48)
Region 7	11.57	(9.67 - 13.79)	65.05	(61.52 - 68.42)	58.07	(54.25 - 61.80)	59.38	(56.03 - 62.65)
Region 7a	11.59	(9.17 - 14.56)	68.87	(64.10 - 73.27)	61.64	(56.76 - 66.29)	62.86	(58.49 - 67.03)
Region 7bcd	11.54	(8.99 - 14.69)	60.07	(54.87 - 65.05)	51.71	(46.20 - 57.19)	53.54	(48.70 - 58.31)
Region 8	11.96	(9.70 - 14.66)	57.92	(53.32 - 62.38)	50.36	(45.94 - 54.78)	51.55	(47.59 - 55.49)
Region 9	12.60	(9.55 - 16.46)	56.73	(50.19 - 63.05)	46.13	(39.63 - 52.76)	47.87	(41.90 - 53.90)
Region 10	14.34	(11.25 - 18.10)	60.89	(54.68 - 66.77)	47.42	(41.82 - 53.09)	49.83	(44.77 - 54.89)
Region 11	12.21	(10.12 - 14.66)	47.46	(42.59 - 52.38)	43.06	(38.90 - 47.31)	43.83	(40.08 - 47.64)
Region 11abd	12.80	(10.07 - 16.12)	50.29	(44.39 - 56.18)	44.61	(39.48 - 49.86)	45.57	(40.90 - 50.32)
Region 11c (Hidalgo)	11.32	(8.66 - 14.66)	*	(* - *)	40.19	(34.34 - 46.33)	40.68	(35.27 - 46.32)
Utah	7.91	(6.34 - 9.84)	30.96	(27.95 - 34.13)	30.31	(27.17 - 33.65)	30.44	(27.77 - 33.24)
Bear River, Northeastern, Summit, Tooele, and Wasatch	7.19	(5.08 - 10.08)	26.98	(21.74 - 32.94)	24.61	(19.71 - 30.28)	25.07	(20.63 - 30.09)
Central, Four Corners, San Juan, and Southwest	8.66	(6.16 - 12.06)	*	(* - *)	*	(* - *)	29.78	(24.22 - 36.02)
Davis County	7.37	(5.22 - 10.30)	*	(* - *)	31.01	(25.20 - 37.50)	31.05	(25.72 - 36.94)
Salt Lake County	9.06	(6.84 - 11.90)	40.40	(35.58 - 45.41)	34.88	(30.44 - 39.59)	35.81	(31.89 - 39.92)
Utah County	6.08	(4.22 - 8.70)	20.29	(16.13 - 25.19)	22.65	(17.96 - 28.16)	22.02	(18.07 - 26.57)
Weber, Morgan	8.19	(5.76 - 11.54)	*	(* - *)	31.18	(25.50 - 37.48)	31.42	(26.12 - 37.25)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	17.27	(14.98 - 19.84)	72.77	(69.78 - 75.58)	62.32	(58.98 - 65.54)	63.84	(60.89 - 66.69)
Champlain Valley	18.67	(15.30 - 22.57)	76.96	(72.80 - 80.66)	67.88	(63.28 - 72.16)	69.52	(65.52 - 73.24)
Rural Northeast	17.38	(13.80 - 21.66)	70.35	(64.98 - 75.20)	60.37	(54.55 - 65.91)	61.65	(56.37 - 66.66)
Rural Southeast	17.07	(13.61 - 21.18)	70.85	(65.14 - 75.97)	60.78	(55.09 - 66.19)	61.88	(56.60 - 66.89)
Rural Southwest	13.73	(10.40 - 17.90)	64.09	(57.57 - 70.13)	54.12	(47.35 - 60.74)	55.44	(49.27 - 61.45)
Virginia	12.90	(11.21 - 14.80)	64.50	(61.34 - 67.55)	58.42	(55.10 - 61.66)	59.31	(56.38 - 62.17)
Region 1	12.87	(9.99 - 16.42)	66.40	(60.62 - 71.72)	58.23	(52.41 - 63.83)	59.52	(54.27 - 64.55)
Region 2	11.97	(9.47 - 15.03)	65.49	(59.73 - 70.83)	61.91	(56.64 - 66.92)	62.34	(57.51 - 66.93)
Region 3	13.11	(10.14 - 16.80)	59.97	(54.14 - 65.54)	49.65	(43.50 - 55.81)	51.18	(45.63 - 56.71)
Region 4	12.87	(9.88 - 16.61)	*	(* - *)	59.75	(53.40 - 65.79)	60.48	(54.65 - 66.02)
Region 5	13.98	(11.01 - 17.58)	65.43	(59.95 - 70.54)	59.96	(54.21 - 65.45)	60.88	(55.77 - 65.75)
Washington	13.23	(11.48 - 15.20)	63.12	(59.99 - 66.15)	60.33	(57.04 - 63.53)	60.73	(57.79 - 63.59)
Region 1	13.92	(11.29 - 17.05)	59.71	(54.44 - 64.77)	54.43	(48.85 - 59.89)	55.31	(50.28 - 60.22)
East 1 (previously Region 1)	14.11	(10.80 - 18.23)	*	(* - *)	*	(* - *)	56.21	(49.74 - 62.47)
East 2 (previously Region 2)	13.70	(10.31 - 17.98)	*	(* - *)	*	(* - *)	54.07	(47.32 - 60.67)
Region 2	13.05	(10.85 - 15.61)	67.63	(63.67 - 71.35)	63.86	(59.86 - 67.68)	64.37	(60.75 - 67.83)
North 1 (previously Region 3)	13.74	(10.64 - 17.55)	67.06	(61.48 - 72.19)	63.64	(57.79 - 69.12)	64.13	(58.84 - 69.10)
North 2 (previously Region 4)	12.59	(9.98 - 15.75)	67.99	(62.81 - 72.75)	63.98	(59.13 - 68.56)	64.51	(60.07 - 68.71)
Region 3	12.96	(10.65 - 15.68)	59.48	(54.70 - 64.09)	59.07	(54.32 - 63.65)	59.13	(54.80 - 63.31)
West 1 (previously Region 5)	13.64	(10.67 - 17.26)	63.46	(57.15 - 69.34)	62.71	(56.43 - 68.59)	62.82	(57.11 - 68.20)
West 2 (previously Region 6)	12.34	(9.48 - 15.91)	55.06	(48.45 - 61.49)	55.80	(49.57 - 61.85)	55.70	(49.94 - 61.32)
West Virginia	13.81	(11.92 - 15.95)	54.96	(51.87 - 58.02)	39.61	(36.33 - 42.98)	41.61	(38.66 - 44.62)
Region I	16.18	(12.35 - 20.93)	*	(* - *)	*	(* - *)	*	(* - *)
Region II	16.34	(12.55 - 20.99)	*	(* - *)	44.43	(37.94 - 51.11)	45.72	(39.64 - 51.93)
Region III	12.18	(9.13 - 16.06)	*	(* - *)	*	(* - *)	38.56	(32.41 - 45.10)
Region IV	15.75	(12.33 - 19.91)	66.12	(61.63 - 70.34)	44.43	(38.74 - 50.26)	48.28	(43.32 - 53.28)
Region V	11.76	(9.19 - 14.92)	47.27	(42.23 - 52.36)	36.32	(31.68 - 41.23)	37.61	(33.35 - 42.08)
Region VI	12.55	(9.64 - 16.18)	47.70	(41.12 - 54.37)	34.02	(28.25 - 40.31)	35.55	(30.09 - 41.42)

See notes at end of table.

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	13.93	(12.01 - 16.10)	68.47	(65.38 - 71.41)	67.52	(64.14 - 70.72)	67.65	(64.65-70.52)
Milwaukee	11.48	(8.55 - 15.25)	66.82	(60.73 - 72.39)	64.30	(58.09 - 70.06)	64.71	(59.09-69.95)
Northeastern	13.24	(10.45 - 16.63)	67.42	(62.14 - 72.28)	64.35	(58.91 - 69.44)	64.75	(59.85-69.36)
Northern	14.12	(10.45 - 18.83)	*	(* - *)	*	(* - *)	*	(* - *)
Southeastern	13.99	(10.88 - 17.82)	69.26	(62.73 - 75.11)	71.33	(65.28 - 76.71)	71.07	(65.46-76.10)
Southern	16.04	(12.46 - 20.42)	72.14	(66.87 - 76.87)	70.72	(64.73 - 76.06)	70.93	(65.56-75.78)
Western	14.91	(11.50 - 19.12)	66.56	(60.13 - 72.42)	68.42	(62.23 - 74.03)	68.13	(62.50-73.28)
Wyoming	15.19	(12.86 - 17.87)	60.85	(57.45 - 64.14)	54.66	(51.39 - 57.89)	55.58	(52.68-58.44)
Judicial District 1 (Laramie)	14.68	(11.27 - 18.91)	*	(* - *)	52.66	(46.58 - 58.66)	53.72	(48.07-59.27)
Judicial District 2	14.86	(10.89 - 19.94)	68.90	(62.75 - 74.45)	57.08	(50.26 - 63.65)	60.59	(54.97-65.94)
Judicial District 3	12.64	(9.58 - 16.50)	47.14	(40.90 - 53.46)	46.58	(40.45 - 52.81)	46.65	(41.06-52.34)
Judicial District 4	18.03	(13.53 - 23.62)	*	(* - *)	*	(* - *)	*	(* - *)
Judicial District 5	15.42	(11.46 - 20.43)	*	(* - *)	*	(* - *)	*	(* - *)
Judicial District 6	16.65	(12.87 - 21.28)	*	(* - *)	58.08	(51.41 - 64.46)	58.39	(52.16-64.37)
Judicial District 7 (Natrona)	16.11	(12.24 - 20.90)	66.24	(59.56 - 72.34)	59.04	(52.55 - 65.24)	60.07	(54.11-65.74)
Judicial District 8	16.15	(12.20 - 21.06)	*	(* - *)	*	(* - *)	54.83	(48.08-61.40)
Judicial District 9	14.99	(11.04 - 20.04)	*	(* - *)	56.47	(49.74 - 62.98)	56.72	(50.38-62.84)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	7.48	(7.23 - 7.75)	39.79	(39.15 - 40.43)	21.81	(21.39 - 22.24)	24.46	(24.08 - 24.85)
Northeast	8.51	(8.01 - 9.04)	44.82	(43.67 - 45.97)	23.12	(22.23 - 24.03)	26.23	(25.42 - 27.06)
Midwest	7.71	(7.35 - 8.09)	44.16	(43.26 - 45.06)	24.06	(23.32 - 24.81)	26.99	(26.31 - 27.69)
South	6.92	(6.57 - 7.29)	36.28	(35.42 - 37.16)	20.48	(19.80 - 21.19)	22.80	(22.17 - 23.44)
West	7.41	(6.90 - 7.94)	37.52	(36.34 - 38.71)	20.80	(19.91 - 21.71)	23.35	(22.55 - 24.18)
Alabama	7.11	(5.90 - 8.55)	30.17	(27.32 - 33.18)	20.08	(17.67 - 22.73)	21.59	(19.39 - 23.95)
Region 1	7.15	(5.40 - 9.40)	27.86	(23.22 - 33.03)	18.30	(14.99 - 22.15)	19.59	(16.50 - 23.10)
Region 2	7.64	(5.81 - 9.99)	32.92	(28.34 - 37.84)	22.73	(18.94 - 27.02)	24.29	(20.83 - 28.13)
Region 3	5.17	(3.80 - 6.99)	27.32	(22.44 - 32.81)	17.58	(14.09 - 21.71)	19.34	(16.07 - 23.08)
Region 4	7.89	(5.94 - 10.40)	31.60	(26.92 - 36.68)	20.48	(16.84 - 24.68)	21.99	(18.62 - 25.79)
Alaska	6.80	(5.60 - 8.23)	40.44	(37.15 - 43.81)	22.44	(19.86 - 25.26)	25.24	(22.89 - 27.75)
Anchorage	6.94	(5.33 - 8.99)	44.89	(40.17 - 49.70)	24.05	(20.74 - 27.71)	27.43	(24.37 - 30.72)
Northern	6.10	(4.50 - 8.21)	36.15	(30.89 - 41.77)	21.12	(17.19 - 25.68)	23.95	(20.28 - 28.06)
South Central	7.00	(5.22 - 9.31)	37.86	(31.88 - 44.23)	21.70	(17.72 - 26.29)	23.82	(20.07 - 28.02)
Southeast	7.30	(5.37 - 9.85)	38.18	(31.82 - 44.97)	20.85	(16.66 - 25.76)	22.97	(18.95 - 27.54)
Arizona	7.66	(6.33 - 9.23)	38.42	(35.16 - 41.78)	21.62	(19.01 - 24.49)	24.10	(21.72 - 26.66)
Maricopa	7.60	(5.96 - 9.66)	39.66	(35.55 - 43.93)	22.57	(19.35 - 26.14)	25.12	(22.21 - 28.27)
Pima	8.48	(6.30 - 11.32)	40.55	(34.44 - 46.96)	22.08	(17.84 - 27.00)	24.94	(20.90 - 29.46)
Rural North	7.37	(5.39 - 10.00)	35.14	(28.93 - 41.89)	17.78	(13.91 - 22.45)	20.21	(16.47 - 24.54)
Rural South	7.29	(5.29 - 9.96)	*	(* - *)	20.32	(16.04 - 25.39)	22.02	(17.88 - 26.80)
Arkansas	7.56	(6.32 - 9.03)	32.02	(29.14 - 35.05)	18.83	(16.47 - 21.44)	20.75	(18.59 - 23.09)
Catchment Area 1	7.24	(5.33 - 9.78)	33.47	(28.09 - 39.32)	19.16	(15.33 - 23.67)	21.50	(17.89 - 25.61)
Catchment Area 2	8.09	(5.93 - 10.96)	*	(* - *)	17.72	(13.93 - 22.28)	19.50	(15.82 - 23.78)
Catchment Area 3	7.25	(5.39 - 9.69)	29.01	(23.33 - 35.44)	18.82	(15.10 - 23.20)	20.35	(16.79 - 24.44)
Catchment Area 4	7.91	(5.77 - 10.75)	*	(* - *)	18.05	(14.32 - 22.51)	20.13	(16.49 - 24.35)
Catchment Area 5	8.14	(6.09 - 10.81)	34.86	(29.45 - 40.69)	18.97	(15.19 - 23.43)	21.67	(18.12 - 25.70)
Catchment Area 6	7.36	(5.25 - 10.21)	*	(* - *)	18.83	(14.78 - 23.69)	20.20	(16.35 - 24.69)
Catchment Area 7	7.01	(5.10 - 9.56)	*	(* - *)	17.54	(13.71 - 22.16)	19.09	(15.37 - 23.46)
Catchment Area 8	7.50	(5.66 - 9.87)	32.26	(27.39 - 37.55)	20.06	(16.30 - 24.44)	21.67	(18.15 - 25.66)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	7.32	(6.53 - 8.19)	36.67	(34.93 - 38.44)	20.37	(19.00 - 21.82)	22.95	(21.72 - 24.23)
Region 1R	9.07	(6.78 - 12.04)	47.06	(40.36 - 53.88)	21.76	(17.66 - 26.51)	25.61	(21.67 - 29.98)
Region 2R	8.32	(6.26 - 10.97)	43.15	(36.94 - 49.59)	20.68	(16.90 - 25.05)	24.13	(20.48 - 28.19)
Region 3R (Sacramento)	7.02	(5.28 - 9.26)	36.78	(30.85 - 43.14)	19.55	(16.17 - 23.43)	22.21	(18.93 - 25.88)
Region 4R	8.38	(6.36 - 10.97)	42.47	(36.25 - 48.93)	20.84	(17.22 - 24.99)	23.66	(20.16 - 27.56)
Region 5R (San Francisco)	*	(* - *)	42.44	(35.95 - 49.20)	23.44	(19.43 - 27.98)	25.75	(21.84 - 30.11)
Region 6 (Santa Clara)	6.90	(5.16 - 9.17)	35.41	(29.74 - 41.52)	18.41	(15.14 - 22.20)	20.66	(17.50 - 24.22)
Region 7R (Contra Costa)	7.93	(6.03 - 10.37)	*	(* - *)	20.54	(16.79 - 24.89)	22.81	(19.12 - 26.99)
Region 8R (Alameda)	6.66	(4.96 - 8.88)	34.28	(28.93 - 40.06)	19.58	(16.04 - 23.69)	21.66	(18.29 - 25.47)
Region 9R (San Mateo)	7.10	(5.17 - 9.68)	*	(* - *)	17.00	(13.46 - 21.23)	18.74	(15.24 - 22.83)
Region 10	7.43	(5.57 - 9.84)	40.53	(34.39 - 46.98)	19.98	(16.19 - 24.40)	23.57	(19.90 - 27.68)
Region 11 (Los Angeles)	7.11	(6.15 - 8.21)	34.38	(31.96 - 36.88)	20.28	(18.51 - 22.16)	22.55	(20.93 - 24.25)
LA SPA 1 and 5	7.33	(5.46 - 9.77)	*	(* - *)	21.74	(17.97 - 26.05)	24.69	(20.97 - 28.84)
LA SPA 2	7.34	(5.59 - 9.59)	31.18	(26.06 - 36.82)	19.01	(15.75 - 22.76)	20.81	(17.70 - 24.31)
LA SPA 3	6.39	(4.74 - 8.56)	31.19	(26.14 - 36.74)	16.41	(13.39 - 19.95)	18.72	(15.81 - 22.02)
LA SPA 4	7.21	(5.40 - 9.57)	37.66	(31.81 - 43.89)	22.67	(18.73 - 27.16)	24.97	(21.22 - 29.14)
LA SPA 6	6.43	(4.87 - 8.45)	30.65	(25.26 - 36.62)	22.69	(18.54 - 27.45)	24.37	(20.58 - 28.62)
LA SPA 7	7.47	(5.59 - 9.92)	37.18	(31.39 - 43.35)	22.57	(18.60 - 27.10)	25.13	(21.41 - 29.26)
LA SPA 8	7.65	(5.86 - 9.93)	36.41	(30.81 - 42.40)	20.51	(17.05 - 24.46)	22.89	(19.57 - 26.59)
Region 12R	7.46	(5.57 - 9.92)	*	(* - *)	21.44	(17.32 - 26.23)	23.72	(19.72 - 28.25)
Regions 13 and 19R	6.89	(5.34 - 8.84)	34.57	(29.96 - 39.49)	22.72	(19.13 - 26.76)	24.70	(21.41 - 28.30)
Region 13 (Riverside)	6.85	(5.23 - 8.92)	34.52	(29.60 - 39.80)	22.72	(18.91 - 27.04)	24.68	(21.19 - 28.53)
Region 19R (Imperial)	7.37	(5.41 - 9.96)	*	(* - *)	*	(* - *)	24.90	(20.53 - 29.85)
Region 14 (Orange)	6.63	(5.06 - 8.64)	33.83	(29.48 - 38.48)	16.89	(14.14 - 20.04)	19.48	(16.89 - 22.36)
Region 15R (Fresno)	6.85	(5.12 - 9.12)	*	(* - *)	20.97	(17.19 - 25.33)	23.30	(19.65 - 27.40)
Region 16R (San Diego)	7.67	(6.00 - 9.75)	37.92	(33.27 - 42.80)	21.61	(18.43 - 25.17)	24.39	(21.47 - 27.56)
Region 17R	7.37	(5.66 - 9.54)	37.86	(32.04 - 44.05)	22.38	(18.63 - 26.64)	25.17	(21.58 - 29.12)
Region 18R (San Bernardino)	7.74	(5.97 - 9.97)	37.24	(32.16 - 42.62)	20.55	(17.22 - 24.33)	23.53	(20.43 - 26.94)
Region 20R	7.62	(5.73 - 10.07)	35.53	(29.40 - 42.17)	21.22	(17.22 - 25.86)	23.70	(19.87 - 28.01)
Region 21R	8.17	(6.14 - 10.78)	43.32	(36.93 - 49.93)	21.55	(17.63 - 26.06)	25.52	(21.71 - 29.74)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	7.39	(6.13 - 8.89)	44.09	(40.73 - 47.51)	23.08	(20.48 - 25.89)	26.12	(23.76 - 28.64)
Region 1	7.43	(5.49 - 9.97)	47.16	(40.71 - 53.70)	20.59	(16.59 - 25.26)	25.22	(21.41 - 29.45)
Regions 2 and 7	7.60	(5.97 - 9.63)	44.87	(40.48 - 49.35)	25.14	(21.69 - 28.93)	27.88	(24.75 - 31.23)
Region 3	6.45	(4.73 - 8.74)	40.90	(34.74 - 47.35)	20.06	(16.25 - 24.50)	23.25	(19.60 - 27.35)
Region 4	7.46	(5.39 - 10.23)	*	(* - *)	19.21	(14.94 - 24.34)	21.69	(17.51 - 26.55)
Regions 5 and 6	7.60	(5.47 - 10.46)	*	(* - *)	21.37	(17.10 - 26.38)	24.34	(20.13 - 29.10)
Connecticut	8.64	(7.23 - 10.30)	46.63	(43.16 - 50.13)	23.94	(21.26 - 26.84)	27.00	(24.55 - 29.60)
Eastern	8.44	(6.21 - 11.36)	47.93	(41.82 - 54.11)	22.60	(18.65 - 27.09)	27.10	(23.39 - 31.15)
North Central	7.30	(5.48 - 9.67)	44.23	(38.58 - 50.02)	21.91	(18.14 - 26.22)	24.81	(21.24 - 28.76)
Northwestern	8.80	(6.59 - 11.66)	*	(* - *)	23.36	(19.04 - 28.31)	26.06	(21.91 - 30.68)
South Central	9.90	(7.47 - 13.01)	49.32	(43.53 - 55.12)	26.80	(22.37 - 31.75)	29.94	(25.84 - 34.38)
Southwest	9.10	(6.80 - 12.07)	*	(* - *)	24.78	(20.42 - 29.72)	27.37	(23.21 - 31.96)
Delaware	7.35	(6.07 - 8.89)	43.47	(39.96 - 47.04)	20.58	(18.09 - 23.32)	23.92	(21.62 - 26.38)
Kent	6.78	(5.02 - 9.10)	37.80	(31.69 - 44.33)	19.81	(15.89 - 24.43)	22.73	(19.00 - 26.95)
New Castle (excluding Wilmington City)	7.74	(6.05 - 9.85)	46.97	(42.42 - 51.57)	20.87	(17.71 - 24.43)	24.99	(22.06 - 28.16)
Sussex	7.70	(5.78 - 10.19)	41.44	(35.33 - 47.82)	19.91	(16.25 - 24.16)	22.20	(18.67 - 26.17)
Wilmington City	5.40	(3.87 - 7.47)	*	(* - *)	22.40	(17.88 - 27.69)	24.59	(20.24 - 29.53)
District of Columbia	5.92	(4.83 - 7.24)	52.23	(48.86 - 55.58)	29.27	(26.33 - 32.38)	33.72	(31.21 - 36.33)
Ward 1	6.85	(4.92 - 9.46)	54.24	(47.55 - 60.79)	36.84	(31.28 - 42.78)	40.58	(35.59 - 45.77)
Ward 2	*	(* - *)	61.34	(55.58 - 66.80)	37.01	(31.73 - 42.63)	44.28	(39.77 - 48.89)
Ward 3	9.65	(7.03 - 13.11)	68.06	(62.03 - 73.54)	29.76	(25.07 - 34.91)	36.90	(32.66 - 41.36)
Ward 4	6.49	(4.66 - 8.99)	*	(* - *)	23.40	(18.89 - 28.60)	25.78	(21.43 - 30.67)
Ward 5	5.29	(3.80 - 7.32)	45.97	(39.39 - 52.69)	24.99	(20.58 - 29.98)	29.00	(24.89 - 33.49)
Ward 6	5.64	(4.01 - 7.88)	*	(* - *)	33.63	(28.19 - 39.54)	37.27	(32.22 - 42.61)
Ward 7	4.51	(3.18 - 6.35)	*	(* - *)	23.12	(18.36 - 28.68)	25.31	(20.80 - 30.41)
Ward 8	5.10	(3.69 - 7.00)	*	(* - *)	23.75	(19.19 - 29.00)	26.15	(21.93 - 30.86)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	7.00	(6.27 - 7.80)	34.96	(33.30 - 36.64)	19.71	(18.36 - 21.14)	21.72	(20.50 - 23.01)
Region A - Northwest	7.27	(6.05 - 8.70)	39.28	(35.53 - 43.16)	19.80	(17.49 - 22.33)	23.22	(21.03 - 25.58)
Circuit 1	6.70	(5.13 - 8.69)	34.46	(29.19 - 40.14)	18.33	(15.20 - 21.93)	20.80	(17.80 - 24.16)
Circuit 2	8.21	(6.18 - 10.83)	45.91	(39.87 - 52.08)	22.90	(18.90 - 27.46)	28.58	(24.79 - 32.71)
Circuit 14	7.52	(5.58 - 10.07)	*	(* - *)	19.54	(15.82 - 23.89)	21.69	(18.00 - 25.89)
Region B - Northeast	7.31	(6.10 - 8.74)	37.72	(34.32 - 41.24)	20.17	(17.86 - 22.69)	22.81	(20.65 - 25.12)
Circuits 3 and 8	7.53	(5.67 - 9.95)	42.73	(37.24 - 48.40)	20.05	(16.51 - 24.14)	24.77	(21.42 - 28.46)
Circuit 4	6.58	(5.01 - 8.60)	33.69	(28.38 - 39.45)	18.97	(15.66 - 22.78)	21.12	(17.98 - 24.65)
Circuit 7	8.23	(6.25 - 10.77)	38.13	(32.61 - 43.98)	21.69	(18.06 - 25.81)	23.63	(20.16 - 27.48)
Region C - Central	6.93	(5.96 - 8.04)	34.30	(31.69 - 37.00)	19.20	(17.34 - 21.21)	21.18	(19.45 - 23.02)
Circuit 5	7.10	(5.39 - 9.30)	31.68	(26.40 - 37.48)	16.45	(13.33 - 20.13)	17.85	(14.82 - 21.36)
Circuit 9	6.35	(4.92 - 8.17)	35.67	(31.39 - 40.18)	21.95	(18.68 - 25.61)	24.38	(21.41 - 27.63)
Circuit 10	6.45	(4.85 - 8.54)	30.14	(25.25 - 35.54)	18.05	(14.76 - 21.89)	19.59	(16.47 - 23.13)
Circuit 18	7.54	(5.82 - 9.71)	37.73	(32.17 - 43.64)	19.14	(15.80 - 23.00)	21.52	(18.29 - 25.14)
Circuit 19	7.73	(5.84 - 10.15)	32.41	(26.62 - 38.79)	19.84	(16.10 - 24.19)	21.17	(17.57 - 25.27)
Region D - Southeast	6.57	(5.46 - 7.88)	32.90	(29.56 - 36.42)	19.20	(16.92 - 21.72)	20.84	(18.69 - 23.16)
Circuit 15 (Palm Beach)	6.70	(5.24 - 8.51)	33.27	(28.71 - 38.17)	18.33	(15.21 - 21.93)	20.03	(17.06 - 23.36)
Circuit 17 (Broward)	6.48	(5.06 - 8.26)	32.64	(28.18 - 37.43)	19.89	(17.01 - 23.13)	21.47	(18.77 - 24.44)
Region E - Sun Coast	7.56	(6.45 - 8.85)	37.81	(34.96 - 40.75)	21.11	(18.93 - 23.45)	23.01	(20.98 - 25.17)
Circuit 6	8.05	(6.20 - 10.40)	40.54	(34.87 - 46.48)	21.44	(17.86 - 25.50)	23.40	(19.98 - 27.20)
Circuit 12	8.04	(6.08 - 10.57)	39.74	(33.41 - 46.43)	21.45	(17.61 - 25.87)	23.16	(19.43 - 27.36)
Circuit 13 (Hillsborough)	7.16	(5.53 - 9.21)	37.67	(33.59 - 41.94)	22.64	(19.19 - 26.50)	24.92	(21.78 - 28.35)
Circuit 20	7.21	(5.50 - 9.39)	33.64	(28.09 - 39.69)	19.03	(15.66 - 22.92)	20.52	(17.29 - 24.18)
Region F - Southern (Circuits 11 and 16)	6.27	(5.01 - 7.83)	28.20	(24.72 - 31.96)	18.24	(15.73 - 21.06)	19.63	(17.32 - 22.17)
Georgia	6.46	(5.35 - 7.79)	32.50	(29.66 - 35.47)	18.61	(16.31 - 21.15)	20.71	(18.62 - 22.98)
Region 1	6.64	(4.98 - 8.80)	33.18	(28.43 - 38.30)	17.89	(14.64 - 21.66)	19.91	(16.87 - 23.34)
Region 2	6.43	(4.68 - 8.79)	35.92	(30.07 - 42.23)	17.57	(14.05 - 21.74)	20.74	(17.32 - 24.62)
Region 3	6.13	(4.58 - 8.16)	30.99	(26.45 - 35.92)	19.49	(16.05 - 23.46)	21.16	(17.97 - 24.76)
Region 4	7.04	(5.12 - 9.62)	*	(* - *)	18.24	(14.33 - 22.92)	20.62	(16.75 - 25.11)
Region 5	6.51	(4.66 - 9.04)	*	(* - *)	19.04	(15.05 - 23.80)	21.23	(17.39 - 25.65)
Region 6	6.52	(4.85 - 8.72)	31.88	(26.27 - 38.08)	18.86	(14.98 - 23.47)	20.84	(17.16 - 25.07)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	7.83	(6.41 - 9.54)	39.41	(36.21 - 42.70)	21.77	(19.22 - 24.56)	24.11	(21.79 - 26.60)
Hawaii Island	8.71	(6.38 - 11.78)	*	(* - *)	23.19	(18.52 - 28.63)	25.44	(20.95 - 30.52)
Honolulu	7.57	(5.96 - 9.58)	39.24	(35.65 - 42.95)	21.44	(18.67 - 24.48)	23.93	(21.45 - 26.61)
Kauai and Maui	8.15	(6.18 - 10.68)	38.24	(32.04 - 44.84)	22.00	(18.02 - 26.57)	23.80	(19.94 - 28.15)
Kauai	7.78	(5.52 - 10.87)	*	(* - *)	20.53	(15.84 - 26.17)	22.32	(17.70 - 27.73)
Maui	8.30	(6.03 - 11.33)	*	(* - *)	22.64	(18.01 - 28.06)	24.45	(19.94 - 29.60)
Idaho	7.26	(6.06 - 8.68)	33.03	(30.02 - 36.18)	20.58	(18.15 - 23.25)	22.48	(20.25 - 24.87)
Region 1	8.25	(6.10 - 11.07)	*	(* - *)	20.41	(16.26 - 25.31)	22.31	(18.31 - 26.89)
Region 2	8.51	(6.19 - 11.60)	*	(* - *)	20.93	(16.69 - 25.90)	25.99	(21.80 - 30.67)
Region 3	7.24	(5.35 - 9.72)	30.44	(24.90 - 36.61)	20.56	(16.63 - 25.15)	22.00	(18.29 - 26.21)
Region 4	7.63	(5.74 - 10.07)	37.10	(31.90 - 42.62)	22.00	(18.34 - 26.15)	24.09	(20.69 - 27.86)
Region 5	7.33	(5.51 - 9.70)	29.90	(24.33 - 36.13)	21.05	(16.87 - 25.95)	22.30	(18.34 - 26.84)
Region 6	7.03	(5.19 - 9.46)	31.40	(25.45 - 38.03)	20.46	(16.37 - 25.25)	22.22	(18.33 - 26.67)
Region 7	5.27	(3.65 - 7.57)	22.49	(17.54 - 28.36)	16.79	(12.99 - 21.42)	17.97	(14.46 - 22.13)
Illinois	7.64	(6.79 - 8.58)	45.47	(43.73 - 47.22)	24.45	(23.02 - 25.94)	27.51	(26.23 - 28.83)
Region I (Cook)	7.24	(6.04 - 8.66)	45.16	(42.45 - 47.89)	25.48	(23.26 - 27.83)	28.35	(26.38 - 30.41)
Region II	7.53	(6.34 - 8.93)	44.98	(42.03 - 47.96)	23.86	(21.57 - 26.30)	26.77	(24.69 - 28.96)
Region III	8.50	(6.81 - 10.56)	50.20	(46.01 - 54.38)	23.95	(20.93 - 27.26)	28.46	(25.72 - 31.36)
Region IV	8.56	(6.66 - 10.94)	43.66	(38.52 - 48.95)	24.22	(20.73 - 28.09)	26.90	(23.63 - 30.44)
Region V	8.09	(6.41 - 10.16)	42.78	(38.16 - 47.53)	22.76	(19.52 - 26.35)	25.60	(22.59 - 28.87)
Indiana	6.93	(5.81 - 8.24)	41.62	(38.45 - 44.87)	21.81	(19.31 - 24.52)	24.79	(22.50 - 27.24)
Central	6.06	(4.52 - 8.09)	37.84	(31.95 - 44.12)	21.80	(17.98 - 26.17)	24.01	(20.37 - 28.06)
East	7.07	(5.15 - 9.64)	*	(* - *)	20.19	(16.13 - 24.97)	23.29	(19.40 - 27.69)
North Central	7.33	(5.45 - 9.79)	41.80	(35.70 - 48.15)	21.85	(17.84 - 26.47)	24.69	(20.87 - 28.94)
Northeast	7.02	(5.16 - 9.48)	*	(* - *)	22.05	(17.83 - 26.95)	24.64	(20.59 - 29.20)
Northwest	6.73	(4.98 - 9.04)	39.29	(32.99 - 45.96)	22.71	(18.61 - 27.41)	24.99	(21.09 - 29.33)
Southeast	7.51	(5.56 - 10.07)	39.96	(33.61 - 46.67)	20.87	(16.83 - 25.59)	23.23	(19.35 - 27.63)
Southwest	7.55	(5.52 - 10.23)	*	(* - *)	22.30	(17.83 - 27.53)	25.14	(20.76 - 30.09)
West	7.70	(5.75 - 10.23)	50.52	(44.18 - 56.85)	22.47	(18.09 - 27.55)	29.01	(24.91 - 33.50)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	9.09	(7.73 - 10.67)	50.22	(46.92 - 53.52)	24.76	(22.20 - 27.52)	28.57	(26.22 - 31.03)
Central	8.78	(6.58 - 11.61)	48.32	(41.92 - 54.77)	26.81	(22.58 - 31.52)	29.79	(25.77 - 34.14)
North Central	8.81	(6.57 - 11.73)	*	(* - *)	24.54	(19.95 - 29.80)	30.54	(26.13 - 35.34)
Northeast	8.99	(6.82 - 11.77)	53.06	(47.76 - 58.30)	26.67	(22.44 - 31.36)	30.67	(26.78 - 34.84)
Northwest	8.94	(6.78 - 11.70)	43.83	(37.27 - 50.62)	21.97	(17.91 - 26.66)	24.84	(20.94 - 29.20)
Southeast	9.03	(6.90 - 11.74)	49.44	(43.51 - 55.38)	22.93	(19.10 - 27.28)	27.19	(23.54 - 31.17)
Southwest	10.52	(7.86 - 13.95)	*	(* - *)	24.90	(20.39 - 30.03)	27.69	(23.39 - 32.45)
Kansas	7.81	(6.59 - 9.22)	41.03	(37.89 - 44.25)	22.80	(20.28 - 25.53)	25.61	(23.30 - 28.06)
Kansas City Metro	7.95	(6.19 - 10.16)	43.73	(38.73 - 48.85)	24.52	(20.85 - 28.60)	27.36	(23.97 - 31.03)
Northeast	7.34	(5.40 - 9.89)	40.49	(34.71 - 46.54)	21.21	(17.31 - 25.70)	24.63	(20.98 - 28.68)
South Central	8.32	(6.17 - 11.11)	*	(* - *)	21.01	(16.71 - 26.06)	23.69	(19.59 - 28.34)
Southeast	7.87	(5.77 - 10.63)	*	(* - *)	19.89	(15.59 - 25.02)	23.01	(18.78 - 27.88)
West	8.18	(6.09 - 10.90)	39.71	(33.39 - 46.40)	22.97	(18.60 - 28.01)	25.42	(21.30 - 30.05)
Wichita (Sedgwick)	7.40	(5.60 - 9.72)	38.80	(33.01 - 44.92)	23.58	(19.55 - 28.16)	25.86	(22.06 - 30.06)
Kentucky	7.73	(6.49 - 9.19)	40.15	(36.91 - 43.47)	20.99	(18.57 - 23.63)	23.68	(21.45 - 26.06)
Adanta, Cumberland River, and Lifeskills	7.20	(5.37 - 9.60)	35.38	(29.83 - 41.35)	17.57	(14.07 - 21.72)	20.11	(16.75 - 23.96)
Bluegrass, Comprehend, and North Key	8.25	(6.28 - 10.76)	45.20	(39.96 - 50.54)	25.20	(21.19 - 29.68)	28.24	(24.58 - 32.22)
Communicare and River Valley	7.36	(5.33 - 10.08)	*	(* - *)	18.81	(14.97 - 23.36)	21.28	(17.55 - 25.55)
Four Rivers and Pennyroyal	7.02	(5.08 - 9.61)	*	(* - *)	18.27	(14.46 - 22.81)	21.04	(17.24 - 25.43)
Kentucky River, Mountain, and Pathways	7.61	(5.59 - 10.30)	*	(* - *)	18.54	(14.70 - 23.12)	20.88	(17.13 - 25.19)
Seven Counties	7.99	(6.05 - 10.49)	40.80	(34.72 - 47.18)	21.63	(17.85 - 25.95)	24.12	(20.55 - 28.09)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	7.23	(6.11 - 8.55)	37.47	(34.69 - 40.34)	23.38	(21.00 - 25.94)	25.59	(23.43 - 27.87)
Regions 1 and 10	6.65	(5.18 - 8.51)	36.63	(31.78 - 41.76)	24.00	(20.39 - 28.03)	25.96	(22.56 - 29.68)
Region 1	5.74	(4.20 - 7.80)	*	(* - *)	24.11	(19.63 - 29.24)	26.37	(22.14 - 31.10)
Region 10 (Jefferson)	7.52	(5.49 - 10.21)	*	(* - *)	23.90	(19.39 - 29.08)	25.55	(21.24 - 30.40)
Regions 2 and 9	7.02	(5.39 - 9.09)	39.03	(34.64 - 43.60)	22.91	(19.29 - 26.98)	25.53	(22.24 - 29.12)
Region 3	7.14	(5.32 - 9.51)	*	(* - *)	24.56	(20.01 - 29.75)	26.27	(21.97 - 31.07)
Regions 4, 5, and 6	8.12	(6.18 - 10.60)	37.63	(32.58 - 42.97)	23.68	(19.85 - 27.97)	25.81	(22.28 - 29.69)
Regions 7 and 8	6.85	(5.19 - 8.99)	36.48	(31.36 - 41.92)	22.49	(18.81 - 26.64)	24.71	(21.29 - 28.49)
Maine	7.55	(6.36 - 8.94)	42.12	(38.77 - 45.55)	20.06	(17.67 - 22.67)	22.79	(20.55 - 25.20)
Aroostook/Downeast	7.87	(6.14 - 10.03)	40.70	(35.30 - 46.34)	19.39	(15.96 - 23.35)	21.78	(18.45 - 25.53)
Aroostook	7.73	(5.65 - 10.50)	*	(* - *)	18.89	(14.77 - 23.84)	21.21	(17.18 - 25.89)
Downeast	7.99	(5.83 - 10.85)	*	(* - *)	19.79	(15.50 - 24.93)	22.25	(18.03 - 27.14)
Central	7.25	(5.36 - 9.72)	41.96	(35.53 - 48.67)	20.16	(16.22 - 24.77)	22.72	(18.95 - 27.00)
Cumberland	7.64	(5.73 - 10.11)	43.65	(37.42 - 50.10)	21.64	(17.74 - 26.13)	24.45	(20.72 - 28.61)
Midcoast	8.00	(5.83 - 10.90)	*	(* - *)	18.29	(14.39 - 22.97)	20.45	(16.59 - 24.94)
Penquis	7.64	(5.71 - 10.16)	44.99	(38.46 - 51.70)	19.05	(15.54 - 23.12)	23.26	(19.82 - 27.10)
Western	7.78	(5.83 - 10.32)	40.41	(34.48 - 46.65)	20.88	(16.98 - 25.40)	23.39	(19.69 - 27.56)
York	6.83	(5.06 - 9.17)	40.46	(34.40 - 46.84)	19.67	(15.73 - 24.31)	22.04	(18.26 - 26.34)
Maryland	6.93	(5.80 - 8.26)	40.35	(37.09 - 43.69)	20.52	(18.11 - 23.16)	23.35	(21.12 - 25.73)
Anne Arundel	8.41	(6.14 - 11.42)	*	(* - *)	23.22	(18.49 - 28.73)	26.08	(21.54 - 31.20)
Baltimore City	5.10	(3.72 - 6.96)	38.35	(32.82 - 44.19)	23.10	(18.90 - 27.92)	25.84	(21.95 - 30.15)
Baltimore County	7.06	(5.16 - 9.58)	40.26	(33.96 - 46.90)	19.33	(15.62 - 23.68)	22.33	(18.73 - 26.39)
Montgomery	7.06	(5.23 - 9.47)	*	(* - *)	19.03	(15.38 - 23.30)	21.74	(18.16 - 25.81)
North Central	7.71	(5.66 - 10.40)	*	(* - *)	20.33	(16.16 - 25.25)	23.00	(18.94 - 27.63)
Northeast	7.68	(5.59 - 10.45)	*	(* - *)	19.13	(15.11 - 23.91)	21.82	(17.89 - 26.34)
Prince George's	5.52	(4.01 - 7.56)	36.69	(30.48 - 43.37)	20.91	(16.79 - 25.73)	23.63	(19.73 - 28.03)
South	6.95	(5.08 - 9.42)	*	(* - *)	20.16	(16.06 - 25.01)	23.13	(19.13 - 27.68)
West	7.80	(5.75 - 10.49)	42.50	(35.92 - 49.35)	20.70	(16.67 - 25.41)	23.61	(19.72 - 28.00)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	8.92	(7.63 - 10.40)	49.37	(46.08 - 52.66)	24.70	(22.13 - 27.45)	28.40	(26.05 - 30.87)
Boston	7.29	(5.39 - 9.79)	50.45	(44.63 - 56.26)	26.46	(21.88 - 31.62)	32.19	(28.00 - 36.69)
Central	9.19	(6.95 - 12.05)	48.42	(41.84 - 55.05)	25.09	(20.46 - 30.36)	28.42	(24.06 - 33.22)
Metrowest	9.30	(7.24 - 11.88)	52.75	(46.28 - 59.12)	25.20	(21.29 - 29.57)	28.80	(25.06 - 32.86)
Northeast	9.41	(7.34 - 11.99)	47.31	(41.47 - 53.23)	23.81	(19.83 - 28.32)	26.88	(23.14 - 30.99)
Southeast	8.60	(6.55 - 11.22)	46.99	(41.00 - 53.07)	23.42	(19.38 - 28.01)	26.39	(22.56 - 30.62)
Western	8.67	(6.54 - 11.41)	*	(* - *)	25.16	(20.63 - 30.31)	29.25	(24.99 - 33.90)
Michigan	7.52	(6.76 - 8.36)	43.14	(41.49 - 44.81)	24.44	(22.98 - 25.97)	27.18	(25.87 - 28.53)
Detroit City	4.49	(3.38 - 5.95)	29.36	(25.41 - 33.66)	21.85	(18.18 - 26.02)	23.21	(19.94 - 26.82)
Genesee	7.17	(5.49 - 9.32)	39.93	(34.57 - 45.54)	22.60	(18.93 - 26.74)	24.99	(21.53 - 28.80)
Kalamazoo	7.49	(5.88 - 9.49)	44.20	(38.85 - 49.69)	24.08	(20.54 - 28.02)	27.26	(23.94 - 30.85)
Kent	7.11	(5.46 - 9.22)	45.29	(40.59 - 50.07)	26.27	(22.40 - 30.55)	29.26	(25.72 - 33.07)
Lakeshore	7.51	(5.95 - 9.44)	40.52	(35.98 - 45.23)	24.25	(20.74 - 28.14)	26.72	(23.53 - 30.16)
Macomb	8.34	(6.53 - 10.59)	43.81	(39.20 - 48.53)	26.15	(22.68 - 29.94)	28.36	(25.16 - 31.79)
Mid South	6.97	(5.46 - 8.86)	45.38	(40.77 - 50.06)	23.43	(20.12 - 27.10)	27.34	(24.33 - 30.57)
Northern	8.91	(7.01 - 11.25)	46.63	(41.85 - 51.46)	24.73	(21.06 - 28.80)	27.80	(24.45 - 31.43)
Oakland	7.93	(6.34 - 9.88)	44.93	(40.72 - 49.22)	24.21	(21.14 - 27.58)	26.65	(23.81 - 29.70)
Pathways and Western	9.06	(6.83 - 11.92)	57.59	(51.26 - 63.67)	26.07	(21.90 - 30.73)	30.64	(26.68 - 34.91)
Riverhaven	9.82	(7.52 - 12.73)	49.32	(43.20 - 55.47)	27.81	(23.44 - 32.63)	30.45	(26.31 - 34.94)
Saginaw	8.33	(6.18 - 11.14)	*	(* - *)	24.91	(20.34 - 30.12)	28.01	(23.68 - 32.79)
Southeast	7.52	(6.01 - 9.38)	38.68	(34.83 - 42.69)	24.74	(21.59 - 28.19)	26.59	(23.75 - 29.65)
St. Clair	7.61	(5.71 - 10.07)	40.71	(34.83 - 46.87)	22.29	(18.56 - 26.52)	24.54	(20.97 - 28.49)
Washtenaw	6.94	(5.26 - 9.10)	47.88	(43.25 - 52.54)	23.71	(20.05 - 27.81)	28.28	(24.97 - 31.84)
Minnesota	7.90	(6.71 - 9.29)	48.54	(45.20 - 51.89)	25.71	(23.09 - 28.53)	28.94	(26.53 - 31.48)
Regions 1 and 2	8.77	(6.46 - 11.80)	*	(* - *)	23.62	(18.63 - 29.45)	27.21	(22.43 - 32.58)
Regions 3 and 4	8.15	(6.14 - 10.74)	46.42	(40.21 - 52.74)	25.46	(21.18 - 30.28)	28.51	(24.47 - 32.94)
Regions 5 and 6	8.71	(6.66 - 11.31)	53.89	(47.68 - 59.99)	26.14	(21.79 - 31.02)	30.23	(26.17 - 34.63)
Region 7A (Hennepin)	7.43	(5.54 - 9.89)	49.43	(43.66 - 55.21)	25.84	(21.73 - 30.42)	29.12	(25.26 - 33.31)
Region 7B (Ramsey)	7.35	(5.41 - 9.91)	*	(* - *)	25.99	(21.13 - 31.52)	28.98	(24.32 - 34.14)
Region 7C	7.39	(5.74 - 9.46)	46.65	(40.55 - 52.86)	26.27	(22.35 - 30.60)	28.77	(25.03 - 32.81)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	7.02	(5.84 - 8.41)	31.45	(28.58 - 34.47)	19.29	(17.03 - 21.77)	21.18	(19.12 - 23.39)
Region 1	7.19	(5.39 - 9.54)	31.14	(25.95 - 36.84)	16.95	(13.79 - 20.65)	19.11	(16.12 - 22.49)
Region 2	5.95	(4.29 - 8.18)	28.31	(22.85 - 34.49)	21.08	(16.92 - 25.95)	22.21	(18.33 - 26.64)
Region 3	6.76	(4.97 - 9.12)	32.43	(27.12 - 38.24)	19.04	(15.30 - 23.43)	21.36	(17.88 - 25.30)
Region 4	6.12	(4.56 - 8.17)	30.34	(25.40 - 35.79)	19.41	(15.70 - 23.75)	21.08	(17.59 - 25.04)
Region 5	6.27	(4.47 - 8.75)	*	(* - *)	19.15	(14.84 - 24.36)	20.23	(16.11 - 25.09)
Region 6	7.76	(5.68 - 10.51)	33.94	(28.05 - 40.36)	21.33	(17.05 - 26.34)	23.43	(19.43 - 27.97)
Region 7	8.81	(6.57 - 11.72)	34.71	(28.72 - 41.22)	20.05	(16.23 - 24.50)	22.14	(18.49 - 26.28)
Missouri	8.61	(7.30 - 10.13)	38.97	(35.95 - 42.07)	22.14	(19.73 - 24.76)	24.59	(22.38 - 26.95)
Central	9.23	(6.96 - 12.13)	39.95	(33.84 - 46.40)	22.52	(18.31 - 27.37)	25.65	(21.70 - 30.05)
Eastern	8.57	(6.86 - 10.64)	39.38	(34.89 - 44.06)	22.28	(19.19 - 25.72)	24.67	(21.77 - 27.81)
Eastern (St. Louis City and County)	7.13	(5.42 - 9.32)	36.02	(30.79 - 41.60)	20.80	(17.21 - 24.91)	23.01	(19.64 - 26.76)
Eastern (excluding St. Louis)	10.80	(8.09 - 14.28)	*	(* - *)	24.83	(20.29 - 30.01)	27.57	(23.21 - 32.40)
Northwest	8.52	(6.72 - 10.75)	39.90	(35.16 - 44.83)	23.32	(20.00 - 27.01)	25.66	(22.55 - 29.04)
Northwest (Jackson)	7.73	(5.72 - 10.39)	37.05	(31.50 - 42.97)	23.78	(19.79 - 28.29)	25.64	(21.90 - 29.77)
Northwest (excluding Jackson)	9.15	(6.76 - 12.27)	*	(* - *)	22.93	(18.64 - 27.87)	25.68	(21.60 - 30.23)
Southeast	8.92	(6.68 - 11.82)	38.24	(32.02 - 44.88)	21.35	(17.33 - 25.99)	23.67	(19.82 - 28.00)
Southwest	8.11	(6.00 - 10.88)	36.11	(30.04 - 42.65)	20.28	(16.41 - 24.79)	22.56	(18.86 - 26.74)
Montana	9.85	(8.47 - 11.43)	48.37	(45.09 - 51.66)	25.00	(22.53 - 27.65)	28.27	(25.98 - 30.68)
Region 1	10.07	(7.54 - 13.33)	*	(* - *)	26.64	(21.72 - 32.20)	29.00	(24.31 - 34.18)
Region 2	8.23	(6.17 - 10.90)	*	(* - *)	24.63	(20.14 - 29.76)	26.91	(22.61 - 31.68)
Region 3	9.05	(7.04 - 11.55)	45.73	(39.93 - 51.65)	25.18	(21.27 - 29.53)	27.73	(24.03 - 31.75)
Region 4	10.61	(8.25 - 13.54)	52.21	(46.67 - 57.70)	25.23	(21.46 - 29.42)	29.41	(25.91 - 33.17)
Region 5	10.58	(8.43 - 13.20)	50.28	(45.37 - 55.18)	24.43	(20.91 - 28.32)	28.10	(24.83 - 31.63)
Nebraska	7.70	(6.40 - 9.24)	43.08	(40.06 - 46.16)	23.37	(20.79 - 26.17)	26.34	(23.99 - 28.82)
Regions 1 and 2	8.43	(6.55 - 10.79)	41.87	(35.78 - 48.22)	23.01	(19.20 - 27.32)	25.37	(21.66 - 29.49)
Region 1	8.31	(6.01 - 11.39)	*	(* - *)	22.39	(17.78 - 27.78)	25.12	(20.56 - 30.32)
Region 2	8.53	(6.23 - 11.56)	*	(* - *)	23.55	(18.75 - 29.14)	25.59	(20.91 - 30.92)
Region 3	7.32	(5.42 - 9.81)	40.11	(33.95 - 46.59)	20.79	(16.92 - 25.28)	23.55	(19.85 - 27.70)
Region 4	8.27	(6.08 - 11.17)	*	(* - *)	23.16	(18.60 - 28.45)	25.65	(21.27 - 30.58)
Region 5	8.34	(6.26 - 11.03)	45.73	(40.44 - 51.12)	23.49	(19.46 - 28.06)	27.38	(23.68 - 31.43)
Region 6	7.16	(5.51 - 9.25)	42.55	(38.18 - 47.03)	24.24	(20.77 - 28.07)	26.96	(23.81 - 30.37)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	7.26	(5.84 - 8.99)	37.95	(34.23 - 41.82)	25.25	(22.28 - 28.46)	27.01	(24.31 - 29.89)
Clark – Region 1	6.75	(5.16 - 8.78)	35.66	(31.29 - 40.29)	25.09	(21.73 - 28.77)	26.55	(23.49 - 29.86)
Region 3	7.70	(5.91 - 9.99)	37.96	(31.77 - 44.56)	23.08	(18.91 - 27.85)	24.87	(20.83 - 29.40)
Capital District	8.30	(5.98 - 11.40)	*	(* - *)	24.30	(19.24 - 30.19)	26.25	(21.33 - 31.86)
Rural/Frontier	7.23	(5.12 - 10.11)	*	(* - *)	21.94	(16.88 - 28.00)	23.61	(18.67 - 29.38)
Washoe – Region 2	9.34	(6.94 - 12.46)	47.25	(41.50 - 53.09)	27.75	(22.97 - 33.10)	30.77	(26.41 - 35.49)
New Hampshire	9.46	(8.03 - 11.10)	50.33	(47.01 - 53.64)	21.47	(18.99 - 24.19)	25.35	(23.06 - 27.78)
Central	9.59	(7.71 - 11.88)	51.97	(47.44 - 56.46)	21.20	(17.81 - 25.04)	25.66	(22.49 - 29.12)
Central 1	9.89	(7.45 - 13.03)	56.49	(50.73 - 62.07)	22.26	(18.04 - 27.13)	27.95	(23.98 - 32.30)
Central 2	9.33	(7.03 - 12.28)	46.05	(39.59 - 52.64)	20.21	(16.09 - 25.08)	23.43	(19.49 - 27.88)
Northern	9.87	(7.36 - 13.11)	49.47	(42.83 - 56.13)	20.71	(16.61 - 25.51)	24.64	(20.74 - 29.01)
Southern	9.32	(7.68 - 11.27)	49.62	(45.37 - 53.88)	21.78	(18.90 - 24.95)	25.35	(22.67 - 28.23)
Southern 1 (Rockingham)	9.12	(6.88 - 11.98)	51.08	(45.09 - 57.04)	23.63	(19.55 - 28.27)	26.73	(22.85 - 31.00)
Southern 2	9.46	(7.47 - 11.90)	48.89	(43.69 - 54.11)	20.59	(17.29 - 24.34)	24.50	(21.41 - 27.88)
New Jersey	8.50	(7.16 - 10.07)	45.58	(42.06 - 49.16)	22.08	(19.63 - 24.74)	25.15	(22.89 - 27.56)
Central	9.31	(7.02 - 12.24)	46.25	(39.72 - 52.90)	21.28	(17.48 - 25.65)	24.32	(20.67 - 28.39)
Metropolitan	7.72	(5.86 - 10.12)	43.95	(38.45 - 49.60)	22.77	(18.98 - 27.06)	25.75	(22.21 - 29.63)
Northern	8.91	(6.90 - 11.43)	47.31	(41.81 - 52.87)	22.60	(19.01 - 26.64)	25.73	(22.36 - 29.43)
Southern	7.88	(5.93 - 10.39)	44.40	(38.41 - 50.55)	21.40	(17.57 - 25.80)	24.49	(20.85 - 28.53)
New Mexico	8.01	(6.69 - 9.58)	37.14	(34.12 - 40.27)	19.32	(16.91 - 21.98)	21.95	(19.76 - 24.32)
Region 1	6.93	(5.23 - 9.13)	30.23	(25.51 - 35.40)	17.38	(14.04 - 21.31)	19.27	(16.17 - 22.79)
Region 2	8.00	(5.91 - 10.75)	*	(* - *)	18.74	(14.80 - 23.44)	20.51	(16.72 - 24.89)
Region 3 (Bernalillo)	9.28	(7.03 - 12.15)	42.72	(37.71 - 47.88)	19.67	(16.16 - 23.73)	23.12	(19.85 - 26.74)
Region 4	7.94	(5.88 - 10.65)	37.36	(31.50 - 43.61)	20.60	(16.69 - 25.15)	23.28	(19.58 - 27.44)
Region 5	7.43	(5.60 - 9.80)	36.45	(30.87 - 42.43)	20.38	(16.61 - 24.76)	23.02	(19.47 - 27.01)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	8.79	(7.91 - 9.76)	42.26	(40.52 - 44.02)	22.77	(21.29 - 24.32)	25.69	(24.38 - 27.05)
Region A	7.63	(6.56 - 8.85)	39.04	(36.63 - 41.51)	23.01	(21.06 - 25.08)	25.47	(23.72 - 27.31)
Region 1	7.31	(5.65 - 9.40)	35.90	(31.09 - 41.00)	24.50	(20.80 - 28.62)	26.54	(23.18 - 30.21)
Region 2	7.92	(6.31 - 9.90)	37.72	(33.93 - 41.66)	21.95	(18.94 - 25.30)	24.41	(21.68 - 27.36)
Region 3	7.61	(5.77 - 9.98)	46.52	(41.35 - 51.76)	25.98	(22.20 - 30.16)	29.08	(25.55 - 32.87)
Region 4	7.46	(5.79 - 9.56)	37.06	(32.39 - 41.98)	21.28	(18.00 - 24.97)	23.47	(20.38 - 26.86)
Region B	10.00	(8.63 - 11.56)	44.08	(41.09 - 47.11)	22.29	(20.12 - 24.62)	25.23	(23.23 - 27.34)
Region 5	10.68	(8.80 - 12.91)	45.37	(41.27 - 49.55)	22.63	(19.73 - 25.82)	25.63	(22.96 - 28.50)
Region 6	9.12	(7.12 - 11.60)	41.91	(36.34 - 47.70)	21.91	(18.30 - 26.01)	24.49	(21.10 - 28.23)
Region 7	9.16	(7.11 - 11.72)	43.24	(37.71 - 48.94)	21.74	(18.05 - 25.94)	25.06	(21.64 - 28.83)
Region C	8.95	(7.75 - 10.32)	44.88	(42.11 - 47.70)	23.08	(21.02 - 25.28)	26.53	(24.66 - 28.49)
Region 8	8.41	(6.53 - 10.77)	42.11	(36.55 - 47.87)	21.54	(18.13 - 25.38)	24.61	(21.36 - 28.17)
Region 9	9.39	(7.35 - 11.93)	44.67	(39.53 - 49.92)	22.39	(18.70 - 26.57)	25.97	(22.58 - 29.67)
Region 10	9.36	(7.10 - 12.24)	42.72	(36.72 - 48.93)	22.79	(18.79 - 27.35)	26.72	(23.03 - 30.78)
Region 11	9.29	(7.26 - 11.80)	45.76	(40.43 - 51.20)	24.43	(20.73 - 28.54)	27.80	(24.37 - 31.51)
Region 12	8.57	(6.64 - 11.01)	47.82	(42.37 - 53.32)	23.90	(20.28 - 27.93)	27.46	(24.10 - 31.10)
Region D	9.35	(7.84 - 11.10)	46.07	(42.18 - 50.01)	22.14	(19.52 - 25.00)	25.82	(23.37 - 28.44)
Region 13	9.53	(7.29 - 12.35)	46.18	(39.73 - 52.75)	21.68	(17.73 - 26.23)	25.34	(21.55 - 29.55)
Region 14	9.07	(6.82 - 11.98)	47.14	(40.49 - 53.89)	24.12	(19.80 - 29.04)	27.89	(23.81 - 32.37)
Region 15	9.45	(7.22 - 12.27)	44.82	(38.71 - 51.09)	20.61	(16.94 - 24.85)	24.21	(20.70 - 28.10)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	6.81	(5.65 - 8.19)	34.42	(31.14 - 37.84)	17.36	(15.05 - 19.94)	19.78	(17.61 - 22.13)
Alliance	6.31	(4.70 - 8.42)	31.87	(26.55 - 37.71)	17.95	(14.65 - 21.81)	20.05	(16.93 - 23.60)
Cardinal Innovations	6.82	(4.99 - 9.27)	34.89	(28.73 - 41.61)	16.82	(13.29 - 21.06)	19.25	(15.84 - 23.20)
CenterPoint/Guilford	6.48	(4.94 - 8.46)	32.37	(27.14 - 38.08)	16.97	(13.76 - 20.75)	19.21	(16.08 - 22.78)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	18.36	(14.49 - 22.98)
Guilford	*	(* - *)	*	(* - *)	17.66	(13.66 - 22.53)	20.13	(16.22 - 24.70)
CoastalCare	7.60	(5.48 - 10.44)	*	(* - *)	18.05	(13.90 - 23.11)	22.14	(17.90 - 27.05)
Eastpointe	5.74	(4.12 - 7.94)	*	(* - *)	15.06	(11.63 - 19.28)	16.89	(13.52 - 20.89)
ECBH	6.45	(4.59 - 8.98)	*	(* - *)	*	(* - *)	20.23	(16.21 - 24.94)
MeckLINK	6.41	(4.52 - 9.01)	*	(* - *)	19.81	(15.45 - 25.05)	22.02	(17.72 - 27.01)
Partners	7.84	(5.76 - 10.59)	*	(* - *)	17.66	(14.01 - 22.02)	19.64	(16.09 - 23.76)
Sandhills	7.18	(5.21 - 9.82)	*	(* - *)	17.27	(13.40 - 21.97)	19.28	(15.49 - 23.75)
Smoky Mountain	*	(* - *)	*	(* - *)	*	(* - *)	20.28	(16.17 - 25.11)
Western Highlands	*	(* - *)	*	(* - *)	16.60	(12.86 - 21.16)	18.81	(15.08 - 23.21)
North Dakota	7.54	(6.27 - 9.04)	53.97	(50.77 - 57.13)	27.82	(25.11 - 30.70)	32.38	(29.97 - 34.89)
Badlands and West Central	7.11	(5.30 - 9.48)	49.76	(43.71 - 55.82)	25.95	(21.91 - 30.44)	29.17	(25.40 - 33.25)
Lake Region and South Central	7.92	(5.89 - 10.57)	49.14	(42.50 - 55.80)	24.83	(20.27 - 30.03)	27.87	(23.54 - 32.66)
North Central and Northwest	7.25	(5.45 - 9.58)	48.48	(41.93 - 55.07)	27.21	(22.72 - 32.22)	30.70	(26.47 - 35.28)
Northeast	7.52	(5.53 - 10.15)	56.03	(50.55 - 61.37)	27.70	(23.05 - 32.89)	34.62	(30.51 - 38.98)
Southeast	7.98	(6.11 - 10.35)	59.72	(54.69 - 64.55)	31.95	(27.81 - 36.39)	37.83	(34.16 - 41.65)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	7.40	(6.66 - 8.21)	42.92	(41.31 - 44.55)	22.59	(21.22 - 24.03)	25.48	(24.25 - 26.75)
Boards 2, 46, 55, and 68	7.55	(5.77 - 9.81)	40.80	(35.35 - 46.49)	22.05	(18.29 - 26.33)	24.59	(21.03 - 28.52)
Boards 3, 52, and 85	7.30	(5.48 - 9.66)	41.29	(35.22 - 47.64)	21.60	(17.70 - 26.08)	24.25	(20.49 - 28.45)
Boards 4 and 78	8.28	(6.24 - 10.90)	*	(* - *)	23.22	(18.96 - 28.10)	25.61	(21.53 - 30.16)
Boards 5 and 60	8.06	(6.16 - 10.49)	46.23	(40.31 - 52.25)	22.55	(18.61 - 27.03)	26.85	(23.16 - 30.90)
Boards 7, 15, 41, 79, and 84	7.67	(5.74 - 10.18)	32.88	(28.31 - 37.79)	20.45	(16.88 - 24.54)	21.94	(18.62 - 25.67)
Boards 8, 13, and 83	7.68	(5.94 - 9.86)	43.23	(37.51 - 49.14)	21.44	(17.85 - 25.52)	24.06	(20.66 - 27.83)
Board 9 (Butler)	7.41	(5.65 - 9.65)	46.50	(40.79 - 52.29)	24.18	(20.17 - 28.70)	27.81	(24.04 - 31.92)
Board 12	7.78	(5.90 - 10.19)	42.02	(35.83 - 48.47)	21.15	(17.30 - 25.59)	24.52	(20.85 - 28.61)
Boards 18 and 47	7.85	(6.33 - 9.70)	41.09	(37.29 - 45.00)	23.75	(20.86 - 26.91)	26.04	(23.40 - 28.87)
Boards 20, 32, 54, and 69	8.18	(6.26 - 10.62)	43.83	(37.56 - 50.31)	22.78	(18.79 - 27.32)	25.53	(21.72 - 29.76)
Boards 21, 39, 51, 70, and 80	7.37	(5.68 - 9.52)	41.25	(35.32 - 47.45)	23.73	(19.99 - 27.92)	25.83	(22.25 - 29.76)
Boards 22, 74, and 87	7.39	(5.58 - 9.72)	46.49	(40.48 - 52.60)	22.36	(18.57 - 26.67)	26.11	(22.48 - 30.10)
Boards 23 and 45	7.07	(5.38 - 9.25)	42.85	(36.60 - 49.34)	22.41	(18.68 - 26.63)	25.24	(21.64 - 29.20)
Board 25 (Franklin)	6.67	(5.27 - 8.42)	49.01	(44.66 - 53.37)	24.48	(21.31 - 27.95)	28.68	(25.81 - 31.73)
Boards 27, 71, and 73	7.64	(5.79 - 10.02)	39.84	(34.29 - 45.65)	20.96	(17.37 - 25.07)	23.36	(19.95 - 27.17)
Boards 28, 43, and 67	8.94	(6.94 - 11.45)	48.21	(42.34 - 54.13)	23.33	(19.65 - 27.46)	26.96	(23.48 - 30.74)
Board 31 (Hamilton)	6.21	(4.82 - 7.97)	38.85	(34.19 - 43.73)	21.63	(18.38 - 25.27)	24.25	(21.23 - 27.55)
Board 48 (Lucas)	7.20	(5.43 - 9.48)	44.19	(38.36 - 50.20)	23.96	(19.94 - 28.49)	27.17	(23.38 - 31.32)
Boards 50 and 76	7.67	(5.97 - 9.79)	42.05	(37.03 - 47.25)	21.81	(18.44 - 25.61)	24.41	(21.24 - 27.89)
Board 57 (Montgomery)	5.79	(4.35 - 7.67)	39.01	(33.67 - 44.62)	19.50	(16.03 - 23.50)	22.23	(18.93 - 25.92)
Board 77 (Summit)	6.96	(5.31 - 9.06)	43.16	(38.09 - 48.37)	23.16	(19.63 - 27.12)	25.86	(22.55 - 29.46)
Oklahoma	7.27	(6.09 - 8.65)	37.86	(34.68 - 41.16)	20.36	(17.94 - 23.01)	23.03	(20.81 - 25.42)
Central	7.89	(5.78 - 10.68)	*	(* - *)	22.78	(18.31 - 27.97)	26.69	(22.41 - 31.45)
East Central	6.60	(4.75 - 9.09)	*	(* - *)	18.53	(14.63 - 23.20)	20.42	(16.64 - 24.80)
Northeast	7.56	(5.62 - 10.09)	36.84	(31.00 - 43.10)	17.71	(14.11 - 22.00)	20.85	(17.40 - 24.79)
Northwest and Southwest	7.57	(5.67 - 10.03)	*	(* - *)	21.16	(17.09 - 25.90)	23.58	(19.66 - 28.00)
Oklahoma County	7.01	(5.22 - 9.36)	40.24	(34.37 - 46.39)	21.22	(17.28 - 25.79)	24.16	(20.40 - 28.36)
Southeast	7.61	(5.70 - 10.09)	36.81	(30.74 - 43.32)	19.66	(15.69 - 24.34)	22.03	(18.26 - 26.33)
Tulsa County	6.80	(5.00 - 9.17)	34.53	(28.41 - 41.20)	20.83	(16.87 - 25.45)	22.85	(19.04 - 27.17)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	7.41	(6.25 - 8.77)	38.43	(35.35 - 41.60)	20.30	(18.04 - 22.76)	22.80	(20.70 - 25.04)
Region 1 (Multnomah)	7.76	(5.81 - 10.29)	41.88	(36.36 - 47.61)	24.03	(20.10 - 28.45)	26.43	(22.72 - 30.50)
Region 2	6.99	(5.31 - 9.16)	34.77	(29.26 - 40.71)	19.35	(15.80 - 23.48)	21.30	(17.90 - 25.15)
Region 3	7.19	(5.58 - 9.21)	40.62	(36.04 - 45.38)	19.90	(16.78 - 23.44)	23.28	(20.41 - 26.41)
Region 4	8.35	(6.25 - 11.07)	36.65	(30.36 - 43.42)	18.36	(14.80 - 22.56)	20.53	(17.08 - 24.48)
Region 5 (Central)	7.91	(5.76 - 10.76)	*	(* - *)	20.73	(16.43 - 25.80)	22.51	(18.33 - 27.33)
Region 6 (Eastern)	7.01	(5.09 - 9.58)	*	(* - *)	*	(* - *)	19.88	(15.80 - 24.70)
Pennsylvania	7.75	(6.92 - 8.68)	44.20	(42.34 - 46.09)	23.60	(22.17 - 25.10)	26.56	(25.26 - 27.91)
Region 1 (Allegheny)	8.98	(7.07 - 11.34)	53.21	(48.47 - 57.90)	25.31	(21.94 - 29.00)	29.17	(26.03 - 32.52)
Regions 3, 8, 9, and 51	8.41	(6.52 - 10.78)	44.92	(38.83 - 51.16)	23.35	(19.64 - 27.51)	26.45	(22.92 - 30.30)
Regions 4, 11, 37, and 49	7.36	(5.67 - 9.50)	41.76	(36.39 - 47.33)	23.38	(19.82 - 27.38)	25.86	(22.52 - 29.51)
Regions 5, 18, 23, 24, and 46	7.45	(5.68 - 9.72)	40.82	(35.03 - 46.89)	21.49	(18.01 - 25.42)	24.05	(20.75 - 27.70)
Regions 6, 12, 16, 31, 35, 45, and 47	6.99	(5.29 - 9.18)	44.97	(39.79 - 50.27)	21.10	(17.63 - 25.05)	25.85	(22.65 - 29.32)
Regions 7, 13, 20, and 33	8.22	(6.71 - 10.04)	47.33	(43.27 - 51.43)	24.78	(21.99 - 27.80)	27.69	(25.13 - 30.42)
Regions 10, 15, 27, 32, 43, and 44	9.09	(7.00 - 11.73)	45.39	(39.17 - 51.75)	22.50	(18.93 - 26.53)	25.28	(21.85 - 29.05)
Regions 17 and 21	9.17	(6.97 - 11.98)	47.38	(40.90 - 53.95)	25.43	(21.06 - 30.35)	28.92	(24.75 - 33.47)
Regions 19, 26, 28, and 42	6.35	(4.92 - 8.17)	35.99	(31.49 - 40.75)	19.66	(16.83 - 22.84)	21.85	(19.17 - 24.78)
Regions 22, 38, 40, 41, and 48	8.03	(6.24 - 10.27)	44.61	(39.60 - 49.73)	22.59	(19.19 - 26.39)	25.14	(21.93 - 28.65)
Regions 29 and 34	7.19	(5.43 - 9.47)	42.14	(36.13 - 48.39)	22.89	(18.90 - 27.43)	25.51	(21.69 - 29.75)
Regions 30 and 50	8.18	(6.23 - 10.67)	42.60	(36.73 - 48.69)	23.53	(19.74 - 27.79)	26.07	(22.51 - 29.97)
Region 36 (Philadelphia)	6.93	(5.37 - 8.89)	42.37	(38.35 - 46.48)	27.58	(24.04 - 31.42)	30.41	(27.28 - 33.73)
Rhode Island	8.57	(7.15 - 10.23)	51.48	(48.15 - 54.80)	27.08	(24.14 - 30.24)	31.04	(28.40 - 33.80)
Bristol and Newport	9.96	(7.37 - 13.32)	*	(* - *)	27.59	(22.51 - 33.34)	32.61	(27.80 - 37.82)
Kent	9.86	(7.40 - 13.03)	53.89	(47.40 - 60.26)	26.46	(21.82 - 31.70)	29.68	(25.27 - 34.51)
Providence	7.69	(6.04 - 9.75)	48.28	(44.16 - 52.41)	27.46	(23.79 - 31.46)	31.05	(27.79 - 34.52)
Washington	9.62	(7.23 - 12.70)	55.83	(49.17 - 62.29)	25.56	(20.80 - 30.98)	31.06	(26.65 - 35.85)
South Carolina	6.83	(5.67 - 8.21)	37.58	(34.51 - 40.76)	22.47	(19.94 - 25.22)	24.68	(22.37 - 27.14)
Region 1	7.57	(5.71 - 9.97)	37.30	(32.21 - 42.68)	21.00	(17.35 - 25.17)	23.34	(19.94 - 27.13)
Region 2	6.46	(4.89 - 8.49)	38.54	(33.84 - 43.47)	21.55	(17.87 - 25.74)	24.14	(20.76 - 27.88)
Region 3	6.87	(5.13 - 9.14)	37.05	(30.76 - 43.82)	24.47	(20.00 - 29.58)	26.17	(21.95 - 30.87)
Region 4	6.47	(4.87 - 8.56)	37.05	(31.81 - 42.61)	23.60	(19.76 - 27.93)	25.59	(22.03 - 29.52)

See notes at end of table.

(continued)

Table 10 *Binge Alcohol Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	9.24	(7.79 - 10.93)	51.41	(47.85 - 54.95)	26.24	(23.65 - 29.00)	29.97	(27.61 - 32.45)
Region 1	9.58	(7.40 - 12.31)	46.91	(41.03 - 52.88)	25.08	(21.11 - 29.52)	28.20	(24.51 - 32.22)
Region 2	10.13	(7.50 - 13.55)	*	(* - *)	25.81	(20.96 - 31.33)	28.46	(23.81 - 33.63)
Region 3	9.37	(7.07 - 12.31)	55.96	(50.17 - 61.60)	27.25	(23.09 - 31.85)	32.15	(28.31 - 36.25)
Region 4	9.40	(7.11 - 12.33)	*	(* - *)	25.30	(20.94 - 30.22)	30.20	(26.03 - 34.72)
Region 5	8.48	(6.48 - 11.02)	48.54	(42.93 - 54.20)	27.04	(23.09 - 31.39)	30.06	(26.36 - 34.04)
Tennessee	6.47	(5.36 - 7.80)	31.38	(28.31 - 34.62)	17.15	(14.99 - 19.56)	19.15	(17.13 - 21.36)
Region 1	6.59	(4.68 - 9.22)	*	(* - *)	14.17	(11.01 - 18.06)	16.33	(13.19 - 20.04)
Region 2	6.61	(4.86 - 8.94)	31.79	(26.07 - 38.12)	16.60	(13.29 - 20.55)	18.62	(15.42 - 22.31)
Region 3	6.94	(5.09 - 9.38)	31.02	(25.61 - 37.01)	15.47	(12.29 - 19.29)	17.58	(14.49 - 21.16)
Region 4 (Davidson)	6.01	(4.36 - 8.22)	35.52	(29.50 - 42.03)	20.08	(16.16 - 24.68)	22.54	(18.77 - 26.82)
Region 5	7.07	(5.30 - 9.38)	33.51	(28.13 - 39.36)	18.55	(15.04 - 22.67)	20.63	(17.28 - 24.44)
Region 6	7.35	(5.38 - 9.96)	*	(* - *)	16.21	(12.61 - 20.59)	18.14	(14.64 - 22.26)
Region 7 (Shelby)	4.59	(3.27 - 6.40)	25.74	(20.72 - 31.50)	17.74	(14.16 - 22.00)	19.00	(15.62 - 22.92)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	6.66	(5.92 - 7.48)	38.04	(36.40 - 39.71)	23.40	(21.94 - 24.91)	25.72	(24.45 - 27.04)
Region 1	8.01	(6.00 - 10.61)	43.19	(37.40 - 49.17)	23.31	(19.47 - 27.65)	26.93	(23.30 - 30.90)
Region 2	6.96	(5.10 - 9.44)	*	(* - *)	21.31	(17.39 - 25.84)	23.96	(20.14 - 28.24)
Region 3	6.81	(5.71 - 8.10)	37.11	(34.27 - 40.04)	23.70	(21.45 - 26.10)	25.67	(23.64 - 27.81)
Region 3a	6.77	(5.40 - 8.45)	35.92	(32.29 - 39.71)	22.74	(20.04 - 25.69)	24.68	(22.24 - 27.30)
Region 3bc	6.88	(5.42 - 8.69)	39.18	(34.98 - 43.54)	25.35	(21.97 - 29.06)	27.39	(24.31 - 30.69)
Region 4	6.95	(5.24 - 9.17)	36.41	(31.00 - 42.19)	19.92	(16.40 - 23.97)	22.17	(18.81 - 25.93)
Region 5	7.11	(5.38 - 9.34)	37.55	(31.90 - 43.55)	21.17	(17.30 - 25.65)	23.62	(19.95 - 27.73)
Region 6	5.89	(4.82 - 7.19)	35.20	(32.10 - 38.42)	23.48	(20.96 - 26.20)	25.27	(23.02 - 27.65)
Region 6a	5.76	(4.62 - 7.17)	34.76	(31.43 - 38.24)	23.40	(20.67 - 26.38)	25.16	(22.73 - 27.76)
Region 6bc	7.03	(5.26 - 9.34)	39.45	(33.09 - 46.19)	24.09	(19.81 - 28.97)	26.16	(22.03 - 30.75)
Region 7	6.57	(5.34 - 8.05)	42.71	(39.16 - 46.33)	24.61	(21.87 - 27.58)	28.00	(25.53 - 30.61)
Region 7a	6.70	(5.19 - 8.61)	45.50	(40.55 - 50.54)	26.46	(22.88 - 30.39)	29.68	(26.38 - 33.20)
Region 7bcd	6.34	(4.71 - 8.48)	39.07	(34.24 - 44.13)	21.30	(17.78 - 25.31)	25.18	(21.95 - 28.71)
Region 8	6.90	(5.37 - 8.83)	39.82	(35.30 - 44.52)	23.59	(20.29 - 27.23)	26.14	(23.10 - 29.42)
Region 9	7.30	(5.40 - 9.79)	39.74	(33.39 - 46.45)	24.15	(19.75 - 29.18)	26.72	(22.52 - 31.37)
Region 10	7.33	(5.58 - 9.58)	39.76	(33.80 - 46.05)	22.60	(18.72 - 27.01)	25.66	(21.99 - 29.72)
Region 11	6.87	(5.47 - 8.59)	35.93	(31.70 - 40.39)	23.73	(20.57 - 27.20)	25.86	(22.97 - 28.98)
Region 11abd	7.31	(5.50 - 9.65)	38.11	(32.56 - 44.00)	24.26	(20.37 - 28.62)	26.59	(22.99 - 30.54)
Region 11c (Hidalgo)	6.20	(4.59 - 8.32)	32.35	(26.47 - 38.84)	22.75	(18.67 - 27.44)	24.54	(20.70 - 28.82)
Utah	5.61	(4.41 - 7.12)	22.84	(20.14 - 25.79)	14.72	(12.65 - 17.06)	16.26	(14.41 - 18.29)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.09	(3.58 - 7.18)	20.87	(16.34 - 26.26)	12.28	(9.39 - 15.90)	13.92	(11.16 - 17.24)
Central, Four Corners, San Juan, and Southwest	6.25	(4.38 - 8.84)	*	(* - *)	15.22	(11.64 - 19.65)	16.76	(13.33 - 20.88)
Davis County	5.42	(3.78 - 7.72)	21.21	(16.25 - 27.19)	13.91	(10.73 - 17.84)	15.14	(12.08 - 18.80)
Salt Lake County	6.12	(4.48 - 8.31)	26.27	(22.13 - 30.88)	16.53	(13.74 - 19.76)	18.17	(15.60 - 21.05)
Utah County	4.69	(3.20 - 6.82)	19.18	(15.12 - 24.01)	11.93	(9.08 - 15.52)	13.89	(11.22 - 17.07)
Weber, Morgan	5.80	(4.06 - 8.23)	*	(* - *)	15.25	(11.68 - 19.66)	16.55	(13.12 - 20.65)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	10.17	(8.61 - 11.96)	51.53	(48.18 - 54.87)	20.99	(18.64-23.56)	25.44	(23.27-27.74)
Champlain Valley	10.72	(8.55 - 13.35)	56.06	(51.27 - 60.74)	22.78	(19.53-26.38)	28.77	(25.81-31.92)
Rural Northeast	10.36	(7.95 - 13.39)	47.94	(41.99 - 53.95)	20.90	(17.13-25.26)	24.38	(20.80-28.34)
Rural Southeast	9.77	(7.45 - 12.71)	46.49	(40.48 - 52.59)	19.76	(16.19-23.90)	22.69	(19.26-26.53)
Rural Southwest	8.95	(6.75 - 11.77)	46.78	(40.44 - 53.22)	18.55	(14.87-22.88)	22.29	(18.73-26.30)
Virginia	7.24	(6.10 - 8.58)	40.79	(37.59 - 44.07)	20.50	(18.19-23.02)	23.46	(21.34-25.73)
Region 1	7.67	(5.84 - 10.03)	45.55	(39.69 - 51.54)	19.26	(15.67-23.44)	23.40	(20.00-27.17)
Region 2	6.89	(5.25 - 8.98)	37.75	(32.31 - 43.51)	20.05	(16.67-23.92)	22.16	(18.93-25.78)
Region 3	8.01	(5.98 - 10.64)	42.81	(37.03 - 48.79)	20.08	(16.38-24.37)	23.46	(19.95-27.37)
Region 4	6.83	(5.06 - 9.15)	*	(* - *)	21.69	(17.66-26.35)	24.38	(20.52-28.71)
Region 5	7.19	(5.44 - 9.43)	39.57	(34.08 - 45.33)	21.36	(17.76-25.47)	24.41	(21.06-28.09)
Washington	8.05	(6.79 - 9.51)	41.82	(38.63 - 45.09)	20.78	(18.41-23.37)	23.78	(21.59-26.12)
Region 1	8.16	(6.47 - 10.25)	42.44	(37.10 - 47.97)	20.94	(17.47-24.89)	24.51	(21.17-28.18)
East 1 (previously Region 1)	8.53	(6.38 - 11.31)	*	(* - *)	21.52	(17.23-26.53)	25.63	(21.45-30.30)
East 2 (previously Region 2)	7.73	(5.75 - 10.33)	*	(* - *)	20.14	(15.83-25.26)	22.96	(18.79-27.75)
Region 2	7.99	(6.43 - 9.90)	42.80	(38.65 - 47.06)	20.61	(17.73-23.82)	23.62	(20.93-26.53)
North 1 (previously Region 3)	8.50	(6.45 - 11.11)	43.86	(38.22 - 49.66)	21.36	(17.51-25.80)	24.58	(20.96-28.60)
North 2 (previously Region 4)	7.65	(5.79 - 10.05)	42.14	(36.91 - 47.57)	20.19	(16.80-24.06)	23.07	(19.87-26.62)
Region 3	8.03	(6.46 - 9.95)	39.93	(35.42 - 44.63)	20.93	(17.84-24.40)	23.53	(20.62-26.71)
West 1 (previously Region 5)	8.49	(6.41 - 11.16)	42.59	(36.43 - 49.00)	23.27	(18.98-28.18)	26.17	(22.11-30.67)
West 2 (previously Region 6)	7.62	(5.68 - 10.15)	36.97	(31.12 - 43.24)	18.83	(15.26-23.02)	21.10	(17.69-24.96)
West Virginia	9.05	(7.62 - 10.71)	39.12	(36.30 - 42.02)	18.14	(15.95-20.55)	20.87	(18.87-23.03)
Region I	10.53	(7.83 - 14.01)	*	(* - *)	18.97	(14.87-23.88)	21.72	(17.71-26.34)
Region II	9.81	(7.32 - 13.03)	*	(* - *)	20.27	(16.34-24.88)	22.30	(18.50-26.63)
Region III	8.51	(6.29 - 11.42)	*	(* - *)	17.44	(13.77-21.84)	19.42	(15.84-23.60)
Region IV	10.86	(8.29 - 14.11)	50.82	(46.15 - 55.47)	19.71	(16.15-23.84)	25.25	(22.01-28.79)
Region V	7.48	(5.70 - 9.75)	30.68	(26.30 - 35.44)	16.91	(13.97-20.31)	18.54	(15.79-21.64)
Region VI	8.52	(6.30 - 11.42)	33.39	(27.73 - 39.56)	16.68	(13.36-20.63)	18.55	(15.33-22.27)

See notes at end of table.

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	7.74	(6.48 - 9.23)	46.01	(42.69 - 49.36)	28.09	(25.23 - 31.14)	30.66	(28.05-33.39)
Milwaukee	5.80	(4.14 - 8.07)	40.21	(33.91 - 46.84)	27.15	(22.47 - 32.40)	29.27	(24.90-34.06)
Northeastern	7.87	(6.01 - 10.25)	47.11	(41.53 - 52.77)	26.75	(22.66 - 31.28)	29.43	(25.63-33.55)
Northern	8.15	(5.98 - 11.01)	*	(* - *)	26.42	(21.18 - 32.42)	29.00	(23.96-34.63)
Southeastern	7.90	(5.90 - 10.51)	44.30	(37.89 - 50.89)	30.37	(25.29 - 35.97)	32.14	(27.41-37.26)
Southern	8.52	(6.46 - 11.16)	48.46	(42.82 - 54.13)	28.95	(24.22 - 34.19)	31.91	(27.59-36.56)
Western	8.31	(6.22 - 11.02)	49.91	(43.47 - 56.35)	27.79	(23.26 - 32.82)	31.32	(27.08-35.89)
Wyoming	8.42	(7.16 - 9.89)	43.20	(40.02 - 46.45)	20.69	(18.33 - 23.26)	24.03	(21.85-26.35)
Judicial District 1 (Laramie)	8.02	(6.03 - 10.59)	40.86	(34.54 - 47.50)	19.97	(16.28 - 24.25)	22.91	(19.34-26.93)
Judicial District 2	8.27	(6.08 - 11.15)	52.11	(46.05 - 58.11)	21.21	(17.05 - 26.08)	30.36	(26.43-34.60)
Judicial District 3	7.31	(5.44 - 9.77)	34.12	(28.53 - 40.19)	19.88	(16.10 - 24.28)	21.81	(18.26-25.84)
Judicial District 4	9.61	(7.10 - 12.87)	*	(* - *)	19.31	(15.28 - 24.10)	21.97	(18.04-26.47)
Judicial District 5	8.53	(6.25 - 11.54)	*	(* - *)	19.02	(15.03 - 23.77)	21.53	(17.57-26.09)
Judicial District 6	9.06	(6.73 - 12.11)	*	(* - *)	23.45	(19.01 - 28.55)	26.06	(21.82-30.80)
Judicial District 7 (Natrona)	8.82	(6.59 - 11.71)	45.76	(39.18 - 52.50)	21.48	(17.47 - 26.12)	24.93	(21.12-29.17)
Judicial District 8	9.40	(7.03 - 12.47)	*	(* - *)	20.05	(15.95 - 24.89)	23.19	(19.17-27.75)
Judicial District 9	8.29	(6.05 - 11.25)	*	(* - *)	21.50	(17.24 - 26.48)	23.81	(19.65-28.53)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	40.32	(39.80 - 40.85)	34.32	(33.76 - 34.89)	44.25	(43.72 - 44.78)	42.78	(42.31 - 43.24)
Northeast	39.03	(38.02 - 40.06)	31.45	(30.44 - 32.47)	42.68	(41.68 - 43.70)	41.06	(40.18 - 41.96)
Midwest	37.70	(36.96 - 38.45)	29.97	(29.24 - 30.70)	39.74	(38.92 - 40.56)	38.31	(37.59 - 39.02)
South	42.53	(41.77 - 43.29)	37.33	(36.60 - 38.08)	46.34	(45.52 - 47.15)	45.01	(44.30 - 45.72)
West	40.22	(39.16 - 41.28)	35.73	(34.68 - 36.80)	46.37	(45.26 - 47.49)	44.74	(43.79 - 45.70)
Alabama	42.98	(40.10 - 45.91)	38.97	(36.15 - 41.86)	46.32	(43.25 - 49.41)	45.22	(42.53 - 47.94)
Region 1	42.54	(38.04 - 47.16)	37.40	(32.63 - 42.43)	46.75	(41.94 - 51.62)	45.48	(41.14 - 49.89)
Region 2	41.60	(37.31 - 46.02)	38.71	(34.39 - 43.21)	44.43	(39.87 - 49.08)	43.55	(39.51 - 47.67)
Region 3	46.86	(42.09 - 51.68)	41.02	(36.19 - 46.03)	50.25	(44.99 - 55.51)	48.58	(44.04 - 53.15)
Region 4	42.37	(37.72 - 47.16)	39.20	(34.82 - 43.76)	45.47	(40.38 - 50.66)	44.61	(40.05 - 49.27)
Alaska	38.11	(35.10 - 41.22)	33.08	(30.04 - 36.28)	41.57	(38.27 - 44.96)	40.25	(37.37 - 43.20)
Anchorage	38.71	(34.66 - 42.92)	34.53	(30.44 - 38.85)	43.58	(39.15 - 48.10)	42.11	(38.27 - 46.04)
Northern	39.07	(34.28 - 44.08)	32.44	(27.83 - 37.41)	39.64	(34.55 - 44.96)	38.28	(33.91 - 42.84)
South Central	37.05	(32.38 - 41.98)	31.61	(26.64 - 37.05)	40.66	(35.33 - 46.23)	39.47	(34.62 - 44.54)
Southeast	36.41	(31.41 - 41.74)	31.64	(26.63 - 37.12)	40.13	(34.76 - 45.75)	39.08	(34.17 - 44.23)
Arizona	41.37	(38.29 - 44.51)	36.11	(32.98 - 39.36)	46.15	(42.68 - 49.66)	44.67	(41.63 - 47.74)
Maricopa	40.96	(37.26 - 44.77)	34.86	(30.96 - 38.98)	45.84	(41.54 - 50.20)	44.19	(40.44 - 48.01)
Pima	43.41	(37.97 - 49.00)	37.21	(32.04 - 42.69)	45.54	(39.70 - 51.50)	44.25	(39.06 - 49.56)
Rural North	40.98	(35.33 - 46.88)	37.06	(31.38 - 43.12)	45.89	(39.90 - 52.00)	44.65	(39.23 - 50.20)
Rural South	41.43	(35.80 - 47.30)	39.76	(33.94 - 45.89)	48.46	(42.11 - 54.85)	47.25	(41.50 - 53.07)
Arkansas	42.01	(39.10 - 44.98)	35.12	(32.34 - 38.01)	45.70	(42.49 - 48.95)	44.15	(41.34 - 47.00)
Catchment Area 1	41.50	(36.50 - 46.67)	30.56	(26.00 - 35.53)	45.31	(39.79 - 50.94)	42.89	(38.07 - 47.84)
Catchment Area 2	39.72	(34.31 - 45.40)	32.59	(26.96 - 38.78)	42.90	(37.10 - 48.90)	41.62	(36.30 - 47.14)
Catchment Area 3	42.74	(37.67 - 47.97)	36.17	(30.89 - 41.81)	45.62	(39.84 - 51.52)	44.20	(39.07 - 49.46)
Catchment Area 4	40.30	(35.10 - 45.73)	33.82	(28.26 - 39.86)	46.11	(40.31 - 52.03)	44.45	(39.17 - 49.86)
Catchment Area 5	39.66	(34.68 - 44.87)	33.26	(28.54 - 38.34)	43.69	(38.23 - 49.30)	41.91	(37.15 - 46.82)
Catchment Area 6	44.62	(39.25 - 50.12)	41.51	(35.71 - 47.55)	48.57	(42.30 - 54.90)	47.54	(41.90 - 53.24)
Catchment Area 7	41.69	(36.31 - 47.28)	37.60	(31.60 - 44.01)	47.22	(41.26 - 53.26)	45.90	(40.50 - 51.40)
Catchment Area 8	44.79	(39.81 - 49.88)	39.24	(34.60 - 44.08)	47.49	(42.32 - 52.72)	46.40	(41.75 - 51.11)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
California	41.01	(39.34 - 42.71)	38.07	(36.39 - 39.78)	48.79	(47.03 - 50.54)	47.09	(45.60 - 48.58)
Region 1R	37.82	(32.93 - 42.98)	33.12	(27.98 - 38.70)	43.67	(38.51 - 48.97)	42.06	(37.45 - 46.82)
Region 2R	34.73	(29.91 - 39.88)	30.23	(25.50 - 35.42)	42.28	(36.90 - 47.85)	40.42	(35.61 - 45.43)
Region 3R (Sacramento)	41.83	(36.98 - 46.83)	39.87	(34.40 - 45.61)	48.11	(42.98 - 53.28)	46.83	(42.19 - 51.53)
Region 4R	36.87	(32.48 - 41.49)	32.87	(28.13 - 37.99)	45.55	(40.51 - 50.68)	43.89	(39.32 - 48.56)
Region 5R (San Francisco)	*	(* - *)	35.67	(30.54 - 41.15)	44.85	(39.36 - 50.47)	43.73	(38.71 - 48.88)
Region 6 (Santa Clara)	41.97	(37.21 - 46.87)	36.49	(31.55 - 41.73)	46.72	(41.59 - 51.92)	45.36	(40.73 - 50.07)
Region 7R (Contra Costa)	39.79	(34.91 - 44.88)	37.69	(32.39 - 43.31)	47.97	(42.63 - 53.37)	46.64	(41.75 - 51.59)
Region 8R (Alameda)	44.18	(39.29 - 49.18)	39.19	(34.13 - 44.49)	47.77	(42.75 - 52.84)	46.55	(42.02 - 51.14)
Region 9R (San Mateo)	41.13	(35.85 - 46.63)	37.04	(31.55 - 42.89)	47.23	(41.61 - 52.92)	46.07	(40.87 - 51.35)
Region 10	37.44	(32.67 - 42.48)	33.36	(28.41 - 38.71)	46.77	(41.61 - 51.99)	44.43	(39.89 - 49.06)
Region 11 (Los Angeles)	44.14	(41.78 - 46.53)	41.22	(38.76 - 43.73)	51.44	(48.98 - 53.89)	49.79	(47.64 - 51.93)
LA SPA 1 and 5	42.19	(37.05 - 47.51)	35.44	(30.05 - 41.22)	47.51	(42.12 - 52.95)	45.54	(40.69 - 50.49)
LA SPA 2	43.04	(38.54 - 47.66)	39.31	(34.48 - 44.36)	50.15	(45.28 - 55.01)	48.54	(44.21 - 52.88)
LA SPA 3	46.50	(41.71 - 51.36)	43.29	(38.18 - 48.55)	54.48	(49.48 - 59.39)	52.73	(48.30 - 57.11)
LA SPA 4	42.17	(37.03 - 47.49)	38.60	(33.34 - 44.13)	47.89	(42.64 - 53.19)	46.46	(41.72 - 51.26)
LA SPA 6	46.66	(41.48 - 51.90)	48.14	(42.42 - 53.91)	56.17	(50.60 - 61.58)	54.47	(49.68 - 59.18)
LA SPA 7	44.58	(39.79 - 49.46)	44.12	(38.89 - 49.48)	56.17	(50.83 - 61.37)	54.05	(49.38 - 58.65)
LA SPA 8	42.65	(38.19 - 47.23)	39.33	(34.60 - 44.27)	48.91	(43.81 - 54.03)	47.47	(42.88 - 52.11)
Region 12R	39.84	(35.03 - 44.85)	37.31	(32.04 - 42.90)	47.37	(41.76 - 53.04)	45.81	(40.76 - 50.94)
Regions 13 and 19R	40.15	(36.14 - 44.31)	39.63	(35.27 - 44.17)	50.11	(45.62 - 54.61)	48.36	(44.41 - 52.34)
Region 13 (Riverside)	40.10	(35.82 - 44.53)	39.48	(34.83 - 44.34)	49.69	(44.91 - 54.48)	47.99	(43.78 - 52.23)
Region 19R (Imperial)	40.85	(35.56 - 46.36)	*	(* - *)	*	(* - *)	53.04	(47.67 - 58.33)
Region 14 (Orange)	39.34	(35.42 - 43.41)	36.08	(31.82 - 40.57)	49.07	(44.77 - 53.39)	47.08	(43.26 - 50.94)
Region 15R (Fresno)	40.69	(35.79 - 45.78)	40.29	(34.81 - 46.03)	52.00	(46.56 - 57.38)	49.82	(45.07 - 54.57)
Region 16R (San Diego)	40.18	(36.35 - 44.14)	35.28	(31.36 - 39.41)	47.72	(43.67 - 51.80)	45.60	(42.08 - 49.17)
Region 17R	41.40	(37.00 - 45.94)	38.97	(34.17 - 43.98)	47.62	(42.51 - 52.77)	46.06	(41.59 - 50.59)
Region 18R (San Bernardino)	39.49	(35.13 - 44.02)	40.83	(36.22 - 45.60)	52.11	(47.26 - 56.92)	50.09	(45.87 - 54.31)
Region 20R	39.41	(34.70 - 44.33)	38.74	(33.50 - 44.26)	48.72	(43.31 - 54.16)	47.00	(42.19 - 51.86)
Region 21R	38.75	(33.84 - 43.89)	34.55	(29.66 - 39.78)	46.92	(41.61 - 52.29)	44.66	(39.99 - 49.42)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	35.99	(33.04 - 39.04)	28.19	(25.45 - 31.10)	40.36	(37.25 - 43.54)	38.59	(35.86 - 41.39)
Region 1	35.36	(30.35 - 40.71)	25.82	(21.49 - 30.68)	39.33	(33.91 - 45.02)	36.97	(32.23 - 41.97)
Regions 2 and 7	36.65	(32.90 - 40.57)	28.61	(25.09 - 32.42)	41.08	(37.07 - 45.20)	39.34	(35.81 - 42.99)
Region 3	35.10	(30.30 - 40.22)	27.27	(22.67 - 32.40)	39.29	(34.33 - 44.49)	37.45	(33.03 - 42.09)
Region 4	35.90	(30.28 - 41.93)	*	(* - *)	44.84	(38.69 - 51.14)	43.26	(37.70 - 49.00)
Regions 5 and 6	34.64	(29.57 - 40.08)	28.15	(23.09 - 33.83)	37.10	(31.65 - 42.90)	35.91	(30.96 - 41.18)
Connecticut	38.30	(35.23 - 41.45)	29.82	(26.80 - 33.01)	45.28	(42.01 - 48.58)	43.18	(40.27 - 46.14)
Eastern	36.31	(31.36 - 41.58)	26.07	(21.41 - 31.35)	42.40	(37.06 - 47.92)	39.50	(34.83 - 44.36)
North Central	39.03	(34.48 - 43.77)	30.27	(25.70 - 35.28)	44.46	(39.48 - 49.56)	42.62	(38.10 - 47.26)
Northwestern	37.65	(32.79 - 42.79)	29.03	(24.04 - 34.59)	45.46	(40.10 - 50.92)	43.50	(38.62 - 48.52)
South Central	38.03	(33.07 - 43.24)	31.03	(26.63 - 35.81)	45.00	(39.70 - 50.43)	43.05	(38.33 - 47.90)
Southwest	39.25	(34.16 - 44.59)	31.64	(26.57 - 37.19)	48.47	(43.23 - 53.76)	46.39	(41.62 - 51.22)
Delaware	39.29	(36.23 - 42.43)	34.72	(31.67 - 37.91)	42.66	(39.54 - 45.84)	41.50	(38.75 - 44.30)
Kent	40.23	(35.31 - 45.36)	37.57	(32.34 - 43.09)	43.72	(38.46 - 49.13)	42.72	(38.06 - 47.50)
New Castle (excluding Wilmington City)	39.23	(35.35 - 43.26)	32.84	(29.05 - 36.87)	42.09	(38.01 - 46.28)	40.63	(37.06 - 44.29)
Sussex	36.57	(31.47 - 41.99)	34.02	(28.99 - 39.42)	42.25	(37.32 - 47.33)	41.37	(36.82 - 46.06)
Wilmington City	43.68	(38.20 - 49.32)	42.13	(36.23 - 48.26)	45.17	(39.47 - 50.99)	44.72	(39.58 - 49.97)
District of Columbia	44.23	(41.10 - 47.40)	30.52	(27.66 - 33.55)	42.04	(38.91 - 45.23)	39.80	(37.18 - 42.48)
Ward 1	41.65	(35.72 - 47.84)	32.26	(27.15 - 37.84)	38.65	(33.16 - 44.45)	37.28	(32.60 - 42.20)
Ward 2	*	(* - *)	19.32	(15.80 - 23.42)	32.50	(27.47 - 37.96)	28.57	(24.67 - 32.81)
Ward 3	37.49	(32.20 - 43.10)	23.07	(18.98 - 27.75)	38.02	(32.75 - 43.58)	35.23	(30.70 - 40.03)
Ward 4	42.58	(37.04 - 48.30)	35.82	(29.85 - 42.26)	44.24	(38.56 - 50.08)	43.25	(38.04 - 48.61)
Ward 5	44.33	(39.17 - 49.62)	33.79	(28.52 - 39.49)	46.32	(40.96 - 51.76)	43.92	(39.25 - 48.70)
Ward 6	45.17	(39.23 - 51.25)	28.16	(23.39 - 33.48)	39.30	(33.76 - 45.12)	37.59	(32.63 - 42.83)
Ward 7	46.97	(41.97 - 52.04)	42.64	(36.23 - 49.31)	50.46	(44.48 - 56.44)	49.13	(43.81 - 54.47)
Ward 8	47.08	(42.59 - 51.62)	43.37	(37.25 - 49.70)	49.44	(43.73 - 55.16)	48.16	(43.22 - 53.13)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	42.25	(40.68 - 43.84)	40.40	(38.78 - 42.04)	49.30	(47.52 - 51.09)	48.12	(46.56 - 49.69)
Region A - Northwest	40.51	(37.64 - 43.46)	37.48	(34.35 - 40.73)	43.87	(40.58 - 47.21)	42.74	(39.89 - 45.65)
Circuit 1	40.09	(36.09 - 44.23)	36.14	(31.62 - 40.93)	43.66	(39.05 - 48.38)	42.50	(38.41 - 46.70)
Circuit 2	43.45	(38.50 - 48.53)	39.25	(34.29 - 44.44)	44.61	(39.31 - 50.03)	43.28	(38.82 - 47.87)
Circuit 14	38.00	(33.12 - 43.13)	36.68	(31.20 - 42.53)	43.49	(37.96 - 49.19)	42.58	(37.52 - 47.80)
Region B - Northeast	41.51	(38.51 - 44.56)	36.57	(33.60 - 39.66)	46.74	(43.67 - 49.83)	45.20	(42.48 - 47.95)
Circuits 3 and 8	38.32	(33.60 - 43.26)	33.08	(28.64 - 37.83)	45.06	(39.87 - 50.35)	42.56	(38.14 - 47.10)
Circuit 4	44.19	(39.78 - 48.69)	39.61	(34.61 - 44.84)	49.58	(44.76 - 54.41)	48.12	(43.76 - 52.51)
Circuit 7	39.54	(35.02 - 44.24)	35.93	(31.27 - 40.86)	44.28	(39.58 - 49.09)	43.29	(38.97 - 47.71)
Region C - Central	40.46	(38.16 - 42.80)	37.65	(35.23 - 40.13)	47.09	(44.37 - 49.82)	45.84	(43.42 - 48.29)
Circuit 5	36.26	(31.80 - 40.97)	37.03	(32.03 - 42.32)	46.72	(41.24 - 52.28)	45.81	(40.71 - 51.01)
Circuit 9	44.69	(40.71 - 48.74)	39.55	(35.55 - 43.71)	49.64	(45.37 - 53.90)	47.84	(44.13 - 51.58)
Circuit 10	40.78	(36.31 - 45.40)	38.94	(34.14 - 43.96)	46.22	(41.16 - 51.36)	45.29	(40.69 - 49.97)
Circuit 18	38.29	(34.14 - 42.63)	32.65	(28.26 - 37.37)	44.60	(39.59 - 49.72)	43.06	(38.56 - 47.69)
Circuit 19	39.03	(34.35 - 43.93)	39.16	(33.77 - 44.84)	47.31	(41.84 - 52.85)	46.44	(41.37 - 51.59)
Region D - Southeast	45.14	(42.28 - 48.03)	44.46	(41.20 - 47.78)	50.46	(47.19 - 53.72)	49.74	(46.77 - 52.70)
Circuit 15 (Palm Beach)	44.55	(40.36 - 48.81)	42.56	(38.08 - 47.18)	46.85	(42.11 - 51.64)	46.35	(42.01 - 50.75)
Circuit 17 (Broward)	45.55	(41.78 - 49.36)	45.81	(41.49 - 50.19)	53.29	(49.08 - 57.46)	52.36	(48.53 - 56.16)
Region E - Sun Coast	39.11	(36.55 - 41.73)	36.69	(34.08 - 39.39)	44.59	(41.89 - 47.32)	43.68	(41.24 - 46.16)
Circuit 6	36.91	(32.82 - 41.18)	34.67	(30.10 - 39.53)	41.73	(37.14 - 46.47)	40.99	(36.74 - 45.39)
Circuit 12	35.09	(30.54 - 39.93)	35.08	(30.09 - 40.41)	42.85	(37.80 - 48.05)	42.11	(37.40 - 46.97)
Circuit 13 (Hillsborough)	44.50	(40.17 - 48.92)	38.82	(34.98 - 42.80)	47.97	(43.45 - 52.53)	46.58	(42.62 - 50.57)
Circuit 20	37.16	(32.79 - 41.76)	36.87	(32.03 - 42.00)	45.91	(41.01 - 50.89)	44.98	(40.43 - 49.61)
Region F - Southern (Circuits 11 and 16)	48.98	(45.38 - 52.58)	52.44	(48.65 - 56.20)	65.90	(62.07 - 69.53)	64.02	(60.66 - 67.25)
Georgia	43.75	(40.82 - 46.72)	37.39	(34.59 - 40.27)	45.63	(42.58 - 48.71)	44.38	(41.71 - 47.07)
Region 1	41.67	(37.24 - 46.24)	33.78	(29.46 - 38.40)	44.46	(39.66 - 49.36)	43.04	(38.70 - 47.49)
Region 2	43.81	(38.83 - 48.92)	35.67	(30.65 - 41.03)	45.89	(40.61 - 51.25)	44.12	(39.50 - 48.84)
Region 3	46.78	(42.12 - 51.51)	39.98	(35.51 - 44.62)	45.63	(40.87 - 50.46)	44.80	(40.59 - 49.08)
Region 4	41.48	(36.00 - 47.18)	40.48	(34.48 - 46.77)	48.63	(42.40 - 54.91)	47.24	(41.70 - 52.85)
Region 5	43.27	(37.55 - 49.16)	37.32	(31.56 - 43.47)	47.52	(41.45 - 53.67)	45.74	(40.35 - 51.23)
Region 6	42.90	(37.84 - 48.12)	38.24	(32.87 - 43.93)	44.79	(39.25 - 50.46)	43.79	(38.82 - 48.89)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	40.33	(37.27 - 43.46)	32.71	(29.77 - 35.80)	41.99	(38.76 - 45.29)	40.75	(37.89 - 43.67)
Hawaii Island	37.81	(32.63 - 43.27)	32.53	(27.22 - 38.33)	41.39	(35.89 - 47.13)	40.31	(35.29 - 45.55)
Honolulu	41.05	(37.46 - 44.73)	32.33	(28.95 - 35.91)	41.68	(37.92 - 45.54)	40.36	(37.05 - 43.77)
Kauai and Maui	39.54	(34.88 - 44.40)	34.99	(30.22 - 40.08)	43.77	(38.66 - 49.01)	42.78	(38.08 - 47.62)
Kauai	37.87	(32.18 - 43.91)	*	(* - *)	41.22	(34.91 - 47.83)	40.38	(34.52 - 46.54)
Maui	40.26	(34.72 - 46.05)	35.57	(29.96 - 41.62)	44.88	(38.78 - 51.15)	43.83	(38.21 - 49.62)
Idaho	35.13	(32.45 - 37.92)	31.31	(28.48 - 34.30)	40.27	(37.21 - 43.40)	38.90	(36.21 - 41.65)
Region 1	31.27	(26.76 - 36.16)	27.83	(22.79 - 33.51)	38.39	(32.87 - 44.22)	37.11	(32.04 - 42.47)
Region 2	32.57	(27.76 - 37.78)	27.29	(22.39 - 32.81)	37.16	(31.45 - 43.26)	35.23	(30.30 - 40.50)
Region 3	33.83	(29.27 - 38.70)	32.68	(27.73 - 38.05)	42.41	(37.01 - 48.00)	41.00	(36.18 - 46.00)
Region 4	34.38	(30.14 - 38.89)	26.92	(22.67 - 31.63)	38.68	(33.93 - 43.64)	37.04	(32.80 - 41.49)
Region 5	36.35	(31.86 - 41.08)	35.82	(30.46 - 41.56)	42.82	(37.32 - 48.50)	41.83	(36.90 - 46.93)
Region 6	37.34	(32.39 - 42.57)	32.90	(27.56 - 38.72)	39.78	(34.36 - 45.47)	38.67	(33.82 - 43.76)
Region 7	40.10	(34.97 - 45.45)	37.43	(32.02 - 43.19)	43.36	(37.65 - 49.26)	42.13	(37.26 - 47.16)
Illinois	41.04	(39.37 - 42.73)	32.46	(30.90 - 34.05)	43.02	(41.24 - 44.82)	41.47	(39.93 - 43.04)
Region I (Cook)	45.27	(42.61 - 47.97)	36.12	(33.70 - 38.62)	44.02	(41.24 - 46.84)	42.86	(40.45 - 45.31)
Region II	38.38	(35.84 - 40.98)	30.58	(28.04 - 33.24)	44.57	(41.72 - 47.46)	42.63	(40.13 - 45.18)
Region III	39.51	(35.80 - 43.34)	29.03	(25.69 - 32.61)	39.40	(35.54 - 43.39)	37.61	(34.28 - 41.07)
Region IV	38.17	(33.98 - 42.54)	27.46	(23.90 - 31.33)	39.64	(35.41 - 44.04)	37.96	(34.18 - 41.88)
Region V	37.25	(33.60 - 41.06)	30.91	(27.31 - 34.76)	40.46	(36.53 - 44.51)	39.10	(35.60 - 42.71)
Indiana	38.76	(35.85 - 41.76)	30.60	(27.97 - 33.36)	40.07	(36.99 - 43.24)	38.64	(35.95 - 41.40)
Central	40.73	(36.00 - 45.64)	33.37	(28.71 - 38.38)	41.23	(36.24 - 46.41)	40.14	(35.69 - 44.77)
East	36.65	(31.49 - 42.15)	30.48	(25.56 - 35.88)	40.35	(34.95 - 46.00)	38.73	(33.94 - 43.74)
North Central	36.07	(31.16 - 41.30)	29.84	(25.17 - 34.98)	39.34	(34.05 - 44.90)	37.98	(33.21 - 43.01)
Northeast	37.69	(32.49 - 43.19)	28.72	(23.92 - 34.06)	38.18	(32.80 - 43.86)	36.81	(31.96 - 41.96)
Northwest	41.00	(36.00 - 46.20)	31.43	(26.43 - 36.91)	41.98	(36.48 - 47.68)	40.52	(35.58 - 45.67)
Southeast	37.54	(32.58 - 42.79)	30.72	(25.72 - 36.21)	39.26	(33.79 - 45.00)	38.19	(33.23 - 43.42)
Southwest	39.17	(33.75 - 44.88)	30.03	(24.98 - 35.62)	40.22	(34.36 - 46.37)	38.79	(33.51 - 44.34)
West	38.44	(33.48 - 43.66)	28.19	(23.84 - 32.98)	38.35	(32.92 - 44.08)	35.98	(31.45 - 40.76)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	35.92	(33.26 - 38.67)	27.67	(25.11 - 30.39)	38.07	(35.06 - 41.18)	36.51	(33.86 - 39.25)
Central	37.06	(32.57 - 41.79)	29.04	(24.49 - 34.05)	39.89	(35.00 - 44.99)	38.38	(33.98 - 42.98)
North Central	38.02	(32.77 - 43.56)	27.39	(22.55 - 32.83)	40.19	(34.29 - 46.38)	37.73	(32.63 - 43.12)
Northeast	35.02	(30.70 - 39.60)	25.69	(22.04 - 29.72)	35.28	(30.63 - 40.22)	33.82	(29.69 - 38.22)
Northwest	34.90	(30.30 - 39.81)	29.68	(24.91 - 34.95)	37.92	(32.57 - 43.58)	36.83	(31.99 - 41.96)
Southeast	36.13	(31.89 - 40.59)	27.37	(23.13 - 32.07)	37.92	(33.05 - 43.04)	36.22	(31.91 - 40.76)
Southwest	35.07	(29.84 - 40.68)	28.93	(24.14 - 34.24)	39.82	(34.28 - 45.64)	38.51	(33.45 - 43.84)
Kansas	36.29	(33.48 - 39.19)	28.91	(26.28 - 31.68)	39.94	(36.84 - 43.13)	38.24	(35.53 - 41.03)
Kansas City Metro	38.79	(34.64 - 43.10)	30.06	(25.98 - 34.49)	39.32	(34.96 - 43.86)	37.95	(34.08 - 41.97)
Northeast	33.45	(28.79 - 38.46)	25.71	(21.54 - 30.37)	39.63	(34.23 - 45.30)	37.16	(32.50 - 42.07)
South Central	33.22	(28.50 - 38.30)	27.25	(22.58 - 32.47)	39.07	(33.49 - 44.95)	37.36	(32.35 - 42.65)
Southeast	34.35	(29.34 - 39.73)	27.89	(23.04 - 33.31)	39.76	(34.03 - 45.79)	37.92	(32.80 - 43.32)
West	36.49	(31.53 - 41.76)	31.26	(26.24 - 36.76)	41.65	(35.94 - 47.60)	40.13	(35.02 - 45.46)
Wichita (Sedgwick)	37.19	(32.40 - 42.23)	31.13	(26.48 - 36.18)	41.12	(36.00 - 46.44)	39.63	(35.06 - 44.38)
Kentucky	40.32	(37.52 - 43.18)	36.11	(33.10 - 39.23)	43.49	(40.33 - 46.71)	42.45	(39.64 - 45.31)
Adanta, Cumberland River, and Lifeskills	41.58	(36.71 - 46.63)	38.90	(33.74 - 44.32)	44.57	(39.31 - 49.95)	43.75	(39.05 - 48.57)
Bluegrass, Comprehend, and North Key	37.92	(33.53 - 42.52)	33.17	(28.91 - 37.72)	39.75	(34.89 - 44.81)	38.74	(34.44 - 43.22)
Communicare and River Valley	40.63	(35.20 - 46.30)	36.19	(30.64 - 42.13)	44.49	(38.88 - 50.24)	43.38	(38.26 - 48.63)
Four Rivers and Pennyroyal	40.45	(35.40 - 45.70)	37.76	(31.99 - 43.89)	44.60	(38.88 - 50.47)	43.61	(38.43 - 48.94)
Kentucky River, Mountain, and Pathways	37.67	(32.62 - 43.00)	34.25	(28.63 - 40.34)	44.73	(38.62 - 51.00)	43.37	(37.80 - 49.11)
Seven Counties	43.54	(38.94 - 48.27)	38.45	(33.30 - 43.88)	45.91	(40.79 - 51.13)	44.94	(40.30 - 49.67)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	43.98	(41.21 - 46.78)	38.87	(36.22 - 41.59)	44.05	(40.96 - 47.19)	43.24	(40.56 - 45.95)
Regions 1 and 10	46.92	(42.73 - 51.15)	39.88	(35.60 - 44.33)	44.30	(39.70 - 49.01)	43.61	(39.52 - 47.79)
Region 1	49.08	(43.65 - 54.53)	39.67	(34.23 - 45.37)	45.17	(39.30 - 51.18)	44.18	(39.04 - 49.45)
Region 10 (Jefferson)	44.86	(39.45 - 50.40)	40.17	(34.41 - 46.21)	43.48	(37.73 - 49.41)	43.04	(37.81 - 48.43)
Regions 2 and 9	44.74	(40.53 - 49.02)	36.18	(32.14 - 40.41)	42.09	(37.30 - 47.03)	41.13	(36.94 - 45.45)
Region 3	43.38	(38.28 - 48.63)	40.88	(35.45 - 46.53)	45.11	(39.41 - 50.93)	44.48	(39.36 - 49.71)
Regions 4, 5, and 6	40.37	(35.84 - 45.06)	37.45	(32.92 - 42.21)	43.31	(38.40 - 48.35)	42.40	(38.09 - 46.84)
Regions 7 and 8	45.73	(41.04 - 50.50)	42.54	(37.64 - 47.59)	46.93	(41.89 - 52.03)	46.23	(41.78 - 50.74)
Maine	35.14	(32.31 - 38.07)	29.56	(26.82 - 32.46)	38.88	(35.75 - 42.11)	37.72	(34.90 - 40.63)
Aroostook/Downeast	33.43	(29.42 - 37.69)	29.23	(25.19 - 33.63)	39.07	(34.34 - 44.01)	37.95	(33.60 - 42.51)
Aroostook	33.38	(28.32 - 38.86)	30.14	(24.93 - 35.91)	39.11	(33.18 - 45.39)	38.07	(32.61 - 43.85)
Downeast	33.48	(28.51 - 38.84)	28.46	(23.44 - 34.08)	39.03	(33.19 - 45.20)	37.86	(32.47 - 43.57)
Central	34.90	(30.19 - 39.94)	28.24	(23.43 - 33.59)	37.75	(32.32 - 43.52)	36.63	(31.64 - 41.92)
Cumberland	37.63	(32.89 - 42.62)	32.76	(27.85 - 38.08)	40.88	(35.71 - 46.26)	39.83	(35.14 - 44.73)
Midcoast	35.59	(30.38 - 41.16)	30.15	(24.95 - 35.92)	38.88	(33.31 - 44.76)	38.01	(32.81 - 43.51)
Penquis	34.35	(29.80 - 39.20)	28.41	(23.83 - 33.48)	36.90	(31.93 - 42.16)	35.51	(31.09 - 40.20)
Western	33.22	(28.57 - 38.22)	28.76	(24.33 - 33.63)	39.44	(34.15 - 44.98)	38.06	(33.30 - 43.06)
York	35.26	(30.46 - 40.38)	27.83	(23.41 - 32.72)	38.01	(32.75 - 43.57)	36.84	(32.03 - 41.94)
Maryland	43.77	(40.85 - 46.73)	35.14	(32.37 - 38.02)	44.77	(41.54 - 48.04)	43.39	(40.55 - 46.28)
Anne Arundel	42.06	(36.64 - 47.67)	31.60	(26.50 - 37.20)	42.54	(36.66 - 48.65)	41.09	(35.79 - 46.61)
Baltimore City	49.83	(44.25 - 55.42)	40.63	(35.44 - 46.04)	47.94	(42.28 - 53.65)	46.63	(41.74 - 51.58)
Baltimore County	44.26	(38.88 - 49.77)	35.92	(30.91 - 41.26)	44.97	(39.38 - 50.70)	43.67	(38.64 - 48.84)
Montgomery	44.15	(39.17 - 49.26)	34.40	(29.31 - 39.88)	46.41	(41.00 - 51.90)	45.00	(40.07 - 50.03)
North Central	41.91	(36.46 - 47.57)	28.76	(23.75 - 34.36)	42.51	(36.62 - 48.63)	40.84	(35.48 - 46.42)
Northeast	38.86	(33.81 - 44.17)	28.88	(23.87 - 34.46)	40.23	(34.60 - 46.13)	38.80	(33.68 - 44.18)
Prince George's	47.45	(41.82 - 53.14)	40.28	(34.57 - 46.26)	47.93	(42.06 - 53.86)	46.61	(41.42 - 51.88)
South	42.61	(37.39 - 48.00)	34.96	(29.39 - 40.97)	45.88	(40.04 - 51.83)	44.22	(38.99 - 49.58)
West	39.21	(34.12 - 44.54)	29.34	(24.46 - 34.75)	39.92	(34.26 - 45.86)	38.50	(33.37 - 43.91)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	34.66	(32.06 - 37.36)	28.12	(25.44 - 30.96)	41.18	(38.19 - 44.24)	39.22	(36.59 - 41.91)
Boston	39.81	(34.57 - 45.30)	28.42	(23.82 - 33.53)	41.29	(35.61 - 47.21)	38.22	(33.48 - 43.19)
Central	34.16	(29.51 - 39.13)	27.77	(23.18 - 32.89)	40.12	(34.72 - 45.78)	38.36	(33.50 - 43.46)
Metrowest	35.10	(30.88 - 39.57)	26.67	(22.30 - 31.55)	41.15	(36.25 - 46.23)	39.25	(34.82 - 43.87)
Northeast	34.30	(30.09 - 38.76)	28.64	(24.39 - 33.30)	41.53	(36.63 - 46.61)	39.84	(35.43 - 44.43)
Southeast	31.27	(27.22 - 35.63)	27.77	(23.49 - 32.49)	40.80	(35.83 - 45.97)	39.15	(34.68 - 43.82)
Western	36.97	(32.22 - 42.00)	29.79	(25.08 - 34.97)	42.29	(37.10 - 47.65)	40.15	(35.59 - 44.88)
Michigan	38.36	(36.84 - 39.90)	32.14	(30.69 - 33.62)	40.93	(39.22 - 42.65)	39.63	(38.15 - 41.13)
Detroit City	49.28	(44.98 - 53.58)	50.74	(46.47 - 55.00)	51.74	(46.96 - 56.48)	51.55	(47.45 - 55.64)
Genesee	37.80	(33.54 - 42.25)	33.15	(28.75 - 37.87)	39.56	(34.85 - 44.47)	38.67	(34.43 - 43.08)
Kalamazoo	36.48	(32.79 - 40.34)	32.19	(28.10 - 36.58)	41.71	(37.16 - 46.40)	40.20	(36.19 - 44.35)
Kent	40.70	(36.35 - 45.21)	32.13	(28.26 - 36.28)	43.66	(39.09 - 48.34)	41.84	(37.81 - 45.98)
Lakeshore	38.18	(34.42 - 42.09)	31.21	(27.44 - 35.25)	39.19	(35.00 - 43.55)	37.98	(34.26 - 41.84)
Macomb	39.51	(35.63 - 43.53)	33.49	(29.65 - 37.56)	40.68	(36.64 - 44.85)	39.77	(36.13 - 43.53)
Mid South	33.68	(29.98 - 37.58)	27.60	(24.20 - 31.27)	36.61	(32.65 - 40.76)	35.00	(31.57 - 38.60)
Northern	32.26	(28.35 - 36.44)	24.72	(21.34 - 28.44)	36.54	(32.34 - 40.96)	34.88	(31.14 - 38.81)
Oakland	39.33	(35.74 - 43.03)	31.82	(28.27 - 35.60)	41.09	(37.14 - 45.15)	39.99	(36.42 - 43.67)
Pathways and Western	34.12	(29.78 - 38.75)	26.51	(22.35 - 31.14)	38.58	(33.93 - 43.45)	36.82	(32.63 - 41.23)
Riverhaven	32.92	(28.87 - 37.24)	27.90	(23.72 - 32.50)	37.71	(32.95 - 42.71)	36.49	(32.17 - 41.05)
Saginaw	36.85	(31.93 - 42.06)	31.95	(27.16 - 37.15)	40.12	(34.74 - 45.74)	38.84	(34.02 - 43.90)
Southeast	39.58	(36.06 - 43.21)	32.66	(29.28 - 36.23)	42.59	(38.71 - 46.57)	41.27	(37.82 - 44.80)
St. Clair	35.24	(30.77 - 39.99)	29.77	(25.37 - 34.59)	41.60	(36.50 - 46.88)	40.14	(35.49 - 44.98)
Washtenaw	39.93	(35.47 - 44.57)	30.55	(26.79 - 34.59)	41.58	(36.98 - 46.33)	39.49	(35.56 - 43.57)
Minnesota	33.18	(30.41 - 36.06)	26.08	(23.44 - 28.91)	38.72	(35.74 - 41.79)	36.92	(34.30 - 39.63)
Regions 1 and 2	32.74	(27.75 - 38.15)	28.02	(22.76 - 33.96)	40.39	(34.53 - 46.55)	38.65	(33.34 - 44.24)
Regions 3 and 4	32.21	(27.81 - 36.96)	25.21	(21.05 - 29.87)	38.62	(33.64 - 43.84)	36.66	(32.26 - 41.29)
Regions 5 and 6	31.82	(27.44 - 36.55)	24.54	(20.37 - 29.26)	38.15	(33.08 - 43.48)	36.13	(31.60 - 40.93)
Region 7A (Hennepin)	34.73	(29.97 - 39.80)	27.13	(23.05 - 31.64)	38.90	(34.11 - 43.92)	37.26	(33.00 - 41.73)
Region 7B (Ramsey)	38.08	(32.68 - 43.80)	28.91	(23.67 - 34.79)	39.93	(34.19 - 45.96)	38.04	(32.93 - 43.44)
Region 7C	32.18	(28.16 - 36.48)	24.45	(20.45 - 28.95)	37.81	(33.22 - 42.63)	36.17	(32.02 - 40.53)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	45.77	(42.98 - 48.59)	40.28	(37.50 - 43.13)	47.86	(44.77 - 50.97)	46.68	(43.99 - 49.40)
Region 1	45.27	(40.47 - 50.15)	38.58	(33.90 - 43.48)	47.35	(42.42 - 52.34)	46.01	(41.62 - 50.46)
Region 2	47.85	(42.68 - 53.06)	45.25	(39.55 - 51.08)	51.60	(45.92 - 57.25)	50.61	(45.50 - 55.70)
Region 3	45.06	(40.00 - 50.23)	37.83	(32.67 - 43.28)	47.72	(42.18 - 53.32)	46.01	(41.15 - 50.94)
Region 4	45.71	(41.05 - 50.45)	43.03	(38.19 - 48.00)	47.66	(42.49 - 52.88)	46.95	(42.38 - 51.57)
Region 5	47.58	(41.89 - 53.32)	43.49	(37.34 - 49.85)	47.60	(41.26 - 54.01)	47.03	(41.24 - 52.89)
Region 6	46.57	(41.41 - 51.81)	40.55	(35.20 - 46.12)	47.75	(42.34 - 53.21)	46.55	(41.79 - 51.37)
Region 7	44.28	(39.25 - 49.43)	36.48	(31.46 - 41.81)	46.20	(40.77 - 51.73)	44.81	(39.94 - 49.78)
Missouri	36.96	(34.31 - 39.70)	29.68	(27.03 - 32.47)	36.99	(34.00 - 40.07)	35.92	(33.28 - 38.64)
Central	37.55	(32.75 - 42.62)	27.31	(22.84 - 32.28)	36.99	(31.80 - 42.50)	35.25	(30.72 - 40.06)
Eastern	37.75	(34.13 - 41.51)	31.23	(27.49 - 35.22)	37.78	(33.75 - 41.99)	36.86	(33.24 - 40.64)
Eastern (St. Louis City and County)	40.08	(35.54 - 44.80)	33.28	(28.72 - 38.18)	39.03	(34.05 - 44.26)	38.19	(33.74 - 42.85)
Eastern (excluding St. Louis)	34.13	(29.56 - 39.01)	27.18	(22.36 - 32.61)	35.62	(30.41 - 41.20)	34.53	(29.77 - 39.61)
Northwest	37.36	(33.48 - 41.41)	29.76	(26.03 - 33.78)	37.85	(33.63 - 42.26)	36.71	(32.92 - 40.66)
Northwest (Jackson)	40.48	(35.37 - 45.80)	34.75	(29.79 - 40.07)	40.67	(35.27 - 46.30)	39.83	(34.97 - 44.90)
Northwest (excluding Jackson)	34.87	(29.88 - 40.22)	25.58	(21.03 - 30.73)	35.45	(30.22 - 41.05)	34.04	(29.32 - 39.10)
Southeast	33.84	(29.30 - 38.70)	27.63	(22.88 - 32.94)	34.73	(29.57 - 40.28)	33.75	(29.08 - 38.75)
Southwest	36.37	(31.51 - 41.52)	30.31	(25.40 - 35.72)	35.61	(30.60 - 40.96)	34.84	(30.33 - 39.63)
Montana	33.26	(30.55 - 36.08)	25.88	(23.35 - 28.59)	39.09	(36.22 - 42.04)	37.24	(34.72 - 39.83)
Region 1	32.61	(27.69 - 37.95)	27.24	(22.42 - 32.66)	40.04	(34.57 - 45.77)	38.56	(33.55 - 43.83)
Region 2	35.03	(30.28 - 40.11)	31.00	(26.12 - 36.35)	41.65	(36.44 - 47.05)	40.10	(35.44 - 44.95)
Region 3	34.57	(30.26 - 39.14)	29.69	(25.18 - 34.65)	39.05	(34.30 - 44.03)	37.89	(33.58 - 42.39)
Region 4	32.42	(28.20 - 36.96)	22.12	(18.56 - 26.15)	36.76	(32.24 - 41.52)	34.49	(30.56 - 38.64)
Region 5	32.26	(28.41 - 36.37)	24.55	(20.88 - 28.63)	39.70	(35.40 - 44.16)	37.54	(33.74 - 41.50)
Nebraska	39.47	(36.61 - 42.40)	27.16	(24.53 - 29.97)	38.73	(35.68 - 41.87)	36.99	(34.31 - 39.75)
Regions 1 and 2	36.98	(32.70 - 41.47)	28.76	(24.55 - 33.38)	40.77	(36.05 - 45.66)	39.26	(34.97 - 43.71)
Region 1	37.99	(32.50 - 43.80)	*	(* - *)	41.65	(35.60 - 47.97)	40.00	(34.47 - 45.80)
Region 2	36.16	(30.97 - 41.70)	28.36	(23.13 - 34.23)	40.00	(34.05 - 46.25)	38.60	(33.15 - 44.34)
Region 3	35.31	(30.45 - 40.49)	25.79	(21.23 - 30.96)	39.65	(34.49 - 45.06)	37.67	(33.08 - 42.50)
Region 4	36.40	(31.28 - 41.84)	28.45	(23.54 - 33.94)	38.87	(33.27 - 44.79)	37.50	(32.44 - 42.84)
Region 5	39.79	(35.31 - 44.45)	26.16	(22.28 - 30.46)	39.21	(34.32 - 44.32)	36.92	(32.69 - 41.37)
Region 6	41.90	(37.67 - 46.25)	27.62	(23.89 - 31.69)	37.61	(33.30 - 42.13)	36.12	(32.31 - 40.11)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	38.88	(35.34 - 42.53)	35.84	(32.51 - 39.32)	43.74	(40.07 - 47.47)	42.63	(39.40 - 45.94)
Clark – Region 1	40.12	(35.98 - 44.41)	37.60	(33.55 - 41.83)	44.47	(40.15 - 48.87)	43.51	(39.69 - 47.41)
Region 3	34.61	(30.17 - 39.34)	32.10	(27.40 - 37.20)	41.65	(36.67 - 46.81)	40.49	(35.90 - 45.25)
Capital District	35.61	(29.94 - 41.72)	33.10	(27.20 - 39.59)	41.73	(35.58 - 48.14)	40.74	(35.04 - 46.71)
Rural/Frontier	33.82	(28.50 - 39.57)	31.29	(25.46 - 37.78)	41.58	(35.42 - 48.01)	40.26	(34.61 - 46.18)
Washoe – Region 2	36.48	(31.29 - 42.01)	30.98	(26.37 - 36.01)	42.04	(36.66 - 47.62)	40.33	(35.56 - 45.29)
New Hampshire	34.91	(32.10 - 37.83)	25.79	(23.35 - 28.40)	39.91	(36.85 - 43.06)	38.01	(35.30 - 40.80)
Central	34.34	(30.58 - 38.31)	25.36	(22.17 - 28.84)	39.28	(35.10 - 43.62)	37.25	(33.57 - 41.09)
Central 1	33.50	(28.81 - 38.53)	23.64	(19.78 - 28.00)	39.16	(33.79 - 44.81)	36.58	(31.92 - 41.49)
Central 2	35.08	(30.25 - 40.24)	27.61	(23.23 - 32.46)	39.39	(34.09 - 44.96)	37.92	(33.09 - 42.99)
Northern	33.53	(28.73 - 38.70)	24.83	(20.33 - 29.95)	40.63	(34.89 - 46.63)	38.46	(33.35 - 43.85)
Southern	35.40	(32.15 - 38.79)	26.27	(23.14 - 29.65)	40.06	(36.49 - 43.74)	38.28	(35.08 - 41.59)
Southern 1 (Rockingham)	33.07	(28.82 - 37.61)	23.40	(19.44 - 27.89)	37.49	(32.83 - 42.38)	35.89	(31.63 - 40.38)
Southern 2	36.91	(32.89 - 41.12)	27.71	(23.85 - 31.94)	41.70	(37.16 - 46.38)	39.76	(35.74 - 43.93)
New Jersey	39.31	(36.37 - 42.32)	32.15	(29.20 - 35.25)	44.68	(41.52 - 47.87)	43.03	(40.20 - 45.91)
Central	37.11	(32.57 - 41.89)	27.34	(22.90 - 32.28)	40.00	(34.91 - 45.31)	38.45	(33.83 - 43.28)
Metropolitan	42.36	(37.67 - 47.19)	39.63	(34.61 - 44.87)	49.06	(44.03 - 54.11)	47.73	(43.23 - 52.27)
Northern	38.81	(34.44 - 43.36)	31.27	(26.91 - 35.99)	46.21	(41.38 - 51.11)	44.31	(39.95 - 48.76)
Southern	39.09	(34.23 - 44.17)	29.24	(24.76 - 34.17)	42.53	(37.58 - 47.64)	40.74	(36.27 - 45.36)
New Mexico	39.89	(36.90 - 42.95)	38.83	(35.88 - 41.87)	50.55	(47.04 - 54.05)	48.81	(45.73 - 51.91)
Region 1	41.60	(36.89 - 46.45)	43.46	(38.30 - 48.77)	50.90	(45.55 - 56.23)	49.80	(45.00 - 54.61)
Region 2	40.99	(35.63 - 46.58)	42.52	(36.60 - 48.68)	52.94	(47.09 - 58.71)	51.74	(46.37 - 57.07)
Region 3 (Bernalillo)	38.59	(33.99 - 43.39)	36.06	(31.43 - 40.95)	50.67	(45.31 - 56.02)	48.48	(43.75 - 53.24)
Region 4	39.48	(34.57 - 44.60)	37.63	(32.36 - 43.22)	48.30	(42.59 - 54.05)	46.59	(41.56 - 51.69)
Region 5	39.42	(34.81 - 44.22)	37.59	(32.59 - 42.87)	49.51	(44.17 - 54.87)	47.55	(42.84 - 52.31)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	41.56	(39.77 - 43.37)	34.29	(32.63 - 35.99)	44.67	(42.75 - 46.60)	43.11	(41.45 - 44.78)
Region A	45.32	(42.77 - 47.89)	39.20	(36.95 - 41.50)	47.85	(45.23 - 50.48)	46.52	(44.24 - 48.81)
Region 1	43.69	(39.34 - 48.14)	46.59	(41.96 - 51.27)	55.96	(50.76 - 61.03)	54.28	(49.80 - 58.69)
Region 2	46.29	(42.32 - 50.30)	39.51	(36.06 - 43.08)	48.26	(44.20 - 52.35)	46.90	(43.37 - 50.46)
Region 3	42.28	(37.52 - 47.19)	31.31	(27.40 - 35.51)	42.30	(37.76 - 46.97)	40.64	(36.62 - 44.79)
Region 4	46.60	(42.24 - 51.00)	39.83	(35.32 - 44.52)	47.07	(42.60 - 51.59)	46.06	(42.04 - 50.14)
Region B	41.41	(38.75 - 44.12)	33.06	(30.45 - 35.79)	44.78	(42.06 - 47.54)	43.19	(40.78 - 45.64)
Region 5	42.16	(38.58 - 45.83)	33.30	(29.77 - 37.02)	45.16	(41.61 - 48.76)	43.59	(40.44 - 46.79)
Region 6	41.61	(37.21 - 46.14)	34.79	(30.23 - 39.64)	45.03	(40.14 - 50.02)	43.70	(39.28 - 48.22)
Region 7	38.53	(34.24 - 43.01)	30.13	(25.89 - 34.74)	43.09	(38.23 - 48.09)	41.08	(36.77 - 45.54)
Region C	37.82	(35.43 - 40.27)	29.00	(26.72 - 31.39)	40.69	(38.12 - 43.30)	38.83	(36.60 - 41.11)
Region 8	35.59	(31.62 - 39.77)	28.25	(24.29 - 32.59)	40.41	(35.71 - 45.29)	38.59	(34.43 - 42.93)
Region 9	37.69	(33.52 - 42.06)	29.53	(25.49 - 33.93)	39.83	(35.11 - 44.75)	38.17	(34.01 - 42.51)
Region 10	35.38	(30.86 - 40.19)	27.50	(23.18 - 32.28)	39.34	(34.14 - 44.79)	37.00	(32.53 - 41.70)
Region 11	37.01	(32.86 - 41.36)	29.35	(25.21 - 33.85)	42.19	(37.64 - 46.87)	40.15	(36.14 - 44.30)
Region 12	41.50	(37.11 - 46.03)	29.61	(25.57 - 34.00)	40.78	(36.24 - 45.48)	39.11	(35.09 - 43.27)
Region D	35.52	(32.65 - 38.50)	28.02	(25.12 - 31.11)	39.26	(35.89 - 42.73)	37.52	(34.55 - 40.59)
Region 13	36.50	(31.88 - 41.38)	29.51	(24.97 - 34.50)	41.22	(35.95 - 46.70)	39.46	(34.76 - 44.37)
Region 14	36.06	(31.55 - 40.83)	28.83	(24.37 - 33.74)	40.34	(34.92 - 46.01)	38.45	(33.68 - 43.46)
Region 15	34.19	(29.71 - 38.97)	25.78	(21.64 - 30.40)	36.44	(31.69 - 41.48)	34.85	(30.62 - 39.34)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	40.40	(37.54 - 43.32)	35.62	(32.65 - 38.70)	45.71	(42.62 - 48.83)	44.28	(41.53 - 47.06)
Alliance	42.58	(37.78 - 47.53)	36.20	(31.10 - 41.63)	47.85	(42.80 - 52.95)	46.09	(41.61 - 50.63)
Cardinal Innovations	38.25	(33.09 - 43.68)	34.68	(29.65 - 40.07)	45.45	(40.06 - 50.95)	43.99	(39.14 - 48.97)
CenterPoint/Guilford	41.33	(36.84 - 45.97)	36.80	(32.09 - 41.78)	45.17	(40.28 - 50.15)	43.95	(39.53 - 48.46)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	43.17	(37.44 - 49.08)
Guilford	*	(* - *)	38.29	(32.52 - 44.40)	46.04	(39.84 - 52.37)	44.79	(39.28 - 50.43)
CoastalCare	39.25	(33.88 - 44.89)	32.46	(26.67 - 38.83)	43.19	(37.28 - 49.29)	41.25	(35.98 - 46.72)
Eastpointe	43.55	(38.18 - 49.09)	42.80	(36.98 - 48.84)	49.34	(43.25 - 55.45)	48.44	(42.90 - 54.02)
ECBH	38.90	(33.40 - 44.70)	34.96	(29.31 - 41.07)	*	(* - *)	43.84	(38.32 - 49.52)
MeckLINK	45.55	(39.90 - 51.32)	35.66	(29.91 - 41.85)	45.69	(39.71 - 51.81)	44.27	(38.86 - 49.82)
Partners	37.45	(32.66 - 42.50)	35.78	(30.43 - 41.52)	44.63	(39.17 - 50.22)	43.54	(38.55 - 48.66)
Sandhills	38.86	(33.65 - 44.33)	35.92	(30.14 - 42.15)	44.81	(38.65 - 51.14)	43.68	(38.03 - 49.50)
Smoky Mountain	*	(* - *)	30.02	(24.51 - 36.18)	*	(* - *)	40.53	(34.80 - 46.53)
Western Highlands	*	(* - *)	33.82	(28.06 - 40.12)	44.85	(38.81 - 51.04)	43.64	(38.04 - 49.41)
North Dakota	35.64	(32.79 - 38.60)	26.31	(23.75 - 29.04)	37.99	(35.05 - 41.03)	35.95	(33.42 - 38.55)
Badlands and West Central	36.24	(31.83 - 40.90)	28.64	(24.07 - 33.69)	38.56	(33.80 - 43.55)	37.21	(32.92 - 41.72)
Lake Region and South Central	33.18	(28.66 - 38.04)	28.90	(24.04 - 34.31)	38.80	(33.48 - 44.41)	37.56	(32.69 - 42.69)
North Central and Northwest	37.14	(32.30 - 42.25)	28.88	(24.07 - 34.22)	39.24	(34.31 - 44.39)	37.54	(33.20 - 42.08)
Northeast	34.04	(29.10 - 39.36)	24.38	(20.65 - 28.55)	37.86	(32.62 - 43.40)	34.57	(30.30 - 39.10)
Southeast	36.10	(31.83 - 40.61)	23.82	(20.29 - 27.75)	36.10	(31.86 - 40.58)	33.50	(29.97 - 37.23)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	37.67	(36.10 - 39.28)	29.65	(28.24 - 31.11)	39.65	(37.99 - 41.33)	38.23	(36.79 - 39.69)
Boards 2, 46, 55, and 68	35.16	(31.14 - 39.40)	26.88	(23.03 - 31.11)	39.09	(34.49 - 43.90)	37.43	(33.33 - 41.72)
Boards 3, 52, and 85	35.71	(31.24 - 40.44)	26.82	(22.57 - 31.55)	38.17	(33.35 - 43.23)	36.64	(32.30 - 41.20)
Boards 4 and 78	36.06	(31.44 - 40.94)	28.29	(23.79 - 33.27)	38.62	(33.38 - 44.13)	37.37	(32.57 - 42.43)
Boards 5 and 60	33.42	(29.08 - 38.06)	24.96	(21.00 - 29.40)	35.79	(30.97 - 40.91)	33.81	(29.65 - 38.24)
Boards 7, 15, 41, 79, and 84	32.49	(28.33 - 36.95)	26.95	(23.21 - 31.04)	37.96	(33.27 - 42.89)	36.63	(32.39 - 41.10)
Boards 8, 13, and 83	35.73	(31.55 - 40.14)	29.41	(24.92 - 34.35)	39.42	(34.86 - 44.16)	38.20	(34.05 - 42.54)
Board 9 (Butler)	38.42	(33.93 - 43.11)	27.09	(22.95 - 31.66)	39.52	(34.56 - 44.71)	37.50	(33.13 - 42.09)
Board 12	36.57	(32.01 - 41.39)	30.36	(25.75 - 35.39)	39.89	(35.04 - 44.94)	38.34	(33.99 - 42.88)
Boards 18 and 47	40.38	(37.01 - 43.85)	33.65	(30.36 - 37.10)	40.01	(36.46 - 43.66)	39.16	(35.99 - 42.42)
Boards 20, 32, 54, and 69	36.23	(31.89 - 40.79)	26.56	(22.33 - 31.26)	38.04	(32.93 - 43.43)	36.53	(31.92 - 41.41)
Boards 21, 39, 51, 70, and 80	35.38	(31.32 - 39.67)	28.97	(24.76 - 33.57)	39.40	(34.79 - 44.21)	38.14	(33.94 - 42.53)
Boards 22, 74, and 87	35.39	(30.96 - 40.08)	25.18	(21.34 - 29.46)	38.35	(33.57 - 43.37)	36.30	(32.11 - 40.71)
Boards 23 and 45	36.67	(32.24 - 41.35)	27.14	(22.81 - 31.95)	37.68	(33.07 - 42.52)	36.22	(32.02 - 40.63)
Board 25 (Franklin)	40.29	(36.32 - 44.40)	29.65	(26.20 - 33.35)	40.92	(36.63 - 45.34)	38.98	(35.27 - 42.82)
Boards 27, 71, and 73	35.90	(31.71 - 40.31)	30.67	(26.19 - 35.54)	42.07	(36.92 - 47.41)	40.62	(35.97 - 45.44)
Boards 28, 43, and 67	33.26	(29.22 - 37.56)	24.01	(20.26 - 28.20)	38.66	(34.12 - 43.41)	36.52	(32.50 - 40.74)
Board 31 (Hamilton)	40.83	(36.62 - 45.17)	32.45	(28.63 - 36.51)	39.24	(34.89 - 43.77)	38.20	(34.38 - 42.17)
Board 48 (Lucas)	39.07	(34.43 - 43.90)	34.01	(29.38 - 38.95)	40.90	(35.80 - 46.20)	39.80	(35.29 - 44.49)
Boards 50 and 76	35.85	(31.80 - 40.11)	28.10	(24.41 - 32.11)	38.83	(34.63 - 43.21)	37.45	(33.67 - 41.38)
Board 57 (Montgomery)	42.52	(37.88 - 47.29)	33.04	(28.56 - 37.85)	42.93	(38.06 - 47.93)	41.54	(37.18 - 46.03)
Board 77 (Summit)	42.00	(37.27 - 46.88)	33.44	(29.14 - 38.03)	41.55	(36.96 - 46.28)	40.45	(36.34 - 44.70)
Oklahoma	40.32	(37.35 - 43.37)	37.72	(34.63 - 40.93)	44.94	(41.74 - 48.18)	43.83	(41.04 - 46.66)
Central	39.00	(33.78 - 44.49)	33.22	(28.08 - 38.79)	41.86	(36.14 - 47.80)	40.39	(35.33 - 45.65)
East Central	39.43	(34.14 - 44.98)	38.08	(32.10 - 44.44)	43.49	(37.65 - 49.50)	42.74	(37.42 - 48.23)
Northeast	40.42	(35.12 - 45.95)	35.70	(30.56 - 41.19)	44.37	(39.15 - 49.72)	42.94	(38.37 - 47.64)
Northwest and Southwest	42.05	(36.95 - 47.32)	40.29	(34.53 - 46.32)	45.97	(40.34 - 51.70)	45.07	(40.07 - 50.18)
Oklahoma County	41.33	(36.42 - 46.43)	40.16	(34.76 - 45.80)	46.05	(40.84 - 51.35)	45.13	(40.51 - 49.84)
Southeast	39.32	(34.23 - 44.64)	39.03	(33.41 - 44.96)	46.84	(41.22 - 52.53)	45.75	(40.68 - 50.92)
Tulsa County	40.15	(35.17 - 45.34)	36.80	(31.43 - 42.51)	44.88	(39.42 - 50.47)	43.68	(38.78 - 48.71)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	35.70	(32.96 - 38.53)	29.99	(27.29 - 32.83)	40.02	(37.06 - 43.05)	38.63	(35.99 - 41.33)
Region 1 (Multnomah)	37.28	(32.29 - 42.56)	29.26	(24.84 - 34.11)	36.56	(31.82 - 41.58)	35.58	(31.28 - 40.12)
Region 2	36.27	(31.87 - 40.92)	31.34	(26.77 - 36.31)	42.24	(37.13 - 47.53)	40.86	(36.21 - 45.68)
Region 3	35.37	(31.34 - 39.61)	28.96	(25.13 - 33.11)	40.43	(36.05 - 44.96)	38.56	(34.75 - 42.51)
Region 4	34.13	(29.42 - 39.18)	30.65	(25.43 - 36.43)	40.07	(34.95 - 45.42)	38.95	(34.23 - 43.87)
Region 5 (Central)	33.71	(28.74 - 39.07)	29.98	(24.76 - 35.79)	39.15	(33.35 - 45.27)	38.10	(32.76 - 43.74)
Region 6 (Eastern)	36.12	(30.80 - 41.80)	*	(* - *)	*	(* - *)	40.14	(34.50 - 46.05)
Pennsylvania	38.83	(37.16 - 40.52)	30.03	(28.40 - 31.72)	39.48	(37.75 - 41.24)	38.12	(36.60 - 39.66)
Region 1 (Allegheny)	41.24	(37.16 - 45.44)	28.03	(24.48 - 31.87)	38.66	(34.63 - 42.86)	37.19	(33.58 - 40.94)
Regions 3, 8, 9, and 51	37.10	(32.72 - 41.70)	29.28	(25.00 - 33.97)	37.27	(32.64 - 42.15)	36.12	(31.97 - 40.48)
Regions 4, 11, 37, and 49	37.49	(33.36 - 41.80)	29.31	(25.35 - 33.61)	39.38	(34.85 - 44.11)	38.02	(33.96 - 42.25)
Regions 5, 18, 23, 24, and 46	38.78	(34.35 - 43.41)	27.79	(23.65 - 32.35)	38.27	(33.85 - 42.88)	36.87	(32.88 - 41.04)
Regions 6, 12, 16, 31, 35, 45, and 47	36.50	(32.17 - 41.07)	27.27	(23.25 - 31.70)	38.02	(33.72 - 42.51)	35.88	(32.19 - 39.75)
Regions 7, 13, 20, and 33	37.86	(34.70 - 41.12)	29.27	(26.00 - 32.76)	38.99	(35.58 - 42.51)	37.73	(34.67 - 40.89)
Regions 10, 15, 27, 32, 43, and 44	36.11	(32.00 - 40.44)	26.84	(22.69 - 31.45)	36.24	(31.80 - 40.94)	35.09	(31.02 - 39.40)
Regions 17 and 21	35.43	(30.87 - 40.28)	26.44	(22.04 - 31.36)	36.80	(31.74 - 42.18)	35.15	(30.63 - 39.95)
Regions 19, 26, 28, and 42	39.71	(36.07 - 43.47)	31.91	(28.00 - 36.09)	43.04	(39.15 - 47.03)	41.55	(38.07 - 45.12)
Regions 22, 38, 40, 41, and 48	35.66	(31.58 - 39.96)	27.11	(23.31 - 31.27)	37.35	(32.95 - 41.96)	36.15	(32.15 - 40.35)
Regions 29 and 34	39.05	(34.64 - 43.65)	30.09	(25.70 - 34.88)	39.87	(35.21 - 44.72)	38.53	(34.33 - 42.91)
Regions 30 and 50	36.81	(32.30 - 41.57)	30.52	(25.86 - 35.61)	39.10	(34.54 - 43.86)	37.95	(33.80 - 42.29)
Region 36 (Philadelphia)	45.16	(41.07 - 49.32)	35.84	(32.30 - 39.54)	43.20	(39.20 - 47.29)	41.79	(38.39 - 45.26)
Rhode Island	36.70	(33.54 - 39.99)	29.41	(26.73 - 32.23)	38.67	(35.33 - 42.11)	37.16	(34.29 - 40.12)
Bristol and Newport	33.40	(28.50 - 38.69)	24.65	(20.16 - 29.77)	36.22	(30.54 - 42.32)	34.48	(29.41 - 39.93)
Kent	33.47	(28.78 - 38.52)	26.00	(21.62 - 30.92)	36.41	(31.08 - 42.09)	35.18	(30.32 - 40.36)
Providence	38.82	(34.80 - 42.99)	31.77	(28.38 - 35.36)	40.23	(36.16 - 44.44)	38.77	(35.28 - 42.37)
Washington	34.18	(29.16 - 39.57)	25.61	(21.14 - 30.66)	36.86	(31.46 - 42.61)	34.81	(30.15 - 39.78)
South Carolina	43.62	(40.56 - 46.73)	35.73	(32.99 - 38.57)	45.81	(42.58 - 49.08)	44.34	(41.50 - 47.22)
Region 1	43.58	(38.81 - 48.46)	35.94	(31.52 - 40.61)	47.80	(42.73 - 52.91)	46.09	(41.60 - 50.64)
Region 2	43.89	(39.38 - 48.50)	35.48	(31.35 - 39.85)	45.41	(40.61 - 50.29)	43.89	(39.66 - 48.20)
Region 3	43.53	(38.61 - 48.57)	36.76	(31.54 - 42.30)	46.29	(40.97 - 51.70)	45.00	(40.21 - 49.89)
Region 4	43.40	(38.83 - 48.09)	35.21	(30.78 - 39.91)	44.02	(39.23 - 48.91)	42.71	(38.44 - 47.09)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	35.01	(32.12 - 38.01)	26.28	(23.52 - 29.23)	37.24	(34.37 - 40.21)	35.61	(33.07 - 38.23)
Region 1	37.43	(32.86 - 42.24)	29.05	(24.55 - 34.00)	39.49	(34.72 - 44.46)	37.99	(33.72 - 42.45)
Region 2	34.18	(28.97 - 39.80)	29.80	(24.57 - 35.62)	40.40	(34.62 - 46.46)	39.16	(33.87 - 44.72)
Region 3	32.68	(28.38 - 37.29)	24.85	(20.63 - 29.61)	34.48	(30.01 - 39.25)	32.83	(28.88 - 37.05)
Region 4	34.72	(29.70 - 40.11)	24.97	(20.34 - 30.25)	36.62	(31.46 - 42.10)	34.79	(30.17 - 39.70)
Region 5	35.27	(31.12 - 39.64)	25.04	(21.12 - 29.43)	36.79	(32.58 - 41.20)	35.13	(31.41 - 39.05)
Tennessee	42.84	(39.80 - 45.93)	38.17	(35.25 - 41.17)	45.97	(42.90 - 49.07)	44.87	(42.15 - 47.62)
Region 1	41.54	(36.20 - 47.08)	37.00	(31.32 - 43.07)	46.32	(40.71 - 52.03)	45.15	(40.01 - 50.40)
Region 2	39.04	(33.99 - 44.34)	35.03	(29.85 - 40.58)	44.55	(39.21 - 50.02)	43.28	(38.44 - 48.25)
Region 3	42.81	(37.76 - 48.00)	36.61	(31.57 - 41.97)	45.71	(40.43 - 51.09)	44.47	(39.70 - 49.34)
Region 4 (Davidson)	46.25	(40.55 - 52.04)	39.83	(34.24 - 45.69)	46.84	(41.34 - 52.42)	45.72	(40.78 - 50.74)
Region 5	41.56	(36.88 - 46.40)	36.80	(32.12 - 41.75)	44.20	(39.10 - 49.43)	43.17	(38.61 - 47.85)
Region 6	42.76	(37.54 - 48.15)	40.06	(34.45 - 45.94)	48.09	(42.20 - 54.03)	46.97	(41.62 - 52.40)
Region 7 (Shelby)	47.99	(42.69 - 53.34)	43.35	(37.86 - 49.02)	48.88	(43.12 - 54.67)	48.01	(42.88 - 53.18)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	43.17	(41.51 - 44.84)	37.40	(35.77 - 39.07)	47.57	(45.80 - 49.34)	45.95	(44.44 - 47.46)
Region 1	38.34	(33.82 - 43.07)	33.51	(28.92 - 38.43)	44.60	(39.60 - 49.70)	42.57	(38.24 - 47.02)
Region 2	38.55	(33.56 - 43.78)	32.50	(27.40 - 38.07)	41.93	(36.49 - 47.56)	40.39	(35.52 - 45.46)
Region 3	42.79	(40.12 - 45.51)	35.92	(33.28 - 38.65)	45.19	(42.29 - 48.14)	43.82	(41.27 - 46.41)
Region 3a	43.32	(39.81 - 46.90)	36.86	(33.41 - 40.45)	45.79	(42.14 - 49.48)	44.47	(41.25 - 47.73)
Region 3bc	41.86	(38.21 - 45.61)	34.29	(30.78 - 37.97)	44.16	(40.04 - 48.37)	42.70	(39.08 - 46.40)
Region 4	41.16	(36.57 - 45.91)	36.47	(31.70 - 41.52)	42.38	(37.45 - 47.47)	41.57	(37.13 - 46.14)
Region 5	44.71	(39.91 - 49.62)	43.18	(37.96 - 48.57)	49.00	(43.40 - 54.63)	48.13	(43.12 - 53.17)
Region 6	46.10	(43.01 - 49.22)	41.33	(38.37 - 44.35)	50.22	(47.06 - 53.37)	48.86	(46.11 - 51.61)
Region 6a	46.29	(42.94 - 49.67)	41.56	(38.38 - 44.81)	50.32	(46.86 - 53.78)	48.96	(45.96 - 51.97)
Region 6bc	44.51	(39.28 - 49.87)	39.12	(33.70 - 44.83)	49.35	(43.83 - 54.89)	47.97	(42.95 - 53.04)
Region 7	39.68	(36.35 - 43.11)	31.27	(28.29 - 34.41)	42.26	(38.92 - 45.67)	40.20	(37.36 - 43.11)
Region 7a	40.39	(36.16 - 44.78)	32.83	(28.85 - 37.07)	41.46	(37.16 - 45.89)	39.99	(36.27 - 43.84)
Region 7bcd	38.49	(33.97 - 43.22)	29.24	(25.18 - 33.66)	43.69	(38.90 - 48.61)	40.54	(36.52 - 44.70)
Region 8	44.53	(40.49 - 48.64)	38.48	(34.35 - 42.78)	50.10	(45.78 - 54.41)	48.27	(44.48 - 52.08)
Region 9	39.08	(34.11 - 44.30)	34.03	(29.07 - 39.38)	45.02	(39.70 - 50.46)	43.21	(38.47 - 48.08)
Region 10	43.56	(38.91 - 48.32)	41.35	(36.32 - 46.57)	58.21	(52.92 - 63.31)	55.19	(50.57 - 59.73)
Region 11	42.71	(39.11 - 46.39)	40.86	(36.89 - 44.94)	54.12	(50.33 - 57.87)	51.81	(48.50 - 55.10)
Region 11abd	42.88	(38.32 - 47.56)	39.95	(34.93 - 45.20)	53.48	(48.70 - 58.20)	51.20	(47.00 - 55.39)
Region 11c (Hidalgo)	42.46	(37.37 - 47.73)	42.34	(36.77 - 48.11)	55.30	(49.87 - 60.60)	52.90	(48.14 - 57.60)
Utah	49.55	(46.24 - 52.86)	41.69	(38.62 - 44.83)	50.75	(47.52 - 53.97)	49.03	(46.33 - 51.74)
Bear River, Northeastern, Summit, Tooele, and Wasatch	48.76	(43.47 - 54.08)	41.39	(35.89 - 47.11)	50.93	(45.34 - 56.50)	49.11	(44.28 - 53.95)
Central, Four Corners, San Juan, and Southwest	48.42	(42.58 - 54.30)	41.66	(35.75 - 47.81)	51.05	(45.11 - 56.95)	49.42	(44.20 - 54.66)
Davis County	49.82	(44.05 - 55.60)	38.77	(33.23 - 44.61)	49.10	(43.56 - 54.66)	47.36	(42.50 - 52.27)
Salt Lake County	47.87	(43.32 - 52.45)	40.83	(36.30 - 45.52)	50.52	(46.15 - 54.87)	48.89	(45.10 - 52.69)
Utah County	53.81	(48.51 - 59.03)	44.51	(39.31 - 49.84)	52.71	(47.03 - 58.31)	50.50	(45.91 - 55.08)
Weber, Morgan	49.06	(43.22 - 54.92)	40.39	(34.37 - 46.71)	49.64	(43.64 - 55.66)	48.07	(42.78 - 53.42)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	30.81	(28.01 - 33.75)	24.12	(21.44 - 27.01)	40.76	(37.75 - 43.83)	38.33	(35.69 - 41.04)
Champlain Valley	31.84	(27.98 - 35.97)	23.21	(19.66 - 27.18)	40.96	(36.69 - 45.38)	37.77	(34.11 - 41.57)
Rural Northeast	29.34	(25.07 - 34.00)	23.50	(19.54 - 27.98)	39.47	(34.48 - 44.68)	37.41	(32.94 - 42.11)
Rural Southeast	29.98	(25.82 - 34.49)	24.54	(20.32 - 29.33)	40.35	(35.63 - 45.26)	38.61	(34.29 - 43.13)
Rural Southwest	31.52	(27.01 - 36.41)	27.63	(23.16 - 32.59)	42.73	(37.31 - 48.32)	40.72	(35.87 - 45.76)
Virginia	41.40	(38.57 - 44.29)	34.41	(31.53 - 37.41)	43.31	(40.25 - 46.43)	42.01	(39.34 - 44.73)
Region 1	38.45	(33.96 - 43.16)	30.81	(26.56 - 35.42)	42.05	(36.96 - 47.31)	40.28	(35.82 - 44.89)
Region 2	42.78	(38.25 - 47.43)	34.86	(29.98 - 40.08)	43.97	(39.18 - 48.87)	42.87	(38.53 - 47.33)
Region 3	39.23	(34.46 - 44.22)	32.84	(28.17 - 37.87)	44.99	(39.43 - 50.68)	43.18	(38.26 - 48.24)
Region 4	44.11	(39.19 - 49.16)	37.04	(31.57 - 42.87)	41.59	(36.27 - 47.12)	40.91	(36.14 - 45.86)
Region 5	41.13	(36.52 - 45.91)	35.67	(31.02 - 40.61)	43.36	(38.14 - 48.72)	42.07	(37.51 - 46.77)
Washington	38.60	(35.57 - 41.72)	30.35	(27.69 - 33.15)	44.61	(41.50 - 47.75)	42.57	(39.87 - 45.32)
Region 1	39.77	(35.48 - 44.22)	32.46	(28.34 - 36.87)	46.01	(41.43 - 50.66)	43.76	(39.76 - 47.83)
East 1 (previously Region 1)	39.21	(33.93 - 44.76)	29.90	(24.76 - 35.60)	44.89	(39.19 - 50.73)	42.39	(37.39 - 47.54)
East 2 (previously Region 2)	40.43	(34.98 - 46.12)	36.01	(30.61 - 41.80)	47.55	(41.67 - 53.49)	45.64	(40.45 - 50.92)
Region 2	38.88	(35.16 - 42.73)	29.30	(26.05 - 32.78)	43.91	(40.07 - 47.82)	41.92	(38.52 - 45.41)
North 1 (previously Region 3)	36.77	(32.07 - 41.74)	28.46	(24.14 - 33.22)	41.00	(36.06 - 46.12)	39.20	(34.79 - 43.79)
North 2 (previously Region 4)	40.29	(35.73 - 45.03)	29.82	(25.75 - 34.22)	45.54	(40.74 - 50.42)	43.47	(39.18 - 47.86)
Region 3	37.40	(33.59 - 41.38)	30.13	(26.47 - 34.07)	44.70	(40.55 - 48.94)	42.70	(39.02 - 46.48)
West 1 (previously Region 5)	38.02	(33.15 - 43.14)	29.30	(24.69 - 34.39)	44.75	(39.54 - 50.08)	42.43	(37.83 - 47.17)
West 2 (previously Region 6)	36.84	(32.06 - 41.88)	31.06	(26.30 - 36.25)	44.66	(39.36 - 50.08)	42.96	(38.17 - 47.88)
West Virginia	37.35	(34.61 - 40.18)	32.51	(29.91 - 35.21)	43.10	(40.10 - 46.15)	41.71	(39.05 - 44.42)
Region I	37.36	(32.19 - 42.83)	30.87	(25.63 - 36.66)	43.26	(37.34 - 49.39)	41.75	(36.35 - 47.35)
Region II	35.95	(31.13 - 41.06)	33.79	(28.23 - 39.83)	41.67	(36.42 - 47.12)	40.69	(35.90 - 45.67)
Region III	37.01	(32.06 - 42.25)	31.28	(26.18 - 36.89)	41.37	(35.94 - 47.01)	40.25	(35.25 - 45.46)
Region IV	37.04	(32.55 - 41.76)	29.22	(25.39 - 33.36)	43.75	(38.69 - 48.95)	41.16	(36.82 - 45.65)
Region V	37.54	(33.19 - 42.11)	33.15	(28.93 - 37.66)	42.67	(38.24 - 47.23)	41.54	(37.52 - 45.67)
Region VI	38.86	(34.03 - 43.92)	38.01	(32.62 - 43.71)	44.89	(39.49 - 50.42)	44.11	(39.15 - 49.20)

See notes at end of table.

(continued)

Table 11 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	34.24	(31.46 - 37.14)	28.15	(25.44 - 31.03)	35.71	(32.57 - 38.99)	34.62	(31.84-37.52)
Milwaukee	37.80	(32.57 - 43.34)	32.03	(27.12 - 37.37)	39.98	(34.35 - 45.89)	38.68	(33.71-43.91)
Northeastern	33.21	(29.12 - 37.57)	26.70	(22.47 - 31.39)	34.68	(30.16 - 39.49)	33.62	(29.53-37.97)
Northern	31.44	(26.39 - 36.97)	25.79	(20.89 - 31.38)	34.94	(29.41 - 40.90)	33.76	(28.70-39.23)
Southeastern	34.96	(30.41 - 39.81)	29.26	(24.43 - 34.60)	35.31	(30.05 - 40.95)	34.54	(29.76-39.64)
Southern	33.00	(28.63 - 37.68)	26.77	(22.59 - 31.41)	34.51	(29.51 - 39.87)	33.33	(28.90-38.07)
Western	33.86	(29.06 - 39.01)	27.11	(22.62 - 32.11)	35.20	(29.97 - 40.82)	33.91	(29.31-38.83)
Wyoming	37.67	(34.88 - 40.55)	27.31	(24.69 - 30.09)	37.86	(34.94 - 40.86)	36.29	(33.73-38.93)
Judicial District 1 (Laramie)	38.97	(34.05 - 44.12)	29.89	(25.13 - 35.14)	40.61	(35.48 - 45.95)	39.09	(34.51-43.88)
Judicial District 2	36.61	(31.41 - 42.14)	23.68	(19.58 - 28.34)	35.77	(30.42 - 41.49)	32.19	(27.95-36.75)
Judicial District 3	40.61	(35.72 - 45.69)	31.45	(26.78 - 36.54)	39.48	(34.33 - 44.88)	38.38	(33.75-43.24)
Judicial District 4	36.28	(31.17 - 41.73)	27.94	(22.92 - 33.58)	36.81	(31.23 - 42.75)	35.80	(30.68-41.26)
Judicial District 5	36.33	(31.19 - 41.79)	27.83	(22.78 - 33.51)	36.79	(31.36 - 42.57)	35.73	(30.72-41.08)
Judicial District 6	36.07	(31.24 - 41.21)	27.21	(22.27 - 32.79)	36.62	(31.31 - 42.27)	35.26	(30.50-40.33)
Judicial District 7 (Natrona)	36.48	(31.41 - 41.86)	25.45	(21.18 - 30.25)	35.31	(30.17 - 40.81)	33.90	(29.31-38.81)
Judicial District 8	36.60	(31.48 - 42.05)	26.85	(21.90 - 32.45)	39.07	(33.31 - 45.14)	37.56	(32.30-43.12)
Judicial District 9	37.70	(32.44 - 43.26)	27.23	(22.25 - 32.85)	38.30	(33.08 - 43.81)	36.93	(32.16-41.97)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	9.74	(9.44 - 10.05)	39.31	(38.75 - 39.88)	26.78	(26.30 - 27.26)	28.63	(28.20 - 29.05)
Northeast	9.80	(9.22 - 10.41)	38.55	(37.46 - 39.65)	25.47	(24.51 - 26.45)	27.35	(26.53 - 28.19)
Midwest	10.87	(10.39 - 11.36)	44.19	(43.22 - 45.17)	29.27	(28.47 - 30.09)	31.45	(30.77 - 32.15)
South	9.95	(9.50 - 10.42)	39.75	(38.86 - 40.65)	28.66	(27.89 - 29.45)	30.29	(29.64 - 30.94)
West	8.37	(7.84 - 8.93)	34.85	(33.70 - 36.02)	22.46	(21.53 - 23.41)	24.35	(23.57 - 25.15)
Alabama	10.62	(8.95 - 12.56)	43.49	(40.39 - 46.64)	33.11	(30.29 - 36.06)	34.66	(32.14 - 37.27)
Region 1	9.85	(7.45 - 12.93)	42.32	(37.01 - 47.82)	31.74	(27.39 - 36.44)	33.17	(29.16 - 37.44)
Region 2	12.25	(9.53 - 15.61)	46.16	(41.26 - 51.14)	34.10	(29.94 - 38.51)	35.95	(32.20 - 39.88)
Region 3	7.07	(5.11 - 9.71)	36.61	(31.14 - 42.45)	27.71	(23.47 - 32.39)	29.30	(25.41 - 33.51)
Region 4	12.12	(9.20 - 15.81)	47.92	(42.77 - 53.11)	37.58	(32.97 - 42.42)	38.99	(34.76 - 43.39)
Alaska	11.20	(9.27 - 13.47)	47.91	(44.47 - 51.37)	33.70	(30.48 - 37.07)	35.91	(33.05 - 38.86)
Anchorage	9.49	(7.20 - 12.41)	43.35	(38.70 - 48.13)	29.28	(25.45 - 33.43)	31.55	(28.11 - 35.21)
Northern	13.94	(10.57 - 18.18)	53.45	(47.56 - 59.24)	39.22	(33.96 - 44.75)	41.88	(37.19 - 46.72)
South Central	11.39	(8.43 - 15.22)	50.88	(44.86 - 56.88)	36.39	(30.92 - 42.24)	38.30	(33.28 - 43.58)
Southeast	11.18	(8.08 - 15.28)	45.74	(39.08 - 52.55)	32.85	(27.56 - 38.62)	34.44	(29.48 - 39.76)
Arizona	9.54	(7.88 - 11.49)	37.64	(34.41 - 40.97)	27.00	(24.14 - 30.05)	28.57	(26.00 - 31.28)
Maricopa	9.82	(7.78 - 12.34)	39.04	(34.88 - 43.37)	27.53	(24.10 - 31.25)	29.25	(26.15 - 32.56)
Pima	8.12	(5.78 - 11.28)	35.89	(29.94 - 42.32)	26.29	(21.72 - 31.43)	27.77	(23.46 - 32.54)
Rural North	11.60	(8.34 - 15.91)	39.98	(33.55 - 46.77)	27.24	(22.26 - 32.88)	29.03	(24.34 - 34.21)
Rural South	8.08	(5.63 - 11.47)	*	(* - *)	25.28	(20.35 - 30.95)	26.11	(21.49 - 31.34)
Arkansas	11.98	(10.12 - 14.13)	43.23	(40.26 - 46.26)	32.48	(29.51 - 35.60)	34.05	(31.37 - 36.83)
Catchment Area 1	10.62	(7.77 - 14.34)	36.78	(31.21 - 42.73)	26.66	(22.35 - 31.47)	28.31	(24.31 - 32.69)
Catchment Area 2	15.05	(11.08 - 20.13)	*	(* - *)	33.63	(28.33 - 39.37)	35.13	(30.10 - 40.52)
Catchment Area 3	12.03	(8.89 - 16.08)	43.45	(37.27 - 49.84)	35.14	(29.89 - 40.78)	36.39	(31.54 - 41.53)
Catchment Area 4	12.30	(8.79 - 16.97)	*	(* - *)	31.82	(26.46 - 37.71)	33.53	(28.45 - 39.02)
Catchment Area 5	13.86	(10.25 - 18.47)	49.01	(43.15 - 54.89)	34.19	(29.24 - 39.50)	36.70	(32.20 - 41.44)
Catchment Area 6	12.35	(8.89 - 16.91)	44.83	(38.30 - 51.55)	35.78	(30.11 - 41.88)	37.11	(31.80 - 42.74)
Catchment Area 7	9.56	(6.69 - 13.49)	*	(* - *)	32.08	(26.66 - 38.03)	33.17	(28.11 - 38.66)
Catchment Area 8	10.73	(8.03 - 14.21)	42.48	(37.19 - 47.96)	32.51	(27.86 - 37.53)	33.83	(29.52 - 38.42)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	12-17 (Estimate)	(95% Confidence Interval)	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
California	6.96	(6.17 - 7.83)	30.87	(29.15 - 32.65)	19.04	(17.69 - 20.47)	20.91	(19.74 - 22.13)
Region 1R	12.28	(8.89 - 16.72)	*	(* - *)	26.49	(22.19 - 31.28)	29.63	(25.48 - 34.13)
Region 2R	8.29	(5.99 - 11.38)	38.09	(32.19 - 44.38)	19.60	(16.16 - 23.55)	22.43	(19.06 - 26.20)
Region 3R (Sacramento)	7.58	(5.53 - 10.30)	31.04	(25.63 - 37.03)	20.82	(17.38 - 24.75)	22.40	(19.08 - 26.11)
Region 4R	8.68	(6.40 - 11.66)	38.15	(32.45 - 44.20)	19.58	(16.34 - 23.29)	22.01	(18.85 - 25.54)
Region 5R (San Francisco)	*	(* - *)	33.78	(28.09 - 39.99)	20.27	(16.59 - 24.54)	21.93	(18.36 - 25.99)
Region 6 (Santa Clara)	5.45	(3.82 - 7.73)	27.36	(22.47 - 32.86)	14.61	(11.89 - 17.83)	16.31	(13.64 - 19.38)
Region 7R (Contra Costa)	6.68	(4.77 - 9.28)	31.53	(25.78 - 37.90)	17.11	(13.95 - 20.81)	18.98	(15.85 - 22.56)
Region 8R (Alameda)	5.62	(4.01 - 7.81)	27.93	(23.26 - 33.13)	16.76	(13.85 - 20.14)	18.35	(15.54 - 21.53)
Region 9R (San Mateo)	6.52	(4.47 - 9.41)	30.00	(24.26 - 36.45)	15.43	(12.41 - 19.02)	17.10	(14.10 - 20.58)
Region 10	6.46	(4.59 - 9.01)	32.88	(27.26 - 39.04)	16.97	(13.90 - 20.56)	19.73	(16.68 - 23.19)
Region 11 (Los Angeles)	6.58	(5.62 - 7.71)	27.24	(24.93 - 29.67)	19.11	(17.45 - 20.90)	20.42	(18.93 - 21.99)
LA SPA 1 and 5	6.59	(4.63 - 9.31)	28.87	(23.16 - 35.34)	19.91	(16.44 - 23.90)	21.36	(17.97 - 25.19)
LA SPA 2	7.27	(5.33 - 9.83)	29.55	(24.79 - 34.80)	19.66	(16.61 - 23.11)	21.12	(18.25 - 24.31)
LA SPA 3	5.72	(4.12 - 7.89)	23.47	(19.12 - 28.45)	15.01	(12.41 - 18.04)	16.33	(13.81 - 19.19)
LA SPA 4	6.33	(4.43 - 8.98)	26.95	(22.15 - 32.36)	19.85	(16.30 - 23.95)	20.94	(17.59 - 24.73)
LA SPA 6	5.43	(3.79 - 7.71)	24.27	(19.48 - 29.80)	23.36	(19.26 - 28.03)	23.53	(19.77 - 27.75)
LA SPA 7	6.86	(4.97 - 9.41)	27.36	(22.42 - 32.93)	17.82	(14.70 - 21.43)	19.48	(16.52 - 22.83)
LA SPA 8	7.46	(5.47 - 10.11)	29.89	(24.97 - 35.33)	20.60	(17.29 - 24.35)	21.99	(18.85 - 25.49)
Region 12R	7.24	(5.12 - 10.14)	33.83	(27.90 - 40.31)	21.06	(17.24 - 25.45)	23.03	(19.34 - 27.19)
Regions 13 and 19R	5.69	(4.26 - 7.57)	28.32	(24.20 - 32.84)	19.14	(16.09 - 22.61)	20.66	(17.82 - 23.83)
Region 13 (Riverside)	5.64	(4.14 - 7.65)	28.17	(23.80 - 32.99)	19.02	(15.81 - 22.71)	20.54	(17.54 - 23.90)
Region 19R (Imperial)	6.34	(4.40 - 9.05)	*	(* - *)	*	(* - *)	22.30	(18.56 - 26.55)
Region 14 (Orange)	6.52	(4.90 - 8.62)	30.94	(26.75 - 35.46)	16.69	(14.13 - 19.62)	18.87	(16.45 - 21.56)
Region 15R (Fresno)	6.04	(4.29 - 8.44)	27.52	(22.27 - 33.48)	20.27	(16.79 - 24.27)	21.60	(18.27 - 25.36)
Region 16R (San Diego)	6.83	(5.19 - 8.94)	31.34	(27.11 - 35.91)	18.72	(16.04 - 21.74)	20.86	(18.37 - 23.59)
Region 17R	7.30	(5.42 - 9.75)	31.05	(26.09 - 36.50)	21.44	(18.00 - 25.33)	23.16	(19.95 - 26.70)
Region 18R (San Bernardino)	8.71	(6.53 - 11.52)	35.95	(31.08 - 41.14)	22.75	(19.26 - 26.67)	25.10	(21.85 - 28.64)
Region 20R	7.23	(5.22 - 9.92)	30.08	(24.80 - 35.94)	20.33	(16.57 - 24.68)	22.00	(18.44 - 26.03)
Region 21R	7.91	(5.65 - 10.97)	35.21	(29.75 - 41.08)	19.30	(15.94 - 23.18)	22.19	(18.89 - 25.87)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	10.99	(9.13 - 13.19)	43.98	(40.73 - 47.28)	28.57	(25.75 - 31.56)	30.80	(28.26 - 33.47)
Region 1	11.12	(7.96 - 15.33)	46.05	(39.89 - 52.34)	28.11	(23.57 - 33.15)	31.23	(26.96 - 35.84)
Regions 2 and 7	11.02	(8.67 - 13.92)	43.59	(39.32 - 47.95)	29.25	(25.76 - 33.01)	31.25	(28.09 - 34.58)
Region 3	9.32	(6.82 - 12.61)	40.53	(34.56 - 46.78)	26.75	(22.45 - 31.55)	28.86	(24.78 - 33.31)
Region 4	10.16	(7.01 - 14.49)	*	(* - *)	25.08	(20.22 - 30.66)	27.17	(22.46 - 32.46)
Regions 5 and 6	13.71	(9.86 - 18.75)	50.32	(43.51 - 57.11)	29.70	(24.67 - 35.28)	32.43	(27.64 - 37.61)
Connecticut	9.05	(7.48 - 10.92)	38.12	(35.00 - 41.33)	24.80	(22.09 - 27.72)	26.60	(24.14 - 29.22)
Eastern	9.26	(6.55 - 12.92)	35.65	(30.34 - 41.33)	24.98	(20.66 - 29.88)	26.87	(22.90 - 31.25)
North Central	8.44	(6.27 - 11.27)	39.15	(34.01 - 44.55)	25.69	(21.69 - 30.14)	27.44	(23.72 - 31.50)
Northwestern	9.95	(7.30 - 13.44)	*	(* - *)	24.63	(20.37 - 29.44)	26.55	(22.47 - 31.07)
South Central	9.51	(6.91 - 12.95)	38.12	(32.92 - 43.61)	25.49	(21.38 - 30.10)	27.26	(23.44 - 31.45)
Southwest	8.46	(6.11 - 11.60)	36.53	(30.38 - 43.15)	22.65	(18.63 - 27.25)	24.37	(20.55 - 28.65)
Delaware	10.93	(9.13 - 13.03)	39.90	(36.66 - 43.23)	28.74	(26.07 - 31.57)	30.37	(27.95 - 32.90)
Kent	11.34	(8.41 - 15.11)	38.48	(32.71 - 44.59)	33.04	(28.19 - 38.28)	33.92	(29.46 - 38.68)
New Castle (excluding Wilmington City)	11.12	(8.84 - 13.91)	40.14	(35.86 - 44.58)	26.98	(23.72 - 30.50)	29.05	(26.09 - 32.20)
Sussex	11.63	(8.66 - 15.43)	42.36	(36.38 - 48.56)	28.78	(24.46 - 33.53)	30.25	(26.17 - 34.66)
Wilmington City	7.06	(4.93 - 10.02)	*	(* - *)	30.41	(25.29 - 36.06)	31.33	(26.54 - 36.54)
District of Columbia	7.29	(5.96 - 8.89)	35.04	(32.13 - 38.06)	26.31	(23.65 - 29.15)	27.98	(25.66 - 30.43)
Ward 1	6.70	(4.53 - 9.79)	33.53	(27.85 - 39.72)	28.96	(24.26 - 34.17)	29.91	(25.59 - 34.63)
Ward 2	*	(* - *)	31.27	(26.33 - 36.68)	24.62	(20.32 - 29.49)	26.54	(22.80 - 30.65)
Ward 3	8.67	(6.07 - 12.23)	36.94	(31.28 - 42.98)	18.04	(14.68 - 21.96)	21.54	(18.29 - 25.21)
Ward 4	6.71	(4.66 - 9.57)	*	(* - *)	23.07	(18.90 - 27.84)	24.24	(20.20 - 28.79)
Ward 5	6.78	(4.76 - 9.57)	35.26	(29.43 - 41.56)	27.61	(22.97 - 32.79)	29.05	(24.80 - 33.71)
Ward 6	5.73	(3.90 - 8.35)	36.02	(30.10 - 42.39)	27.87	(23.16 - 33.12)	29.11	(24.71 - 33.94)
Ward 7	7.19	(5.16 - 9.94)	*	(* - *)	29.62	(24.49 - 35.32)	30.89	(26.07 - 36.16)
Ward 8	8.17	(6.04 - 10.97)	40.26	(34.19 - 46.64)	33.15	(27.96 - 38.78)	34.62	(29.97 - 39.59)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	7.93	(7.06 - 8.90)	35.78	(34.11 - 37.49)	25.47	(23.96 - 27.04)	26.84	(25.51 - 28.21)
Region A - Northwest	10.01	(8.23 - 12.13)	40.04	(36.43 - 43.77)	32.17	(29.12 - 35.38)	33.54	(30.82 - 36.38)
Circuit 1	9.38	(7.16 - 12.20)	39.41	(34.10 - 44.99)	30.72	(26.57 - 35.20)	32.05	(28.26 - 36.08)
Circuit 2	9.77	(7.11 - 13.29)	38.04	(32.32 - 44.11)	32.57	(27.99 - 37.50)	33.87	(29.75 - 38.26)
Circuit 14	11.85	(8.57 - 16.15)	*	(* - *)	35.00	(29.90 - 40.46)	36.55	(31.75 - 41.64)
Region B - Northeast	9.91	(8.17 - 11.98)	40.29	(36.86 - 43.82)	29.36	(26.69 - 32.19)	31.01	(28.58 - 33.55)
Circuits 3 and 8	10.03	(7.37 - 13.52)	35.29	(30.54 - 40.35)	31.78	(27.49 - 36.41)	32.48	(28.70 - 36.52)
Circuit 4	9.32	(7.07 - 12.19)	41.00	(35.29 - 46.95)	29.22	(25.39 - 33.37)	30.94	(27.34 - 34.80)
Circuit 7	10.68	(7.96 - 14.18)	45.01	(39.32 - 50.83)	28.11	(24.12 - 32.48)	30.12	(26.36 - 34.16)
Region C - Central	8.35	(7.17 - 9.71)	37.01	(34.34 - 39.75)	26.13	(23.97 - 28.42)	27.57	(25.59 - 29.63)
Circuit 5	10.80	(8.05 - 14.33)	43.72	(38.03 - 49.58)	28.41	(24.08 - 33.18)	29.85	(25.72 - 34.33)
Circuit 9	6.01	(4.53 - 7.94)	31.27	(27.26 - 35.58)	23.41	(20.13 - 27.03)	24.79	(21.84 - 27.99)
Circuit 10	9.63	(7.19 - 12.80)	40.56	(35.18 - 46.17)	27.69	(23.52 - 32.28)	29.33	(25.42 - 33.57)
Circuit 18	8.57	(6.52 - 11.19)	38.26	(32.73 - 44.12)	24.79	(21.07 - 28.92)	26.52	(22.95 - 30.42)
Circuit 19	8.78	(6.44 - 11.86)	40.91	(34.58 - 47.55)	28.01	(23.78 - 32.66)	29.39	(25.35 - 33.77)
Region D - Southeast	5.82	(4.67 - 7.24)	31.01	(27.80 - 34.41)	21.67	(19.37 - 24.16)	22.80	(20.67 - 25.08)
Circuit 15 (Palm Beach)	5.99	(4.41 - 8.10)	32.12	(27.62 - 36.99)	21.65	(18.37 - 25.35)	22.86	(19.75 - 26.29)
Circuit 17 (Broward)	5.70	(4.28 - 7.57)	30.21	(26.05 - 34.72)	21.68	(18.87 - 24.79)	22.75	(20.11 - 25.63)
Region E - Sun Coast	8.40	(7.05 - 9.98)	40.01	(37.17 - 42.93)	26.97	(24.69 - 29.39)	28.48	(26.37 - 30.68)
Circuit 6	10.35	(7.87 - 13.51)	46.34	(40.58 - 52.20)	30.81	(26.59 - 35.38)	32.42	(28.42 - 36.70)
Circuit 12	10.10	(7.50 - 13.47)	43.40	(37.16 - 49.85)	25.76	(21.85 - 30.11)	27.44	(23.68 - 31.55)
Circuit 13 (Hillsborough)	6.22	(4.57 - 8.41)	34.83	(30.75 - 39.15)	25.26	(21.77 - 29.10)	26.71	(23.59 - 30.08)
Circuit 20	7.84	(5.74 - 10.61)	38.24	(32.69 - 44.11)	24.83	(21.06 - 29.04)	26.23	(22.60 - 30.21)
Region F - Southern (Circuits 11 and 16)	5.92	(4.47 - 7.79)	24.73	(21.58 - 28.18)	18.92	(16.28 - 21.88)	19.74	(17.34 - 22.37)
Georgia	10.97	(9.22 - 13.02)	36.57	(33.43 - 39.83)	27.44	(24.67 - 30.39)	28.82	(26.33 - 31.45)
Region 1	11.90	(9.09 - 15.43)	39.27	(34.07 - 44.73)	27.68	(23.57 - 32.20)	29.22	(25.42 - 33.33)
Region 2	12.00	(8.94 - 15.92)	38.15	(32.13 - 44.56)	29.03	(24.50 - 34.01)	30.59	(26.41 - 35.13)
Region 3	8.70	(6.46 - 11.62)	31.95	(27.34 - 36.93)	23.46	(19.85 - 27.50)	24.70	(21.38 - 28.35)
Region 4	14.17	(10.36 - 19.08)	*	(* - *)	33.03	(27.56 - 38.99)	34.46	(29.39 - 39.90)
Region 5	13.10	(9.31 - 18.12)	*	(* - *)	31.99	(26.59 - 37.91)	33.22	(28.16 - 38.70)
Region 6	10.00	(7.24 - 13.64)	35.08	(29.27 - 41.37)	27.97	(23.27 - 33.22)	29.05	(24.68 - 33.84)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	9.30	(7.64 - 11.27)	33.64	(30.47 - 36.97)	20.49	(18.01 - 23.22)	22.25	(20.00 - 24.67)
Hawaii Island	9.47	(6.80 - 13.04)	37.93	(31.66 - 44.62)	21.93	(17.82 - 26.69)	23.88	(19.92 - 28.35)
Honolulu	9.18	(7.26 - 11.54)	33.11	(29.50 - 36.92)	20.14	(17.35 - 23.25)	21.96	(19.43 - 24.72)
Kauai and Maui	9.62	(7.15 - 12.83)	32.67	(27.26 - 38.58)	20.78	(17.17 - 24.93)	22.12	(18.64 - 26.04)
Kauai	10.67	(7.40 - 15.16)	*	(* - *)	19.99	(15.70 - 25.10)	21.62	(17.39 - 26.55)
Maui	9.17	(6.38 - 13.00)	*	(* - *)	21.13	(16.95 - 26.02)	22.34	(18.31 - 26.97)
Idaho	10.61	(8.96 - 12.53)	38.40	(35.25 - 41.65)	26.56	(23.85 - 29.46)	28.36	(25.92 - 30.93)
Region 1	14.24	(10.69 - 18.73)	*	(* - *)	27.74	(23.04 - 33.00)	30.07	(25.61 - 34.96)
Region 2	14.11	(10.24 - 19.13)	*	(* - *)	28.46	(23.47 - 34.04)	31.61	(26.92 - 36.71)
Region 3	10.71	(7.87 - 14.40)	40.58	(34.40 - 47.07)	27.87	(23.26 - 33.00)	29.71	(25.38 - 34.43)
Region 4	10.40	(7.89 - 13.60)	41.86	(36.42 - 47.51)	26.57	(22.45 - 31.13)	28.69	(24.87 - 32.84)
Region 5	9.45	(6.99 - 12.66)	35.50	(29.63 - 41.85)	25.06	(20.92 - 29.71)	26.53	(22.67 - 30.80)
Region 6	9.81	(7.00 - 13.57)	37.85	(31.53 - 44.60)	27.06	(22.57 - 32.07)	28.79	(24.57 - 33.41)
Region 7	7.84	(5.49 - 11.09)	24.42	(19.47 - 30.16)	23.28	(19.01 - 28.19)	23.50	(19.61 - 27.89)
Illinois	8.81	(7.90 - 9.82)	41.26	(39.52 - 43.02)	26.53	(25.06 - 28.05)	28.67	(27.40 - 29.99)
Region I (Cook)	7.46	(6.23 - 8.92)	37.92	(35.34 - 40.57)	25.47	(23.27 - 27.80)	27.29	(25.36 - 29.30)
Region II	7.80	(6.49 - 9.36)	41.92	(39.04 - 44.86)	23.75	(21.46 - 26.22)	26.27	(24.20 - 28.44)
Region III	10.85	(8.71 - 13.43)	43.35	(39.49 - 47.29)	30.60	(27.19 - 34.24)	32.78	(29.78 - 35.93)
Region IV	13.50	(10.53 - 17.15)	45.47	(40.48 - 50.55)	30.55	(26.72 - 34.65)	32.61	(29.09 - 36.33)
Region V	13.01	(10.54 - 15.96)	47.68	(43.00 - 52.39)	32.30	(28.71 - 36.12)	34.49	(31.20 - 37.95)
Indiana	10.68	(9.00 - 12.63)	45.76	(42.61 - 48.94)	32.02	(29.09 - 35.10)	34.09	(31.45 - 36.83)
Central	8.85	(6.55 - 11.85)	44.22	(38.47 - 50.14)	30.58	(26.16 - 35.38)	32.46	(28.32 - 36.90)
East	13.30	(9.61 - 18.14)	49.93	(43.43 - 56.42)	35.09	(29.95 - 40.59)	37.52	(32.81 - 42.47)
North Central	11.73	(8.69 - 15.64)	46.17	(40.33 - 52.13)	34.63	(29.54 - 40.09)	36.27	(31.57 - 41.25)
Northeast	9.98	(7.16 - 13.75)	44.23	(37.73 - 50.95)	30.21	(25.46 - 35.42)	32.22	(27.74 - 37.06)
Northwest	10.01	(7.35 - 13.49)	47.16	(40.68 - 53.73)	29.36	(24.80 - 34.38)	31.81	(27.49 - 36.46)
Southeast	12.36	(8.98 - 16.76)	51.65	(45.31 - 57.93)	34.21	(29.06 - 39.76)	36.38	(31.57 - 41.47)
Southwest	11.34	(8.19 - 15.49)	*	(* - *)	32.37	(26.98 - 38.26)	34.63	(29.53 - 40.11)
West	11.36	(8.31 - 15.33)	41.20	(35.30 - 47.36)	31.62	(26.71 - 36.98)	33.82	(29.38 - 38.56)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	11.64	(9.87 - 13.68)	45.01	(41.77 - 48.28)	26.49	(23.91 - 29.25)	29.26	(26.92 - 31.71)
Central	10.46	(7.72 - 14.03)	44.42	(38.28 - 50.73)	26.55	(22.37 - 31.19)	29.03	(25.10 - 33.30)
North Central	12.08	(8.71 - 16.53)	*	(* - *)	27.73	(22.72 - 33.38)	31.49	(26.75 - 36.66)
Northeast	11.28	(8.60 - 14.66)	43.93	(38.89 - 49.10)	25.95	(22.03 - 30.29)	28.67	(25.08 - 32.54)
Northwest	11.33	(8.39 - 15.12)	42.47	(36.39 - 48.79)	23.46	(19.39 - 28.08)	25.96	(22.08 - 30.26)
Southeast	11.86	(9.01 - 15.44)	44.87	(38.98 - 50.91)	27.90	(23.72 - 32.49)	30.62	(26.72 - 34.82)
Southwest	14.16	(10.39 - 19.00)	49.80	(43.21 - 56.39)	28.16	(23.44 - 33.41)	30.76	(26.28 - 35.64)
Kansas	10.98	(9.31 - 12.92)	43.99	(40.80 - 47.23)	29.24	(26.48 - 32.16)	31.50	(29.04 - 34.08)
Kansas City Metro	9.47	(7.27 - 12.24)	41.71	(36.74 - 46.86)	27.30	(23.62 - 31.32)	29.43	(26.04 - 33.07)
Northeast	11.20	(8.28 - 14.99)	43.47	(37.60 - 49.52)	29.34	(24.74 - 34.41)	31.83	(27.63 - 36.35)
South Central	11.60	(8.56 - 15.54)	47.69	(41.08 - 54.38)	28.97	(24.26 - 34.19)	31.67	(27.23 - 36.48)
Southeast	14.73	(10.57 - 20.17)	*	(* - *)	31.80	(26.43 - 37.71)	34.62	(29.54 - 40.08)
West	13.77	(10.16 - 18.40)	46.74	(40.32 - 53.28)	29.90	(24.96 - 35.35)	32.37	(27.76 - 37.35)
Wichita (Sedgwick)	10.13	(7.38 - 13.75)	42.22	(36.42 - 48.25)	31.68	(27.10 - 36.65)	33.25	(29.01 - 37.79)
Kentucky	14.31	(12.27 - 16.63)	51.62	(48.42 - 54.81)	37.91	(34.86 - 41.06)	39.83	(37.08 - 42.66)
Adanta, Cumberland River, and Lifeskills	15.41	(11.78 - 19.91)	50.79	(44.76 - 56.80)	39.33	(34.04 - 44.89)	40.97	(36.11 - 46.02)
Bluegrass, Comprehend, and North Key	12.13	(9.32 - 15.64)	49.57	(44.63 - 54.53)	35.08	(30.67 - 39.76)	37.29	(33.31 - 41.44)
Communicare and River Valley	15.18	(11.13 - 20.36)	53.47	(46.95 - 59.87)	39.22	(33.67 - 45.07)	41.13	(35.97 - 46.49)
Four Rivers and Pennyroyal	14.38	(10.60 - 19.20)	*	(* - *)	38.02	(32.57 - 43.80)	39.73	(34.63 - 45.07)
Kentucky River, Mountain, and Pathways	18.94	(14.20 - 24.80)	*	(* - *)	43.84	(37.86 - 50.00)	45.30	(39.70 - 51.02)
Seven Counties	13.59	(10.53 - 17.36)	53.62	(47.65 - 59.49)	36.73	(31.96 - 41.76)	38.93	(34.52 - 43.54)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	10.97	(9.37 - 12.81)	41.07	(38.23 - 43.96)	33.03	(30.16 - 36.03)	34.29	(31.74 - 36.92)
Regions 1 and 10	7.97	(6.10 - 10.34)	35.65	(30.89 - 40.71)	28.49	(24.60 - 32.73)	29.60	(25.99 - 33.47)
Region 1	6.98	(5.02 - 9.63)	37.09	(30.93 - 43.71)	29.43	(24.40 - 35.02)	30.78	(26.15 - 35.83)
Region 10 (Jefferson)	8.91	(6.28 - 12.48)	33.70	(27.66 - 40.32)	27.60	(22.96 - 32.79)	28.42	(24.01 - 33.28)
Regions 2 and 9	9.47	(7.27 - 12.25)	41.09	(36.67 - 45.66)	31.03	(26.70 - 35.73)	32.66	(28.77 - 36.80)
Region 3	11.40	(8.42 - 15.26)	42.62	(36.42 - 49.05)	36.46	(30.89 - 42.41)	37.37	(32.22 - 42.82)
Regions 4, 5, and 6	13.59	(10.51 - 17.39)	42.71	(37.59 - 47.99)	36.30	(31.71 - 41.16)	37.28	(33.10 - 41.67)
Regions 7 and 8	11.75	(8.94 - 15.29)	43.47	(38.04 - 49.06)	34.31	(29.82 - 39.09)	35.76	(31.68 - 40.05)
Maine	10.16	(8.46 - 12.15)	44.48	(41.34 - 47.66)	27.44	(24.68 - 30.37)	29.56	(27.05 - 32.19)
Aroostook/Downeast	10.57	(7.99 - 13.84)	46.50	(41.26 - 51.82)	29.00	(24.87 - 33.51)	30.98	(27.08 - 35.17)
Aroostook	10.49	(7.29 - 14.87)	*	(* - *)	29.06	(23.80 - 34.94)	30.90	(25.89 - 36.39)
Downeast	10.63	(7.50 - 14.87)	*	(* - *)	28.95	(23.92 - 34.56)	31.05	(26.25 - 36.29)
Central	9.74	(7.02 - 13.37)	44.94	(38.47 - 51.59)	27.74	(23.21 - 32.78)	29.78	(25.50 - 34.45)
Cumberland	8.42	(6.10 - 11.52)	40.56	(34.69 - 46.72)	24.03	(20.04 - 28.53)	26.15	(22.37 - 30.32)
Midcoast	10.41	(7.33 - 14.57)	*	(* - *)	27.82	(22.88 - 33.38)	29.77	(25.03 - 34.99)
Penquis	10.81	(7.94 - 14.54)	45.87	(39.89 - 51.97)	29.06	(24.63 - 33.94)	31.79	(27.68 - 36.21)
Western	12.13	(8.96 - 16.23)	45.33	(39.43 - 51.37)	30.10	(25.45 - 35.20)	32.07	(27.74 - 36.74)
York	10.04	(7.27 - 13.71)	44.12	(38.12 - 50.30)	26.48	(22.01 - 31.49)	28.50	(24.28 - 33.14)
Maryland	7.78	(6.43 - 9.39)	35.99	(33.04 - 39.04)	23.43	(20.89 - 26.19)	25.23	(22.91 - 27.69)
Anne Arundel	8.22	(5.70 - 11.71)	38.14	(31.92 - 44.78)	23.37	(19.06 - 28.33)	25.33	(21.21 - 29.96)
Baltimore City	6.72	(4.68 - 9.55)	35.72	(30.23 - 41.62)	30.84	(25.88 - 36.30)	31.71	(27.22 - 36.56)
Baltimore County	7.57	(5.34 - 10.63)	33.36	(27.74 - 39.49)	22.26	(18.11 - 27.04)	23.85	(19.93 - 28.28)
Montgomery	6.13	(4.33 - 8.62)	29.22	(23.82 - 35.27)	16.86	(13.50 - 20.86)	18.31	(15.05 - 22.10)
North Central	6.77	(4.71 - 9.64)	*	(* - *)	19.59	(15.75 - 24.10)	21.37	(17.62 - 25.67)
Northeast	10.27	(7.27 - 14.31)	*	(* - *)	29.38	(23.98 - 35.43)	31.58	(26.43 - 37.22)
Prince George's	6.70	(4.54 - 9.77)	30.56	(24.88 - 36.89)	21.33	(17.24 - 26.09)	22.91	(19.02 - 27.33)
South	10.18	(7.26 - 14.08)	*	(* - *)	27.32	(22.60 - 32.61)	29.90	(25.42 - 34.79)
West	9.85	(7.12 - 13.47)	43.38	(37.11 - 49.86)	26.50	(21.94 - 31.63)	28.76	(24.45 - 33.49)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	10.88	(9.25 - 12.76)	36.20	(33.23 - 39.27)	22.15	(19.70 - 24.80)	24.25	(22.03 - 26.63)
Boston	7.38	(5.19 - 10.40)	30.98	(25.90 - 36.58)	22.71	(18.61 - 27.40)	24.64	(20.87 - 28.84)
Central	11.87	(8.74 - 15.93)	43.81	(37.30 - 50.55)	25.28	(20.96 - 30.14)	27.92	(23.83 - 32.42)
Metrowest	10.29	(7.79 - 13.48)	33.49	(28.02 - 39.44)	17.81	(14.68 - 21.44)	19.87	(16.82 - 23.32)
Northeast	11.12	(8.44 - 14.50)	34.74	(29.59 - 40.27)	20.52	(17.02 - 24.54)	22.39	(19.08 - 26.09)
Southeast	12.68	(9.66 - 16.47)	41.82	(36.18 - 47.68)	25.15	(20.94 - 29.89)	27.26	(23.31 - 31.61)
Western	9.94	(7.20 - 13.57)	36.16	(30.23 - 42.55)	24.42	(20.18 - 29.24)	26.42	(22.44 - 30.84)
Michigan	10.97	(9.99 - 12.04)	44.49	(42.81 - 46.18)	30.82	(29.23 - 32.45)	32.82	(31.45 - 34.23)
Detroit City	7.07	(5.32 - 9.35)	39.72	(35.23 - 44.39)	33.81	(29.41 - 38.51)	34.86	(31.02 - 38.91)
Genesee	11.98	(9.22 - 15.42)	50.49	(44.85 - 56.12)	33.84	(29.61 - 38.35)	36.15	(32.19 - 40.30)
Kalamazoo	9.70	(7.55 - 12.38)	43.02	(37.92 - 48.27)	29.67	(25.52 - 34.18)	31.77	(27.98 - 35.81)
Kent	10.08	(7.76 - 13.00)	46.77	(41.88 - 51.73)	31.54	(27.53 - 35.85)	33.93	(30.28 - 37.79)
Lakeshore	12.25	(9.75 - 15.29)	46.87	(42.07 - 51.73)	31.76	(27.93 - 35.84)	34.04	(30.54 - 37.73)
Macomb	10.68	(8.46 - 13.40)	45.72	(41.03 - 50.49)	31.99	(28.27 - 35.96)	33.72	(30.33 - 37.30)
Mid South	10.30	(8.08 - 13.04)	41.98	(37.66 - 46.43)	33.16	(29.42 - 37.14)	34.72	(31.39 - 38.21)
Northern	15.04	(11.92 - 18.81)	47.70	(43.00 - 52.45)	33.11	(29.25 - 37.21)	35.16	(31.67 - 38.83)
Oakland	8.68	(6.88 - 10.90)	41.98	(37.78 - 46.29)	25.29	(22.24 - 28.60)	27.26	(24.43 - 30.29)
Pathways and Western	13.14	(9.88 - 17.28)	52.92	(46.82 - 58.94)	31.07	(26.62 - 35.90)	34.24	(30.05 - 38.69)
Riverhaven	15.40	(11.93 - 19.65)	54.41	(48.46 - 60.23)	33.28	(28.73 - 38.17)	35.90	(31.62 - 40.40)
Saginaw	11.95	(8.75 - 16.12)	47.61	(41.05 - 54.25)	31.43	(26.48 - 36.85)	33.94	(29.26 - 38.95)
Southeast	12.03	(9.77 - 14.72)	43.48	(39.58 - 47.47)	30.83	(27.42 - 34.46)	32.52	(29.45 - 35.74)
St. Clair	14.23	(10.86 - 18.42)	51.96	(45.95 - 57.91)	32.13	(27.64 - 36.97)	34.56	(30.35 - 39.04)
Washtenaw	9.09	(6.86 - 11.95)	36.05	(31.77 - 40.56)	24.54	(21.02 - 28.44)	26.70	(23.53 - 30.13)
Minnesota	10.29	(8.66 - 12.19)	45.39	(42.20 - 48.62)	25.94	(23.27 - 28.79)	28.69	(26.29 - 31.22)
Regions 1 and 2	12.89	(9.32 - 17.56)	*	(* - *)	26.38	(21.65 - 31.73)	29.73	(25.23 - 34.66)
Regions 3 and 4	11.96	(8.94 - 15.83)	47.91	(41.95 - 53.92)	28.20	(23.63 - 33.27)	31.07	(26.83 - 35.65)
Regions 5 and 6	12.07	(9.18 - 15.70)	49.82	(43.67 - 55.98)	27.27	(22.93 - 32.09)	30.60	(26.55 - 34.97)
Region 7A (Hennepin)	7.29	(5.21 - 10.10)	39.51	(34.12 - 45.16)	24.30	(20.43 - 28.64)	26.42	(22.78 - 30.42)
Region 7B (Ramsey)	11.12	(7.71 - 15.78)	*	(* - *)	27.42	(22.43 - 33.05)	30.62	(25.82 - 35.88)
Region 7C	8.91	(6.72 - 11.71)	42.18	(36.49 - 48.09)	23.88	(20.30 - 27.86)	26.13	(22.74 - 29.84)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	13.71	(11.77 - 15.91)	46.08	(43.05 - 49.13)	36.94	(34.01 - 39.97)	38.35	(35.74-41.02)
Region 1	15.48	(12.10 - 19.60)	49.50	(44.05 - 54.96)	36.64	(32.09 - 41.44)	38.60	(34.47-42.89)
Region 2	10.54	(7.64 - 14.39)	43.45	(37.01 - 50.11)	38.43	(33.19 - 43.96)	39.21	(34.39-44.25)
Region 3	15.34	(11.56 - 20.07)	47.44	(41.52 - 53.44)	39.24	(33.97 - 44.77)	40.65	(35.87-45.61)
Region 4	10.79	(8.11 - 14.23)	41.12	(35.72 - 46.74)	33.89	(29.30 - 38.81)	34.99	(30.81-39.41)
Region 5	12.74	(8.98 - 17.77)	*	(* - *)	36.75	(30.67 - 43.28)	37.71	(32.00-43.78)
Region 6	13.73	(10.24 - 18.18)	46.03	(39.69 - 52.50)	37.66	(32.45 - 43.18)	39.05	(34.22-44.09)
Region 7	16.19	(12.32 - 20.98)	48.67	(42.37 - 55.01)	37.27	(32.05 - 42.81)	38.90	(34.04-43.99)
Missouri	14.14	(12.17 - 16.38)	45.47	(42.25 - 48.71)	32.52	(29.73 - 35.44)	34.41	(31.89-37.02)
Central	17.04	(13.02 - 22.00)	45.75	(39.63 - 52.01)	35.74	(30.66 - 41.16)	37.52	(32.88-42.40)
Eastern	11.71	(9.40 - 14.50)	42.28	(37.84 - 46.85)	29.18	(25.83 - 32.78)	31.01	(27.91-34.29)
Eastern (St. Louis City and County)	9.28	(6.86 - 12.44)	40.76	(35.42 - 46.32)	28.55	(24.54 - 32.93)	30.32	(26.61-34.31)
Eastern (excluding St. Louis)	15.49	(11.68 - 20.27)	45.28	(38.72 - 52.02)	30.27	(25.36 - 35.66)	32.21	(27.58-37.23)
Northwest	12.86	(10.24 - 16.03)	44.53	(39.82 - 49.34)	31.41	(27.60 - 35.48)	33.26	(29.74-36.97)
Northwest (Jackson)	9.88	(7.12 - 13.55)	40.81	(34.87 - 47.03)	31.12	(26.44 - 36.22)	32.48	(28.13-37.15)
Northwest (excluding Jackson)	15.25	(11.54 - 19.87)	47.65	(41.21 - 54.16)	31.65	(26.85 - 36.88)	33.92	(29.43-38.73)
Southeast	17.94	(13.91 - 22.84)	50.77	(44.27 - 57.24)	37.66	(32.22 - 43.44)	39.47	(34.42-44.75)
Southwest	16.57	(12.60 - 21.49)	49.54	(43.04 - 56.06)	35.05	(29.89 - 40.59)	37.14	(32.32-42.24)
Montana	16.03	(13.89 - 18.41)	49.63	(46.55 - 52.71)	30.47	(27.77 - 33.31)	33.16	(30.72-35.70)
Region 1	18.80	(14.29 - 24.33)	*	(* - *)	31.65	(26.72 - 37.02)	34.26	(29.57-39.28)
Region 2	14.35	(10.74 - 18.92)	49.16	(42.85 - 55.49)	30.41	(25.85 - 35.38)	33.13	(28.87-37.68)
Region 3	15.56	(12.25 - 19.57)	47.43	(41.78 - 53.15)	29.74	(25.66 - 34.18)	31.95	(28.13-36.03)
Region 4	17.83	(13.93 - 22.54)	50.37	(45.08 - 55.65)	30.78	(26.58 - 35.33)	33.81	(29.96-37.89)
Region 5	14.91	(11.94 - 18.47)	49.47	(44.72 - 54.23)	30.42	(26.48 - 34.68)	33.13	(29.52-36.96)
Nebraska	10.76	(9.11 - 12.67)	41.00	(37.98 - 44.09)	26.72	(24.08 - 29.53)	28.86	(26.53-31.31)
Regions 1 and 2	12.93	(9.92 - 16.69)	46.68	(40.88 - 52.58)	27.40	(23.46 - 31.72)	29.83	(26.07-33.87)
Region 1	12.93	(9.16 - 17.96)	*	(* - *)	26.96	(22.14 - 32.40)	29.54	(24.87-34.67)
Region 2	12.93	(9.23 - 17.82)	*	(* - *)	27.78	(22.81 - 33.35)	30.08	(25.29-35.34)
Region 3	12.10	(9.01 - 16.06)	42.74	(36.68 - 49.04)	26.23	(21.84 - 31.15)	28.59	(24.50-33.06)
Region 4	12.52	(9.15 - 16.90)	44.85	(38.20 - 51.70)	27.06	(22.32 - 32.39)	29.41	(24.92-34.33)
Region 5	10.63	(7.99 - 14.00)	38.36	(33.44 - 43.52)	26.04	(22.08 - 30.44)	28.18	(24.63-32.02)
Region 6	9.46	(7.27 - 12.22)	40.26	(35.72 - 44.96)	26.99	(23.42 - 30.89)	28.97	(25.71-32.47)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	8.82	(7.05 - 10.98)	39.92	(36.19 - 43.76)	27.88	(24.83 - 31.15)	29.56	(26.78 - 32.50)
Clark – Region 1	7.54	(5.66 - 10.00)	37.34	(32.89 - 42.03)	27.72	(24.21 - 31.51)	29.05	(25.86 - 32.47)
Region 3	12.18	(9.20 - 15.95)	49.70	(43.79 - 55.62)	29.75	(25.17 - 34.77)	32.17	(27.80 - 36.87)
Capital District	11.76	(8.19 - 16.60)	*	(* - *)	26.73	(21.75 - 32.37)	29.21	(24.39 - 34.54)
Rural/Frontier	12.51	(8.79 - 17.52)	*	(* - *)	32.56	(26.59 - 39.14)	34.88	(29.20 - 41.01)
Washoe – Region 2	12.12	(8.89 - 16.32)	44.43	(39.01 - 49.98)	27.13	(22.77 - 31.99)	29.80	(25.75 - 34.20)
New Hampshire	13.08	(11.09 - 15.36)	44.52	(41.52 - 47.56)	25.76	(23.16 - 28.54)	28.28	(25.94 - 30.76)
Central	13.60	(10.69 - 17.15)	43.84	(39.59 - 48.18)	27.39	(23.85 - 31.24)	29.78	(26.53 - 33.24)
Central 1	14.42	(10.48 - 19.51)	42.70	(37.27 - 48.33)	28.19	(23.58 - 33.32)	30.60	(26.40 - 35.15)
Central 2	12.88	(9.54 - 17.17)	45.32	(39.20 - 51.59)	26.64	(22.24 - 31.56)	28.97	(24.82 - 33.51)
Northern	15.77	(11.68 - 20.94)	46.49	(40.39 - 52.69)	28.13	(23.34 - 33.48)	30.65	(26.20 - 35.49)
Southern	12.38	(10.19 - 14.96)	44.42	(40.56 - 48.36)	24.43	(21.45 - 27.68)	27.01	(24.26 - 29.94)
Southern 1 (Rockingham)	12.23	(9.34 - 15.86)	45.45	(39.88 - 51.13)	23.71	(19.82 - 28.09)	26.18	(22.50 - 30.22)
Southern 2	12.48	(9.76 - 15.83)	43.91	(39.13 - 48.80)	24.89	(21.30 - 28.87)	27.52	(24.21 - 31.10)
New Jersey	9.07	(7.48 - 10.96)	38.39	(35.29 - 41.59)	24.22	(21.63 - 27.01)	26.08	(23.70 - 28.60)
Central	11.26	(8.45 - 14.86)	42.54	(36.68 - 48.62)	24.58	(20.59 - 29.06)	26.78	(23.03 - 30.91)
Metropolitan	6.79	(4.89 - 9.34)	34.46	(29.64 - 39.63)	22.97	(19.39 - 26.98)	24.59	(21.26 - 28.25)
Northern	8.27	(6.08 - 11.15)	34.00	(29.26 - 39.08)	22.25	(18.51 - 26.50)	23.75	(20.27 - 27.62)
Southern	10.37	(7.69 - 13.84)	45.28	(39.59 - 51.11)	28.27	(23.87 - 33.13)	30.56	(26.47 - 35.00)
New Mexico	12.30	(10.31 - 14.60)	42.81	(39.57 - 46.11)	24.41	(21.73 - 27.30)	27.13	(24.70 - 29.70)
Region 1	13.10	(9.98 - 17.00)	41.94	(36.58 - 47.49)	24.40	(20.52 - 28.75)	26.97	(23.37 - 30.91)
Region 2	11.20	(8.09 - 15.29)	37.94	(31.56 - 44.77)	20.49	(16.59 - 25.05)	22.51	(18.74 - 26.78)
Region 3 (Bernalillo)	13.82	(10.40 - 18.13)	46.17	(41.08 - 51.34)	24.38	(20.66 - 28.52)	27.63	(24.17 - 31.38)
Region 4	12.42	(9.13 - 16.68)	46.41	(40.23 - 52.70)	30.30	(25.44 - 35.65)	32.87	(28.39 - 37.69)
Region 5	9.66	(7.21 - 12.84)	38.85	(33.35 - 44.66)	23.84	(19.84 - 28.36)	26.30	(22.57 - 30.40)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	8.39	(7.51 - 9.36)	34.97	(33.28 - 36.69)	23.92	(22.38 - 25.54)	25.58	(24.23 - 26.98)
Region A	6.17	(5.16 - 7.37)	28.21	(26.03 - 30.49)	22.22	(20.26 - 24.31)	23.14	(21.40 - 24.97)
Region 1	4.94	(3.59 - 6.77)	26.50	(22.26 - 31.23)	22.85	(19.38 - 26.73)	23.49	(20.34 - 26.97)
Region 2	6.61	(5.05 - 8.61)	29.33	(25.98 - 32.92)	24.33	(21.16 - 27.80)	25.10	(22.28 - 28.16)
Region 3	5.66	(4.06 - 7.85)	28.32	(24.01 - 33.07)	20.22	(17.11 - 23.74)	21.44	(18.52 - 24.69)
Region 4	6.75	(5.04 - 9.00)	27.74	(23.67 - 32.22)	20.71	(17.63 - 24.16)	21.69	(18.80 - 24.88)
Region B	8.30	(7.04 - 9.75)	36.81	(33.94 - 39.77)	21.81	(19.68 - 24.11)	23.84	(21.89 - 25.91)
Region 5	8.26	(6.57 - 10.33)	36.79	(32.91 - 40.84)	21.90	(19.07 - 25.01)	23.87	(21.26 - 26.69)
Region 6	6.95	(5.17 - 9.28)	30.55	(25.83 - 35.72)	18.98	(15.82 - 22.60)	20.48	(17.46 - 23.88)
Region 7	10.63	(8.15 - 13.76)	45.10	(39.41 - 50.93)	26.12	(22.18 - 30.48)	29.05	(25.37 - 33.02)
Region C	10.50	(9.13 - 12.05)	41.02	(38.41 - 43.68)	26.81	(24.67 - 29.07)	29.06	(27.14 - 31.05)
Region 8	10.44	(8.12 - 13.33)	39.95	(34.68 - 45.46)	26.56	(22.92 - 30.55)	28.56	(25.16 - 32.22)
Region 9	11.47	(8.89 - 14.68)	43.29	(38.32 - 48.39)	28.12	(24.17 - 32.43)	30.55	(26.95 - 34.40)
Region 10	11.85	(8.71 - 15.93)	36.88	(31.66 - 42.42)	28.17	(23.71 - 33.10)	29.87	(25.81 - 34.26)
Region 11	10.38	(7.89 - 13.53)	39.19	(34.10 - 44.51)	25.61	(21.93 - 29.66)	27.75	(24.32 - 31.46)
Region 12	9.35	(7.08 - 12.24)	43.87	(38.64 - 49.24)	26.56	(22.89 - 30.58)	29.14	(25.72 - 32.80)
Region D	12.88	(10.72 - 15.40)	46.89	(43.00 - 50.82)	31.19	(28.09 - 34.46)	33.60	(30.78 - 36.54)
Region 13	13.41	(10.07 - 17.63)	46.68	(40.49 - 52.98)	30.97	(26.16 - 36.22)	33.32	(28.85 - 38.10)
Region 14	12.88	(9.54 - 17.17)	47.18	(40.84 - 53.62)	32.26	(27.30 - 37.67)	34.70	(30.12 - 39.58)
Region 15	12.45	(9.33 - 16.42)	46.76	(40.90 - 52.72)	30.33	(26.13 - 34.89)	32.77	(28.86 - 36.93)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	9.98	(8.41 - 11.81)	40.90	(37.91 - 43.95)	28.56	(25.79 - 31.51)	30.31	(27.81 - 32.94)
Alliance	7.72	(5.58 - 10.59)	31.61	(26.37 - 37.36)	22.93	(19.20 - 27.14)	24.24	(20.74 - 28.12)
Cardinal Innovations	9.89	(7.18 - 13.48)	41.45	(35.58 - 47.57)	29.29	(24.57 - 34.50)	30.93	(26.56 - 35.67)
CenterPoint/Guilford	8.90	(6.65 - 11.82)	40.20	(34.73 - 45.94)	27.57	(23.31 - 32.27)	29.40	(25.39 - 33.76)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	31.21	(25.98 - 36.97)
Guilford	*	(* - *)	*	(* - *)	25.47	(20.58 - 31.06)	27.44	(22.76 - 32.67)
CoastalCare	10.84	(7.48 - 15.45)	*	(* - *)	27.92	(22.69 - 33.83)	30.62	(25.59 - 36.15)
Eastpointe	9.59	(6.99 - 13.03)	*	(* - *)	32.95	(27.65 - 38.73)	34.38	(29.41 - 39.72)
ECBH	9.90	(6.96 - 13.90)	*	(* - *)	*	(* - *)	31.74	(26.70 - 37.24)
MeckLINK	9.14	(6.39 - 12.92)	*	(* - *)	26.27	(21.57 - 31.58)	27.86	(23.37 - 32.83)
Partners	12.30	(9.12 - 16.38)	48.63	(41.89 - 55.42)	33.16	(28.09 - 38.66)	35.06	(30.30 - 40.14)
Sandhills	11.06	(7.85 - 15.37)	*	(* - *)	30.78	(25.58 - 36.51)	32.50	(27.55 - 37.86)
Smoky Mountain	*	(* - *)	*	(* - *)	*	(* - *)	33.61	(28.15 - 39.54)
Western Highlands	*	(* - *)	*	(* - *)	29.29	(24.14 - 35.04)	31.41	(26.44 - 36.84)
North Dakota	11.60	(9.87 - 13.60)	44.79	(41.75 - 47.87)	27.45	(24.77 - 30.30)	30.46	(28.10 - 32.93)
Badlands and West Central	13.38	(10.35 - 17.13)	48.03	(42.29 - 53.81)	28.40	(24.24 - 32.96)	31.06	(27.19 - 35.21)
Lake Region and South Central	12.91	(9.74 - 16.92)	49.14	(42.67 - 55.64)	27.51	(22.97 - 32.56)	30.22	(25.93 - 34.89)
North Central and Northwest	12.13	(9.25 - 15.73)	50.15	(44.01 - 56.29)	30.74	(26.14 - 35.75)	33.91	(29.64 - 38.46)
Northeast	10.43	(7.57 - 14.20)	43.78	(38.40 - 49.31)	28.21	(23.56 - 33.39)	31.97	(27.89 - 36.35)
Southeast	9.08	(6.80 - 12.03)	39.26	(34.54 - 44.19)	23.71	(20.22 - 27.59)	26.97	(23.80 - 30.40)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Ohio	11.99	(11.00 - 13.06)	46.57	(44.88 - 48.27)	31.81	(30.26 - 33.41)	33.91	(32.55 - 35.29)
Boards 2, 46, 55, and 68	13.68	(10.66 - 17.38)	49.45	(43.71 - 55.20)	34.11	(29.60 - 38.92)	36.19	(32.00 - 40.60)
Boards 3, 52, and 85	11.50	(8.66 - 15.12)	44.37	(38.29 - 50.61)	28.56	(24.34 - 33.20)	30.69	(26.71 - 34.98)
Boards 4 and 78	13.98	(10.33 - 18.64)	51.24	(44.73 - 57.71)	36.19	(31.09 - 41.63)	38.02	(33.20 - 43.08)
Boards 5 and 60	15.54	(12.00 - 19.88)	46.68	(41.18 - 52.27)	37.35	(32.35 - 42.64)	39.03	(34.56 - 43.70)
Boards 7, 15, 41, 79, and 84	15.35	(11.82 - 19.71)	44.67	(39.75 - 49.70)	32.43	(28.15 - 37.02)	33.91	(29.97 - 38.09)
Boards 8, 13, and 83	11.87	(9.21 - 15.18)	47.73	(42.19 - 53.32)	29.59	(25.68 - 33.84)	31.79	(28.09 - 35.73)
Board 9 (Butler)	12.54	(9.33 - 16.64)	48.65	(42.98 - 54.36)	32.10	(27.54 - 37.03)	34.78	(30.54 - 39.29)
Board 12	14.10	(10.72 - 18.32)	49.05	(43.08 - 55.04)	31.78	(27.28 - 36.66)	34.57	(30.38 - 39.02)
Boards 18 and 47	12.13	(10.00 - 14.65)	45.97	(42.03 - 49.97)	32.06	(28.94 - 35.34)	33.90	(31.10 - 36.82)
Boards 20, 32, 54, and 69	10.76	(8.06 - 14.22)	42.79	(36.89 - 48.90)	28.77	(24.46 - 33.50)	30.61	(26.54 - 35.01)
Boards 21, 39, 51, 70, and 80	11.83	(9.16 - 15.16)	48.26	(42.34 - 54.22)	32.24	(28.10 - 36.67)	34.17	(30.28 - 38.28)
Boards 22, 74, and 87	11.91	(9.00 - 15.60)	47.32	(41.57 - 53.15)	29.23	(25.09 - 33.74)	32.04	(28.19 - 36.14)
Boards 23 and 45	12.85	(9.90 - 16.53)	47.56	(41.41 - 53.79)	32.16	(27.87 - 36.78)	34.30	(30.21 - 38.63)
Board 25 (Franklin)	8.98	(6.99 - 11.46)	44.26	(39.90 - 48.71)	29.97	(26.34 - 33.89)	32.41	(29.13 - 35.87)
Boards 27, 71, and 73	14.84	(11.53 - 18.91)	52.26	(46.82 - 57.65)	39.92	(34.98 - 45.07)	41.50	(36.95 - 46.19)
Boards 28, 43, and 67	14.86	(11.65 - 18.75)	48.32	(42.90 - 53.78)	28.42	(24.58 - 32.60)	31.32	(27.75 - 35.13)
Board 31 (Hamilton)	8.51	(6.55 - 11.00)	41.73	(37.00 - 46.61)	30.69	(26.88 - 34.79)	32.37	(28.89 - 36.05)
Board 48 (Lucas)	10.99	(8.25 - 14.50)	45.86	(40.12 - 51.72)	33.59	(28.89 - 38.64)	35.53	(31.22 - 40.10)
Boards 50 and 76	11.74	(9.23 - 14.83)	49.09	(44.00 - 54.20)	30.45	(26.60 - 34.60)	32.85	(29.27 - 36.64)
Board 57 (Montgomery)	10.11	(7.68 - 13.20)	45.18	(39.67 - 50.81)	30.85	(26.69 - 35.35)	32.86	(29.03 - 36.93)
Board 77 (Summit)	11.68	(8.93 - 15.14)	48.05	(42.67 - 53.48)	31.79	(27.78 - 36.08)	33.98	(30.24 - 37.93)
Oklahoma	12.98	(11.07 - 15.16)	48.51	(45.19 - 51.84)	36.10	(32.95 - 39.37)	37.99	(35.18 - 40.88)
Central	12.14	(8.81 - 16.52)	45.41	(38.97 - 52.00)	33.44	(28.20 - 39.11)	35.46	(30.60 - 40.64)
East Central	13.98	(10.20 - 18.85)	*	(* - *)	37.79	(31.98 - 43.97)	39.67	(34.25 - 45.35)
Northeast	13.89	(10.48 - 18.18)	47.54	(41.49 - 53.66)	33.66	(28.84 - 38.85)	35.93	(31.52 - 40.60)
Northwest and Southwest	16.66	(12.54 - 21.80)	*	(* - *)	39.20	(33.77 - 44.92)	41.18	(36.13 - 46.42)
Oklahoma County	10.97	(8.13 - 14.64)	46.99	(41.10 - 52.95)	34.61	(29.90 - 39.65)	36.52	(32.20 - 41.06)
Southeast	14.57	(11.02 - 19.03)	55.92	(49.31 - 62.32)	41.21	(35.51 - 47.17)	43.25	(37.99 - 48.66)
Tulsa County	9.80	(7.13 - 13.31)	42.88	(36.63 - 49.37)	33.33	(28.35 - 38.70)	34.73	(30.11 - 39.66)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	9.47	(7.90 - 11.30)	39.25	(36.25 - 42.34)	26.21	(23.58 - 29.02)	28.01	(25.63 - 30.52)
Region 1 (Multnomah)	9.42	(6.92 - 12.70)	41.08	(35.49 - 46.91)	28.63	(24.38 - 33.28)	30.30	(26.34 - 34.59)
Region 2	8.32	(6.17 - 11.14)	37.43	(32.15 - 43.04)	23.77	(20.03 - 27.97)	25.51	(22.01 - 29.35)
Region 3	9.35	(7.19 - 12.08)	36.46	(32.28 - 40.86)	25.50	(21.90 - 29.48)	27.28	(24.04 - 30.78)
Region 4	11.46	(8.44 - 15.38)	45.88	(39.33 - 52.58)	27.74	(23.09 - 32.93)	29.90	(25.50 - 34.72)
Region 5 (Central)	11.10	(7.80 - 15.54)	*	(* - *)	25.95	(21.23 - 31.30)	28.09	(23.53 - 33.16)
Region 6 (Eastern)	9.24	(6.36 - 13.26)	*	(* - *)	*	(* - *)	29.19	(24.04 - 34.94)
Pennsylvania	11.59	(10.53 - 12.75)	43.97	(42.18 - 45.77)	30.11	(28.52 - 31.75)	32.10	(30.72 - 33.51)
Region 1 (Allegheny)	11.59	(9.09 - 14.67)	46.53	(42.03 - 51.08)	31.37	(27.51 - 35.51)	33.47	(29.97 - 37.16)
Regions 3, 8, 9, and 51	14.54	(11.27 - 18.56)	49.03	(43.53 - 54.56)	30.98	(26.78 - 35.53)	33.58	(29.68 - 37.71)
Regions 4, 11, 37, and 49	14.39	(11.25 - 18.23)	49.33	(43.90 - 54.78)	33.63	(29.29 - 38.26)	35.75	(31.73 - 39.98)
Regions 5, 18, 23, 24, and 46	15.13	(11.80 - 19.19)	48.86	(43.25 - 54.50)	33.78	(29.86 - 37.94)	35.79	(32.13 - 39.61)
Regions 6, 12, 16, 31, 35, 45, and 47	13.14	(10.09 - 16.94)	41.51	(36.86 - 46.32)	30.64	(26.61 - 35.00)	32.78	(29.19 - 36.58)
Regions 7, 13, 20, and 33	8.63	(6.91 - 10.73)	41.23	(37.50 - 45.06)	23.72	(21.03 - 26.64)	25.99	(23.52 - 28.62)
Regions 10, 15, 27, 32, 43, and 44	18.16	(14.40 - 22.64)	54.66	(48.74 - 60.46)	37.90	(33.21 - 42.82)	39.94	(35.58 - 44.47)
Regions 17 and 21	15.38	(11.80 - 19.80)	48.26	(41.89 - 54.69)	33.34	(28.63 - 38.40)	35.70	(31.34 - 40.31)
Regions 19, 26, 28, and 42	10.17	(8.07 - 12.73)	41.40	(36.80 - 46.16)	27.89	(24.55 - 31.50)	29.70	(26.60 - 33.00)
Regions 22, 38, 40, 41, and 48	14.32	(11.29 - 17.99)	53.82	(48.55 - 59.01)	33.68	(29.54 - 38.08)	36.03	(32.18 - 40.08)
Regions 29 and 34	11.29	(8.45 - 14.94)	44.97	(38.80 - 51.30)	30.80	(26.39 - 35.59)	32.74	(28.57 - 37.19)
Regions 30 and 50	12.23	(9.39 - 15.78)	43.75	(37.84 - 49.83)	30.42	(26.31 - 34.87)	32.20	(28.37 - 36.29)
Region 36 (Philadelphia)	7.92	(6.10 - 10.21)	35.75	(31.97 - 39.73)	31.14	(27.62 - 34.88)	32.00	(28.96 - 35.20)
Rhode Island	10.01	(8.33 - 12.00)	41.63	(38.54 - 44.78)	27.78	(24.98 - 30.77)	30.02	(27.55 - 32.61)
Bristol and Newport	10.89	(7.90 - 14.83)	*	(* - *)	24.82	(20.19 - 30.10)	28.31	(23.87 - 33.21)
Kent	10.96	(8.08 - 14.69)	46.53	(40.49 - 52.67)	28.31	(23.77 - 33.35)	30.46	(26.15 - 35.16)
Providence	9.38	(7.34 - 11.91)	39.05	(35.16 - 43.09)	28.85	(25.35 - 32.63)	30.60	(27.54 - 33.85)
Washington	10.92	(7.94 - 14.85)	43.68	(37.58 - 49.98)	25.06	(20.40 - 30.38)	28.43	(24.13 - 33.16)
South Carolina	12.12	(10.33 - 14.18)	44.08	(41.15 - 47.05)	32.33	(29.45 - 35.36)	34.05	(31.47 - 36.72)
Region 1	14.76	(11.49 - 18.76)	44.00	(39.07 - 49.06)	32.67	(28.14 - 37.54)	34.30	(30.18 - 38.67)
Region 2	12.02	(9.42 - 15.21)	44.31	(39.59 - 49.13)	32.52	(28.36 - 36.98)	34.32	(30.57 - 38.28)
Region 3	11.37	(8.44 - 15.14)	46.05	(39.86 - 52.37)	35.21	(30.15 - 40.63)	36.67	(31.98 - 41.63)
Region 4	9.97	(7.58 - 13.01)	42.71	(37.58 - 48.00)	29.89	(25.78 - 34.35)	31.79	(28.00 - 35.83)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	12.33	(10.48 - 14.46)	47.50	(44.07 - 50.95)	30.79	(27.95 - 33.79)	33.27	(30.68 - 35.96)
Region 1	15.67	(12.20 - 19.91)	53.14	(47.22 - 58.96)	35.14	(30.20 - 40.43)	37.72	(33.14 - 42.52)
Region 2	14.91	(10.87 - 20.12)	*	(* - *)	32.34	(27.00 - 38.19)	34.88	(29.82 - 40.31)
Region 3	10.56	(7.88 - 14.00)	41.49	(35.68 - 47.55)	26.80	(22.70 - 31.34)	29.30	(25.50 - 33.41)
Region 4	12.91	(9.46 - 17.38)	*	(* - *)	30.61	(25.75 - 35.95)	33.82	(29.18 - 38.80)
Region 5	9.76	(7.41 - 12.75)	44.86	(39.65 - 50.18)	29.81	(25.88 - 34.07)	31.93	(28.32 - 35.77)
Tennessee	11.70	(9.97 - 13.70)	44.89	(41.73 - 48.09)	34.37	(31.50 - 37.37)	35.86	(33.26 - 38.53)
Region 1	14.08	(10.28 - 18.97)	*	(* - *)	36.72	(31.18 - 42.64)	38.34	(33.19 - 43.78)
Region 2	12.96	(9.72 - 17.07)	47.98	(41.69 - 54.33)	36.31	(31.52 - 41.39)	37.87	(33.39 - 42.56)
Region 3	13.88	(10.43 - 18.24)	47.75	(41.87 - 53.69)	34.59	(29.57 - 39.97)	36.38	(31.73 - 41.29)
Region 4 (Davidson)	7.85	(5.58 - 10.93)	42.90	(36.49 - 49.55)	33.06	(28.08 - 38.45)	34.62	(29.97 - 39.58)
Region 5	13.13	(10.03 - 16.99)	47.16	(41.62 - 52.77)	34.65	(30.00 - 39.60)	36.39	(32.12 - 40.88)
Region 6	12.16	(9.10 - 16.08)	*	(* - *)	36.23	(31.09 - 41.71)	37.61	(32.78 - 42.69)
Region 7 (Shelby)	6.73	(4.67 - 9.62)	33.83	(28.10 - 40.08)	29.19	(24.59 - 34.25)	29.91	(25.65 - 34.56)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	8.45	(7.59 - 9.40)	36.61	(34.93 - 38.32)	25.16	(23.63 - 26.75)	26.97	(25.65 - 28.34)
Region 1	11.92	(8.91 - 15.78)	44.66	(38.83 - 50.64)	28.94	(24.62 - 33.68)	31.79	(27.78 - 36.09)
Region 2	10.00	(7.22 - 13.68)	41.70	(35.31 - 48.38)	28.83	(24.30 - 33.84)	30.91	(26.60 - 35.58)
Region 3	8.23	(6.95 - 9.72)	36.34	(33.59 - 39.19)	24.66	(22.42 - 27.05)	26.38	(24.38 - 28.49)
Region 3a	8.35	(6.70 - 10.36)	34.01	(30.51 - 37.69)	23.34	(20.59 - 26.32)	24.91	(22.44 - 27.55)
Region 3bc	8.02	(6.36 - 10.07)	40.40	(36.47 - 44.46)	26.97	(23.64 - 30.58)	28.95	(25.96 - 32.13)
Region 4	10.39	(7.79 - 13.72)	48.88	(43.09 - 54.69)	33.08	(28.53 - 37.97)	35.24	(30.98 - 39.75)
Region 5	11.20	(8.44 - 14.72)	42.06	(36.57 - 47.75)	32.92	(28.19 - 38.03)	34.28	(29.98 - 38.86)
Region 6	7.88	(6.41 - 9.65)	32.28	(29.18 - 35.54)	25.31	(22.78 - 28.02)	26.37	(24.11 - 28.76)
Region 6a	7.73	(6.17 - 9.65)	31.51	(28.19 - 35.03)	25.00	(22.31 - 27.90)	26.01	(23.60 - 28.56)
Region 6bc	9.18	(6.68 - 12.50)	39.68	(33.74 - 45.95)	27.80	(23.25 - 32.85)	29.40	(25.09 - 34.11)
Region 7	8.22	(6.59 - 10.21)	40.15	(36.63 - 43.77)	25.71	(22.99 - 28.63)	28.39	(25.93 - 30.99)
Region 7a	7.93	(5.94 - 10.50)	40.77	(36.03 - 45.69)	24.56	(21.25 - 28.20)	27.29	(24.21 - 30.61)
Region 7bcd	8.71	(6.48 - 11.63)	39.33	(34.47 - 44.42)	27.75	(23.96 - 31.89)	30.24	(26.78 - 33.94)
Region 8	7.93	(6.16 - 10.15)	33.79	(29.35 - 38.55)	20.62	(17.70 - 23.87)	22.68	(19.97 - 25.65)
Region 9	11.98	(8.76 - 16.18)	44.40	(38.25 - 50.72)	29.83	(25.25 - 34.86)	32.22	(27.90 - 36.86)
Region 10	8.67	(6.35 - 11.73)	34.68	(29.40 - 40.36)	20.62	(17.28 - 24.42)	23.12	(19.92 - 26.66)
Region 11	7.47	(5.90 - 9.42)	32.71	(28.80 - 36.88)	21.57	(18.73 - 24.72)	23.51	(20.86 - 26.38)
Region 11abd	8.02	(5.99 - 10.66)	35.27	(30.13 - 40.77)	23.00	(19.51 - 26.90)	25.05	(21.77 - 28.65)
Region 11c (Hidalgo)	6.61	(4.72 - 9.19)	28.53	(23.41 - 34.27)	18.95	(15.37 - 23.13)	20.71	(17.29 - 24.60)
Utah	6.50	(5.08 - 8.28)	24.13	(21.41 - 27.08)	17.49	(15.20 - 20.06)	18.73	(16.71 - 20.94)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.83	(3.96 - 8.49)	21.94	(17.41 - 27.27)	15.90	(12.54 - 19.96)	17.04	(13.91 - 20.70)
Central, Four Corners, San Juan, and Southwest	7.95	(5.38 - 11.60)	*	(* - *)	18.89	(14.98 - 23.55)	20.57	(16.82 - 24.91)
Davis County	5.77	(3.88 - 8.48)	26.37	(20.85 - 32.75)	16.54	(13.21 - 20.50)	18.18	(14.94 - 21.94)
Salt Lake County	7.19	(5.21 - 9.83)	26.42	(22.40 - 30.89)	18.65	(15.68 - 22.04)	19.95	(17.26 - 22.94)
Utah County	5.03	(3.40 - 7.38)	18.27	(14.42 - 22.86)	14.79	(11.77 - 18.43)	15.68	(12.89 - 18.94)
Weber, Morgan	6.98	(4.73 - 10.17)	*	(* - *)	18.54	(14.78 - 22.99)	20.00	(16.38 - 24.18)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	13.50	(11.51 - 15.78)	46.08	(42.80 - 49.40)	26.08	(23.53 - 28.81)	29.00	(26.67 - 31.44)
Champlain Valley	14.18	(11.26 - 17.70)	43.61	(39.08 - 48.26)	25.29	(21.95 - 28.94)	28.57	(25.54 - 31.80)
Rural Northeast	13.33	(10.05 - 17.47)	49.91	(44.12 - 55.69)	27.92	(23.71 - 32.56)	30.75	(26.83 - 34.98)
Rural Southeast	13.59	(10.31 - 17.71)	48.90	(42.98 - 54.85)	25.70	(21.71 - 30.14)	28.26	(24.46 - 32.39)
Rural Southwest	11.85	(8.82 - 15.73)	45.91	(39.86 - 52.08)	25.76	(21.44 - 30.60)	28.43	(24.35 - 32.90)
Virginia	9.06	(7.58 - 10.79)	38.68	(35.64 - 41.81)	25.55	(22.97 - 28.31)	27.47	(25.14 - 29.92)
Region 1	9.74	(7.18 - 13.08)	42.54	(37.12 - 48.15)	28.12	(23.94 - 32.72)	30.39	(26.58 - 34.48)
Region 2	6.74	(4.93 - 9.15)	30.65	(25.91 - 35.83)	19.36	(16.05 - 23.17)	20.72	(17.59 - 24.25)
Region 3	13.71	(10.29 - 18.04)	46.86	(41.23 - 52.58)	32.33	(27.66 - 37.39)	34.49	(30.21 - 39.04)
Region 4	8.43	(6.17 - 11.41)	38.96	(32.99 - 45.28)	25.71	(21.47 - 30.47)	27.67	(23.66 - 32.08)
Region 5	8.85	(6.55 - 11.86)	37.38	(32.11 - 42.97)	26.25	(22.23 - 30.71)	28.10	(24.40 - 32.13)
Washington	9.95	(8.40 - 11.75)	42.27	(39.29 - 45.30)	25.23	(22.71 - 27.92)	27.66	(25.41 - 30.04)
Region 1	10.86	(8.53 - 13.74)	43.15	(38.16 - 48.29)	26.93	(23.29 - 30.90)	29.61	(26.20 - 33.27)
East 1 (previously Region 1)	10.82	(7.90 - 14.64)	45.03	(38.37 - 51.87)	26.46	(22.04 - 31.40)	29.54	(25.30 - 34.17)
East 2 (previously Region 2)	10.91	(7.86 - 14.94)	40.55	(34.35 - 47.07)	27.57	(22.85 - 32.86)	29.71	(25.29 - 34.54)
Region 2	8.56	(6.76 - 10.78)	40.46	(36.56 - 44.49)	23.35	(20.39 - 26.58)	25.67	(22.96 - 28.59)
North 1 (previously Region 3)	9.92	(7.29 - 13.36)	42.31	(36.88 - 47.93)	24.52	(20.56 - 28.96)	27.06	(23.37 - 31.11)
North 2 (previously Region 4)	7.65	(5.66 - 10.25)	39.32	(34.47 - 44.40)	22.69	(19.20 - 26.61)	24.88	(21.63 - 28.45)
Region 3	11.03	(8.86 - 13.66)	44.11	(39.73 - 48.58)	26.84	(23.43 - 30.56)	29.21	(26.06 - 32.57)
West 1 (previously Region 5)	11.39	(8.62 - 14.90)	44.68	(38.93 - 50.57)	27.35	(23.12 - 32.03)	29.94	(26.02 - 34.19)
West 2 (previously Region 6)	10.71	(7.96 - 14.26)	43.47	(37.74 - 49.39)	26.39	(22.07 - 31.23)	28.53	(24.48 - 32.97)
West Virginia	15.56	(13.41 - 17.97)	50.66	(47.73 - 53.60)	38.64	(35.69 - 41.67)	40.21	(37.57 - 42.92)
Region I	16.36	(12.09 - 21.76)	*	(* - *)	33.05	(27.61 - 38.98)	34.90	(29.77 - 40.41)
Region II	14.33	(10.77 - 18.82)	*	(* - *)	38.94	(33.36 - 44.81)	40.26	(35.06 - 45.69)
Region III	14.39	(10.68 - 19.10)	*	(* - *)	36.94	(31.47 - 42.76)	38.32	(33.15 - 43.77)
Region IV	17.15	(13.30 - 21.84)	52.41	(47.65 - 57.13)	37.98	(33.23 - 42.97)	40.53	(36.38 - 44.83)
Region V	14.84	(11.72 - 18.61)	50.85	(45.95 - 55.73)	39.56	(35.29 - 43.99)	40.91	(36.99 - 44.95)
Region VI	16.36	(12.48 - 21.17)	49.80	(43.67 - 55.94)	40.99	(35.64 - 46.55)	41.99	(37.03 - 47.12)

See notes at end of table.

(continued)

Table 12 Tobacco Product Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	9.76	(8.16 - 11.63)	41.42	(38.34 - 44.57)	26.58	(23.83 - 29.52)	28.70	(26.21-31.33)
Milwaukee	8.29	(5.90 - 11.53)	40.69	(34.67 - 47.00)	29.86	(24.96 - 35.28)	31.61	(27.07-36.54)
Northeastern	11.00	(8.34 - 14.37)	46.96	(41.47 - 52.52)	27.50	(23.46 - 31.95)	30.07	(26.30-34.14)
Northern	12.39	(8.87 - 17.05)	*	(* - *)	26.69	(21.85 - 32.15)	29.03	(24.40-34.13)
Southeastern	8.88	(6.50 - 12.02)	41.93	(35.60 - 48.53)	24.07	(19.90 - 28.81)	26.35	(22.34-30.80)
Southern	9.35	(6.83 - 12.68)	35.80	(30.55 - 41.40)	25.45	(21.15 - 30.30)	27.02	(23.05-31.39)
Western	9.89	(7.19 - 13.46)	40.35	(34.54 - 46.45)	26.53	(22.10 - 31.50)	28.73	(24.64-33.21)
Wyoming	14.59	(12.59 - 16.84)	48.88	(45.76 - 52.01)	31.56	(28.74 - 34.51)	34.13	(31.59-36.76)
Judicial District 1 (Laramie)	12.78	(9.58 - 16.85)	46.95	(40.76 - 53.23)	30.94	(26.41 - 35.87)	33.20	(28.97-37.73)
Judicial District 2	13.25	(9.61 - 17.99)	41.80	(36.20 - 47.62)	29.49	(24.58 - 34.93)	33.07	(28.76-37.68)
Judicial District 3	11.76	(8.79 - 15.57)	42.92	(37.05 - 48.99)	32.39	(27.62 - 37.57)	33.83	(29.45-38.51)
Judicial District 4	16.36	(11.94 - 22.00)	54.86	(48.22 - 61.34)	29.46	(24.49 - 34.96)	32.34	(27.61-37.47)
Judicial District 5	13.10	(9.41 - 17.95)	*	(* - *)	28.27	(23.34 - 33.79)	30.78	(26.05-35.95)
Judicial District 6	17.44	(13.32 - 22.49)	*	(* - *)	35.52	(30.41 - 40.99)	38.15	(33.34-43.21)
Judicial District 7 (Natrona)	17.30	(13.17 - 22.40)	57.15	(50.88 - 63.20)	35.38	(30.26 - 40.87)	38.48	(33.69-43.50)
Judicial District 8	16.04	(12.14 - 20.88)	*	(* - *)	31.31	(26.11 - 37.02)	34.28	(29.30-39.63)
Judicial District 9	15.43	(11.27 - 20.76)	*	(* - *)	29.38	(24.63 - 34.63)	31.98	(27.45-36.89)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	7.54	(7.28 - 7.82)	33.12	(32.56 - 33.68)	22.31	(21.86 - 22.75)	23.90	(23.50 - 24.30)
Northeast	7.40	(6.94 - 7.88)	32.73	(31.69 - 33.79)	21.38	(20.45 - 22.34)	23.01	(22.23 - 23.82)
Midwest	8.54	(8.12 - 8.98)	36.67	(35.79 - 37.55)	24.39	(23.58 - 25.22)	26.19	(25.51 - 26.87)
South	7.55	(7.16 - 7.94)	33.50	(32.63 - 34.37)	23.65	(22.85 - 24.47)	25.10	(24.43 - 25.77)
West	6.74	(6.23 - 7.28)	29.66	(28.58 - 30.77)	18.92	(18.00 - 19.87)	20.56	(19.79 - 21.35)
Alabama	8.33	(6.92 - 10.00)	36.27	(33.19 - 39.46)	26.86	(24.11 - 29.80)	28.26	(25.80 - 30.86)
Region 1	7.82	(5.62 - 10.78)	35.44	(30.04 - 41.24)	26.78	(22.89 - 31.07)	27.96	(24.32 - 31.91)
Region 2	10.25	(7.77 - 13.40)	39.16	(34.15 - 44.41)	27.80	(23.87 - 32.11)	29.54	(25.98 - 33.37)
Region 3	4.81	(3.30 - 6.95)	28.50	(23.36 - 34.27)	22.67	(18.90 - 26.95)	23.71	(20.25 - 27.55)
Region 4	9.11	(6.59 - 12.46)	40.86	(35.45 - 46.50)	28.81	(24.61 - 33.40)	30.45	(26.61 - 34.58)
Alaska	7.64	(6.11 - 9.50)	39.88	(36.53 - 43.34)	27.85	(24.78 - 31.14)	29.72	(27.01 - 32.58)
Anchorage	6.65	(4.84 - 9.09)	35.98	(31.38 - 40.86)	23.54	(20.08 - 27.39)	25.54	(22.43 - 28.93)
Northern	8.89	(6.32 - 12.39)	43.61	(37.67 - 49.75)	31.91	(27.04 - 37.21)	34.09	(29.74 - 38.74)
South Central	7.78	(5.46 - 10.97)	43.17	(36.84 - 49.73)	30.59	(25.74 - 35.90)	32.25	(27.77 - 37.07)
Southeast	8.30	(5.66 - 12.02)	*	(* - *)	29.33	(24.16 - 35.10)	30.56	(25.77 - 35.81)
Arizona	7.94	(6.39 - 9.82)	32.44	(29.23 - 35.82)	23.25	(20.48 - 26.28)	24.61	(22.12 - 27.29)
Maricopa	8.56	(6.57 - 11.08)	34.55	(30.32 - 39.05)	22.74	(19.51 - 26.32)	24.50	(21.58 - 27.68)
Pima	6.75	(4.57 - 9.86)	28.64	(23.17 - 34.82)	23.63	(19.45 - 28.39)	24.40	(20.53 - 28.74)
Rural North	8.27	(5.59 - 12.08)	*	(* - *)	24.97	(20.40 - 30.18)	26.24	(21.95 - 31.02)
Rural South	6.10	(4.03 - 9.13)	*	(* - *)	23.59	(18.83 - 29.12)	23.94	(19.50 - 29.02)
Arkansas	8.84	(7.43 - 10.49)	36.24	(33.30 - 39.30)	26.66	(23.96 - 29.54)	28.06	(25.63 - 30.61)
Catchment Area 1	7.28	(4.98 - 10.53)	28.55	(23.45 - 34.26)	20.58	(16.98 - 24.70)	21.87	(18.52 - 25.64)
Catchment Area 2	10.55	(7.29 - 15.02)	*	(* - *)	27.71	(23.05 - 32.92)	28.95	(24.45 - 33.90)
Catchment Area 3	9.46	(6.75 - 13.09)	*	(* - *)	29.82	(25.06 - 35.06)	30.92	(26.50 - 35.71)
Catchment Area 4	8.06	(5.50 - 11.66)	*	(* - *)	26.11	(21.40 - 31.43)	27.58	(23.09 - 32.57)
Catchment Area 5	10.75	(7.75 - 14.72)	43.11	(37.02 - 49.40)	27.81	(23.30 - 32.82)	30.40	(26.23 - 34.93)
Catchment Area 6	9.66	(6.61 - 13.92)	*	(* - *)	30.41	(25.36 - 35.98)	31.77	(27.06 - 36.90)
Catchment Area 7	6.54	(4.42 - 9.59)	*	(* - *)	26.88	(22.17 - 32.18)	27.58	(23.10 - 32.55)
Catchment Area 8	8.39	(6.07 - 11.48)	35.71	(30.31 - 41.50)	26.56	(22.56 - 30.99)	27.77	(24.08 - 31.79)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
California	5.74	(5.01 - 6.57)	26.54	(24.94 - 28.20)	16.18	(14.87 - 17.57)	17.81	(16.68 - 19.00)
Region 1R	9.14	(6.30 - 13.08)	*	(* - *)	22.55	(18.79 - 26.81)	24.67	(20.99 - 28.77)
Region 2R	6.70	(4.61 - 9.64)	30.28	(24.53 - 36.71)	16.60	(13.64 - 20.07)	18.70	(15.81 - 21.98)
Region 3R (Sacramento)	5.96	(4.10 - 8.57)	25.05	(19.61 - 31.41)	17.74	(14.59 - 21.41)	18.87	(15.81 - 22.36)
Region 4R	6.15	(4.30 - 8.72)	28.32	(22.95 - 34.38)	15.50	(12.87 - 18.54)	17.18	(14.61 - 20.09)
Region 5R (San Francisco)	*	(* - *)	*	(* - *)	17.59	(14.24 - 21.53)	19.14	(15.86 - 22.93)
Region 6 (Santa Clara)	4.14	(2.75 - 6.20)	25.76	(20.50 - 31.84)	12.06	(9.74 - 14.84)	13.88	(11.54 - 16.62)
Region 7R (Contra Costa)	5.03	(3.40 - 7.39)	25.59	(20.07 - 32.03)	13.52	(10.91 - 16.65)	15.09	(12.49 - 18.12)
Region 8R (Alameda)	4.41	(3.01 - 6.41)	23.04	(18.47 - 28.36)	13.76	(11.34 - 16.60)	15.08	(12.72 - 17.79)
Region 9R (San Mateo)	4.81	(3.13 - 7.33)	*	(* - *)	13.30	(10.56 - 16.62)	14.53	(11.79 - 17.78)
Region 10	5.12	(3.45 - 7.55)	26.23	(20.87 - 32.41)	14.39	(11.65 - 17.64)	16.44	(13.68 - 19.62)
Region 11 (Los Angeles)	5.53	(4.61 - 6.63)	24.75	(22.53 - 27.10)	16.14	(14.53 - 17.90)	17.52	(16.08 - 19.07)
LA SPA 1 and 5	5.56	(3.75 - 8.18)	*	(* - *)	16.70	(13.68 - 20.22)	18.14	(15.16 - 21.56)
LA SPA 2	6.13	(4.35 - 8.57)	27.23	(22.43 - 32.64)	16.28	(13.52 - 19.47)	17.90	(15.28 - 20.87)
LA SPA 3	4.57	(3.16 - 6.56)	22.40	(17.87 - 27.70)	13.43	(11.02 - 16.26)	14.82	(12.51 - 17.48)
LA SPA 4	6.16	(4.11 - 9.12)	25.24	(20.20 - 31.05)	16.59	(13.62 - 20.07)	17.92	(15.03 - 21.22)
LA SPA 6	4.73	(3.15 - 7.05)	20.59	(16.09 - 25.96)	19.03	(15.48 - 23.16)	19.33	(16.10 - 23.04)
LA SPA 7	5.69	(3.92 - 8.20)	25.69	(20.76 - 31.32)	16.45	(13.36 - 20.10)	18.06	(15.13 - 21.41)
LA SPA 8	5.96	(4.20 - 8.40)	25.61	(20.82 - 31.07)	16.47	(13.59 - 19.82)	17.84	(15.09 - 20.96)
Region 12R	6.12	(4.09 - 9.05)	*	(* - *)	18.28	(14.84 - 22.31)	20.15	(16.78 - 24.00)
Regions 13 and 19R	4.61	(3.30 - 6.41)	25.21	(21.00 - 29.95)	16.49	(13.93 - 19.43)	17.94	(15.51 - 20.66)
Region 13 (Riverside)	4.55	(3.17 - 6.47)	25.08	(20.64 - 30.12)	16.24	(13.55 - 19.35)	17.70	(15.15 - 20.59)
Region 19R (Imperial)	5.46	(3.66 - 8.07)	*	(* - *)	*	(* - *)	20.97	(17.24 - 25.26)
Region 14 (Orange)	5.70	(4.15 - 7.79)	27.85	(23.58 - 32.58)	14.79	(12.38 - 17.56)	16.78	(14.51 - 19.32)
Region 15R (Fresno)	5.11	(3.44 - 7.52)	23.47	(18.23 - 29.66)	17.77	(14.51 - 21.59)	18.81	(15.69 - 22.40)
Region 16R (San Diego)	5.65	(4.07 - 7.79)	24.37	(20.39 - 28.84)	15.76	(13.36 - 18.51)	17.21	(14.98 - 19.70)
Region 17R	6.55	(4.69 - 9.07)	27.03	(21.90 - 32.85)	18.94	(15.80 - 22.54)	20.38	(17.37 - 23.76)
Region 18R (San Bernardino)	7.93	(5.78 - 10.79)	34.31	(29.48 - 39.49)	19.73	(16.57 - 23.33)	22.32	(19.38 - 25.56)
Region 20R	6.01	(4.15 - 8.64)	25.34	(20.07 - 31.45)	17.48	(14.27 - 21.22)	18.82	(15.76 - 22.33)
Region 21R	6.31	(4.27 - 9.25)	27.49	(21.81 - 33.99)	16.32	(13.43 - 19.69)	18.34	(15.46 - 21.62)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	8.36	(6.82 - 10.22)	35.83	(32.70 - 39.07)	23.31	(20.70 - 26.14)	25.13	(22.79 - 27.62)
Region 1	8.80	(6.09 - 12.56)	36.87	(30.93 - 43.22)	22.79	(18.80 - 27.34)	25.23	(21.50 - 29.36)
Regions 2 and 7	8.42	(6.48 - 10.87)	36.59	(32.40 - 40.99)	24.21	(20.96 - 27.78)	25.93	(23.00 - 29.09)
Region 3	7.07	(4.93 - 10.04)	32.20	(26.36 - 38.65)	20.96	(17.24 - 25.24)	22.68	(19.15 - 26.64)
Region 4	6.15	(4.00 - 9.34)	*	(* - *)	22.82	(18.13 - 28.29)	23.90	(19.38 - 29.10)
Regions 5 and 6	10.68	(7.28 - 15.41)	*	(* - *)	22.70	(18.48 - 27.57)	24.80	(20.74 - 29.36)
Connecticut	6.98	(5.62 - 8.63)	33.16	(29.97 - 36.50)	20.98	(18.47 - 23.75)	22.63	(20.33 - 25.11)
Eastern	7.48	(5.04 - 10.96)	30.78	(25.26 - 36.90)	21.16	(17.23 - 25.69)	22.85	(19.21 - 26.95)
North Central	6.70	(4.80 - 9.28)	34.08	(28.89 - 39.68)	23.06	(19.33 - 27.26)	24.50	(21.01 - 28.35)
Northwestern	8.14	(5.67 - 11.57)	*	(* - *)	20.91	(17.08 - 25.32)	22.86	(19.14 - 27.06)
South Central	7.03	(4.88 - 10.04)	31.10	(25.99 - 36.72)	20.89	(17.29 - 25.00)	22.32	(18.97 - 26.06)
Southwest	5.97	(4.11 - 8.62)	*	(* - *)	17.97	(14.57 - 21.97)	19.88	(16.61 - 23.61)
Delaware	8.32	(6.80 - 10.14)	34.85	(31.60 - 38.25)	23.43	(20.91 - 26.16)	25.10	(22.84 - 27.50)
Kent	8.34	(5.93 - 11.61)	33.13	(27.32 - 39.51)	25.45	(21.21 - 30.21)	26.69	(22.78 - 30.99)
New Castle (excluding Wilmington City)	8.48	(6.48 - 11.02)	35.25	(31.08 - 39.66)	22.20	(19.15 - 25.58)	24.25	(21.51 - 27.22)
Sussex	8.90	(6.32 - 12.39)	37.02	(31.00 - 43.48)	23.41	(19.64 - 27.65)	24.87	(21.30 - 28.83)
Wilmington City	5.89	(3.89 - 8.82)	*	(* - *)	26.85	(22.31 - 31.94)	27.59	(23.34 - 32.28)
District of Columbia	5.72	(4.59 - 7.09)	29.30	(26.59 - 32.17)	22.89	(20.33 - 25.68)	24.12	(21.90 - 26.49)
Ward 1	5.51	(3.52 - 8.51)	28.40	(23.08 - 34.39)	23.23	(18.95 - 28.13)	24.31	(20.42 - 28.66)
Ward 2	*	(* - *)	25.77	(21.09 - 31.08)	21.91	(17.91 - 26.52)	23.00	(19.51 - 26.89)
Ward 3	6.31	(4.15 - 9.49)	28.40	(22.92 - 34.60)	16.85	(13.61 - 20.68)	18.99	(15.87 - 22.56)
Ward 4	5.08	(3.34 - 7.64)	*	(* - *)	19.53	(15.78 - 23.93)	20.70	(17.02 - 24.94)
Ward 5	4.53	(3.02 - 6.76)	28.54	(22.76 - 35.12)	22.94	(18.79 - 27.69)	23.99	(20.12 - 28.34)
Ward 6	5.04	(3.26 - 7.70)	*	(* - *)	23.38	(19.23 - 28.12)	24.49	(20.55 - 28.90)
Ward 7	5.60	(3.81 - 8.15)	*	(* - *)	27.28	(22.55 - 32.58)	28.08	(23.67 - 32.95)
Ward 8	6.90	(4.86 - 9.71)	*	(* - *)	30.65	(25.52 - 36.32)	31.62	(26.96 - 36.67)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	6.06	(5.36 - 6.85)	29.77	(28.15 - 31.45)	21.57	(20.09 - 23.12)	22.66	(21.37 - 24.00)
Region A - Northwest	8.05	(6.42 - 10.04)	32.37	(28.58 - 36.41)	26.09	(23.32 - 29.08)	27.18	(24.66 - 29.86)
Circuit 1	7.76	(5.69 - 10.51)	31.94	(26.66 - 37.72)	25.44	(21.72 - 29.55)	26.43	(23.00 - 30.18)
Circuit 2	7.06	(4.83 - 10.20)	30.33	(24.68 - 36.63)	24.69	(20.74 - 29.12)	26.04	(22.36 - 30.08)
Circuit 14	9.94	(6.80 - 14.31)	*	(* - *)	29.20	(24.61 - 34.27)	30.46	(26.06 - 35.25)
Region B - Northeast	7.59	(6.12 - 9.37)	32.04	(28.63 - 35.65)	24.45	(22.06 - 27.02)	25.60	(23.40 - 27.92)
Circuits 3 and 8	6.98	(4.90 - 9.86)	26.66	(22.13 - 31.74)	25.45	(21.64 - 29.68)	25.68	(22.30 - 29.37)
Circuit 4	7.31	(5.32 - 9.96)	32.41	(26.83 - 38.53)	24.90	(21.48 - 28.66)	26.00	(22.79 - 29.49)
Circuit 7	8.34	(5.93 - 11.60)	37.72	(31.93 - 43.88)	23.33	(19.74 - 27.34)	25.04	(21.64 - 28.78)
Region C - Central	6.30	(5.29 - 7.49)	30.88	(28.28 - 33.61)	21.79	(19.81 - 23.91)	22.99	(21.17 - 24.91)
Circuit 5	7.97	(5.64 - 11.14)	37.40	(31.60 - 43.59)	23.49	(19.74 - 27.71)	24.80	(21.21 - 28.77)
Circuit 9	4.57	(3.35 - 6.22)	25.94	(22.05 - 30.23)	19.86	(16.92 - 23.16)	20.92	(18.27 - 23.85)
Circuit 10	7.26	(5.18 - 10.09)	33.09	(27.87 - 38.77)	22.90	(19.28 - 26.97)	24.20	(20.82 - 27.94)
Circuit 18	6.55	(4.77 - 8.92)	32.44	(27.17 - 38.20)	20.77	(17.60 - 24.33)	22.27	(19.24 - 25.62)
Circuit 19	6.67	(4.63 - 9.51)	33.41	(27.33 - 40.10)	23.03	(19.28 - 27.26)	24.14	(20.56 - 28.13)
Region D - Southeast	4.35	(3.38 - 5.58)	27.01	(23.73 - 30.56)	18.71	(16.48 - 21.17)	19.72	(17.64 - 21.98)
Circuit 15 (Palm Beach)	4.68	(3.31 - 6.59)	27.52	(23.07 - 32.47)	18.92	(15.93 - 22.31)	19.91	(17.10 - 23.06)
Circuit 17 (Broward)	4.12	(2.98 - 5.66)	26.65	(22.42 - 31.35)	18.55	(15.86 - 21.58)	19.57	(17.04 - 22.37)
Region E - Sun Coast	6.51	(5.39 - 7.85)	32.88	(29.96 - 35.94)	22.94	(20.73 - 25.31)	24.09	(22.07 - 26.24)
Circuit 6	7.37	(5.42 - 9.95)	36.96	(31.25 - 43.07)	25.40	(21.60 - 29.61)	26.61	(23.02 - 30.53)
Circuit 12	8.23	(5.86 - 11.44)	36.00	(29.73 - 42.79)	21.64	(17.99 - 25.80)	23.01	(19.50 - 26.94)
Circuit 13 (Hillsborough)	5.30	(3.78 - 7.38)	28.98	(25.17 - 33.11)	22.37	(18.97 - 26.17)	23.37	(20.30 - 26.75)
Circuit 20	6.00	(4.23 - 8.44)	32.00	(26.47 - 38.10)	21.42	(18.01 - 25.27)	22.52	(19.27 - 26.15)
Region F - Southern (Circuits 11 and 16)	4.44	(3.29 - 5.98)	22.01	(18.82 - 25.56)	17.02	(14.62 - 19.72)	17.72	(15.53 - 20.14)
Georgia	8.66	(7.11 - 10.51)	31.10	(28.06 - 34.32)	21.52	(19.01 - 24.26)	22.97	(20.72 - 25.37)
Region 1	9.81	(7.24 - 13.16)	32.71	(27.70 - 38.15)	21.30	(17.82 - 25.24)	22.82	(19.58 - 26.41)
Region 2	8.82	(6.26 - 12.29)	32.07	(26.37 - 38.36)	23.09	(19.26 - 27.43)	24.63	(21.09 - 28.55)
Region 3	7.04	(4.97 - 9.89)	28.65	(24.03 - 33.77)	18.30	(15.16 - 21.91)	19.81	(16.91 - 23.06)
Region 4	12.14	(8.40 - 17.22)	*	(* - *)	27.23	(22.39 - 32.67)	28.71	(24.13 - 33.77)
Region 5	9.88	(6.58 - 14.58)	*	(* - *)	25.41	(20.74 - 30.71)	26.52	(22.07 - 31.50)
Region 6	7.27	(5.06 - 10.34)	29.32	(23.59 - 35.78)	21.76	(17.90 - 26.18)	22.90	(19.29 - 26.96)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	6.91	(5.47 - 8.69)	29.10	(26.09 - 32.31)	18.56	(16.18 - 21.21)	19.97	(17.79 - 22.34)
Hawaii Island	7.76	(5.28 - 11.27)	*	(* - *)	19.96	(16.10 - 24.48)	21.54	(17.84 - 25.78)
Honolulu	6.89	(5.22 - 9.03)	28.67	(25.26 - 32.33)	18.28	(15.66 - 21.23)	19.74	(17.35 - 22.37)
Kauai and Maui	6.29	(4.41 - 8.89)	28.00	(22.66 - 34.04)	18.58	(15.10 - 22.66)	19.65	(16.31 - 23.48)
Kauai	6.38	(4.11 - 9.79)	*	(* - *)	18.24	(14.22 - 23.10)	19.55	(15.57 - 24.26)
Maui	6.25	(4.08 - 9.45)	*	(* - *)	18.73	(14.79 - 23.45)	19.69	(15.91 - 24.11)
Idaho	8.61	(7.11 - 10.38)	32.48	(29.46 - 35.65)	22.50	(19.95 - 25.27)	24.02	(21.74 - 26.46)
Region 1	10.55	(7.39 - 14.84)	*	(* - *)	21.56	(17.64 - 26.07)	23.29	(19.46 - 27.61)
Region 2	9.81	(6.69 - 14.17)	*	(* - *)	22.88	(18.57 - 27.84)	24.93	(20.79 - 29.59)
Region 3	8.64	(6.11 - 12.08)	37.36	(31.21 - 43.96)	26.16	(21.63 - 31.27)	27.79	(23.61 - 32.40)
Region 4	8.89	(6.50 - 12.03)	36.37	(30.93 - 42.18)	21.74	(18.13 - 25.84)	23.77	(20.41 - 27.48)
Region 5	7.19	(5.11 - 10.03)	29.53	(23.91 - 35.86)	23.02	(18.88 - 27.75)	23.94	(20.05 - 28.31)
Region 6	8.90	(6.23 - 12.56)	*	(* - *)	23.07	(19.06 - 27.64)	24.75	(20.92 - 29.03)
Region 7	6.74	(4.44 - 10.10)	20.87	(16.16 - 26.52)	19.50	(15.67 - 24.00)	19.76	(16.28 - 23.76)
Illinois	6.83	(6.07 - 7.67)	35.04	(33.39 - 36.73)	22.38	(20.88 - 23.94)	24.22	(22.93 - 25.55)
Region I (Cook)	5.72	(4.62 - 7.07)	32.99	(30.48 - 35.60)	22.13	(19.96 - 24.46)	23.72	(21.81 - 25.74)
Region II	5.85	(4.77 - 7.16)	34.51	(31.57 - 37.57)	18.74	(16.69 - 20.97)	20.92	(19.09 - 22.88)
Region III	8.57	(6.61 - 11.04)	36.41	(32.51 - 40.50)	26.14	(23.10 - 29.43)	27.89	(25.19 - 30.76)
Region IV	11.70	(8.92 - 15.22)	38.91	(34.10 - 43.94)	27.12	(23.36 - 31.23)	28.75	(25.30 - 32.46)
Region V	10.01	(7.88 - 12.63)	40.88	(36.22 - 45.70)	27.32	(24.01 - 30.90)	29.25	(26.23 - 32.47)
Indiana	8.63	(7.21 - 10.30)	37.66	(34.58 - 40.85)	26.18	(23.52 - 29.03)	27.91	(25.53 - 30.43)
Central	7.85	(5.66 - 10.79)	37.85	(31.99 - 44.09)	24.23	(20.38 - 28.55)	26.11	(22.48 - 30.10)
East	10.18	(7.06 - 14.47)	*	(* - *)	29.38	(24.70 - 34.54)	31.24	(26.88 - 35.96)
North Central	8.67	(5.96 - 12.46)	38.59	(32.19 - 45.41)	27.06	(22.67 - 31.94)	28.70	(24.59 - 33.19)
Northeast	8.40	(5.83 - 11.98)	*	(* - *)	25.39	(21.09 - 30.23)	27.26	(23.14 - 31.82)
Northwest	7.82	(5.48 - 11.04)	*	(* - *)	26.06	(21.78 - 30.85)	27.73	(23.71 - 32.14)
Southeast	9.93	(7.07 - 13.79)	42.52	(36.09 - 49.22)	27.99	(23.43 - 33.05)	29.80	(25.52 - 34.47)
Southwest	9.29	(6.41 - 13.28)	*	(* - *)	27.03	(22.35 - 32.28)	28.41	(23.90 - 33.40)
West	8.80	(6.15 - 12.43)	32.29	(26.58 - 38.59)	25.59	(21.29 - 30.41)	27.11	(23.21 - 31.40)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	9.72	(8.09 - 11.64)	37.16	(33.96 - 40.48)	22.66	(20.14 - 25.40)	24.83	(22.56 - 27.25)
Central	9.18	(6.65 - 12.56)	37.00	(30.84 - 43.61)	21.63	(18.08 - 25.67)	23.76	(20.39 - 27.50)
North Central	9.17	(6.28 - 13.19)	*	(* - *)	23.18	(18.83 - 28.19)	26.26	(21.98 - 31.04)
Northeast	9.69	(7.05 - 13.18)	35.95	(30.98 - 41.24)	22.76	(19.20 - 26.77)	24.76	(21.47 - 28.37)
Northwest	8.75	(6.24 - 12.14)	35.05	(29.22 - 41.36)	21.29	(17.39 - 25.79)	23.10	(19.43 - 27.23)
Southeast	9.85	(7.25 - 13.24)	37.01	(31.29 - 43.12)	23.14	(19.47 - 27.25)	25.36	(21.94 - 29.11)
Southwest	12.52	(8.71 - 17.68)	*	(* - *)	24.82	(20.40 - 29.85)	26.80	(22.56 - 31.53)
Kansas	8.05	(6.69 - 9.67)	34.66	(31.51 - 37.95)	23.81	(21.25 - 26.58)	25.48	(23.14 - 27.97)
Kansas City Metro	7.21	(5.32 - 9.72)	34.08	(29.26 - 39.25)	21.44	(18.22 - 25.07)	23.31	(20.31 - 26.61)
Northeast	7.33	(5.14 - 10.36)	32.47	(26.75 - 38.76)	24.06	(20.02 - 28.63)	25.54	(21.78 - 29.71)
South Central	7.94	(5.50 - 11.34)	*	(* - *)	23.94	(19.78 - 28.66)	25.59	(21.58 - 30.05)
Southeast	10.06	(6.82 - 14.58)	*	(* - *)	26.53	(21.69 - 32.01)	28.37	(23.68 - 33.57)
West	10.30	(7.29 - 14.36)	*	(* - *)	24.86	(20.55 - 29.74)	26.71	(22.60 - 31.27)
Wichita (Sedgwick)	8.34	(5.99 - 11.51)	34.93	(29.06 - 41.30)	26.32	(22.05 - 31.09)	27.60	(23.60 - 32.00)
Kentucky	11.40	(9.60 - 13.48)	43.43	(40.21 - 46.70)	32.12	(29.17 - 35.22)	33.71	(31.08 - 36.44)
Adanta, Cumberland River, and Lifeskills	12.28	(9.17 - 16.27)	42.51	(36.19 - 49.09)	32.91	(28.09 - 38.13)	34.29	(29.88 - 38.98)
Bluegrass, Comprehend, and North Key	10.15	(7.55 - 13.50)	41.92	(37.16 - 46.82)	29.56	(25.54 - 33.92)	31.44	(27.84 - 35.27)
Communicare and River Valley	12.55	(8.81 - 17.58)	*	(* - *)	34.94	(29.65 - 40.63)	36.39	(31.44 - 41.65)
Four Rivers and Pennyroyal	10.70	(7.48 - 15.08)	*	(* - *)	32.90	(27.72 - 38.53)	34.25	(29.41 - 39.45)
Kentucky River, Mountain, and Pathways	*	(* - *)	*	(* - *)	37.50	(31.90 - 43.45)	38.78	(33.55 - 44.29)
Seven Counties	10.14	(7.56 - 13.46)	43.90	(37.72 - 50.28)	30.32	(26.15 - 34.85)	32.10	(28.22 - 36.23)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	8.99	(7.59 - 10.61)	35.45	(32.59 - 38.41)	27.40	(24.89 - 30.06)	28.66	(26.42 - 31.00)
Regions 1 and 10	6.32	(4.70 - 8.44)	30.05	(25.32 - 35.24)	25.02	(21.55 - 28.84)	25.79	(22.56 - 29.31)
Region 1	5.52	(3.72 - 8.12)	*	(* - *)	25.39	(21.00 - 30.33)	26.10	(22.00 - 30.66)
Region 10 (Jefferson)	7.07	(4.84 - 10.23)	*	(* - *)	24.67	(20.45 - 29.42)	25.49	(21.51 - 29.92)
Regions 2 and 9	8.04	(6.01 - 10.68)	36.55	(31.90 - 41.46)	24.97	(21.27 - 29.07)	26.84	(23.50 - 30.46)
Region 3	9.59	(6.85 - 13.25)	*	(* - *)	30.66	(25.70 - 36.12)	32.01	(27.40 - 37.01)
Regions 4, 5, and 6	11.55	(8.69 - 15.19)	37.87	(32.80 - 43.22)	29.98	(26.09 - 34.18)	31.19	(27.65 - 34.96)
Regions 7 and 8	8.71	(6.41 - 11.74)	34.26	(29.18 - 39.72)	28.13	(24.19 - 32.43)	29.10	(25.51 - 32.97)
Maine	8.30	(6.85 - 10.01)	36.81	(33.88 - 39.83)	24.67	(22.12 - 27.41)	26.18	(23.86 - 28.65)
Aroostook/Downeast	8.63	(6.32 - 11.69)	38.28	(32.87 - 44.00)	27.47	(23.54 - 31.79)	28.71	(24.98 - 32.74)
Aroostook	8.62	(5.80 - 12.62)	*	(* - *)	29.64	(24.44 - 35.43)	30.52	(25.61 - 35.92)
Downeast	8.64	(5.77 - 12.76)	*	(* - *)	25.73	(21.15 - 30.91)	27.23	(22.83 - 32.13)
Central	7.86	(5.48 - 11.16)	*	(* - *)	25.83	(21.49 - 30.71)	27.07	(22.95 - 31.62)
Cumberland	7.17	(4.99 - 10.20)	32.28	(26.76 - 38.34)	19.95	(16.53 - 23.89)	21.54	(18.29 - 25.18)
Midcoast	8.39	(5.65 - 12.28)	*	(* - *)	24.66	(20.26 - 29.65)	26.26	(21.97 - 31.05)
Penquis	9.55	(6.84 - 13.20)	39.54	(33.56 - 45.86)	28.44	(24.06 - 33.28)	30.24	(26.21 - 34.60)
Western	9.59	(6.89 - 13.20)	37.98	(32.19 - 44.13)	27.27	(23.07 - 31.92)	28.66	(24.75 - 32.93)
York	7.72	(5.33 - 11.07)	36.18	(30.14 - 42.69)	22.37	(18.40 - 26.93)	23.96	(20.18 - 28.20)
Maryland	5.87	(4.76 - 7.21)	29.63	(26.71 - 32.73)	19.33	(17.10 - 21.77)	20.80	(18.77 - 22.98)
Anne Arundel	6.77	(4.44 - 10.19)	*	(* - *)	18.81	(15.17 - 23.10)	20.42	(16.84 - 24.53)
Baltimore City	5.03	(3.29 - 7.62)	29.16	(23.85 - 35.11)	28.88	(24.05 - 34.26)	28.92	(24.56 - 33.71)
Baltimore County	5.62	(3.80 - 8.25)	25.91	(20.72 - 31.88)	19.05	(15.42 - 23.30)	20.04	(16.61 - 23.96)
Montgomery	4.43	(2.94 - 6.63)	*	(* - *)	13.03	(10.33 - 16.31)	14.42	(11.74 - 17.59)
North Central	5.14	(3.36 - 7.79)	*	(* - *)	15.10	(12.04 - 18.78)	16.65	(13.63 - 20.19)
Northeast	7.65	(5.13 - 11.24)	*	(* - *)	22.46	(18.20 - 27.38)	24.15	(20.03 - 28.82)
Prince George's	4.39	(2.87 - 6.66)	26.80	(21.23 - 33.22)	18.34	(14.76 - 22.57)	19.79	(16.37 - 23.72)
South	8.35	(5.74 - 12.00)	*	(* - *)	21.22	(17.27 - 25.80)	23.83	(19.98 - 28.16)
West	7.90	(5.52 - 11.18)	*	(* - *)	21.73	(17.94 - 26.06)	23.48	(19.87 - 27.51)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	7.62	(6.36 - 9.12)	30.53	(27.64 - 33.57)	17.86	(15.74 - 20.21)	19.76	(17.82 - 21.86)
Boston	5.99	(4.02 - 8.82)	27.47	(22.42 - 33.18)	18.89	(15.33 - 23.05)	20.90	(17.57 - 24.66)
Central	8.85	(6.21 - 12.47)	*	(* - *)	19.98	(16.36 - 24.17)	22.71	(19.20 - 26.66)
Metrowest	6.49	(4.62 - 9.05)	27.64	(22.26 - 33.74)	14.40	(11.77 - 17.50)	16.14	(13.54 - 19.12)
Northeast	7.93	(5.79 - 10.77)	28.91	(23.78 - 34.64)	16.94	(13.89 - 20.50)	18.51	(15.60 - 21.82)
Southeast	8.59	(6.21 - 11.77)	34.00	(28.43 - 40.05)	19.08	(15.60 - 23.13)	20.98	(17.65 - 24.75)
Western	7.35	(5.09 - 10.51)	29.55	(23.94 - 35.85)	20.82	(17.13 - 25.06)	22.30	(18.82 - 26.22)
Michigan	8.45	(7.62 - 9.37)	37.52	(35.90 - 39.16)	26.34	(24.79 - 27.95)	27.98	(26.63 - 29.36)
Detroit City	4.88	(3.42 - 6.91)	35.21	(30.61 - 40.10)	31.13	(26.85 - 35.76)	31.85	(28.07 - 35.88)
Genesee	8.27	(6.08 - 11.15)	38.91	(33.51 - 44.60)	28.82	(24.85 - 33.15)	30.22	(26.56 - 34.15)
Kalamazoo	7.84	(5.87 - 10.40)	35.79	(30.54 - 41.42)	26.15	(22.41 - 30.26)	27.66	(24.23 - 31.39)
Kent	8.41	(6.27 - 11.19)	39.67	(34.69 - 44.86)	25.35	(21.97 - 29.05)	27.59	(24.46 - 30.96)
Lakeshore	10.37	(8.03 - 13.28)	40.61	(35.82 - 45.59)	27.35	(23.93 - 31.05)	29.35	(26.25 - 32.66)
Macomb	8.53	(6.52 - 11.09)	40.55	(35.64 - 45.66)	26.99	(23.71 - 30.55)	28.70	(25.66 - 31.95)
Mid South	7.52	(5.63 - 9.98)	35.78	(31.51 - 40.28)	28.97	(25.41 - 32.80)	30.17	(27.05 - 33.48)
Northern	11.63	(8.80 - 15.22)	39.66	(34.99 - 44.52)	28.18	(24.52 - 32.17)	29.80	(26.47 - 33.36)
Oakland	6.84	(5.25 - 8.87)	36.44	(32.25 - 40.85)	20.75	(18.01 - 23.78)	22.61	(20.04 - 25.40)
Pathways and Western	9.00	(6.49 - 12.35)	41.04	(34.92 - 47.44)	27.08	(23.05 - 31.53)	29.11	(25.30 - 33.23)
Riverhaven	12.61	(9.41 - 16.69)	47.53	(41.33 - 53.79)	29.14	(24.88 - 33.79)	31.41	(27.43 - 35.68)
Saginaw	8.14	(5.61 - 11.68)	*	(* - *)	28.29	(23.84 - 33.21)	29.93	(25.71 - 34.52)
Southeast	9.35	(7.31 - 11.89)	37.39	(33.47 - 41.48)	26.14	(22.91 - 29.65)	27.64	(24.74 - 30.75)
St. Clair	11.25	(8.18 - 15.30)	43.04	(36.87 - 49.44)	28.40	(24.21 - 33.01)	30.20	(26.26 - 34.47)
Washtenaw	6.04	(4.31 - 8.42)	26.62	(22.54 - 31.14)	19.15	(16.06 - 22.67)	20.54	(17.74 - 23.66)
Minnesota	8.67	(7.19 - 10.43)	39.21	(35.93 - 42.60)	21.52	(19.16 - 24.08)	24.02	(21.88 - 26.30)
Regions 1 and 2	11.01	(7.67 - 15.55)	*	(* - *)	23.96	(19.69 - 28.83)	26.46	(22.33 - 31.04)
Regions 3 and 4	10.27	(7.36 - 14.17)	39.36	(33.19 - 45.89)	23.07	(19.25 - 27.39)	25.44	(21.86 - 29.38)
Regions 5 and 6	10.23	(7.45 - 13.88)	43.23	(36.85 - 49.83)	23.03	(19.27 - 27.28)	26.01	(22.40 - 29.97)
Region 7A (Hennepin)	6.12	(4.23 - 8.77)	33.46	(28.01 - 39.39)	20.18	(16.80 - 24.05)	22.03	(18.86 - 25.58)
Region 7B (Ramsey)	9.90	(6.56 - 14.67)	*	(* - *)	22.36	(18.09 - 27.30)	25.73	(21.53 - 30.44)
Region 7C	7.11	(5.13 - 9.78)	38.39	(32.39 - 44.78)	18.90	(15.77 - 22.48)	21.30	(18.31 - 24.63)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	9.75	(8.12 - 11.65)	38.97	(35.97 - 42.06)	29.45	(26.62 - 32.45)	30.92	(28.42 - 33.54)
Region 1	12.17	(8.93 - 16.38)	43.03	(37.38 - 48.88)	29.47	(25.14 - 34.21)	31.53	(27.59 - 35.76)
Region 2	7.37	(5.02 - 10.68)	*	(* - *)	30.26	(25.52 - 35.45)	31.39	(27.05 - 36.09)
Region 3	9.97	(7.12 - 13.78)	40.13	(33.96 - 46.63)	31.22	(26.55 - 36.31)	32.75	(28.49 - 37.32)
Region 4	7.71	(5.55 - 10.62)	35.45	(30.11 - 41.18)	27.02	(22.91 - 31.57)	28.31	(24.52 - 32.42)
Region 5	7.52	(4.91 - 11.36)	*	(* - *)	29.12	(24.03 - 34.80)	30.04	(25.20 - 35.37)
Region 6	9.64	(6.83 - 13.43)	35.55	(29.35 - 42.27)	30.31	(25.60 - 35.46)	31.17	(26.80 - 35.91)
Region 7	11.34	(8.05 - 15.74)	40.89	(34.54 - 47.55)	29.61	(24.84 - 34.88)	31.23	(26.80 - 36.02)
Missouri	10.84	(9.17 - 12.76)	37.06	(34.06 - 40.16)	26.27	(23.70 - 29.02)	27.85	(25.54 - 30.28)
Central	12.43	(9.05 - 16.85)	37.18	(31.13 - 43.66)	28.35	(23.77 - 33.42)	29.92	(25.69 - 34.52)
Eastern	9.03	(7.13 - 11.37)	34.11	(29.90 - 38.58)	23.03	(19.94 - 26.43)	24.57	(21.73 - 27.66)
Eastern (St. Louis City and County)	7.13	(5.14 - 9.81)	31.72	(26.81 - 37.07)	22.81	(19.11 - 26.99)	24.10	(20.67 - 27.90)
Eastern (excluding St. Louis)	11.99	(8.68 - 16.34)	*	(* - *)	23.40	(19.47 - 27.85)	25.40	(21.61 - 29.59)
Northwest	10.26	(7.83 - 13.33)	36.83	(32.13 - 41.78)	26.71	(23.23 - 30.50)	28.14	(24.91 - 31.61)
Northwest (Jackson)	8.11	(5.68 - 11.44)	34.32	(28.70 - 40.43)	27.08	(22.67 - 31.99)	28.10	(24.02 - 32.57)
Northwest (excluding Jackson)	11.98	(8.47 - 16.69)	*	(* - *)	26.39	(22.03 - 31.27)	28.17	(24.01 - 32.75)
Southeast	13.45	(9.92 - 17.99)	*	(* - *)	30.64	(25.96 - 35.76)	32.08	(27.68 - 36.83)
Southwest	12.68	(9.13 - 17.33)	*	(* - *)	27.75	(23.46 - 32.49)	29.61	(25.57 - 34.01)
Montana	11.20	(9.46 - 13.21)	38.94	(35.86 - 42.11)	24.05	(21.66 - 26.62)	26.14	(23.99 - 28.42)
Region 1	11.68	(8.22 - 16.35)	*	(* - *)	27.31	(22.76 - 32.39)	29.21	(24.86 - 33.97)
Region 2	9.15	(6.38 - 12.96)	*	(* - *)	25.17	(21.05 - 29.78)	27.14	(23.20 - 31.46)
Region 3	11.55	(8.65 - 15.25)	37.76	(32.26 - 43.59)	24.24	(20.60 - 28.30)	25.93	(22.54 - 29.64)
Region 4	12.11	(9.08 - 15.98)	37.98	(32.64 - 43.62)	23.32	(19.86 - 27.19)	25.59	(22.35 - 29.12)
Region 5	11.10	(8.57 - 14.26)	39.66	(35.08 - 44.42)	23.20	(19.87 - 26.89)	25.54	(22.51 - 28.83)
Nebraska	8.12	(6.68 - 9.84)	34.11	(31.11 - 37.23)	22.47	(19.99 - 25.16)	24.22	(22.00 - 26.59)
Regions 1 and 2	9.06	(6.61 - 12.30)	37.00	(31.05 - 43.37)	24.22	(20.32 - 28.59)	25.83	(22.09 - 29.96)
Region 1	*	(* - *)	*	(* - *)	24.00	(19.31 - 29.43)	25.98	(21.41 - 31.15)
Region 2	8.28	(5.54 - 12.20)	*	(* - *)	24.40	(19.64 - 29.89)	25.69	(21.10 - 30.90)
Region 3	8.21	(5.73 - 11.63)	33.36	(27.23 - 40.12)	22.91	(19.00 - 27.36)	24.41	(20.69 - 28.55)
Region 4	8.98	(6.24 - 12.77)	*	(* - *)	24.76	(20.30 - 29.82)	26.50	(22.29 - 31.19)
Region 5	8.57	(6.17 - 11.79)	32.66	(27.79 - 37.92)	21.49	(17.99 - 25.45)	23.43	(20.21 - 26.99)
Region 6	7.42	(5.52 - 9.90)	33.82	(29.48 - 38.45)	21.84	(18.72 - 25.31)	23.62	(20.78 - 26.72)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	6.68	(5.20 - 8.54)	35.45	(31.77 - 39.32)	24.14	(21.38 - 27.14)	25.72	(23.21 - 28.40)
Clark – Region 1	5.78	(4.16 - 7.98)	33.91	(29.47 - 38.65)	24.03	(20.86 - 27.52)	25.40	(22.51 - 28.53)
Region 3	8.48	(6.11 - 11.66)	*	(* - *)	26.36	(22.25 - 30.93)	28.22	(24.21 - 32.61)
Capital District	8.10	(5.29 - 12.21)	*	(* - *)	24.60	(19.88 - 30.03)	26.38	(21.72 - 31.63)
Rural/Frontier	8.79	(5.82 - 13.05)	*	(* - *)	28.00	(22.80 - 33.85)	29.91	(24.84 - 35.52)
Washoe – Region 2	9.47	(6.58 - 13.44)	37.93	(32.25 - 43.96)	22.88	(18.84 - 27.49)	25.21	(21.45 - 29.37)
New Hampshire	10.09	(8.38 - 12.10)	37.02	(34.07 - 40.06)	20.49	(18.05 - 23.16)	22.71	(20.50 - 25.09)
Central	9.67	(7.28 - 12.73)	34.64	(30.46 - 39.07)	22.22	(18.87 - 25.96)	24.02	(20.93 - 27.41)
Central 1	9.71	(6.70 - 13.88)	32.40	(27.13 - 38.16)	22.86	(18.69 - 27.64)	24.44	(20.57 - 28.77)
Central 2	9.63	(6.72 - 13.62)	37.57	(31.61 - 43.93)	21.62	(17.57 - 26.31)	23.61	(19.78 - 27.92)
Northern	11.07	(7.86 - 15.37)	36.67	(30.53 - 43.28)	22.36	(18.19 - 27.16)	24.32	(20.39 - 28.73)
Southern	10.10	(8.08 - 12.55)	38.42	(34.57 - 42.42)	19.23	(16.59 - 22.18)	21.70	(19.28 - 24.34)
Southern 1 (Rockingham)	9.10	(6.64 - 12.34)	38.68	(33.07 - 44.61)	17.73	(14.55 - 21.43)	20.11	(17.08 - 23.51)
Southern 2	10.75	(8.17 - 14.01)	38.29	(33.49 - 43.33)	20.19	(16.94 - 23.87)	22.69	(19.69 - 26.00)
New Jersey	7.06	(5.77 - 8.62)	33.47	(30.44 - 36.63)	20.38	(17.89 - 23.13)	22.10	(19.83 - 24.55)
Central	8.98	(6.46 - 12.36)	37.76	(31.43 - 44.53)	20.71	(17.10 - 24.86)	22.80	(19.32 - 26.70)
Metropolitan	5.04	(3.50 - 7.21)	29.39	(24.60 - 34.68)	20.05	(16.56 - 24.05)	21.36	(18.15 - 24.97)
Northern	6.01	(4.28 - 8.36)	29.96	(25.28 - 35.10)	18.34	(15.17 - 21.99)	19.82	(16.86 - 23.15)
Southern	8.76	(6.30 - 12.04)	39.15	(33.33 - 45.30)	23.55	(19.63 - 27.98)	25.65	(21.99 - 29.69)
New Mexico	9.48	(7.76 - 11.53)	35.54	(32.54 - 38.66)	21.10	(18.46 - 24.00)	23.23	(20.85 - 25.80)
Region 1	9.89	(7.13 - 13.56)	35.21	(29.78 - 41.04)	21.74	(17.96 - 26.06)	23.72	(20.19 - 27.65)
Region 2	7.88	(5.48 - 11.20)	*	(* - *)	17.79	(14.22 - 22.02)	19.46	(16.00 - 23.46)
Region 3 (Bernalillo)	11.47	(8.53 - 15.26)	39.18	(34.23 - 44.36)	20.99	(17.45 - 25.02)	23.70	(20.44 - 27.31)
Region 4	9.13	(6.37 - 12.93)	35.96	(29.81 - 42.62)	24.92	(20.64 - 29.76)	26.68	(22.71 - 31.07)
Region 5	7.24	(5.04 - 10.30)	31.76	(26.40 - 37.65)	20.80	(16.95 - 25.26)	22.59	(19.00 - 26.64)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	6.24	(5.50 - 7.06)	30.11	(28.48 - 31.79)	20.79	(19.31 - 22.35)	22.19	(20.91 - 23.52)
Region A	4.98	(4.08 - 6.05)	26.23	(24.08 - 28.51)	19.32	(17.41 - 21.40)	20.38	(18.69 - 22.18)
Region 1	4.34	(3.06 - 6.12)	25.67	(21.35 - 30.52)	21.24	(17.89 - 25.03)	22.02	(18.99 - 25.38)
Region 2	5.30	(3.95 - 7.09)	26.93	(23.65 - 30.47)	20.47	(17.52 - 23.78)	21.47	(18.84 - 24.36)
Region 3	4.52	(3.07 - 6.59)	23.80	(19.59 - 28.59)	17.08	(14.10 - 20.54)	18.09	(15.31 - 21.25)
Region 4	5.22	(3.73 - 7.26)	27.69	(23.46 - 32.35)	18.51	(15.62 - 21.80)	19.79	(17.10 - 22.78)
Region B	5.55	(4.56 - 6.74)	30.94	(28.09 - 33.94)	18.27	(16.36 - 20.35)	19.99	(18.23 - 21.87)
Region 5	5.10	(3.86 - 6.72)	30.14	(26.27 - 34.31)	18.33	(15.87 - 21.08)	19.90	(17.62 - 22.39)
Region 6	4.88	(3.50 - 6.76)	25.86	(21.13 - 31.23)	15.93	(13.11 - 19.23)	17.22	(14.52 - 20.31)
Region 7	8.19	(6.02 - 11.03)	39.90	(34.04 - 46.06)	21.86	(18.25 - 25.96)	24.65	(21.19 - 28.47)
Region C	7.85	(6.64 - 9.27)	33.26	(30.62 - 36.01)	23.77	(21.68 - 25.98)	25.26	(23.41 - 27.22)
Region 8	7.14	(5.26 - 9.62)	30.73	(25.75 - 36.20)	22.84	(19.52 - 26.54)	24.01	(20.91 - 27.42)
Region 9	9.21	(6.97 - 12.09)	36.60	(31.77 - 41.72)	24.93	(21.39 - 28.84)	26.80	(23.60 - 30.26)
Region 10	8.61	(6.09 - 12.05)	29.35	(24.13 - 35.17)	24.53	(20.54 - 29.01)	25.46	(21.82 - 29.48)
Region 11	7.90	(5.81 - 10.66)	32.05	(27.05 - 37.49)	22.30	(18.98 - 26.01)	23.83	(20.72 - 27.25)
Region 12	6.98	(5.02 - 9.62)	35.73	(30.31 - 41.54)	24.68	(21.15 - 28.59)	26.33	(23.02 - 29.93)
Region D	9.90	(8.02 - 12.17)	38.56	(34.68 - 42.58)	27.90	(24.98 - 31.02)	29.54	(26.88 - 32.34)
Region 13	10.37	(7.46 - 14.25)	39.00	(32.63 - 45.77)	26.95	(22.59 - 31.81)	28.75	(24.69 - 33.19)
Region 14	10.59	(7.45 - 14.84)	40.86	(34.38 - 47.66)	29.51	(25.03 - 34.43)	31.36	(27.14 - 35.92)
Region 15	8.86	(6.38 - 12.17)	35.63	(29.81 - 41.92)	27.16	(23.07 - 31.69)	28.42	(24.62 - 32.56)

See notes at end of table.

(continued)

Table 13 *Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	7.78	(6.48 - 9.32)	35.73	(32.62 - 38.98)	24.11	(21.44 - 26.99)	25.75	(23.34 - 28.33)
Alliance	5.96	(4.09 - 8.60)	26.61	(21.52 - 32.41)	19.20	(15.85 - 23.07)	20.32	(17.18 - 23.86)
Cardinal Innovations	7.55	(5.35 - 10.55)	36.32	(30.06 - 43.09)	24.10	(19.85 - 28.93)	25.75	(21.76 - 30.19)
CenterPoint/Guilford	7.16	(5.16 - 9.86)	35.63	(30.00 - 41.68)	24.07	(20.15 - 28.48)	25.75	(22.00 - 29.89)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	26.72	(21.92 - 32.15)
Guilford	*	(* - *)	*	(* - *)	22.90	(18.46 - 28.06)	24.69	(20.42 - 29.52)
CoastalCare	8.81	(5.92 - 12.90)	*	(* - *)	23.76	(19.23 - 28.98)	26.07	(21.59 - 31.11)
Eastpointe	7.18	(4.93 - 10.33)	*	(* - *)	29.92	(24.73 - 35.68)	31.20	(26.35 - 36.50)
ECBH	7.65	(5.01 - 11.52)	*	(* - *)	*	(* - *)	27.27	(22.83 - 32.21)
MeckLINK	7.05	(4.74 - 10.36)	*	(* - *)	22.01	(17.74 - 26.98)	23.74	(19.57 - 28.49)
Partners	9.75	(6.85 - 13.70)	*	(* - *)	27.65	(23.00 - 32.84)	29.46	(25.08 - 34.26)
Sandhills	9.25	(6.23 - 13.52)	*	(* - *)	26.58	(21.50 - 32.36)	28.37	(23.49 - 33.82)
Smoky Mountain	*	(* - *)	*	(* - *)	*	(* - *)	27.34	(22.66 - 32.57)
Western Highlands	*	(* - *)	*	(* - *)	23.18	(18.83 - 28.20)	24.99	(20.74 - 29.79)
North Dakota	9.02	(7.53 - 10.77)	35.81	(32.78 - 38.96)	22.87	(20.34 - 25.62)	25.12	(22.87 - 27.51)
Badlands and West Central	10.59	(7.90 - 14.04)	39.02	(33.17 - 45.20)	24.20	(20.49 - 28.34)	26.21	(22.73 - 30.02)
Lake Region and South Central	8.92	(6.33 - 12.42)	*	(* - *)	23.97	(19.80 - 28.71)	25.78	(21.82 - 30.17)
North Central and Northwest	9.48	(6.83 - 13.01)	40.03	(33.70 - 46.71)	25.90	(21.64 - 30.67)	28.21	(24.24 - 32.55)
Northeast	8.14	(5.65 - 11.59)	34.50	(29.46 - 39.93)	22.03	(18.07 - 26.57)	25.03	(21.49 - 28.94)
Southeast	7.47	(5.47 - 10.14)	31.62	(26.89 - 36.77)	19.08	(15.87 - 22.76)	21.71	(18.75 - 24.99)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	9.29	(8.46 - 10.20)	38.10	(36.46 - 39.76)	26.81	(25.27 - 28.41)	28.41	(27.08 - 29.79)
Boards 2, 46, 55, and 68	9.77	(7.35 - 12.87)	39.54	(33.95 - 45.41)	28.25	(24.38 - 32.47)	29.79	(26.17 - 33.67)
Boards 3, 52, and 85	9.14	(6.61 - 12.50)	37.20	(31.34 - 43.46)	22.68	(18.93 - 26.94)	24.64	(21.10 - 28.56)
Boards 4 and 78	9.54	(6.66 - 13.48)	*	(* - *)	30.56	(25.84 - 35.72)	31.98	(27.47 - 36.85)
Boards 5 and 60	12.06	(8.85 - 16.24)	38.37	(32.72 - 44.37)	32.31	(27.65 - 37.34)	33.39	(29.20 - 37.87)
Boards 7, 15, 41, 79, and 84	10.62	(7.71 - 14.46)	33.05	(28.12 - 38.38)	27.05	(23.14 - 31.35)	27.78	(24.16 - 31.72)
Boards 8, 13, and 83	9.27	(6.97 - 12.23)	38.64	(32.95 - 44.66)	23.29	(19.96 - 26.99)	25.15	(21.98 - 28.62)
Board 9 (Butler)	9.97	(7.15 - 13.74)	40.29	(34.40 - 46.48)	26.20	(22.32 - 30.49)	28.48	(24.86 - 32.40)
Board 12	12.63	(9.29 - 16.96)	41.68	(35.54 - 48.09)	26.26	(22.26 - 30.69)	28.74	(24.98 - 32.83)
Boards 18 and 47	9.27	(7.37 - 11.60)	38.05	(34.07 - 42.20)	28.27	(25.00 - 31.78)	29.57	(26.60 - 32.71)
Boards 20, 32, 54, and 69	8.69	(6.20 - 12.04)	35.42	(29.39 - 41.95)	25.41	(21.28 - 30.05)	26.73	(22.82 - 31.04)
Boards 21, 39, 51, 70, and 80	9.07	(6.80 - 12.00)	39.42	(33.47 - 45.69)	26.08	(22.46 - 30.06)	27.69	(24.26 - 31.41)
Boards 22, 74, and 87	8.90	(6.36 - 12.33)	38.21	(32.45 - 44.32)	25.87	(21.96 - 30.21)	27.79	(24.16 - 31.73)
Boards 23 and 45	9.91	(7.30 - 13.34)	39.24	(32.93 - 45.93)	27.06	(23.16 - 31.34)	28.75	(25.06 - 32.73)
Board 25 (Franklin)	7.58	(5.76 - 9.93)	37.23	(33.03 - 41.63)	26.26	(22.82 - 30.02)	28.13	(25.04 - 31.44)
Boards 27, 71, and 73	11.32	(8.41 - 15.08)	44.19	(38.20 - 50.35)	32.58	(28.23 - 37.26)	34.07	(30.01 - 38.37)
Boards 28, 43, and 67	11.79	(8.90 - 15.46)	37.49	(32.04 - 43.27)	23.34	(19.94 - 27.12)	25.40	(22.19 - 28.90)
Board 31 (Hamilton)	6.71	(4.89 - 9.13)	32.77	(28.07 - 37.84)	26.00	(22.52 - 29.82)	27.03	(23.87 - 30.44)
Board 48 (Lucas)	8.09	(5.80 - 11.19)	37.13	(31.41 - 43.22)	26.76	(22.69 - 31.26)	28.40	(24.61 - 32.51)
Boards 50 and 76	9.51	(7.22 - 12.42)	40.78	(35.89 - 45.85)	25.96	(22.34 - 29.95)	27.87	(24.51 - 31.51)
Board 57 (Montgomery)	7.50	(5.47 - 10.21)	34.18	(29.05 - 39.70)	25.99	(22.17 - 30.22)	27.14	(23.60 - 31.01)
Board 77 (Summit)	9.33	(6.79 - 12.67)	42.17	(36.74 - 47.78)	26.36	(22.79 - 30.28)	28.50	(25.15 - 32.09)
Oklahoma	8.79	(7.30 - 10.56)	40.20	(36.84 - 43.65)	30.03	(27.17 - 33.06)	31.58	(29.02 - 34.25)
Central	9.46	(6.58 - 13.41)	*	(* - *)	27.85	(23.26 - 32.95)	29.69	(25.35 - 34.42)
East Central	7.21	(4.84 - 10.61)	*	(* - *)	30.67	(25.54 - 36.32)	31.94	(27.11 - 37.19)
Northeast	9.38	(6.71 - 12.96)	39.56	(33.45 - 46.01)	29.08	(24.70 - 33.90)	30.79	(26.75 - 35.16)
Northwest and Southwest	10.47	(7.44 - 14.53)	*	(* - *)	31.93	(26.96 - 37.35)	33.90	(29.25 - 38.89)
Oklahoma County	8.70	(6.15 - 12.17)	39.90	(33.92 - 46.19)	29.86	(25.50 - 34.63)	31.41	(27.39 - 35.72)
Southeast	9.71	(6.84 - 13.60)	*	(* - *)	34.55	(29.46 - 40.01)	36.18	(31.47 - 41.18)
Tulsa County	6.89	(4.71 - 9.98)	33.42	(27.37 - 40.08)	26.50	(22.19 - 31.33)	27.52	(23.49 - 31.96)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	7.18	(5.89 - 8.72)	32.89	(29.90 - 36.02)	21.22	(18.91 - 23.73)	22.83	(20.73 - 25.09)
Region 1 (Multnomah)	8.18	(5.75 - 11.50)	35.35	(29.80 - 41.31)	23.36	(19.71 - 27.46)	24.98	(21.55 - 28.74)
Region 2	6.58	(4.68 - 9.18)	32.35	(26.93 - 38.29)	18.45	(15.12 - 22.32)	20.22	(17.00 - 23.87)
Region 3	6.84	(5.09 - 9.14)	30.14	(25.78 - 34.90)	20.96	(17.79 - 24.53)	22.45	(19.56 - 25.63)
Region 4	7.81	(5.42 - 11.13)	*	(* - *)	22.13	(18.13 - 26.72)	23.90	(20.07 - 28.20)
Region 5 (Central)	7.99	(5.37 - 11.73)	*	(* - *)	21.04	(17.08 - 25.64)	22.82	(18.96 - 27.20)
Region 6 (Eastern)	6.89	(4.50 - 10.41)	*	(* - *)	*	(* - *)	25.18	(20.57 - 30.44)
Pennsylvania	8.90	(8.01 - 9.89)	36.49	(34.74 - 38.28)	24.58	(23.06 - 26.16)	26.29	(24.97 - 27.65)
Region 1 (Allegheny)	8.99	(6.79 - 11.83)	36.24	(31.81 - 40.92)	27.48	(24.02 - 31.25)	28.70	(25.56 - 32.07)
Regions 3, 8, 9, and 51	9.97	(7.37 - 13.34)	38.80	(33.06 - 44.87)	26.40	(22.61 - 30.56)	28.18	(24.67 - 31.98)
Regions 4, 11, 37, and 49	10.72	(8.09 - 14.09)	43.08	(37.50 - 48.84)	25.54	(21.91 - 29.54)	27.91	(24.49 - 31.61)
Regions 5, 18, 23, 24, and 46	11.82	(8.83 - 15.66)	41.96	(35.98 - 48.18)	26.44	(22.79 - 30.45)	28.51	(25.06 - 32.22)
Regions 6, 12, 16, 31, 35, 45, and 47	9.73	(7.17 - 13.08)	33.41	(28.75 - 38.41)	24.22	(20.70 - 28.14)	26.02	(22.82 - 29.51)
Regions 7, 13, 20, and 33	6.69	(5.23 - 8.53)	34.00	(30.31 - 37.90)	18.96	(16.54 - 21.64)	20.91	(18.67 - 23.33)
Regions 10, 15, 27, 32, 43, and 44	13.44	(10.23 - 17.47)	43.84	(37.47 - 50.42)	31.21	(27.13 - 35.60)	32.75	(28.94 - 36.81)
Regions 17 and 21	12.94	(9.40 - 17.54)	39.93	(33.66 - 46.55)	27.68	(23.39 - 32.42)	29.62	(25.64 - 33.94)
Regions 19, 26, 28, and 42	8.26	(6.35 - 10.67)	36.27	(31.81 - 40.98)	21.52	(18.66 - 24.70)	23.50	(20.82 - 26.41)
Regions 22, 38, 40, 41, and 48	10.01	(7.53 - 13.18)	42.39	(37.03 - 47.94)	27.05	(23.30 - 31.15)	28.84	(25.37 - 32.59)
Regions 29 and 34	8.69	(6.37 - 11.73)	39.30	(33.26 - 45.69)	23.85	(20.31 - 27.79)	25.96	(22.56 - 29.68)
Regions 30 and 50	9.28	(6.77 - 12.61)	35.85	(29.96 - 42.21)	25.20	(21.61 - 29.16)	26.63	(23.23 - 30.33)
Region 36 (Philadelphia)	6.72	(5.04 - 8.92)	30.56	(26.79 - 34.61)	27.83	(24.31 - 31.65)	28.34	(25.30 - 31.58)
Rhode Island	7.94	(6.48 - 9.70)	33.98	(30.91 - 37.18)	22.38	(19.78 - 25.22)	24.25	(21.92 - 26.75)
Bristol and Newport	8.15	(5.62 - 11.68)	*	(* - *)	17.81	(14.38 - 21.86)	20.82	(17.43 - 24.66)
Kent	9.15	(6.54 - 12.67)	36.47	(30.52 - 42.86)	23.16	(19.27 - 27.57)	24.74	(21.05 - 28.84)
Providence	7.41	(5.60 - 9.75)	32.75	(28.99 - 36.75)	24.01	(20.70 - 27.66)	25.50	(22.55 - 28.71)
Washington	8.67	(6.00 - 12.38)	34.12	(28.26 - 40.51)	18.36	(14.79 - 22.56)	21.21	(17.81 - 25.05)
South Carolina	9.64	(8.08 - 11.46)	38.55	(35.50 - 41.70)	27.61	(24.84 - 30.57)	29.21	(26.75 - 31.80)
Region 1	12.34	(9.29 - 16.21)	38.22	(33.23 - 43.46)	27.03	(22.92 - 31.58)	28.64	(24.91 - 32.69)
Region 2	9.04	(6.73 - 12.05)	37.66	(32.91 - 42.66)	27.50	(23.64 - 31.72)	29.05	(25.57 - 32.79)
Region 3	9.02	(6.42 - 12.53)	40.49	(34.13 - 47.18)	30.82	(26.01 - 36.08)	32.12	(27.68 - 36.91)
Region 4	7.93	(5.82 - 10.72)	38.74	(33.38 - 44.39)	26.19	(22.34 - 30.44)	28.05	(24.51 - 31.88)

See notes at end of table.

(continued)

Table 13 *Cigarette Use in the Past Month*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	9.01	(7.50 - 10.78)	38.16	(34.73 - 41.73)	24.70	(22.19 - 27.40)	26.70	(24.45 - 29.08)
Region 1	10.93	(8.14 - 14.52)	43.73	(37.80 - 49.86)	26.65	(22.51 - 31.24)	29.10	(25.26 - 33.25)
Region 2	10.64	(7.23 - 15.39)	*	(* - *)	27.49	(22.49 - 33.13)	29.86	(25.08 - 35.12)
Region 3	7.65	(5.47 - 10.60)	32.47	(26.98 - 38.48)	22.80	(19.22 - 26.82)	24.44	(21.12 - 28.10)
Region 4	9.58	(6.76 - 13.40)	*	(* - *)	24.28	(20.16 - 28.94)	26.65	(22.70 - 31.01)
Region 5	7.63	(5.55 - 10.40)	35.78	(30.48 - 41.44)	23.82	(20.38 - 27.64)	25.51	(22.26 - 29.04)
Tennessee	8.67	(7.27 - 10.32)	35.89	(32.89 - 39.01)	27.16	(24.49 - 30.01)	28.39	(26.01 - 30.91)
Region 1	10.06	(6.82 - 14.62)	*	(* - *)	28.21	(23.41 - 33.56)	29.52	(24.97 - 34.51)
Region 2	9.47	(6.78 - 13.06)	36.98	(30.75 - 43.68)	27.94	(23.72 - 32.59)	29.15	(25.19 - 33.45)
Region 3	10.12	(7.30 - 13.87)	38.19	(32.14 - 44.64)	27.83	(23.54 - 32.57)	29.24	(25.21 - 33.63)
Region 4 (Davidson)	7.06	(4.81 - 10.23)	35.41	(29.20 - 42.16)	28.45	(23.91 - 33.46)	29.55	(25.36 - 34.12)
Region 5	10.01	(7.40 - 13.39)	38.02	(32.61 - 43.76)	26.50	(22.45 - 30.98)	28.10	(24.40 - 32.13)
Region 6	9.13	(6.33 - 13.00)	*	(* - *)	28.80	(24.11 - 33.99)	30.12	(25.75 - 34.88)
Region 7 (Shelby)	4.32	(2.88 - 6.43)	26.94	(21.50 - 33.16)	23.77	(19.72 - 28.35)	24.26	(20.48 - 28.49)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	6.27	(5.54 - 7.08)	31.32	(29.66 - 33.02)	21.00	(19.53 - 22.56)	22.64	(21.37 - 23.96)
Region 1	9.35	(6.67 - 12.96)	38.36	(32.32 - 44.78)	25.14	(21.24 - 29.50)	27.54	(23.84 - 31.56)
Region 2	7.22	(4.90 - 10.50)	*	(* - *)	25.03	(20.95 - 29.60)	26.44	(22.60 - 30.69)
Region 3	6.26	(5.14 - 7.61)	31.23	(28.52 - 34.08)	19.70	(17.67 - 21.90)	21.40	(19.58 - 23.34)
Region 3a	6.42	(4.93 - 8.31)	29.35	(25.96 - 32.98)	18.33	(15.96 - 20.96)	19.95	(17.79 - 22.30)
Region 3bc	5.99	(4.54 - 7.88)	34.51	(30.45 - 38.80)	22.09	(19.11 - 25.40)	23.92	(21.19 - 26.88)
Region 4	7.42	(5.28 - 10.31)	40.62	(34.52 - 47.02)	27.23	(23.16 - 31.72)	29.06	(25.22 - 33.22)
Region 5	7.82	(5.61 - 10.80)	32.36	(26.75 - 38.52)	26.93	(22.88 - 31.41)	27.74	(23.96 - 31.88)
Region 6	5.66	(4.44 - 7.18)	28.07	(25.12 - 31.23)	20.56	(18.34 - 22.98)	21.71	(19.73 - 23.82)
Region 6a	5.57	(4.29 - 7.21)	27.47	(24.33 - 30.87)	20.27	(17.91 - 22.86)	21.39	(19.28 - 23.65)
Region 6bc	6.44	(4.42 - 9.28)	33.81	(27.71 - 40.51)	22.93	(19.22 - 27.12)	24.40	(20.82 - 28.37)
Region 7	6.23	(4.88 - 7.93)	33.67	(30.24 - 37.29)	20.98	(18.56 - 23.62)	23.34	(21.15 - 25.68)
Region 7a	6.20	(4.53 - 8.43)	35.50	(30.73 - 40.57)	20.04	(17.07 - 23.38)	22.64	(19.88 - 25.67)
Region 7bcd	6.29	(4.50 - 8.72)	31.29	(26.72 - 36.26)	22.66	(19.36 - 26.33)	24.51	(21.51 - 27.77)
Region 8	5.70	(4.17 - 7.74)	28.16	(24.01 - 32.72)	18.56	(15.77 - 21.71)	20.06	(17.49 - 22.91)
Region 9	9.06	(6.24 - 12.99)	*	(* - *)	26.94	(22.58 - 31.80)	28.62	(24.44 - 33.19)
Region 10	6.80	(4.77 - 9.61)	31.98	(26.52 - 37.98)	19.38	(16.10 - 23.15)	21.62	(18.47 - 25.13)
Region 11	5.55	(4.22 - 7.26)	29.85	(25.77 - 34.26)	20.09	(17.45 - 23.02)	21.78	(19.29 - 24.50)
Region 11abd	5.86	(4.13 - 8.24)	32.11	(26.75 - 37.99)	20.82	(17.48 - 24.60)	22.71	(19.51 - 26.26)
Region 11c (Hidalgo)	5.07	(3.45 - 7.41)	26.13	(20.75 - 32.32)	18.76	(15.45 - 22.59)	20.11	(16.90 - 23.75)
Utah	5.65	(4.31 - 7.37)	22.11	(19.40 - 25.07)	14.92	(12.87 - 17.24)	16.26	(14.43 - 18.29)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.50	(3.61 - 8.30)	19.65	(15.16 - 25.08)	14.12	(11.15 - 17.73)	15.16	(12.34 - 18.48)
Central, Four Corners, San Juan, and Southwest	6.49	(4.19 - 9.91)	*	(* - *)	15.96	(12.67 - 19.92)	17.71	(14.44 - 21.54)
Davis County	5.63	(3.60 - 8.71)	*	(* - *)	14.09	(11.09 - 17.76)	15.78	(12.82 - 19.27)
Salt Lake County	5.96	(4.17 - 8.45)	24.37	(20.32 - 28.92)	15.66	(12.97 - 18.79)	17.11	(14.63 - 19.92)
Utah County	4.54	(2.94 - 6.95)	16.92	(13.24 - 21.38)	12.46	(9.85 - 15.64)	13.61	(11.20 - 16.44)
Weber, Morgan	5.94	(3.78 - 9.20)	*	(* - *)	16.68	(13.20 - 20.85)	17.99	(14.59 - 21.98)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	9.78	(8.13 - 11.73)	35.62	(32.46 - 38.92)	20.87	(18.50 - 23.45)	23.02	(20.88 - 25.30)
Champlain Valley	10.27	(7.86 - 13.31)	33.77	(29.30 - 38.56)	20.57	(17.47 - 24.05)	22.93	(20.13 - 25.99)
Rural Northeast	9.10	(6.58 - 12.45)	36.81	(31.62 - 42.32)	21.82	(18.20 - 25.93)	23.75	(20.40 - 27.46)
Rural Southeast	10.83	(7.85 - 14.77)	41.36	(35.16 - 47.84)	21.02	(17.47 - 25.08)	23.27	(19.85 - 27.07)
Rural Southwest	8.16	(5.79 - 11.37)	33.96	(28.10 - 40.36)	19.96	(16.42 - 24.03)	21.82	(18.44 - 25.62)
Virginia	6.68	(5.51 - 8.06)	31.50	(28.56 - 34.60)	20.40	(18.12 - 22.88)	22.02	(19.96 - 24.23)
Region 1	6.82	(4.75 - 9.71)	33.18	(27.94 - 38.87)	20.28	(16.86 - 24.20)	22.31	(19.12 - 25.86)
Region 2	4.83	(3.40 - 6.83)	26.29	(21.46 - 31.76)	14.64	(11.96 - 17.81)	16.05	(13.46 - 19.03)
Region 3	9.57	(6.91 - 13.12)	36.32	(30.54 - 42.53)	26.38	(22.16 - 31.10)	27.86	(23.94 - 32.15)
Region 4	6.69	(4.64 - 9.55)	*	(* - *)	21.22	(17.43 - 25.57)	22.71	(19.10 - 26.77)
Region 5	6.93	(4.96 - 9.62)	31.78	(26.65 - 37.40)	22.53	(18.86 - 26.67)	24.07	(20.69 - 27.80)
Washington	8.09	(6.75 - 9.67)	35.27	(32.27 - 38.39)	20.82	(18.52 - 23.32)	22.88	(20.79 - 25.12)
Region 1	8.71	(6.61 - 11.41)	34.51	(29.66 - 39.71)	22.81	(19.56 - 26.43)	24.75	(21.69 - 28.08)
East 1 (previously Region 1)	8.93	(6.22 - 12.67)	*	(* - *)	22.78	(18.84 - 27.27)	25.02	(21.25 - 29.22)
East 2 (previously Region 2)	8.46	(5.82 - 12.12)	*	(* - *)	22.86	(18.80 - 27.50)	24.37	(20.54 - 28.64)
Region 2	7.22	(5.61 - 9.25)	34.01	(30.18 - 38.06)	18.70	(16.14 - 21.55)	20.78	(18.39 - 23.39)
North 1 (previously Region 3)	8.10	(5.78 - 11.23)	36.14	(30.71 - 41.94)	19.42	(16.07 - 23.28)	21.81	(18.63 - 25.38)
North 2 (previously Region 4)	6.63	(4.78 - 9.13)	32.70	(27.85 - 37.94)	18.29	(15.31 - 21.70)	20.19	(17.37 - 23.34)
Region 3	8.74	(6.75 - 11.25)	37.68	(33.03 - 42.57)	22.58	(19.49 - 26.01)	24.65	(21.76 - 27.79)
West 1 (previously Region 5)	9.04	(6.53 - 12.38)	38.33	(32.31 - 44.73)	23.39	(19.43 - 27.88)	25.63	(21.95 - 29.69)
West 2 (previously Region 6)	8.48	(6.06 - 11.73)	36.95	(30.76 - 43.61)	21.85	(18.13 - 26.10)	23.75	(20.17 - 27.74)
West Virginia	11.04	(9.36 - 12.97)	41.34	(38.33 - 44.41)	30.55	(27.81 - 33.42)	31.96	(29.50 - 34.54)
Region I	11.81	(8.31 - 16.53)	*	(* - *)	28.53	(23.51 - 34.14)	29.76	(24.96 - 35.06)
Region II	10.90	(7.80 - 15.02)	*	(* - *)	29.53	(24.73 - 34.83)	31.06	(26.52 - 35.99)
Region III	9.23	(6.36 - 13.20)	*	(* - *)	30.56	(25.71 - 35.87)	31.54	(26.91 - 36.56)
Region IV	12.89	(9.64 - 17.05)	42.53	(37.86 - 47.34)	29.32	(25.11 - 33.92)	31.66	(27.93 - 35.63)
Region V	10.29	(7.81 - 13.44)	41.73	(36.78 - 46.85)	32.21	(28.29 - 36.40)	33.35	(29.74 - 37.16)
Region VI	10.99	(7.98 - 14.94)	40.35	(33.85 - 47.21)	30.97	(26.38 - 35.96)	32.04	(27.72 - 36.68)

See notes at end of table.

(continued)

Table 13 Cigarette Use in the Past Month, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	8.18	(6.75 - 9.88)	33.59	(30.53 - 36.80)	21.31	(18.79 - 24.08)	23.07	(20.79-25.53)
Milwaukee	6.63	(4.47 - 9.74)	32.81	(26.83 - 39.41)	23.49	(19.30 - 28.28)	25.00	(21.08-29.38)
Northeastern	9.24	(6.81 - 12.42)	39.80	(34.34 - 45.53)	23.44	(19.71 - 27.64)	25.60	(22.12-29.43)
Northern	9.91	(6.84 - 14.15)	*	(* - *)	22.08	(17.79 - 27.06)	24.00	(19.87-28.69)
Southeastern	7.49	(5.20 - 10.68)	35.04	(28.88 - 41.73)	18.56	(15.14 - 22.54)	20.66	(17.37-24.38)
Southern	8.42	(6.01 - 11.67)	28.01	(22.97 - 33.68)	20.00	(16.29 - 24.31)	21.21	(17.78-25.10)
Western	8.06	(5.59 - 11.49)	30.57	(24.98 - 36.80)	20.86	(17.10 - 25.19)	22.40	(18.89-26.36)
Wyoming	11.34	(9.61 - 13.34)	38.18	(35.08 - 41.38)	24.72	(22.19 - 27.43)	26.72	(24.43-29.14)
Judicial District 1 (Laramie)	9.60	(6.90 - 13.21)	38.07	(31.78 - 44.79)	25.15	(21.08 - 29.70)	26.97	(23.14-31.18)
Judicial District 2	8.35	(5.52 - 12.43)	28.69	(23.42 - 34.62)	21.20	(17.24 - 25.78)	23.35	(19.79-27.33)
Judicial District 3	10.01	(7.18 - 13.79)	34.53	(28.80 - 40.75)	24.90	(20.75 - 29.56)	26.21	(22.38-30.44)
Judicial District 4	11.81	(8.16 - 16.79)	*	(* - *)	22.01	(18.00 - 26.63)	23.90	(20.03-28.27)
Judicial District 5	9.44	(6.49 - 13.55)	*	(* - *)	21.79	(17.79 - 26.39)	23.67	(19.73-28.12)
Judicial District 6	14.85	(10.98 - 19.78)	*	(* - *)	27.23	(22.72 - 32.27)	29.64	(25.29-34.38)
Judicial District 7 (Natrona)	13.55	(9.73 - 18.57)	*	(* - *)	28.98	(24.48 - 33.93)	31.50	(27.26-36.08)
Judicial District 8	11.63	(8.24 - 16.16)	*	(* - *)	24.76	(20.39 - 29.71)	27.00	(22.76-31.71)
Judicial District 9	*	(* - *)	*	(* - *)	23.45	(19.34 - 28.13)	25.76	(21.71-30.28)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	65.73	(65.23 - 66.23)	66.07	(65.57 - 66.57)	73.10	(72.62 - 73.57)	72.06	(71.64 - 72.47)
Northeast	67.33	(66.38 - 68.26)	67.75	(66.77 - 68.71)	75.98	(75.09 - 76.85)	74.80	(74.02 - 75.56)
Midwest	64.83	(64.04 - 65.63)	62.24	(61.44 - 63.02)	68.85	(68.07 - 69.62)	67.88	(67.20 - 68.56)
South	64.90	(64.13 - 65.67)	65.47	(64.68 - 66.25)	72.52	(71.79 - 73.24)	71.48	(70.84 - 72.12)
West	66.68	(65.68 - 67.67)	69.16	(68.10 - 70.20)	75.71	(74.75 - 76.65)	74.71	(73.88 - 75.52)
Alabama	61.21	(57.95 - 64.38)	62.25	(59.20 - 65.20)	69.18	(66.08 - 72.12)	68.15	(65.44 - 70.74)
Region 1	60.32	(55.25 - 65.18)	59.89	(54.80 - 64.77)	65.61	(60.72 - 70.20)	64.84	(60.49 - 68.96)
Region 2	60.69	(56.12 - 65.09)	62.49	(57.89 - 66.88)	70.01	(65.55 - 74.12)	68.86	(64.92 - 72.54)
Region 3	63.02	(58.18 - 67.60)	64.20	(58.81 - 69.25)	72.01	(67.05 - 76.49)	70.60	(66.31 - 74.55)
Region 4	61.59	(56.60 - 66.34)	62.72	(57.91 - 67.30)	70.39	(65.33 - 75.00)	69.35	(64.85 - 73.52)
Alaska	63.46	(60.06 - 66.74)	60.32	(56.99 - 63.56)	66.79	(63.51 - 69.91)	65.78	(62.92 - 68.53)
Anchorage	65.06	(60.75 - 69.13)	62.62	(58.20 - 66.83)	70.10	(65.97 - 73.92)	68.88	(65.29 - 72.27)
Northern	59.41	(53.97 - 64.64)	57.99	(52.64 - 63.17)	60.19	(54.52 - 65.61)	59.78	(54.89 - 64.48)
South Central	64.98	(59.89 - 69.75)	58.81	(53.02 - 64.37)	65.71	(60.29 - 70.75)	64.80	(59.94 - 69.38)
Southeast	62.14	(56.49 - 67.48)	59.96	(53.89 - 65.74)	69.90	(64.14 - 75.09)	68.68	(63.48 - 73.45)
Arizona	65.99	(62.69 - 69.14)	66.15	(62.83 - 69.31)	72.54	(69.23 - 75.63)	71.60	(68.69 - 74.33)
Maricopa	66.90	(63.03 - 70.55)	67.04	(62.89 - 70.95)	73.27	(69.33 - 76.87)	72.34	(68.87 - 75.56)
Pima	65.04	(59.47 - 70.23)	64.51	(58.80 - 69.84)	72.76	(67.47 - 77.47)	71.48	(66.78 - 75.75)
Rural North	62.44	(56.82 - 67.73)	62.25	(55.88 - 68.22)	68.74	(62.72 - 74.18)	67.83	(62.45 - 72.77)
Rural South	65.59	(59.87 - 70.89)	67.41	(61.56 - 72.77)	72.41	(66.76 - 77.42)	71.71	(66.64 - 76.29)
Arkansas	64.00	(60.83 - 67.04)	60.96	(57.87 - 63.96)	70.25	(67.21 - 73.11)	68.89	(66.22 - 71.44)
Catchment Area 1	66.81	(61.69 - 71.56)	66.48	(61.18 - 71.39)	73.36	(68.47 - 77.74)	72.23	(67.92 - 76.16)
Catchment Area 2	64.03	(58.47 - 69.24)	59.19	(52.88 - 65.21)	68.17	(62.43 - 73.40)	67.05	(61.84 - 71.88)
Catchment Area 3	59.49	(54.20 - 64.58)	58.91	(52.97 - 64.61)	68.43	(63.02 - 73.37)	67.00	(62.24 - 71.43)
Catchment Area 4	63.59	(58.16 - 68.70)	59.31	(52.97 - 65.35)	69.30	(63.56 - 74.50)	67.95	(62.76 - 72.74)
Catchment Area 5	64.00	(58.71 - 68.97)	58.59	(53.01 - 63.96)	69.43	(64.11 - 74.27)	67.58	(62.96 - 71.88)
Catchment Area 6	62.25	(56.36 - 67.80)	58.31	(52.02 - 64.34)	69.17	(63.55 - 74.28)	67.59	(62.54 - 72.26)
Catchment Area 7	61.79	(55.87 - 67.37)	59.61	(52.96 - 65.93)	69.55	(63.82 - 74.73)	68.20	(63.02 - 72.96)
Catchment Area 8	66.73	(61.64 - 71.45)	62.81	(57.67 - 67.68)	72.08	(67.35 - 76.36)	70.86	(66.60 - 74.77)

See notes at end of table.

(continued)

Table 14 Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
California	67.52	(65.92 - 69.08)	72.30	(70.66 - 73.88)	78.79	(77.26 - 80.24)	77.76	(76.45 - 79.02)
Region 1R	67.22	(62.21 - 71.86)	68.51	(63.22 - 73.35)	74.55	(69.99 - 78.63)	73.63	(69.56 - 77.33)
Region 2R	67.62	(62.86 - 72.04)	70.04	(64.92 - 74.70)	76.88	(72.45 - 80.79)	75.83	(71.84 - 79.41)
Region 3R (Sacramento)	68.22	(63.62 - 72.49)	69.21	(64.06 - 73.92)	76.07	(71.87 - 79.81)	75.01	(71.26 - 78.41)
Region 4R	66.57	(61.92 - 70.92)	68.90	(63.81 - 73.56)	78.21	(74.15 - 81.79)	76.99	(73.27 - 80.34)
Region 5R (San Francisco)	*	(* - *)	72.74	(67.95 - 77.06)	79.62	(75.46 - 83.22)	78.78	(75.01 - 82.11)
Region 6 (Santa Clara)	70.43	(66.15 - 74.37)	71.97	(66.85 - 76.58)	80.61	(76.82 - 83.91)	79.46	(76.01 - 82.54)
Region 7R (Contra Costa)	68.36	(63.66 - 72.71)	72.52	(67.41 - 77.10)	81.09	(77.33 - 84.36)	79.99	(76.53 - 83.05)
Region 8R (Alameda)	70.27	(65.91 - 74.28)	74.68	(70.19 - 78.71)	80.90	(77.15 - 84.16)	80.02	(76.60 - 83.04)
Region 9R (San Mateo)	71.26	(66.63 - 75.48)	73.77	(68.41 - 78.51)	81.17	(77.12 - 84.64)	80.33	(76.58 - 83.60)
Region 10	68.23	(63.58 - 72.55)	70.15	(65.02 - 74.82)	79.07	(75.09 - 82.56)	77.51	(73.99 - 80.68)
Region 11 (Los Angeles)	66.75	(64.56 - 68.87)	73.99	(71.85 - 76.03)	80.03	(78.07 - 81.87)	79.06	(77.33 - 80.69)
LA SPA 1 and 5	67.40	(62.72 - 71.76)	71.42	(66.11 - 76.19)	80.12	(76.15 - 83.57)	78.70	(75.05 - 81.95)
LA SPA 2	67.02	(62.64 - 71.12)	74.25	(69.90 - 78.17)	79.82	(76.12 - 83.08)	78.99	(75.69 - 81.96)
LA SPA 3	68.38	(63.77 - 72.66)	74.84	(70.53 - 78.72)	81.34	(77.81 - 84.42)	80.32	(77.21 - 83.10)
LA SPA 4	66.58	(61.59 - 71.23)	74.40	(69.83 - 78.49)	78.82	(74.71 - 82.41)	78.14	(74.47 - 81.41)
LA SPA 6	65.42	(60.61 - 69.94)	76.31	(71.67 - 80.40)	80.03	(75.94 - 83.58)	79.24	(75.69 - 82.40)
LA SPA 7	65.89	(61.22 - 70.27)	76.41	(71.72 - 80.54)	81.83	(78.02 - 85.10)	80.88	(77.49 - 83.86)
LA SPA 8	66.13	(61.70 - 70.29)	69.98	(64.87 - 74.64)	78.31	(74.10 - 82.00)	77.06	(73.26 - 80.47)
Region 12R	66.69	(61.78 - 71.26)	70.04	(64.39 - 75.15)	76.88	(72.33 - 80.89)	75.82	(71.71 - 79.50)
Regions 13 and 19R	66.05	(61.95 - 69.92)	74.14	(70.22 - 77.72)	77.37	(73.63 - 80.72)	76.83	(73.59 - 79.78)
Region 13 (Riverside)	66.11	(61.70 - 70.26)	74.45	(70.23 - 78.26)	77.49	(73.51 - 81.03)	76.98	(73.53 - 80.11)
Region 19R (Imperial)	65.32	(60.13 - 70.18)	*	(* - *)	*	(* - *)	74.84	(70.77 - 78.52)
Region 14 (Orange)	70.19	(66.31 - 73.80)	72.34	(68.24 - 76.10)	79.74	(76.41 - 82.71)	78.61	(75.62 - 81.32)
Region 15R (Fresno)	65.74	(60.71 - 70.45)	71.52	(66.31 - 76.22)	77.81	(73.47 - 81.61)	76.64	(72.77 - 80.10)
Region 16R (San Diego)	67.78	(63.93 - 71.41)	71.80	(67.68 - 75.58)	79.05	(75.74 - 82.02)	77.82	(74.92 - 80.46)
Region 17R	64.27	(59.79 - 68.51)	69.62	(64.61 - 74.21)	74.32	(69.82 - 78.35)	73.47	(69.50 - 77.09)
Region 18R (San Bernardino)	68.00	(63.95 - 71.79)	72.27	(68.07 - 76.11)	76.56	(72.68 - 80.04)	75.79	(72.42 - 78.88)
Region 20R	64.28	(59.41 - 68.88)	70.76	(65.55 - 75.47)	75.93	(71.49 - 79.88)	75.04	(71.05 - 78.64)
Region 21R	67.66	(62.72 - 72.23)	73.16	(68.16 - 77.64)	79.64	(75.53 - 83.21)	78.46	(74.80 - 81.72)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	65.92	(62.57 - 69.12)	65.57	(62.46 - 68.55)	73.63	(70.56 - 76.48)	72.46	(69.80 - 74.97)
Region 1	66.99	(61.56 - 72.01)	65.73	(60.17 - 70.89)	72.88	(67.78 - 77.44)	71.63	(67.16 - 75.72)
Regions 2 and 7	65.13	(60.89 - 69.14)	66.08	(61.99 - 69.95)	74.34	(70.56 - 77.78)	73.19	(69.90 - 76.24)
Region 3	67.34	(62.17 - 72.12)	63.21	(57.58 - 68.50)	72.38	(67.48 - 76.80)	70.98	(66.66 - 74.94)
Region 4	64.32	(58.25 - 69.96)	*	(* - *)	70.76	(64.92 - 75.99)	69.65	(64.37 - 74.46)
Regions 5 and 6	67.49	(62.08 - 72.47)	67.62	(61.86 - 72.89)	73.94	(68.34 - 78.86)	73.11	(68.04 - 77.64)
Connecticut	69.51	(66.40 - 72.46)	66.25	(63.07 - 69.29)	76.91	(74.03 - 79.57)	75.47	(72.91 - 77.87)
Eastern	67.61	(62.17 - 72.61)	63.96	(58.51 - 69.07)	73.77	(68.43 - 78.49)	72.02	(67.42 - 76.21)
North Central	70.16	(65.52 - 74.41)	63.57	(58.44 - 68.42)	74.90	(70.40 - 78.92)	73.43	(69.40 - 77.10)
Northwestern	70.51	(65.75 - 74.87)	65.27	(59.01 - 71.04)	77.70	(72.96 - 81.81)	76.23	(71.88 - 80.08)
South Central	68.88	(64.06 - 73.32)	68.26	(63.22 - 72.90)	77.98	(73.63 - 81.79)	76.62	(72.76 - 80.08)
Southwest	69.46	(64.57 - 73.94)	70.66	(65.08 - 75.68)	79.85	(75.58 - 83.53)	78.71	(74.83 - 82.13)
Delaware	65.22	(61.87 - 68.42)	69.50	(66.38 - 72.44)	76.53	(73.67 - 79.17)	75.50	(72.97 - 77.87)
Kent	64.60	(59.63 - 69.27)	68.61	(63.42 - 73.37)	75.06	(70.19 - 79.37)	74.02	(69.70 - 77.91)
New Castle (excluding Wilmington City)	66.64	(62.39 - 70.64)	70.47	(66.43 - 74.21)	77.43	(73.91 - 80.61)	76.33	(73.23 - 79.18)
Sussex	63.14	(57.72 - 68.25)	67.28	(61.69 - 72.42)	75.82	(71.27 - 79.86)	74.91	(70.71 - 78.70)
Wilmington City	62.18	(56.38 - 67.65)	69.51	(63.78 - 74.70)	76.12	(71.27 - 80.38)	75.16	(70.77 - 79.08)
District of Columbia	60.26	(56.97 - 63.45)	71.19	(68.30 - 73.91)	78.52	(75.84 - 80.97)	77.09	(74.85 - 79.19)
Ward 1	63.25	(57.23 - 68.88)	74.13	(69.30 - 78.44)	77.69	(73.12 - 81.68)	76.92	(73.08 - 80.37)
Ward 2	*	(* - *)	71.90	(66.98 - 76.35)	78.63	(74.20 - 82.48)	76.62	(72.99 - 79.89)
Ward 3	67.48	(62.02 - 72.51)	71.19	(66.02 - 75.86)	79.21	(74.96 - 82.91)	77.71	(74.03 - 81.01)
Ward 4	63.61	(58.03 - 68.85)	72.05	(66.24 - 77.21)	80.37	(76.10 - 84.04)	79.40	(75.44 - 82.86)
Ward 5	59.30	(53.76 - 64.61)	67.41	(61.62 - 72.71)	79.29	(74.73 - 83.22)	77.02	(73.05 - 80.56)
Ward 6	62.33	(56.42 - 67.89)	71.94	(66.59 - 76.73)	78.82	(74.23 - 82.78)	77.76	(73.66 - 81.39)
Ward 7	55.86	(50.59 - 61.01)	68.83	(62.85 - 74.23)	76.83	(71.86 - 81.16)	75.47	(71.06 - 79.40)
Ward 8	56.72	(51.77 - 61.54)	70.96	(65.63 - 75.77)	76.49	(71.46 - 80.88)	75.32	(71.04 - 79.16)

See notes at end of table.

(continued)

Table 14 Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	68.82	(67.22 - 70.38)	69.55	(67.95 - 71.10)	77.68	(76.15 - 79.14)	76.61	(75.25 - 77.91)
Region A - Northwest	68.46	(65.74 - 71.06)	65.60	(62.22 - 68.82)	72.71	(69.63 - 75.58)	71.46	(68.76 - 74.01)
Circuit 1	69.84	(66.13 - 73.31)	63.37	(58.34 - 68.12)	71.51	(67.05 - 75.58)	70.26	(66.27 - 73.96)
Circuit 2	68.46	(63.73 - 72.83)	69.30	(64.24 - 73.94)	76.14	(71.84 - 79.97)	74.45	(70.82 - 77.77)
Circuit 14	65.07	(59.97 - 69.85)	62.36	(56.55 - 67.84)	71.45	(66.34 - 76.07)	70.25	(65.61 - 74.50)
Region B - Northeast	67.82	(65.01 - 70.50)	67.64	(64.56 - 70.59)	75.89	(73.28 - 78.32)	74.65	(72.33 - 76.83)
Circuits 3 and 8	66.23	(61.42 - 70.72)	67.33	(62.61 - 71.73)	73.94	(69.49 - 77.94)	72.56	(68.76 - 76.06)
Circuit 4	67.43	(63.13 - 71.45)	67.65	(62.53 - 72.38)	76.44	(72.56 - 79.92)	75.15	(71.68 - 78.32)
Circuit 7	69.32	(65.01 - 73.32)	68.00	(63.11 - 72.53)	76.38	(72.22 - 80.09)	75.39	(71.62 - 78.81)
Region C - Central	67.37	(65.07 - 69.60)	67.61	(65.18 - 69.95)	76.21	(73.99 - 78.30)	75.09	(73.09 - 76.98)
Circuit 5	64.98	(60.34 - 69.34)	63.08	(57.89 - 67.99)	74.33	(69.78 - 78.40)	73.29	(69.09 - 77.10)
Circuit 9	68.39	(64.53 - 72.02)	70.49	(66.45 - 74.23)	77.77	(74.13 - 81.02)	76.47	(73.31 - 79.37)
Circuit 10	66.17	(61.66 - 70.41)	66.28	(61.37 - 70.87)	75.85	(71.67 - 79.60)	74.64	(70.88 - 78.06)
Circuit 18	68.19	(64.07 - 72.04)	66.88	(62.04 - 71.38)	76.56	(72.39 - 80.28)	75.32	(71.55 - 78.74)
Circuit 19	68.51	(63.85 - 72.83)	67.00	(61.71 - 71.89)	76.26	(71.75 - 80.25)	75.28	(71.12 - 79.02)
Region D - Southeast	70.41	(67.49 - 73.17)	73.19	(70.08 - 76.08)	80.33	(77.73 - 82.68)	79.47	(77.12 - 81.64)
Circuit 15 (Palm Beach)	69.80	(65.68 - 73.63)	73.38	(69.17 - 77.20)	80.16	(76.42 - 83.43)	79.38	(75.96 - 82.43)
Circuit 17 (Broward)	70.82	(67.03 - 74.34)	73.05	(68.77 - 76.94)	80.46	(77.19 - 83.36)	79.54	(76.59 - 82.20)
Region E - Sun Coast	69.66	(67.25 - 71.97)	68.95	(66.43 - 71.37)	77.10	(74.76 - 79.28)	76.17	(74.05 - 78.16)
Circuit 6	69.85	(65.78 - 73.63)	64.36	(59.38 - 69.06)	74.59	(70.32 - 78.43)	73.54	(69.59 - 77.14)
Circuit 12	69.28	(64.62 - 73.59)	65.95	(60.53 - 70.98)	77.55	(73.25 - 81.33)	76.46	(72.47 - 80.04)
Circuit 13 (Hillsborough)	71.22	(67.11 - 75.00)	73.77	(70.12 - 77.12)	78.27	(74.48 - 81.63)	77.58	(74.27 - 80.58)
Circuit 20	67.59	(63.13 - 71.75)	68.99	(64.02 - 73.56)	78.67	(74.88 - 82.02)	77.68	(74.17 - 80.83)
Region F - Southern (Circuits 11 and 16)	69.41	(66.07 - 72.57)	74.73	(71.56 - 77.66)	82.52	(79.69 - 85.03)	81.43	(78.92 - 83.70)
Georgia	64.20	(60.93 - 67.34)	66.25	(63.23 - 69.15)	71.95	(68.90 - 74.80)	71.08	(68.43 - 73.60)
Region 1	64.22	(59.59 - 68.60)	66.19	(61.19 - 70.86)	70.21	(65.39 - 74.62)	69.68	(65.34 - 73.69)
Region 2	62.52	(57.23 - 67.54)	63.80	(58.30 - 68.95)	69.32	(64.20 - 74.00)	68.37	(63.91 - 72.51)
Region 3	66.16	(61.41 - 70.61)	69.88	(65.56 - 73.88)	77.28	(73.24 - 80.88)	76.20	(72.62 - 79.45)
Region 4	60.83	(55.27 - 66.13)	65.14	(59.10 - 70.73)	69.04	(63.44 - 74.13)	68.37	(63.43 - 72.94)
Region 5	62.68	(56.55 - 68.43)	63.44	(57.16 - 69.30)	68.65	(62.94 - 73.85)	67.74	(62.68 - 72.42)
Region 6	64.27	(58.97 - 69.24)	64.74	(58.95 - 70.13)	70.11	(64.79 - 74.94)	69.30	(64.58 - 73.64)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	61.04	(57.60 - 64.37)	68.17	(65.07 - 71.12)	72.99	(69.83 - 75.93)	72.34	(69.58 - 74.95)
Hawaii Island	60.91	(55.13 - 66.40)	66.43	(60.53 - 71.86)	75.50	(70.23 - 80.11)	74.40	(69.65 - 78.64)
Honolulu	60.83	(56.95 - 64.57)	68.35	(64.84 - 71.66)	72.40	(68.86 - 75.67)	71.83	(68.75 - 74.72)
Kauai and Maui	61.97	(56.79 - 66.89)	68.80	(63.73 - 73.45)	73.38	(68.63 - 77.64)	72.87	(68.55 - 76.79)
Kauai	61.34	(55.03 - 67.29)	*	(* - *)	75.00	(69.15 - 80.06)	74.33	(68.98 - 79.03)
Maui	62.24	(56.28 - 67.85)	68.77	(62.84 - 74.14)	72.67	(67.06 - 77.63)	72.23	(67.13 - 76.81)
Idaho	65.40	(62.28 - 68.39)	62.63	(59.45 - 65.70)	68.98	(65.83 - 71.95)	68.01	(65.25 - 70.64)
Region 1	66.24	(60.95 - 71.16)	61.73	(55.57 - 67.53)	70.78	(65.22 - 75.78)	69.69	(64.64 - 74.30)
Region 2	63.38	(57.69 - 68.72)	63.75	(57.53 - 69.54)	66.74	(60.98 - 72.04)	66.16	(61.16 - 70.82)
Region 3	61.35	(56.05 - 66.40)	63.02	(57.54 - 68.17)	68.43	(63.25 - 73.19)	67.64	(63.05 - 71.93)
Region 4	68.40	(63.81 - 72.65)	61.54	(56.29 - 66.53)	69.84	(65.18 - 74.13)	68.69	(64.52 - 72.58)
Region 5	63.20	(58.02 - 68.09)	62.04	(56.08 - 67.66)	68.73	(63.29 - 73.70)	67.79	(62.91 - 72.30)
Region 6	65.18	(59.78 - 70.21)	61.25	(55.16 - 67.01)	67.28	(61.66 - 72.43)	66.30	(61.32 - 70.95)
Region 7	66.64	(61.48 - 71.43)	65.12	(59.60 - 70.27)	68.34	(63.06 - 73.18)	67.67	(63.17 - 71.86)
Illinois	65.72	(64.07 - 67.33)	65.07	(63.34 - 66.76)	72.17	(70.49 - 73.80)	71.14	(69.67 - 72.56)
Region I (Cook)	64.70	(62.10 - 67.22)	69.27	(66.84 - 71.61)	76.37	(73.93 - 78.66)	75.34	(73.20 - 77.35)
Region II	67.77	(65.33 - 70.12)	64.74	(61.89 - 67.49)	72.51	(69.92 - 74.97)	71.44	(69.16 - 73.61)
Region III	65.75	(62.10 - 69.23)	59.83	(55.81 - 63.73)	64.29	(60.47 - 67.94)	63.53	(60.20 - 66.72)
Region IV	65.28	(60.92 - 69.39)	59.08	(54.35 - 63.64)	66.46	(61.91 - 70.72)	65.44	(61.39 - 69.28)
Region V	62.03	(58.09 - 65.82)	59.66	(55.32 - 63.85)	66.72	(62.66 - 70.54)	65.71	(62.11 - 69.15)
Indiana	66.09	(62.88 - 69.15)	62.38	(59.25 - 65.42)	67.51	(64.34 - 70.52)	66.73	(63.97 - 69.38)
Central	67.71	(62.83 - 72.23)	65.20	(59.90 - 70.14)	69.73	(64.74 - 74.29)	69.10	(64.66 - 73.22)
East	64.30	(58.50 - 69.71)	60.43	(54.67 - 65.92)	65.24	(59.30 - 70.74)	64.45	(59.24 - 69.33)
North Central	66.18	(60.84 - 71.14)	62.57	(57.11 - 67.72)	66.95	(61.49 - 71.99)	66.33	(61.46 - 70.87)
Northeast	65.44	(59.94 - 70.55)	60.80	(54.62 - 66.65)	67.73	(62.14 - 72.86)	66.73	(61.73 - 71.38)
Northwest	65.06	(59.74 - 70.03)	60.70	(54.93 - 66.17)	67.85	(62.12 - 73.09)	66.87	(61.76 - 71.60)
Southeast	63.35	(57.86 - 68.52)	58.12	(52.20 - 63.81)	64.52	(58.70 - 69.94)	63.73	(58.46 - 68.68)
Southwest	68.20	(62.66 - 73.27)	61.58	(55.15 - 67.64)	67.40	(61.54 - 72.76)	66.58	(61.31 - 71.47)
West	66.26	(60.75 - 71.36)	63.79	(58.19 - 69.04)	67.18	(61.47 - 72.42)	66.39	(61.57 - 70.89)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	65.33	(62.30 - 68.24)	61.51	(58.32 - 64.60)	68.30	(65.27 - 71.18)	67.29	(64.63 - 69.83)
Central	67.22	(62.08 - 71.97)	65.36	(59.88 - 70.46)	70.30	(65.42 - 74.76)	69.62	(65.25 - 73.65)
North Central	64.23	(58.83 - 69.29)	59.81	(53.57 - 65.74)	66.39	(60.46 - 71.85)	65.13	(60.01 - 69.92)
Northeast	65.06	(60.06 - 69.75)	62.53	(57.71 - 67.11)	69.64	(64.80 - 74.08)	68.56	(64.29 - 72.54)
Northwest	64.64	(59.64 - 69.35)	57.54	(51.56 - 63.30)	66.50	(61.10 - 71.50)	65.33	(60.45 - 69.90)
Southeast	66.63	(62.12 - 70.85)	61.57	(56.18 - 66.70)	68.52	(63.82 - 72.87)	67.40	(63.23 - 71.32)
Southwest	62.21	(56.53 - 67.56)	60.04	(53.80 - 65.98)	65.93	(60.10 - 71.32)	65.23	(59.91 - 70.19)
Kansas	61.09	(57.82 - 64.27)	61.80	(58.63 - 64.87)	66.79	(63.42 - 70.00)	66.02	(63.13 - 68.81)
Kansas City Metro	63.80	(59.33 - 68.04)	64.22	(59.53 - 68.66)	70.45	(65.99 - 74.55)	69.52	(65.62 - 73.17)
Northeast	57.13	(51.37 - 62.71)	61.05	(55.46 - 66.37)	65.47	(59.94 - 70.60)	64.68	(59.93 - 69.16)
South Central	61.83	(56.59 - 66.81)	60.69	(54.48 - 66.56)	65.81	(59.85 - 71.30)	65.06	(59.72 - 70.05)
Southeast	58.64	(52.82 - 64.23)	57.89	(51.32 - 64.20)	62.26	(55.73 - 68.37)	61.58	(55.82 - 67.03)
West	59.40	(53.60 - 64.96)	57.79	(51.73 - 63.62)	60.70	(54.42 - 66.64)	60.27	(54.72 - 65.57)
Wichita (Sedgwick)	61.40	(56.14 - 66.42)	63.03	(57.40 - 68.32)	67.54	(62.33 - 72.35)	66.86	(62.25 - 71.18)
Kentucky	62.74	(59.48 - 65.90)	58.50	(55.44 - 61.50)	62.96	(59.66 - 66.14)	62.33	(59.44 - 65.14)
Adanta, Cumberland River, and Lifeskills	62.93	(57.62 - 67.94)	58.49	(53.10 - 63.69)	60.53	(54.99 - 65.82)	60.24	(55.34 - 64.94)
Bluegrass, Comprehend, and North Key	64.07	(59.28 - 68.59)	58.09	(53.45 - 62.58)	62.81	(57.90 - 67.46)	62.09	(57.79 - 66.20)
Communicare and River Valley	62.25	(56.45 - 67.71)	59.79	(53.74 - 65.56)	60.06	(54.21 - 65.64)	60.02	(54.75 - 65.07)
Four Rivers and Pennyroyal	61.46	(55.67 - 66.94)	58.65	(52.54 - 64.51)	62.70	(56.94 - 68.13)	62.12	(56.98 - 66.99)
Kentucky River, Mountain, and Pathways	60.42	(54.74 - 65.83)	52.64	(46.53 - 58.67)	59.83	(53.79 - 65.58)	58.90	(53.50 - 64.09)
Seven Counties	62.79	(58.02 - 67.32)	61.43	(56.02 - 66.56)	68.14	(63.25 - 72.66)	67.27	(62.84 - 71.40)

See notes at end of table.

(continued)

Table 14 Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	63.11	(60.13 - 66.00)	66.92	(64.17 - 69.56)	73.50	(70.72 - 76.11)	72.47	(70.06 - 74.75)
Regions 1 and 10	63.93	(59.69 - 67.96)	69.96	(65.67 - 73.92)	76.62	(72.89 - 79.98)	75.58	(72.24 - 78.64)
Region 1	66.09	(60.77 - 71.04)	71.16	(65.80 - 75.99)	76.64	(71.99 - 80.73)	75.66	(71.55 - 79.35)
Region 10 (Jefferson)	61.88	(56.24 - 67.21)	68.32	(62.53 - 73.60)	76.60	(71.63 - 80.94)	75.51	(70.97 - 79.54)
Regions 2 and 9	65.97	(61.59 - 70.09)	68.40	(64.16 - 72.35)	75.62	(71.37 - 79.42)	74.45	(70.78 - 77.80)
Region 3	62.35	(57.14 - 67.29)	64.17	(58.36 - 69.60)	71.46	(66.08 - 76.29)	70.38	(65.59 - 74.77)
Regions 4, 5, and 6	59.79	(54.93 - 64.46)	64.60	(59.79 - 69.13)	69.33	(64.71 - 73.60)	68.61	(64.55 - 72.40)
Regions 7 and 8	63.43	(58.65 - 67.95)	66.07	(61.26 - 70.57)	74.01	(69.63 - 77.96)	72.75	(68.91 - 76.27)
Maine	64.30	(61.07 - 67.41)	60.48	(57.37 - 63.51)	70.81	(67.97 - 73.49)	69.53	(66.99 - 71.95)
Aroostook/Downeast	63.34	(58.57 - 67.87)	58.48	(53.42 - 63.36)	68.19	(63.56 - 72.49)	67.10	(62.88 - 71.06)
Aroostook	62.53	(56.51 - 68.18)	58.10	(51.56 - 64.37)	64.66	(58.08 - 70.74)	63.91	(57.89 - 69.52)
Downeast	64.09	(58.27 - 69.53)	58.80	(52.41 - 64.91)	71.03	(65.41 - 76.07)	69.69	(64.57 - 74.36)
Central	62.55	(57.04 - 67.74)	58.29	(52.35 - 64.01)	68.46	(63.35 - 73.17)	67.27	(62.62 - 71.60)
Cumberland	67.34	(62.46 - 71.87)	65.26	(59.95 - 70.23)	75.21	(70.75 - 79.20)	73.94	(69.91 - 77.61)
Midcoast	64.52	(58.74 - 69.91)	59.36	(53.05 - 65.37)	71.69	(65.95 - 76.81)	70.48	(65.16 - 75.30)
Penquis	61.44	(56.21 - 66.41)	59.73	(54.27 - 64.96)	66.67	(61.58 - 71.40)	65.54	(61.05 - 69.77)
Western	62.01	(56.76 - 67.00)	58.01	(52.46 - 63.37)	68.54	(63.40 - 73.26)	67.18	(62.57 - 71.47)
York	66.53	(61.28 - 71.40)	60.80	(55.18 - 66.15)	73.71	(68.56 - 78.29)	72.24	(67.56 - 76.48)
Maryland	65.76	(62.68 - 68.71)	68.54	(65.64 - 71.30)	76.75	(74.04 - 79.25)	75.57	(73.20 - 77.80)
Anne Arundel	67.49	(61.91 - 72.61)	69.16	(63.41 - 74.37)	78.04	(73.10 - 82.29)	76.86	(72.42 - 80.78)
Baltimore City	61.41	(55.95 - 66.60)	67.61	(62.51 - 72.33)	73.86	(68.89 - 78.29)	72.74	(68.45 - 76.64)
Baltimore County	65.34	(59.84 - 70.47)	69.55	(64.34 - 74.30)	77.78	(73.44 - 81.58)	76.60	(72.71 - 80.08)
Montgomery	69.67	(65.05 - 73.92)	71.29	(65.89 - 76.14)	78.45	(74.12 - 82.23)	77.62	(73.71 - 81.10)
North Central	69.11	(63.68 - 74.05)	69.51	(63.84 - 74.64)	78.11	(73.41 - 82.18)	77.06	(72.79 - 80.84)
Northeast	63.72	(58.08 - 69.01)	64.40	(58.23 - 70.13)	73.22	(67.81 - 78.02)	72.12	(67.17 - 76.57)
Prince George's	64.10	(58.33 - 69.48)	70.16	(64.91 - 74.93)	79.48	(74.99 - 83.34)	77.87	(73.91 - 81.38)
South	64.10	(58.54 - 69.31)	66.54	(60.78 - 71.84)	75.53	(70.31 - 80.09)	74.16	(69.51 - 78.33)
West	64.63	(59.26 - 69.65)	64.87	(59.30 - 70.07)	72.75	(67.49 - 77.44)	71.70	(66.97 - 75.99)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	65.59	(62.68 - 68.39)	69.16	(66.15 - 72.01)	77.66	(74.97 - 80.13)	76.38	(74.04 - 78.57)
Boston	64.83	(59.33 - 69.96)	72.94	(68.08 - 77.30)	78.37	(73.90 - 82.26)	77.07	(73.31 - 80.45)
Central	68.08	(63.05 - 72.73)	67.15	(61.47 - 72.37)	76.87	(72.00 - 81.11)	75.48	(71.09 - 79.39)
Metrowest	67.53	(63.02 - 71.74)	71.73	(66.45 - 76.48)	79.13	(74.90 - 82.80)	78.16	(74.34 - 81.55)
Northeast	65.34	(60.65 - 69.76)	68.90	(63.98 - 73.43)	78.33	(74.09 - 82.04)	77.10	(73.30 - 80.50)
Southeast	63.41	(58.68 - 67.90)	66.31	(61.02 - 71.22)	77.52	(73.02 - 81.46)	76.10	(72.07 - 79.71)
Western	63.57	(58.37 - 68.47)	65.56	(60.03 - 70.70)	74.18	(69.46 - 78.40)	72.71	(68.55 - 76.50)
Michigan	64.93	(63.29 - 66.53)	63.30	(61.69 - 64.89)	69.11	(67.50 - 70.68)	68.26	(66.87 - 69.62)
Detroit City	60.17	(55.49 - 64.68)	66.71	(62.39 - 70.76)	71.00	(66.56 - 75.07)	70.22	(66.43 - 73.76)
Genesee	62.59	(57.83 - 67.11)	60.89	(55.87 - 65.69)	65.80	(61.02 - 70.29)	65.12	(60.82 - 69.19)
Kalamazoo	64.65	(60.63 - 68.48)	62.14	(57.45 - 66.61)	66.61	(62.31 - 70.65)	65.90	(62.08 - 69.53)
Kent	68.32	(64.09 - 72.26)	65.32	(60.83 - 69.55)	71.63	(67.57 - 75.36)	70.63	(67.05 - 73.98)
Lakeshore	65.13	(61.37 - 68.71)	61.39	(56.97 - 65.63)	68.06	(64.07 - 71.80)	67.05	(63.52 - 70.39)
Macomb	65.96	(62.08 - 69.64)	63.66	(59.42 - 67.70)	70.40	(66.45 - 74.06)	69.55	(65.99 - 72.89)
Mid South	64.79	(61.06 - 68.35)	63.47	(59.30 - 67.46)	67.09	(63.02 - 70.92)	66.45	(62.94 - 69.77)
Northern	62.86	(58.57 - 66.96)	61.77	(57.49 - 65.87)	66.69	(62.37 - 70.74)	65.99	(62.19 - 69.60)
Oakland	68.13	(64.59 - 71.48)	65.17	(61.25 - 68.89)	74.08	(70.63 - 77.25)	73.03	(69.89 - 75.96)
Pathways and Western	64.43	(59.68 - 68.90)	60.97	(55.49 - 66.18)	65.36	(60.24 - 70.15)	64.72	(60.20 - 68.99)
Riverhaven	61.95	(57.19 - 66.49)	56.71	(51.42 - 61.84)	62.39	(57.24 - 67.27)	61.68	(57.05 - 66.12)
Saginaw	60.78	(55.58 - 65.76)	60.40	(54.58 - 65.94)	67.08	(61.61 - 72.13)	66.05	(61.17 - 70.61)
Southeast	65.49	(61.81 - 68.99)	63.47	(59.75 - 67.04)	70.81	(67.18 - 74.19)	69.83	(66.59 - 72.89)
St. Clair	61.80	(56.64 - 66.70)	59.63	(54.32 - 64.73)	66.20	(61.03 - 71.01)	65.39	(60.71 - 69.79)
Washtenaw	68.36	(63.96 - 72.46)	66.44	(62.24 - 70.39)	70.20	(65.61 - 74.41)	69.48	(65.57 - 73.13)
Minnesota	68.01	(64.95 - 70.92)	60.85	(57.58 - 64.02)	70.32	(67.48 - 73.01)	68.97	(66.48 - 71.37)
Regions 1 and 2	67.09	(61.56 - 72.17)	58.40	(51.91 - 64.62)	66.42	(60.51 - 71.87)	65.30	(59.98 - 70.26)
Regions 3 and 4	67.40	(62.44 - 72.00)	61.64	(56.35 - 66.68)	68.56	(63.35 - 73.34)	67.55	(62.96 - 71.83)
Regions 5 and 6	66.21	(61.19 - 70.89)	57.98	(52.24 - 63.51)	67.68	(62.68 - 72.31)	66.25	(61.81 - 70.42)
Region 7A (Hennepin)	69.99	(65.06 - 74.50)	64.81	(59.80 - 69.52)	73.33	(68.92 - 77.31)	72.14	(68.19 - 75.77)
Region 7B (Ramsey)	66.64	(60.83 - 71.99)	59.24	(52.70 - 65.46)	72.74	(67.60 - 77.34)	70.43	(65.89 - 74.60)
Region 7C	69.03	(64.67 - 73.08)	60.80	(55.23 - 66.10)	71.61	(67.23 - 75.62)	70.29	(66.31 - 73.98)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	61.29	(58.01 - 64.47)	64.88	(61.95 - 67.71)	68.86	(65.91 - 71.66)	68.24	(65.69 - 70.68)
Region 1	60.81	(55.77 - 65.64)	62.76	(57.63 - 67.62)	66.78	(62.05 - 71.20)	66.17	(61.98 - 70.12)
Region 2	60.88	(55.26 - 66.22)	65.70	(59.86 - 71.11)	70.22	(65.09 - 74.88)	69.51	(64.97 - 73.70)
Region 3	59.64	(54.20 - 64.86)	65.49	(60.36 - 70.27)	67.95	(62.63 - 72.84)	67.52	(62.86 - 71.85)
Region 4	61.78	(56.73 - 66.58)	66.58	(61.66 - 71.15)	71.47	(66.67 - 75.83)	70.72	(66.48 - 74.63)
Region 5	60.12	(53.71 - 66.21)	64.62	(58.20 - 70.56)	68.44	(62.44 - 73.88)	67.91	(62.52 - 72.86)
Region 6	62.44	(57.14 - 67.45)	65.09	(59.65 - 70.17)	67.26	(61.76 - 72.32)	66.90	(62.13 - 71.33)
Region 7	62.98	(57.72 - 67.94)	64.63	(59.06 - 69.83)	69.71	(64.52 - 74.45)	68.99	(64.32 - 73.29)
Missouri	60.80	(57.58 - 63.93)	60.56	(57.50 - 63.55)	66.63	(63.68 - 69.46)	65.75	(63.18 - 68.22)
Central	61.69	(56.24 - 66.86)	59.92	(54.28 - 65.30)	62.84	(57.47 - 67.91)	62.31	(57.66 - 66.75)
Eastern	61.94	(57.79 - 65.93)	63.47	(59.24 - 67.50)	71.53	(67.83 - 74.96)	70.41	(67.13 - 73.49)
Eastern (St. Louis City and County)	62.05	(57.14 - 66.73)	63.29	(58.14 - 68.15)	71.67	(67.22 - 75.74)	70.45	(66.50 - 74.12)
Eastern (excluding St. Louis)	61.77	(56.25 - 67.00)	63.82	(57.86 - 69.38)	71.29	(66.06 - 76.02)	70.33	(65.58 - 74.67)
Northwest	59.64	(54.99 - 64.12)	60.02	(55.62 - 64.27)	65.54	(61.20 - 69.64)	64.76	(60.88 - 68.46)
Northwest (Jackson)	60.96	(55.19 - 66.44)	61.90	(56.50 - 67.02)	68.48	(63.19 - 73.34)	67.56	(62.85 - 71.94)
Northwest (excluding Jackson)	58.59	(52.66 - 64.27)	58.45	(52.58 - 64.09)	63.03	(57.14 - 68.55)	62.38	(57.08 - 67.39)
Southeast	58.69	(53.39 - 63.80)	56.36	(50.38 - 62.16)	63.15	(57.33 - 68.62)	62.22	(57.02 - 67.15)
Southwest	60.84	(55.44 - 65.98)	58.92	(53.20 - 64.42)	63.22	(57.80 - 68.33)	62.60	(57.80 - 67.17)
Montana	64.73	(61.67 - 67.66)	63.47	(60.40 - 66.43)	67.39	(64.53 - 70.13)	66.84	(64.33 - 69.25)
Region 1	63.44	(57.83 - 68.72)	58.08	(51.70 - 64.20)	61.69	(55.76 - 67.28)	61.27	(55.83 - 66.44)
Region 2	63.81	(58.54 - 68.77)	61.88	(56.03 - 67.40)	65.71	(60.30 - 70.73)	65.15	(60.36 - 69.65)
Region 3	64.51	(60.00 - 68.78)	62.41	(57.19 - 67.36)	67.75	(62.96 - 72.19)	67.08	(62.77 - 71.13)
Region 4	64.66	(59.70 - 69.32)	64.34	(59.46 - 68.94)	67.90	(63.19 - 72.27)	67.35	(63.25 - 71.20)
Region 5	65.78	(61.39 - 69.91)	65.08	(60.58 - 69.33)	68.96	(64.75 - 72.89)	68.41	(64.69 - 71.91)
Nebraska	64.65	(61.35 - 67.82)	63.75	(60.64 - 66.75)	68.98	(65.87 - 71.93)	68.19	(65.51 - 70.75)
Regions 1 and 2	62.76	(57.82 - 67.45)	61.43	(56.25 - 66.36)	67.05	(61.98 - 71.76)	66.35	(61.77 - 70.64)
Region 1	62.82	(56.56 - 68.67)	*	(* - *)	67.70	(61.24 - 73.55)	67.01	(61.18 - 72.36)
Region 2	62.71	(56.73 - 68.33)	60.36	(53.93 - 66.45)	66.49	(60.23 - 72.22)	65.75	(60.06 - 71.03)
Region 3	63.80	(58.42 - 68.86)	62.16	(56.46 - 67.53)	67.78	(62.37 - 72.75)	66.98	(62.15 - 71.47)
Region 4	64.45	(58.90 - 69.63)	61.39	(55.32 - 67.13)	66.59	(60.72 - 71.99)	65.91	(60.62 - 70.83)
Region 5	65.78	(60.82 - 70.42)	65.63	(60.85 - 70.10)	69.44	(64.64 - 73.85)	68.77	(64.69 - 72.57)
Region 6	64.83	(60.31 - 69.11)	63.92	(59.59 - 68.05)	70.22	(65.95 - 74.16)	69.28	(65.55 - 72.77)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	65.80	(61.77 - 69.61)	65.01	(61.49 - 68.38)	71.27	(67.89 - 74.42)	70.40	(67.42 - 73.21)
Clark – Region 1	66.16	(61.58 - 70.44)	65.94	(61.67 - 69.97)	71.50	(67.76 - 74.97)	70.73	(67.40 - 73.85)
Region 3	64.43	(58.99 - 69.52)	59.55	(54.14 - 64.74)	68.29	(63.05 - 73.11)	67.24	(62.48 - 71.67)
Capital District	65.37	(59.08 - 71.16)	62.51	(55.79 - 68.78)	72.51	(66.31 - 77.94)	71.37	(65.70 - 76.44)
Rural/Frontier	63.68	(57.08 - 69.80)	57.16	(50.44 - 63.63)	64.37	(57.66 - 70.56)	63.45	(57.37 - 69.12)
Washoe – Region 2	65.23	(59.47 - 70.58)	64.55	(59.59 - 69.21)	72.59	(67.36 - 77.27)	71.35	(66.79 - 75.51)
New Hampshire	63.42	(60.33 - 66.40)	65.00	(62.13 - 67.77)	72.93	(70.03 - 75.64)	71.86	(69.32 - 74.27)
Central	63.06	(58.76 - 67.15)	66.80	(62.83 - 70.55)	72.70	(68.78 - 76.30)	71.84	(68.40 - 75.05)
Central 1	62.05	(56.52 - 67.29)	66.88	(61.87 - 71.53)	73.12	(68.19 - 77.54)	72.08	(67.79 - 76.00)
Central 2	63.93	(58.54 - 68.99)	66.70	(61.39 - 71.62)	72.31	(67.24 - 76.87)	71.61	(67.07 - 75.75)
Northern	61.35	(55.79 - 66.62)	62.95	(57.56 - 68.03)	70.92	(65.55 - 75.77)	69.83	(65.07 - 74.20)
Southern	63.95	(60.36 - 67.38)	64.50	(60.93 - 67.92)	73.49	(70.17 - 76.56)	72.33	(69.38 - 75.10)
Southern 1 (Rockingham)	65.33	(60.68 - 69.69)	64.99	(59.92 - 69.74)	73.86	(69.11 - 78.10)	72.85	(68.57 - 76.75)
Southern 2	63.05	(58.58 - 67.30)	64.26	(59.80 - 68.48)	73.26	(69.23 - 76.93)	72.01	(68.43 - 75.34)
New Jersey	68.97	(65.86 - 71.93)	69.77	(66.61 - 72.75)	78.91	(76.26 - 81.34)	77.71	(75.36 - 79.90)
Central	69.97	(65.27 - 74.29)	66.91	(61.17 - 72.19)	77.71	(73.40 - 81.51)	76.40	(72.45 - 79.93)
Metropolitan	69.14	(64.52 - 73.41)	72.14	(67.62 - 76.26)	80.49	(76.56 - 83.90)	79.31	(75.85 - 82.40)
Northern	67.88	(63.30 - 72.14)	71.11	(66.36 - 75.43)	79.93	(76.03 - 83.33)	78.81	(75.31 - 81.93)
Southern	69.26	(64.40 - 73.74)	67.84	(62.74 - 72.55)	76.88	(72.54 - 80.71)	75.66	(71.76 - 79.18)
New Mexico	66.11	(62.86 - 69.22)	67.39	(64.41 - 70.23)	75.14	(72.03 - 78.01)	73.99	(71.28 - 76.53)
Region 1	64.26	(59.17 - 69.05)	63.75	(58.57 - 68.63)	70.92	(65.83 - 75.53)	69.86	(65.38 - 73.99)
Region 2	68.51	(63.19 - 73.39)	70.19	(64.51 - 75.32)	79.07	(74.33 - 83.13)	78.05	(73.73 - 81.84)
Region 3 (Bernalillo)	66.76	(61.96 - 71.24)	68.78	(64.17 - 73.05)	77.31	(73.03 - 81.09)	76.04	(72.23 - 79.47)
Region 4	65.42	(60.13 - 70.36)	66.71	(61.22 - 71.77)	71.47	(66.26 - 76.16)	70.70	(66.12 - 74.90)
Region 5	66.25	(61.42 - 70.77)	67.57	(62.60 - 72.18)	75.11	(70.40 - 79.30)	73.87	(69.76 - 77.61)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	69.83	(68.17 - 71.43)	71.01	(69.31 - 72.65)	78.86	(77.29 - 80.36)	77.68	(76.33 - 78.99)
Region A	68.66	(66.31 - 70.91)	73.75	(71.59 - 75.80)	80.53	(78.42 - 82.49)	79.49	(77.64 - 81.22)
Region 1	65.09	(60.78 - 69.16)	74.90	(70.65 - 78.72)	80.45	(76.84 - 83.62)	79.45	(76.31 - 82.28)
Region 2	69.43	(65.87 - 72.77)	72.06	(68.72 - 75.17)	79.94	(76.60 - 82.90)	78.71	(75.78 - 81.37)
Region 3	68.95	(64.29 - 73.25)	73.91	(69.77 - 77.66)	80.82	(77.34 - 83.88)	79.78	(76.69 - 82.54)
Region 4	70.28	(66.39 - 73.89)	75.19	(71.34 - 78.68)	81.12	(77.83 - 84.02)	80.29	(77.35 - 82.94)
Region B	72.36	(69.99 - 74.61)	72.90	(70.16 - 75.48)	81.94	(79.73 - 83.95)	80.71	(78.76 - 82.53)
Region 5	73.75	(70.56 - 76.72)	74.01	(70.35 - 77.38)	82.74	(79.85 - 85.29)	81.59	(79.01 - 83.91)
Region 6	70.28	(66.25 - 74.01)	73.59	(69.08 - 77.65)	82.23	(78.60 - 85.35)	81.11	(77.83 - 84.01)
Region 7	71.09	(67.01 - 74.86)	68.83	(63.98 - 73.31)	78.71	(74.50 - 82.38)	77.18	(73.45 - 80.53)
Region C	69.25	(66.92 - 71.49)	67.69	(65.10 - 70.18)	75.42	(73.12 - 77.58)	74.19	(72.20 - 76.09)
Region 8	69.97	(66.05 - 73.61)	69.32	(64.56 - 73.70)	76.16	(72.26 - 79.67)	75.14	(71.68 - 78.31)
Region 9	69.19	(65.13 - 72.98)	66.13	(61.37 - 70.59)	73.67	(69.30 - 77.63)	72.46	(68.62 - 75.99)
Region 10	68.90	(64.19 - 73.24)	65.79	(60.62 - 70.60)	72.22	(67.24 - 76.71)	70.95	(66.64 - 74.91)
Region 11	68.69	(64.46 - 72.63)	69.10	(64.48 - 73.37)	77.09	(73.11 - 80.63)	75.82	(72.33 - 79.00)
Region 12	69.36	(64.97 - 73.42)	67.26	(62.41 - 71.77)	75.87	(71.85 - 79.48)	74.59	(71.06 - 77.82)
Region D	67.72	(64.70 - 70.61)	61.53	(58.00 - 64.95)	70.33	(67.04 - 73.41)	68.97	(66.08 - 71.72)
Region 13	67.84	(63.28 - 72.09)	62.77	(57.54 - 67.72)	72.22	(67.41 - 76.57)	70.81	(66.55 - 74.73)
Region 14	68.58	(63.66 - 73.12)	62.59	(57.21 - 67.67)	71.12	(65.78 - 75.93)	69.72	(65.04 - 74.03)
Region 15	66.82	(62.02 - 71.28)	59.26	(53.69 - 64.60)	67.85	(62.94 - 72.39)	66.57	(62.20 - 70.68)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	65.69	(62.60 - 68.66)	62.94	(59.90 - 65.88)	68.92	(65.73 - 71.95)	68.08	(65.25 - 70.77)
Alliance	68.85	(64.05 - 73.27)	66.46	(61.20 - 71.35)	72.23	(67.87 - 76.20)	71.36	(67.46 - 74.96)
Cardinal Innovations	65.46	(60.25 - 70.32)	59.85	(54.07 - 65.37)	68.49	(62.85 - 73.64)	67.33	(62.29 - 72.00)
CenterPoint/Guilford	65.36	(60.78 - 69.67)	64.32	(59.66 - 68.73)	68.94	(64.23 - 73.29)	68.27	(64.07 - 72.19)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	66.13	(60.47 - 71.36)
Guilford	*	(* - *)	67.36	(61.51 - 72.72)	71.21	(65.69 - 76.17)	70.59	(65.72 - 75.04)
CoastalCare	64.23	(58.28 - 69.77)	64.20	(57.65 - 70.27)	70.04	(64.19 - 75.31)	68.99	(63.82 - 73.73)
Eastpointe	63.23	(57.73 - 68.40)	61.91	(56.06 - 67.42)	66.39	(60.42 - 71.89)	65.78	(60.44 - 70.76)
ECBH	64.73	(58.92 - 70.14)	62.22	(55.95 - 68.11)	*	(* - *)	67.84	(62.15 - 73.04)
MeckLINK	67.33	(61.69 - 72.51)	66.85	(60.82 - 72.38)	72.79	(67.36 - 77.62)	71.95	(67.03 - 76.39)
Partners	64.85	(59.58 - 69.78)	56.62	(50.84 - 62.23)	64.70	(59.07 - 69.94)	63.71	(58.66 - 68.47)
Sandhills	63.85	(58.14 - 69.19)	62.07	(55.70 - 68.05)	66.50	(60.47 - 72.03)	65.94	(60.46 - 71.02)
Smoky Mountain	*	(* - *)	61.31	(54.70 - 67.54)	*	(* - *)	64.33	(58.22 - 70.02)
Western Highlands	*	(* - *)	61.60	(55.15 - 67.67)	69.96	(64.20 - 75.14)	69.05	(63.76 - 73.87)
North Dakota	68.86	(65.77 - 71.79)	61.77	(58.67 - 64.78)	69.09	(66.10 - 71.93)	67.81	(65.25 - 70.26)
Badlands and West Central	68.49	(63.87 - 72.77)	60.50	(55.15 - 65.62)	70.15	(65.33 - 74.56)	68.84	(64.53 - 72.84)
Lake Region and South Central	66.05	(60.86 - 70.89)	58.68	(52.97 - 64.17)	66.92	(61.47 - 71.95)	65.89	(61.01 - 70.45)
North Central and Northwest	68.38	(63.53 - 72.87)	57.29	(51.63 - 62.76)	65.77	(60.58 - 70.62)	64.38	(59.82 - 68.70)
Northeast	70.55	(65.47 - 75.17)	62.65	(57.69 - 67.35)	69.96	(64.59 - 74.83)	68.17	(63.82 - 72.23)
Southeast	70.52	(66.10 - 74.59)	65.33	(60.60 - 69.76)	71.12	(66.92 - 75.00)	69.89	(66.37 - 73.20)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Ohio	63.66	(62.11 - 65.19)	60.84	(59.19 - 62.47)	66.28	(64.63 - 67.88)	65.50	(64.07 - 66.91)
Boards 2, 46, 55, and 68	63.18	(58.59 - 67.54)	57.85	(52.90 - 62.64)	62.16	(56.91 - 67.14)	61.57	(56.90 - 66.04)
Boards 3, 52, and 85	65.14	(60.45 - 69.57)	61.69	(56.51 - 66.62)	67.93	(62.91 - 72.57)	67.09	(62.61 - 71.27)
Boards 4 and 78	61.85	(56.78 - 66.67)	55.42	(49.94 - 60.77)	62.49	(57.06 - 67.62)	61.64	(56.74 - 66.31)
Boards 5 and 60	61.86	(57.01 - 66.49)	60.29	(55.04 - 65.31)	62.67	(57.12 - 67.89)	62.23	(57.44 - 66.79)
Boards 7, 15, 41, 79, and 84	59.05	(54.00 - 63.91)	58.48	(53.95 - 62.87)	61.90	(56.82 - 66.74)	61.49	(56.94 - 65.85)
Boards 8, 13, and 83	66.65	(62.34 - 70.70)	60.62	(55.66 - 65.36)	65.65	(60.96 - 70.05)	65.04	(60.78 - 69.07)
Board 9 (Butler)	65.66	(60.75 - 70.25)	59.73	(54.41 - 64.84)	67.13	(62.16 - 71.75)	65.93	(61.58 - 70.02)
Board 12	64.69	(60.13 - 69.00)	59.91	(54.49 - 65.11)	66.79	(61.57 - 71.63)	65.68	(61.03 - 70.05)
Boards 18 and 47	62.67	(59.12 - 66.09)	63.58	(59.99 - 67.03)	69.35	(65.80 - 72.69)	68.59	(65.42 - 71.59)
Boards 20, 32, 54, and 69	63.91	(59.03 - 68.53)	57.63	(52.09 - 62.98)	61.81	(56.43 - 66.91)	61.26	(56.44 - 65.87)
Boards 21, 39, 51, 70, and 80	61.17	(56.74 - 65.43)	60.81	(55.41 - 65.96)	65.98	(61.23 - 70.43)	65.36	(61.05 - 69.43)
Boards 22, 74, and 87	64.89	(60.27 - 69.24)	59.42	(54.29 - 64.35)	63.28	(58.24 - 68.03)	62.67	(58.23 - 66.91)
Boards 23 and 45	65.54	(61.09 - 69.74)	62.58	(57.16 - 67.70)	66.02	(61.33 - 70.41)	65.54	(61.31 - 69.54)
Board 25 (Franklin)	63.95	(60.03 - 67.68)	62.12	(57.97 - 66.10)	71.13	(67.29 - 74.69)	69.58	(66.26 - 72.72)
Boards 27, 71, and 73	62.40	(58.01 - 66.60)	55.92	(50.66 - 61.04)	63.24	(58.15 - 68.05)	62.31	(57.74 - 66.66)
Boards 28, 43, and 67	63.17	(58.57 - 67.54)	59.68	(54.65 - 64.51)	66.35	(61.76 - 70.65)	65.38	(61.30 - 69.24)
Board 31 (Hamilton)	64.67	(60.48 - 68.65)	63.22	(58.81 - 67.42)	67.65	(63.30 - 71.70)	66.97	(63.14 - 70.59)
Board 48 (Lucas)	63.49	(58.98 - 67.77)	62.12	(56.92 - 67.07)	65.87	(60.79 - 70.60)	65.27	(60.79 - 69.49)
Boards 50 and 76	62.79	(58.43 - 66.95)	57.89	(53.24 - 62.42)	64.53	(59.82 - 68.98)	63.68	(59.46 - 67.70)
Board 57 (Montgomery)	64.85	(60.30 - 69.14)	63.11	(57.96 - 67.99)	64.98	(60.09 - 69.58)	64.72	(60.34 - 68.86)
Board 77 (Summit)	66.54	(61.90 - 70.89)	61.78	(56.61 - 66.70)	67.74	(63.48 - 71.73)	66.94	(63.06 - 70.59)
Oklahoma	59.94	(56.46 - 63.32)	61.64	(58.32 - 64.86)	68.22	(65.13 - 71.16)	67.22	(64.49 - 69.83)
Central	60.37	(54.55 - 65.90)	61.39	(55.28 - 67.16)	68.97	(63.57 - 73.90)	67.68	(62.92 - 72.10)
East Central	59.65	(53.84 - 65.20)	61.28	(54.99 - 67.22)	65.41	(59.41 - 70.96)	64.84	(59.45 - 69.88)
Northeast	59.03	(53.46 - 64.37)	60.02	(54.14 - 65.62)	66.08	(60.78 - 71.01)	65.09	(60.39 - 69.51)
Northwest and Southwest	59.59	(54.14 - 64.81)	59.56	(53.37 - 65.47)	66.52	(61.20 - 71.44)	65.42	(60.70 - 69.86)
Oklahoma County	60.03	(54.53 - 65.29)	65.77	(60.35 - 70.81)	72.02	(67.36 - 76.25)	71.06	(66.87 - 74.91)
Southeast	58.31	(52.83 - 63.58)	57.01	(51.04 - 62.78)	66.21	(60.36 - 71.60)	64.93	(59.69 - 69.84)
Tulsa County	62.13	(56.52 - 67.43)	64.17	(58.56 - 69.42)	70.20	(65.07 - 74.86)	69.31	(64.73 - 73.54)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	64.64	(61.56 - 67.60)	64.21	(60.99 - 67.31)	72.18	(69.29 - 74.90)	71.08	(68.54 - 73.50)
Region 1 (Multnomah)	63.72	(58.68 - 68.47)	67.10	(61.85 - 71.95)	74.31	(69.86 - 78.31)	73.34	(69.33 - 77.00)
Region 2	66.86	(62.10 - 71.30)	65.88	(60.56 - 70.84)	73.56	(69.03 - 77.64)	72.59	(68.50 - 76.33)
Region 3	63.42	(58.93 - 67.70)	63.11	(58.47 - 67.52)	71.36	(67.10 - 75.28)	70.02	(66.34 - 73.46)
Region 4	64.33	(59.01 - 69.33)	62.14	(56.25 - 67.70)	71.27	(66.07 - 75.96)	70.19	(65.51 - 74.48)
Region 5 (Central)	65.58	(60.02 - 70.75)	63.95	(57.57 - 69.88)	71.03	(65.22 - 76.23)	70.22	(64.90 - 75.05)
Region 6 (Eastern)	63.58	(57.65 - 69.12)	*	(* - *)	*	(* - *)	66.42	(60.63 - 71.76)
Pennsylvania	63.52	(61.64 - 65.36)	61.95	(60.23 - 63.65)	69.59	(67.91 - 71.22)	68.49	(67.04 - 69.91)
Region 1 (Allegheny)	65.28	(60.99 - 69.33)	63.28	(59.09 - 67.27)	68.20	(64.15 - 71.99)	67.52	(63.92 - 70.91)
Regions 3, 8, 9, and 51	63.37	(58.59 - 67.90)	58.21	(53.24 - 63.02)	63.58	(58.63 - 68.26)	62.80	(58.36 - 67.04)
Regions 4, 11, 37, and 49	63.42	(58.82 - 67.79)	62.04	(57.12 - 66.72)	69.31	(64.97 - 73.33)	68.33	(64.38 - 72.03)
Regions 5, 18, 23, 24, and 46	61.98	(57.39 - 66.36)	57.95	(52.74 - 62.99)	68.08	(63.20 - 72.60)	66.74	(62.34 - 70.86)
Regions 6, 12, 16, 31, 35, 45, and 47	61.86	(57.09 - 66.41)	57.78	(52.97 - 62.45)	64.27	(59.51 - 68.75)	62.98	(58.94 - 66.83)
Regions 7, 13, 20, and 33	67.56	(64.28 - 70.68)	66.45	(62.97 - 69.76)	75.43	(72.24 - 78.37)	74.27	(71.43 - 76.93)
Regions 10, 15, 27, 32, 43, and 44	59.82	(55.05 - 64.41)	54.46	(49.03 - 59.80)	62.99	(58.31 - 67.43)	61.95	(57.68 - 66.04)
Regions 17 and 21	63.26	(58.25 - 68.00)	60.34	(54.75 - 65.67)	67.74	(62.57 - 72.51)	66.56	(61.93 - 70.90)
Regions 19, 26, 28, and 42	62.53	(58.71 - 66.20)	62.33	(58.06 - 66.43)	69.03	(65.22 - 72.60)	68.14	(64.69 - 71.40)
Regions 22, 38, 40, 41, and 48	60.61	(56.03 - 65.01)	49.46	(44.62 - 54.30)	63.89	(59.41 - 68.13)	62.21	(58.17 - 66.09)
Regions 29 and 34	63.21	(58.57 - 67.62)	60.97	(55.40 - 66.27)	73.34	(68.88 - 77.37)	71.65	(67.64 - 75.35)
Regions 30 and 50	62.66	(57.78 - 67.29)	60.66	(55.22 - 65.85)	70.27	(65.75 - 74.42)	68.99	(64.88 - 72.81)
Region 36 (Philadelphia)	60.60	(56.36 - 64.70)	67.66	(63.77 - 71.31)	72.22	(68.44 - 75.70)	71.34	(68.16 - 74.32)
Rhode Island	65.19	(61.77 - 68.46)	68.35	(65.38 - 71.18)	75.32	(72.16 - 78.24)	74.19	(71.46 - 76.75)
Bristol and Newport	69.58	(64.00 - 74.63)	67.44	(61.70 - 72.70)	77.92	(72.83 - 82.30)	76.35	(71.81 - 80.36)
Kent	66.08	(60.84 - 70.95)	64.49	(59.14 - 69.51)	74.51	(69.41 - 79.02)	73.33	(68.74 - 77.47)
Providence	63.29	(59.10 - 67.29)	69.23	(65.55 - 72.68)	74.75	(70.81 - 78.32)	73.80	(70.43 - 76.90)
Washington	68.59	(63.05 - 73.64)	68.34	(62.87 - 73.35)	76.43	(71.32 - 80.87)	74.96	(70.50 - 78.94)
South Carolina	61.56	(58.45 - 64.58)	62.96	(59.91 - 65.90)	72.03	(69.20 - 74.70)	70.71	(68.23 - 73.07)
Region 1	62.46	(57.52 - 67.14)	62.91	(58.14 - 67.45)	69.99	(65.44 - 74.17)	68.97	(64.94 - 72.72)
Region 2	61.86	(57.23 - 66.28)	64.37	(59.81 - 68.68)	72.76	(68.52 - 76.63)	71.48	(67.76 - 74.93)
Region 3	60.36	(54.97 - 65.51)	60.85	(55.09 - 66.32)	70.99	(65.96 - 75.55)	69.62	(65.13 - 73.76)
Region 4	61.06	(56.44 - 65.49)	62.63	(57.73 - 67.28)	73.92	(69.69 - 77.75)	72.25	(68.49 - 75.72)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	65.37	(62.15 - 68.46)	60.57	(57.23 - 63.81)	66.07	(63.00 - 69.00)	65.25	(62.54 - 67.87)
Region 1	65.17	(60.46 - 69.60)	59.40	(54.00 - 64.58)	66.01	(60.79 - 70.88)	65.07	(60.41 - 69.45)
Region 2	64.47	(58.56 - 69.96)	57.26	(51.02 - 63.28)	63.98	(57.87 - 69.67)	63.20	(57.66 - 68.41)
Region 3	65.75	(60.77 - 70.40)	61.50	(56.17 - 66.56)	65.76	(60.88 - 70.33)	65.03	(60.78 - 69.06)
Region 4	63.37	(58.06 - 68.36)	59.34	(52.96 - 65.43)	66.28	(61.07 - 71.13)	65.19	(60.52 - 69.59)
Region 5	66.57	(61.84 - 70.99)	62.25	(57.19 - 67.05)	66.97	(62.61 - 71.05)	66.30	(62.38 - 70.02)
Tennessee	63.86	(60.67 - 66.93)	61.08	(57.94 - 64.13)	67.04	(64.02 - 69.92)	66.20	(63.56 - 68.74)
Region 1	64.31	(58.41 - 69.81)	58.32	(52.05 - 64.33)	65.76	(60.12 - 70.99)	64.83	(59.70 - 69.64)
Region 2	63.85	(58.52 - 68.86)	58.23	(52.45 - 63.80)	64.81	(59.76 - 69.54)	63.93	(59.43 - 68.20)
Region 3	62.64	(57.28 - 67.71)	58.56	(53.00 - 63.91)	62.48	(56.78 - 67.86)	61.95	(56.88 - 66.77)
Region 4 (Davidson)	65.77	(60.15 - 70.98)	64.67	(58.94 - 70.00)	71.15	(66.01 - 75.80)	70.12	(65.52 - 74.35)
Region 5	65.11	(60.54 - 69.42)	61.84	(56.74 - 66.70)	67.98	(63.29 - 72.33)	67.13	(62.92 - 71.07)
Region 6	60.16	(54.76 - 65.33)	59.16	(53.12 - 64.93)	65.58	(59.82 - 70.91)	64.69	(59.54 - 69.52)
Region 7 (Shelby)	64.03	(58.70 - 69.04)	65.38	(59.92 - 70.45)	72.36	(67.22 - 76.97)	71.26	(66.78 - 75.36)

See notes at end of table.

(continued)

Table 14 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	64.63	(62.98 - 66.24)	66.31	(64.54 - 68.04)	73.73	(72.12 - 75.28)	72.55	(71.15 - 73.90)
Region 1	63.27	(58.19 - 68.07)	63.50	(58.51 - 68.22)	70.99	(66.11 - 75.42)	69.62	(65.37 - 73.56)
Region 2	65.17	(59.87 - 70.11)	61.24	(55.43 - 66.75)	68.32	(63.18 - 73.06)	67.17	(62.59 - 71.45)
Region 3	65.52	(62.93 - 68.02)	67.07	(64.29 - 69.74)	74.43	(71.94 - 76.78)	73.35	(71.13 - 75.46)
Region 3a	64.88	(61.47 - 68.16)	66.70	(63.24 - 69.98)	75.71	(72.68 - 78.50)	74.38	(71.68 - 76.91)
Region 3bc	66.65	(63.00 - 70.10)	67.72	(63.70 - 71.49)	72.22	(68.49 - 75.67)	71.56	(68.25 - 74.65)
Region 4	64.83	(60.12 - 69.27)	62.10	(56.88 - 67.06)	67.43	(62.59 - 71.92)	66.70	(62.36 - 70.78)
Region 5	62.94	(58.23 - 67.42)	65.60	(60.45 - 70.40)	70.77	(65.86 - 75.23)	69.99	(65.60 - 74.05)
Region 6	65.78	(62.85 - 68.59)	67.50	(64.41 - 70.45)	76.08	(73.33 - 78.63)	74.77	(72.35 - 77.05)
Region 6a	65.67	(62.50 - 68.71)	67.97	(64.65 - 71.11)	76.54	(73.57 - 79.28)	75.21	(72.60 - 77.66)
Region 6bc	66.69	(61.69 - 71.34)	63.01	(57.36 - 68.32)	72.32	(67.47 - 76.70)	71.07	(66.65 - 75.13)
Region 7	65.76	(62.41 - 68.97)	64.46	(61.04 - 67.74)	70.91	(67.80 - 73.82)	69.70	(67.01 - 72.26)
Region 7a	66.99	(62.75 - 70.97)	66.43	(62.04 - 70.55)	72.18	(68.35 - 75.72)	71.21	(67.82 - 74.37)
Region 7bcd	63.71	(58.92 - 68.24)	61.90	(57.22 - 66.36)	68.63	(64.03 - 72.89)	67.16	(63.26 - 70.83)
Region 8	62.77	(58.79 - 66.58)	68.76	(64.54 - 72.69)	74.45	(70.68 - 77.89)	73.55	(70.22 - 76.63)
Region 9	62.10	(56.86 - 67.07)	62.72	(57.23 - 67.91)	68.85	(63.78 - 73.51)	67.84	(63.29 - 72.08)
Region 10	62.89	(58.36 - 67.20)	68.35	(63.16 - 73.12)	77.99	(73.74 - 81.72)	76.27	(72.49 - 79.67)
Region 11	61.97	(58.37 - 65.45)	66.00	(62.13 - 69.68)	74.67	(71.26 - 77.81)	73.16	(70.19 - 75.94)
Region 11abd	61.81	(57.26 - 66.16)	65.17	(60.17 - 69.86)	74.87	(70.47 - 78.82)	73.24	(69.40 - 76.76)
Region 11c (Hidalgo)	62.22	(57.36 - 66.85)	67.37	(62.00 - 72.31)	74.31	(69.80 - 78.35)	73.02	(69.05 - 76.65)
Utah	73.47	(70.41 - 76.32)	69.80	(66.75 - 72.69)	74.44	(71.70 - 77.01)	73.56	(71.23 - 75.77)
Bear River, Northeastern, Summit, Tooele, and Wasatch	74.29	(69.36 - 78.67)	68.53	(63.34 - 73.30)	72.63	(67.56 - 77.18)	71.85	(67.48 - 75.83)
Central, Four Corners, San Juan, and Southwest	71.48	(66.22 - 76.21)	67.39	(61.37 - 72.89)	72.54	(67.46 - 77.10)	71.65	(67.19 - 75.73)
Davis County	75.10	(70.27 - 79.38)	69.97	(64.33 - 75.06)	76.24	(71.58 - 80.35)	75.19	(71.01 - 78.94)
Salt Lake County	71.86	(67.47 - 75.87)	69.80	(65.38 - 73.88)	74.53	(70.70 - 78.02)	73.73	(70.40 - 76.82)
Utah County	76.52	(72.03 - 80.49)	72.80	(67.99 - 77.12)	77.00	(72.71 - 80.79)	75.86	(72.27 - 79.12)
Weber, Morgan	72.36	(67.15 - 77.02)	65.38	(59.00 - 71.24)	72.39	(67.34 - 76.92)	71.20	(66.71 - 75.31)

See notes at end of table.

(continued)

Table 14 Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	65.29	(62.05 - 68.40)	64.78	(61.65 - 67.80)	72.41	(69.54 - 75.11)	71.30	(68.78 - 73.70)
Champlain Valley	66.08	(61.74 - 70.15)	68.25	(63.97 - 72.24)	74.12	(70.36 - 77.56)	73.06	(69.81 - 76.09)
Rural Northeast	64.92	(60.05 - 69.49)	63.01	(57.68 - 68.04)	71.31	(66.52 - 75.66)	70.24	(65.94 - 74.21)
Rural Southeast	64.96	(59.74 - 69.84)	59.40	(53.70 - 64.86)	72.38	(67.53 - 76.75)	70.96	(66.51 - 75.04)
Rural Southwest	64.28	(59.11 - 69.14)	61.40	(55.87 - 66.65)	70.04	(64.88 - 74.73)	68.89	(64.30 - 73.14)
Virginia	68.58	(65.61 - 71.41)	66.92	(63.73 - 69.96)	73.66	(70.80 - 76.33)	72.67	(70.15 - 75.05)
Region 1	66.94	(62.05 - 71.49)	66.85	(61.82 - 71.52)	73.68	(69.05 - 77.83)	72.60	(68.54 - 76.32)
Region 2	72.73	(68.54 - 76.55)	71.34	(66.36 - 75.86)	78.44	(74.52 - 81.91)	77.59	(74.02 - 80.80)
Region 3	65.61	(60.41 - 70.46)	63.49	(58.09 - 68.58)	68.28	(62.85 - 73.26)	67.57	(62.75 - 72.04)
Region 4	68.74	(64.04 - 73.09)	67.36	(61.49 - 72.73)	73.01	(68.25 - 77.30)	72.17	(67.93 - 76.05)
Region 5	66.39	(61.45 - 71.00)	65.17	(59.97 - 70.02)	72.21	(67.42 - 76.53)	71.03	(66.84 - 74.89)
Washington	63.09	(60.08 - 66.01)	64.62	(61.57 - 67.55)	72.87	(69.86 - 75.68)	71.69	(69.05 - 74.19)
Region 1	61.76	(57.35 - 65.99)	62.95	(58.33 - 67.35)	70.41	(65.71 - 74.71)	69.17	(65.06 - 73.00)
East 1 (previously Region 1)	62.37	(56.72 - 67.71)	62.56	(56.62 - 68.14)	71.06	(65.32 - 76.19)	69.64	(64.59 - 74.26)
East 2 (previously Region 2)	61.05	(55.48 - 66.35)	63.50	(57.36 - 69.22)	69.52	(63.58 - 74.88)	68.53	(63.33 - 73.30)
Region 2	65.23	(61.60 - 68.69)	66.23	(62.50 - 69.77)	74.87	(71.33 - 78.10)	73.70	(70.57 - 76.60)
North 1 (previously Region 3)	63.55	(58.46 - 68.36)	63.64	(58.54 - 68.44)	72.99	(68.08 - 77.39)	71.65	(67.33 - 75.60)
North 2 (previously Region 4)	66.36	(61.82 - 70.61)	67.83	(63.15 - 72.18)	75.92	(71.72 - 79.67)	74.85	(71.08 - 78.29)
Region 3	61.37	(57.27 - 65.32)	63.67	(59.47 - 67.67)	71.57	(67.63 - 75.21)	70.49	(66.95 - 73.80)
West 1 (previously Region 5)	60.87	(55.61 - 65.89)	62.48	(57.11 - 67.57)	71.38	(66.09 - 76.14)	70.04	(65.38 - 74.33)
West 2 (previously Region 6)	61.83	(56.57 - 66.83)	64.99	(59.37 - 70.23)	71.75	(66.81 - 76.21)	70.90	(66.40 - 75.03)
West Virginia	63.30	(60.13 - 66.35)	59.71	(56.85 - 62.51)	67.89	(65.04 - 70.61)	66.82	(64.28 - 69.26)
Region I	62.91	(57.36 - 68.13)	57.64	(51.27 - 63.76)	67.74	(61.88 - 73.10)	66.51	(61.15 - 71.48)
Region II	62.96	(57.28 - 68.31)	60.40	(54.14 - 66.33)	67.41	(62.16 - 72.26)	66.54	(61.71 - 71.05)
Region III	64.60	(59.09 - 69.74)	59.89	(53.60 - 65.87)	67.88	(62.36 - 72.95)	67.00	(61.93 - 71.70)
Region IV	64.24	(59.17 - 69.02)	63.47	(59.21 - 67.53)	69.34	(64.49 - 73.79)	68.29	(64.13 - 72.18)
Region V	62.03	(57.53 - 66.33)	56.22	(51.66 - 60.67)	66.57	(62.37 - 70.52)	65.34	(61.55 - 68.95)
Region VI	64.06	(58.94 - 68.88)	58.66	(53.01 - 64.10)	68.73	(63.50 - 73.52)	67.60	(62.85 - 72.01)

See notes at end of table.

(continued)

Table 14 Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	66.01	(62.82 - 69.06)	60.03	(56.88 - 63.10)	70.27	(67.11 - 73.24)	68.80	(66.03-71.44)
Milwaukee	62.12	(56.62 - 67.32)	61.70	(55.99 - 67.11)	72.57	(67.49 - 77.12)	70.80	(66.34-74.89)
Northeastern	68.82	(64.07 - 73.20)	58.97	(53.81 - 63.95)	67.43	(62.52 - 71.99)	66.32	(61.95-70.42)
Northern	65.05	(59.08 - 70.59)	59.34	(53.06 - 65.32)	68.63	(62.86 - 73.87)	67.44	(62.24-72.25)
Southeastern	66.51	(61.45 - 71.22)	58.47	(52.62 - 64.10)	72.49	(67.51 - 76.97)	70.71	(66.20-74.86)
Southern	64.97	(59.82 - 69.80)	61.28	(56.12 - 66.20)	70.15	(64.67 - 75.10)	68.80	(64.00-73.24)
Western	67.35	(62.11 - 72.19)	59.86	(54.02 - 65.43)	70.03	(64.73 - 74.84)	68.40	(63.73-72.73)
Wyoming	67.65	(64.68 - 70.48)	62.43	(59.41 - 65.36)	69.39	(66.40 - 72.22)	68.35	(65.74-70.85)
Judicial District 1 (Laramie)	69.55	(64.90 - 73.84)	64.10	(58.58 - 69.27)	70.39	(65.30 - 75.03)	69.51	(64.94-73.72)
Judicial District 2	69.17	(63.57 - 74.26)	63.24	(57.74 - 68.42)	71.06	(65.83 - 75.79)	68.75	(64.53-72.68)
Judicial District 3	69.25	(64.49 - 73.64)	63.53	(58.20 - 68.56)	69.67	(64.63 - 74.28)	68.83	(64.35-72.99)
Judicial District 4	68.28	(62.67 - 73.41)	63.26	(57.27 - 68.86)	72.69	(67.20 - 77.57)	71.63	(66.60-76.16)
Judicial District 5	69.00	(63.69 - 73.85)	60.38	(54.05 - 66.39)	68.79	(63.29 - 73.81)	67.81	(62.80-72.43)
Judicial District 6	64.84	(59.43 - 69.90)	62.12	(55.89 - 67.98)	66.19	(60.72 - 71.25)	65.60	(60.64-70.24)
Judicial District 7 (Natrona)	65.42	(60.22 - 70.27)	60.30	(54.80 - 65.55)	67.87	(62.57 - 72.75)	66.79	(62.09-71.18)
Judicial District 8	65.16	(59.94 - 70.04)	59.28	(53.08 - 65.21)	66.29	(60.39 - 71.73)	65.43	(60.10-70.40)
Judicial District 9	67.18	(61.70 - 72.23)	62.81	(56.75 - 68.50)	71.24	(66.10 - 75.88)	70.19	(65.51-74.49)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 15 *Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	3.92	(3.72 - 4.13)	14.77	(14.37 - 15.18)	5.74	(5.52 - 5.96)	7.07	(6.88 - 7.27)
Northeast	4.13	(3.77 - 4.52)	15.24	(14.52 - 16.00)	5.95	(5.49 - 6.45)	7.29	(6.87 - 7.74)
Midwest	3.75	(3.49 - 4.03)	15.18	(14.61 - 15.76)	6.01	(5.64 - 6.40)	7.35	(7.01 - 7.70)
South	3.54	(3.28 - 3.82)	13.39	(12.87 - 13.93)	5.07	(4.73 - 5.44)	6.29	(5.98 - 6.62)
West	4.53	(4.10 - 5.01)	16.17	(15.36 - 17.01)	6.38	(5.90 - 6.91)	7.88	(7.43 - 8.35)
Alabama	3.62	(2.84 - 4.60)	11.95	(10.22 - 13.94)	4.49	(3.57 - 5.64)	5.61	(4.70 - 6.68)
Region 1	3.42	(2.31 - 5.03)	10.89	(8.37 - 14.06)	4.13	(2.93 - 5.81)	5.05	(3.81 - 6.66)
Region 2	3.97	(2.82 - 5.57)	13.75	(10.92 - 17.17)	4.99	(3.64 - 6.81)	6.34	(4.95 - 8.07)
Region 3	2.82	(1.92 - 4.12)	10.45	(7.94 - 13.63)	3.87	(2.71 - 5.50)	5.06	(3.82 - 6.66)
Region 4	4.03	(2.80 - 5.76)	11.94	(9.29 - 15.22)	4.71	(3.37 - 6.55)	5.70	(4.34 - 7.44)
Alaska	4.05	(3.21 - 5.10)	15.93	(13.72 - 18.42)	7.13	(5.76 - 8.79)	8.49	(7.17 - 10.03)
Anchorage	3.98	(2.86 - 5.51)	16.12	(13.22 - 19.51)	7.64	(5.85 - 9.91)	9.01	(7.28 - 11.11)
Northern	3.61	(2.48 - 5.23)	15.76	(12.32 - 19.95)	6.79	(4.85 - 9.44)	8.48	(6.51 - 10.97)
South Central	4.30	(3.00 - 6.13)	15.08	(11.64 - 19.33)	6.30	(4.41 - 8.92)	7.45	(5.55 - 9.94)
Southeast	4.71	(3.20 - 6.90)	17.73	(13.74 - 22.58)	7.88	(5.52 - 11.13)	9.09	(6.73 - 12.18)
Arizona	4.29	(3.35 - 5.49)	15.78	(13.51 - 18.36)	6.81	(5.50 - 8.41)	8.14	(6.87 - 9.61)
Maricopa	4.36	(3.20 - 5.91)	15.83	(13.06 - 19.06)	6.93	(5.36 - 8.92)	8.26	(6.74 - 10.09)
Pima	4.29	(2.88 - 6.35)	16.81	(12.93 - 21.55)	7.16	(5.06 - 10.04)	8.65	(6.51 - 11.42)
Rural North	3.93	(2.62 - 5.86)	14.54	(10.92 - 19.10)	5.56	(3.85 - 7.97)	6.82	(5.03 - 9.17)
Rural South	4.28	(2.87 - 6.35)	15.31	(11.44 - 20.18)	6.96	(4.72 - 10.15)	8.12	(5.85 - 11.16)
Arkansas	3.47	(2.76 - 4.37)	11.98	(10.20 - 14.04)	4.51	(3.58 - 5.68)	5.60	(4.68 - 6.70)
Catchment Area 1	3.61	(2.45 - 5.28)	12.73	(9.79 - 16.41)	4.51	(3.14 - 6.46)	5.86	(4.41 - 7.75)
Catchment Area 2	3.92	(2.66 - 5.73)	11.49	(8.37 - 15.58)	4.07	(2.75 - 5.98)	4.99	(3.59 - 6.91)
Catchment Area 3	2.86	(1.93 - 4.22)	9.59	(6.95 - 13.09)	3.85	(2.59 - 5.68)	4.71	(3.38 - 6.53)
Catchment Area 4	3.69	(2.46 - 5.52)	13.57	(10.10 - 17.99)	5.09	(3.46 - 7.43)	6.23	(4.54 - 8.50)
Catchment Area 5	3.63	(2.47 - 5.31)	13.33	(10.18 - 17.25)	4.91	(3.46 - 6.91)	6.34	(4.81 - 8.32)
Catchment Area 6	3.21	(2.14 - 4.81)	11.16	(8.18 - 15.06)	4.52	(3.05 - 6.65)	5.49	(3.95 - 7.58)
Catchment Area 7	3.11	(2.08 - 4.62)	10.64	(7.82 - 14.31)	4.12	(2.81 - 6.02)	5.01	(3.63 - 6.89)
Catchment Area 8	3.60	(2.47 - 5.21)	12.23	(9.44 - 15.71)	4.86	(3.43 - 6.84)	5.83	(4.37 - 7.73)

See notes at end of table.

(continued)

Table 15 *Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	4.83	(4.14 - 5.64)	15.95	(14.68 - 17.31)	6.17	(5.43 - 7.02)	7.72	(7.02 - 8.48)
Region 1R	5.16	(3.55 - 7.45)	18.75	(14.42 - 24.02)	6.74	(4.89 - 9.23)	8.57	(6.58 - 11.07)
Region 2R	5.31	(3.75 - 7.48)	18.74	(14.84 - 23.39)	5.91	(4.27 - 8.14)	7.88	(6.10 - 10.13)
Region 3R (Sacramento)	4.29	(2.95 - 6.20)	16.37	(12.69 - 20.85)	6.19	(4.51 - 8.44)	7.76	(5.96 - 10.05)
Region 4R	4.77	(3.33 - 6.80)	16.92	(13.38 - 21.18)	6.02	(4.44 - 8.13)	7.45	(5.80 - 9.51)
Region 5R (San Francisco)	*	(* - *)	20.22	(15.75 - 25.56)	9.45	(6.87 - 12.86)	10.76	(8.17 - 14.06)
Region 6 (Santa Clara)	4.45	(3.06 - 6.43)	17.10	(13.49 - 21.44)	5.53	(4.05 - 7.50)	7.06	(5.49 - 9.03)
Region 7R (Contra Costa)	4.95	(3.44 - 7.08)	17.72	(13.69 - 22.64)	5.98	(4.26 - 8.33)	7.49	(5.66 - 9.85)
Region 8R (Alameda)	4.47	(3.13 - 6.34)	16.74	(13.19 - 21.01)	6.58	(4.86 - 8.84)	8.02	(6.25 - 10.23)
Region 9R (San Mateo)	4.89	(3.33 - 7.13)	16.60	(12.68 - 21.44)	5.43	(3.86 - 7.59)	6.70	(5.01 - 8.90)
Region 10	5.05	(3.47 - 7.27)	17.61	(13.79 - 22.22)	5.88	(4.26 - 8.07)	7.92	(6.16 - 10.14)
Region 11 (Los Angeles)	4.73	(3.91 - 5.72)	14.84	(13.20 - 16.64)	6.27	(5.30 - 7.40)	7.65	(6.71 - 8.71)
LA SPA 1 and 5	5.05	(3.48 - 7.28)	17.40	(13.41 - 22.26)	7.60	(5.55 - 10.33)	9.19	(7.07 - 11.87)
LA SPA 2	5.11	(3.60 - 7.19)	15.14	(11.95 - 19.01)	5.76	(4.26 - 7.73)	7.15	(5.59 - 9.09)
LA SPA 3	4.36	(3.01 - 6.28)	14.55	(11.47 - 18.29)	4.76	(3.42 - 6.57)	6.28	(4.86 - 8.08)
LA SPA 4	4.84	(3.28 - 7.09)	14.96	(11.66 - 19.00)	8.66	(6.41 - 11.60)	9.63	(7.44 - 12.38)
LA SPA 6	4.34	(2.98 - 6.29)	12.17	(9.23 - 15.88)	6.79	(4.87 - 9.38)	7.92	(6.01 - 10.36)
LA SPA 7	5.02	(3.53 - 7.10)	15.75	(12.22 - 20.07)	6.07	(4.37 - 8.35)	7.76	(5.97 - 10.04)
LA SPA 8	4.44	(3.13 - 6.25)	14.09	(10.98 - 17.89)	5.81	(4.18 - 8.02)	7.05	(5.37 - 9.20)
Region 12R	4.62	(3.18 - 6.67)	15.64	(11.81 - 20.42)	6.30	(4.48 - 8.79)	7.74	(5.81 - 10.24)
Regions 13 and 19R	4.71	(3.42 - 6.46)	14.81	(12.02 - 18.10)	5.88	(4.44 - 7.75)	7.37	(5.92 - 9.14)
Region 13 (Riverside)	4.70	(3.34 - 6.57)	14.88	(11.92 - 18.42)	5.95	(4.43 - 7.95)	7.43	(5.89 - 9.33)
Region 19R (Imperial)	4.85	(3.27 - 7.14)	*	(* - *)	*	(* - *)	6.62	(4.91 - 8.86)
Region 14 (Orange)	5.15	(3.73 - 7.07)	16.67	(13.67 - 20.18)	5.41	(4.13 - 7.05)	7.13	(5.80 - 8.74)
Region 15R (Fresno)	4.60	(3.19 - 6.59)	14.71	(11.26 - 18.98)	6.03	(4.34 - 8.32)	7.64	(5.83 - 9.95)
Region 16R (San Diego)	4.89	(3.56 - 6.69)	16.50	(13.43 - 20.11)	6.86	(5.25 - 8.91)	8.50	(6.87 - 10.46)
Region 17R	4.89	(3.45 - 6.90)	14.83	(11.53 - 18.87)	5.99	(4.39 - 8.11)	7.57	(5.88 - 9.71)
Region 18R (San Bernardino)	4.85	(3.48 - 6.72)	13.39	(10.64 - 16.71)	5.04	(3.68 - 6.85)	6.52	(5.08 - 8.34)
Region 20R	5.38	(3.77 - 7.62)	15.17	(11.67 - 19.49)	6.13	(4.43 - 8.43)	7.69	(5.89 - 9.99)
Region 21R	5.51	(3.78 - 7.96)	18.09	(14.17 - 22.81)	7.01	(5.09 - 9.57)	9.02	(6.98 - 11.59)

See notes at end of table.

(continued)

**Table 15 Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages
Based on 2010, 2011, and 2012 NSDUHs (continued)**

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	4.12	(3.19 - 5.30)	19.43	(17.01 - 22.10)	7.28	(5.91 - 8.95)	9.04	(7.72 - 10.58)
Region 1	4.58	(3.06 - 6.81)	21.25	(16.89 - 26.37)	7.05	(5.07 - 9.71)	9.52	(7.42 - 12.14)
Regions 2 and 7	3.89	(2.78 - 5.42)	19.25	(16.26 - 22.65)	7.70	(5.97 - 9.88)	9.31	(7.63 - 11.30)
Region 3	4.08	(2.76 - 5.98)	18.56	(14.46 - 23.50)	6.49	(4.67 - 8.96)	8.34	(6.44 - 10.75)
Region 4	4.17	(2.76 - 6.26)	*	(* - *)	6.21	(4.25 - 9.00)	7.72	(5.62 - 10.50)
Regions 5 and 6	4.73	(3.15 - 7.05)	20.22	(15.59 - 25.80)	7.00	(4.88 - 9.94)	8.74	(6.53 - 11.62)
Connecticut	3.98	(3.09 - 5.12)	16.27	(14.10 - 18.69)	6.28	(5.03 - 7.80)	7.63	(6.42 - 9.03)
Eastern	3.83	(2.59 - 5.64)	15.55	(12.21 - 19.60)	6.29	(4.47 - 8.78)	7.93	(6.09 - 10.27)
North Central	3.55	(2.42 - 5.18)	15.16	(12.11 - 18.81)	5.71	(4.09 - 7.91)	6.94	(5.32 - 9.00)
Northwestern	3.94	(2.66 - 5.78)	16.16	(12.20 - 21.10)	5.61	(3.96 - 7.89)	6.86	(5.13 - 9.13)
South Central	4.81	(3.24 - 7.08)	18.22	(14.65 - 22.42)	7.23	(5.21 - 9.96)	8.77	(6.75 - 11.31)
Southwest	3.80	(2.60 - 5.52)	15.99	(12.21 - 20.68)	6.54	(4.60 - 9.23)	7.71	(5.73 - 10.31)
Delaware	3.73	(2.90 - 4.80)	15.18	(13.09 - 17.53)	5.40	(4.35 - 6.68)	6.83	(5.80 - 8.02)
Kent	3.33	(2.25 - 4.91)	14.23	(10.89 - 18.38)	5.03	(3.48 - 7.20)	6.52	(4.89 - 8.64)
New Castle (excluding Wilmington City)	3.99	(2.88 - 5.53)	16.08	(13.38 - 19.21)	5.37	(4.11 - 6.99)	7.06	(5.79 - 8.58)
Sussex	3.85	(2.64 - 5.59)	14.57	(11.16 - 18.80)	5.01	(3.57 - 6.98)	6.03	(4.54 - 7.97)
Wilmington City	2.68	(1.77 - 4.04)	12.59	(9.31 - 16.81)	7.51	(5.25 - 10.62)	8.25	(6.03 - 11.19)
District of Columbia	3.29	(2.50 - 4.34)	18.34	(16.06 - 20.86)	10.97	(9.15 - 13.10)	12.40	(10.75 - 14.26)
Ward 1	3.78	(2.45 - 5.80)	20.25	(15.94 - 25.36)	14.53	(10.66 - 19.50)	15.75	(12.18 - 20.13)
Ward 2	*	(* - *)	19.86	(16.01 - 24.37)	12.81	(9.58 - 16.92)	14.90	(11.97 - 18.39)
Ward 3	4.80	(3.20 - 7.13)	22.78	(18.23 - 28.08)	10.54	(7.75 - 14.18)	12.82	(10.05 - 16.22)
Ward 4	3.63	(2.41 - 5.43)	18.24	(13.74 - 23.81)	9.49	(6.87 - 12.98)	10.52	(7.90 - 13.87)
Ward 5	3.03	(1.99 - 4.59)	17.49	(13.60 - 22.21)	10.08	(7.34 - 13.69)	11.49	(8.88 - 14.75)
Ward 6	3.21	(2.04 - 5.02)	20.68	(16.10 - 26.17)	12.26	(9.05 - 16.41)	13.55	(10.45 - 17.39)
Ward 7	3.04	(1.98 - 4.64)	13.43	(9.94 - 17.90)	9.06	(6.39 - 12.69)	9.80	(7.25 - 13.13)
Ward 8	2.57	(1.69 - 3.88)	10.83	(8.13 - 14.31)	8.37	(5.93 - 11.68)	8.89	(6.64 - 11.80)

See notes at end of table.

(continued)

**Table 15 Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages
Based on 2010, 2011, and 2012 NSDUHs (continued)**

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	3.55	(3.03 - 4.15)	13.41	(12.29 - 14.63)	5.15	(4.47 - 5.93)	6.25	(5.61 - 6.95)
Region A - Northwest	4.03	(3.13 - 5.18)	15.99	(13.56 - 18.77)	6.57	(5.27 - 8.16)	8.22	(6.91 - 9.75)
Circuit 1	3.71	(2.62 - 5.21)	14.67	(11.53 - 18.49)	6.14	(4.53 - 8.28)	7.45	(5.80 - 9.52)
Circuit 2	4.33	(2.95 - 6.30)	18.02	(14.12 - 22.71)	7.49	(5.38 - 10.35)	10.08	(7.84 - 12.86)
Circuit 14	4.47	(3.01 - 6.60)	14.49	(10.95 - 18.94)	6.47	(4.64 - 8.97)	7.54	(5.66 - 9.98)
Region B - Northeast	3.39	(2.65 - 4.34)	13.38	(11.47 - 15.54)	5.29	(4.30 - 6.48)	6.50	(5.52 - 7.66)
Circuits 3 and 8	3.31	(2.29 - 4.75)	13.87	(10.95 - 17.40)	5.74	(4.19 - 7.82)	7.43	(5.81 - 9.45)
Circuit 4	3.46	(2.44 - 4.89)	12.84	(10.00 - 16.34)	5.62	(4.19 - 7.50)	6.67	(5.20 - 8.52)
Circuit 7	3.36	(2.31 - 4.85)	13.64	(10.73 - 17.19)	4.62	(3.31 - 6.40)	5.69	(4.33 - 7.44)
Region C - Central	3.51	(2.87 - 4.29)	13.60	(11.91 - 15.48)	4.98	(4.12 - 6.00)	6.11	(5.26 - 7.08)
Circuit 5	3.40	(2.33 - 4.95)	11.97	(9.11 - 15.57)	4.08	(2.85 - 5.83)	4.82	(3.53 - 6.54)
Circuit 9	3.11	(2.21 - 4.36)	14.00	(11.34 - 17.15)	5.62	(4.19 - 7.49)	7.10	(5.67 - 8.86)
Circuit 10	3.43	(2.37 - 4.95)	11.18	(8.69 - 14.26)	4.54	(3.24 - 6.35)	5.39	(4.06 - 7.12)
Circuit 18	4.23	(3.00 - 5.94)	16.42	(12.93 - 20.64)	5.67	(4.10 - 7.80)	7.05	(5.40 - 9.15)
Circuit 19	3.57	(2.42 - 5.24)	12.56	(9.48 - 16.47)	4.68	(3.28 - 6.65)	5.52	(4.06 - 7.45)
Region D - Southeast	3.26	(2.51 - 4.22)	12.58	(10.61 - 14.86)	4.94	(3.92 - 6.21)	5.85	(4.85 - 7.06)
Circuit 15 (Palm Beach)	3.12	(2.17 - 4.46)	13.26	(10.60 - 16.45)	4.81	(3.51 - 6.56)	5.78	(4.46 - 7.45)
Circuit 17 (Broward)	3.35	(2.41 - 4.63)	12.10	(9.62 - 15.11)	5.04	(3.76 - 6.71)	5.92	(4.65 - 7.50)
Region E - Sun Coast	3.75	(3.03 - 4.63)	14.54	(12.75 - 16.55)	5.64	(4.65 - 6.83)	6.66	(5.69 - 7.78)
Circuit 6	4.01	(2.84 - 5.62)	13.89	(10.83 - 17.64)	5.33	(3.83 - 7.36)	6.21	(4.69 - 8.18)
Circuit 12	4.25	(2.90 - 6.20)	17.21	(13.30 - 21.98)	6.44	(4.57 - 9.02)	7.45	(5.55 - 9.95)
Circuit 13 (Hillsborough)	3.35	(2.36 - 4.73)	14.61	(12.00 - 17.68)	5.95	(4.49 - 7.85)	7.27	(5.82 - 9.04)
Circuit 20	3.66	(2.55 - 5.24)	13.65	(10.55 - 17.49)	5.18	(3.76 - 7.11)	6.06	(4.58 - 7.96)
Region F - Southern (Circuits 11 and 16)	3.58	(2.64 - 4.82)	10.62	(8.75 - 12.82)	4.00	(3.01 - 5.29)	4.92	(3.95 - 6.13)
Georgia	3.29	(2.57 - 4.21)	11.86	(10.12 - 13.86)	4.36	(3.43 - 5.54)	5.50	(4.58 - 6.59)
Region 1	3.46	(2.39 - 4.97)	12.66	(9.88 - 16.08)	4.01	(2.83 - 5.64)	5.15	(3.93 - 6.74)
Region 2	3.22	(2.15 - 4.81)	11.48	(8.64 - 15.09)	4.04	(2.79 - 5.81)	5.32	(3.97 - 7.11)
Region 3	3.05	(2.09 - 4.42)	11.52	(8.99 - 14.64)	4.92	(3.52 - 6.83)	5.88	(4.48 - 7.69)
Region 4	3.26	(2.17 - 4.87)	10.15	(7.40 - 13.78)	3.83	(2.57 - 5.66)	4.90	(3.54 - 6.75)
Region 5	3.66	(2.40 - 5.56)	11.90	(8.75 - 15.98)	4.44	(3.04 - 6.45)	5.74	(4.21 - 7.78)
Region 6	3.28	(2.22 - 4.81)	12.53	(9.40 - 16.52)	4.32	(2.92 - 6.35)	5.57	(4.08 - 7.56)

See notes at end of table.

(continued)

**Table 15 Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages
Based on 2010, 2011, and 2012 NSDUHs (continued)**

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	4.87	(3.76 - 6.30)	18.38	(16.08 - 20.93)	6.17	(4.88 - 7.77)	7.79	(6.56 - 9.24)
Hawaii Island	4.92	(3.32 - 7.24)	17.31	(13.12 - 22.48)	7.00	(4.89 - 9.93)	8.25	(6.09 - 11.08)
Honolulu	4.74	(3.49 - 6.42)	18.41	(15.80 - 21.35)	5.72	(4.35 - 7.49)	7.50	(6.17 - 9.08)
Kauai and Maui	5.35	(3.79 - 7.50)	19.21	(15.20 - 23.98)	7.36	(5.33 - 10.09)	8.68	(6.60 - 11.34)
Kauai	5.13	(3.39 - 7.68)	*	(* - *)	6.42	(4.28 - 9.54)	7.74	(5.48 - 10.83)
Maui	5.44	(3.63 - 8.08)	19.51	(14.81 - 25.27)	7.77	(5.36 - 11.13)	9.09	(6.62 - 12.36)
Idaho	4.10	(3.27 - 5.12)	15.58	(13.49 - 17.93)	6.02	(4.85 - 7.45)	7.48	(6.34 - 8.80)
Region 1	4.60	(3.15 - 6.69)	17.37	(13.11 - 22.67)	6.12	(4.30 - 8.65)	7.48	(5.59 - 9.95)
Region 2	3.81	(2.56 - 5.63)	16.69	(12.59 - 21.80)	6.68	(4.58 - 9.64)	8.63	(6.41 - 11.53)
Region 3	4.15	(2.85 - 6.02)	14.22	(10.96 - 18.26)	5.25	(3.73 - 7.34)	6.55	(4.97 - 8.58)
Region 4	4.51	(3.17 - 6.38)	18.59	(14.96 - 22.85)	7.17	(5.25 - 9.72)	8.75	(6.82 - 11.16)
Region 5	3.68	(2.50 - 5.37)	12.63	(9.56 - 16.52)	4.92	(3.39 - 7.09)	6.01	(4.42 - 8.11)
Region 6	4.04	(2.73 - 5.92)	16.22	(12.40 - 20.94)	6.52	(4.55 - 9.28)	8.08	(6.05 - 10.73)
Region 7	3.25	(2.14 - 4.91)	11.89	(8.80 - 15.88)	4.37	(2.94 - 6.45)	5.93	(4.37 - 7.99)
Illinois	3.49	(2.96 - 4.12)	15.83	(14.60 - 17.14)	5.92	(5.18 - 6.76)	7.36	(6.68 - 8.11)
Region I (Cook)	3.56	(2.76 - 4.58)	15.71	(13.83 - 17.79)	6.49	(5.37 - 7.81)	7.83	(6.79 - 9.02)
Region II	3.25	(2.49 - 4.23)	15.43	(13.49 - 17.59)	5.28	(4.27 - 6.51)	6.68	(5.72 - 7.79)
Region III	3.63	(2.67 - 4.94)	16.93	(14.23 - 20.01)	6.37	(4.93 - 8.19)	8.18	(6.76 - 9.87)
Region IV	3.80	(2.70 - 5.32)	14.07	(11.13 - 17.63)	4.95	(3.65 - 6.69)	6.21	(4.88 - 7.89)
Region V	3.79	(2.76 - 5.18)	17.27	(14.30 - 20.72)	5.85	(4.45 - 7.64)	7.47	(6.05 - 9.19)
Indiana	3.66	(2.88 - 4.65)	15.71	(13.60 - 18.08)	5.96	(4.79 - 7.39)	7.43	(6.29 - 8.76)
Central	3.51	(2.36 - 5.20)	16.35	(12.77 - 20.70)	6.55	(4.66 - 9.13)	7.90	(5.98 - 10.37)
East	3.68	(2.45 - 5.49)	14.15	(10.62 - 18.61)	5.71	(3.96 - 8.15)	7.09	(5.27 - 9.47)
North Central	4.01	(2.71 - 5.88)	15.72	(12.08 - 20.19)	5.75	(4.10 - 8.01)	7.17	(5.46 - 9.36)
Northeast	3.57	(2.40 - 5.27)	14.96	(11.24 - 19.64)	5.84	(4.07 - 8.31)	7.15	(5.29 - 9.58)
Northwest	3.49	(2.35 - 5.16)	15.03	(11.41 - 19.54)	5.73	(4.04 - 8.06)	7.01	(5.25 - 9.29)
Southeast	3.78	(2.49 - 5.68)	13.84	(10.44 - 18.12)	5.08	(3.54 - 7.24)	6.16	(4.56 - 8.29)
Southwest	3.49	(2.31 - 5.25)	14.62	(10.87 - 19.37)	5.37	(3.65 - 7.85)	6.67	(4.84 - 9.13)
West	3.86	(2.61 - 5.66)	17.88	(13.94 - 22.63)	6.76	(4.78 - 9.47)	9.34	(7.20 - 12.03)

See notes at end of table.

(continued)

Table 15 *Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	3.75	(2.93 - 4.78)	17.71	(15.46 - 20.22)	6.38	(5.20 - 7.81)	8.07	(6.91 - 9.41)
Central	3.71	(2.54 - 5.41)	17.79	(13.99 - 22.36)	6.58	(4.81 - 8.92)	8.13	(6.30 - 10.43)
North Central	3.79	(2.52 - 5.66)	19.00	(14.61 - 24.33)	6.65	(4.68 - 9.36)	9.01	(6.88 - 11.72)
Northeast	3.71	(2.53 - 5.40)	17.35	(14.03 - 21.25)	6.12	(4.46 - 8.34)	7.82	(6.15 - 9.90)
Northwest	3.70	(2.50 - 5.46)	16.56	(12.81 - 21.15)	6.00	(4.18 - 8.53)	7.39	(5.51 - 9.83)
Southeast	3.71	(2.50 - 5.47)	17.40	(13.74 - 21.79)	6.52	(4.73 - 8.94)	8.27	(6.42 - 10.59)
Southwest	4.00	(2.61 - 6.07)	19.18	(14.82 - 24.46)	6.66	(4.65 - 9.46)	8.16	(6.07 - 10.90)
Kansas	3.98	(3.15 - 5.03)	14.15	(12.12 - 16.47)	5.46	(4.35 - 6.82)	6.79	(5.70 - 8.07)
Kansas City Metro	3.86	(2.71 - 5.46)	13.52	(10.66 - 17.00)	4.95	(3.58 - 6.80)	6.22	(4.82 - 8.00)
Northeast	4.10	(2.78 - 6.02)	14.69	(11.33 - 18.82)	5.76	(4.05 - 8.13)	7.34	(5.54 - 9.66)
South Central	4.00	(2.73 - 5.81)	14.93	(11.29 - 19.48)	5.32	(3.67 - 7.66)	6.71	(4.96 - 9.01)
Southeast	4.09	(2.72 - 6.11)	15.26	(11.26 - 20.36)	5.86	(4.01 - 8.49)	7.31	(5.36 - 9.91)
West	4.48	(3.00 - 6.64)	15.42	(11.66 - 20.11)	6.27	(4.36 - 8.93)	7.61	(5.64 - 10.20)
Wichita (Sedgwick)	3.75	(2.57 - 5.46)	12.86	(9.81 - 16.68)	5.54	(3.93 - 7.76)	6.63	(5.00 - 8.76)
Kentucky	3.32	(2.58 - 4.27)	11.51	(9.77 - 13.51)	4.29	(3.35 - 5.49)	5.31	(4.37 - 6.43)
Adanta, Cumberland River, and Lifeskills	3.41	(2.33 - 4.97)	11.33	(8.51 - 14.93)	4.16	(2.90 - 5.93)	5.18	(3.85 - 6.94)
Bluegrass, Comprehend, and North Key	3.28	(2.23 - 4.80)	12.02	(9.48 - 15.12)	4.30	(3.05 - 6.03)	5.48	(4.19 - 7.13)
Communicare and River Valley	3.33	(2.22 - 4.97)	10.02	(7.37 - 13.48)	3.99	(2.68 - 5.90)	4.79	(3.44 - 6.65)
Four Rivers and Pennyroyal	3.51	(2.33 - 5.25)	11.39	(8.42 - 15.22)	4.48	(3.04 - 6.54)	5.48	(3.97 - 7.51)
Kentucky River, Mountain, and Pathways	3.42	(2.25 - 5.17)	10.37	(7.62 - 13.97)	4.06	(2.72 - 6.01)	4.87	(3.48 - 6.79)
Seven Counties	3.19	(2.17 - 4.68)	12.28	(9.31 - 16.03)	4.57	(3.18 - 6.54)	5.58	(4.13 - 7.49)

See notes at end of table.

(continued)

Table 15 *Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	3.23	(2.58 - 4.04)	13.63	(11.90 - 15.58)	5.45	(4.41 - 6.72)	6.73	(5.73 - 7.89)
Regions 1 and 10	2.91	(2.11 - 3.99)	13.20	(10.52 - 16.44)	5.94	(4.45 - 7.89)	7.07	(5.56 - 8.95)
Region 1	2.58	(1.71 - 3.88)	13.41	(10.05 - 17.67)	6.45	(4.54 - 9.08)	7.69	(5.75 - 10.22)
Region 10 (Jefferson)	3.22	(2.17 - 4.74)	12.91	(9.66 - 17.05)	5.46	(3.77 - 7.85)	6.44	(4.71 - 8.77)
Regions 2 and 9	3.14	(2.21 - 4.44)	14.20	(11.54 - 17.34)	4.93	(3.56 - 6.80)	6.43	(5.04 - 8.18)
Region 3	3.02	(2.02 - 4.48)	11.58	(8.75 - 15.18)	5.05	(3.51 - 7.23)	6.02	(4.44 - 8.11)
Regions 4, 5, and 6	3.66	(2.57 - 5.19)	14.19	(11.26 - 17.73)	6.02	(4.44 - 8.13)	7.27	(5.69 - 9.26)
Regions 7 and 8	3.13	(2.15 - 4.55)	13.43	(10.68 - 16.75)	5.07	(3.68 - 6.95)	6.40	(4.97 - 8.20)
Maine	3.47	(2.70 - 4.46)	14.83	(12.81 - 17.11)	5.15	(4.09 - 6.47)	6.35	(5.30 - 7.59)
Aroostook/Downeast	3.43	(2.47 - 4.75)	13.45	(10.76 - 16.70)	5.23	(3.78 - 7.18)	6.16	(4.71 - 8.00)
Aroostook	*	(* - *)	12.53	(9.37 - 16.55)	5.08	(3.40 - 7.53)	5.94	(4.23 - 8.29)
Downeast	3.47	(2.27 - 5.26)	14.24	(10.68 - 18.74)	5.35	(3.59 - 7.91)	6.33	(4.53 - 8.77)
Central	3.28	(2.17 - 4.92)	14.72	(11.24 - 19.05)	5.37	(3.70 - 7.74)	6.48	(4.76 - 8.76)
Cumberland	3.56	(2.40 - 5.25)	16.30	(12.87 - 20.45)	5.69	(4.09 - 7.85)	7.04	(5.41 - 9.13)
Midcoast	3.62	(2.40 - 5.42)	14.96	(11.24 - 19.64)	4.94	(3.35 - 7.24)	5.93	(4.26 - 8.21)
Penquis	3.73	(2.51 - 5.51)	15.43	(11.84 - 19.87)	5.09	(3.56 - 7.24)	6.77	(5.11 - 8.92)
Western	3.44	(2.30 - 5.13)	12.90	(9.81 - 16.77)	4.94	(3.45 - 7.03)	5.97	(4.43 - 8.00)
York	3.29	(2.17 - 4.96)	14.99	(11.50 - 19.30)	4.53	(3.07 - 6.65)	5.73	(4.19 - 7.79)
Maryland	3.17	(2.48 - 4.04)	12.89	(10.92 - 15.14)	4.71	(3.71 - 5.98)	5.88	(4.87 - 7.08)
Anne Arundel	3.62	(2.37 - 5.47)	14.52	(10.81 - 19.23)	4.76	(3.23 - 6.96)	6.05	(4.39 - 8.28)
Baltimore City	2.23	(1.48 - 3.36)	10.70	(8.10 - 14.01)	5.42	(3.72 - 7.85)	6.37	(4.67 - 8.62)
Baltimore County	3.21	(2.15 - 4.75)	13.32	(10.06 - 17.43)	5.26	(3.61 - 7.58)	6.41	(4.71 - 8.66)
Montgomery	3.40	(2.31 - 4.98)	13.74	(10.37 - 17.97)	4.57	(3.11 - 6.68)	5.64	(4.13 - 7.66)
North Central	3.58	(2.36 - 5.40)	14.72	(10.91 - 19.58)	4.61	(3.12 - 6.77)	5.84	(4.24 - 7.99)
Northeast	3.43	(2.24 - 5.23)	13.59	(9.97 - 18.25)	4.08	(2.73 - 6.07)	5.28	(3.79 - 7.31)
Prince George's	2.42	(1.56 - 3.74)	11.02	(8.07 - 14.87)	4.36	(2.95 - 6.40)	5.50	(3.99 - 7.55)
South	3.29	(2.18 - 4.93)	13.33	(9.94 - 17.66)	4.41	(2.99 - 6.47)	5.76	(4.22 - 7.82)
West	3.63	(2.44 - 5.35)	14.04	(10.59 - 18.38)	4.84	(3.30 - 7.03)	6.06	(4.45 - 8.22)

See notes at end of table.

(continued)

Table 15 *Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	4.63	(3.71 - 5.76)	18.48	(16.12 - 21.09)	7.44	(6.09 - 9.06)	9.10	(7.79 - 10.60)
Boston	4.49	(3.02 - 6.63)	19.04	(15.06 - 23.76)	9.75	(7.06 - 13.33)	11.96	(9.29 - 15.26)
Central	4.54	(3.10 - 6.59)	17.67	(13.51 - 22.78)	7.34	(5.17 - 10.31)	8.81	(6.59 - 11.68)
Metrowest	5.26	(3.76 - 7.30)	21.37	(16.95 - 26.57)	8.04	(5.97 - 10.75)	9.78	(7.71 - 12.35)
Northeast	4.73	(3.33 - 6.69)	17.77	(14.14 - 22.09)	7.30	(5.31 - 9.95)	8.67	(6.70 - 11.15)
Southeast	4.31	(2.98 - 6.20)	17.45	(13.81 - 21.82)	6.24	(4.45 - 8.70)	7.66	(5.82 - 10.03)
Western	4.02	(2.72 - 5.90)	16.35	(12.47 - 21.14)	6.47	(4.55 - 9.12)	8.16	(6.13 - 10.77)
Michigan	3.85	(3.33 - 4.45)	13.97	(12.90 - 15.11)	6.28	(5.53 - 7.11)	7.40	(6.72 - 8.15)
Detroit City	2.64	(1.83 - 3.78)	10.95	(8.69 - 13.71)	6.99	(5.18 - 9.35)	7.70	(6.02 - 9.80)
Genesee	3.67	(2.59 - 5.18)	13.17	(10.35 - 16.61)	5.39	(3.92 - 7.37)	6.46	(4.95 - 8.39)
Kalamazoo	3.63	(2.61 - 5.02)	13.27	(10.51 - 16.62)	5.58	(4.12 - 7.51)	6.79	(5.31 - 8.66)
Kent	3.94	(2.76 - 5.60)	16.40	(13.42 - 19.88)	7.16	(5.37 - 9.47)	8.61	(6.86 - 10.74)
Lakeshore	3.90	(2.81 - 5.40)	14.96	(12.21 - 18.21)	6.56	(4.95 - 8.64)	7.83	(6.26 - 9.76)
Macomb	4.61	(3.38 - 6.27)	15.68	(12.81 - 19.05)	6.94	(5.31 - 9.02)	8.04	(6.44 - 9.99)
Mid South	3.35	(2.41 - 4.63)	12.28	(9.90 - 15.13)	5.33	(4.01 - 7.04)	6.56	(5.25 - 8.18)
Northern	4.50	(3.22 - 6.26)	14.84	(12.07 - 18.12)	5.62	(4.18 - 7.53)	6.92	(5.46 - 8.73)
Oakland	3.80	(2.82 - 5.12)	14.39	(11.96 - 17.22)	6.73	(5.24 - 8.61)	7.64	(6.19 - 9.38)
Pathways and Western	4.77	(3.29 - 6.85)	18.31	(14.40 - 23.00)	8.25	(6.08 - 11.11)	9.71	(7.55 - 12.40)
Riverhaven	4.05	(2.84 - 5.74)	14.66	(11.54 - 18.44)	6.29	(4.53 - 8.66)	7.32	(5.57 - 9.57)
Saginaw	3.81	(2.58 - 5.58)	12.70	(9.68 - 16.50)	5.44	(3.88 - 7.59)	6.57	(4.96 - 8.65)
Southeast	3.79	(2.77 - 5.17)	12.84	(10.59 - 15.48)	6.14	(4.72 - 7.95)	7.03	(5.66 - 8.70)
St. Clair	3.93	(2.69 - 5.70)	13.43	(10.46 - 17.07)	5.14	(3.71 - 7.09)	6.16	(4.69 - 8.05)
Washtenaw	4.29	(3.06 - 5.99)	14.89	(12.18 - 18.09)	6.26	(4.70 - 8.30)	7.89	(6.33 - 9.79)
Minnesota	4.07	(3.24 - 5.10)	17.09	(14.86 - 19.58)	6.24	(5.07 - 7.65)	7.77	(6.62 - 9.10)
Regions 1 and 2	3.86	(2.57 - 5.74)	16.04	(11.91 - 21.26)	5.98	(4.09 - 8.68)	7.40	(5.39 - 10.07)
Regions 3 and 4	4.45	(3.09 - 6.38)	18.11	(14.25 - 22.74)	6.32	(4.53 - 8.76)	8.04	(6.17 - 10.42)
Regions 5 and 6	4.87	(3.36 - 7.01)	18.26	(14.28 - 23.05)	6.19	(4.43 - 8.58)	7.97	(6.11 - 10.32)
Region 7A (Hennepin)	3.70	(2.53 - 5.38)	17.35	(13.82 - 21.57)	6.90	(5.04 - 9.38)	8.35	(6.49 - 10.69)
Region 7B (Ramsey)	3.79	(2.56 - 5.57)	15.30	(11.45 - 20.15)	6.91	(4.80 - 9.86)	8.35	(6.16 - 11.22)
Region 7C	3.68	(2.56 - 5.27)	16.27	(12.66 - 20.66)	5.37	(3.90 - 7.36)	6.71	(5.18 - 8.66)

See notes at end of table.

(continued)

**Table 15 Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages
Based on 2010, 2011, and 2012 NSDUHs (continued)**

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	3.42	(2.70 - 4.33)	12.23	(10.47 - 14.25)	4.68	(3.74 - 5.84)	5.85	(4.92 - 6.94)
Region 1	3.98	(2.76 - 5.72)	12.60	(9.86 - 15.96)	4.43	(3.13 - 6.22)	5.67	(4.32 - 7.41)
Region 2	2.76	(1.84 - 4.11)	10.99	(8.09 - 14.76)	5.08	(3.54 - 7.26)	6.00	(4.40 - 8.14)
Region 3	3.24	(2.20 - 4.75)	13.87	(10.68 - 17.82)	5.10	(3.63 - 7.11)	6.62	(5.05 - 8.62)
Region 4	2.71	(1.84 - 3.99)	10.80	(8.29 - 13.96)	4.18	(2.93 - 5.95)	5.19	(3.89 - 6.90)
Region 5	*	(* - *)	10.96	(7.90 - 15.02)	4.74	(3.23 - 6.90)	5.60	(4.02 - 7.75)
Region 6	3.64	(2.44 - 5.40)	12.05	(9.12 - 15.76)	4.88	(3.39 - 6.96)	6.07	(4.51 - 8.11)
Region 7	4.13	(2.81 - 6.03)	13.34	(10.09 - 17.44)	4.76	(3.31 - 6.80)	5.99	(4.46 - 8.00)
Missouri	4.15	(3.30 - 5.20)	13.43	(11.51 - 15.61)	4.87	(3.86 - 6.12)	6.12	(5.12 - 7.30)
Central	4.28	(2.95 - 6.16)	13.52	(10.28 - 17.58)	4.69	(3.25 - 6.72)	6.27	(4.71 - 8.30)
Eastern	4.26	(3.16 - 5.73)	14.27	(11.64 - 17.38)	5.24	(3.96 - 6.90)	6.50	(5.20 - 8.09)
Eastern (St. Louis City and County)	3.83	(2.64 - 5.52)	13.53	(10.52 - 17.24)	5.45	(3.90 - 7.55)	6.62	(5.04 - 8.65)
Eastern (excluding St. Louis)	4.94	(3.38 - 7.18)	15.72	(12.00 - 20.34)	4.89	(3.40 - 6.97)	6.29	(4.71 - 8.35)
Northwest	4.00	(2.93 - 5.42)	13.81	(11.16 - 16.96)	4.95	(3.69 - 6.61)	6.20	(4.90 - 7.82)
Northwest (Jackson)	3.81	(2.60 - 5.53)	13.96	(10.73 - 17.97)	5.57	(3.92 - 7.85)	6.74	(5.05 - 8.94)
Northwest (excluding Jackson)	4.15	(2.78 - 6.15)	13.68	(10.26 - 18.00)	4.43	(3.03 - 6.44)	5.74	(4.23 - 7.76)
Southeast	4.00	(2.76 - 5.76)	10.98	(8.13 - 14.68)	4.33	(2.93 - 6.35)	5.25	(3.80 - 7.21)
Southwest	4.11	(2.77 - 6.07)	12.74	(9.52 - 16.85)	4.48	(3.06 - 6.50)	5.67	(4.17 - 7.66)
Montana	5.33	(4.22 - 6.72)	19.41	(17.06 - 22.00)	7.04	(5.72 - 8.63)	8.77	(7.50 - 10.24)
Region 1	5.02	(3.34 - 7.49)	17.94	(13.65 - 23.22)	6.98	(4.85 - 9.95)	8.25	(6.07 - 11.12)
Region 2	4.57	(3.07 - 6.75)	18.36	(14.19 - 23.43)	7.16	(5.06 - 10.04)	8.79	(6.63 - 11.56)
Region 3	5.13	(3.62 - 7.21)	18.53	(14.79 - 22.97)	6.62	(4.82 - 9.03)	8.10	(6.28 - 10.39)
Region 4	5.65	(3.96 - 8.01)	21.40	(17.59 - 25.78)	7.35	(5.44 - 9.86)	9.52	(7.58 - 11.90)
Region 5	5.69	(4.06 - 7.91)	18.84	(15.45 - 22.77)	7.01	(5.26 - 9.29)	8.70	(6.95 - 10.84)
Nebraska	3.81	(2.98 - 4.84)	16.22	(14.06 - 18.64)	5.61	(4.48 - 7.01)	7.20	(6.09 - 8.50)
Regions 1 and 2	4.02	(2.88 - 5.58)	16.73	(13.11 - 21.10)	5.50	(3.96 - 7.59)	6.91	(5.27 - 9.00)
Region 1	4.01	(2.65 - 6.04)	*	(* - *)	5.94	(3.99 - 8.76)	7.48	(5.38 - 10.30)
Region 2	4.02	(2.67 - 6.01)	15.91	(11.67 - 21.30)	5.11	(3.40 - 7.60)	6.40	(4.56 - 8.91)
Region 3	4.13	(2.79 - 6.07)	16.94	(13.07 - 21.66)	5.49	(3.86 - 7.75)	7.12	(5.39 - 9.37)
Region 4	3.91	(2.64 - 5.77)	15.62	(11.84 - 20.32)	5.56	(3.76 - 8.17)	6.89	(5.01 - 9.40)
Region 5	3.66	(2.49 - 5.35)	17.07	(13.78 - 20.96)	5.76	(4.15 - 7.93)	7.73	(6.09 - 9.78)
Region 6	3.71	(2.63 - 5.20)	15.45	(12.65 - 18.73)	5.60	(4.15 - 7.52)	7.07	(5.62 - 8.85)

See notes at end of table.

(continued)

Table 15 *Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	4.67	(3.44 - 6.31)	17.53	(14.75 - 20.71)	8.50	(6.84 - 10.51)	9.76	(8.17 - 11.61)
Clark – Region 1	4.42	(3.09 - 6.29)	16.10	(12.97 - 19.81)	8.02	(6.24 - 10.25)	9.14	(7.43 - 11.20)
Region 3	4.81	(3.33 - 6.90)	18.57	(14.54 - 23.41)	8.48	(6.20 - 11.48)	9.70	(7.40 - 12.60)
Capital District	4.83	(3.10 - 7.45)	*	(* - *)	8.21	(5.57 - 11.94)	9.54	(6.82 - 13.17)
Rural/Frontier	4.79	(3.09 - 7.37)	*	(* - *)	8.72	(5.98 - 12.57)	9.84	(7.08 - 13.53)
Washoe – Region 2	5.73	(3.79 - 8.57)	22.74	(18.50 - 27.62)	10.73	(7.81 - 14.57)	12.59	(9.75 - 16.10)
New Hampshire	4.58	(3.67 - 5.71)	17.06	(14.87 - 19.51)	5.41	(4.33 - 6.75)	6.98	(5.91 - 8.23)
Central	4.77	(3.53 - 6.42)	17.40	(14.55 - 20.68)	5.61	(4.22 - 7.42)	7.32	(5.91 - 9.04)
Central 1	4.80	(3.27 - 7.00)	18.28	(14.63 - 22.61)	5.98	(4.23 - 8.41)	8.03	(6.21 - 10.32)
Central 2	4.75	(3.26 - 6.88)	16.25	(12.66 - 20.62)	5.26	(3.65 - 7.52)	6.63	(4.95 - 8.82)
Northern	4.80	(3.30 - 6.95)	18.60	(14.59 - 23.41)	5.99	(4.17 - 8.53)	7.71	(5.83 - 10.14)
Southern	4.46	(3.41 - 5.82)	16.50	(13.86 - 19.53)	5.19	(4.00 - 6.72)	6.65	(5.44 - 8.09)
Southern 1 (Rockingham)	4.42	(3.14 - 6.20)	17.18	(13.55 - 21.55)	5.00	(3.55 - 6.99)	6.38	(4.86 - 8.32)
Southern 2	4.49	(3.19 - 6.29)	16.16	(13.07 - 19.81)	5.32	(3.89 - 7.22)	6.81	(5.37 - 8.61)
New Jersey	4.03	(3.09 - 5.23)	15.26	(12.99 - 17.85)	5.49	(4.33 - 6.93)	6.77	(5.61 - 8.13)
Central	4.74	(3.28 - 6.80)	15.87	(12.23 - 20.34)	5.23	(3.72 - 7.30)	6.53	(4.93 - 8.59)
Metropolitan	3.40	(2.30 - 5.00)	13.95	(10.96 - 17.61)	5.55	(3.93 - 7.78)	6.73	(5.10 - 8.84)
Northern	4.11	(2.80 - 6.00)	16.63	(13.19 - 20.74)	5.92	(4.28 - 8.13)	7.28	(5.62 - 9.38)
Southern	3.81	(2.57 - 5.62)	14.26	(10.94 - 18.38)	5.04	(3.52 - 7.18)	6.28	(4.71 - 8.34)
New Mexico	4.52	(3.52 - 5.80)	16.18	(14.02 - 18.60)	6.15	(4.93 - 7.65)	7.64	(6.44 - 9.02)
Region 1	4.00	(2.73 - 5.83)	14.74	(11.47 - 18.76)	5.23	(3.71 - 7.32)	6.63	(5.06 - 8.65)
Region 2	4.36	(2.92 - 6.48)	15.50	(11.74 - 20.18)	6.34	(4.36 - 9.14)	7.39	(5.37 - 10.09)
Region 3 (Bernalillo)	5.17	(3.57 - 7.43)	17.98	(14.62 - 21.92)	7.11	(5.29 - 9.50)	8.74	(6.93 - 10.97)
Region 4	4.18	(2.76 - 6.28)	13.57	(10.25 - 17.75)	5.31	(3.65 - 7.68)	6.63	(4.88 - 8.96)
Region 5	4.49	(3.13 - 6.42)	16.75	(13.13 - 21.13)	5.87	(4.19 - 8.17)	7.65	(5.90 - 9.88)

See notes at end of table.

(continued)

Table 15 *Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	4.12	(3.52 - 4.81)	13.86	(12.70 - 15.11)	5.82	(5.06 - 6.69)	7.03	(6.33 - 7.79)
Region A	3.86	(3.14 - 4.75)	12.71	(11.29 - 14.28)	6.24	(5.24 - 7.41)	7.23	(6.31 - 8.28)
Region 1	3.19	(2.24 - 4.53)	10.85	(8.56 - 13.66)	5.27	(3.81 - 7.23)	6.26	(4.83 - 8.09)
Region 2	4.42	(3.27 - 5.97)	13.05	(10.95 - 15.49)	6.35	(4.90 - 8.19)	7.39	(6.03 - 9.04)
Region 3	3.75	(2.61 - 5.36)	14.46	(11.61 - 17.88)	7.71	(5.83 - 10.14)	8.73	(6.90 - 10.99)
Region 4	3.62	(2.57 - 5.07)	12.14	(9.76 - 15.01)	5.52	(4.11 - 7.36)	6.44	(5.06 - 8.16)
Region B	4.54	(3.65 - 5.63)	14.66	(12.78 - 16.77)	5.04	(4.11 - 6.18)	6.35	(5.43 - 7.41)
Region 5	4.62	(3.47 - 6.13)	13.98	(11.56 - 16.81)	4.62	(3.50 - 6.08)	5.86	(4.73 - 7.23)
Region 6	4.46	(3.18 - 6.22)	15.28	(12.10 - 19.12)	5.58	(4.04 - 7.66)	6.84	(5.28 - 8.81)
Region 7	4.39	(3.14 - 6.09)	15.80	(12.52 - 19.73)	5.62	(4.09 - 7.69)	7.19	(5.60 - 9.20)
Region C	4.02	(3.29 - 4.90)	15.25	(13.51 - 17.16)	6.06	(5.06 - 7.24)	7.51	(6.55 - 8.60)
Region 8	4.15	(3.00 - 5.73)	16.49	(13.22 - 20.39)	6.03	(4.52 - 8.00)	7.59	(6.04 - 9.49)
Region 9	4.04	(2.88 - 5.65)	14.27	(11.42 - 17.70)	5.48	(4.01 - 7.44)	6.89	(5.40 - 8.75)
Region 10	3.82	(2.58 - 5.62)	13.17	(10.06 - 17.05)	5.81	(4.10 - 8.18)	7.26	(5.50 - 9.52)
Region 11	4.44	(3.15 - 6.23)	16.28	(13.10 - 20.04)	6.99	(5.15 - 9.41)	8.46	(6.62 - 10.74)
Region 12	3.54	(2.48 - 5.02)	15.10	(12.03 - 18.79)	5.82	(4.30 - 7.85)	7.21	(5.66 - 9.13)
Region D	4.07	(3.18 - 5.19)	13.42	(11.32 - 15.84)	5.42	(4.28 - 6.86)	6.65	(5.51 - 8.01)
Region 13	4.03	(2.79 - 5.77)	13.23	(10.15 - 17.07)	4.92	(3.44 - 7.00)	6.17	(4.62 - 8.18)
Region 14	4.13	(2.81 - 6.04)	14.01	(10.80 - 17.99)	6.29	(4.48 - 8.76)	7.55	(5.71 - 9.93)
Region 15	4.05	(2.83 - 5.76)	12.94	(9.92 - 16.70)	5.02	(3.57 - 7.03)	6.20	(4.69 - 8.15)

See notes at end of table.

(continued)

Table 15 *Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	3.52	(2.81 - 4.41)	12.01	(10.11 - 14.20)	4.22	(3.26 - 5.45)	5.32	(4.36 - 6.49)
Alliance	3.64	(2.49 - 5.29)	11.81	(8.89 - 15.53)	4.27	(2.96 - 6.13)	5.41	(4.01 - 7.27)
Cardinal Innovations	3.76	(2.54 - 5.54)	12.75	(9.57 - 16.78)	4.23	(2.82 - 6.31)	5.38	(3.90 - 7.39)
CenterPoint/Guilford	3.32	(2.35 - 4.65)	11.34	(8.74 - 14.60)	4.15	(2.95 - 5.80)	5.20	(3.93 - 6.84)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	4.87	(3.43 - 6.88)
Guilford	*	(* - *)	11.13	(8.05 - 15.19)	*	(* - *)	5.55	(3.94 - 7.77)
CoastalCare	3.44	(2.29 - 5.14)	12.61	(9.13 - 17.17)	*	(* - *)	5.63	(4.01 - 7.86)
Eastpointe	2.88	(1.91 - 4.33)	9.72	(7.13 - 13.12)	3.86	(2.57 - 5.74)	4.65	(3.33 - 6.48)
ECBH	3.26	(2.15 - 4.89)	12.03	(8.79 - 16.26)	*	(* - *)	5.31	(3.81 - 7.36)
MeckLINK	3.36	(2.21 - 5.07)	12.51	(9.18 - 16.83)	4.95	(3.33 - 7.32)	6.02	(4.32 - 8.34)
Partners	3.67	(2.50 - 5.36)	11.58	(8.62 - 15.39)	4.16	(2.78 - 6.17)	5.07	(3.63 - 7.04)
Sandhills	3.45	(2.25 - 5.26)	11.01	(7.91 - 15.14)	3.95	(2.62 - 5.90)	4.84	(3.42 - 6.82)
Smoky Mountain	*	(* - *)	13.76	(10.01 - 18.63)	*	(* - *)	5.61	(3.95 - 7.91)
Western Highlands	*	(* - *)	13.70	(9.99 - 18.50)	4.21	(2.77 - 6.35)	5.25	(3.71 - 7.38)
North Dakota	3.74	(2.84 - 4.91)	19.66	(17.34 - 22.21)	6.55	(5.31 - 8.06)	8.84	(7.62 - 10.22)
Badlands and West Central	3.73	(2.57 - 5.39)	19.02	(15.17 - 23.57)	5.99	(4.37 - 8.16)	7.75	(6.06 - 9.88)
Lake Region and South Central	3.99	(2.62 - 6.03)	20.27	(15.80 - 25.62)	6.49	(4.66 - 8.99)	8.22	(6.28 - 10.69)
North Central and Northwest	3.92	(2.62 - 5.82)	20.82	(16.58 - 25.81)	7.20	(5.22 - 9.85)	9.43	(7.38 - 11.98)
Northeast	3.88	(2.58 - 5.81)	21.24	(17.27 - 25.85)	7.81	(5.55 - 10.89)	11.08	(8.78 - 13.90)
Southeast	3.42	(2.28 - 5.09)	18.41	(15.00 - 22.39)	6.13	(4.48 - 8.33)	8.72	(7.01 - 10.81)

See notes at end of table.

(continued)

Table 15 *Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	3.53	(3.04 - 4.09)	14.57	(13.50 - 15.72)	6.11	(5.43 - 6.88)	7.31	(6.68 - 8.00)
Boards 2, 46, 55, and 68	3.18	(2.22 - 4.52)	12.94	(10.16 - 16.34)	5.24	(3.78 - 7.22)	6.29	(4.80 - 8.18)
Boards 3, 52, and 85	3.64	(2.52 - 5.22)	14.47	(11.26 - 18.41)	5.57	(4.04 - 7.65)	6.77	(5.18 - 8.81)
Boards 4 and 78	3.91	(2.67 - 5.70)	13.83	(10.60 - 17.85)	6.10	(4.36 - 8.46)	7.03	(5.27 - 9.33)
Boards 5 and 60	3.95	(2.73 - 5.68)	15.69	(12.41 - 19.65)	6.24	(4.50 - 8.58)	7.95	(6.18 - 10.18)
Boards 7, 15, 41, 79, and 84	3.47	(2.42 - 4.95)	12.14	(9.71 - 15.08)	5.40	(3.98 - 7.29)	6.21	(4.82 - 7.98)
Boards 8, 13, and 83	3.50	(2.45 - 4.98)	12.95	(10.16 - 16.36)	4.71	(3.43 - 6.44)	5.71	(4.39 - 7.40)
Board 9 (Butler)	3.62	(2.49 - 5.24)	15.70	(12.35 - 19.75)	6.12	(4.50 - 8.27)	7.67	(5.98 - 9.79)
Board 12	4.16	(2.89 - 5.95)	14.61	(11.30 - 18.70)	6.03	(4.38 - 8.25)	7.42	(5.69 - 9.62)
Boards 18 and 47	3.39	(2.50 - 4.58)	14.84	(12.40 - 17.67)	6.48	(5.06 - 8.26)	7.58	(6.21 - 9.23)
Boards 20, 32, 54, and 69	3.68	(2.57 - 5.24)	13.78	(10.68 - 17.60)	5.26	(3.79 - 7.27)	6.38	(4.85 - 8.35)
Boards 21, 39, 51, 70, and 80	3.75	(2.68 - 5.22)	14.52	(11.37 - 18.36)	5.91	(4.37 - 7.94)	6.94	(5.36 - 8.94)
Boards 22, 74, and 87	3.50	(2.43 - 5.02)	14.71	(11.58 - 18.51)	5.97	(4.35 - 8.14)	7.33	(5.67 - 9.44)
Boards 23 and 45	3.37	(2.34 - 4.85)	13.85	(10.68 - 17.77)	5.18	(3.76 - 7.11)	6.38	(4.89 - 8.29)
Board 25 (Franklin)	3.33	(2.38 - 4.63)	16.62	(13.79 - 19.88)	8.16	(6.39 - 10.37)	9.61	(7.90 - 11.63)
Boards 27, 71, and 73	3.46	(2.41 - 4.96)	11.97	(9.35 - 15.20)	5.44	(3.94 - 7.47)	6.28	(4.77 - 8.22)
Boards 28, 43, and 67	4.28	(3.05 - 5.97)	16.29	(13.05 - 20.14)	5.75	(4.26 - 7.70)	7.29	(5.75 - 9.19)
Board 31 (Hamilton)	3.07	(2.18 - 4.31)	13.27	(10.56 - 16.54)	5.55	(4.13 - 7.42)	6.73	(5.28 - 8.52)
Board 48 (Lucas)	3.52	(2.46 - 5.01)	14.79	(11.69 - 18.54)	7.05	(5.11 - 9.64)	8.28	(6.35 - 10.73)
Boards 50 and 76	3.49	(2.48 - 4.91)	15.13	(12.26 - 18.53)	5.73	(4.25 - 7.70)	6.94	(5.45 - 8.80)
Board 57 (Montgomery)	2.98	(2.09 - 4.22)	13.21	(10.42 - 16.62)	5.53	(4.07 - 7.45)	6.60	(5.14 - 8.45)
Board 77 (Summit)	4.13	(2.87 - 5.91)	15.70	(12.51 - 19.52)	7.40	(5.53 - 9.85)	8.52	(6.66 - 10.85)
Oklahoma	3.68	(2.91 - 4.65)	15.11	(12.98 - 17.52)	7.21	(5.82 - 8.89)	8.41	(7.09 - 9.96)
Central	3.78	(2.53 - 5.61)	17.44	(13.39 - 22.39)	6.99	(4.85 - 9.96)	8.76	(6.56 - 11.62)
East Central	3.77	(2.53 - 5.59)	13.76	(10.18 - 18.34)	6.99	(4.79 - 10.10)	7.92	(5.72 - 10.88)
Northeast	3.29	(2.24 - 4.80)	14.27	(11.01 - 18.29)	6.05	(4.23 - 8.58)	7.40	(5.56 - 9.77)
Northwest and Southwest	4.38	(2.96 - 6.42)	16.55	(12.57 - 21.49)	8.58	(6.08 - 11.97)	9.83	(7.36 - 13.01)
Oklahoma County	3.45	(2.34 - 5.07)	14.36	(11.08 - 18.41)	6.75	(4.81 - 9.39)	7.92	(5.98 - 10.42)
Southeast	3.77	(2.56 - 5.52)	14.77	(11.19 - 19.24)	7.80	(5.57 - 10.82)	8.76	(6.55 - 11.62)
Tulsa County	3.40	(2.28 - 5.03)	14.52	(11.05 - 18.84)	7.25	(5.15 - 10.10)	8.32	(6.24 - 11.01)

See notes at end of table.

(continued)

**Table 15 Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages
Based on 2010, 2011, and 2012 NSDUHs (continued)**

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	3.76	(2.99 - 4.72)	15.89	(13.75 - 18.29)	6.81	(5.57 - 8.32)	8.07	(6.87 - 9.46)
Region 1 (Multnomah)	3.70	(2.53 - 5.38)	17.41	(13.72 - 21.85)	9.19	(6.82 - 12.27)	10.30	(7.99 - 13.18)
Region 2	3.64	(2.47 - 5.32)	14.98	(11.65 - 19.05)	5.72	(4.11 - 7.90)	6.89	(5.26 - 8.99)
Region 3	3.81	(2.73 - 5.29)	16.49	(13.40 - 20.12)	6.90	(5.17 - 9.16)	8.46	(6.77 - 10.53)
Region 4	3.97	(2.68 - 5.84)	14.06	(10.56 - 18.48)	5.67	(3.93 - 8.11)	6.66	(4.89 - 9.02)
Region 5 (Central)	3.94	(2.58 - 5.96)	16.66	(12.56 - 21.77)	6.37	(4.41 - 9.13)	7.55	(5.52 - 10.24)
Region 6 (Eastern)	3.56	(2.32 - 5.42)	*	(* - *)	*	(* - *)	7.04	(4.97 - 9.89)
Pennsylvania	4.02	(3.46 - 4.67)	14.78	(13.57 - 16.08)	5.63	(4.91 - 6.44)	6.94	(6.28 - 7.67)
Region 1 (Allegheny)	4.32	(3.17 - 5.88)	17.37	(14.33 - 20.88)	6.46	(4.90 - 8.48)	7.97	(6.41 - 9.88)
Regions 3, 8, 9, and 51	4.36	(3.07 - 6.17)	15.70	(12.40 - 19.67)	5.29	(3.82 - 7.27)	6.79	(5.25 - 8.73)
Regions 4, 11, 37, and 49	3.93	(2.82 - 5.47)	14.21	(11.19 - 17.89)	4.92	(3.61 - 6.68)	6.18	(4.80 - 7.91)
Regions 5, 18, 23, 24, and 46	3.60	(2.48 - 5.20)	11.81	(8.99 - 15.36)	4.28	(3.03 - 6.01)	5.28	(3.97 - 6.99)
Regions 6, 12, 16, 31, 35, 45, and 47	3.62	(2.55 - 5.12)	13.82	(11.00 - 17.23)	4.84	(3.53 - 6.61)	6.62	(5.21 - 8.38)
Regions 7, 13, 20, and 33	4.34	(3.31 - 5.69)	15.92	(13.40 - 18.80)	5.71	(4.50 - 7.22)	7.03	(5.83 - 8.45)
Regions 10, 15, 27, 32, 43, and 44	4.87	(3.45 - 6.83)	14.17	(11.03 - 18.02)	5.47	(3.95 - 7.54)	6.53	(4.99 - 8.51)
Regions 17 and 21	4.12	(2.84 - 5.94)	15.53	(11.93 - 19.97)	5.77	(4.14 - 7.99)	7.32	(5.57 - 9.55)
Regions 19, 26, 28, and 42	3.47	(2.54 - 4.73)	13.74	(11.16 - 16.81)	4.48	(3.37 - 5.94)	5.72	(4.58 - 7.12)
Regions 22, 38, 40, 41, and 48	3.94	(2.81 - 5.50)	13.76	(11.06 - 17.00)	4.66	(3.37 - 6.42)	5.72	(4.41 - 7.40)
Regions 29 and 34	3.81	(2.61 - 5.53)	14.66	(11.36 - 18.72)	4.93	(3.54 - 6.83)	6.26	(4.79 - 8.14)
Regions 30 and 50	3.70	(2.57 - 5.31)	13.57	(10.50 - 17.37)	5.07	(3.67 - 6.96)	6.20	(4.74 - 8.07)
Region 36 (Philadelphia)	4.00	(2.83 - 5.62)	14.80	(12.31 - 17.69)	8.83	(6.84 - 11.32)	9.97	(8.13 - 12.17)
Rhode Island	4.01	(3.09 - 5.19)	19.07	(16.70 - 21.69)	8.00	(6.47 - 9.85)	9.79	(8.35 - 11.45)
Bristol and Newport	4.34	(2.90 - 6.46)	23.62	(18.49 - 29.64)	7.97	(5.56 - 11.28)	10.31	(7.82 - 13.48)
Kent	4.40	(2.96 - 6.49)	19.94	(15.73 - 24.94)	8.38	(5.93 - 11.71)	9.74	(7.29 - 12.89)
Providence	3.74	(2.67 - 5.21)	17.46	(14.77 - 20.52)	8.07	(6.26 - 10.33)	9.68	(7.99 - 11.69)
Washington	4.46	(3.00 - 6.59)	21.76	(17.18 - 27.17)	7.17	(4.97 - 10.23)	9.82	(7.49 - 12.77)
South Carolina	3.64	(2.86 - 4.63)	12.86	(10.98 - 15.01)	5.32	(4.23 - 6.67)	6.42	(5.36 - 7.68)
Region 1	3.98	(2.76 - 5.72)	12.90	(10.05 - 16.41)	4.91	(3.49 - 6.88)	6.06	(4.61 - 7.93)
Region 2	3.49	(2.40 - 5.04)	12.34	(9.75 - 15.51)	4.86	(3.50 - 6.72)	6.00	(4.63 - 7.75)
Region 3	4.08	(2.79 - 5.92)	13.14	(9.88 - 17.27)	6.54	(4.62 - 9.20)	7.43	(5.50 - 9.97)
Region 4	3.17	(2.16 - 4.65)	13.25	(10.35 - 16.82)	5.42	(3.85 - 7.58)	6.58	(4.98 - 8.65)

See notes at end of table.

(continued)

Table 15 *Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	4.82	(3.83 - 6.05)	17.34	(14.90 - 20.09)	7.40	(6.08 - 8.98)	8.88	(7.58 - 10.37)
Region 1	5.22	(3.64 - 7.42)	17.27	(13.66 - 21.59)	7.73	(5.70 - 10.40)	9.10	(7.07 - 11.63)
Region 2	5.51	(3.56 - 8.43)	*	(* - *)	9.30	(6.37 - 13.39)	10.61	(7.68 - 14.50)
Region 3	4.42	(3.07 - 6.33)	16.67	(13.02 - 21.10)	6.87	(5.06 - 9.26)	8.54	(6.67 - 10.88)
Region 4	4.71	(3.20 - 6.88)	18.23	(13.81 - 23.67)	7.26	(5.15 - 10.15)	8.98	(6.77 - 11.83)
Region 5	4.63	(3.27 - 6.51)	16.73	(13.39 - 20.71)	6.98	(5.22 - 9.27)	8.35	(6.59 - 10.52)
Tennessee	3.42	(2.69 - 4.34)	12.90	(11.03 - 15.03)	5.07	(4.03 - 6.37)	6.18	(5.15 - 7.39)
Region 1	3.54	(2.35 - 5.30)	12.46	(9.22 - 16.63)	4.58	(3.07 - 6.78)	5.57	(3.99 - 7.72)
Region 2	3.50	(2.34 - 5.19)	13.39	(10.17 - 17.44)	4.71	(3.31 - 6.67)	5.87	(4.39 - 7.79)
Region 3	3.74	(2.52 - 5.53)	12.25	(9.27 - 16.01)	4.56	(3.13 - 6.60)	5.61	(4.12 - 7.59)
Region 4 (Davidson)	2.96	(1.99 - 4.38)	13.08	(9.84 - 17.17)	6.70	(4.71 - 9.46)	7.72	(5.72 - 10.33)
Region 5	3.99	(2.78 - 5.69)	14.71	(11.57 - 18.51)	5.42	(3.84 - 7.59)	6.71	(5.10 - 8.78)
Region 6	3.25	(2.22 - 4.73)	12.04	(8.93 - 16.05)	4.79	(3.24 - 7.02)	5.79	(4.20 - 7.95)
Region 7 (Shelby)	2.41	(1.58 - 3.67)	10.88	(8.12 - 14.42)	4.88	(3.36 - 7.03)	5.82	(4.27 - 7.89)

See notes at end of table.

(continued)

**Table 15 Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages
Based on 2010, 2011, and 2012 NSDUHs (continued)**

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	3.67	(3.14 - 4.29)	14.61	(13.45 - 15.84)	5.42	(4.75 - 6.18)	6.88	(6.26 - 7.56)
Region 1	4.04	(2.79 - 5.81)	16.00	(12.65 - 20.03)	5.55	(4.01 - 7.64)	7.45	(5.80 - 9.52)
Region 2	3.68	(2.52 - 5.34)	14.79	(11.25 - 19.22)	5.41	(3.83 - 7.59)	6.93	(5.22 - 9.14)
Region 3	3.64	(2.89 - 4.58)	14.33	(12.54 - 16.32)	5.25	(4.29 - 6.41)	6.59	(5.66 - 7.66)
Region 3a	3.75	(2.79 - 5.02)	13.38	(11.18 - 15.94)	5.08	(3.90 - 6.58)	6.30	(5.13 - 7.71)
Region 3bc	3.44	(2.51 - 4.72)	15.97	(13.31 - 19.05)	5.56	(4.24 - 7.26)	7.09	(5.77 - 8.69)
Region 4	3.40	(2.36 - 4.87)	13.35	(10.40 - 16.98)	4.69	(3.37 - 6.49)	5.87	(4.48 - 7.67)
Region 5	3.60	(2.52 - 5.12)	13.20	(10.21 - 16.89)	5.13	(3.66 - 7.14)	6.33	(4.81 - 8.29)
Region 6	3.30	(2.52 - 4.31)	13.59	(11.64 - 15.80)	5.51	(4.44 - 6.81)	6.74	(5.70 - 7.95)
Region 6a	3.23	(2.40 - 4.33)	13.31	(11.24 - 15.69)	5.46	(4.32 - 6.88)	6.68	(5.57 - 7.99)
Region 6bc	3.89	(2.70 - 5.58)	16.23	(12.61 - 20.64)	5.86	(4.14 - 8.23)	7.25	(5.45 - 9.60)
Region 7	3.62	(2.76 - 4.73)	16.66	(14.30 - 19.32)	6.71	(5.40 - 8.30)	8.57	(7.30 - 10.04)
Region 7a	3.65	(2.60 - 5.10)	18.17	(14.93 - 21.93)	7.36	(5.64 - 9.55)	9.19	(7.47 - 11.25)
Region 7bcd	3.57	(2.49 - 5.10)	14.69	(11.69 - 18.31)	5.54	(4.10 - 7.45)	7.53	(6.00 - 9.41)
Region 8	4.04	(2.95 - 5.53)	15.48	(12.69 - 18.76)	5.42	(4.10 - 7.12)	7.00	(5.66 - 8.62)
Region 9	4.35	(2.98 - 6.29)	15.40	(11.98 - 19.59)	5.67	(4.06 - 7.88)	7.27	(5.57 - 9.44)
Region 10	4.72	(3.29 - 6.72)	16.34	(12.91 - 20.45)	5.09	(3.66 - 7.03)	7.10	(5.52 - 9.07)
Region 11	3.83	(2.88 - 5.09)	13.11	(10.78 - 15.85)	4.39	(3.38 - 5.68)	5.91	(4.84 - 7.19)
Region 11abd	3.71	(2.59 - 5.28)	13.47	(10.55 - 17.04)	4.45	(3.24 - 6.09)	5.97	(4.67 - 7.61)
Region 11c (Hidalgo)	4.02	(2.75 - 5.84)	12.52	(9.52 - 16.31)	4.26	(2.99 - 6.04)	5.79	(4.37 - 7.63)
Utah	3.31	(2.49 - 4.39)	10.11	(8.34 - 12.21)	3.61	(2.75 - 4.73)	4.84	(3.97 - 5.89)
Bear River, Northeastern, Summit, Tooele, and Wasatch	3.27	(2.14 - 4.95)	9.51	(6.98 - 12.84)	3.16	(2.09 - 4.75)	4.36	(3.16 - 5.99)
Central, Four Corners, San Juan, and Southwest	3.28	(2.10 - 5.10)	10.38	(7.54 - 14.13)	3.48	(2.26 - 5.33)	4.67	(3.34 - 6.50)
Davis County	3.10	(1.97 - 4.83)	11.16	(8.20 - 15.00)	3.19	(2.16 - 4.70)	4.53	(3.34 - 6.11)
Salt Lake County	3.76	(2.55 - 5.51)	11.03	(8.51 - 14.19)	4.20	(3.01 - 5.83)	5.34	(4.12 - 6.90)
Utah County	2.77	(1.79 - 4.25)	8.80	(6.45 - 11.89)	3.05	(2.01 - 4.60)	4.59	(3.38 - 6.19)
Weber, Morgan	3.10	(1.99 - 4.80)	9.67	(6.94 - 13.32)	3.35	(2.21 - 5.04)	4.41	(3.15 - 6.16)

See notes at end of table.

(continued)

**Table 15 Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages
Based on 2010, 2011, and 2012 NSDUHs (continued)**

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	4.47	(3.49 - 5.71)	17.69	(15.31 - 20.34)	5.21	(4.13 - 6.53)	7.02	(5.95 - 8.28)
Champlain Valley	4.52	(3.24 - 6.29)	17.51	(14.33 - 21.22)	5.23	(3.92 - 6.94)	7.43	(6.04 - 9.12)
Rural Northeast	4.73	(3.27 - 6.82)	19.20	(15.33 - 23.78)	5.64	(4.02 - 7.85)	7.38	(5.70 - 9.51)
Rural Southeast	4.59	(3.13 - 6.68)	18.03	(14.09 - 22.79)	5.28	(3.69 - 7.51)	6.68	(5.02 - 8.84)
Rural Southwest	3.77	(2.52 - 5.61)	15.73	(12.01 - 20.33)	4.41	(3.02 - 6.39)	5.91	(4.40 - 7.90)
Virginia	3.92	(3.09 - 4.94)	14.85	(12.87 - 17.07)	5.37	(4.31 - 6.68)	6.76	(5.72 - 7.97)
Region 1	4.35	(2.97 - 6.34)	18.94	(15.17 - 23.38)	5.75	(4.12 - 7.97)	7.82	(6.11 - 9.97)
Region 2	4.40	(3.08 - 6.26)	13.51	(10.37 - 17.41)	5.47	(3.93 - 7.56)	6.43	(4.88 - 8.43)
Region 3	4.40	(3.01 - 6.39)	16.85	(13.40 - 20.96)	5.94	(4.20 - 8.33)	7.56	(5.78 - 9.84)
Region 4	2.92	(1.92 - 4.42)	12.03	(9.01 - 15.88)	4.28	(2.94 - 6.19)	5.43	(4.01 - 7.30)
Region 5	3.42	(2.34 - 4.99)	13.89	(10.80 - 17.70)	5.40	(3.89 - 7.44)	6.81	(5.25 - 8.81)
Washington	4.26	(3.43 - 5.29)	17.14	(14.98 - 19.53)	6.37	(5.16 - 7.84)	7.90	(6.74 - 9.25)
Region 1	4.16	(3.06 - 5.63)	16.72	(13.48 - 20.55)	5.91	(4.41 - 7.87)	7.70	(6.12 - 9.64)
East 1 (previously Region 1)	4.29	(2.92 - 6.27)	18.60	(14.25 - 23.89)	6.47	(4.50 - 9.22)	8.49	(6.38 - 11.21)
East 2 (previously Region 2)	4.01	(2.66 - 6.00)	14.12	(10.60 - 18.56)	5.13	(3.51 - 7.44)	6.61	(4.90 - 8.88)
Region 2	4.27	(3.23 - 5.63)	17.53	(14.85 - 20.58)	6.56	(5.07 - 8.44)	8.05	(6.60 - 9.77)
North 1 (previously Region 3)	4.41	(3.05 - 6.35)	18.23	(14.50 - 22.66)	6.57	(4.74 - 9.04)	8.23	(6.37 - 10.57)
North 2 (previously Region 4)	4.17	(2.95 - 5.88)	17.10	(13.85 - 20.93)	6.56	(4.80 - 8.90)	7.94	(6.20 - 10.12)
Region 3	4.33	(3.26 - 5.72)	16.92	(14.00 - 20.29)	6.40	(4.90 - 8.31)	7.84	(6.34 - 9.65)
West 1 (previously Region 5)	4.11	(2.87 - 5.85)	15.52	(12.09 - 19.70)	6.30	(4.47 - 8.81)	7.68	(5.83 - 10.05)
West 2 (previously Region 6)	4.53	(3.14 - 6.50)	18.47	(14.44 - 23.31)	6.48	(4.65 - 8.97)	7.98	(6.09 - 10.40)
West Virginia	3.53	(2.75 - 4.52)	13.90	(12.05 - 15.99)	4.50	(3.57 - 5.65)	5.73	(4.81 - 6.80)
Region I	3.59	(2.38 - 5.39)	13.24	(9.71 - 17.81)	4.54	(3.06 - 6.67)	5.60	(4.03 - 7.73)
Region II	3.78	(2.54 - 5.61)	12.78	(9.47 - 17.01)	4.70	(3.25 - 6.75)	5.70	(4.18 - 7.72)
Region III	3.67	(2.45 - 5.47)	12.45	(9.18 - 16.66)	4.02	(2.73 - 5.89)	4.96	(3.59 - 6.81)
Region IV	4.26	(2.90 - 6.21)	18.28	(15.05 - 22.03)	5.53	(4.01 - 7.59)	7.80	(6.23 - 9.72)
Region V	3.07	(2.09 - 4.46)	12.05	(9.53 - 15.13)	4.02	(2.85 - 5.64)	4.97	(3.78 - 6.52)
Region VI	3.14	(2.09 - 4.69)	10.58	(7.86 - 14.08)	4.16	(2.84 - 6.04)	4.88	(3.54 - 6.69)

See notes at end of table.

(continued)

Table 15 Alcohol Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	3.71	(2.91 - 4.72)	14.31	(12.37 - 16.51)	6.49	(5.21 - 8.06)	7.61	(6.39-9.05)
Milwaukee	2.81	(1.87 - 4.19)	12.96	(9.75 - 17.04)	6.96	(4.89 - 9.82)	7.93	(5.89-10.61)
Northeastern	3.74	(2.58 - 5.40)	15.53	(12.37 - 19.31)	6.82	(4.95 - 9.34)	7.97	(6.13-10.30)
Northern	3.77	(2.50 - 5.66)	14.36	(10.56 - 19.24)	6.30	(4.21 - 9.32)	7.33	(5.20-10.25)
Southeastern	4.33	(2.93 - 6.35)	15.15	(11.56 - 19.62)	6.39	(4.47 - 9.05)	7.50	(5.57-10.04)
Southern	3.90	(2.70 - 5.58)	14.65	(11.61 - 18.32)	6.62	(4.76 - 9.14)	7.84	(5.99-10.18)
Western	3.42	(2.24 - 5.17)	12.91	(9.77 - 16.87)	5.51	(3.83 - 7.88)	6.69	(4.97-8.95)
Wyoming	4.45	(3.50 - 5.64)	17.59	(15.35 - 20.07)	6.32	(5.17 - 7.71)	8.00	(6.87-9.29)
Judicial District 1 (Laramie)	3.95	(2.64 - 5.88)	16.91	(13.12 - 21.52)	5.77	(4.13 - 8.00)	7.34	(5.61-9.55)
Judicial District 2	4.70	(3.12 - 7.04)	19.74	(15.57 - 24.70)	7.96	(5.73 - 10.96)	11.43	(9.04-14.36)
Judicial District 3	3.93	(2.63 - 5.84)	13.14	(9.95 - 17.15)	5.11	(3.58 - 7.24)	6.20	(4.62-8.28)
Judicial District 4	4.60	(3.07 - 6.84)	17.22	(13.24 - 22.07)	6.35	(4.42 - 9.07)	7.59	(5.59-10.21)
Judicial District 5	4.91	(3.26 - 7.34)	19.87	(15.08 - 25.72)	6.96	(4.80 - 9.99)	8.47	(6.22-11.44)
Judicial District 6	4.67	(3.13 - 6.90)	15.64	(11.84 - 20.38)	5.60	(3.92 - 7.95)	7.05	(5.26-9.38)
Judicial District 7 (Natrona)	4.69	(3.18 - 6.88)	19.31	(14.90 - 24.64)	6.41	(4.54 - 8.98)	8.24	(6.25-10.80)
Judicial District 8	4.98	(3.36 - 7.33)	18.76	(14.31 - 24.21)	6.19	(4.30 - 8.83)	7.74	(5.77-10.31)
Judicial District 9	4.49	(2.97 - 6.74)	17.55	(13.31 - 22.79)	7.37	(5.15 - 10.45)	8.63	(6.35-11.62)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	1.46	(1.34 - 1.59)	6.15	(5.90 - 6.42)	2.91	(2.76 - 3.06)	3.38	(3.25 - 3.52)
Northeast	1.46	(1.29 - 1.66)	6.45	(5.96 - 6.98)	2.83	(2.53 - 3.16)	3.35	(3.08 - 3.64)
Midwest	1.42	(1.28 - 1.58)	6.24	(5.87 - 6.63)	2.90	(2.66 - 3.17)	3.39	(3.16 - 3.63)
South	1.32	(1.18 - 1.48)	5.24	(4.90 - 5.62)	2.66	(2.41 - 2.92)	3.04	(2.81 - 3.28)
West	1.69	(1.46 - 1.95)	7.23	(6.66 - 7.86)	3.38	(3.00 - 3.79)	3.97	(3.63 - 4.33)
Alabama	1.27	(0.94 - 1.73)	4.33	(3.32 - 5.63)	2.77	(2.05 - 3.74)	3.00	(2.32 - 3.88)
Region 1	1.34	(0.87 - 2.06)	4.21	(2.79 - 6.31)	2.80	(1.80 - 4.31)	2.99	(2.03 - 4.36)
Region 2	1.24	(0.83 - 1.87)	4.53	(3.11 - 6.55)	2.78	(1.84 - 4.19)	3.05	(2.15 - 4.31)
Region 3	1.11	(0.72 - 1.71)	4.01	(2.61 - 6.11)	2.49	(1.58 - 3.91)	2.77	(1.88 - 4.06)
Region 4	1.37	(0.88 - 2.10)	4.49	(3.04 - 6.60)	2.94	(1.91 - 4.51)	3.15	(2.16 - 4.59)
Alaska	1.46	(1.09 - 1.97)	7.69	(6.14 - 9.58)	3.12	(2.32 - 4.20)	3.83	(3.07 - 4.78)
Anchorage	1.54	(1.04 - 2.28)	7.26	(5.33 - 9.82)	3.45	(2.37 - 5.00)	4.07	(3.05 - 5.42)
Northern	1.37	(0.89 - 2.09)	8.23	(5.85 - 11.47)	2.97	(1.87 - 4.66)	3.96	(2.81 - 5.55)
South Central	1.41	(0.92 - 2.15)	7.61	(5.22 - 10.96)	2.77	(1.77 - 4.33)	3.41	(2.38 - 4.87)
Southeast	1.53	(0.99 - 2.35)	8.34	(5.61 - 12.22)	3.07	(1.95 - 4.80)	3.71	(2.55 - 5.38)
Arizona	1.78	(1.28 - 2.46)	6.88	(5.37 - 8.78)	4.12	(3.05 - 5.56)	4.53	(3.53 - 5.79)
Maricopa	1.79	(1.22 - 2.62)	6.73	(4.93 - 9.13)	4.24	(2.98 - 5.98)	4.61	(3.44 - 6.15)
Pima	1.78	(1.14 - 2.78)	6.80	(4.56 - 10.03)	3.85	(2.44 - 6.04)	4.31	(2.94 - 6.29)
Rural North	1.58	(1.01 - 2.45)	7.08	(4.66 - 10.64)	3.35	(2.10 - 5.31)	3.87	(2.62 - 5.69)
Rural South	1.89	(1.19 - 2.99)	7.54	(4.94 - 11.35)	4.62	(2.88 - 7.33)	5.02	(3.33 - 7.52)
Arkansas	1.41	(1.07 - 1.84)	4.93	(3.88 - 6.25)	2.75	(2.05 - 3.68)	3.07	(2.41 - 3.90)
Catchment Area 1	1.40	(0.92 - 2.13)	4.66	(3.08 - 6.98)	2.47	(1.56 - 3.87)	2.82	(1.93 - 4.11)
Catchment Area 2	1.46	(0.95 - 2.24)	4.85	(3.08 - 7.57)	2.49	(1.57 - 3.92)	2.78	(1.87 - 4.12)
Catchment Area 3	1.24	(0.80 - 1.93)	4.35	(2.79 - 6.72)	2.53	(1.55 - 4.12)	2.81	(1.84 - 4.26)
Catchment Area 4	1.50	(0.97 - 2.30)	5.49	(3.59 - 8.32)	2.78	(1.72 - 4.44)	3.14	(2.08 - 4.71)
Catchment Area 5	1.45	(0.95 - 2.20)	5.35	(3.57 - 7.96)	2.90	(1.83 - 4.57)	3.32	(2.26 - 4.86)
Catchment Area 6	*	(* - *)	4.71	(3.02 - 7.27)	2.98	(1.85 - 4.76)	3.23	(2.13 - 4.87)
Catchment Area 7	*	(* - *)	4.60	(2.98 - 7.02)	2.69	(1.68 - 4.28)	2.95	(1.97 - 4.41)
Catchment Area 8	1.51	(0.98 - 2.32)	5.27	(3.62 - 7.61)	3.10	(2.02 - 4.75)	3.39	(2.33 - 4.90)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	1.73	(1.41 - 2.13)	7.24	(6.36 - 8.23)	3.29	(2.75 - 3.92)	3.91	(3.42 - 4.47)
Region 1R	1.66	(1.08 - 2.54)	8.50	(5.77 - 12.35)	3.23	(2.14 - 4.84)	4.03	(2.87 - 5.63)
Region 2R	1.82	(1.21 - 2.70)	8.39	(5.90 - 11.80)	3.36	(2.21 - 5.06)	4.13	(2.94 - 5.77)
Region 3R (Sacramento)	1.64	(1.10 - 2.44)	7.30	(5.00 - 10.53)	3.28	(2.20 - 4.88)	3.90	(2.77 - 5.47)
Region 4R	1.66	(1.12 - 2.45)	7.38	(5.11 - 10.55)	3.20	(2.15 - 4.74)	3.74	(2.67 - 5.23)
Region 5R (San Francisco)	*	(* - *)	8.34	(5.74 - 11.97)	4.09	(2.72 - 6.10)	4.61	(3.22 - 6.55)
Region 6 (Santa Clara)	1.68	(1.13 - 2.50)	7.83	(5.48 - 11.06)	3.07	(2.04 - 4.59)	3.70	(2.63 - 5.18)
Region 7R (Contra Costa)	1.75	(1.18 - 2.60)	8.12	(5.55 - 11.72)	3.29	(2.19 - 4.91)	3.91	(2.76 - 5.52)
Region 8R (Alameda)	1.63	(1.08 - 2.45)	6.86	(4.78 - 9.76)	3.43	(2.34 - 5.01)	3.92	(2.82 - 5.42)
Region 9R (San Mateo)	*	(* - *)	6.73	(4.51 - 9.93)	2.91	(1.91 - 4.42)	3.35	(2.32 - 4.81)
Region 10	1.86	(1.25 - 2.77)	8.82	(6.14 - 12.51)	3.37	(2.24 - 5.05)	4.32	(3.12 - 5.96)
Region 11 (Los Angeles)	1.71	(1.34 - 2.17)	6.71	(5.65 - 7.96)	3.27	(2.64 - 4.05)	3.82	(3.22 - 4.53)
LA SPA 1 and 5	1.70	(1.14 - 2.53)	7.68	(5.14 - 11.31)	3.71	(2.52 - 5.43)	4.35	(3.10 - 6.08)
LA SPA 2	1.69	(1.14 - 2.51)	6.65	(4.70 - 9.33)	3.08	(2.08 - 4.55)	3.61	(2.60 - 5.00)
LA SPA 3	1.72	(1.18 - 2.49)	6.59	(4.68 - 9.22)	2.87	(1.94 - 4.22)	3.45	(2.50 - 4.73)
LA SPA 4	1.91	(1.25 - 2.89)	7.32	(5.06 - 10.46)	4.13	(2.77 - 6.11)	4.62	(3.26 - 6.50)
LA SPA 6	1.77	(1.18 - 2.65)	6.15	(4.23 - 8.88)	3.49	(2.31 - 5.25)	4.05	(2.88 - 5.68)
LA SPA 7	1.73	(1.15 - 2.58)	6.45	(4.46 - 9.23)	3.21	(2.12 - 4.82)	3.77	(2.68 - 5.29)
LA SPA 8	1.55	(1.03 - 2.32)	6.45	(4.49 - 9.20)	2.95	(2.00 - 4.34)	3.48	(2.49 - 4.83)
Region 12R	1.72	(1.15 - 2.57)	7.68	(5.18 - 11.25)	3.41	(2.22 - 5.22)	4.07	(2.83 - 5.83)
Regions 13 and 19R	1.67	(1.16 - 2.39)	6.57	(4.81 - 8.92)	3.23	(2.23 - 4.66)	3.79	(2.80 - 5.11)
Region 13 (Riverside)	1.66	(1.13 - 2.43)	6.53	(4.67 - 9.05)	3.22	(2.17 - 4.74)	3.77	(2.73 - 5.17)
Region 19R (Imperial)	*	(* - *)	*	(* - *)	*	(* - *)	4.08	(2.82 - 5.87)
Region 14 (Orange)	1.87	(1.29 - 2.71)	7.15	(5.27 - 9.64)	3.22	(2.27 - 4.56)	3.82	(2.87 - 5.08)
Region 15R (Fresno)	1.61	(1.06 - 2.43)	6.34	(4.19 - 9.48)	2.98	(1.91 - 4.62)	3.61	(2.48 - 5.21)
Region 16R (San Diego)	1.76	(1.21 - 2.55)	7.18	(5.25 - 9.75)	3.44	(2.43 - 4.85)	4.08	(3.07 - 5.39)
Region 17R	1.73	(1.15 - 2.59)	7.95	(5.52 - 11.31)	3.31	(2.22 - 4.89)	4.14	(2.98 - 5.72)
Region 18R (San Bernardino)	1.77	(1.21 - 2.60)	7.02	(5.06 - 9.65)	3.05	(2.10 - 4.41)	3.76	(2.79 - 5.05)
Region 20R	1.69	(1.13 - 2.52)	7.03	(4.84 - 10.12)	3.21	(2.15 - 4.75)	3.87	(2.77 - 5.38)
Region 21R	1.90	(1.27 - 2.83)	8.25	(5.69 - 11.80)	3.72	(2.52 - 5.47)	4.54	(3.28 - 6.27)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	1.63	(1.19 - 2.24)	8.58	(6.93 - 10.57)	3.89	(2.90 - 5.18)	4.57	(3.63 - 5.73)
Region 1	1.69	(1.10 - 2.60)	9.22	(6.46 - 12.99)	3.90	(2.51 - 6.02)	4.83	(3.40 - 6.82)
Regions 2 and 7	1.62	(1.08 - 2.41)	8.70	(6.56 - 11.46)	4.14	(2.91 - 5.87)	4.78	(3.58 - 6.33)
Region 3	1.58	(1.03 - 2.42)	8.41	(5.78 - 12.08)	3.34	(2.15 - 5.16)	4.12	(2.89 - 5.85)
Region 4	*	(* - *)	*	(* - *)	3.51	(2.16 - 5.66)	4.15	(2.76 - 6.20)
Regions 5 and 6	1.65	(1.07 - 2.54)	7.46	(5.03 - 10.92)	3.46	(2.22 - 5.37)	3.99	(2.74 - 5.78)
Connecticut	1.32	(0.98 - 1.79)	6.95	(5.52 - 8.71)	2.65	(1.91 - 3.67)	3.23	(2.51 - 4.15)
Eastern	1.37	(0.90 - 2.10)	7.64	(5.22 - 11.05)	2.87	(1.82 - 4.48)	3.71	(2.61 - 5.27)
North Central	1.22	(0.79 - 1.89)	6.49	(4.50 - 9.27)	2.41	(1.52 - 3.82)	2.94	(2.04 - 4.24)
Northwestern	1.34	(0.87 - 2.06)	6.42	(4.20 - 9.68)	2.39	(1.46 - 3.90)	2.87	(1.90 - 4.31)
South Central	1.39	(0.91 - 2.12)	7.44	(5.23 - 10.49)	3.04	(1.91 - 4.83)	3.66	(2.51 - 5.30)
Southwest	1.35	(0.88 - 2.07)	6.76	(4.56 - 9.92)	2.62	(1.64 - 4.14)	3.13	(2.13 - 4.57)
Delaware	1.45	(1.04 - 2.01)	7.18	(5.64 - 9.11)	2.38	(1.71 - 3.32)	3.08	(2.41 - 3.93)
Kent	1.27	(0.82 - 1.96)	6.65	(4.37 - 9.99)	2.37	(1.45 - 3.84)	3.06	(2.09 - 4.47)
New Castle (excluding Wilmington City)	1.55	(1.02 - 2.34)	7.67	(5.69 - 10.26)	2.29	(1.52 - 3.45)	3.14	(2.33 - 4.21)
Sussex	1.45	(0.94 - 2.24)	6.54	(4.39 - 9.63)	2.43	(1.53 - 3.86)	2.87	(1.96 - 4.20)
Wilmington City	1.20	(0.76 - 1.90)	6.48	(4.20 - 9.87)	2.82	(1.73 - 4.56)	3.35	(2.23 - 5.01)
District of Columbia	1.27	(0.89 - 1.81)	10.14	(8.31 - 12.32)	4.77	(3.51 - 6.47)	5.81	(4.69 - 7.20)
Ward 1	*	(* - *)	10.82	(7.54 - 15.29)	5.62	(3.59 - 8.69)	6.74	(4.76 - 9.45)
Ward 2	*	(* - *)	12.18	(9.04 - 16.23)	5.53	(3.55 - 8.51)	7.51	(5.58 - 10.05)
Ward 3	1.77	(1.12 - 2.77)	12.14	(8.61 - 16.84)	4.85	(3.06 - 7.62)	6.21	(4.41 - 8.69)
Ward 4	1.34	(0.84 - 2.13)	8.61	(5.56 - 13.09)	4.19	(2.62 - 6.65)	4.71	(3.15 - 6.99)
Ward 5	1.23	(0.73 - 2.05)	9.29	(6.36 - 13.38)	4.29	(2.67 - 6.83)	5.25	(3.64 - 7.50)
Ward 6	*	(* - *)	9.27	(6.27 - 13.49)	4.91	(3.08 - 7.73)	5.57	(3.79 - 8.12)
Ward 7	1.08	(0.65 - 1.81)	8.22	(5.31 - 12.52)	4.37	(2.69 - 7.02)	5.02	(3.35 - 7.46)
Ward 8	1.08	(0.65 - 1.80)	7.44	(4.92 - 11.09)	4.34	(2.72 - 6.85)	4.99	(3.43 - 7.22)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	1.37	(1.13 - 1.67)	4.92	(4.25 - 5.69)	2.74	(2.25 - 3.34)	3.03	(2.58 - 3.56)
Region A - Northwest	1.37	(1.03 - 1.83)	5.99	(4.58 - 7.81)	3.11	(2.32 - 4.15)	3.61	(2.84 - 4.59)
Circuit 1	1.33	(0.91 - 1.93)	5.44	(3.75 - 7.84)	2.83	(1.88 - 4.24)	3.23	(2.29 - 4.55)
Circuit 2	1.44	(0.93 - 2.23)	6.92	(4.72 - 10.03)	3.76	(2.43 - 5.77)	4.54	(3.20 - 6.39)
Circuit 14	1.40	(0.93 - 2.11)	5.17	(3.37 - 7.85)	2.97	(1.92 - 4.57)	3.26	(2.22 - 4.77)
Region B - Northeast	1.33	(1.01 - 1.75)	4.91	(3.85 - 6.23)	2.78	(2.09 - 3.69)	3.10	(2.45 - 3.92)
Circuits 3 and 8	1.30	(0.87 - 1.95)	4.88	(3.38 - 7.01)	2.92	(1.93 - 4.40)	3.33	(2.37 - 4.65)
Circuit 4	1.36	(0.92 - 2.00)	4.90	(3.31 - 7.19)	2.94	(1.96 - 4.37)	3.22	(2.27 - 4.55)
Circuit 7	1.30	(0.86 - 1.94)	4.94	(3.39 - 7.14)	2.51	(1.63 - 3.84)	2.79	(1.93 - 4.03)
Region C - Central	1.34	(1.05 - 1.70)	4.88	(3.98 - 5.97)	2.67	(2.09 - 3.41)	2.96	(2.42 - 3.63)
Circuit 5	1.25	(0.82 - 1.90)	4.28	(2.83 - 6.41)	2.28	(1.47 - 3.53)	2.47	(1.66 - 3.64)
Circuit 9	1.24	(0.84 - 1.82)	4.68	(3.36 - 6.48)	2.78	(1.88 - 4.09)	3.12	(2.26 - 4.28)
Circuit 10	1.36	(0.92 - 2.00)	4.57	(3.09 - 6.69)	2.79	(1.84 - 4.20)	3.02	(2.10 - 4.32)
Circuit 18	1.51	(1.02 - 2.21)	6.08	(4.26 - 8.62)	2.88	(1.93 - 4.25)	3.29	(2.35 - 4.57)
Circuit 19	1.42	(0.95 - 2.11)	4.72	(3.17 - 6.97)	2.70	(1.75 - 4.15)	2.92	(1.98 - 4.27)
Region D - Southeast	1.30	(0.97 - 1.75)	4.09	(3.09 - 5.39)	2.57	(1.89 - 3.48)	2.75	(2.10 - 3.59)
Circuit 15 (Palm Beach)	1.31	(0.90 - 1.91)	4.43	(3.06 - 6.37)	2.60	(1.74 - 3.86)	2.81	(1.97 - 3.97)
Circuit 17 (Broward)	1.30	(0.89 - 1.89)	3.85	(2.65 - 5.54)	2.55	(1.72 - 3.77)	2.71	(1.91 - 3.84)
Region E - Sun Coast	1.45	(1.13 - 1.87)	5.65	(4.62 - 6.90)	2.91	(2.25 - 3.77)	3.23	(2.59 - 4.01)
Circuit 6	1.49	(1.01 - 2.20)	4.94	(3.38 - 7.16)	2.64	(1.75 - 3.98)	2.88	(2.00 - 4.14)
Circuit 12	1.49	(1.00 - 2.20)	6.41	(4.28 - 9.49)	3.14	(2.02 - 4.86)	3.45	(2.32 - 5.09)
Circuit 13 (Hillsborough)	1.41	(0.95 - 2.08)	6.43	(4.76 - 8.62)	3.18	(2.15 - 4.70)	3.68	(2.67 - 5.04)
Circuit 20	1.45	(0.99 - 2.12)	4.89	(3.32 - 7.14)	2.83	(1.86 - 4.27)	3.04	(2.10 - 4.38)
Region F - Southern (Circuits 11 and 16)	1.43	(1.00 - 2.05)	4.06	(2.95 - 5.57)	2.54	(1.77 - 3.63)	2.75	(2.02 - 3.74)
Georgia	1.18	(0.87 - 1.60)	4.19	(3.17 - 5.50)	2.25	(1.62 - 3.12)	2.54	(1.94 - 3.33)
Region 1	1.28	(0.84 - 1.95)	4.72	(3.15 - 7.02)	2.19	(1.39 - 3.45)	2.53	(1.72 - 3.70)
Region 2	1.17	(0.76 - 1.81)	4.05	(2.59 - 6.28)	2.28	(1.43 - 3.62)	2.58	(1.74 - 3.82)
Region 3	1.08	(0.69 - 1.67)	3.61	(2.37 - 5.46)	2.22	(1.41 - 3.48)	2.43	(1.64 - 3.57)
Region 4	*	(* - *)	4.18	(2.61 - 6.64)	2.21	(1.35 - 3.60)	2.55	(1.68 - 3.85)
Region 5	*	(* - *)	4.62	(2.94 - 7.19)	2.42	(1.48 - 3.94)	2.80	(1.85 - 4.22)
Region 6	1.17	(0.75 - 1.82)	4.23	(2.67 - 6.63)	2.28	(1.38 - 3.74)	2.58	(1.68 - 3.94)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	1.73	(1.21 - 2.46)	8.62	(6.95 - 10.64)	3.17	(2.29 - 4.38)	3.89	(3.04 - 4.97)
Hawaii Island	1.80	(1.14 - 2.83)	8.08	(5.39 - 11.95)	3.31	(2.07 - 5.24)	3.88	(2.63 - 5.70)
Honolulu	1.69	(1.12 - 2.52)	8.68	(6.79 - 11.03)	3.07	(2.12 - 4.44)	3.86	(2.92 - 5.08)
Kauai and Maui	1.83	(1.19 - 2.82)	8.75	(6.13 - 12.35)	3.45	(2.25 - 5.27)	4.04	(2.81 - 5.77)
Kauai	*	(* - *)	*	(* - *)	3.03	(1.83 - 4.98)	3.56	(2.31 - 5.45)
Maui	1.91	(1.17 - 3.10)	9.12	(6.05 - 13.53)	3.64	(2.23 - 5.88)	4.25	(2.81 - 6.39)
Idaho	1.48	(1.12 - 1.94)	6.08	(4.79 - 7.70)	3.26	(2.44 - 4.33)	3.69	(2.92 - 4.64)
Region 1	1.50	(0.98 - 2.30)	6.28	(4.11 - 9.47)	3.05	(1.92 - 4.82)	3.44	(2.31 - 5.09)
Region 2	*	(* - *)	7.10	(4.63 - 10.72)	3.28	(2.07 - 5.15)	4.03	(2.77 - 5.83)
Region 3	1.53	(1.00 - 2.31)	5.98	(4.01 - 8.81)	3.04	(1.93 - 4.74)	3.46	(2.37 - 5.03)
Region 4	1.55	(1.03 - 2.31)	7.04	(4.88 - 10.05)	3.77	(2.49 - 5.67)	4.23	(2.99 - 5.93)
Region 5	1.40	(0.91 - 2.14)	4.73	(3.08 - 7.17)	2.79	(1.73 - 4.48)	3.06	(2.02 - 4.61)
Region 6	1.47	(0.96 - 2.25)	5.77	(3.81 - 8.64)	3.47	(2.18 - 5.48)	3.84	(2.59 - 5.66)
Region 7	1.34	(0.85 - 2.11)	5.08	(3.30 - 7.74)	2.82	(1.75 - 4.51)	3.29	(2.22 - 4.83)
Illinois	1.35	(1.10 - 1.67)	7.24	(6.39 - 8.19)	2.93	(2.43 - 3.53)	3.56	(3.09 - 4.09)
Region I (Cook)	1.37	(1.00 - 1.88)	7.80	(6.51 - 9.33)	3.31	(2.58 - 4.24)	3.97	(3.27 - 4.80)
Region II	1.34	(0.98 - 1.82)	6.20	(4.95 - 7.74)	2.62	(1.94 - 3.52)	3.11	(2.47 - 3.92)
Region III	1.32	(0.93 - 1.89)	7.99	(6.16 - 10.31)	2.86	(2.01 - 4.06)	3.74	(2.87 - 4.85)
Region IV	1.33	(0.89 - 1.99)	5.69	(3.93 - 8.17)	2.42	(1.59 - 3.66)	2.87	(2.03 - 4.04)
Region V	1.39	(0.96 - 2.01)	8.04	(6.04 - 10.64)	2.80	(1.94 - 4.01)	3.54	(2.67 - 4.69)
Indiana	1.40	(1.05 - 1.87)	6.68	(5.36 - 8.30)	2.60	(1.91 - 3.52)	3.21	(2.55 - 4.05)
Central	1.41	(0.92 - 2.14)	7.01	(4.80 - 10.14)	2.78	(1.79 - 4.30)	3.36	(2.34 - 4.82)
East	*	(* - *)	6.10	(3.97 - 9.27)	2.46	(1.52 - 3.94)	3.06	(2.08 - 4.48)
North Central	1.44	(0.93 - 2.21)	6.37	(4.36 - 9.20)	2.46	(1.55 - 3.89)	3.01	(2.07 - 4.37)
Northeast	1.43	(0.93 - 2.20)	6.31	(4.15 - 9.49)	2.56	(1.60 - 4.08)	3.10	(2.10 - 4.56)
Northwest	1.36	(0.88 - 2.11)	5.84	(3.88 - 8.72)	2.59	(1.63 - 4.11)	3.04	(2.06 - 4.47)
Southeast	1.40	(0.92 - 2.13)	6.56	(4.47 - 9.51)	2.54	(1.59 - 4.04)	3.04	(2.06 - 4.46)
Southwest	1.35	(0.86 - 2.10)	6.56	(4.24 - 10.01)	2.46	(1.54 - 3.93)	3.04	(2.05 - 4.48)
West	1.40	(0.91 - 2.16)	7.59	(5.24 - 10.87)	2.62	(1.66 - 4.12)	3.78	(2.71 - 5.26)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	1.50	(1.14 - 1.97)	7.65	(6.21 - 9.40)	2.88	(2.15 - 3.87)	3.60	(2.88 - 4.49)
Central	1.45	(0.94 - 2.23)	7.19	(4.93 - 10.36)	2.79	(1.82 - 4.24)	3.39	(2.39 - 4.81)
North Central	1.54	(1.01 - 2.35)	8.92	(5.97 - 13.13)	3.03	(1.93 - 4.74)	4.16	(2.91 - 5.92)
Northeast	1.55	(1.03 - 2.34)	8.79	(6.49 - 11.80)	3.19	(2.06 - 4.89)	4.03	(2.90 - 5.58)
Northwest	1.41	(0.95 - 2.09)	6.82	(4.64 - 9.93)	2.61	(1.63 - 4.15)	3.16	(2.15 - 4.64)
Southeast	1.56	(1.03 - 2.36)	6.75	(4.66 - 9.69)	2.75	(1.76 - 4.26)	3.39	(2.39 - 4.80)
Southwest	*	(* - *)	6.79	(4.57 - 9.97)	2.89	(1.82 - 4.56)	3.36	(2.28 - 4.92)
Kansas	1.59	(1.21 - 2.08)	5.98	(4.72 - 7.55)	2.64	(1.93 - 3.59)	3.15	(2.48 - 4.00)
Kansas City Metro	1.50	(1.02 - 2.21)	5.55	(3.90 - 7.86)	2.51	(1.65 - 3.81)	2.96	(2.10 - 4.15)
Northeast	1.61	(1.06 - 2.43)	5.96	(4.06 - 8.67)	2.73	(1.71 - 4.34)	3.30	(2.27 - 4.78)
South Central	1.73	(1.14 - 2.62)	6.82	(4.49 - 10.24)	2.75	(1.71 - 4.41)	3.34	(2.25 - 4.92)
Southeast	*	(* - *)	7.27	(4.73 - 11.01)	2.77	(1.69 - 4.52)	3.47	(2.32 - 5.16)
West	1.76	(1.16 - 2.68)	6.22	(4.08 - 9.37)	2.93	(1.80 - 4.71)	3.41	(2.28 - 5.07)
Wichita (Sedgwick)	1.52	(1.00 - 2.31)	5.56	(3.72 - 8.23)	2.47	(1.55 - 3.93)	2.93	(2.00 - 4.29)
Kentucky	1.46	(1.10 - 1.94)	5.08	(3.96 - 6.50)	2.59	(1.91 - 3.50)	2.94	(2.29 - 3.76)
Adanta, Cumberland River, and Lifeskills	1.39	(0.90 - 2.15)	4.41	(2.86 - 6.73)	2.36	(1.48 - 3.74)	2.65	(1.77 - 3.94)
Bluegrass, Comprehend, and North Key	1.53	(1.01 - 2.32)	5.43	(3.82 - 7.67)	2.74	(1.79 - 4.16)	3.15	(2.23 - 4.42)
Communicare and River Valley	1.43	(0.93 - 2.21)	4.50	(2.87 - 6.97)	2.47	(1.54 - 3.93)	2.74	(1.82 - 4.11)
Four Rivers and Pennyroyal	1.44	(0.95 - 2.18)	5.06	(3.24 - 7.82)	2.69	(1.66 - 4.33)	3.03	(2.00 - 4.58)
Kentucky River, Mountain, and Pathways	1.42	(0.92 - 2.18)	4.40	(2.81 - 6.81)	2.35	(1.44 - 3.83)	2.62	(1.71 - 3.99)
Seven Counties	1.45	(0.96 - 2.19)	5.76	(3.89 - 8.47)	2.72	(1.74 - 4.23)	3.12	(2.13 - 4.54)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	1.37	(1.03 - 1.82)	5.25	(4.21 - 6.53)	2.77	(2.06 - 3.72)	3.16	(2.50 - 4.00)
Regions 1 and 10	1.30	(0.91 - 1.86)	4.87	(3.47 - 6.79)	2.82	(1.93 - 4.12)	3.14	(2.27 - 4.33)
Region 1	1.19	(0.76 - 1.86)	4.95	(3.23 - 7.51)	2.96	(1.86 - 4.69)	3.31	(2.23 - 4.90)
Region 10 (Jefferson)	1.40	(0.91 - 2.17)	4.77	(3.11 - 7.24)	2.70	(1.69 - 4.29)	2.97	(1.97 - 4.46)
Regions 2 and 9	1.32	(0.88 - 1.98)	5.31	(3.78 - 7.41)	2.64	(1.71 - 4.05)	3.07	(2.18 - 4.33)
Region 3	1.29	(0.83 - 1.99)	4.86	(3.19 - 7.34)	2.54	(1.58 - 4.07)	2.88	(1.92 - 4.30)
Regions 4, 5, and 6	1.48	(0.98 - 2.23)	5.38	(3.78 - 7.60)	2.89	(1.90 - 4.39)	3.27	(2.30 - 4.63)
Regions 7 and 8	1.40	(0.91 - 2.12)	5.52	(3.80 - 7.95)	2.85	(1.86 - 4.36)	3.28	(2.30 - 4.66)
Maine	1.33	(1.01 - 1.75)	5.86	(4.66 - 7.33)	2.73	(2.04 - 3.64)	3.12	(2.45 - 3.96)
Aroostook/Downeast	1.31	(0.91 - 1.88)	5.31	(3.77 - 7.42)	2.54	(1.71 - 3.78)	2.86	(2.03 - 4.01)
Aroostook	*	(* - *)	5.45	(3.57 - 8.24)	*	(* - *)	2.90	(1.91 - 4.37)
Downeast	*	(* - *)	5.18	(3.34 - 7.97)	2.53	(1.53 - 4.15)	2.82	(1.82 - 4.35)
Central	1.31	(0.85 - 2.00)	5.30	(3.52 - 7.90)	2.81	(1.76 - 4.44)	3.10	(2.07 - 4.61)
Cumberland	1.33	(0.87 - 2.03)	5.98	(4.03 - 8.78)	3.04	(1.96 - 4.69)	3.41	(2.34 - 4.95)
Midcoast	*	(* - *)	5.12	(3.30 - 7.86)	2.45	(1.51 - 3.96)	2.72	(1.77 - 4.14)
Penquis	1.43	(0.94 - 2.16)	7.39	(5.05 - 10.70)	2.88	(1.84 - 4.49)	3.62	(2.52 - 5.15)
Western	1.34	(0.88 - 2.02)	5.74	(3.88 - 8.44)	2.70	(1.72 - 4.23)	3.10	(2.11 - 4.52)
York	1.28	(0.83 - 1.97)	5.30	(3.62 - 7.68)	2.50	(1.56 - 3.99)	2.82	(1.88 - 4.21)
Maryland	1.16	(0.85 - 1.58)	5.83	(4.55 - 7.44)	2.22	(1.57 - 3.13)	2.73	(2.09 - 3.56)
Anne Arundel	*	(* - *)	6.08	(3.92 - 9.30)	2.21	(1.31 - 3.70)	2.72	(1.78 - 4.14)
Baltimore City	0.88	(0.54 - 1.44)	5.07	(3.38 - 7.54)	2.33	(1.42 - 3.82)	2.82	(1.89 - 4.21)
Baltimore County	1.13	(0.73 - 1.77)	6.50	(4.30 - 9.72)	2.23	(1.36 - 3.62)	2.84	(1.93 - 4.17)
Montgomery	1.30	(0.83 - 2.02)	5.93	(3.90 - 8.90)	2.17	(1.31 - 3.59)	2.61	(1.72 - 3.96)
North Central	*	(* - *)	6.01	(3.83 - 9.29)	2.15	(1.29 - 3.55)	2.61	(1.72 - 3.95)
Northeast	*	(* - *)	6.40	(4.12 - 9.83)	2.14	(1.27 - 3.58)	2.67	(1.74 - 4.07)
Prince George's	*	(* - *)	5.04	(3.25 - 7.75)	2.20	(1.33 - 3.62)	2.69	(1.80 - 4.01)
South	1.23	(0.79 - 1.93)	6.14	(3.95 - 9.41)	2.23	(1.35 - 3.68)	2.83	(1.89 - 4.21)
West	1.24	(0.79 - 1.95)	6.19	(4.09 - 9.27)	2.30	(1.39 - 3.77)	2.82	(1.87 - 4.21)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	1.57	(1.19 - 2.07)	8.72	(7.13 - 10.63)	3.12	(2.34 - 4.14)	3.96	(3.20 - 4.88)
Boston	1.79	(1.15 - 2.77)	9.37	(6.60 - 13.14)	3.96	(2.57 - 6.07)	5.25	(3.81 - 7.20)
Central	1.67	(1.10 - 2.52)	9.16	(6.32 - 13.10)	3.39	(2.17 - 5.24)	4.21	(2.95 - 5.99)
Metrowest	1.51	(0.99 - 2.32)	8.58	(5.85 - 12.41)	2.92	(1.89 - 4.50)	3.66	(2.56 - 5.20)
Northeast	1.60	(1.06 - 2.40)	8.44	(5.97 - 11.80)	3.04	(1.98 - 4.65)	3.75	(2.65 - 5.27)
Southeast	1.46	(0.95 - 2.22)	8.12	(5.66 - 11.52)	2.82	(1.80 - 4.41)	3.49	(2.44 - 4.98)
Western	1.52	(0.99 - 2.34)	8.67	(5.92 - 12.54)	3.01	(1.94 - 4.66)	3.98	(2.82 - 5.59)
Michigan	1.48	(1.21 - 1.80)	5.65	(4.94 - 6.45)	3.36	(2.84 - 3.98)	3.70	(3.23 - 4.24)
Detroit City	1.23	(0.78 - 1.93)	5.89	(4.23 - 8.15)	4.18	(2.86 - 6.08)	4.49	(3.27 - 6.14)
Genesee	1.36	(0.92 - 2.02)	5.06	(3.45 - 7.38)	2.94	(1.95 - 4.40)	3.23	(2.27 - 4.58)
Kalamazoo	1.40	(0.96 - 2.04)	4.95	(3.39 - 7.17)	2.86	(1.90 - 4.29)	3.19	(2.25 - 4.50)
Kent	1.56	(1.07 - 2.27)	6.43	(4.73 - 8.67)	3.74	(2.57 - 5.41)	4.16	(3.04 - 5.67)
Lakeshore	1.60	(1.10 - 2.34)	5.69	(4.07 - 7.91)	3.88	(2.69 - 5.55)	4.15	(3.05 - 5.63)
Macomb	1.60	(1.10 - 2.31)	6.21	(4.51 - 8.48)	3.47	(2.40 - 4.99)	3.81	(2.78 - 5.20)
Mid South	1.39	(0.96 - 2.00)	5.73	(4.17 - 7.83)	3.06	(2.13 - 4.37)	3.53	(2.64 - 4.70)
Northern	1.53	(1.04 - 2.25)	6.12	(4.50 - 8.26)	3.04	(2.06 - 4.46)	3.47	(2.52 - 4.76)
Oakland	1.46	(1.02 - 2.09)	5.25	(3.82 - 7.17)	3.22	(2.30 - 4.49)	3.46	(2.59 - 4.62)
Pathways and Western	1.56	(1.06 - 2.27)	6.50	(4.49 - 9.31)	3.49	(2.34 - 5.17)	3.92	(2.79 - 5.48)
Riverhaven	1.57	(1.06 - 2.30)	5.98	(4.21 - 8.43)	3.64	(2.48 - 5.32)	3.93	(2.81 - 5.46)
Saginaw	*	(* - *)	5.27	(3.53 - 7.81)	3.04	(2.00 - 4.59)	3.38	(2.35 - 4.84)
Southeast	1.51	(1.05 - 2.16)	5.22	(3.88 - 7.00)	3.43	(2.45 - 4.79)	3.67	(2.75 - 4.89)
St. Clair	1.50	(1.00 - 2.25)	5.11	(3.45 - 7.50)	3.09	(2.01 - 4.70)	3.33	(2.29 - 4.83)
Washtenaw	1.53	(1.05 - 2.24)	5.44	(3.91 - 7.52)	3.34	(2.30 - 4.84)	3.74	(2.75 - 5.06)
Minnesota	1.49	(1.14 - 1.94)	7.07	(5.68 - 8.77)	3.00	(2.24 - 4.01)	3.58	(2.84 - 4.50)
Regions 1 and 2	*	(* - *)	6.59	(4.35 - 9.88)	2.70	(1.65 - 4.38)	3.25	(2.18 - 4.82)
Regions 3 and 4	1.46	(0.96 - 2.21)	7.45	(5.11 - 10.74)	3.11	(1.97 - 4.87)	3.74	(2.58 - 5.40)
Regions 5 and 6	1.67	(1.11 - 2.52)	6.74	(4.61 - 9.74)	2.93	(1.85 - 4.61)	3.49	(2.40 - 5.04)
Region 7A (Hennepin)	1.51	(1.00 - 2.29)	8.14	(5.74 - 11.44)	3.39	(2.20 - 5.19)	4.05	(2.83 - 5.76)
Region 7B (Ramsey)	1.42	(0.92 - 2.18)	6.41	(4.15 - 9.77)	2.97	(1.83 - 4.79)	3.56	(2.38 - 5.30)
Region 7C	1.41	(0.95 - 2.08)	6.48	(4.43 - 9.39)	2.74	(1.77 - 4.20)	3.19	(2.23 - 4.56)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	1.19	(0.89 - 1.59)	4.75	(3.72 - 6.05)	2.67	(1.96 - 3.64)	2.99	(2.32 - 3.85)
Region 1	1.29	(0.86 - 1.94)	4.67	(3.15 - 6.88)	2.60	(1.66 - 4.05)	2.92	(2.00 - 4.24)
Region 2	1.09	(0.69 - 1.71)	4.33	(2.77 - 6.72)	2.96	(1.81 - 4.80)	3.17	(2.06 - 4.84)
Region 3	1.14	(0.74 - 1.76)	4.91	(3.27 - 7.31)	2.67	(1.68 - 4.21)	3.06	(2.09 - 4.46)
Region 4	1.09	(0.70 - 1.68)	4.91	(3.30 - 7.24)	2.72	(1.71 - 4.31)	3.05	(2.07 - 4.50)
Region 5	*	(* - *)	4.36	(2.73 - 6.88)	*	(* - *)	2.86	(1.84 - 4.40)
Region 6	1.23	(0.79 - 1.91)	4.71	(3.06 - 7.19)	2.78	(1.74 - 4.41)	3.10	(2.08 - 4.60)
Region 7	1.31	(0.85 - 2.01)	5.02	(3.31 - 7.55)	2.46	(1.52 - 3.96)	2.83	(1.89 - 4.21)
Missouri	1.45	(1.09 - 1.92)	5.27	(4.11 - 6.73)	2.56	(1.88 - 3.47)	2.95	(2.31 - 3.77)
Central	1.53	(0.98 - 2.39)	5.62	(3.77 - 8.31)	2.58	(1.62 - 4.10)	3.13	(2.15 - 4.54)
Eastern	1.43	(1.01 - 2.02)	5.36	(3.85 - 7.43)	2.58	(1.77 - 3.73)	2.96	(2.16 - 4.05)
Eastern (St. Louis City and County)	1.32	(0.87 - 2.00)	4.94	(3.32 - 7.29)	2.57	(1.65 - 3.97)	2.91	(2.01 - 4.22)
Eastern (excluding St. Louis)	1.59	(1.03 - 2.45)	6.19	(4.00 - 9.46)	2.59	(1.62 - 4.10)	3.05	(2.05 - 4.52)
Northwest	1.44	(1.01 - 2.06)	5.21	(3.74 - 7.22)	2.54	(1.72 - 3.72)	2.92	(2.12 - 4.00)
Northwest (Jackson)	1.36	(0.88 - 2.10)	4.95	(3.27 - 7.43)	2.62	(1.66 - 4.12)	2.95	(2.00 - 4.34)
Northwest (excluding Jackson)	1.51	(0.97 - 2.33)	5.43	(3.59 - 8.15)	2.46	(1.53 - 3.96)	2.89	(1.94 - 4.27)
Southeast	1.46	(0.96 - 2.21)	4.85	(3.14 - 7.44)	2.64	(1.62 - 4.27)	2.94	(1.94 - 4.44)
Southwest	1.45	(0.95 - 2.19)	5.04	(3.31 - 7.61)	2.47	(1.53 - 3.95)	2.84	(1.90 - 4.22)
Montana	1.80	(1.36 - 2.39)	7.47	(5.99 - 9.27)	3.10	(2.31 - 4.14)	3.71	(2.96 - 4.64)
Region 1	1.80	(1.18 - 2.73)	7.61	(5.04 - 11.33)	3.03	(1.89 - 4.82)	3.56	(2.38 - 5.29)
Region 2	1.76	(1.14 - 2.70)	8.33	(5.66 - 12.09)	3.29	(2.10 - 5.14)	4.02	(2.79 - 5.76)
Region 3	1.89	(1.26 - 2.84)	7.60	(5.35 - 10.69)	3.20	(2.15 - 4.74)	3.74	(2.70 - 5.16)
Region 4	1.98	(1.31 - 3.00)	8.56	(6.14 - 11.81)	3.25	(2.16 - 4.86)	4.07	(2.97 - 5.55)
Region 5	1.61	(1.07 - 2.42)	5.95	(4.20 - 8.36)	2.83	(1.83 - 4.35)	3.27	(2.29 - 4.64)
Nebraska	1.38	(1.01 - 1.88)	6.10	(4.86 - 7.62)	2.32	(1.66 - 3.22)	2.88	(2.25 - 3.69)
Regions 1 and 2	1.43	(0.97 - 2.10)	6.85	(4.80 - 9.69)	2.32	(1.51 - 3.54)	2.89	(2.04 - 4.06)
Region 1	*	(* - *)	*	(* - *)	*	(* - *)	2.89	(1.90 - 4.36)
Region 2	*	(* - *)	6.95	(4.42 - 10.77)	*	(* - *)	2.88	(1.88 - 4.39)
Region 3	1.38	(0.87 - 2.16)	6.35	(4.29 - 9.29)	2.30	(1.39 - 3.79)	2.88	(1.93 - 4.27)
Region 4	1.37	(0.89 - 2.10)	6.18	(4.09 - 9.22)	2.16	(1.33 - 3.50)	2.69	(1.82 - 3.98)
Region 5	1.36	(0.89 - 2.08)	6.39	(4.50 - 8.98)	2.36	(1.49 - 3.71)	3.06	(2.16 - 4.33)
Region 6	1.37	(0.91 - 2.07)	5.64	(4.06 - 7.79)	2.34	(1.53 - 3.55)	2.83	(2.03 - 3.94)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	1.77	(1.25 - 2.50)	8.45	(6.68 - 10.65)	3.84	(2.82 - 5.22)	4.48	(3.51 - 5.71)
Clark – Region 1	1.73	(1.15 - 2.58)	8.07	(6.03 - 10.72)	3.67	(2.56 - 5.23)	4.28	(3.21 - 5.68)
Region 3	1.69	(1.15 - 2.49)	8.27	(5.87 - 11.53)	3.49	(2.33 - 5.20)	4.07	(2.90 - 5.68)
Capital District	*	(* - *)	8.63	(5.63 - 13.01)	3.45	(2.15 - 5.49)	4.04	(2.71 - 5.96)
Rural/Frontier	*	(* - *)	7.98	(5.13 - 12.23)	3.52	(2.13 - 5.78)	4.09	(2.67 - 6.23)
Washoe – Region 2	2.05	(1.31 - 3.20)	10.12	(7.30 - 13.87)	4.93	(3.19 - 7.56)	5.73	(4.05 - 8.06)
New Hampshire	1.53	(1.15 - 2.03)	6.64	(5.39 - 8.15)	2.81	(2.09 - 3.78)	3.33	(2.64 - 4.19)
Central	1.42	(1.00 - 2.01)	6.10	(4.59 - 8.06)	2.55	(1.75 - 3.71)	3.07	(2.27 - 4.13)
Central 1	1.41	(0.91 - 2.17)	6.36	(4.49 - 8.95)	2.64	(1.67 - 4.14)	3.26	(2.28 - 4.63)
Central 2	1.43	(0.93 - 2.19)	5.76	(3.85 - 8.53)	2.47	(1.54 - 3.95)	2.88	(1.93 - 4.27)
Northern	1.49	(0.96 - 2.29)	6.86	(4.66 - 9.99)	2.73	(1.69 - 4.39)	3.30	(2.23 - 4.86)
Southern	1.59	(1.14 - 2.20)	6.89	(5.29 - 8.93)	2.96	(2.11 - 4.13)	3.46	(2.64 - 4.53)
Southern 1 (Rockingham)	1.48	(0.98 - 2.22)	6.20	(4.29 - 8.88)	2.80	(1.80 - 4.35)	3.19	(2.19 - 4.62)
Southern 2	1.65	(1.12 - 2.44)	7.24	(5.27 - 9.86)	3.05	(2.06 - 4.51)	3.63	(2.65 - 4.96)
New Jersey	1.38	(1.01 - 1.88)	5.92	(4.64 - 7.52)	2.37	(1.70 - 3.28)	2.83	(2.18 - 3.66)
Central	1.39	(0.89 - 2.15)	6.05	(3.95 - 9.14)	2.21	(1.37 - 3.56)	2.68	(1.79 - 4.00)
Metropolitan	1.33	(0.86 - 2.07)	6.33	(4.35 - 9.14)	2.60	(1.62 - 4.15)	3.12	(2.14 - 4.54)
Northern	1.41	(0.93 - 2.14)	5.43	(3.76 - 7.78)	2.31	(1.47 - 3.61)	2.71	(1.87 - 3.90)
Southern	1.36	(0.89 - 2.07)	6.01	(4.10 - 8.74)	2.36	(1.49 - 3.74)	2.85	(1.96 - 4.14)
New Mexico	1.73	(1.29 - 2.33)	7.31	(5.84 - 9.12)	3.15	(2.33 - 4.26)	3.77	(2.98 - 4.76)
Region 1	1.59	(1.06 - 2.38)	7.59	(5.30 - 10.76)	2.81	(1.78 - 4.42)	3.52	(2.46 - 5.00)
Region 2	1.72	(1.11 - 2.65)	5.95	(3.81 - 9.18)	2.97	(1.88 - 4.67)	3.31	(2.22 - 4.91)
Region 3 (Bernalillo)	1.87	(1.23 - 2.84)	8.25	(5.97 - 11.30)	3.58	(2.38 - 5.35)	4.28	(3.10 - 5.89)
Region 4	1.66	(1.05 - 2.61)	6.01	(4.01 - 8.91)	2.85	(1.78 - 4.53)	3.35	(2.28 - 4.90)
Region 5	1.76	(1.15 - 2.68)	7.14	(4.92 - 10.26)	3.13	(2.02 - 4.83)	3.79	(2.67 - 5.36)

See notes at end of table.

(continued)

Table 16 *Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	1.56	(1.26 - 1.93)	6.17	(5.38 - 7.06)	3.01	(2.49 - 3.63)	3.48	(3.01 - 4.03)
Region A	1.58	(1.22 - 2.05)	5.94	(4.95 - 7.11)	3.18	(2.52 - 4.01)	3.60	(2.99 - 4.34)
Region 1	1.51	(1.02 - 2.22)	5.74	(4.10 - 7.96)	3.16	(2.14 - 4.66)	3.62	(2.63 - 4.98)
Region 2	1.65	(1.15 - 2.37)	5.65	(4.27 - 7.44)	2.99	(2.09 - 4.26)	3.40	(2.55 - 4.52)
Region 3	1.56	(1.04 - 2.34)	6.11	(4.34 - 8.53)	3.67	(2.51 - 5.33)	4.04	(2.91 - 5.58)
Region 4	1.55	(1.05 - 2.29)	6.37	(4.60 - 8.75)	3.06	(2.07 - 4.49)	3.52	(2.55 - 4.82)
Region B	1.61	(1.22 - 2.12)	6.11	(4.93 - 7.55)	2.81	(2.15 - 3.67)	3.26	(2.62 - 4.05)
Region 5	1.67	(1.17 - 2.38)	6.40	(4.78 - 8.53)	2.82	(2.00 - 3.96)	3.29	(2.48 - 4.35)
Region 6	1.50	(1.01 - 2.24)	5.79	(4.05 - 8.19)	2.86	(1.89 - 4.31)	3.24	(2.28 - 4.59)
Region 7	1.56	(1.06 - 2.29)	5.71	(4.01 - 8.07)	2.72	(1.78 - 4.12)	3.18	(2.26 - 4.46)
Region C	1.47	(1.15 - 1.89)	6.63	(5.51 - 7.97)	2.98	(2.34 - 3.78)	3.56	(2.95 - 4.29)
Region 8	1.56	(1.05 - 2.30)	7.85	(5.57 - 10.95)	3.05	(2.05 - 4.49)	3.76	(2.74 - 5.14)
Region 9	1.56	(1.08 - 2.25)	6.53	(4.70 - 9.00)	3.01	(2.02 - 4.46)	3.57	(2.59 - 4.91)
Region 10	1.46	(0.97 - 2.20)	5.84	(4.00 - 8.44)	2.80	(1.80 - 4.33)	3.40	(2.39 - 4.80)
Region 11	1.46	(0.99 - 2.15)	6.53	(4.65 - 9.10)	3.26	(2.18 - 4.83)	3.77	(2.72 - 5.20)
Region 12	1.35	(0.90 - 2.00)	6.17	(4.29 - 8.79)	2.71	(1.80 - 4.06)	3.22	(2.30 - 4.51)
Region D	1.48	(1.10 - 1.99)	6.14	(4.81 - 7.82)	2.84	(2.10 - 3.82)	3.35	(2.63 - 4.25)
Region 13	1.47	(0.97 - 2.22)	5.89	(4.03 - 8.53)	2.58	(1.64 - 4.02)	3.07	(2.12 - 4.43)
Region 14	1.54	(1.01 - 2.34)	6.69	(4.61 - 9.62)	3.33	(2.17 - 5.09)	3.88	(2.73 - 5.50)
Region 15	1.44	(0.95 - 2.19)	5.77	(3.93 - 8.41)	2.59	(1.68 - 3.96)	3.06	(2.14 - 4.36)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	1.30	(0.96 - 1.75)	4.40	(3.35 - 5.76)	2.21	(1.56 - 3.12)	2.52	(1.90 - 3.33)
Alliance	1.19	(0.76 - 1.87)	3.88	(2.47 - 6.03)	2.04	(1.26 - 3.29)	2.32	(1.53 - 3.49)
Cardinal Innovations	1.33	(0.85 - 2.07)	4.36	(2.83 - 6.68)	2.20	(1.33 - 3.60)	2.49	(1.63 - 3.77)
CenterPoint/Guilford	*	(* - *)	4.25	(2.91 - 6.19)	2.23	(1.44 - 3.44)	2.52	(1.75 - 3.64)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	2.42	(1.53 - 3.80)
Guilford	*	(* - *)	4.25	(2.64 - 6.77)	*	(* - *)	2.64	(1.70 - 4.07)
CoastalCare	*	(* - *)	5.03	(3.11 - 8.03)	*	(* - *)	2.73	(1.75 - 4.23)
Eastpointe	1.22	(0.77 - 1.95)	4.37	(2.76 - 6.85)	2.23	(1.33 - 3.71)	2.52	(1.62 - 3.90)
ECBH	*	(* - *)	4.32	(2.72 - 6.79)	*	(* - *)	2.53	(1.62 - 3.91)
MeckLINK	*	(* - *)	4.48	(2.81 - 7.07)	2.48	(1.47 - 4.15)	2.76	(1.75 - 4.33)
Partners	1.37	(0.88 - 2.13)	4.33	(2.75 - 6.75)	2.22	(1.33 - 3.71)	2.48	(1.59 - 3.85)
Sandhills	*	(* - *)	4.46	(2.78 - 7.08)	*	(* - *)	2.48	(1.58 - 3.88)
Smoky Mountain	*	(* - *)	4.82	(2.99 - 7.68)	*	(* - *)	2.56	(1.61 - 4.04)
Western Highlands	*	(* - *)	5.30	(3.29 - 8.43)	2.23	(1.32 - 3.74)	2.57	(1.64 - 3.99)
North Dakota	1.41	(1.06 - 1.87)	8.01	(6.57 - 9.73)	2.83	(2.09 - 3.83)	3.74	(3.02 - 4.62)
Badlands and West Central	1.44	(0.95 - 2.17)	8.12	(5.71 - 11.42)	2.74	(1.77 - 4.20)	3.46	(2.45 - 4.88)
Lake Region and South Central	1.46	(0.95 - 2.23)	8.13	(5.53 - 11.79)	2.64	(1.62 - 4.26)	3.32	(2.27 - 4.85)
North Central and Northwest	1.40	(0.92 - 2.11)	8.74	(6.07 - 12.42)	2.97	(1.92 - 4.55)	3.91	(2.80 - 5.44)
Northeast	1.42	(0.94 - 2.14)	8.09	(5.83 - 11.13)	3.02	(1.91 - 4.75)	4.26	(3.08 - 5.86)
Southeast	1.34	(0.89 - 2.03)	7.49	(5.41 - 10.28)	2.86	(1.90 - 4.29)	3.84	(2.84 - 5.17)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	1.35	(1.11 - 1.65)	5.63	(4.93 - 6.42)	2.91	(2.43 - 3.48)	3.29	(2.86 - 3.80)
Boards 2, 46, 55, and 68	1.22	(0.81 - 1.84)	4.48	(3.06 - 6.50)	2.37	(1.54 - 3.63)	2.65	(1.84 - 3.82)
Boards 3, 52, and 85	1.41	(0.95 - 2.09)	5.43	(3.70 - 7.89)	2.78	(1.81 - 4.25)	3.14	(2.17 - 4.52)
Boards 4 and 78	1.44	(0.95 - 2.18)	5.39	(3.63 - 7.94)	3.06	(1.97 - 4.71)	3.34	(2.27 - 4.88)
Boards 5 and 60	1.46	(1.00 - 2.15)	6.57	(4.58 - 9.34)	2.95	(1.96 - 4.42)	3.61	(2.59 - 5.02)
Boards 7, 15, 41, 79, and 84	1.37	(0.93 - 2.04)	4.85	(3.43 - 6.81)	2.90	(1.95 - 4.30)	3.14	(2.22 - 4.41)
Boards 8, 13, and 83	1.41	(0.96 - 2.09)	4.78	(3.28 - 6.92)	2.61	(1.73 - 3.93)	2.87	(2.01 - 4.09)
Board 9 (Butler)	1.49	(0.97 - 2.26)	7.66	(5.32 - 10.92)	3.38	(2.19 - 5.18)	4.07	(2.86 - 5.78)
Board 12	1.43	(0.95 - 2.14)	5.78	(3.94 - 8.41)	2.93	(1.92 - 4.45)	3.39	(2.38 - 4.82)
Boards 18 and 47	1.25	(0.87 - 1.79)	5.58	(4.15 - 7.46)	2.80	(2.00 - 3.90)	3.17	(2.39 - 4.18)
Boards 20, 32, 54, and 69	1.42	(0.94 - 2.13)	5.00	(3.35 - 7.39)	2.63	(1.68 - 4.07)	2.94	(2.00 - 4.29)
Boards 21, 39, 51, 70, and 80	1.33	(0.89 - 1.97)	5.07	(3.46 - 7.38)	2.51	(1.64 - 3.81)	2.81	(1.96 - 4.04)
Boards 22, 74, and 87	1.37	(0.93 - 2.01)	5.51	(3.84 - 7.84)	2.82	(1.86 - 4.25)	3.24	(2.29 - 4.55)
Boards 23 and 45	1.38	(0.93 - 2.04)	5.67	(3.84 - 8.30)	3.05	(2.03 - 4.56)	3.41	(2.40 - 4.83)
Board 25 (Franklin)	1.36	(0.92 - 1.99)	6.34	(4.64 - 8.60)	3.64	(2.59 - 5.09)	4.10	(3.09 - 5.42)
Boards 27, 71, and 73	1.36	(0.93 - 1.99)	4.92	(3.40 - 7.07)	2.76	(1.83 - 4.15)	3.04	(2.13 - 4.31)
Boards 28, 43, and 67	1.34	(0.90 - 1.98)	4.95	(3.34 - 7.26)	2.34	(1.50 - 3.62)	2.72	(1.88 - 3.91)
Board 31 (Hamilton)	1.28	(0.88 - 1.88)	5.28	(3.72 - 7.43)	2.74	(1.85 - 4.04)	3.13	(2.25 - 4.34)
Board 48 (Lucas)	1.41	(0.94 - 2.10)	5.86	(4.06 - 8.39)	3.48	(2.27 - 5.30)	3.86	(2.69 - 5.50)
Boards 50 and 76	1.38	(0.93 - 2.04)	6.37	(4.57 - 8.81)	2.91	(1.98 - 4.26)	3.35	(2.42 - 4.62)
Board 57 (Montgomery)	1.32	(0.89 - 1.95)	5.35	(3.71 - 7.66)	3.04	(2.05 - 4.47)	3.36	(2.40 - 4.70)
Board 77 (Summit)	1.38	(0.95 - 2.01)	6.03	(4.30 - 8.40)	3.04	(2.07 - 4.44)	3.44	(2.48 - 4.74)
Oklahoma	1.35	(1.01 - 1.80)	5.69	(4.43 - 7.26)	3.04	(2.26 - 4.08)	3.45	(2.71 - 4.37)
Central	1.33	(0.86 - 2.06)	5.93	(3.90 - 8.93)	2.92	(1.79 - 4.73)	3.43	(2.29 - 5.11)
East Central	1.38	(0.88 - 2.15)	5.50	(3.46 - 8.64)	3.03	(1.86 - 4.90)	3.37	(2.21 - 5.10)
Northeast	1.29	(0.83 - 1.99)	5.91	(3.96 - 8.74)	2.61	(1.68 - 4.05)	3.16	(2.21 - 4.49)
Northwest and Southwest	1.46	(0.95 - 2.24)	6.02	(3.93 - 9.10)	3.37	(2.16 - 5.21)	3.78	(2.59 - 5.49)
Oklahoma County	1.28	(0.82 - 1.99)	5.44	(3.67 - 8.01)	2.96	(1.90 - 4.57)	3.34	(2.32 - 4.79)
Southeast	1.38	(0.88 - 2.14)	5.38	(3.46 - 8.27)	3.31	(2.11 - 5.17)	3.60	(2.43 - 5.30)
Tulsa County	1.35	(0.88 - 2.05)	5.62	(3.67 - 8.51)	3.05	(1.92 - 4.82)	3.43	(2.30 - 5.08)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	1.53	(1.14 - 2.05)	6.66	(5.32 - 8.30)	3.68	(2.77 - 4.87)	4.09	(3.23 - 5.16)
Region 1 (Multnomah)	1.54	(1.00 - 2.37)	6.89	(4.76 - 9.88)	4.56	(3.06 - 6.75)	4.87	(3.43 - 6.87)
Region 2	1.54	(1.02 - 2.33)	6.10	(4.19 - 8.79)	3.28	(2.15 - 4.99)	3.64	(2.52 - 5.21)
Region 3	1.56	(1.05 - 2.32)	7.37	(5.37 - 10.03)	3.92	(2.64 - 5.78)	4.48	(3.25 - 6.14)
Region 4	1.45	(0.92 - 2.25)	5.60	(3.65 - 8.49)	2.87	(1.76 - 4.63)	3.19	(2.09 - 4.84)
Region 5 (Central)	*	(* - *)	6.26	(4.05 - 9.55)	3.51	(2.16 - 5.64)	3.82	(2.50 - 5.80)
Region 6 (Eastern)	*	(* - *)	*	(* - *)	*	(* - *)	3.61	(2.29 - 5.65)
Pennsylvania	1.37	(1.11 - 1.69)	5.69	(4.93 - 6.55)	2.76	(2.27 - 3.34)	3.18	(2.73 - 3.70)
Region 1 (Allegheny)	1.35	(0.93 - 1.95)	5.29	(3.80 - 7.32)	2.76	(1.90 - 3.99)	3.11	(2.27 - 4.24)
Regions 3, 8, 9, and 51	1.34	(0.88 - 2.02)	6.27	(4.38 - 8.91)	2.64	(1.75 - 3.97)	3.17	(2.25 - 4.44)
Regions 4, 11, 37, and 49	1.29	(0.86 - 1.92)	5.08	(3.52 - 7.27)	2.35	(1.55 - 3.54)	2.71	(1.92 - 3.83)
Regions 5, 18, 23, 24, and 46	1.33	(0.92 - 1.93)	5.12	(3.47 - 7.49)	2.44	(1.59 - 3.72)	2.79	(1.94 - 4.00)
Regions 6, 12, 16, 31, 35, 45, and 47	1.28	(0.85 - 1.92)	4.93	(3.44 - 7.02)	2.23	(1.46 - 3.41)	2.77	(1.97 - 3.87)
Regions 7, 13, 20, and 33	1.45	(1.02 - 2.06)	6.28	(4.78 - 8.21)	2.73	(1.95 - 3.80)	3.18	(2.42 - 4.18)
Regions 10, 15, 27, 32, 43, and 44	1.38	(0.94 - 2.01)	5.72	(3.89 - 8.34)	2.67	(1.79 - 3.97)	3.04	(2.15 - 4.29)
Regions 17 and 21	1.40	(0.93 - 2.09)	6.07	(4.12 - 8.87)	2.78	(1.82 - 4.20)	3.30	(2.32 - 4.68)
Regions 19, 26, 28, and 42	1.30	(0.88 - 1.91)	6.14	(4.49 - 8.35)	2.52	(1.73 - 3.65)	3.00	(2.21 - 4.07)
Regions 22, 38, 40, 41, and 48	1.28	(0.87 - 1.89)	5.02	(3.54 - 7.08)	2.38	(1.58 - 3.57)	2.69	(1.90 - 3.79)
Regions 29 and 34	1.37	(0.93 - 2.00)	5.67	(3.88 - 8.22)	2.58	(1.70 - 3.89)	3.00	(2.12 - 4.24)
Regions 30 and 50	1.37	(0.90 - 2.08)	5.36	(3.67 - 7.75)	2.54	(1.70 - 3.78)	2.92	(2.07 - 4.09)
Region 36 (Philadelphia)	1.49	(0.95 - 2.32)	5.84	(4.25 - 7.97)	4.26	(2.93 - 6.15)	4.56	(3.36 - 6.16)
Rhode Island	1.51	(1.08 - 2.09)	8.56	(6.95 - 10.49)	3.34	(2.46 - 4.53)	4.19	(3.34 - 5.24)
Bristol and Newport	1.65	(1.04 - 2.62)	*	(* - *)	3.95	(2.41 - 6.39)	5.08	(3.45 - 7.42)
Kent	1.42	(0.91 - 2.22)	7.58	(5.16 - 11.01)	3.01	(1.90 - 4.73)	3.55	(2.42 - 5.17)
Providence	1.50	(0.99 - 2.24)	7.98	(6.17 - 10.26)	3.34	(2.31 - 4.80)	4.14	(3.15 - 5.43)
Washington	1.52	(0.97 - 2.36)	9.48	(6.55 - 13.52)	3.19	(1.99 - 5.08)	4.33	(3.04 - 6.14)
South Carolina	1.39	(1.03 - 1.87)	4.10	(3.11 - 5.38)	3.41	(2.49 - 4.64)	3.51	(2.68 - 4.58)
Region 1	1.34	(0.88 - 2.04)	3.61	(2.34 - 5.55)	2.82	(1.74 - 4.55)	2.94	(1.91 - 4.48)
Region 2	1.32	(0.87 - 2.00)	3.96	(2.68 - 5.79)	3.19	(2.10 - 4.82)	3.31	(2.30 - 4.73)
Region 3	1.67	(1.04 - 2.69)	4.76	(3.08 - 7.29)	4.76	(2.94 - 7.64)	4.76	(3.07 - 7.31)
Region 4	1.34	(0.89 - 2.03)	4.32	(2.89 - 6.41)	3.32	(2.17 - 5.03)	3.47	(2.39 - 4.99)

See notes at end of table.

(continued)

Table 16 *Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	1.76	(1.32 - 2.36)	6.58	(5.17 - 8.35)	3.20	(2.40 - 4.25)	3.70	(2.94 - 4.65)
Region 1	1.77	(1.18 - 2.65)	6.97	(4.85 - 9.92)	3.29	(2.16 - 4.98)	3.82	(2.69 - 5.39)
Region 2	1.90	(1.19 - 3.04)	8.81	(5.70 - 13.36)	3.71	(2.28 - 5.98)	4.30	(2.85 - 6.44)
Region 3	1.72	(1.14 - 2.59)	6.39	(4.34 - 9.30)	3.12	(2.03 - 4.78)	3.68	(2.59 - 5.21)
Region 4	1.71	(1.10 - 2.65)	6.15	(3.95 - 9.46)	2.86	(1.79 - 4.52)	3.37	(2.27 - 4.97)
Region 5	1.78	(1.18 - 2.66)	6.08	(4.25 - 8.62)	3.17	(2.11 - 4.74)	3.58	(2.54 - 5.02)
Tennessee	1.28	(0.97 - 1.68)	4.65	(3.57 - 6.02)	2.82	(2.08 - 3.82)	3.08	(2.37 - 3.99)
Region 1	*	(* - *)	4.66	(2.96 - 7.26)	2.51	(1.54 - 4.06)	2.78	(1.81 - 4.23)
Region 2	1.28	(0.84 - 1.95)	4.55	(2.93 - 7.01)	2.51	(1.59 - 3.94)	2.78	(1.87 - 4.11)
Region 3	1.35	(0.88 - 2.06)	4.56	(2.96 - 6.95)	2.64	(1.62 - 4.29)	2.91	(1.90 - 4.42)
Region 4 (Davidson)	*	(* - *)	4.50	(2.91 - 6.90)	3.05	(1.92 - 4.81)	3.28	(2.18 - 4.90)
Region 5	1.39	(0.93 - 2.07)	5.49	(3.73 - 8.01)	3.16	(2.06 - 4.82)	3.48	(2.41 - 5.00)
Region 6	1.30	(0.85 - 1.97)	4.50	(2.89 - 6.93)	2.77	(1.70 - 4.47)	3.01	(1.96 - 4.58)
Region 7 (Shelby)	1.04	(0.68 - 1.60)	3.77	(2.41 - 5.87)	2.93	(1.81 - 4.72)	3.06	(2.00 - 4.66)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	1.34	(1.06 - 1.68)	5.91	(5.17 - 6.74)	2.65	(2.18 - 3.23)	3.17	(2.73 - 3.67)
Region 1	1.44	(0.95 - 2.19)	7.26	(5.05 - 10.32)	2.76	(1.80 - 4.21)	3.58	(2.55 - 5.02)
Region 2	*	(* - *)	6.33	(4.24 - 9.36)	2.64	(1.69 - 4.09)	3.24	(2.23 - 4.67)
Region 3	1.23	(0.90 - 1.67)	5.54	(4.46 - 6.85)	2.45	(1.83 - 3.26)	2.90	(2.31 - 3.64)
Region 3a	1.26	(0.87 - 1.81)	5.17	(3.90 - 6.83)	2.46	(1.70 - 3.52)	2.86	(2.13 - 3.83)
Region 3bc	1.17	(0.78 - 1.73)	6.17	(4.60 - 8.22)	2.43	(1.68 - 3.50)	2.98	(2.23 - 3.97)
Region 4	1.26	(0.85 - 1.88)	5.71	(3.91 - 8.26)	2.59	(1.68 - 3.96)	3.01	(2.09 - 4.32)
Region 5	1.29	(0.86 - 1.93)	5.53	(3.82 - 7.95)	2.54	(1.64 - 3.91)	2.98	(2.07 - 4.27)
Region 6	1.27	(0.90 - 1.79)	5.67	(4.44 - 7.22)	2.74	(2.01 - 3.72)	3.19	(2.49 - 4.07)
Region 6a	1.26	(0.87 - 1.83)	5.66	(4.33 - 7.35)	2.74	(1.97 - 3.81)	3.19	(2.45 - 4.15)
Region 6bc	1.32	(0.88 - 1.96)	5.78	(3.86 - 8.57)	2.72	(1.78 - 4.15)	3.13	(2.17 - 4.51)
Region 7	1.29	(0.94 - 1.76)	6.19	(4.87 - 7.84)	2.74	(2.01 - 3.74)	3.39	(2.67 - 4.30)
Region 7a	1.32	(0.90 - 1.94)	6.25	(4.53 - 8.57)	2.83	(1.94 - 4.13)	3.41	(2.51 - 4.61)
Region 7bcd	1.22	(0.81 - 1.83)	6.11	(4.38 - 8.46)	2.58	(1.72 - 3.88)	3.35	(2.45 - 4.57)
Region 8	1.57	(1.06 - 2.31)	6.86	(5.01 - 9.33)	2.94	(2.01 - 4.26)	3.55	(2.62 - 4.79)
Region 9	*	(* - *)	5.86	(4.02 - 8.47)	2.74	(1.78 - 4.20)	3.25	(2.27 - 4.63)
Region 10	1.62	(1.06 - 2.47)	6.93	(4.88 - 9.74)	2.93	(1.93 - 4.43)	3.65	(2.61 - 5.07)
Region 11	1.50	(1.06 - 2.11)	5.08	(3.80 - 6.77)	2.48	(1.77 - 3.46)	2.93	(2.23 - 3.85)
Region 11abd	1.51	(0.99 - 2.29)	5.16	(3.54 - 7.47)	2.47	(1.64 - 3.71)	2.92	(2.08 - 4.10)
Region 11c (Hidalgo)	1.47	(0.97 - 2.23)	4.95	(3.30 - 7.36)	2.48	(1.61 - 3.82)	2.94	(2.05 - 4.21)
Utah	1.35	(0.98 - 1.85)	4.56	(3.48 - 5.94)	2.27	(1.64 - 3.14)	2.71	(2.10 - 3.49)
Bear River, Northeastern, Summit, Tooele, and Wasatch	1.40	(0.89 - 2.20)	4.83	(3.18 - 7.25)	2.34	(1.46 - 3.73)	2.81	(1.91 - 4.12)
Central, Four Corners, San Juan, and Southwest	1.40	(0.89 - 2.20)	5.24	(3.34 - 8.15)	2.49	(1.51 - 4.07)	2.96	(1.96 - 4.46)
Davis County	1.31	(0.84 - 2.05)	4.95	(3.19 - 7.60)	2.32	(1.43 - 3.76)	2.76	(1.83 - 4.16)
Salt Lake County	1.40	(0.93 - 2.11)	4.54	(3.08 - 6.65)	2.22	(1.44 - 3.38)	2.61	(1.84 - 3.68)
Utah County	1.23	(0.77 - 1.95)	4.02	(2.65 - 6.05)	2.18	(1.37 - 3.47)	2.68	(1.84 - 3.87)
Weber, Morgan	1.32	(0.84 - 2.07)	4.49	(2.84 - 7.04)	2.26	(1.37 - 3.70)	2.64	(1.73 - 3.99)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	1.44	(1.07 - 1.94)	6.71	(5.38 - 8.35)	2.47	(1.78 - 3.41)	3.09	(2.43 - 3.92)
Champlain Valley	1.41	(0.94 - 2.10)	6.46	(4.66 - 8.90)	2.44	(1.60 - 3.71)	3.16	(2.31 - 4.32)
Rural Northeast	1.52	(0.98 - 2.35)	7.35	(5.14 - 10.39)	2.53	(1.59 - 4.00)	3.15	(2.19 - 4.51)
Rural Southeast	1.49	(0.98 - 2.26)	6.56	(4.49 - 9.48)	2.55	(1.63 - 3.95)	2.99	(2.07 - 4.30)
Rural Southwest	1.35	(0.87 - 2.10)	6.81	(4.62 - 9.94)	2.34	(1.43 - 3.79)	2.93	(1.98 - 4.30)
Virginia	1.40	(1.05 - 1.87)	6.63	(5.33 - 8.22)	2.75	(2.03 - 3.72)	3.32	(2.62 - 4.18)
Region 1	1.52	(0.99 - 2.31)	8.40	(5.96 - 11.71)	2.87	(1.85 - 4.42)	3.74	(2.67 - 5.20)
Region 2	1.39	(0.92 - 2.10)	5.51	(3.72 - 8.10)	2.58	(1.68 - 3.95)	2.93	(2.03 - 4.22)
Region 3	1.61	(1.05 - 2.46)	8.17	(5.86 - 11.28)	3.12	(1.98 - 4.88)	3.87	(2.71 - 5.50)
Region 4	1.22	(0.79 - 1.89)	5.50	(3.58 - 8.36)	2.52	(1.57 - 4.04)	2.96	(2.00 - 4.36)
Region 5	1.33	(0.86 - 2.05)	6.17	(4.23 - 8.92)	2.76	(1.77 - 4.29)	3.33	(2.33 - 4.74)
Washington	1.68	(1.26 - 2.23)	7.51	(6.10 - 9.22)	3.03	(2.26 - 4.04)	3.67	(2.93 - 4.58)
Region 1	1.67	(1.17 - 2.38)	7.88	(5.78 - 10.66)	3.03	(2.03 - 4.50)	3.84	(2.81 - 5.23)
East 1 (previously Region 1)	1.68	(1.09 - 2.58)	9.04	(6.15 - 13.11)	3.24	(2.00 - 5.19)	4.20	(2.87 - 6.12)
East 2 (previously Region 2)	1.67	(1.06 - 2.60)	6.27	(4.12 - 9.43)	2.75	(1.68 - 4.48)	3.33	(2.23 - 4.95)
Region 2	1.79	(1.27 - 2.51)	7.30	(5.62 - 9.44)	3.09	(2.19 - 4.35)	3.66	(2.79 - 4.80)
North 1 (previously Region 3)	1.90	(1.23 - 2.92)	8.35	(5.95 - 11.60)	3.39	(2.18 - 5.23)	4.10	(2.89 - 5.78)
North 2 (previously Region 4)	1.71	(1.13 - 2.57)	6.66	(4.74 - 9.28)	2.92	(1.94 - 4.39)	3.41	(2.44 - 4.76)
Region 3	1.55	(1.08 - 2.20)	7.52	(5.63 - 9.97)	2.94	(2.05 - 4.19)	3.56	(2.68 - 4.73)
West 1 (previously Region 5)	1.55	(1.01 - 2.37)	7.01	(4.81 - 10.10)	3.01	(1.95 - 4.63)	3.61	(2.54 - 5.12)
West 2 (previously Region 6)	1.54	(1.01 - 2.35)	8.09	(5.59 - 11.57)	2.86	(1.84 - 4.45)	3.52	(2.45 - 5.01)
West Virginia	1.32	(1.00 - 1.75)	5.77	(4.65 - 7.14)	2.71	(2.01 - 3.66)	3.11	(2.44 - 3.96)
Region I	1.35	(0.88 - 2.06)	5.26	(3.42 - 8.00)	2.62	(1.62 - 4.22)	2.94	(1.95 - 4.43)
Region II	1.37	(0.90 - 2.08)	5.38	(3.49 - 8.20)	2.66	(1.64 - 4.27)	2.99	(1.98 - 4.51)
Region III	1.34	(0.88 - 2.03)	4.95	(3.10 - 7.84)	2.45	(1.49 - 3.99)	2.73	(1.76 - 4.21)
Region IV	1.42	(0.93 - 2.16)	7.62	(5.65 - 10.21)	3.15	(2.02 - 4.87)	3.94	(2.84 - 5.45)
Region V	1.23	(0.82 - 1.85)	4.89	(3.42 - 6.95)	2.52	(1.66 - 3.80)	2.80	(1.97 - 3.97)
Region VI	1.29	(0.84 - 1.97)	4.68	(3.09 - 7.03)	2.75	(1.74 - 4.32)	2.96	(1.98 - 4.41)

See notes at end of table.

(continued)

Table 16 Alcohol Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	1.41	(1.04 - 1.91)	5.05	(3.93 - 6.47)	2.91	(2.12 - 3.98)	3.22	(2.48-4.16)
Milwaukee	1.20	(0.77 - 1.85)	4.53	(2.95 - 6.89)	3.02	(1.87 - 4.85)	3.27	(2.16-4.93)
Northeastern	1.33	(0.87 - 2.04)	5.22	(3.54 - 7.63)	2.68	(1.71 - 4.19)	3.02	(2.06-4.40)
Northern	*	(* - *)	5.41	(3.48 - 8.31)	2.79	(1.67 - 4.64)	3.12	(2.01-4.83)
Southeastern	1.60	(1.02 - 2.51)	5.34	(3.46 - 8.17)	3.30	(2.04 - 5.29)	3.56	(2.35-5.36)
Southern	1.52	(0.97 - 2.36)	5.29	(3.63 - 7.66)	2.99	(1.90 - 4.66)	3.34	(2.29-4.83)
Western	1.31	(0.83 - 2.08)	4.63	(3.01 - 7.05)	2.52	(1.55 - 4.09)	2.86	(1.90-4.28)
Wyoming	1.58	(1.21 - 2.05)	8.38	(6.83 - 10.23)	3.08	(2.32 - 4.08)	3.87	(3.13-4.78)
Judicial District 1 (Laramie)	1.54	(1.02 - 2.33)	9.04	(6.23 - 12.94)	2.87	(1.82 - 4.49)	3.74	(2.60-5.34)
Judicial District 2	*	(* - *)	8.21	(5.74 - 11.61)	3.21	(2.05 - 5.00)	4.69	(3.39-6.46)
Judicial District 3	1.52	(0.99 - 2.33)	6.66	(4.54 - 9.67)	2.96	(1.86 - 4.69)	3.47	(2.36-5.06)
Judicial District 4	*	(* - *)	7.50	(5.01 - 11.10)	2.94	(1.85 - 4.65)	3.46	(2.34-5.08)
Judicial District 5	1.65	(1.07 - 2.54)	8.92	(5.97 - 13.12)	3.49	(2.17 - 5.57)	4.13	(2.79-6.08)
Judicial District 6	1.53	(1.00 - 2.33)	7.47	(4.90 - 11.22)	2.91	(1.86 - 4.54)	3.57	(2.45-5.17)
Judicial District 7 (Natrona)	1.62	(1.06 - 2.46)	9.58	(6.66 - 13.59)	3.22	(2.07 - 4.97)	4.12	(2.91-5.81)
Judicial District 8	1.64	(1.07 - 2.49)	9.08	(6.03 - 13.46)	2.93	(1.80 - 4.74)	3.69	(2.47-5.48)
Judicial District 9	*	(* - *)	8.82	(5.85 - 13.10)	3.24	(2.06 - 5.04)	3.93	(2.68-5.71)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	4.46	(4.26 - 4.67)	7.72	(7.44 - 8.01)	1.63	(1.51 - 1.76)	2.53	(2.42 - 2.64)
Northeast	4.34	(3.98 - 4.73)	8.03	(7.47 - 8.63)	1.65	(1.44 - 1.89)	2.57	(2.36 - 2.79)
Midwest	4.16	(3.89 - 4.45)	7.16	(6.74 - 7.60)	1.60	(1.44 - 1.78)	2.42	(2.26 - 2.58)
South	4.09	(3.82 - 4.38)	7.16	(6.76 - 7.58)	1.65	(1.49 - 1.83)	2.46	(2.31 - 2.62)
West	5.40	(4.92 - 5.91)	8.86	(8.17 - 9.59)	1.60	(1.39 - 1.85)	2.71	(2.50 - 2.94)
Alabama	3.26	(2.51 - 4.22)	5.99	(4.74 - 7.53)	1.83	(1.33 - 2.51)	2.45	(1.94 - 3.08)
Region 1	2.97	(1.94 - 4.50)	6.03	(4.21 - 8.55)	1.88	(1.23 - 2.88)	2.44	(1.78 - 3.35)
Region 2	3.90	(2.67 - 5.64)	6.15	(4.43 - 8.48)	1.80	(1.17 - 2.75)	2.47	(1.83 - 3.32)
Region 3	2.63	(1.72 - 4.00)	5.67	(3.91 - 8.16)	1.72	(1.13 - 2.62)	2.43	(1.80 - 3.28)
Region 4	3.22	(2.16 - 4.78)	6.01	(4.25 - 8.44)	1.87	(1.23 - 2.84)	2.44	(1.78 - 3.33)
Alaska	5.11	(4.04 - 6.44)	7.03	(5.61 - 8.77)	1.47	(1.08 - 2.00)	2.34	(1.90 - 2.87)
Anchorage	5.58	(4.06 - 7.60)	6.84	(5.05 - 9.19)	1.57	(1.07 - 2.30)	2.42	(1.86 - 3.14)
Northern	4.15	(2.85 - 5.99)	7.34	(5.22 - 10.22)	1.44	(0.95 - 2.19)	2.55	(1.93 - 3.35)
South Central	5.25	(3.58 - 7.64)	6.92	(4.86 - 9.77)	1.42	(0.93 - 2.17)	2.14	(1.57 - 2.92)
Southeast	5.04	(3.37 - 7.47)	7.29	(4.96 - 10.57)	1.29	(0.83 - 1.99)	2.03	(1.47 - 2.78)
Arizona	5.94	(4.66 - 7.54)	7.58	(6.03 - 9.49)	1.94	(1.41 - 2.66)	2.77	(2.22 - 3.46)
Maricopa	6.11	(4.52 - 8.20)	7.63	(5.75 - 10.07)	2.04	(1.40 - 2.96)	2.87	(2.21 - 3.72)
Pima	6.26	(4.18 - 9.28)	8.18	(5.70 - 11.60)	1.92	(1.25 - 2.94)	2.89	(2.12 - 3.93)
Rural North	4.86	(3.17 - 7.37)	7.13	(4.87 - 10.32)	1.65	(1.07 - 2.55)	2.42	(1.77 - 3.31)
Rural South	5.69	(3.80 - 8.43)	6.94	(4.70 - 10.13)	1.77	(1.13 - 2.76)	2.49	(1.79 - 3.46)
Arkansas	3.85	(3.06 - 4.85)	7.50	(6.10 - 9.20)	1.81	(1.36 - 2.41)	2.64	(2.15 - 3.23)
Catchment Area 1	4.10	(2.75 - 6.06)	6.96	(4.90 - 9.81)	1.45	(0.94 - 2.22)	2.35	(1.75 - 3.14)
Catchment Area 2	3.60	(2.35 - 5.47)	7.18	(4.82 - 10.56)	1.47	(0.96 - 2.26)	2.18	(1.59 - 2.99)
Catchment Area 3	3.22	(2.10 - 4.92)	7.07	(4.84 - 10.21)	1.68	(1.09 - 2.58)	2.49	(1.83 - 3.38)
Catchment Area 4	3.50	(2.31 - 5.27)	7.51	(5.03 - 11.09)	1.60	(1.04 - 2.45)	2.40	(1.74 - 3.30)
Catchment Area 5	4.04	(2.70 - 6.01)	7.32	(5.06 - 10.47)	1.77	(1.15 - 2.73)	2.72	(1.99 - 3.70)
Catchment Area 6	3.38	(2.18 - 5.22)	7.10	(4.76 - 10.46)	2.91	(1.84 - 4.57)	3.52	(2.47 - 5.00)
Catchment Area 7	3.27	(2.09 - 5.07)	6.89	(4.64 - 10.12)	1.76	(1.13 - 2.74)	2.46	(1.77 - 3.42)
Catchment Area 8	4.71	(3.19 - 6.91)	9.18	(6.65 - 12.54)	2.14	(1.42 - 3.22)	3.07	(2.29 - 4.10)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	5.40	(4.70 - 6.20)	9.51	(8.46 - 10.68)	1.49	(1.20 - 1.85)	2.76	(2.44 - 3.11)
Region 1R	5.56	(3.80 - 8.06)	11.73	(8.53 - 15.91)	1.75	(1.17 - 2.60)	3.27	(2.52 - 4.23)
Region 2R	6.24	(4.31 - 8.96)	12.01	(8.79 - 16.21)	1.44	(0.97 - 2.13)	3.06	(2.41 - 3.90)
Region 3R (Sacramento)	5.32	(3.67 - 7.66)	9.91	(7.16 - 13.56)	1.77	(1.20 - 2.58)	3.02	(2.33 - 3.92)
Region 4R	6.63	(4.64 - 9.38)	12.26	(8.97 - 16.53)	1.54	(1.03 - 2.29)	2.94	(2.26 - 3.80)
Region 5R (San Francisco)	*	(* - *)	12.26	(8.84 - 16.77)	*	(* - *)	3.23	(2.44 - 4.27)
Region 6 (Santa Clara)	4.65	(3.13 - 6.86)	9.28	(6.65 - 12.80)	0.99	(0.64 - 1.51)	2.09	(1.59 - 2.73)
Region 7R (Contra Costa)	6.13	(4.22 - 8.82)	10.85	(7.71 - 15.06)	1.26	(0.84 - 1.89)	2.50	(1.91 - 3.26)
Region 8R (Alameda)	4.80	(3.33 - 6.86)	9.43	(6.92 - 12.73)	1.50	(1.01 - 2.21)	2.62	(2.02 - 3.39)
Region 9R (San Mateo)	6.29	(4.22 - 9.27)	9.95	(6.93 - 14.10)	*	(* - *)	1.95	(1.46 - 2.60)
Region 10	5.97	(4.08 - 8.67)	9.91	(7.10 - 13.66)	1.50	(1.00 - 2.24)	2.96	(2.27 - 3.86)
Region 11 (Los Angeles)	5.23	(4.34 - 6.29)	8.79	(7.52 - 10.26)	1.50	(1.16 - 1.94)	2.67	(2.30 - 3.11)
LA SPA 1 and 5	5.19	(3.52 - 7.59)	9.85	(7.00 - 13.68)	1.65	(1.12 - 2.43)	2.98	(2.29 - 3.88)
LA SPA 2	5.10	(3.59 - 7.19)	8.97	(6.60 - 12.09)	1.42	(0.95 - 2.13)	2.54	(1.96 - 3.28)
LA SPA 3	5.25	(3.68 - 7.43)	8.42	(6.13 - 11.45)	1.29	(0.87 - 1.92)	2.40	(1.86 - 3.11)
LA SPA 4	5.00	(3.36 - 7.39)	8.41	(5.93 - 11.79)	1.73	(1.15 - 2.58)	2.75	(2.09 - 3.62)
LA SPA 6	5.51	(3.78 - 7.97)	9.16	(6.52 - 12.72)	1.74	(1.16 - 2.61)	3.30	(2.54 - 4.29)
LA SPA 7	5.27	(3.70 - 7.44)	8.37	(5.97 - 11.62)	1.34	(0.90 - 2.01)	2.57	(1.98 - 3.34)
LA SPA 8	5.29	(3.69 - 7.52)	8.60	(6.32 - 11.61)	1.56	(1.04 - 2.32)	2.61	(2.02 - 3.37)
Region 12R	4.62	(3.11 - 6.81)	9.28	(6.40 - 13.27)	1.70	(1.13 - 2.55)	2.87	(2.17 - 3.81)
Regions 13 and 19R	5.12	(3.70 - 7.06)	8.92	(6.83 - 11.57)	1.43	(0.99 - 2.04)	2.67	(2.14 - 3.34)
Region 13 (Riverside)	5.15	(3.64 - 7.24)	9.12	(6.89 - 11.97)	1.37	(0.93 - 2.02)	2.65	(2.10 - 3.35)
Region 19R (Imperial)	4.75	(3.16 - 7.10)	*	(* - *)	*	(* - *)	2.91	(2.10 - 4.00)
Region 14 (Orange)	5.11	(3.69 - 7.03)	10.81	(8.31 - 13.94)	1.16	(0.79 - 1.70)	2.64	(2.10 - 3.30)
Region 15R (Fresno)	4.60	(3.06 - 6.85)	8.50	(5.96 - 11.99)	2.26	(1.48 - 3.45)	3.42	(2.55 - 4.56)
Region 16R (San Diego)	6.11	(4.53 - 8.19)	9.53	(7.17 - 12.56)	1.44	(0.99 - 2.09)	2.81	(2.21 - 3.57)
Region 17R	5.01	(3.52 - 7.10)	7.41	(5.30 - 10.27)	2.14	(1.47 - 3.10)	3.08	(2.36 - 4.02)
Region 18R (San Bernardino)	5.20	(3.67 - 7.33)	7.98	(5.83 - 10.83)	1.42	(0.96 - 2.09)	2.59	(2.00 - 3.34)
Region 20R	5.57	(3.81 - 8.07)	9.40	(6.70 - 13.05)	1.69	(1.14 - 2.50)	3.02	(2.30 - 3.96)
Region 21R	6.48	(4.49 - 9.25)	10.50	(7.63 - 14.30)	1.41	(0.93 - 2.13)	3.06	(2.36 - 3.97)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	6.04	(4.78 - 7.59)	10.28	(8.43 - 12.48)	1.67	(1.19 - 2.34)	2.92	(2.38 - 3.58)
Region 1	5.73	(3.89 - 8.36)	9.11	(6.37 - 12.87)	1.58	(1.01 - 2.47)	2.89	(2.13 - 3.92)
Regions 2 and 7	6.40	(4.76 - 8.57)	11.55	(9.08 - 14.58)	1.71	(1.14 - 2.57)	3.08	(2.42 - 3.91)
Region 3	5.22	(3.56 - 7.60)	8.90	(6.19 - 12.63)	1.72	(1.10 - 2.68)	2.82	(2.07 - 3.82)
Region 4	5.38	(3.44 - 8.32)	*	(* - *)	2.01	(1.24 - 3.26)	2.83	(1.99 - 4.02)
Regions 5 and 6	6.04	(4.02 - 8.98)	8.83	(6.06 - 12.69)	1.35	(0.85 - 2.13)	2.33	(1.70 - 3.20)
Connecticut	4.77	(3.77 - 6.03)	8.39	(6.76 - 10.36)	1.82	(1.31 - 2.53)	2.71	(2.16 - 3.39)
Eastern	4.29	(2.80 - 6.51)	7.11	(4.92 - 10.17)	1.91	(1.22 - 2.98)	2.83	(2.07 - 3.86)
North Central	4.27	(2.90 - 6.23)	8.14	(5.89 - 11.15)	1.92	(1.24 - 2.97)	2.73	(2.02 - 3.68)
Northwestern	5.86	(3.97 - 8.56)	9.26	(6.40 - 13.21)	1.66	(1.05 - 2.61)	2.57	(1.86 - 3.52)
South Central	4.93	(3.37 - 7.17)	8.34	(5.98 - 11.51)	1.96	(1.27 - 3.00)	2.85	(2.10 - 3.86)
Southwest	4.58	(3.01 - 6.92)	9.31	(6.46 - 13.24)	1.60	(0.99 - 2.58)	2.55	(1.85 - 3.51)
Delaware	4.73	(3.71 - 6.02)	8.66	(6.97 - 10.70)	1.68	(1.23 - 2.29)	2.70	(2.19 - 3.31)
Kent	4.32	(2.91 - 6.37)	8.33	(5.83 - 11.77)	1.72	(1.12 - 2.63)	2.79	(2.08 - 3.73)
New Castle (excluding Wilmington City)	4.93	(3.57 - 6.77)	9.21	(7.03 - 11.97)	1.82	(1.24 - 2.66)	2.98	(2.34 - 3.80)
Sussex	4.51	(3.09 - 6.54)	7.30	(5.07 - 10.41)	1.00	(0.63 - 1.56)	1.67	(1.23 - 2.27)
Wilmington City	4.92	(3.29 - 7.30)	8.42	(5.87 - 11.93)	2.71	(1.76 - 4.15)	3.54	(2.57 - 4.87)
District of Columbia	4.99	(3.91 - 6.35)	7.48	(6.10 - 9.15)	2.57	(1.90 - 3.46)	3.52	(2.86 - 4.32)
Ward 1	5.63	(3.64 - 8.62)	7.19	(5.03 - 10.19)	2.75	(1.77 - 4.24)	3.69	(2.68 - 5.06)
Ward 2	*	(* - *)	5.99	(4.18 - 8.50)	2.17	(1.37 - 3.41)	3.30	(2.44 - 4.44)
Ward 3	5.19	(3.43 - 7.79)	8.26	(5.86 - 11.52)	1.74	(1.12 - 2.71)	2.96	(2.22 - 3.93)
Ward 4	5.30	(3.56 - 7.82)	8.49	(5.74 - 12.38)	2.41	(1.55 - 3.73)	3.13	(2.24 - 4.35)
Ward 5	5.09	(3.39 - 7.57)	7.24	(4.96 - 10.46)	2.65	(1.70 - 4.13)	3.53	(2.57 - 4.81)
Ward 6	5.13	(3.32 - 7.85)	8.53	(5.92 - 12.15)	2.65	(1.72 - 4.07)	3.55	(2.57 - 4.88)
Ward 7	4.55	(3.07 - 6.70)	8.39	(5.72 - 12.15)	3.26	(2.08 - 5.07)	4.13	(2.96 - 5.72)
Ward 8	4.71	(3.21 - 6.87)	7.65	(5.23 - 11.06)	3.15	(2.02 - 4.89)	4.10	(2.96 - 5.64)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	4.39	(3.81 - 5.05)	8.30	(7.38 - 9.32)	1.62	(1.31 - 2.01)	2.50	(2.18 - 2.87)
Region A - Northwest	4.22	(3.31 - 5.38)	9.00	(7.19 - 11.21)	2.28	(1.71 - 3.02)	3.46	(2.84 - 4.20)
Circuit 1	4.18	(2.98 - 5.83)	8.87	(6.43 - 12.13)	2.29	(1.60 - 3.27)	3.30	(2.55 - 4.26)
Circuit 2	4.20	(2.87 - 6.09)	8.80	(6.27 - 12.22)	2.42	(1.66 - 3.51)	3.99	(3.05 - 5.19)
Circuit 14	4.37	(2.92 - 6.51)	9.81	(6.86 - 13.85)	2.08	(1.39 - 3.09)	3.11	(2.32 - 4.14)
Region B - Northeast	4.53	(3.55 - 5.77)	8.50	(6.90 - 10.44)	2.01	(1.50 - 2.70)	2.99	(2.46 - 3.64)
Circuits 3 and 8	3.61	(2.41 - 5.39)	7.24	(5.16 - 10.08)	2.04	(1.34 - 3.08)	3.12	(2.35 - 4.12)
Circuit 4	4.79	(3.31 - 6.88)	8.81	(6.34 - 12.12)	2.30	(1.54 - 3.43)	3.25	(2.45 - 4.31)
Circuit 7	4.70	(3.32 - 6.61)	9.50	(6.96 - 12.83)	1.65	(1.13 - 2.40)	2.58	(2.00 - 3.32)
Region C - Central	4.46	(3.70 - 5.37)	8.87	(7.50 - 10.47)	1.55	(1.19 - 2.00)	2.51	(2.13 - 2.95)
Circuit 5	4.71	(3.26 - 6.75)	8.27	(5.95 - 11.39)	1.49	(1.00 - 2.23)	2.12	(1.60 - 2.82)
Circuit 9	4.33	(3.13 - 5.96)	8.95	(6.86 - 11.60)	1.77	(1.21 - 2.56)	3.04	(2.41 - 3.83)
Circuit 10	3.88	(2.68 - 5.59)	8.82	(6.39 - 12.06)	1.57	(1.05 - 2.34)	2.49	(1.89 - 3.27)
Circuit 18	5.07	(3.57 - 7.15)	9.68	(7.11 - 13.03)	1.48	(1.01 - 2.18)	2.53	(1.97 - 3.25)
Circuit 19	4.13	(2.82 - 6.03)	8.03	(5.67 - 11.24)	1.27	(0.84 - 1.93)	1.99	(1.49 - 2.65)
Region D - Southeast	4.13	(3.20 - 5.32)	8.54	(6.89 - 10.54)	1.44	(1.06 - 1.95)	2.29	(1.87 - 2.79)
Circuit 15 (Palm Beach)	4.00	(2.80 - 5.68)	8.75	(6.57 - 11.57)	1.49	(1.02 - 2.19)	2.32	(1.79 - 3.00)
Circuit 17 (Broward)	4.23	(3.04 - 5.85)	8.38	(6.30 - 11.07)	1.39	(0.95 - 2.04)	2.26	(1.76 - 2.89)
Region E - Sun Coast	5.02	(4.08 - 6.16)	8.72	(7.35 - 10.30)	1.72	(1.31 - 2.24)	2.52	(2.10 - 3.01)
Circuit 6	5.51	(3.97 - 7.61)	10.33	(7.65 - 13.81)	2.03	(1.38 - 2.97)	2.88	(2.19 - 3.78)
Circuit 12	5.45	(3.81 - 7.73)	9.36	(6.71 - 12.93)	1.51	(1.01 - 2.25)	2.25	(1.70 - 2.97)
Circuit 13 (Hillsborough)	4.43	(3.16 - 6.16)	8.00	(6.20 - 10.26)	1.75	(1.21 - 2.52)	2.69	(2.13 - 3.41)
Circuit 20	4.94	(3.41 - 7.12)	7.48	(5.38 - 10.31)	1.45	(0.98 - 2.13)	2.07	(1.58 - 2.71)
Region F - Southern (Circuits 11 and 16)	3.43	(2.44 - 4.80)	5.79	(4.42 - 7.54)	1.09	(0.74 - 1.60)	1.75	(1.36 - 2.25)
Georgia	3.87	(3.04 - 4.92)	6.31	(4.95 - 8.01)	1.62	(1.19 - 2.19)	2.33	(1.86 - 2.90)
Region 1	3.68	(2.52 - 5.35)	5.79	(4.03 - 8.26)	1.30	(0.84 - 1.99)	1.89	(1.39 - 2.58)
Region 2	3.47	(2.34 - 5.13)	5.98	(4.04 - 8.76)	1.88	(1.23 - 2.86)	2.58	(1.89 - 3.52)
Region 3	4.67	(3.18 - 6.82)	7.37	(5.22 - 10.32)	1.61	(1.05 - 2.47)	2.45	(1.82 - 3.29)
Region 4	3.99	(2.63 - 6.01)	6.03	(3.90 - 9.23)	2.11	(1.35 - 3.26)	2.77	(1.99 - 3.84)
Region 5	3.46	(2.19 - 5.42)	5.68	(3.73 - 8.56)	*	(* - *)	2.42	(1.74 - 3.37)
Region 6	3.27	(2.14 - 4.98)	6.05	(4.06 - 8.90)	1.67	(1.08 - 2.59)	2.34	(1.69 - 3.22)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	4.96	(3.84 - 6.39)	6.87	(5.47 - 8.60)	1.07	(0.73 - 1.56)	1.84	(1.46 - 2.33)
Hawaii Island	5.02	(3.34 - 7.49)	7.48	(5.08 - 10.88)	1.30	(0.81 - 2.09)	2.05	(1.48 - 2.85)
Honolulu	5.07	(3.74 - 6.83)	6.78	(5.23 - 8.75)	1.08	(0.70 - 1.67)	1.88	(1.45 - 2.44)
Kauai and Maui	4.49	(3.13 - 6.42)	6.86	(4.86 - 9.59)	0.84	(0.55 - 1.27)	1.51	(1.13 - 2.02)
Kauai	4.55	(2.89 - 7.09)	*	(* - *)	*	(* - *)	1.48	(1.04 - 2.09)
Maui	4.47	(2.89 - 6.83)	6.84	(4.58 - 10.11)	0.85	(0.53 - 1.37)	1.53	(1.10 - 2.12)
Idaho	4.46	(3.57 - 5.56)	7.40	(5.98 - 9.12)	1.52	(1.14 - 2.01)	2.42	(1.99 - 2.93)
Region 1	4.22	(2.85 - 6.20)	8.07	(5.43 - 11.83)	1.17	(0.76 - 1.80)	2.00	(1.47 - 2.73)
Region 2	4.44	(2.92 - 6.70)	8.41	(5.74 - 12.15)	1.34	(0.88 - 2.04)	2.72	(2.01 - 3.66)
Region 3	4.09	(2.72 - 6.11)	7.07	(4.93 - 10.02)	1.52	(1.01 - 2.28)	2.33	(1.74 - 3.10)
Region 4	5.07	(3.53 - 7.21)	8.94	(6.53 - 12.14)	1.74	(1.17 - 2.58)	2.74	(2.08 - 3.58)
Region 5	4.48	(3.08 - 6.47)	6.26	(4.29 - 9.05)	1.49	(0.97 - 2.29)	2.16	(1.57 - 2.97)
Region 6	4.45	(2.95 - 6.65)	7.06	(4.79 - 10.31)	1.58	(1.04 - 2.40)	2.46	(1.82 - 3.33)
Region 7	3.96	(2.65 - 5.87)	5.29	(3.58 - 7.76)	1.51	(0.97 - 2.34)	2.29	(1.67 - 3.13)
Illinois	3.66	(3.11 - 4.30)	7.94	(7.03 - 8.96)	1.32	(1.04 - 1.69)	2.29	(1.99 - 2.63)
Region I (Cook)	3.76	(2.89 - 4.86)	9.12	(7.68 - 10.80)	1.55	(1.11 - 2.15)	2.65	(2.20 - 3.20)
Region II	3.57	(2.81 - 4.54)	6.94	(5.65 - 8.50)	1.00	(0.70 - 1.42)	1.82	(1.49 - 2.22)
Region III	3.89	(2.82 - 5.34)	7.43	(5.77 - 9.52)	1.29	(0.88 - 1.88)	2.34	(1.86 - 2.95)
Region IV	3.44	(2.38 - 4.96)	6.95	(5.09 - 9.43)	1.40	(0.94 - 2.10)	2.17	(1.65 - 2.84)
Region V	3.46	(2.47 - 4.82)	7.39	(5.58 - 9.74)	1.42	(0.99 - 2.04)	2.27	(1.78 - 2.89)
Indiana	3.80	(3.00 - 4.81)	7.10	(5.75 - 8.73)	1.62	(1.21 - 2.18)	2.45	(2.00 - 3.00)
Central	4.32	(2.95 - 6.28)	7.97	(5.69 - 11.06)	1.70	(1.12 - 2.57)	2.56	(1.92 - 3.42)
East	3.76	(2.47 - 5.70)	8.10	(5.60 - 11.57)	1.75	(1.12 - 2.73)	2.79	(2.05 - 3.79)
North Central	3.94	(2.61 - 5.91)	6.73	(4.74 - 9.46)	1.52	(1.01 - 2.31)	2.27	(1.69 - 3.03)
Northeast	3.50	(2.29 - 5.32)	6.14	(4.12 - 9.06)	1.46	(0.95 - 2.24)	2.13	(1.55 - 2.93)
Northwest	3.87	(2.62 - 5.68)	7.15	(4.95 - 10.23)	1.73	(1.12 - 2.66)	2.48	(1.82 - 3.37)
Southeast	3.34	(2.18 - 5.06)	7.17	(4.98 - 10.22)	1.49	(0.97 - 2.31)	2.20	(1.61 - 3.00)
Southwest	3.46	(2.24 - 5.32)	6.45	(4.27 - 9.64)	1.70	(1.08 - 2.67)	2.37	(1.70 - 3.29)
West	3.19	(2.09 - 4.86)	6.41	(4.41 - 9.22)	1.56	(1.01 - 2.40)	2.69	(1.99 - 3.62)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	4.00	(3.17 - 5.03)	6.48	(5.13 - 8.16)	1.33	(0.97 - 1.81)	2.10	(1.69 - 2.61)
Central	4.34	(2.95 - 6.35)	6.61	(4.47 - 9.68)	1.34	(0.87 - 2.07)	2.07	(1.51 - 2.83)
North Central	4.25	(2.80 - 6.41)	7.39	(4.98 - 10.85)	1.26	(0.80 - 1.98)	2.44	(1.78 - 3.32)
Northeast	3.72	(2.54 - 5.43)	5.89	(4.17 - 8.27)	1.36	(0.89 - 2.08)	2.05	(1.52 - 2.75)
Northwest	4.08	(2.72 - 6.09)	6.14	(4.16 - 8.97)	1.40	(0.91 - 2.13)	2.02	(1.48 - 2.76)
Southeast	3.85	(2.63 - 5.59)	6.53	(4.54 - 9.31)	1.24	(0.81 - 1.91)	2.09	(1.55 - 2.82)
Southwest	3.98	(2.66 - 5.90)	6.83	(4.60 - 10.02)	1.38	(0.90 - 2.13)	2.04	(1.49 - 2.79)
Kansas	4.05	(3.20 - 5.12)	6.64	(5.22 - 8.41)	1.55	(1.11 - 2.15)	2.33	(1.85 - 2.92)
Kansas City Metro	3.96	(2.76 - 5.65)	7.38	(5.32 - 10.16)	1.33	(0.86 - 2.05)	2.23	(1.68 - 2.95)
Northeast	4.15	(2.72 - 6.30)	5.88	(3.97 - 8.63)	1.47	(0.92 - 2.33)	2.25	(1.62 - 3.11)
South Central	3.86	(2.56 - 5.76)	6.61	(4.40 - 9.81)	1.45	(0.90 - 2.33)	2.19	(1.57 - 3.06)
Southeast	4.07	(2.65 - 6.20)	8.04	(5.30 - 12.01)	*	(* - *)	2.56	(1.81 - 3.61)
West	4.30	(2.87 - 6.38)	5.77	(3.84 - 8.58)	1.28	(0.81 - 2.02)	1.94	(1.39 - 2.70)
Wichita (Sedgwick)	4.12	(2.78 - 6.06)	6.19	(4.22 - 9.01)	2.29	(1.45 - 3.60)	2.87	(2.04 - 4.03)
Kentucky	3.68	(2.88 - 4.68)	7.21	(5.77 - 8.97)	1.65	(1.23 - 2.19)	2.43	(1.98 - 2.97)
Adanta, Cumberland River, and Lifeskills	2.74	(1.79 - 4.18)	6.04	(4.18 - 8.65)	1.72	(1.11 - 2.65)	2.34	(1.70 - 3.21)
Bluegrass, Comprehend, and North Key	4.00	(2.73 - 5.82)	6.99	(5.05 - 9.61)	1.63	(1.10 - 2.40)	2.44	(1.86 - 3.20)
Communicare and River Valley	3.21	(2.05 - 4.99)	6.14	(4.09 - 9.13)	1.55	(0.99 - 2.44)	2.17	(1.55 - 3.02)
Four Rivers and Pennyroyal	3.56	(2.35 - 5.38)	6.45	(4.34 - 9.50)	1.80	(1.15 - 2.80)	2.47	(1.79 - 3.40)
Kentucky River, Mountain, and Pathways	3.41	(2.22 - 5.23)	6.94	(4.63 - 10.28)	1.87	(1.21 - 2.87)	2.53	(1.83 - 3.47)
Seven Counties	4.38	(3.01 - 6.34)	9.58	(6.79 - 13.34)	1.48	(0.98 - 2.23)	2.53	(1.91 - 3.35)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	3.56	(2.80 - 4.51)	6.32	(5.10 - 7.82)	1.81	(1.35 - 2.41)	2.51	(2.04 - 3.09)
Regions 1 and 10	3.98	(2.91 - 5.42)	7.03	(5.17 - 9.50)	1.96	(1.36 - 2.81)	2.74	(2.10 - 3.57)
Region 1	3.21	(2.12 - 4.83)	6.32	(4.29 - 9.23)	2.05	(1.30 - 3.21)	2.81	(2.03 - 3.88)
Region 10 (Jefferson)	4.71	(3.18 - 6.93)	8.00	(5.43 - 11.63)	1.87	(1.20 - 2.91)	2.68	(1.93 - 3.71)
Regions 2 and 9	3.53	(2.44 - 5.08)	6.17	(4.49 - 8.41)	1.68	(1.12 - 2.49)	2.40	(1.81 - 3.18)
Region 3	2.88	(1.91 - 4.31)	5.94	(4.01 - 8.73)	1.71	(1.10 - 2.65)	2.34	(1.67 - 3.25)
Regions 4, 5, and 6	3.49	(2.38 - 5.09)	6.21	(4.41 - 8.68)	1.87	(1.26 - 2.75)	2.53	(1.91 - 3.36)
Regions 7 and 8	3.67	(2.49 - 5.39)	6.17	(4.35 - 8.68)	1.80	(1.19 - 2.72)	2.50	(1.84 - 3.37)
Maine	3.82	(2.96 - 4.91)	8.60	(6.99 - 10.54)	1.56	(1.12 - 2.18)	2.44	(1.95 - 3.05)
Aroostook/Downeast	3.93	(2.74 - 5.61)	8.41	(6.22 - 11.27)	2.00	(1.30 - 3.06)	2.72	(2.00 - 3.71)
Aroostook	*	(* - *)	7.84	(5.33 - 11.38)	*	(* - *)	3.04	(2.07 - 4.45)
Downeast	4.06	(2.58 - 6.33)	8.89	(6.08 - 12.82)	*	(* - *)	2.46	(1.74 - 3.48)
Central	3.25	(2.11 - 5.00)	7.23	(4.96 - 10.43)	1.72	(1.06 - 2.78)	2.37	(1.68 - 3.34)
Cumberland	3.95	(2.66 - 5.84)	9.70	(6.99 - 13.31)	1.61	(1.02 - 2.54)	2.65	(1.95 - 3.57)
Midcoast	3.87	(2.48 - 6.01)	8.16	(5.52 - 11.90)	1.19	(0.74 - 1.91)	1.88	(1.34 - 2.62)
Penquis	3.95	(2.63 - 5.91)	9.44	(6.68 - 13.17)	2.12	(1.33 - 3.37)	3.31	(2.43 - 4.48)
Western	3.50	(2.32 - 5.24)	8.02	(5.65 - 11.26)	1.37	(0.88 - 2.13)	2.23	(1.64 - 3.02)
York	4.20	(2.79 - 6.27)	8.12	(5.75 - 11.36)	1.02	(0.65 - 1.59)	1.83	(1.36 - 2.46)
Maryland	4.07	(3.20 - 5.18)	7.95	(6.43 - 9.79)	1.56	(1.15 - 2.12)	2.47	(2.01 - 3.05)
Anne Arundel	4.01	(2.57 - 6.19)	7.61	(5.16 - 11.08)	*	(* - *)	2.39	(1.71 - 3.31)
Baltimore City	3.53	(2.28 - 5.45)	7.48	(5.28 - 10.51)	2.99	(1.92 - 4.63)	3.79	(2.75 - 5.20)
Baltimore County	4.27	(2.78 - 6.50)	8.91	(6.29 - 12.48)	1.71	(1.10 - 2.65)	2.74	(2.03 - 3.69)
Montgomery	4.26	(2.82 - 6.37)	8.89	(6.24 - 12.52)	0.96	(0.61 - 1.51)	1.89	(1.40 - 2.54)
North Central	3.63	(2.36 - 5.55)	7.94	(5.36 - 11.63)	*	(* - *)	2.08	(1.50 - 2.87)
Northeast	4.42	(2.86 - 6.78)	8.00	(5.35 - 11.81)	1.46	(0.92 - 2.30)	2.28	(1.64 - 3.16)
Prince George's	4.39	(2.79 - 6.85)	7.56	(5.13 - 11.00)	1.35	(0.84 - 2.14)	2.41	(1.75 - 3.31)
South	3.68	(2.40 - 5.61)	7.68	(5.20 - 11.21)	1.46	(0.95 - 2.26)	2.41	(1.77 - 3.26)
West	4.05	(2.70 - 6.03)	6.98	(4.73 - 10.17)	1.62	(1.02 - 2.56)	2.34	(1.68 - 3.23)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	5.45	(4.39 - 6.73)	7.83	(6.36 - 9.60)	1.39	(1.00 - 1.94)	2.36	(1.90 - 2.92)
Boston	5.51	(3.67 - 8.20)	7.72	(5.49 - 10.75)	1.92	(1.21 - 3.04)	3.30	(2.44 - 4.44)
Central	5.82	(4.01 - 8.39)	8.52	(5.85 - 12.23)	1.40	(0.89 - 2.22)	2.42	(1.77 - 3.30)
Metrowest	5.42	(3.87 - 7.54)	8.26	(5.80 - 11.63)	1.14	(0.72 - 1.80)	2.07	(1.53 - 2.80)
Northeast	5.55	(3.87 - 7.88)	7.36	(5.26 - 10.20)	1.29	(0.82 - 2.02)	2.08	(1.53 - 2.82)
Southeast	5.46	(3.79 - 7.80)	8.39	(6.07 - 11.49)	1.39	(0.89 - 2.17)	2.28	(1.70 - 3.04)
Western	4.85	(3.24 - 7.20)	6.72	(4.61 - 9.70)	1.54	(0.98 - 2.42)	2.43	(1.77 - 3.32)
Michigan	4.69	(4.08 - 5.39)	6.77	(5.97 - 7.67)	1.83	(1.49 - 2.24)	2.55	(2.22 - 2.93)
Detroit City	4.45	(3.09 - 6.37)	8.12	(6.09 - 10.75)	3.76	(2.49 - 5.64)	4.55	(3.38 - 6.08)
Genesee	4.15	(2.89 - 5.91)	6.66	(4.77 - 9.23)	1.99	(1.36 - 2.90)	2.63	(1.99 - 3.48)
Kalamazoo	4.40	(3.17 - 6.07)	6.38	(4.64 - 8.73)	1.71	(1.21 - 2.41)	2.44	(1.90 - 3.14)
Kent	5.29	(3.74 - 7.42)	6.43	(4.68 - 8.76)	1.66	(1.14 - 2.42)	2.41	(1.85 - 3.15)
Lakeshore	4.64	(3.38 - 6.33)	5.10	(3.66 - 7.06)	1.71	(1.19 - 2.46)	2.23	(1.70 - 2.91)
Macomb	4.48	(3.24 - 6.16)	6.85	(5.05 - 9.22)	1.50	(1.03 - 2.16)	2.17	(1.67 - 2.81)
Mid South	3.94	(2.80 - 5.52)	5.51	(4.04 - 7.48)	1.79	(1.24 - 2.59)	2.45	(1.89 - 3.18)
Northern	5.04	(3.59 - 7.03)	6.45	(4.80 - 8.62)	1.39	(0.95 - 2.03)	2.11	(1.63 - 2.71)
Oakland	5.04	(3.79 - 6.68)	8.26	(6.35 - 10.68)	1.53	(1.10 - 2.13)	2.33	(1.85 - 2.93)
Pathways and Western	4.94	(3.43 - 7.08)	6.60	(4.67 - 9.26)	1.82	(1.23 - 2.69)	2.52	(1.90 - 3.33)
Riverhaven	4.41	(3.05 - 6.33)	6.28	(4.43 - 8.84)	1.71	(1.15 - 2.52)	2.27	(1.70 - 3.03)
Saginaw	4.41	(2.94 - 6.55)	5.79	(4.02 - 8.28)	2.29	(1.52 - 3.44)	2.83	(2.08 - 3.84)
Southeast	4.92	(3.62 - 6.65)	8.12	(6.29 - 10.44)	2.10	(1.48 - 2.96)	2.90	(2.28 - 3.68)
St. Clair	5.10	(3.52 - 7.33)	6.16	(4.32 - 8.71)	1.48	(1.01 - 2.15)	2.05	(1.55 - 2.71)
Washtenaw	4.87	(3.43 - 6.88)	6.59	(4.89 - 8.83)	1.39	(0.95 - 2.02)	2.37	(1.85 - 3.04)
Minnesota	4.44	(3.52 - 5.58)	6.88	(5.53 - 8.52)	1.43	(1.06 - 1.91)	2.20	(1.79 - 2.70)
Regions 1 and 2	4.74	(3.09 - 7.20)	7.79	(5.26 - 11.39)	1.66	(1.07 - 2.55)	2.52	(1.84 - 3.43)
Regions 3 and 4	4.20	(2.89 - 6.08)	6.35	(4.40 - 9.09)	1.37	(0.89 - 2.10)	2.09	(1.53 - 2.86)
Regions 5 and 6	4.73	(3.24 - 6.85)	6.50	(4.52 - 9.25)	1.28	(0.84 - 1.93)	2.05	(1.52 - 2.75)
Region 7A (Hennepin)	4.33	(2.88 - 6.46)	6.46	(4.53 - 9.14)	1.63	(1.05 - 2.52)	2.30	(1.67 - 3.15)
Region 7B (Ramsey)	4.36	(2.87 - 6.59)	8.56	(5.85 - 12.36)	*	(* - *)	2.77	(2.02 - 3.77)
Region 7C	4.40	(3.02 - 6.35)	6.71	(4.71 - 9.47)	1.23	(0.81 - 1.86)	1.90	(1.41 - 2.55)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	3.12	(2.42 - 4.03)	6.87	(5.58 - 8.42)	1.86	(1.39 - 2.50)	2.64	(2.14 - 3.24)
Region 1	3.24	(2.16 - 4.82)	7.03	(5.01 - 9.78)	1.53	(1.01 - 2.29)	2.36	(1.78 - 3.13)
Region 2	2.83	(1.82 - 4.38)	7.51	(5.18 - 10.77)	2.33	(1.49 - 3.62)	3.13	(2.27 - 4.31)
Region 3	2.68	(1.72 - 4.16)	6.56	(4.57 - 9.33)	1.89	(1.22 - 2.93)	2.70	(1.98 - 3.67)
Region 4	3.11	(2.03 - 4.72)	6.65	(4.66 - 9.42)	2.15	(1.43 - 3.24)	2.84	(2.10 - 3.83)
Region 5	*	(* - *)	6.57	(4.39 - 9.72)	*	(* - *)	2.47	(1.76 - 3.44)
Region 6	2.72	(1.75 - 4.22)	5.90	(4.00 - 8.61)	1.97	(1.28 - 3.02)	2.62	(1.92 - 3.58)
Region 7	4.01	(2.65 - 6.03)	7.50	(5.19 - 10.71)	1.58	(1.03 - 2.43)	2.43	(1.78 - 3.29)
Missouri	4.19	(3.33 - 5.26)	7.63	(6.23 - 9.31)	1.71	(1.27 - 2.31)	2.58	(2.09 - 3.17)
Central	3.89	(2.59 - 5.81)	7.08	(4.92 - 10.08)	1.59	(1.04 - 2.42)	2.57	(1.91 - 3.47)
Eastern	4.49	(3.34 - 6.02)	8.19	(6.29 - 10.59)	1.66	(1.13 - 2.41)	2.57	(1.99 - 3.31)
Eastern (St. Louis City and County)	4.02	(2.72 - 5.92)	8.23	(5.96 - 11.26)	1.92	(1.23 - 2.97)	2.83	(2.09 - 3.82)
Eastern (excluding St. Louis)	5.23	(3.54 - 7.66)	8.11	(5.66 - 11.49)	1.21	(0.77 - 1.88)	2.10	(1.55 - 2.84)
Northwest	4.45	(3.21 - 6.15)	7.66	(5.76 - 10.14)	1.84	(1.28 - 2.64)	2.66	(2.06 - 3.44)
Northwest (Jackson)	4.38	(2.90 - 6.55)	7.82	(5.56 - 10.88)	2.30	(1.50 - 3.52)	3.07	(2.26 - 4.17)
Northwest (excluding Jackson)	4.52	(2.98 - 6.79)	7.54	(5.13 - 10.93)	1.45	(0.94 - 2.24)	2.32	(1.69 - 3.17)
Southeast	3.56	(2.33 - 5.40)	7.35	(5.07 - 10.55)	1.74	(1.13 - 2.65)	2.51	(1.84 - 3.42)
Southwest	3.77	(2.50 - 5.66)	7.18	(5.00 - 10.22)	1.73	(1.13 - 2.63)	2.51	(1.85 - 3.41)
Montana	5.45	(4.36 - 6.80)	8.53	(6.94 - 10.44)	1.50	(1.11 - 2.02)	2.48	(2.03 - 3.03)
Region 1	5.32	(3.53 - 7.95)	8.25	(5.62 - 11.94)	1.50	(0.97 - 2.32)	2.28	(1.65 - 3.13)
Region 2	4.27	(2.86 - 6.33)	9.41	(6.55 - 13.33)	1.66	(1.06 - 2.57)	2.78	(2.05 - 3.77)
Region 3	4.96	(3.47 - 7.04)	7.21	(5.04 - 10.21)	1.48	(0.95 - 2.30)	2.19	(1.59 - 3.01)
Region 4	6.47	(4.51 - 9.21)	8.88	(6.35 - 12.28)	1.47	(0.98 - 2.19)	2.61	(1.98 - 3.44)
Region 5	5.61	(4.02 - 7.77)	8.63	(6.50 - 11.37)	1.45	(0.98 - 2.16)	2.48	(1.92 - 3.18)
Nebraska	4.19	(3.23 - 5.41)	5.43	(4.26 - 6.90)	1.44	(1.02 - 2.01)	2.04	(1.60 - 2.58)
Regions 1 and 2	4.33	(3.01 - 6.19)	5.50	(3.86 - 7.79)	1.47	(0.99 - 2.19)	1.98	(1.45 - 2.69)
Region 1	4.11	(2.60 - 6.43)	*	(* - *)	*	(* - *)	2.10	(1.46 - 3.01)
Region 2	4.51	(2.90 - 6.94)	5.42	(3.51 - 8.30)	*	(* - *)	1.88	(1.31 - 2.69)
Region 3	3.78	(2.49 - 5.71)	4.72	(3.08 - 7.16)	1.27	(0.80 - 2.01)	1.77	(1.25 - 2.49)
Region 4	3.62	(2.37 - 5.48)	4.43	(2.88 - 6.76)	1.26	(0.77 - 2.04)	1.68	(1.16 - 2.41)
Region 5	3.81	(2.56 - 5.64)	5.00	(3.49 - 7.12)	1.47	(0.95 - 2.28)	2.09	(1.53 - 2.85)
Region 6	4.61	(3.22 - 6.57)	6.17	(4.48 - 8.43)	1.50	(0.98 - 2.29)	2.20	(1.64 - 2.93)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	4.77	(3.59 - 6.31)	7.52	(5.78 - 9.72)	1.65	(1.20 - 2.27)	2.47	(1.96 - 3.10)
Clark – Region 1	4.46	(3.15 - 6.27)	7.21	(5.25 - 9.81)	1.63	(1.13 - 2.35)	2.40	(1.84 - 3.13)
Region 3	4.99	(3.49 - 7.09)	7.57	(5.34 - 10.61)	1.35	(0.93 - 1.94)	2.10	(1.58 - 2.78)
Capital District	5.12	(3.28 - 7.90)	7.64	(5.00 - 11.52)	1.30	(0.84 - 2.02)	2.02	(1.45 - 2.82)
Rural/Frontier	4.89	(3.10 - 7.64)	7.50	(4.89 - 11.34)	*	(* - *)	2.17	(1.55 - 3.04)
Washoe – Region 2	6.09	(4.10 - 8.95)	8.74	(6.29 - 12.02)	1.98	(1.31 - 3.00)	3.03	(2.27 - 4.03)
New Hampshire	6.37	(5.09 - 7.95)	9.56	(7.86 - 11.59)	1.50	(1.08 - 2.07)	2.59	(2.11 - 3.17)
Central	5.28	(3.85 - 7.21)	8.27	(6.33 - 10.72)	1.68	(1.15 - 2.46)	2.64	(2.04 - 3.40)
Central 1	5.48	(3.65 - 8.16)	8.85	(6.40 - 12.11)	1.64	(1.05 - 2.54)	2.84	(2.14 - 3.74)
Central 2	5.10	(3.44 - 7.50)	7.50	(5.17 - 10.75)	1.72	(1.08 - 2.75)	2.44	(1.73 - 3.44)
Northern	6.99	(4.77 - 10.13)	9.79	(6.95 - 13.60)	1.42	(0.91 - 2.22)	2.57	(1.89 - 3.47)
Southern	6.72	(5.15 - 8.74)	10.23	(8.14 - 12.79)	1.43	(0.99 - 2.07)	2.56	(2.05 - 3.21)
Southern 1 (Rockingham)	5.62	(3.94 - 7.96)	10.38	(7.62 - 14.00)	1.04	(0.67 - 1.61)	2.10	(1.59 - 2.76)
Southern 2	7.44	(5.40 - 10.17)	10.15	(7.72 - 13.25)	1.68	(1.09 - 2.57)	2.85	(2.19 - 3.71)
New Jersey	4.20	(3.28 - 5.36)	8.21	(6.56 - 10.24)	1.30	(0.95 - 1.77)	2.20	(1.78 - 2.72)
Central	4.23	(2.90 - 6.11)	7.76	(5.39 - 11.07)	1.24	(0.81 - 1.91)	2.04	(1.51 - 2.75)
Metropolitan	4.39	(3.02 - 6.33)	8.63	(6.23 - 11.84)	1.51	(0.99 - 2.31)	2.51	(1.89 - 3.33)
Northern	4.14	(2.84 - 6.01)	7.88	(5.61 - 10.98)	1.07	(0.70 - 1.64)	1.94	(1.45 - 2.58)
Southern	4.04	(2.72 - 5.97)	8.64	(6.09 - 12.11)	1.47	(0.98 - 2.20)	2.44	(1.84 - 3.22)
New Mexico	7.00	(5.61 - 8.70)	8.36	(6.72 - 10.34)	1.90	(1.36 - 2.64)	2.85	(2.29 - 3.55)
Region 1	7.07	(4.91 - 10.07)	9.69	(6.92 - 13.41)	1.63	(1.04 - 2.55)	2.82	(2.10 - 3.76)
Region 2	6.25	(4.21 - 9.18)	6.79	(4.57 - 9.97)	1.51	(0.93 - 2.44)	2.12	(1.48 - 3.01)
Region 3 (Bernalillo)	8.49	(6.02 - 11.84)	9.48	(7.05 - 12.64)	2.23	(1.45 - 3.43)	3.32	(2.51 - 4.37)
Region 4	5.54	(3.70 - 8.21)	6.80	(4.62 - 9.89)	1.93	(1.23 - 3.01)	2.71	(1.95 - 3.75)
Region 5	6.18	(4.33 - 8.73)	7.21	(4.98 - 10.33)	1.89	(1.20 - 2.96)	2.76	(2.00 - 3.80)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	3.99	(3.41 - 4.66)	8.08	(7.17 - 9.08)	1.69	(1.35 - 2.12)	2.65	(2.31 - 3.05)
Region A	4.08	(3.30 - 5.03)	7.35	(6.25 - 8.62)	1.81	(1.39 - 2.36)	2.66	(2.24 - 3.16)
Region 1	4.18	(2.94 - 5.92)	6.30	(4.59 - 8.59)	2.33	(1.56 - 3.47)	3.04	(2.29 - 4.03)
Region 2	3.82	(2.75 - 5.28)	7.60	(5.97 - 9.64)	1.82	(1.27 - 2.61)	2.72	(2.15 - 3.44)
Region 3	4.41	(3.02 - 6.38)	7.66	(5.63 - 10.34)	1.84	(1.25 - 2.71)	2.72	(2.08 - 3.54)
Region 4	4.23	(2.96 - 6.02)	7.49	(5.55 - 10.03)	1.49	(1.02 - 2.19)	2.33	(1.79 - 3.01)
Region B	4.14	(3.30 - 5.19)	8.75	(7.27 - 10.50)	1.37	(1.02 - 1.84)	2.37	(1.98 - 2.83)
Region 5	4.15	(3.05 - 5.64)	9.30	(7.23 - 11.88)	1.29	(0.89 - 1.89)	2.35	(1.87 - 2.95)
Region 6	3.68	(2.52 - 5.34)	7.31	(5.25 - 10.09)	1.43	(0.94 - 2.15)	2.19	(1.66 - 2.88)
Region 7	4.87	(3.42 - 6.89)	9.09	(6.71 - 12.20)	1.54	(1.02 - 2.30)	2.70	(2.09 - 3.48)
Region C	3.78	(3.08 - 4.64)	8.76	(7.42 - 10.32)	1.82	(1.39 - 2.37)	2.92	(2.48 - 3.43)
Region 8	3.89	(2.72 - 5.54)	8.14	(5.92 - 11.10)	1.49	(1.02 - 2.17)	2.48	(1.93 - 3.19)
Region 9	4.15	(2.93 - 5.86)	8.74	(6.48 - 11.68)	1.92	(1.30 - 2.83)	3.02	(2.32 - 3.91)
Region 10	3.69	(2.46 - 5.51)	7.82	(5.63 - 10.76)	1.73	(1.14 - 2.61)	2.93	(2.23 - 3.84)
Region 11	3.79	(2.67 - 5.34)	9.64	(7.18 - 12.83)	1.81	(1.22 - 2.67)	3.05	(2.37 - 3.91)
Region 12	3.40	(2.35 - 4.88)	8.96	(6.62 - 12.01)	2.07	(1.42 - 3.01)	3.10	(2.41 - 3.97)
Region D	3.64	(2.81 - 4.69)	7.97	(6.36 - 9.93)	1.74	(1.29 - 2.35)	2.70	(2.23 - 3.27)
Region 13	4.15	(2.84 - 6.02)	8.56	(6.00 - 12.06)	1.58	(1.05 - 2.37)	2.63	(2.00 - 3.44)
Region 14	3.29	(2.19 - 4.92)	7.54	(5.28 - 10.65)	1.91	(1.27 - 2.87)	2.83	(2.14 - 3.74)
Region 15	3.53	(2.36 - 5.25)	7.91	(5.60 - 11.05)	1.72	(1.14 - 2.60)	2.64	(2.00 - 3.49)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	4.46	(3.60 - 5.52)	8.29	(6.74 - 10.15)	1.89	(1.40 - 2.56)	2.80	(2.26 - 3.47)
Alliance	4.68	(3.18 - 6.83)	7.69	(5.39 - 10.86)	1.96	(1.28 - 3.00)	2.82	(2.07 - 3.84)
Cardinal Innovations	4.18	(2.77 - 6.27)	7.98	(5.58 - 11.29)	1.76	(1.13 - 2.71)	2.59	(1.91 - 3.52)
CenterPoint/Guilford	4.38	(3.15 - 6.07)	8.50	(6.27 - 11.43)	1.79	(1.22 - 2.63)	2.77	(2.11 - 3.63)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	2.61	(1.89 - 3.59)
Guilford	*	(* - *)	8.55	(5.85 - 12.33)	*	(* - *)	2.94	(2.13 - 4.04)
CoastalCare	4.94	(3.22 - 7.49)	8.73	(5.86 - 12.83)	*	(* - *)	3.12	(2.27 - 4.28)
Eastpointe	4.41	(2.86 - 6.75)	9.07	(6.27 - 12.95)	2.26	(1.41 - 3.60)	3.19	(2.28 - 4.44)
ECBH	4.18	(2.74 - 6.32)	7.64	(5.18 - 11.13)	*	(* - *)	2.94	(2.10 - 4.09)
MeckLINK	4.30	(2.82 - 6.50)	8.46	(5.71 - 12.36)	*	(* - *)	2.70	(1.94 - 3.77)
Partners	4.48	(3.03 - 6.57)	8.94	(6.16 - 12.82)	2.17	(1.39 - 3.38)	3.00	(2.15 - 4.18)
Sandhills	4.34	(2.87 - 6.51)	8.67	(5.81 - 12.75)	*	(* - *)	2.80	(1.99 - 3.91)
Smoky Mountain	*	(* - *)	7.64	(5.18 - 11.13)	*	(* - *)	2.48	(1.78 - 3.44)
Western Highlands	*	(* - *)	8.81	(5.97 - 12.81)	*	(* - *)	2.35	(1.72 - 3.21)
North Dakota	4.11	(3.18 - 5.29)	5.90	(4.65 - 7.47)	1.31	(0.93 - 1.83)	2.11	(1.69 - 2.63)
Badlands and West Central	4.52	(3.11 - 6.54)	5.73	(3.89 - 8.36)	1.22	(0.78 - 1.89)	1.83	(1.33 - 2.50)
Lake Region and South Central	4.10	(2.68 - 6.22)	6.57	(4.38 - 9.75)	1.31	(0.81 - 2.10)	1.97	(1.40 - 2.76)
North Central and Northwest	4.18	(2.82 - 6.14)	6.67	(4.55 - 9.67)	1.37	(0.86 - 2.16)	2.24	(1.62 - 3.07)
Northeast	4.60	(3.07 - 6.84)	6.15	(4.30 - 8.74)	1.39	(0.88 - 2.19)	2.55	(1.88 - 3.45)
Southeast	3.40	(2.24 - 5.13)	5.28	(3.75 - 7.40)	1.32	(0.85 - 2.05)	2.16	(1.61 - 2.88)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	4.22	(3.65 - 4.88)	7.81	(6.98 - 8.73)	1.92	(1.57 - 2.35)	2.76	(2.42 - 3.15)
Boards 2, 46, 55, and 68	3.72	(2.58 - 5.35)	7.25	(5.32 - 9.82)	1.67	(1.15 - 2.41)	2.43	(1.87 - 3.15)
Boards 3, 52, and 85	3.95	(2.73 - 5.69)	6.32	(4.45 - 8.89)	1.51	(1.02 - 2.23)	2.16	(1.63 - 2.86)
Boards 4 and 78	3.86	(2.60 - 5.70)	6.90	(4.89 - 9.66)	1.73	(1.16 - 2.58)	2.35	(1.77 - 3.13)
Boards 5 and 60	3.55	(2.39 - 5.26)	7.16	(5.16 - 9.87)	1.87	(1.27 - 2.73)	2.83	(2.18 - 3.66)
Boards 7, 15, 41, 79, and 84	3.98	(2.69 - 5.86)	6.21	(4.54 - 8.44)	1.81	(1.23 - 2.66)	2.34	(1.75 - 3.13)
Boards 8, 13, and 83	3.70	(2.57 - 5.29)	6.97	(5.01 - 9.62)	1.68	(1.16 - 2.42)	2.32	(1.76 - 3.05)
Board 9 (Butler)	4.36	(2.93 - 6.45)	7.64	(5.52 - 10.48)	1.65	(1.11 - 2.44)	2.62	(1.99 - 3.45)
Board 12	5.13	(3.55 - 7.37)	7.96	(5.73 - 10.95)	1.75	(1.19 - 2.57)	2.76	(2.11 - 3.59)
Boards 18 and 47	4.91	(3.66 - 6.57)	8.35	(6.54 - 10.61)	1.73	(1.18 - 2.55)	2.61	(2.05 - 3.31)
Boards 20, 32, 54, and 69	3.76	(2.57 - 5.49)	5.80	(3.99 - 8.36)	1.74	(1.15 - 2.63)	2.27	(1.67 - 3.10)
Boards 21, 39, 51, 70, and 80	4.10	(2.83 - 5.91)	8.47	(6.10 - 11.65)	1.49	(1.02 - 2.17)	2.33	(1.79 - 3.03)
Boards 22, 74, and 87	4.23	(2.90 - 6.14)	6.73	(4.82 - 9.34)	1.53	(1.03 - 2.26)	2.34	(1.78 - 3.07)
Boards 23 and 45	3.86	(2.66 - 5.57)	8.03	(5.72 - 11.16)	1.61	(1.12 - 2.32)	2.50	(1.94 - 3.23)
Board 25 (Franklin)	4.42	(3.14 - 6.21)	9.71	(7.51 - 12.45)	2.72	(1.91 - 3.86)	3.91	(3.08 - 4.97)
Boards 27, 71, and 73	3.32	(2.21 - 4.96)	6.50	(4.68 - 8.96)	2.30	(1.58 - 3.35)	2.84	(2.13 - 3.78)
Boards 28, 43, and 67	4.77	(3.37 - 6.70)	7.29	(5.28 - 9.98)	1.33	(0.91 - 1.94)	2.20	(1.70 - 2.84)
Board 31 (Hamilton)	4.06	(2.85 - 5.76)	8.49	(6.36 - 11.26)	2.46	(1.72 - 3.51)	3.38	(2.62 - 4.35)
Board 48 (Lucas)	4.84	(3.34 - 6.95)	7.75	(5.59 - 10.64)	1.96	(1.33 - 2.87)	2.88	(2.19 - 3.77)
Boards 50 and 76	3.94	(2.73 - 5.64)	6.93	(5.07 - 9.40)	1.81	(1.22 - 2.67)	2.47	(1.86 - 3.26)
Board 57 (Montgomery)	4.36	(3.02 - 6.25)	8.18	(5.96 - 11.12)	2.78	(1.91 - 4.04)	3.54	(2.68 - 4.65)
Board 77 (Summit)	4.20	(2.90 - 6.05)	8.13	(5.88 - 11.15)	1.85	(1.26 - 2.70)	2.69	(2.05 - 3.53)
Oklahoma	3.66	(2.84 - 4.70)	6.59	(5.19 - 8.34)	1.78	(1.29 - 2.44)	2.51	(1.99 - 3.16)
Central	3.80	(2.47 - 5.79)	5.94	(4.01 - 8.71)	1.50	(0.96 - 2.32)	2.25	(1.64 - 3.09)
East Central	3.00	(1.96 - 4.57)	6.04	(4.03 - 8.94)	1.61	(1.04 - 2.50)	2.22	(1.61 - 3.06)
Northeast	3.29	(2.18 - 4.92)	6.69	(4.60 - 9.63)	1.39	(0.90 - 2.16)	2.26	(1.66 - 3.06)
Northwest and Southwest	4.43	(2.89 - 6.74)	7.57	(5.05 - 11.19)	1.72	(1.10 - 2.66)	2.63	(1.89 - 3.66)
Oklahoma County	3.99	(2.67 - 5.93)	6.68	(4.69 - 9.43)	2.03	(1.31 - 3.14)	2.75	(2.01 - 3.75)
Southeast	3.23	(2.10 - 4.95)	6.95	(4.63 - 10.31)	1.93	(1.22 - 3.04)	2.63	(1.87 - 3.68)
Tulsa County	3.66	(2.40 - 5.53)	6.11	(4.10 - 9.01)	2.02	(1.29 - 3.16)	2.62	(1.87 - 3.67)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Oregon	5.77	(4.63 - 7.16)	9.14	(7.51 - 11.08)	1.94	(1.45 - 2.60)	2.93	(2.39 - 3.59)
Region 1 (Multnomah)	6.74	(4.60 - 9.75)	11.65	(8.53 - 15.71)	2.94	(1.93 - 4.44)	4.11	(3.04 - 5.54)
Region 2	5.28	(3.62 - 7.63)	8.08	(5.79 - 11.17)	1.44	(0.94 - 2.19)	2.28	(1.69 - 3.06)
Region 3	5.84	(4.22 - 8.03)	8.77	(6.62 - 11.54)	1.79	(1.23 - 2.61)	2.93	(2.28 - 3.75)
Region 4	5.88	(4.03 - 8.52)	9.26	(6.51 - 13.00)	1.76	(1.15 - 2.71)	2.66	(1.94 - 3.62)
Region 5 (Central)	5.62	(3.67 - 8.51)	7.63	(5.21 - 11.05)	*	(* - *)	2.24	(1.61 - 3.10)
Region 6 (Eastern)	5.04	(3.23 - 7.78)	*	(* - *)	*	(* - *)	2.89	(2.03 - 4.11)
Pennsylvania	4.01	(3.43 - 4.69)	7.47	(6.57 - 8.48)	1.92	(1.56 - 2.35)	2.71	(2.36 - 3.11)
Region 1 (Allegheny)	4.42	(3.15 - 6.16)	8.14	(6.12 - 10.74)	2.59	(1.81 - 3.70)	3.36	(2.58 - 4.35)
Regions 3, 8, 9, and 51	3.75	(2.55 - 5.47)	6.94	(4.90 - 9.74)	2.10	(1.39 - 3.15)	2.80	(2.08 - 3.75)
Regions 4, 11, 37, and 49	5.14	(3.58 - 7.33)	7.91	(5.78 - 10.72)	1.41	(0.94 - 2.12)	2.29	(1.74 - 3.01)
Regions 5, 18, 23, 24, and 46	3.81	(2.62 - 5.49)	6.35	(4.52 - 8.87)	1.55	(1.05 - 2.28)	2.19	(1.66 - 2.89)
Regions 6, 12, 16, 31, 35, 45, and 47	3.73	(2.56 - 5.40)	6.36	(4.64 - 8.66)	1.44	(0.98 - 2.11)	2.42	(1.88 - 3.10)
Regions 7, 13, 20, and 33	4.10	(3.09 - 5.42)	8.40	(6.69 - 10.51)	1.35	(0.96 - 1.90)	2.27	(1.83 - 2.80)
Regions 10, 15, 27, 32, 43, and 44	3.95	(2.70 - 5.73)	7.16	(5.09 - 9.98)	2.06	(1.40 - 3.02)	2.68	(2.01 - 3.57)
Regions 17 and 21	4.19	(2.84 - 6.15)	7.49	(5.26 - 10.56)	1.93	(1.29 - 2.87)	2.81	(2.11 - 3.72)
Regions 19, 26, 28, and 42	3.88	(2.74 - 5.48)	6.49	(4.76 - 8.80)	1.45	(1.00 - 2.11)	2.13	(1.63 - 2.77)
Regions 22, 38, 40, 41, and 48	3.57	(2.46 - 5.16)	6.73	(4.91 - 9.15)	2.17	(1.44 - 3.28)	2.71	(1.98 - 3.69)
Regions 29 and 34	4.33	(2.97 - 6.28)	8.48	(6.04 - 11.80)	1.43	(0.96 - 2.13)	2.39	(1.83 - 3.13)
Regions 30 and 50	3.83	(2.60 - 5.61)	6.71	(4.69 - 9.51)	1.65	(1.12 - 2.45)	2.33	(1.76 - 3.08)
Region 36 (Philadelphia)	3.39	(2.36 - 4.85)	7.86	(6.01 - 10.22)	3.53	(2.50 - 4.97)	4.36	(3.40 - 5.58)
Rhode Island	4.88	(3.82 - 6.22)	8.49	(6.91 - 10.38)	1.82	(1.29 - 2.57)	2.90	(2.33 - 3.62)
Bristol and Newport	4.88	(3.21 - 7.34)	8.17	(5.55 - 11.86)	*	(* - *)	2.12	(1.55 - 2.89)
Kent	5.61	(3.83 - 8.14)	8.60	(6.06 - 12.07)	1.88	(1.20 - 2.92)	2.67	(1.93 - 3.68)
Providence	4.46	(3.20 - 6.19)	8.47	(6.58 - 10.84)	2.04	(1.37 - 3.04)	3.15	(2.44 - 4.06)
Washington	5.95	(4.00 - 8.76)	8.77	(6.17 - 12.34)	1.52	(0.96 - 2.41)	2.84	(2.09 - 3.85)
South Carolina	4.38	(3.46 - 5.53)	7.10	(5.76 - 8.72)	1.99	(1.49 - 2.67)	2.74	(2.21 - 3.40)
Region 1	5.08	(3.54 - 7.24)	7.26	(5.26 - 9.93)	1.95	(1.28 - 2.97)	2.71	(2.01 - 3.66)
Region 2	4.10	(2.89 - 5.80)	6.59	(4.81 - 8.97)	1.92	(1.30 - 2.82)	2.63	(1.99 - 3.48)
Region 3	4.04	(2.72 - 5.97)	6.36	(4.40 - 9.11)	2.34	(1.51 - 3.62)	2.88	(2.05 - 4.04)
Region 4	4.21	(2.93 - 6.01)	7.97	(5.78 - 10.90)	1.89	(1.25 - 2.85)	2.79	(2.08 - 3.74)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	3.95	(3.09 - 5.04)	5.24	(3.95 - 6.91)	1.45	(1.03 - 2.03)	2.01	(1.56 - 2.59)
Region 1	4.59	(3.15 - 6.64)	6.26	(4.24 - 9.15)	1.47	(0.94 - 2.30)	2.16	(1.56 - 2.99)
Region 2	3.51	(2.24 - 5.45)	5.24	(3.36 - 8.08)	1.38	(0.84 - 2.24)	1.83	(1.25 - 2.67)
Region 3	3.37	(2.23 - 5.05)	4.48	(2.93 - 6.78)	1.44	(0.90 - 2.29)	1.96	(1.38 - 2.78)
Region 4	3.93	(2.57 - 5.96)	5.40	(3.48 - 8.29)	1.33	(0.84 - 2.11)	1.97	(1.39 - 2.78)
Region 5	4.04	(2.76 - 5.86)	5.01	(3.40 - 7.31)	1.51	(0.96 - 2.37)	2.01	(1.42 - 2.82)
Tennessee	3.81	(2.98 - 4.86)	8.44	(6.93 - 10.24)	1.86	(1.37 - 2.51)	2.78	(2.27 - 3.41)
Region 1	4.27	(2.81 - 6.44)	8.38	(5.77 - 12.03)	1.70	(1.10 - 2.62)	2.53	(1.85 - 3.47)
Region 2	3.80	(2.53 - 5.65)	8.71	(6.08 - 12.31)	1.90	(1.24 - 2.90)	2.81	(2.07 - 3.79)
Region 3	3.95	(2.65 - 5.85)	9.05	(6.45 - 12.56)	1.88	(1.22 - 2.88)	2.85	(2.13 - 3.81)
Region 4 (Davidson)	3.99	(2.64 - 6.01)	9.15	(6.39 - 12.93)	2.00	(1.28 - 3.11)	3.14	(2.30 - 4.27)
Region 5	3.91	(2.64 - 5.76)	8.03	(5.78 - 11.06)	1.58	(1.03 - 2.41)	2.47	(1.85 - 3.30)
Region 6	3.89	(2.56 - 5.87)	7.99	(5.49 - 11.49)	1.97	(1.26 - 3.06)	2.80	(2.05 - 3.82)
Region 7 (Shelby)	3.21	(2.10 - 4.88)	7.96	(5.61 - 11.16)	2.15	(1.38 - 3.35)	3.07	(2.25 - 4.17)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	4.25	(3.66 - 4.94)	6.06	(5.28 - 6.94)	1.44	(1.15 - 1.81)	2.18	(1.89 - 2.51)
Region 1	4.42	(3.01 - 6.45)	6.74	(4.76 - 9.46)	1.46	(0.98 - 2.17)	2.42	(1.84 - 3.17)
Region 2	3.80	(2.50 - 5.74)	6.04	(4.08 - 8.87)	1.38	(0.94 - 2.04)	2.14	(1.61 - 2.85)
Region 3	4.63	(3.68 - 5.82)	6.67	(5.43 - 8.16)	1.53	(1.14 - 2.03)	2.28	(1.89 - 2.76)
Region 3a	5.23	(3.93 - 6.93)	7.06	(5.42 - 9.14)	1.48	(1.04 - 2.11)	2.31	(1.83 - 2.91)
Region 3bc	3.58	(2.59 - 4.92)	5.99	(4.51 - 7.91)	1.60	(1.10 - 2.31)	2.24	(1.73 - 2.91)
Region 4	3.13	(2.09 - 4.66)	5.99	(4.15 - 8.56)	1.53	(1.01 - 2.29)	2.14	(1.58 - 2.88)
Region 5	3.21	(2.17 - 4.72)	6.11	(4.28 - 8.64)	1.65	(1.09 - 2.47)	2.31	(1.72 - 3.10)
Region 6	3.80	(2.91 - 4.94)	5.75	(4.49 - 7.33)	1.43	(1.03 - 1.97)	2.09	(1.67 - 2.59)
Region 6a	3.67	(2.73 - 4.91)	5.61	(4.28 - 7.31)	1.43	(1.01 - 2.02)	2.08	(1.64 - 2.62)
Region 6bc	4.90	(3.28 - 7.25)	7.10	(4.99 - 10.00)	*	(* - *)	2.17	(1.62 - 2.90)
Region 7	3.92	(2.92 - 5.23)	5.67	(4.44 - 7.21)	1.35	(0.97 - 1.87)	2.15	(1.74 - 2.66)
Region 7a	4.22	(2.93 - 6.06)	5.83	(4.23 - 7.98)	1.32	(0.88 - 1.97)	2.08	(1.59 - 2.71)
Region 7bcd	3.40	(2.32 - 4.96)	5.47	(3.94 - 7.54)	1.40	(0.94 - 2.06)	2.28	(1.75 - 2.96)
Region 8	4.77	(3.49 - 6.50)	6.62	(4.89 - 8.91)	1.41	(0.97 - 2.05)	2.23	(1.74 - 2.86)
Region 9	4.46	(2.98 - 6.62)	5.44	(3.76 - 7.80)	1.63	(1.09 - 2.44)	2.26	(1.68 - 3.03)
Region 10	5.14	(3.55 - 7.40)	5.34	(3.66 - 7.72)	1.31	(0.85 - 2.03)	2.03	(1.49 - 2.76)
Region 11	4.56	(3.40 - 6.10)	5.27	(3.93 - 7.03)	1.28	(0.87 - 1.86)	1.97	(1.54 - 2.52)
Region 11abd	4.79	(3.31 - 6.88)	5.76	(4.03 - 8.16)	1.31	(0.86 - 1.99)	2.05	(1.55 - 2.72)
Region 11c (Hidalgo)	4.22	(2.84 - 6.22)	4.47	(3.00 - 6.60)	1.22	(0.76 - 1.95)	1.82	(1.32 - 2.51)
Utah	4.31	(3.34 - 5.54)	6.18	(4.91 - 7.75)	1.90	(1.43 - 2.53)	2.71	(2.21 - 3.31)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.24	(2.85 - 6.26)	5.25	(3.57 - 7.64)	1.62	(1.06 - 2.46)	2.31	(1.69 - 3.15)
Central, Four Corners, San Juan, and Southwest	4.02	(2.69 - 5.97)	5.92	(4.01 - 8.67)	1.78	(1.18 - 2.68)	2.49	(1.84 - 3.37)
Davis County	4.07	(2.69 - 6.11)	7.32	(4.97 - 10.67)	1.84	(1.19 - 2.84)	2.76	(2.02 - 3.77)
Salt Lake County	4.86	(3.36 - 6.97)	6.61	(4.77 - 9.10)	2.03	(1.39 - 2.95)	2.80	(2.14 - 3.66)
Utah County	3.70	(2.44 - 5.58)	5.80	(4.03 - 8.29)	1.88	(1.22 - 2.91)	2.93	(2.16 - 3.96)
Weber, Morgan	4.28	(2.79 - 6.52)	5.94	(3.91 - 8.92)	1.95	(1.26 - 3.00)	2.62	(1.88 - 3.63)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	12-17 (Estimate)	(95% Confidence Interval)	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
Vermont	5.36	(4.21 - 6.79)	10.85	(8.95 - 13.10)	1.78	(1.29-2.43)	3.10	(2.55-3.76)
Champlain Valley	5.71	(4.11 - 7.87)	10.66	(8.16 - 13.81)	1.73	(1.16-2.58)	3.33	(2.63-4.22)
Rural Northeast	4.82	(3.32 - 6.95)	11.14	(8.27 - 14.85)	1.90	(1.23-2.93)	3.09	(2.33-4.08)
Rural Southeast	5.59	(3.82 - 8.11)	10.86	(7.88 - 14.80)	1.95	(1.27-2.97)	2.93	(2.18-3.91)
Rural Southwest	4.95	(3.34 - 7.29)	11.05	(8.02 - 15.05)	1.47	(0.93-2.32)	2.74	(2.08-3.61)
Virginia	4.44	(3.52 - 5.59)	7.32	(5.85 - 9.13)	1.32	(0.97-1.80)	2.20	(1.79-2.70)
Region 1	4.60	(3.14 - 6.68)	7.34	(5.19 - 10.30)	1.15	(0.75-1.76)	2.13	(1.60-2.82)
Region 2	4.01	(2.68 - 5.97)	6.40	(4.37 - 9.30)	0.97	(0.62-1.52)	1.62	(1.18-2.23)
Region 3	4.60	(3.09 - 6.80)	6.86	(4.83 - 9.67)	1.59	(1.01-2.48)	2.37	(1.73-3.24)
Region 4	3.78	(2.53 - 5.61)	6.83	(4.63 - 9.97)	1.63	(1.06-2.52)	2.40	(1.76-3.28)
Region 5	5.26	(3.66 - 7.52)	8.76	(6.23 - 12.19)	1.45	(0.94-2.24)	2.67	(2.01-3.54)
Washington	4.80	(3.81 - 6.03)	8.14	(6.67 - 9.91)	1.63	(1.22-2.17)	2.55	(2.10-3.10)
Region 1	4.29	(3.12 - 5.89)	7.63	(5.65 - 10.22)	1.55	(1.07-2.23)	2.56	(1.99-3.29)
East 1 (previously Region 1)	4.34	(2.95 - 6.35)	8.10	(5.54 - 11.71)	1.60	(1.04-2.45)	2.68	(1.99-3.62)
East 2 (previously Region 2)	4.24	(2.77 - 6.43)	6.97	(4.78 - 10.05)	*	(* - *)	2.38	(1.75-3.24)
Region 2	5.07	(3.78 - 6.78)	8.63	(6.76 - 10.96)	1.59	(1.12-2.24)	2.54	(2.03-3.18)
North 1 (previously Region 3)	5.79	(3.96 - 8.38)	8.91	(6.45 - 12.18)	1.55	(1.03-2.34)	2.60	(1.98-3.42)
North 2 (previously Region 4)	4.59	(3.16 - 6.61)	8.46	(6.21 - 11.43)	1.60	(1.07-2.40)	2.51	(1.91-3.28)
Region 3	4.83	(3.59 - 6.46)	7.87	(6.02 - 10.22)	1.73	(1.24-2.41)	2.57	(2.02-3.26)
West 1 (previously Region 5)	4.64	(3.17 - 6.74)	7.57	(5.38 - 10.55)	1.72	(1.15-2.58)	2.60	(1.95-3.46)
West 2 (previously Region 6)	5.00	(3.46 - 7.18)	8.20	(5.78 - 11.51)	1.74	(1.16-2.60)	2.55	(1.90-3.41)
West Virginia	3.49	(2.67 - 4.54)	8.80	(7.25 - 10.65)	1.86	(1.34-2.57)	2.77	(2.23-3.43)
Region I	3.88	(2.54 - 5.88)	7.96	(5.34 - 11.70)	*	(* - *)	2.31	(1.65-3.21)
Region II	3.77	(2.49 - 5.68)	8.03	(5.49 - 11.60)	1.45	(0.93-2.26)	2.26	(1.64-3.12)
Region III	2.92	(1.88 - 4.52)	7.30	(4.91 - 10.72)	1.77	(1.11-2.80)	2.38	(1.69-3.34)
Region IV	3.78	(2.50 - 5.70)	10.40	(7.95 - 13.48)	1.88	(1.20-2.94)	3.39	(2.62-4.38)
Region V	3.32	(2.24 - 4.89)	8.95	(6.68 - 11.90)	2.14	(1.39-3.28)	2.95	(2.19-3.96)
Region VI	3.30	(2.14 - 5.08)	7.31	(5.08 - 10.41)	1.90	(1.21-2.97)	2.51	(1.79-3.51)

See notes at end of table.

(continued)

Table 17 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Wisconsin	4.58	(3.66 - 5.73)	6.31	(5.02 - 7.89)	1.50	(1.09 - 2.05)	2.19	(1.74-2.74)
Milwaukee	4.46	(2.92 - 6.76)	6.72	(4.53 - 9.86)	2.35	(1.49 - 3.70)	3.06	(2.17-4.30)
Northeastern	4.12	(2.86 - 5.91)	6.15	(4.36 - 8.61)	1.36	(0.89 - 2.09)	1.99	(1.46-2.71)
Northern	4.27	(2.81 - 6.44)	6.37	(4.28 - 9.39)	*	(* - *)	2.05	(1.46-2.87)
Southeastern	5.39	(3.71 - 7.76)	6.83	(4.67 - 9.88)	1.19	(0.76 - 1.86)	1.91	(1.39-2.63)
Southern	4.84	(3.33 - 6.99)	5.91	(4.11 - 8.41)	1.43	(0.93 - 2.20)	2.11	(1.54-2.88)
Western	3.98	(2.68 - 5.87)	5.90	(3.99 - 8.64)	1.33	(0.87 - 2.03)	2.06	(1.51-2.80)
Wyoming	4.73	(3.72 - 5.99)	5.44	(4.24 - 6.96)	1.39	(1.00 - 1.92)	1.99	(1.58-2.50)
Judicial District 1 (Laramie)	5.01	(3.34 - 7.46)	5.57	(3.73 - 8.23)	1.58	(1.01 - 2.45)	2.14	(1.53-2.98)
Judicial District 2	4.87	(3.16 - 7.44)	5.18	(3.51 - 7.58)	1.33	(0.83 - 2.13)	2.46	(1.80-3.36)
Judicial District 3	4.02	(2.67 - 6.01)	4.01	(2.68 - 5.97)	1.37	(0.86 - 2.17)	1.73	(1.22-2.46)
Judicial District 4	4.71	(3.05 - 7.20)	5.68	(3.73 - 8.56)	1.36	(0.85 - 2.17)	1.85	(1.30-2.63)
Judicial District 5	4.54	(2.96 - 6.90)	5.30	(3.41 - 8.14)	1.20	(0.76 - 1.88)	1.68	(1.19-2.37)
Judicial District 6	4.44	(2.97 - 6.58)	5.05	(3.28 - 7.69)	1.44	(0.92 - 2.25)	1.96	(1.40-2.74)
Judicial District 7 (Natrona)	5.37	(3.55 - 8.05)	6.08	(4.07 - 8.99)	1.65	(1.05 - 2.60)	2.28	(1.63-3.17)
Judicial District 8	4.83	(3.20 - 7.23)	6.19	(4.10 - 9.24)	*	(* - *)	1.80	(1.28-2.52)
Judicial District 9	4.97	(3.28 - 7.46)	6.62	(4.38 - 9.89)	1.14	(0.70 - 1.86)	1.82	(1.27-2.59)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	2.36	(2.21 - 2.52)	5.40	(5.17 - 5.65)	1.19	(1.09 - 1.30)	1.81	(1.72 - 1.91)
Northeast	2.21	(1.98 - 2.48)	5.68	(5.22 - 6.17)	1.24	(1.08 - 1.43)	1.88	(1.71 - 2.06)
Midwest	2.18	(1.99 - 2.40)	4.95	(4.61 - 5.32)	1.14	(1.01 - 1.28)	1.70	(1.57 - 1.83)
South	2.27	(2.08 - 2.49)	4.94	(4.62 - 5.29)	1.18	(1.05 - 1.32)	1.73	(1.60 - 1.87)
West	2.76	(2.45 - 3.12)	6.31	(5.78 - 6.88)	1.22	(1.04 - 1.43)	2.00	(1.82 - 2.20)
Alabama	1.98	(1.46 - 2.69)	4.09	(3.04 - 5.48)	1.08	(0.74 - 1.57)	1.53	(1.16 - 2.02)
Region 1	1.79	(1.08 - 2.93)	3.88	(2.46 - 6.07)	0.97	(0.58 - 1.61)	1.36	(0.91 - 2.02)
Region 2	2.31	(1.51 - 3.54)	4.44	(2.95 - 6.64)	1.14	(0.71 - 1.82)	1.65	(1.16 - 2.34)
Region 3	1.69	(1.02 - 2.78)	3.93	(2.50 - 6.11)	1.00	(0.60 - 1.68)	1.53	(1.04 - 2.25)
Region 4	2.00	(1.25 - 3.19)	3.95	(2.62 - 5.94)	1.19	(0.73 - 1.94)	1.57	(1.08 - 2.28)
Alaska	2.64	(1.96 - 3.55)	4.78	(3.62 - 6.31)	1.02	(0.72 - 1.42)	1.60	(1.25 - 2.05)
Anchorage	2.77	(1.85 - 4.12)	4.77	(3.30 - 6.83)	1.10	(0.72 - 1.68)	1.70	(1.24 - 2.33)
Northern	2.21	(1.35 - 3.58)	4.77	(3.09 - 7.29)	0.99	(0.63 - 1.58)	1.70	(1.20 - 2.42)
South Central	2.79	(1.79 - 4.34)	4.73	(3.05 - 7.28)	0.95	(0.59 - 1.54)	1.45	(0.99 - 2.12)
Southeast	2.70	(1.64 - 4.39)	5.06	(3.22 - 7.88)	0.88	(0.55 - 1.40)	1.39	(0.96 - 2.00)
Arizona	3.31	(2.47 - 4.43)	5.95	(4.56 - 7.72)	1.46	(1.02 - 2.07)	2.12	(1.65 - 2.71)
Maricopa	3.50	(2.44 - 4.99)	6.19	(4.51 - 8.45)	1.61	(1.06 - 2.43)	2.29	(1.71 - 3.07)
Pima	3.77	(2.35 - 5.99)	6.39	(4.15 - 9.72)	1.36	(0.85 - 2.17)	2.14	(1.49 - 3.06)
Rural North	2.61	(1.57 - 4.29)	5.30	(3.34 - 8.33)	1.12	(0.69 - 1.83)	1.71	(1.16 - 2.50)
Rural South	2.56	(1.57 - 4.15)	4.75	(2.98 - 7.49)	1.20	(0.73 - 1.96)	1.69	(1.13 - 2.51)
Arkansas	2.36	(1.77 - 3.13)	4.59	(3.52 - 5.97)	1.29	(0.93 - 1.78)	1.77	(1.39 - 2.25)
Catchment Area 1	2.30	(1.41 - 3.74)	4.11	(2.64 - 6.37)	1.10	(0.68 - 1.79)	1.60	(1.09 - 2.32)
Catchment Area 2	2.37	(1.42 - 3.93)	4.63	(2.83 - 7.51)	*	(* - *)	1.37	(0.90 - 2.07)
Catchment Area 3	2.06	(1.24 - 3.41)	4.60	(2.90 - 7.23)	1.31	(0.80 - 2.13)	1.80	(1.22 - 2.66)
Catchment Area 4	2.15	(1.31 - 3.52)	4.24	(2.61 - 6.79)	*	(* - *)	1.46	(0.97 - 2.19)
Catchment Area 5	2.28	(1.40 - 3.71)	4.61	(3.01 - 6.98)	1.23	(0.76 - 2.00)	1.81	(1.25 - 2.61)
Catchment Area 6	*	(* - *)	4.31	(2.62 - 7.00)	1.92	(1.15 - 3.18)	2.27	(1.48 - 3.44)
Catchment Area 7	2.17	(1.28 - 3.64)	4.34	(2.66 - 6.98)	*	(* - *)	1.56	(1.04 - 2.34)
Catchment Area 8	2.96	(1.87 - 4.65)	5.43	(3.64 - 8.02)	1.67	(1.05 - 2.64)	2.16	(1.50 - 3.10)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	2.72	(2.27 - 3.26)	6.74	(5.90 - 7.69)	1.16	(0.90 - 1.50)	2.05	(1.77 - 2.37)
Region 1R	3.34	(2.06 - 5.37)	8.48	(5.73 - 12.39)	1.17	(0.75 - 1.82)	2.28	(1.64 - 3.17)
Region 2R	3.19	(2.01 - 5.03)	9.33	(6.42 - 13.37)	1.12	(0.72 - 1.73)	2.38	(1.73 - 3.26)
Region 3R (Sacramento)	2.97	(1.90 - 4.59)	7.21	(4.81 - 10.66)	1.36	(0.88 - 2.12)	2.27	(1.61 - 3.17)
Region 4R	3.41	(2.20 - 5.24)	8.74	(6.07 - 12.43)	1.13	(0.72 - 1.77)	2.13	(1.53 - 2.95)
Region 5R (San Francisco)	*	(* - *)	7.73	(5.24 - 11.26)	*	(* - *)	2.25	(1.59 - 3.17)
Region 6 (Santa Clara)	2.32	(1.45 - 3.68)	6.79	(4.64 - 9.83)	0.82	(0.52 - 1.31)	1.61	(1.16 - 2.24)
Region 7R (Contra Costa)	3.21	(2.05 - 4.99)	7.30	(4.83 - 10.87)	1.04	(0.64 - 1.67)	1.85	(1.29 - 2.63)
Region 8R (Alameda)	2.48	(1.58 - 3.87)	6.76	(4.60 - 9.82)	1.11	(0.72 - 1.72)	1.91	(1.38 - 2.65)
Region 9R (San Mateo)	*	(* - *)	6.90	(4.57 - 10.29)	*	(* - *)	1.42	(0.99 - 2.05)
Region 10	3.17	(2.04 - 4.89)	8.01	(5.56 - 11.41)	1.30	(0.83 - 2.05)	2.47	(1.80 - 3.39)
Region 11 (Los Angeles)	2.64	(2.06 - 3.37)	6.09	(5.05 - 7.34)	1.25	(0.93 - 1.67)	2.03	(1.68 - 2.44)
LA SPA 1 and 5	2.43	(1.50 - 3.91)	6.49	(4.27 - 9.72)	1.38	(0.87 - 2.16)	2.21	(1.55 - 3.13)
LA SPA 2	2.61	(1.68 - 4.03)	6.32	(4.39 - 9.03)	1.19	(0.78 - 1.83)	1.95	(1.42 - 2.68)
LA SPA 3	2.59	(1.66 - 4.02)	6.06	(4.13 - 8.81)	1.03	(0.66 - 1.60)	1.81	(1.31 - 2.50)
LA SPA 4	2.65	(1.63 - 4.29)	5.83	(3.92 - 8.60)	1.53	(0.96 - 2.45)	2.19	(1.52 - 3.16)
LA SPA 6	2.95	(1.83 - 4.71)	6.68	(4.49 - 9.83)	1.46	(0.93 - 2.30)	2.56	(1.83 - 3.57)
LA SPA 7	2.49	(1.56 - 3.95)	5.13	(3.46 - 7.54)	1.01	(0.62 - 1.66)	1.73	(1.23 - 2.43)
LA SPA 8	2.76	(1.79 - 4.25)	6.15	(4.25 - 8.83)	1.32	(0.84 - 2.05)	2.04	(1.47 - 2.83)
Region 12R	2.49	(1.52 - 4.06)	6.45	(4.19 - 9.80)	*	(* - *)	2.05	(1.43 - 2.93)
Regions 13 and 19R	2.76	(1.85 - 4.11)	7.02	(5.12 - 9.55)	1.13	(0.74 - 1.73)	2.11	(1.59 - 2.80)
Region 13 (Riverside)	2.77	(1.81 - 4.22)	7.13	(5.12 - 9.85)	1.11	(0.71 - 1.73)	2.11	(1.57 - 2.84)
Region 19R (Imperial)	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Region 14 (Orange)	2.31	(1.53 - 3.47)	6.78	(4.92 - 9.27)	0.97	(0.63 - 1.49)	1.86	(1.39 - 2.49)
Region 15R (Fresno)	2.50	(1.54 - 4.04)	6.26	(4.08 - 9.49)	1.66	(1.01 - 2.74)	2.51	(1.73 - 3.65)
Region 16R (San Diego)	2.60	(1.73 - 3.89)	6.18	(4.43 - 8.56)	1.06	(0.70 - 1.60)	1.93	(1.44 - 2.58)
Region 17R	3.11	(2.04 - 4.71)	6.36	(4.34 - 9.24)	1.53	(0.98 - 2.38)	2.40	(1.73 - 3.32)
Region 18R (San Bernardino)	2.35	(1.51 - 3.66)	5.41	(3.77 - 7.70)	1.04	(0.66 - 1.65)	1.82	(1.32 - 2.50)
Region 20R	2.86	(1.82 - 4.48)	6.71	(4.55 - 9.80)	*	(* - *)	2.19	(1.56 - 3.07)
Region 21R	3.17	(2.01 - 4.96)	8.15	(5.56 - 11.80)	1.10	(0.69 - 1.73)	2.38	(1.70 - 3.32)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	2.91	(2.16 - 3.92)	6.66	(5.24 - 8.43)	1.23	(0.86 - 1.75)	2.02	(1.59 - 2.55)
Region 1	2.70	(1.68 - 4.30)	6.36	(4.19 - 9.54)	1.09	(0.68 - 1.76)	2.01	(1.40 - 2.88)
Regions 2 and 7	3.07	(2.07 - 4.54)	7.16	(5.33 - 9.56)	1.28	(0.84 - 1.95)	2.09	(1.57 - 2.78)
Region 3	2.65	(1.66 - 4.22)	6.02	(3.96 - 9.06)	1.39	(0.86 - 2.25)	2.10	(1.45 - 3.03)
Region 4	3.00	(1.80 - 4.94)	*	(* - *)	*	(* - *)	1.84	(1.23 - 2.74)
Regions 5 and 6	2.70	(1.64 - 4.43)	5.97	(3.77 - 9.32)	*	(* - *)	1.61	(1.10 - 2.37)
Connecticut	2.31	(1.74 - 3.07)	6.14	(4.80 - 7.83)	1.39	(0.99 - 1.95)	2.03	(1.60 - 2.59)
Eastern	1.91	(1.15 - 3.15)	5.08	(3.27 - 7.81)	1.22	(0.73 - 2.03)	1.90	(1.29 - 2.79)
North Central	2.05	(1.30 - 3.21)	5.78	(3.95 - 8.40)	1.38	(0.87 - 2.17)	1.95	(1.38 - 2.75)
Northwestern	2.66	(1.64 - 4.29)	6.73	(4.35 - 10.27)	1.31	(0.81 - 2.10)	1.95	(1.34 - 2.83)
South Central	2.71	(1.74 - 4.21)	6.59	(4.56 - 9.42)	1.53	(0.96 - 2.41)	2.23	(1.58 - 3.14)
Southwest	2.16	(1.33 - 3.50)	6.58	(4.24 - 10.07)	1.45	(0.87 - 2.38)	2.08	(1.42 - 3.03)
Delaware	2.49	(1.85 - 3.33)	6.28	(4.82 - 8.13)	1.32	(0.95 - 1.83)	2.04	(1.61 - 2.59)
Kent	2.23	(1.40 - 3.53)	5.77	(3.76 - 8.75)	1.39	(0.87 - 2.19)	2.10	(1.46 - 3.01)
New Castle (excluding Wilmington City)	2.69	(1.81 - 4.00)	6.90	(5.01 - 9.42)	1.49	(0.99 - 2.22)	2.34	(1.75 - 3.12)
Sussex	2.30	(1.45 - 3.62)	5.17	(3.26 - 8.09)	0.72	(0.44 - 1.16)	1.19	(0.81 - 1.75)
Wilmington City	2.20	(1.31 - 3.66)	5.54	(3.46 - 8.75)	1.89	(1.19 - 3.01)	2.43	(1.65 - 3.54)
District of Columbia	2.23	(1.66 - 3.00)	5.14	(3.99 - 6.59)	1.93	(1.40 - 2.67)	2.56	(2.01 - 3.25)
Ward 1	2.04	(1.17 - 3.54)	4.39	(2.84 - 6.72)	2.02	(1.23 - 3.32)	2.53	(1.71 - 3.74)
Ward 2	*	(* - *)	4.55	(2.94 - 6.97)	1.84	(1.13 - 2.97)	2.65	(1.83 - 3.81)
Ward 3	2.24	(1.36 - 3.68)	5.85	(3.83 - 8.82)	1.53	(0.95 - 2.45)	2.33	(1.62 - 3.35)
Ward 4	2.31	(1.40 - 3.80)	5.28	(3.27 - 8.42)	1.77	(1.08 - 2.87)	2.18	(1.44 - 3.27)
Ward 5	2.27	(1.37 - 3.75)	5.22	(3.38 - 7.97)	1.81	(1.12 - 2.93)	2.47	(1.69 - 3.58)
Ward 6	2.31	(1.37 - 3.87)	6.00	(3.82 - 9.29)	2.20	(1.38 - 3.51)	2.78	(1.88 - 4.09)
Ward 7	2.13	(1.29 - 3.50)	5.26	(3.29 - 8.32)	2.03	(1.21 - 3.40)	2.58	(1.71 - 3.88)
Ward 8	2.31	(1.45 - 3.66)	5.29	(3.43 - 8.07)	2.38	(1.48 - 3.82)	2.99	(2.08 - 4.29)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	2.27	(1.91 - 2.71)	5.48	(4.76 - 6.31)	1.10	(0.87 - 1.38)	1.67	(1.44 - 1.95)
Region A - Northwest	2.35	(1.75 - 3.15)	6.18	(4.79 - 7.95)	1.54	(1.13 - 2.11)	2.36	(1.88 - 2.95)
Circuit 1	2.32	(1.54 - 3.48)	5.76	(3.94 - 8.35)	1.57	(1.03 - 2.37)	2.21	(1.60 - 3.05)
Circuit 2	2.26	(1.42 - 3.57)	6.58	(4.53 - 9.46)	1.77	(1.15 - 2.71)	2.96	(2.15 - 4.05)
Circuit 14	2.55	(1.60 - 4.04)	6.31	(4.17 - 9.43)	1.23	(0.80 - 1.89)	1.91	(1.35 - 2.68)
Region B - Northeast	2.53	(1.88 - 3.38)	5.84	(4.56 - 7.45)	1.39	(1.03 - 1.87)	2.06	(1.67 - 2.55)
Circuits 3 and 8	2.15	(1.34 - 3.41)	5.27	(3.60 - 7.65)	1.28	(0.84 - 1.95)	2.11	(1.54 - 2.89)
Circuit 4	2.50	(1.62 - 3.83)	5.53	(3.73 - 8.12)	1.73	(1.16 - 2.55)	2.28	(1.67 - 3.11)
Circuit 7	2.79	(1.82 - 4.26)	6.98	(4.82 - 10.02)	1.06	(0.68 - 1.63)	1.76	(1.28 - 2.41)
Region C - Central	2.19	(1.72 - 2.79)	5.39	(4.41 - 6.56)	1.03	(0.77 - 1.37)	1.60	(1.32 - 1.95)
Circuit 5	2.15	(1.38 - 3.36)	5.50	(3.75 - 8.00)	0.79	(0.51 - 1.21)	1.22	(0.88 - 1.70)
Circuit 9	1.94	(1.28 - 2.94)	5.10	(3.66 - 7.08)	1.37	(0.89 - 2.12)	2.03	(1.50 - 2.75)
Circuit 10	2.22	(1.44 - 3.42)	5.51	(3.76 - 8.02)	1.07	(0.69 - 1.65)	1.63	(1.17 - 2.27)
Circuit 18	2.58	(1.70 - 3.89)	5.68	(3.94 - 8.11)	0.96	(0.63 - 1.47)	1.56	(1.14 - 2.15)
Circuit 19	2.23	(1.42 - 3.49)	5.55	(3.68 - 8.28)	0.81	(0.52 - 1.28)	1.31	(0.92 - 1.87)
Region D - Southeast	2.07	(1.49 - 2.86)	5.23	(4.07 - 6.69)	0.96	(0.68 - 1.35)	1.47	(1.15 - 1.87)
Circuit 15 (Palm Beach)	2.27	(1.49 - 3.45)	5.95	(4.22 - 8.32)	1.02	(0.67 - 1.56)	1.58	(1.15 - 2.16)
Circuit 17 (Broward)	1.92	(1.25 - 2.95)	4.71	(3.33 - 6.63)	0.91	(0.58 - 1.40)	1.38	(1.00 - 1.89)
Region E - Sun Coast	2.57	(1.99 - 3.32)	5.97	(4.84 - 7.33)	1.16	(0.87 - 1.54)	1.71	(1.39 - 2.09)
Circuit 6	3.09	(2.02 - 4.70)	7.68	(5.35 - 10.90)	1.34	(0.86 - 2.08)	1.99	(1.43 - 2.76)
Circuit 12	2.86	(1.84 - 4.41)	7.07	(4.80 - 10.29)	1.02	(0.66 - 1.59)	1.59	(1.14 - 2.22)
Circuit 13 (Hillsborough)	2.05	(1.33 - 3.16)	4.55	(3.23 - 6.39)	1.29	(0.86 - 1.95)	1.79	(1.31 - 2.43)
Circuit 20	2.46	(1.60 - 3.77)	5.39	(3.64 - 7.92)	0.90	(0.58 - 1.39)	1.36	(0.97 - 1.90)
Region F - Southern (Circuits 11 and 16)	1.89	(1.28 - 2.79)	4.35	(3.18 - 5.92)	0.76	(0.50 - 1.17)	1.26	(0.94 - 1.69)
Georgia	2.01	(1.51 - 2.67)	3.84	(2.83 - 5.20)	1.15	(0.79 - 1.66)	1.56	(1.18 - 2.05)
Region 1	1.95	(1.22 - 3.09)	3.72	(2.38 - 5.79)	0.96	(0.59 - 1.56)	1.33	(0.90 - 1.96)
Region 2	1.96	(1.21 - 3.18)	3.57	(2.22 - 5.70)	1.35	(0.81 - 2.26)	1.73	(1.16 - 2.59)
Region 3	2.24	(1.42 - 3.51)	4.06	(2.67 - 6.12)	1.14	(0.70 - 1.86)	1.57	(1.09 - 2.26)
Region 4	1.93	(1.17 - 3.16)	4.03	(2.43 - 6.61)	1.59	(0.93 - 2.72)	2.01	(1.30 - 3.09)
Region 5	*	(* - *)	3.84	(2.29 - 6.37)	*	(* - *)	1.64	(1.08 - 2.47)
Region 6	1.79	(1.10 - 2.90)	3.78	(2.32 - 6.09)	1.10	(0.66 - 1.83)	1.51	(1.01 - 2.26)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	2.40	(1.71 - 3.36)	4.80	(3.63 - 6.32)	0.83	(0.54 - 1.27)	1.36	(1.02 - 1.79)
Hawaii Island	2.28	(1.40 - 3.69)	4.40	(2.70 - 7.07)	0.94	(0.55 - 1.60)	1.36	(0.90 - 2.06)
Honolulu	2.47	(1.64 - 3.70)	4.93	(3.62 - 6.70)	0.84	(0.52 - 1.36)	1.41	(1.03 - 1.93)
Kauai and Maui	2.23	(1.44 - 3.43)	4.43	(2.88 - 6.75)	0.69	(0.43 - 1.10)	1.10	(0.77 - 1.59)
Kauai	*	(* - *)	*	(* - *)	*	(* - *)	1.14	(0.74 - 1.75)
Maui	2.23	(1.33 - 3.71)	4.49	(2.73 - 7.29)	*	(* - *)	1.09	(0.72 - 1.64)
Idaho	2.47	(1.90 - 3.21)	5.29	(4.09 - 6.81)	1.17	(0.84 - 1.61)	1.79	(1.42 - 2.26)
Region 1	2.42	(1.47 - 3.97)	5.24	(3.28 - 8.28)	0.86	(0.53 - 1.39)	1.39	(0.94 - 2.04)
Region 2	2.45	(1.49 - 4.03)	5.75	(3.63 - 9.01)	*	(* - *)	1.80	(1.22 - 2.65)
Region 3	2.55	(1.63 - 3.97)	5.53	(3.64 - 8.33)	1.29	(0.79 - 2.11)	1.91	(1.32 - 2.75)
Region 4	2.78	(1.83 - 4.20)	6.14	(4.20 - 8.91)	1.45	(0.93 - 2.26)	2.10	(1.50 - 2.93)
Region 5	2.30	(1.45 - 3.63)	4.31	(2.72 - 6.75)	1.05	(0.64 - 1.70)	1.51	(1.02 - 2.21)
Region 6	2.39	(1.48 - 3.85)	4.89	(3.08 - 7.67)	1.07	(0.66 - 1.72)	1.68	(1.15 - 2.45)
Region 7	2.03	(1.25 - 3.31)	4.42	(2.79 - 6.94)	1.08	(0.67 - 1.76)	1.77	(1.21 - 2.59)
Illinois	1.96	(1.60 - 2.41)	5.41	(4.68 - 6.24)	1.02	(0.79 - 1.33)	1.66	(1.42 - 1.95)
Region I (Cook)	2.24	(1.66 - 3.01)	6.12	(5.01 - 7.47)	1.26	(0.89 - 1.77)	1.97	(1.59 - 2.45)
Region II	1.60	(1.15 - 2.22)	4.49	(3.48 - 5.78)	0.78	(0.53 - 1.15)	1.29	(1.01 - 1.66)
Region III	2.20	(1.50 - 3.23)	5.26	(3.86 - 7.13)	0.95	(0.64 - 1.41)	1.69	(1.28 - 2.23)
Region IV	2.01	(1.29 - 3.10)	5.35	(3.72 - 7.64)	0.93	(0.61 - 1.42)	1.54	(1.12 - 2.10)
Region V	1.95	(1.30 - 2.93)	5.40	(3.86 - 7.50)	0.95	(0.63 - 1.45)	1.59	(1.18 - 2.13)
Indiana	2.15	(1.63 - 2.83)	4.93	(3.78 - 6.41)	1.16	(0.83 - 1.63)	1.73	(1.35 - 2.21)
Central	2.31	(1.45 - 3.65)	5.52	(3.60 - 8.38)	1.30	(0.81 - 2.10)	1.88	(1.30 - 2.71)
East	2.32	(1.39 - 3.85)	5.72	(3.61 - 8.93)	1.14	(0.70 - 1.86)	1.89	(1.30 - 2.76)
North Central	2.09	(1.30 - 3.34)	4.82	(3.13 - 7.35)	1.10	(0.68 - 1.78)	1.63	(1.13 - 2.36)
Northeast	1.95	(1.19 - 3.20)	4.30	(2.60 - 7.03)	1.09	(0.66 - 1.77)	1.55	(1.03 - 2.32)
Northwest	2.29	(1.41 - 3.71)	4.91	(3.08 - 7.74)	1.30	(0.79 - 2.12)	1.79	(1.20 - 2.67)
Southeast	2.07	(1.26 - 3.37)	4.97	(3.16 - 7.73)	1.07	(0.66 - 1.74)	1.55	(1.06 - 2.28)
Southwest	2.05	(1.24 - 3.37)	4.66	(2.88 - 7.48)	*	(* - *)	1.59	(1.06 - 2.36)
West	1.87	(1.13 - 3.07)	4.25	(2.73 - 6.57)	*	(* - *)	1.73	(1.18 - 2.54)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	2.05	(1.55 - 2.71)	4.25	(3.19 - 5.65)	0.83	(0.59 - 1.18)	1.34	(1.04 - 1.73)
Central	2.38	(1.49 - 3.78)	4.58	(2.92 - 7.12)	0.96	(0.60 - 1.53)	1.46	(1.01 - 2.11)
North Central	1.95	(1.17 - 3.22)	4.71	(2.91 - 7.53)	*	(* - *)	1.55	(1.04 - 2.30)
Northeast	1.78	(1.11 - 2.83)	3.61	(2.38 - 5.43)	0.82	(0.51 - 1.31)	1.24	(0.86 - 1.77)
Northwest	1.99	(1.22 - 3.22)	3.83	(2.40 - 6.05)	0.72	(0.43 - 1.20)	1.13	(0.76 - 1.67)
Southeast	2.08	(1.31 - 3.30)	4.45	(2.82 - 6.95)	0.81	(0.50 - 1.31)	1.40	(0.96 - 2.03)
Southwest	2.21	(1.30 - 3.73)	4.90	(3.06 - 7.76)	0.90	(0.54 - 1.47)	1.37	(0.92 - 2.05)
Kansas	2.06	(1.54 - 2.76)	4.07	(3.03 - 5.44)	1.01	(0.69 - 1.48)	1.48	(1.13 - 1.94)
Kansas City Metro	1.91	(1.22 - 2.98)	4.21	(2.79 - 6.29)	0.94	(0.57 - 1.55)	1.43	(0.99 - 2.06)
Northeast	2.03	(1.23 - 3.33)	3.74	(2.32 - 5.99)	0.89	(0.53 - 1.47)	1.39	(0.94 - 2.07)
South Central	2.16	(1.33 - 3.50)	4.46	(2.74 - 7.17)	*	(* - *)	1.44	(0.96 - 2.16)
Southeast	2.33	(1.38 - 3.91)	4.59	(2.76 - 7.55)	*	(* - *)	1.51	(1.00 - 2.27)
West	1.96	(1.17 - 3.26)	3.71	(2.30 - 5.91)	*	(* - *)	1.17	(0.78 - 1.75)
Wichita (Sedgwick)	2.27	(1.39 - 3.69)	3.95	(2.51 - 6.14)	1.55	(0.90 - 2.66)	1.91	(1.26 - 2.89)
Kentucky	2.28	(1.73 - 3.00)	6.03	(4.72 - 7.67)	1.27	(0.91 - 1.76)	1.94	(1.53 - 2.44)
Adanta, Cumberland River, and Lifeskills	1.92	(1.18 - 3.12)	5.17	(3.41 - 7.76)	1.26	(0.79 - 2.02)	1.82	(1.27 - 2.60)
Bluegrass, Comprehend, and North Key	2.24	(1.43 - 3.48)	5.89	(4.10 - 8.38)	1.34	(0.85 - 2.08)	2.03	(1.47 - 2.80)
Communicare and River Valley	2.05	(1.23 - 3.40)	5.16	(3.29 - 8.03)	1.14	(0.69 - 1.89)	1.67	(1.12 - 2.50)
Four Rivers and Pennyroyal	2.30	(1.41 - 3.71)	5.57	(3.49 - 8.77)	1.24	(0.76 - 2.02)	1.86	(1.26 - 2.75)
Kentucky River, Mountain, and Pathways	2.29	(1.38 - 3.78)	6.29	(3.97 - 9.82)	1.33	(0.82 - 2.15)	1.97	(1.33 - 2.91)
Seven Counties	2.72	(1.75 - 4.20)	7.51	(5.09 - 10.96)	1.23	(0.77 - 1.95)	2.05	(1.46 - 2.86)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	2.31	(1.75 - 3.03)	4.93	(3.86 - 6.28)	1.30	(0.95 - 1.78)	1.87	(1.48 - 2.35)
Regions 1 and 10	2.32	(1.57 - 3.42)	4.90	(3.43 - 6.96)	1.46	(0.97 - 2.19)	1.99	(1.46 - 2.72)
Region 1	1.89	(1.15 - 3.08)	4.56	(2.90 - 7.10)	1.64	(1.00 - 2.69)	2.16	(1.47 - 3.18)
Region 10 (Jefferson)	2.74	(1.67 - 4.45)	5.36	(3.39 - 8.36)	1.29	(0.79 - 2.08)	1.82	(1.24 - 2.67)
Regions 2 and 9	2.40	(1.57 - 3.66)	5.11	(3.55 - 7.31)	1.29	(0.82 - 2.01)	1.91	(1.36 - 2.66)
Region 3	1.91	(1.16 - 3.15)	4.32	(2.71 - 6.83)	1.22	(0.75 - 1.97)	1.68	(1.14 - 2.47)
Regions 4, 5, and 6	2.38	(1.54 - 3.66)	5.08	(3.45 - 7.43)	1.31	(0.84 - 2.03)	1.89	(1.35 - 2.64)
Regions 7 and 8	2.24	(1.42 - 3.52)	4.77	(3.20 - 7.06)	1.19	(0.76 - 1.85)	1.76	(1.25 - 2.47)
Maine	2.12	(1.60 - 2.80)	6.08	(4.73 - 7.80)	1.02	(0.71 - 1.45)	1.65	(1.29 - 2.10)
Aroostook/Downeast	2.06	(1.39 - 3.04)	5.83	(4.05 - 8.30)	1.03	(0.65 - 1.63)	1.57	(1.12 - 2.20)
Aroostook	*	(* - *)	5.63	(3.58 - 8.73)	*	(* - *)	1.61	(1.07 - 2.41)
Downeast	2.02	(1.22 - 3.34)	6.00	(3.84 - 9.25)	*	(* - *)	1.54	(1.04 - 2.30)
Central	1.75	(1.07 - 2.85)	4.65	(2.91 - 7.36)	0.96	(0.56 - 1.63)	1.39	(0.92 - 2.10)
Cumberland	2.40	(1.49 - 3.82)	6.90	(4.67 - 10.07)	1.28	(0.80 - 2.06)	2.00	(1.41 - 2.83)
Midcoast	*	(* - *)	5.92	(3.70 - 9.34)	*	(* - *)	1.33	(0.88 - 1.99)
Penquis	2.42	(1.50 - 3.88)	7.27	(4.87 - 10.71)	1.30	(0.79 - 2.14)	2.27	(1.60 - 3.22)
Western	2.02	(1.25 - 3.26)	5.80	(3.81 - 8.72)	0.87	(0.54 - 1.41)	1.51	(1.05 - 2.16)
York	1.89	(1.14 - 3.13)	5.22	(3.38 - 7.96)	*	(* - *)	1.24	(0.84 - 1.82)
Maryland	2.04	(1.56 - 2.67)	5.82	(4.56 - 7.39)	1.28	(0.93 - 1.77)	1.93	(1.53 - 2.42)
Anne Arundel	*	(* - *)	5.04	(3.20 - 7.87)	*	(* - *)	1.69	(1.13 - 2.53)
Baltimore City	1.88	(1.13 - 3.10)	5.59	(3.70 - 8.37)	2.16	(1.31 - 3.55)	2.78	(1.88 - 4.08)
Baltimore County	2.14	(1.32 - 3.45)	6.17	(4.11 - 9.17)	1.36	(0.85 - 2.18)	2.05	(1.43 - 2.93)
Montgomery	2.14	(1.31 - 3.48)	6.56	(4.29 - 9.92)	0.91	(0.56 - 1.46)	1.57	(1.09 - 2.24)
North Central	2.04	(1.23 - 3.38)	6.27	(3.98 - 9.74)	*	(* - *)	1.84	(1.26 - 2.67)
Northeast	2.15	(1.29 - 3.55)	6.03	(3.79 - 9.46)	*	(* - *)	1.88	(1.26 - 2.80)
Prince George's	1.90	(1.15 - 3.13)	5.47	(3.53 - 8.38)	1.12	(0.69 - 1.83)	1.87	(1.29 - 2.69)
South	2.07	(1.26 - 3.39)	5.62	(3.54 - 8.81)	1.30	(0.80 - 2.08)	1.95	(1.34 - 2.83)
West	2.09	(1.29 - 3.37)	5.58	(3.56 - 8.66)	1.27	(0.77 - 2.06)	1.84	(1.25 - 2.71)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	2.57	(1.97 - 3.36)	6.28	(4.90 - 8.02)	1.17	(0.84 - 1.62)	1.94	(1.54 - 2.44)
Boston	2.73	(1.65 - 4.47)	6.30	(4.22 - 9.29)	1.61	(1.01 - 2.57)	2.73	(1.92 - 3.86)
Central	2.86	(1.76 - 4.59)	7.17	(4.66 - 10.86)	1.29	(0.79 - 2.08)	2.13	(1.46 - 3.08)
Metrowest	2.47	(1.56 - 3.87)	6.01	(3.95 - 9.06)	1.00	(0.63 - 1.59)	1.66	(1.16 - 2.36)
Northeast	2.35	(1.49 - 3.66)	5.36	(3.50 - 8.12)	1.06	(0.66 - 1.70)	1.62	(1.12 - 2.34)
Southeast	2.63	(1.70 - 4.04)	6.95	(4.76 - 10.04)	1.14	(0.71 - 1.82)	1.87	(1.33 - 2.63)
Western	2.64	(1.66 - 4.17)	6.20	(4.01 - 9.46)	1.18	(0.73 - 1.90)	2.04	(1.41 - 2.94)
Michigan	2.40	(2.02 - 2.87)	5.08	(4.40 - 5.85)	1.32	(1.06 - 1.64)	1.87	(1.61 - 2.17)
Detroit City	2.32	(1.51 - 3.56)	5.64	(4.03 - 7.85)	2.78	(1.75 - 4.37)	3.29	(2.32 - 4.65)
Genesee	2.23	(1.44 - 3.43)	5.03	(3.40 - 7.38)	1.47	(0.97 - 2.24)	1.96	(1.41 - 2.73)
Kalamazoo	2.60	(1.74 - 3.85)	5.15	(3.58 - 7.34)	1.19	(0.80 - 1.76)	1.81	(1.35 - 2.43)
Kent	2.56	(1.69 - 3.86)	5.25	(3.70 - 7.38)	1.48	(0.99 - 2.20)	2.07	(1.53 - 2.80)
Lakeshore	1.96	(1.27 - 3.02)	3.75	(2.53 - 5.52)	1.13	(0.75 - 1.71)	1.53	(1.11 - 2.11)
Macomb	2.32	(1.56 - 3.45)	4.63	(3.29 - 6.49)	1.04	(0.70 - 1.54)	1.49	(1.10 - 2.01)
Mid South	2.21	(1.47 - 3.31)	4.43	(3.12 - 6.27)	1.24	(0.83 - 1.84)	1.81	(1.34 - 2.43)
Northern	2.63	(1.74 - 3.95)	5.26	(3.76 - 7.30)	0.94	(0.62 - 1.41)	1.54	(1.15 - 2.06)
Oakland	2.39	(1.64 - 3.47)	5.19	(3.77 - 7.11)	1.07	(0.73 - 1.56)	1.56	(1.17 - 2.07)
Pathways and Western	2.69	(1.69 - 4.23)	5.16	(3.45 - 7.64)	0.98	(0.63 - 1.55)	1.59	(1.12 - 2.26)
Riverhaven	2.53	(1.60 - 3.98)	4.96	(3.28 - 7.43)	1.13	(0.76 - 1.70)	1.60	(1.15 - 2.23)
Saginaw	2.24	(1.39 - 3.61)	4.47	(2.93 - 6.78)	1.44	(0.92 - 2.24)	1.91	(1.33 - 2.73)
Southeast	2.75	(1.91 - 3.94)	6.30	(4.78 - 8.27)	1.70	(1.16 - 2.48)	2.31	(1.76 - 3.04)
St. Clair	2.22	(1.39 - 3.51)	4.50	(2.95 - 6.80)	1.00	(0.65 - 1.54)	1.43	(1.01 - 2.02)
Washtenaw	2.11	(1.36 - 3.24)	5.18	(3.69 - 7.24)	1.04	(0.69 - 1.56)	1.82	(1.35 - 2.44)
Minnesota	2.06	(1.57 - 2.69)	3.99	(2.93 - 5.41)	0.94	(0.66 - 1.33)	1.37	(1.05 - 1.79)
Regions 1 and 2	2.44	(1.47 - 4.01)	4.46	(2.67 - 7.34)	*	(* - *)	1.43	(0.94 - 2.17)
Regions 3 and 4	1.97	(1.22 - 3.16)	4.00	(2.51 - 6.31)	0.89	(0.55 - 1.44)	1.34	(0.91 - 1.97)
Regions 5 and 6	2.18	(1.35 - 3.50)	4.08	(2.54 - 6.48)	0.87	(0.53 - 1.41)	1.34	(0.91 - 1.99)
Region 7A (Hennepin)	1.96	(1.21 - 3.14)	3.52	(2.22 - 5.55)	1.04	(0.64 - 1.70)	1.39	(0.93 - 2.07)
Region 7B (Ramsey)	2.23	(1.35 - 3.66)	4.20	(2.49 - 7.00)	*	(* - *)	1.61	(1.06 - 2.45)
Region 7C	1.91	(1.23 - 2.95)	4.03	(2.58 - 6.26)	0.88	(0.55 - 1.41)	1.27	(0.87 - 1.85)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	2.07	(1.58 - 2.70)	4.48	(3.44 - 5.83)	1.43	(1.03 - 1.98)	1.90	(1.49-2.43)
Region 1	2.11	(1.35 - 3.29)	4.37	(2.91 - 6.52)	1.23	(0.77 - 1.95)	1.71	(1.19-2.45)
Region 2	1.94	(1.19 - 3.14)	4.82	(3.04 - 7.54)	1.69	(1.03 - 2.76)	2.18	(1.47-3.20)
Region 3	1.90	(1.17 - 3.07)	4.37	(2.85 - 6.63)	1.38	(0.86 - 2.22)	1.90	(1.31-2.74)
Region 4	2.15	(1.35 - 3.41)	4.84	(3.16 - 7.34)	1.68	(1.07 - 2.63)	2.16	(1.51-3.08)
Region 5	*	(* - *)	4.33	(2.63 - 7.05)	*	(* - *)	1.73	(1.14-2.60)
Region 6	1.90	(1.15 - 3.11)	3.99	(2.51 - 6.29)	1.46	(0.90 - 2.36)	1.88	(1.28-2.75)
Region 7	2.35	(1.45 - 3.79)	4.49	(2.86 - 6.98)	1.29	(0.80 - 2.07)	1.75	(1.18-2.57)
Missouri	2.28	(1.77 - 2.95)	5.28	(4.09 - 6.79)	1.19	(0.86 - 1.65)	1.79	(1.41-2.26)
Central	2.15	(1.34 - 3.42)	5.20	(3.41 - 7.87)	1.15	(0.72 - 1.84)	1.88	(1.31-2.69)
Eastern	2.17	(1.52 - 3.08)	5.01	(3.60 - 6.95)	1.13	(0.75 - 1.69)	1.67	(1.23-2.26)
Eastern (St. Louis City and County)	1.86	(1.15 - 3.00)	4.65	(3.04 - 7.04)	1.19	(0.74 - 1.92)	1.69	(1.17-2.45)
Eastern (excluding St. Louis)	2.65	(1.69 - 4.12)	5.73	(3.73 - 8.71)	1.02	(0.62 - 1.67)	1.63	(1.12-2.37)
Northwest	2.34	(1.61 - 3.40)	5.51	(3.91 - 7.70)	1.31	(0.90 - 1.90)	1.90	(1.42-2.54)
Northwest (Jackson)	2.26	(1.41 - 3.60)	5.19	(3.41 - 7.83)	1.60	(1.01 - 2.54)	2.10	(1.46-3.03)
Northwest (excluding Jackson)	2.41	(1.49 - 3.87)	5.78	(3.72 - 8.87)	1.06	(0.66 - 1.68)	1.73	(1.19-2.50)
Southeast	2.33	(1.45 - 3.74)	5.63	(3.58 - 8.73)	1.19	(0.74 - 1.93)	1.80	(1.23-2.64)
Southwest	2.54	(1.58 - 4.05)	5.34	(3.41 - 8.26)	1.19	(0.75 - 1.90)	1.79	(1.23-2.59)
Montana	2.86	(2.18 - 3.75)	6.62	(5.21 - 8.38)	1.11	(0.80 - 1.53)	1.88	(1.50-2.36)
Region 1	2.53	(1.55 - 4.12)	5.68	(3.57 - 8.92)	*	(* - *)	1.48	(1.00-2.18)
Region 2	2.71	(1.68 - 4.34)	6.88	(4.48 - 10.41)	1.22	(0.76 - 1.95)	2.04	(1.41-2.94)
Region 3	2.39	(1.51 - 3.76)	4.98	(3.30 - 7.46)	1.01	(0.62 - 1.62)	1.50	(1.04-2.16)
Region 4	3.16	(2.02 - 4.91)	7.18	(5.00 - 10.20)	1.16	(0.75 - 1.80)	2.09	(1.51-2.89)
Region 5	3.14	(2.11 - 4.65)	7.11	(5.12 - 9.78)	1.12	(0.72 - 1.75)	1.97	(1.45-2.68)
Nebraska	2.03	(1.49 - 2.74)	3.84	(2.85 - 5.17)	0.94	(0.65 - 1.35)	1.38	(1.05-1.81)
Regions 1 and 2	2.24	(1.48 - 3.37)	4.01	(2.62 - 6.10)	0.86	(0.56 - 1.33)	1.26	(0.88-1.79)
Region 1	*	(* - *)	*	(* - *)	*	(* - *)	1.27	(0.83-1.95)
Region 2	*	(* - *)	4.14	(2.51 - 6.78)	*	(* - *)	1.25	(0.82-1.90)
Region 3	1.76	(1.07 - 2.86)	3.39	(2.13 - 5.34)	0.82	(0.49 - 1.35)	1.18	(0.79-1.76)
Region 4	1.73	(1.02 - 2.92)	3.34	(2.01 - 5.48)	*	(* - *)	1.11	(0.73-1.69)
Region 5	2.02	(1.25 - 3.24)	3.64	(2.37 - 5.55)	0.94	(0.58 - 1.51)	1.41	(0.97-2.04)
Region 6	2.14	(1.39 - 3.28)	4.21	(2.83 - 6.20)	1.05	(0.66 - 1.66)	1.52	(1.07-2.15)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	2.79	(1.97 - 3.93)	5.74	(4.29 - 7.62)	1.32	(0.91 - 1.90)	1.93	(1.48 - 2.52)
Clark – Region 1	2.69	(1.76 - 4.10)	5.54	(3.94 - 7.75)	1.32	(0.87 - 1.99)	1.90	(1.40 - 2.58)
Region 3	2.54	(1.67 - 3.83)	5.46	(3.60 - 8.22)	0.97	(0.62 - 1.50)	1.51	(1.06 - 2.15)
Capital District	*	(* - *)	5.55	(3.34 - 9.08)	*	(* - *)	1.49	(0.98 - 2.26)
Rural/Frontier	*	(* - *)	5.39	(3.22 - 8.90)	*	(* - *)	1.53	(1.00 - 2.34)
Washoe – Region 2	3.46	(2.16 - 5.50)	6.69	(4.61 - 9.62)	1.63	(1.00 - 2.64)	2.41	(1.69 - 3.43)
New Hampshire	3.01	(2.30 - 3.95)	7.16	(5.74 - 8.90)	1.09	(0.78 - 1.52)	1.91	(1.53 - 2.37)
Central	2.52	(1.74 - 3.66)	6.56	(4.82 - 8.86)	1.14	(0.76 - 1.69)	1.92	(1.45 - 2.54)
Central 1	2.70	(1.68 - 4.31)	7.11	(4.93 - 10.16)	1.20	(0.74 - 1.93)	2.18	(1.56 - 3.05)
Central 2	2.37	(1.47 - 3.80)	5.83	(3.80 - 8.85)	1.08	(0.66 - 1.76)	1.67	(1.16 - 2.41)
Northern	3.31	(2.08 - 5.24)	7.73	(5.17 - 11.40)	0.95	(0.58 - 1.55)	1.88	(1.32 - 2.67)
Southern	3.17	(2.29 - 4.37)	7.36	(5.64 - 9.56)	1.10	(0.75 - 1.60)	1.90	(1.48 - 2.44)
Southern 1 (Rockingham)	2.91	(1.87 - 4.49)	7.94	(5.51 - 11.31)	0.86	(0.54 - 1.39)	1.66	(1.20 - 2.31)
Southern 2	3.34	(2.24 - 4.95)	7.07	(5.11 - 9.71)	1.25	(0.80 - 1.94)	2.05	(1.52 - 2.77)
New Jersey	1.93	(1.42 - 2.61)	5.60	(4.29 - 7.28)	1.09	(0.78 - 1.54)	1.68	(1.32 - 2.15)
Central	1.79	(1.10 - 2.88)	5.23	(3.36 - 8.07)	0.96	(0.59 - 1.55)	1.48	(1.02 - 2.14)
Metropolitan	2.06	(1.30 - 3.24)	6.53	(4.50 - 9.39)	1.40	(0.88 - 2.20)	2.12	(1.52 - 2.95)
Northern	1.93	(1.20 - 3.08)	4.98	(3.32 - 7.40)	0.94	(0.58 - 1.51)	1.45	(1.01 - 2.08)
Southern	1.94	(1.21 - 3.08)	5.75	(3.79 - 8.63)	1.14	(0.72 - 1.80)	1.76	(1.24 - 2.50)
New Mexico	3.70	(2.80 - 4.89)	5.92	(4.61 - 7.57)	1.31	(0.93 - 1.85)	1.99	(1.57 - 2.53)
Region 1	4.11	(2.65 - 6.31)	7.20	(4.88 - 10.50)	1.38	(0.84 - 2.26)	2.24	(1.58 - 3.15)
Region 2	3.09	(1.87 - 5.05)	4.84	(3.05 - 7.60)	0.92	(0.54 - 1.55)	1.37	(0.92 - 2.04)
Region 3 (Bernalillo)	4.42	(2.89 - 6.69)	6.63	(4.61 - 9.43)	1.60	(1.01 - 2.53)	2.35	(1.69 - 3.27)
Region 4	3.09	(1.92 - 4.95)	5.37	(3.50 - 8.14)	1.27	(0.78 - 2.06)	1.93	(1.33 - 2.78)
Region 5	2.95	(1.86 - 4.66)	4.58	(2.95 - 7.03)	1.08	(0.66 - 1.77)	1.66	(1.14 - 2.41)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	2.10	(1.73 - 2.54)	5.56	(4.83 - 6.39)	1.34	(1.05 - 1.70)	1.97	(1.68 - 2.31)
Region A	2.02	(1.55 - 2.64)	4.80	(3.95 - 5.84)	1.60	(1.20 - 2.13)	2.09	(1.70 - 2.58)
Region 1	2.18	(1.41 - 3.34)	4.64	(3.18 - 6.72)	2.13	(1.36 - 3.32)	2.58	(1.83 - 3.62)
Region 2	1.91	(1.29 - 2.81)	5.00	(3.75 - 6.63)	1.72	(1.18 - 2.51)	2.23	(1.68 - 2.96)
Region 3	1.96	(1.23 - 3.10)	4.84	(3.35 - 6.94)	1.58	(1.00 - 2.49)	2.07	(1.46 - 2.95)
Region 4	2.09	(1.35 - 3.23)	4.62	(3.23 - 6.56)	1.17	(0.76 - 1.79)	1.65	(1.19 - 2.28)
Region B	2.10	(1.59 - 2.77)	6.25	(5.00 - 7.77)	1.12	(0.82 - 1.54)	1.82	(1.46 - 2.25)
Region 5	2.01	(1.38 - 2.92)	6.27	(4.64 - 8.43)	1.03	(0.67 - 1.56)	1.72	(1.28 - 2.30)
Region 6	1.95	(1.23 - 3.08)	5.34	(3.61 - 7.83)	1.19	(0.77 - 1.83)	1.72	(1.23 - 2.41)
Region 7	2.66	(1.71 - 4.11)	7.36	(5.15 - 10.42)	1.35	(0.87 - 2.08)	2.28	(1.65 - 3.13)
Region C	2.20	(1.73 - 2.79)	6.15	(5.10 - 7.41)	1.20	(0.91 - 1.57)	1.98	(1.65 - 2.37)
Region 8	2.15	(1.42 - 3.26)	5.92	(4.09 - 8.49)	1.07	(0.71 - 1.61)	1.79	(1.31 - 2.46)
Region 9	2.61	(1.71 - 3.95)	6.57	(4.63 - 9.25)	1.37	(0.90 - 2.07)	2.21	(1.63 - 2.98)
Region 10	2.31	(1.46 - 3.61)	5.81	(3.91 - 8.55)	1.14	(0.73 - 1.77)	2.06	(1.47 - 2.88)
Region 11	1.98	(1.27 - 3.08)	6.07	(4.32 - 8.48)	1.18	(0.79 - 1.76)	1.95	(1.45 - 2.61)
Region 12	2.05	(1.31 - 3.21)	6.24	(4.38 - 8.82)	1.20	(0.78 - 1.83)	1.95	(1.43 - 2.67)
Region D	2.12	(1.55 - 2.91)	5.76	(4.43 - 7.46)	1.06	(0.77 - 1.47)	1.79	(1.41 - 2.26)
Region 13	2.33	(1.47 - 3.68)	6.61	(4.42 - 9.77)	1.02	(0.65 - 1.59)	1.86	(1.32 - 2.61)
Region 14	2.06	(1.29 - 3.28)	5.67	(3.74 - 8.51)	1.14	(0.73 - 1.80)	1.88	(1.32 - 2.68)
Region 15	2.00	(1.25 - 3.18)	5.10	(3.40 - 7.57)	1.02	(0.65 - 1.60)	1.63	(1.15 - 2.29)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	2.43	(1.89 - 3.13)	6.24	(4.85 - 8.00)	1.33	(0.98 - 1.80)	2.02	(1.62 - 2.52)
Alliance	2.47	(1.54 - 3.94)	5.77	(3.73 - 8.84)	1.49	(0.92 - 2.39)	2.14	(1.48 - 3.07)
Cardinal Innovations	2.30	(1.43 - 3.68)	5.91	(3.84 - 9.01)	1.21	(0.76 - 1.93)	1.84	(1.29 - 2.64)
CenterPoint/Guilford	2.50	(1.69 - 3.68)	6.42	(4.47 - 9.13)	*	(* - *)	2.09	(1.54 - 2.84)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	2.00	(1.37 - 2.92)
Guilford	*	(* - *)	6.16	(3.90 - 9.60)	*	(* - *)	2.19	(1.50 - 3.19)
CoastalCare	*	(* - *)	7.29	(4.52 - 11.56)	*	(* - *)	2.53	(1.73 - 3.70)
Eastpointe	2.48	(1.53 - 3.97)	6.93	(4.50 - 10.54)	1.52	(0.94 - 2.45)	2.25	(1.55 - 3.27)
ECBH	*	(* - *)	5.94	(3.69 - 9.44)	*	(* - *)	2.05	(1.39 - 3.01)
MeckLINK	2.26	(1.36 - 3.74)	6.30	(3.97 - 9.85)	*	(* - *)	2.09	(1.42 - 3.07)
Partners	2.48	(1.55 - 3.93)	6.13	(3.94 - 9.42)	1.32	(0.83 - 2.10)	1.91	(1.31 - 2.77)
Sandhills	2.44	(1.48 - 4.00)	6.22	(3.95 - 9.69)	*	(* - *)	1.87	(1.27 - 2.73)
Smoky Mountain	*	(* - *)	5.70	(3.52 - 9.10)	*	(* - *)	1.64	(1.10 - 2.44)
Western Highlands	*	(* - *)	6.82	(4.23 - 10.82)	*	(* - *)	1.65	(1.12 - 2.44)
North Dakota	1.98	(1.46 - 2.68)	4.19	(3.17 - 5.50)	0.77	(0.52 - 1.12)	1.36	(1.05 - 1.77)
Badlands and West Central	2.07	(1.28 - 3.32)	4.00	(2.61 - 6.10)	0.70	(0.42 - 1.17)	1.15	(0.78 - 1.69)
Lake Region and South Central	2.17	(1.33 - 3.52)	4.72	(2.97 - 7.42)	0.70	(0.41 - 1.18)	1.20	(0.81 - 1.79)
North Central and Northwest	1.98	(1.24 - 3.16)	4.51	(2.88 - 7.01)	0.78	(0.46 - 1.30)	1.39	(0.94 - 2.05)
Northeast	2.14	(1.31 - 3.48)	4.60	(3.03 - 6.91)	0.86	(0.51 - 1.45)	1.77	(1.22 - 2.57)
Southeast	1.70	(1.04 - 2.75)	3.75	(2.49 - 5.59)	0.82	(0.49 - 1.37)	1.44	(1.00 - 2.08)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Ohio	2.41	(2.02 - 2.88)	5.75	(5.03 - 6.57)	1.39	(1.12 - 1.74)	2.01	(1.74 - 2.33)
Boards 2, 46, 55, and 68	2.16	(1.38 - 3.36)	5.42	(3.73 - 7.82)	1.28	(0.84 - 1.94)	1.84	(1.33 - 2.54)
Boards 3, 52, and 85	2.13	(1.34 - 3.36)	5.15	(3.50 - 7.53)	1.30	(0.85 - 1.99)	1.82	(1.30 - 2.54)
Boards 4 and 78	2.50	(1.54 - 4.04)	5.33	(3.53 - 7.97)	*	(* - *)	1.64	(1.15 - 2.33)
Boards 5 and 60	2.28	(1.44 - 3.59)	5.25	(3.57 - 7.66)	1.34	(0.87 - 2.07)	2.06	(1.48 - 2.86)
Boards 7, 15, 41, 79, and 84	2.32	(1.51 - 3.54)	4.76	(3.32 - 6.77)	1.08	(0.69 - 1.68)	1.52	(1.08 - 2.13)
Boards 8, 13, and 83	2.13	(1.38 - 3.28)	5.16	(3.52 - 7.51)	1.30	(0.85 - 1.98)	1.77	(1.26 - 2.46)
Board 9 (Butler)	2.51	(1.59 - 3.94)	5.72	(3.89 - 8.32)	1.26	(0.80 - 1.97)	1.98	(1.41 - 2.79)
Board 12	2.75	(1.78 - 4.23)	6.03	(4.05 - 8.87)	1.27	(0.83 - 1.93)	2.04	(1.46 - 2.84)
Boards 18 and 47	2.43	(1.67 - 3.52)	5.57	(4.17 - 7.40)	1.14	(0.76 - 1.69)	1.72	(1.29 - 2.29)
Boards 20, 32, 54, and 69	2.05	(1.30 - 3.24)	4.72	(3.09 - 7.14)	1.16	(0.74 - 1.82)	1.63	(1.13 - 2.34)
Boards 21, 39, 51, 70, and 80	2.47	(1.60 - 3.78)	6.97	(4.80 - 10.00)	1.31	(0.85 - 1.99)	1.98	(1.43 - 2.75)
Boards 22, 74, and 87	2.19	(1.38 - 3.48)	5.35	(3.61 - 7.85)	1.14	(0.74 - 1.77)	1.80	(1.28 - 2.51)
Boards 23 and 45	2.38	(1.51 - 3.73)	6.35	(4.29 - 9.29)	1.31	(0.85 - 2.01)	2.01	(1.43 - 2.80)
Board 25 (Franklin)	2.73	(1.80 - 4.13)	7.06	(5.20 - 9.52)	2.09	(1.43 - 3.05)	2.95	(2.24 - 3.87)
Boards 27, 71, and 73	2.35	(1.53 - 3.59)	5.57	(3.79 - 8.13)	1.70	(1.11 - 2.59)	2.19	(1.56 - 3.08)
Boards 28, 43, and 67	2.75	(1.78 - 4.22)	5.58	(3.85 - 8.02)	1.02	(0.67 - 1.57)	1.69	(1.23 - 2.32)
Board 31 (Hamilton)	2.24	(1.48 - 3.40)	5.69	(4.11 - 7.82)	1.73	(1.16 - 2.59)	2.34	(1.73 - 3.15)
Board 48 (Lucas)	2.48	(1.59 - 3.84)	5.69	(3.95 - 8.13)	1.44	(0.94 - 2.21)	2.11	(1.52 - 2.93)
Boards 50 and 76	2.04	(1.29 - 3.20)	4.64	(3.22 - 6.63)	1.05	(0.68 - 1.61)	1.51	(1.09 - 2.09)
Board 57 (Montgomery)	2.76	(1.80 - 4.22)	6.29	(4.35 - 9.00)	1.90	(1.26 - 2.86)	2.51	(1.83 - 3.44)
Board 77 (Summit)	2.68	(1.74 - 4.09)	5.80	(4.02 - 8.29)	1.47	(0.98 - 2.21)	2.05	(1.49 - 2.83)
Oklahoma	2.05	(1.54 - 2.72)	4.28	(3.20 - 5.68)	1.19	(0.85 - 1.67)	1.66	(1.29 - 2.15)
Central	1.77	(1.06 - 2.93)	3.86	(2.39 - 6.18)	*	(* - *)	1.46	(0.98 - 2.15)
East Central	1.85	(1.09 - 3.12)	3.77	(2.30 - 6.14)	1.07	(0.63 - 1.79)	1.44	(0.95 - 2.17)
Northeast	1.93	(1.18 - 3.15)	4.47	(2.87 - 6.92)	0.94	(0.58 - 1.51)	1.52	(1.06 - 2.18)
Northwest and Southwest	2.49	(1.53 - 4.02)	5.06	(3.13 - 8.06)	1.20	(0.73 - 1.98)	1.81	(1.20 - 2.71)
Oklahoma County	2.22	(1.35 - 3.62)	4.34	(2.82 - 6.63)	1.34	(0.83 - 2.15)	1.80	(1.24 - 2.61)
Southeast	2.04	(1.24 - 3.33)	4.29	(2.65 - 6.88)	1.32	(0.81 - 2.14)	1.73	(1.16 - 2.57)
Tulsa County	1.94	(1.17 - 3.20)	3.96	(2.48 - 6.25)	1.37	(0.84 - 2.24)	1.75	(1.17 - 2.60)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	2.86	(2.18 - 3.73)	6.77	(5.37 - 8.49)	1.45	(1.06 - 1.98)	2.18	(1.75 - 2.72)
Region 1 (Multnomah)	3.95	(2.48 - 6.23)	8.85	(6.11 - 12.65)	2.45	(1.54 - 3.87)	3.31	(2.32 - 4.70)
Region 2	2.17	(1.36 - 3.45)	5.44	(3.60 - 8.12)	1.09	(0.69 - 1.72)	1.64	(1.15 - 2.33)
Region 3	2.90	(1.90 - 4.38)	6.80	(4.93 - 9.30)	1.25	(0.81 - 1.92)	2.15	(1.61 - 2.88)
Region 4	2.94	(1.83 - 4.71)	6.40	(4.14 - 9.76)	1.22	(0.76 - 1.93)	1.83	(1.27 - 2.63)
Region 5 (Central)	2.85	(1.75 - 4.63)	6.15	(3.87 - 9.64)	*	(* - *)	1.74	(1.19 - 2.54)
Region 6 (Eastern)	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Pennsylvania	2.26	(1.87 - 2.73)	5.12	(4.36 - 5.99)	1.22	(0.97 - 1.53)	1.78	(1.52 - 2.07)
Region 1 (Allegheny)	2.55	(1.69 - 3.83)	5.52	(3.97 - 7.63)	1.53	(1.02 - 2.29)	2.08	(1.53 - 2.83)
Regions 3, 8, 9, and 51	2.24	(1.41 - 3.54)	5.11	(3.45 - 7.52)	1.11	(0.72 - 1.70)	1.68	(1.21 - 2.33)
Regions 4, 11, 37, and 49	2.82	(1.84 - 4.29)	5.98	(4.10 - 8.63)	1.05	(0.68 - 1.60)	1.71	(1.24 - 2.36)
Regions 5, 18, 23, 24, and 46	2.34	(1.51 - 3.61)	5.13	(3.46 - 7.56)	1.05	(0.67 - 1.63)	1.59	(1.12 - 2.25)
Regions 6, 12, 16, 31, 35, 45, and 47	1.90	(1.21 - 2.99)	4.72	(3.27 - 6.78)	0.84	(0.53 - 1.31)	1.61	(1.16 - 2.23)
Regions 7, 13, 20, and 33	2.28	(1.59 - 3.27)	5.22	(3.91 - 6.92)	0.96	(0.66 - 1.40)	1.51	(1.16 - 1.96)
Regions 10, 15, 27, 32, 43, and 44	2.17	(1.39 - 3.38)	5.01	(3.38 - 7.35)	1.05	(0.69 - 1.59)	1.53	(1.10 - 2.13)
Regions 17 and 21	2.26	(1.43 - 3.55)	5.14	(3.43 - 7.63)	1.18	(0.77 - 1.80)	1.81	(1.29 - 2.52)
Regions 19, 26, 28, and 42	1.89	(1.25 - 2.85)	4.11	(2.86 - 5.87)	1.04	(0.70 - 1.56)	1.45	(1.07 - 1.98)
Regions 22, 38, 40, 41, and 48	1.98	(1.27 - 3.07)	4.88	(3.36 - 7.03)	1.05	(0.67 - 1.63)	1.49	(1.07 - 2.07)
Regions 29 and 34	2.25	(1.44 - 3.50)	5.33	(3.58 - 7.86)	0.95	(0.62 - 1.47)	1.55	(1.11 - 2.17)
Regions 30 and 50	2.23	(1.42 - 3.48)	4.84	(3.20 - 7.24)	0.89	(0.58 - 1.38)	1.42	(1.01 - 2.00)
Region 36 (Philadelphia)	2.36	(1.58 - 3.50)	5.37	(3.90 - 7.36)	2.43	(1.66 - 3.54)	3.00	(2.23 - 4.01)
Rhode Island	2.61	(1.92 - 3.53)	6.18	(4.82 - 7.89)	1.49	(1.02 - 2.18)	2.25	(1.75 - 2.90)
Bristol and Newport	2.11	(1.27 - 3.49)	5.07	(3.15 - 8.07)	*	(* - *)	1.46	(0.97 - 2.20)
Kent	2.95	(1.84 - 4.72)	6.59	(4.36 - 9.83)	1.30	(0.81 - 2.09)	1.92	(1.32 - 2.77)
Providence	2.56	(1.71 - 3.81)	6.26	(4.67 - 8.34)	1.78	(1.13 - 2.78)	2.55	(1.89 - 3.44)
Washington	2.89	(1.80 - 4.60)	6.43	(4.23 - 9.67)	1.11	(0.67 - 1.84)	2.08	(1.44 - 3.00)
South Carolina	2.13	(1.61 - 2.83)	4.54	(3.47 - 5.92)	1.37	(0.98 - 1.90)	1.83	(1.43 - 2.35)
Region 1	2.25	(1.43 - 3.52)	4.50	(3.03 - 6.62)	1.34	(0.85 - 2.09)	1.79	(1.26 - 2.53)
Region 2	1.95	(1.25 - 3.01)	3.94	(2.65 - 5.81)	1.25	(0.80 - 1.94)	1.66	(1.18 - 2.33)
Region 3	2.03	(1.25 - 3.28)	4.22	(2.63 - 6.70)	1.45	(0.89 - 2.36)	1.83	(1.22 - 2.72)
Region 4	2.30	(1.47 - 3.58)	5.47	(3.63 - 8.16)	1.48	(0.94 - 2.31)	2.07	(1.45 - 2.94)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	2.14	(1.58 - 2.88)	3.54	(2.53 - 4.93)	0.86	(0.58 - 1.26)	1.26	(0.93 - 1.69)
Region 1	2.53	(1.59 - 4.00)	4.09	(2.57 - 6.46)	0.91	(0.54 - 1.53)	1.37	(0.91 - 2.05)
Region 2	1.91	(1.13 - 3.20)	2.99	(1.75 - 5.07)	*	(* - *)	0.96	(0.62 - 1.50)
Region 3	1.72	(1.05 - 2.81)	3.14	(1.93 - 5.08)	0.75	(0.46 - 1.24)	1.16	(0.78 - 1.72)
Region 4	2.16	(1.30 - 3.54)	3.74	(2.20 - 6.28)	0.73	(0.43 - 1.24)	1.20	(0.78 - 1.85)
Region 5	2.21	(1.38 - 3.53)	3.49	(2.19 - 5.50)	1.02	(0.62 - 1.68)	1.36	(0.91 - 2.04)
Tennessee	2.43	(1.87 - 3.15)	6.55	(5.15 - 8.30)	1.38	(1.01 - 1.90)	2.11	(1.68 - 2.65)
Region 1	2.44	(1.49 - 3.97)	6.47	(4.15 - 9.96)	1.11	(0.69 - 1.76)	1.78	(1.23 - 2.56)
Region 2	2.59	(1.62 - 4.11)	7.28	(4.79 - 10.92)	1.40	(0.88 - 2.22)	2.19	(1.52 - 3.12)
Region 3	2.68	(1.72 - 4.17)	7.39	(4.98 - 10.83)	1.33	(0.84 - 2.12)	2.16	(1.52 - 3.04)
Region 4 (Davidson)	2.22	(1.34 - 3.64)	6.01	(3.93 - 9.08)	1.42	(0.89 - 2.27)	2.15	(1.48 - 3.12)
Region 5	2.49	(1.60 - 3.85)	6.40	(4.36 - 9.30)	1.29	(0.81 - 2.03)	2.00	(1.41 - 2.81)
Region 6	2.46	(1.54 - 3.92)	6.40	(4.12 - 9.83)	1.38	(0.85 - 2.23)	2.07	(1.43 - 3.00)
Region 7 (Shelby)	2.01	(1.24 - 3.25)	5.69	(3.69 - 8.67)	1.71	(1.04 - 2.80)	2.34	(1.60 - 3.41)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	2.39	(1.98 - 2.90)	3.91	(3.32 - 4.60)	1.02	(0.80 - 1.30)	1.48	(1.25 - 1.75)
Region 1	2.49	(1.56 - 3.93)	4.35	(2.88 - 6.52)	1.03	(0.66 - 1.59)	1.63	(1.16 - 2.29)
Region 2	2.16	(1.32 - 3.52)	3.93	(2.50 - 6.12)	*	(* - *)	1.33	(0.91 - 1.93)
Region 3	2.93	(2.20 - 3.91)	4.49	(3.55 - 5.67)	1.16	(0.84 - 1.60)	1.65	(1.32 - 2.06)
Region 3a	3.46	(2.42 - 4.93)	4.89	(3.64 - 6.54)	1.18	(0.78 - 1.79)	1.73	(1.30 - 2.30)
Region 3bc	2.01	(1.34 - 3.00)	3.79	(2.68 - 5.34)	1.13	(0.75 - 1.69)	1.52	(1.11 - 2.07)
Region 4	1.83	(1.10 - 3.05)	3.41	(2.20 - 5.25)	0.89	(0.56 - 1.42)	1.24	(0.85 - 1.80)
Region 5	2.29	(1.44 - 3.62)	4.16	(2.75 - 6.24)	1.00	(0.64 - 1.57)	1.47	(1.03 - 2.09)
Region 6	2.02	(1.45 - 2.80)	3.50	(2.63 - 4.66)	1.03	(0.72 - 1.48)	1.41	(1.08 - 1.84)
Region 6a	1.96	(1.36 - 2.82)	3.46	(2.53 - 4.71)	1.04	(0.71 - 1.53)	1.42	(1.06 - 1.88)
Region 6bc	2.49	(1.57 - 3.94)	3.91	(2.49 - 6.08)	*	(* - *)	1.37	(0.93 - 2.00)
Region 7	1.88	(1.30 - 2.70)	3.55	(2.60 - 4.82)	0.93	(0.65 - 1.33)	1.42	(1.08 - 1.86)
Region 7a	1.95	(1.24 - 3.06)	3.66	(2.46 - 5.41)	0.94	(0.61 - 1.44)	1.40	(1.00 - 1.95)
Region 7bcd	1.76	(1.08 - 2.83)	3.39	(2.23 - 5.14)	0.91	(0.57 - 1.43)	1.45	(1.02 - 2.05)
Region 8	2.62	(1.76 - 3.90)	4.31	(3.00 - 6.14)	0.99	(0.64 - 1.51)	1.51	(1.10 - 2.07)
Region 9	2.23	(1.37 - 3.61)	3.62	(2.35 - 5.56)	*	(* - *)	1.44	(1.01 - 2.06)
Region 10	2.49	(1.57 - 3.94)	3.71	(2.43 - 5.62)	0.88	(0.55 - 1.42)	1.39	(0.97 - 1.99)
Region 11	2.43	(1.68 - 3.51)	3.52	(2.50 - 4.93)	0.87	(0.58 - 1.30)	1.33	(0.99 - 1.78)
Region 11abd	2.54	(1.60 - 4.00)	3.74	(2.44 - 5.71)	0.89	(0.55 - 1.42)	1.37	(0.96 - 1.95)
Region 11c (Hidalgo)	2.26	(1.39 - 3.66)	3.15	(2.01 - 4.89)	0.83	(0.50 - 1.37)	1.26	(0.86 - 1.84)
Utah	2.11	(1.56 - 2.85)	4.60	(3.53 - 5.98)	1.33	(0.95 - 1.87)	1.95	(1.53 - 2.48)
Bear River, Northeastern, Summit, Tooele, and Wasatch	1.98	(1.23 - 3.18)	4.22	(2.70 - 6.55)	1.15	(0.71 - 1.86)	1.74	(1.19 - 2.53)
Central, Four Corners, San Juan, and Southwest	2.15	(1.30 - 3.55)	4.66	(2.88 - 7.47)	1.23	(0.75 - 2.00)	1.82	(1.21 - 2.72)
Davis County	2.13	(1.29 - 3.52)	5.50	(3.45 - 8.64)	1.41	(0.87 - 2.29)	2.10	(1.43 - 3.08)
Salt Lake County	2.30	(1.47 - 3.59)	4.47	(3.06 - 6.49)	1.40	(0.90 - 2.16)	1.91	(1.38 - 2.65)
Utah County	1.73	(1.05 - 2.83)	4.54	(3.01 - 6.81)	1.32	(0.81 - 2.15)	2.19	(1.53 - 3.13)
Weber, Morgan	2.28	(1.35 - 3.83)	4.78	(2.97 - 7.59)	1.34	(0.80 - 2.22)	1.92	(1.28 - 2.86)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	2.77	(2.10 - 3.66)	8.15	(6.51 - 10.16)	1.22	(0.87 - 1.72)	2.23	(1.80 - 2.77)
Champlain Valley	2.55	(1.69 - 3.82)	7.97	(5.85 - 10.75)	1.25	(0.81 - 1.92)	2.46	(1.86 - 3.24)
Rural Northeast	2.85	(1.83 - 4.43)	8.41	(5.93 - 11.79)	1.32	(0.83 - 2.11)	2.23	(1.61 - 3.09)
Rural Southeast	3.12	(2.01 - 4.82)	8.57	(5.96 - 12.17)	1.25	(0.79 - 1.98)	2.05	(1.48 - 2.85)
Rural Southwest	2.77	(1.73 - 4.41)	7.96	(5.38 - 11.62)	0.97	(0.60 - 1.58)	1.90	(1.34 - 2.69)
Virginia	2.42	(1.85 - 3.16)	5.29	(4.08 - 6.84)	1.04	(0.75 - 1.44)	1.66	(1.31 - 2.11)
Region 1	2.57	(1.65 - 3.97)	5.60	(3.76 - 8.26)	1.04	(0.65 - 1.65)	1.76	(1.24 - 2.49)
Region 2	2.01	(1.27 - 3.17)	4.26	(2.75 - 6.56)	0.83	(0.51 - 1.35)	1.24	(0.84 - 1.82)
Region 3	2.39	(1.51 - 3.76)	4.72	(3.13 - 7.05)	0.95	(0.59 - 1.52)	1.51	(1.05 - 2.15)
Region 4	2.40	(1.53 - 3.74)	5.31	(3.38 - 8.26)	1.25	(0.78 - 1.98)	1.85	(1.28 - 2.67)
Region 5	2.86	(1.82 - 4.45)	6.37	(4.30 - 9.32)	1.24	(0.77 - 1.97)	2.09	(1.49 - 2.94)
Washington	2.52	(1.95 - 3.26)	5.61	(4.37 - 7.17)	1.20	(0.88 - 1.64)	1.83	(1.46 - 2.29)
Region 1	2.47	(1.66 - 3.64)	5.28	(3.66 - 7.57)	1.06	(0.71 - 1.59)	1.76	(1.29 - 2.41)
East 1 (previously Region 1)	2.61	(1.60 - 4.25)	5.76	(3.69 - 8.89)	1.11	(0.70 - 1.75)	1.88	(1.31 - 2.70)
East 2 (previously Region 2)	2.30	(1.38 - 3.79)	4.62	(2.85 - 7.39)	*	(* - *)	1.60	(1.06 - 2.40)
Region 2	2.47	(1.78 - 3.41)	5.90	(4.38 - 7.90)	1.19	(0.83 - 1.71)	1.83	(1.41 - 2.38)
North 1 (previously Region 3)	2.76	(1.79 - 4.23)	6.28	(4.28 - 9.12)	1.27	(0.81 - 1.98)	1.99	(1.42 - 2.77)
North 2 (previously Region 4)	2.27	(1.48 - 3.47)	5.67	(3.91 - 8.15)	1.15	(0.75 - 1.78)	1.75	(1.26 - 2.42)
Region 3	2.63	(1.84 - 3.74)	5.46	(3.88 - 7.63)	1.30	(0.88 - 1.91)	1.87	(1.39 - 2.51)
West 1 (previously Region 5)	2.49	(1.57 - 3.92)	5.29	(3.44 - 8.04)	1.35	(0.85 - 2.14)	1.94	(1.35 - 2.77)
West 2 (previously Region 6)	2.75	(1.74 - 4.32)	5.64	(3.67 - 8.59)	1.25	(0.78 - 2.00)	1.80	(1.24 - 2.60)
West Virginia	2.33	(1.78 - 3.05)	7.28	(5.92 - 8.93)	1.31	(0.94 - 1.83)	2.09	(1.68 - 2.61)
Region I	2.35	(1.42 - 3.88)	6.62	(4.21 - 10.25)	*	(* - *)	1.64	(1.11 - 2.42)
Region II	2.39	(1.49 - 3.81)	6.94	(4.49 - 10.59)	1.39	(0.87 - 2.20)	2.08	(1.45 - 2.97)
Region III	2.08	(1.28 - 3.35)	6.13	(3.95 - 9.41)	1.09	(0.66 - 1.78)	1.64	(1.12 - 2.41)
Region IV	2.53	(1.63 - 3.89)	8.37	(6.22 - 11.16)	1.40	(0.88 - 2.24)	2.64	(1.97 - 3.53)
Region V	2.33	(1.51 - 3.58)	7.41	(5.35 - 10.20)	1.46	(0.93 - 2.28)	2.17	(1.57 - 2.99)
Region VI	2.21	(1.36 - 3.57)	6.18	(4.10 - 9.20)	1.18	(0.73 - 1.91)	1.74	(1.20 - 2.52)

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	2.12	(1.58 - 2.82)	4.21	(3.14 - 5.62)	1.04	(0.73 - 1.48)	1.50	(1.15-1.95)
Milwaukee	2.17	(1.30 - 3.60)	4.16	(2.58 - 6.65)	1.71	(1.02 - 2.87)	2.11	(1.38-3.22)
Northeastern	2.05	(1.29 - 3.24)	4.33	(2.82 - 6.59)	0.89	(0.55 - 1.43)	1.34	(0.93-1.94)
Northern	*	(* - *)	4.04	(2.43 - 6.64)	*	(* - *)	1.26	(0.83-1.91)
Southeastern	2.38	(1.48 - 3.80)	4.66	(2.91 - 7.40)	0.92	(0.56 - 1.52)	1.39	(0.93-2.08)
Southern	1.99	(1.23 - 3.19)	4.00	(2.56 - 6.21)	0.97	(0.60 - 1.57)	1.43	(0.98-2.09)
Western	1.95	(1.19 - 3.18)	3.95	(2.49 - 6.21)	0.91	(0.55 - 1.49)	1.40	(0.94-2.06)
Wyoming	2.14	(1.60 - 2.84)	3.56	(2.60 - 4.87)	0.97	(0.67 - 1.41)	1.36	(1.02-1.80)
Judicial District 1 (Laramie)	2.28	(1.40 - 3.69)	3.75	(2.31 - 6.03)	1.11	(0.66 - 1.86)	1.48	(0.99-2.22)
Judicial District 2	*	(* - *)	3.56	(2.21 - 5.67)	*	(* - *)	1.68	(1.11-2.54)
Judicial District 3	1.80	(1.09 - 2.95)	2.84	(1.76 - 4.55)	1.07	(0.63 - 1.81)	1.31	(0.85-2.02)
Judicial District 4	*	(* - *)	3.45	(2.06 - 5.72)	*	(* - *)	1.15	(0.73-1.80)
Judicial District 5	2.02	(1.18 - 3.43)	*	(* - *)	*	(* - *)	1.08	(0.69-1.69)
Judicial District 6	1.98	(1.19 - 3.27)	3.53	(2.10 - 5.87)	1.03	(0.61 - 1.73)	1.39	(0.90-2.13)
Judicial District 7 (Natrona)	2.32	(1.40 - 3.79)	3.62	(2.22 - 5.87)	1.10	(0.65 - 1.87)	1.46	(0.95-2.24)
Judicial District 8	2.03	(1.22 - 3.36)	3.89	(2.34 - 6.38)	*	(* - *)	1.07	(0.70-1.64)
Judicial District 9	2.67	(1.60 - 4.41)	4.05	(2.38 - 6.80)	0.96	(0.56 - 1.64)	1.35	(0.86-2.10)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	6.77	(6.51 - 7.04)	19.11	(18.67 - 19.57)	6.76	(6.52 - 7.00)	8.58	(8.36 - 8.80)
Northeast	6.89	(6.44 - 7.38)	20.01	(19.19 - 20.86)	6.89	(6.40 - 7.41)	8.77	(8.33 - 9.24)
Midwest	6.41	(6.07 - 6.77)	19.23	(18.63 - 19.85)	7.03	(6.61 - 7.47)	8.81	(8.44 - 9.20)
South	6.32	(5.96 - 6.70)	17.47	(16.90 - 18.06)	6.16	(5.78 - 6.57)	7.82	(7.48 - 8.18)
West	7.72	(7.18 - 8.30)	20.86	(19.96 - 21.78)	7.35	(6.82 - 7.92)	9.42	(8.94 - 9.91)
Alabama	5.88	(4.77 - 7.22)	15.27	(13.27 - 17.50)	5.46	(4.40 - 6.76)	6.92	(5.92 - 8.09)
Region 1	5.18	(3.62 - 7.36)	14.24	(11.13 - 18.05)	4.91	(3.59 - 6.69)	6.17	(4.80 - 7.90)
Region 2	6.75	(4.98 - 9.11)	16.99	(13.79 - 20.76)	6.07	(4.52 - 8.09)	7.74	(6.21 - 9.62)
Region 3	4.80	(3.39 - 6.77)	13.58	(10.57 - 17.30)	4.88	(3.54 - 6.71)	6.45	(5.04 - 8.22)
Region 4	6.36	(4.54 - 8.83)	15.50	(12.43 - 19.15)	5.74	(4.16 - 7.86)	7.07	(5.49 - 9.04)
Alaska	6.83	(5.51 - 8.43)	20.45	(17.98 - 23.17)	7.90	(6.46 - 9.63)	9.85	(8.49 - 11.41)
Anchorage	7.15	(5.34 - 9.52)	20.60	(17.25 - 24.42)	8.74	(6.80 - 11.17)	10.66	(8.80 - 12.87)
Northern	6.07	(4.26 - 8.60)	21.46	(17.40 - 26.16)	7.31	(5.36 - 9.90)	9.97	(7.96 - 12.42)
South Central	6.70	(4.77 - 9.33)	18.50	(14.49 - 23.31)	6.86	(4.96 - 9.43)	8.39	(6.47 - 10.82)
Southeast	7.68	(5.37 - 10.86)	21.60	(17.12 - 26.87)	8.45	(6.10 - 11.60)	10.06	(7.73 - 13.01)
Arizona	8.32	(6.78 - 10.16)	20.61	(18.01 - 23.48)	8.22	(6.67 - 10.10)	10.05	(8.59 - 11.73)
Maricopa	8.36	(6.47 - 10.75)	20.89	(17.64 - 24.56)	8.40	(6.56 - 10.71)	10.27	(8.51 - 12.34)
Pima	8.84	(6.19 - 12.47)	21.45	(17.05 - 26.62)	8.67	(6.26 - 11.91)	10.65	(8.23 - 13.67)
Rural North	7.29	(5.00 - 10.52)	19.22	(14.93 - 24.39)	6.91	(4.86 - 9.75)	8.63	(6.55 - 11.30)
Rural South	8.38	(5.73 - 12.09)	19.43	(14.89 - 24.94)	8.04	(5.65 - 11.31)	9.62	(7.20 - 12.73)
Arkansas	6.00	(4.90 - 7.32)	16.64	(14.61 - 18.88)	5.99	(4.88 - 7.32)	7.54	(6.48 - 8.75)
Catchment Area 1	5.74	(3.97 - 8.22)	17.39	(13.84 - 21.61)	5.32	(3.83 - 7.34)	7.29	(5.73 - 9.25)
Catchment Area 2	6.40	(4.39 - 9.25)	15.68	(11.89 - 20.41)	5.31	(3.71 - 7.54)	6.60	(4.93 - 8.77)
Catchment Area 3	5.11	(3.46 - 7.47)	14.22	(10.72 - 18.62)	5.49	(3.85 - 7.78)	6.80	(5.09 - 9.04)
Catchment Area 4	6.03	(4.14 - 8.70)	19.88	(15.37 - 25.31)	6.06	(4.27 - 8.54)	7.93	(6.03 - 10.36)
Catchment Area 5	6.22	(4.29 - 8.92)	17.03	(13.50 - 21.25)	6.78	(4.83 - 9.43)	8.52	(6.57 - 10.98)
Catchment Area 6	6.21	(4.25 - 9.01)	15.86	(11.92 - 20.80)	6.19	(4.32 - 8.80)	7.60	(5.66 - 10.14)
Catchment Area 7	5.58	(3.84 - 8.05)	14.80	(11.09 - 19.48)	5.63	(3.95 - 7.95)	6.88	(5.14 - 9.14)
Catchment Area 8	6.58	(4.61 - 9.32)	17.57	(14.02 - 21.79)	6.73	(5.00 - 9.00)	8.16	(6.43 - 10.30)

See notes at end of table.

(continued)

Table 19 Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	7.93	(7.10 - 8.84)	21.03	(19.63 - 22.51)	6.99	(6.19 - 7.89)	9.21	(8.48 - 10.00)
Region 1R	9.07	(6.34 - 12.80)	24.67	(19.73 - 30.38)	8.37	(6.17 - 11.27)	10.85	(8.52 - 13.71)
Region 2R	8.16	(5.84 - 11.29)	23.22	(18.74 - 28.40)	6.94	(5.13 - 9.34)	9.44	(7.51 - 11.80)
Region 3R (Sacramento)	7.49	(5.35 - 10.39)	21.66	(17.32 - 26.73)	7.60	(5.71 - 10.03)	9.77	(7.80 - 12.16)
Region 4R	8.22	(5.98 - 11.21)	23.83	(19.28 - 29.08)	7.57	(5.66 - 10.06)	9.70	(7.71 - 12.13)
Region 5R (San Francisco)	*	(* - *)	25.12	(20.36 - 30.57)	10.21	(7.57 - 13.64)	12.03	(9.41 - 15.27)
Region 6 (Santa Clara)	6.37	(4.49 - 8.95)	21.86	(17.49 - 26.95)	5.76	(4.24 - 7.79)	7.89	(6.22 - 9.97)
Region 7R (Contra Costa)	8.57	(6.06 - 11.97)	23.44	(18.77 - 28.85)	6.52	(4.83 - 8.76)	8.71	(6.89 - 10.95)
Region 8R (Alameda)	7.40	(5.31 - 10.23)	21.52	(17.39 - 26.33)	7.30	(5.49 - 9.63)	9.31	(7.44 - 11.59)
Region 9R (San Mateo)	7.98	(5.55 - 11.33)	21.58	(16.80 - 27.26)	5.85	(4.19 - 8.12)	7.64	(5.86 - 9.90)
Region 10	8.35	(5.93 - 11.64)	22.57	(18.15 - 27.70)	6.96	(5.10 - 9.44)	9.68	(7.68 - 12.13)
Region 11 (Los Angeles)	8.05	(6.92 - 9.36)	20.19	(18.25 - 22.27)	6.86	(5.88 - 8.00)	9.01	(8.06 - 10.06)
LA SPA 1 and 5	8.25	(5.79 - 11.64)	21.75	(16.99 - 27.42)	8.01	(5.99 - 10.63)	10.24	(8.10 - 12.87)
LA SPA 2	8.10	(5.99 - 10.86)	20.42	(16.67 - 24.77)	6.40	(4.78 - 8.52)	8.48	(6.80 - 10.52)
LA SPA 3	7.79	(5.66 - 10.64)	19.70	(16.02 - 23.98)	5.41	(4.00 - 7.29)	7.64	(6.13 - 9.48)
LA SPA 4	8.20	(5.82 - 11.44)	19.79	(15.78 - 24.53)	8.93	(6.63 - 11.94)	10.60	(8.29 - 13.45)
LA SPA 6	8.14	(5.86 - 11.20)	18.93	(15.05 - 23.53)	7.61	(5.58 - 10.31)	9.99	(7.89 - 12.58)
LA SPA 7	8.09	(5.83 - 11.11)	21.31	(17.16 - 26.15)	6.38	(4.75 - 8.50)	8.99	(7.23 - 11.14)
LA SPA 8	8.00	(5.89 - 10.78)	19.54	(15.61 - 24.17)	6.77	(5.06 - 9.00)	8.68	(6.91 - 10.85)
Region 12R	7.19	(5.00 - 10.25)	20.65	(15.89 - 26.39)	6.86	(4.98 - 9.38)	9.00	(6.96 - 11.56)
Regions 13 and 19R	7.07	(5.33 - 9.32)	18.95	(15.68 - 22.73)	6.67	(5.16 - 8.58)	8.71	(7.16 - 10.57)
Region 13 (Riverside)	7.01	(5.17 - 9.42)	19.23	(15.75 - 23.28)	6.68	(5.09 - 8.72)	8.76	(7.12 - 10.74)
Region 19R (Imperial)	7.80	(5.41 - 11.10)	*	(* - *)	*	(* - *)	8.11	(6.18 - 10.57)
Region 14 (Orange)	7.76	(5.86 - 10.21)	21.71	(18.21 - 25.66)	5.83	(4.50 - 7.53)	8.26	(6.86 - 9.91)
Region 15R (Fresno)	7.67	(5.42 - 10.74)	20.76	(16.41 - 25.90)	7.67	(5.68 - 10.27)	10.09	(7.96 - 12.71)
Region 16R (San Diego)	8.68	(6.62 - 11.30)	21.24	(17.71 - 25.25)	7.62	(5.91 - 9.78)	9.93	(8.22 - 11.95)
Region 17R	7.84	(5.78 - 10.56)	19.11	(15.11 - 23.87)	7.68	(5.78 - 10.13)	9.73	(7.76 - 12.13)
Region 18R (San Bernardino)	7.50	(5.49 - 10.16)	17.05	(13.78 - 20.89)	5.70	(4.19 - 7.71)	7.73	(6.17 - 9.64)
Region 20R	8.79	(6.38 - 11.99)	20.84	(16.68 - 25.71)	7.45	(5.51 - 10.01)	9.76	(7.71 - 12.29)
Region 21R	9.52	(6.78 - 13.19)	24.73	(20.13 - 29.98)	8.41	(6.24 - 11.24)	11.38	(9.11 - 14.12)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	7.79	(6.40 - 9.46)	24.16	(21.54 - 26.99)	8.26	(6.79 - 10.02)	10.57	(9.18 - 12.14)
Region 1	8.63	(6.20 - 11.89)	25.07	(20.23 - 30.64)	8.32	(6.11 - 11.24)	11.24	(8.97 - 14.00)
Regions 2 and 7	7.84	(6.04 - 10.11)	25.15	(21.71 - 28.93)	8.67	(6.79 - 11.01)	10.95	(9.15 - 13.06)
Region 3	6.61	(4.62 - 9.38)	22.47	(17.98 - 27.71)	6.95	(5.01 - 9.55)	9.32	(7.30 - 11.84)
Region 4	7.82	(5.31 - 11.36)	*	(* - *)	7.63	(5.33 - 10.81)	9.27	(6.91 - 12.32)
Regions 5 and 6	8.26	(5.67 - 11.87)	22.66	(17.93 - 28.20)	8.16	(5.88 - 11.23)	10.07	(7.76 - 12.98)
Connecticut	6.81	(5.60 - 8.27)	21.09	(18.68 - 23.72)	7.21	(5.85 - 8.86)	9.09	(7.79 - 10.58)
Eastern	5.87	(4.03 - 8.46)	19.47	(15.46 - 24.22)	7.09	(5.10 - 9.77)	9.28	(7.25 - 11.81)
North Central	6.27	(4.53 - 8.63)	20.33	(16.56 - 24.71)	6.73	(4.95 - 9.07)	8.49	(6.72 - 10.68)
Northwestern	7.93	(5.62 - 11.07)	21.87	(17.32 - 27.22)	7.15	(5.15 - 9.86)	8.90	(6.85 - 11.48)
South Central	7.43	(5.33 - 10.26)	21.86	(18.02 - 26.26)	7.96	(5.83 - 10.79)	9.90	(7.81 - 12.48)
Southwest	6.41	(4.47 - 9.12)	22.07	(17.50 - 27.42)	7.14	(5.12 - 9.88)	8.99	(6.91 - 11.61)
Delaware	6.53	(5.29 - 8.04)	20.57	(18.15 - 23.22)	6.64	(5.43 - 8.10)	8.67	(7.51 - 10.00)
Kent	6.44	(4.62 - 8.92)	20.21	(16.06 - 25.10)	6.54	(4.76 - 8.91)	8.75	(6.91 - 11.02)
New Castle (excluding Wilmington City)	6.64	(4.97 - 8.82)	21.63	(18.40 - 25.26)	6.52	(5.06 - 8.37)	8.90	(7.44 - 10.61)
Sussex	6.49	(4.56 - 9.16)	17.97	(14.12 - 22.59)	6.16	(4.50 - 8.38)	7.42	(5.74 - 9.54)
Wilmington City	6.15	(4.19 - 8.94)	19.47	(15.07 - 24.77)	9.06	(6.52 - 12.45)	10.58	(8.07 - 13.74)
District of Columbia	6.94	(5.63 - 8.54)	21.34	(18.91 - 23.99)	12.42	(10.48 - 14.66)	14.15	(12.42 - 16.08)
Ward 1	8.35	(5.61 - 12.24)	22.04	(17.64 - 27.19)	16.11	(12.22 - 20.94)	17.38	(13.85 - 21.58)
Ward 2	*	(* - *)	21.79	(17.79 - 26.41)	13.52	(10.26 - 17.62)	15.98	(13.05 - 19.42)
Ward 3	7.74	(5.24 - 11.29)	24.51	(19.70 - 30.05)	11.42	(8.55 - 15.08)	13.86	(11.07 - 17.21)
Ward 4	7.27	(5.05 - 10.37)	21.19	(16.39 - 26.94)	11.03	(8.17 - 14.71)	12.22	(9.45 - 15.66)
Ward 5	6.85	(4.79 - 9.71)	20.83	(16.58 - 25.82)	11.66	(8.62 - 15.59)	13.41	(10.50 - 16.96)
Ward 6	6.95	(4.67 - 10.20)	24.29	(19.30 - 30.08)	14.19	(10.68 - 18.62)	15.74	(12.36 - 19.83)
Ward 7	6.50	(4.54 - 9.22)	18.09	(13.78 - 23.39)	10.66	(7.73 - 14.53)	11.92	(9.11 - 15.45)
Ward 8	6.28	(4.48 - 8.74)	16.56	(12.83 - 21.12)	10.24	(7.51 - 13.81)	11.57	(9.02 - 14.72)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	6.42	(5.70 - 7.22)	17.78	(16.52 - 19.12)	6.27	(5.51 - 7.12)	7.79	(7.09 - 8.55)
Region A - Northwest	6.74	(5.47 - 8.28)	20.75	(18.03 - 23.77)	7.63	(6.26 - 9.28)	9.93	(8.57 - 11.49)
Circuit 1	5.88	(4.33 - 7.95)	18.92	(15.23 - 23.26)	6.98	(5.31 - 9.12)	8.80	(7.10 - 10.87)
Circuit 2	7.46	(5.34 - 10.32)	22.43	(18.11 - 27.43)	8.39	(6.24 - 11.19)	11.84	(9.57 - 14.57)
Circuit 14	7.97	(5.52 - 11.38)	21.50	(16.77 - 27.12)	8.24	(5.93 - 11.34)	10.00	(7.64 - 13.00)
Region B - Northeast	6.59	(5.32 - 8.13)	18.31	(16.08 - 20.78)	6.67	(5.49 - 8.08)	8.42	(7.27 - 9.74)
Circuits 3 and 8	5.72	(4.05 - 8.02)	17.88	(14.43 - 21.94)	7.18	(5.31 - 9.62)	9.40	(7.50 - 11.72)
Circuit 4	7.00	(5.10 - 9.54)	18.32	(14.81 - 22.44)	6.74	(5.05 - 8.93)	8.43	(6.74 - 10.50)
Circuit 7	6.51	(4.67 - 9.00)	18.81	(15.25 - 22.98)	6.29	(4.66 - 8.43)	7.77	(6.13 - 9.81)
Region C - Central	6.41	(5.43 - 7.55)	18.33	(16.36 - 20.47)	6.02	(5.07 - 7.13)	7.64	(6.71 - 8.68)
Circuit 5	6.50	(4.64 - 9.04)	16.38	(12.98 - 20.47)	5.51	(4.00 - 7.54)	6.52	(4.99 - 8.47)
Circuit 9	5.98	(4.47 - 7.97)	18.93	(15.82 - 22.49)	6.19	(4.74 - 8.03)	8.44	(6.95 - 10.21)
Circuit 10	6.02	(4.36 - 8.26)	16.44	(13.13 - 20.40)	5.67	(4.23 - 7.58)	7.04	(5.55 - 8.90)
Circuit 18	7.52	(5.57 - 10.08)	21.31	(17.23 - 26.06)	6.70	(4.97 - 8.97)	8.57	(6.78 - 10.78)
Circuit 19	5.98	(4.21 - 8.43)	15.96	(12.37 - 20.35)	5.95	(4.28 - 8.22)	7.01	(5.30 - 9.23)
Region D - Southeast	5.82	(4.66 - 7.25)	16.85	(14.51 - 19.48)	5.73	(4.63 - 7.06)	7.06	(5.97 - 8.33)
Circuit 15 (Palm Beach)	5.49	(4.00 - 7.49)	17.35	(14.16 - 21.08)	5.87	(4.39 - 7.81)	7.17	(5.68 - 9.02)
Circuit 17 (Broward)	6.05	(4.54 - 8.02)	16.50	(13.50 - 20.01)	5.62	(4.27 - 7.36)	6.97	(5.62 - 8.62)
Region E - Sun Coast	6.96	(5.79 - 8.36)	19.18	(17.14 - 21.39)	7.19	(6.02 - 8.56)	8.56	(7.45 - 9.82)
Circuit 6	7.25	(5.34 - 9.78)	19.09	(15.42 - 23.38)	6.97	(5.21 - 9.27)	8.22	(6.45 - 10.42)
Circuit 12	7.88	(5.61 - 10.95)	20.98	(16.66 - 26.07)	8.07	(5.86 - 11.00)	9.28	(7.08 - 12.06)
Circuit 13 (Hillsborough)	6.31	(4.58 - 8.63)	19.75	(16.67 - 23.23)	7.24	(5.55 - 9.38)	9.14	(7.48 - 11.11)
Circuit 20	6.91	(5.01 - 9.46)	17.38	(13.79 - 21.67)	6.83	(5.07 - 9.15)	7.91	(6.16 - 10.11)
Region F - Southern (Circuits 11 and 16)	5.92	(4.54 - 7.69)	13.21	(11.07 - 15.68)	4.60	(3.51 - 6.02)	5.80	(4.72 - 7.11)
Georgia	6.13	(5.01 - 7.48)	16.27	(14.19 - 18.59)	5.48	(4.36 - 6.87)	7.12	(6.04 - 8.37)
Region 1	5.77	(4.10 - 8.07)	16.67	(13.44 - 20.50)	4.78	(3.44 - 6.59)	6.35	(4.98 - 8.07)
Region 2	5.54	(3.83 - 7.96)	14.54	(11.17 - 18.71)	5.10	(3.59 - 7.20)	6.73	(5.13 - 8.78)
Region 3	6.62	(4.81 - 9.03)	17.39	(14.06 - 21.33)	5.95	(4.35 - 8.08)	7.62	(6.00 - 9.62)
Region 4	6.74	(4.57 - 9.82)	14.07	(10.53 - 18.56)	5.74	(3.99 - 8.21)	7.16	(5.37 - 9.49)
Region 5	6.85	(4.65 - 9.98)	16.29	(12.43 - 21.05)	6.28	(4.31 - 9.06)	8.03	(6.00 - 10.67)
Region 6	5.58	(3.91 - 7.90)	16.27	(12.53 - 20.87)	5.41	(3.81 - 7.64)	7.06	(5.38 - 9.21)

See notes at end of table.

(continued)

Table 19 Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	8.12	(6.60 - 9.95)	21.46	(18.93 - 24.24)	6.20	(4.93 - 7.77)	8.23	(7.01 - 9.63)
Hawaii Island	8.57	(6.12 - 11.88)	20.43	(15.98 - 25.74)	7.11	(4.98 - 10.07)	8.73	(6.58 - 11.49)
Honolulu	8.04	(6.26 - 10.26)	21.46	(18.58 - 24.65)	5.82	(4.47 - 7.54)	8.01	(6.70 - 9.57)
Kauai and Maui	8.07	(5.89 - 10.95)	22.43	(18.07 - 27.50)	7.02	(5.14 - 9.52)	8.73	(6.83 - 11.11)
Kauai	8.04	(5.43 - 11.74)	*	(* - *)	6.15	(4.19 - 8.94)	7.83	(5.75 - 10.56)
Maui	8.08	(5.56 - 11.60)	22.84	(17.66 - 29.00)	7.40	(5.18 - 10.45)	9.13	(6.87 - 12.04)
Idaho	7.14	(5.92 - 8.60)	19.36	(17.14 - 21.80)	7.50	(6.15 - 9.12)	9.31	(8.04 - 10.75)
Region 1	7.71	(5.50 - 10.72)	20.09	(15.69 - 25.36)	7.72	(5.49 - 10.77)	9.22	(6.98 - 12.08)
Region 2	6.71	(4.55 - 9.80)	20.61	(16.09 - 26.01)	7.80	(5.49 - 10.98)	10.30	(7.91 - 13.30)
Region 3	7.07	(5.02 - 9.86)	18.17	(14.35 - 22.75)	6.66	(4.79 - 9.18)	8.33	(6.45 - 10.69)
Region 4	8.16	(5.90 - 11.17)	24.22	(20.01 - 28.99)	8.63	(6.49 - 11.40)	10.79	(8.67 - 13.36)
Region 5	6.64	(4.71 - 9.27)	15.56	(12.01 - 19.92)	6.78	(4.81 - 9.48)	8.02	(6.07 - 10.53)
Region 6	6.97	(4.88 - 9.85)	19.76	(15.49 - 24.87)	7.87	(5.65 - 10.86)	9.78	(7.53 - 12.63)
Region 7	5.38	(3.61 - 7.95)	14.04	(10.69 - 18.24)	5.78	(4.05 - 8.19)	7.49	(5.70 - 9.78)
Illinois	5.76	(5.06 - 6.56)	20.43	(19.09 - 21.85)	6.60	(5.80 - 7.52)	8.62	(7.88 - 9.42)
Region I (Cook)	6.09	(4.98 - 7.44)	21.15	(19.11 - 23.34)	7.16	(5.96 - 8.59)	9.20	(8.09 - 10.46)
Region II	5.23	(4.23 - 6.45)	19.82	(17.55 - 22.30)	5.75	(4.68 - 7.06)	7.70	(6.65 - 8.89)
Region III	6.24	(4.80 - 8.07)	21.44	(18.40 - 24.84)	7.31	(5.68 - 9.34)	9.73	(8.14 - 11.58)
Region IV	5.71	(4.11 - 7.89)	16.81	(13.65 - 20.52)	5.90	(4.41 - 7.84)	7.41	(5.90 - 9.25)
Region V	5.98	(4.51 - 7.89)	20.38	(17.09 - 24.12)	6.73	(5.21 - 8.65)	8.67	(7.16 - 10.47)
Indiana	5.91	(4.78 - 7.30)	19.56	(17.25 - 22.11)	6.86	(5.56 - 8.45)	8.78	(7.53 - 10.21)
Central	6.09	(4.27 - 8.62)	20.46	(16.25 - 25.44)	7.36	(5.32 - 10.10)	9.17	(7.08 - 11.79)
East	6.37	(4.33 - 9.28)	20.09	(15.82 - 25.16)	7.56	(5.37 - 10.55)	9.61	(7.40 - 12.41)
North Central	6.02	(4.14 - 8.67)	19.43	(15.33 - 24.31)	6.57	(4.68 - 9.15)	8.40	(6.47 - 10.84)
Northeast	5.54	(3.76 - 8.08)	18.37	(14.29 - 23.31)	6.28	(4.44 - 8.80)	8.01	(6.12 - 10.42)
Northwest	6.01	(4.09 - 8.75)	18.16	(14.34 - 22.72)	7.06	(5.10 - 9.69)	8.59	(6.63 - 11.06)
Southeast	5.75	(3.91 - 8.38)	18.33	(14.46 - 22.95)	6.29	(4.42 - 8.86)	7.78	(5.88 - 10.23)
Southwest	5.49	(3.68 - 8.12)	17.83	(13.55 - 23.10)	6.15	(4.31 - 8.71)	7.79	(5.86 - 10.29)
West	5.67	(3.87 - 8.23)	20.97	(16.70 - 25.99)	6.93	(4.93 - 9.65)	10.19	(8.03 - 12.85)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	6.22	(5.13 - 7.52)	20.55	(18.21 - 23.11)	7.01	(5.72 - 8.56)	9.03	(7.82 - 10.41)
Central	6.48	(4.66 - 8.93)	21.06	(16.76 - 26.13)	7.06	(5.18 - 9.56)	9.00	(7.05 - 11.43)
North Central	6.16	(4.23 - 8.90)	22.41	(17.49 - 28.24)	7.27	(5.16 - 10.15)	10.17	(7.92 - 12.97)
Northeast	6.05	(4.38 - 8.31)	19.94	(16.36 - 24.08)	6.83	(5.05 - 9.16)	8.82	(7.06 - 10.96)
Northwest	5.89	(4.14 - 8.31)	19.11	(15.10 - 23.89)	7.00	(5.02 - 9.66)	8.59	(6.62 - 11.08)
Southeast	6.30	(4.58 - 8.62)	20.11	(16.26 - 24.61)	6.89	(5.04 - 9.35)	9.01	(7.15 - 11.30)
Southwest	6.58	(4.48 - 9.55)	21.75	(17.15 - 27.17)	7.30	(5.21 - 10.14)	9.03	(6.90 - 11.74)
Kansas	6.36	(5.20 - 7.76)	18.08	(15.78 - 20.64)	6.46	(5.26 - 7.92)	8.25	(7.09 - 9.57)
Kansas City Metro	6.10	(4.44 - 8.32)	18.18	(14.77 - 22.17)	5.52	(4.13 - 7.34)	7.39	(5.96 - 9.13)
Northeast	6.55	(4.54 - 9.35)	18.25	(14.42 - 22.83)	7.01	(5.03 - 9.69)	9.00	(6.97 - 11.55)
South Central	6.17	(4.32 - 8.73)	17.98	(13.83 - 23.04)	6.60	(4.64 - 9.31)	8.25	(6.24 - 10.83)
Southeast	6.80	(4.67 - 9.82)	19.48	(15.00 - 24.91)	7.21	(5.05 - 10.18)	9.10	(6.87 - 11.96)
West	7.24	(5.00 - 10.37)	18.29	(14.12 - 23.36)	7.74	(5.46 - 10.87)	9.29	(7.00 - 12.23)
Wichita (Sedgwick)	6.12	(4.28 - 8.69)	17.01	(13.45 - 21.28)	6.49	(4.72 - 8.86)	8.06	(6.30 - 10.26)
Kentucky	5.81	(4.68 - 7.18)	15.71	(13.65 - 18.01)	5.56	(4.44 - 6.95)	6.99	(5.92 - 8.24)
Adanta, Cumberland River, and Lifeskills	5.34	(3.73 - 7.59)	15.31	(11.89 - 19.49)	5.12	(3.66 - 7.13)	6.58	(5.06 - 8.51)
Bluegrass, Comprehend, and North Key	5.52	(3.89 - 7.76)	15.86	(12.90 - 19.35)	5.69	(4.11 - 7.82)	7.24	(5.68 - 9.17)
Communicare and River Valley	5.40	(3.65 - 7.92)	13.94	(10.58 - 18.15)	5.26	(3.64 - 7.55)	6.42	(4.76 - 8.61)
Four Rivers and Pennyroyal	6.10	(4.15 - 8.89)	15.36	(11.54 - 20.15)	5.64	(3.93 - 8.04)	7.04	(5.26 - 9.37)
Kentucky River, Mountain, and Pathways	6.26	(4.23 - 9.15)	14.69	(10.94 - 19.45)	5.86	(4.07 - 8.37)	7.00	(5.19 - 9.39)
Seven Counties	6.43	(4.58 - 8.95)	17.40	(13.64 - 21.94)	5.70	(4.10 - 7.88)	7.23	(5.58 - 9.31)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	5.94	(4.90 - 7.17)	16.90	(14.96 - 19.04)	6.44	(5.30 - 7.81)	8.08	(7.02 - 9.29)
Regions 1 and 10	5.88	(4.42 - 7.80)	16.91	(13.78 - 20.58)	6.73	(5.15 - 8.74)	8.31	(6.73 - 10.21)
Region 1	5.11	(3.51 - 7.38)	16.15	(12.39 - 20.79)	7.24	(5.18 - 10.03)	8.83	(6.75 - 11.47)
Region 10 (Jefferson)	6.62	(4.57 - 9.50)	17.94	(13.72 - 23.10)	6.24	(4.45 - 8.69)	7.78	(5.92 - 10.16)
Regions 2 and 9	5.72	(4.21 - 7.73)	16.97	(13.98 - 20.46)	5.99	(4.47 - 7.97)	7.77	(6.25 - 9.61)
Region 3	4.82	(3.28 - 7.03)	15.57	(12.09 - 19.82)	5.46	(3.87 - 7.65)	6.95	(5.32 - 9.04)
Regions 4, 5, and 6	6.56	(4.74 - 9.00)	17.56	(14.20 - 21.52)	7.15	(5.38 - 9.45)	8.74	(7.01 - 10.85)
Regions 7 and 8	5.95	(4.30 - 8.19)	16.50	(13.23 - 20.40)	6.28	(4.63 - 8.47)	7.91	(6.25 - 9.95)
Maine	5.85	(4.72 - 7.24)	19.73	(17.39 - 22.31)	6.46	(5.20 - 7.99)	8.11	(6.93 - 9.47)
Aroostook/Downeast	6.28	(4.63 - 8.48)	18.12	(14.81 - 21.98)	6.63	(4.83 - 9.06)	7.93	(6.16 - 10.16)
Aroostook	6.22	(4.15 - 9.22)	16.90	(12.86 - 21.87)	6.32	(4.30 - 9.19)	7.55	(5.51 - 10.25)
Downeast	6.34	(4.33 - 9.20)	19.16	(14.83 - 24.40)	6.89	(4.71 - 9.97)	8.24	(6.06 - 11.12)
Central	5.42	(3.72 - 7.82)	18.16	(14.21 - 22.90)	6.48	(4.47 - 9.29)	7.86	(5.84 - 10.49)
Cumberland	5.72	(3.98 - 8.14)	22.02	(17.75 - 26.97)	6.83	(5.02 - 9.23)	8.77	(6.94 - 11.03)
Midcoast	6.11	(4.06 - 9.08)	19.36	(14.75 - 24.99)	6.34	(4.38 - 9.09)	7.62	(5.63 - 10.25)
Penquis	6.30	(4.41 - 8.91)	21.17	(17.00 - 26.05)	6.66	(4.76 - 9.25)	9.02	(7.08 - 11.42)
Western	5.70	(4.00 - 8.05)	17.87	(14.06 - 22.44)	6.34	(4.54 - 8.78)	7.83	(6.02 - 10.12)
York	5.74	(3.96 - 8.26)	19.30	(15.29 - 24.07)	5.82	(4.13 - 8.13)	7.36	(5.63 - 9.56)
Maryland	5.55	(4.52 - 6.80)	18.34	(16.14 - 20.76)	5.54	(4.47 - 6.86)	7.37	(6.33 - 8.56)
Anne Arundel	5.53	(3.72 - 8.15)	19.10	(14.79 - 24.31)	5.23	(3.64 - 7.46)	7.07	(5.35 - 9.28)
Baltimore City	5.13	(3.42 - 7.63)	15.34	(11.97 - 19.45)	7.64	(5.44 - 10.62)	9.02	(6.88 - 11.73)
Baltimore County	5.84	(4.01 - 8.44)	19.56	(15.45 - 24.44)	6.18	(4.42 - 8.57)	8.10	(6.28 - 10.37)
Montgomery	5.96	(4.17 - 8.45)	21.18	(16.69 - 26.50)	4.69	(3.29 - 6.63)	6.61	(5.09 - 8.55)
North Central	5.33	(3.58 - 7.88)	19.88	(15.30 - 25.42)	4.80	(3.29 - 6.95)	6.63	(4.98 - 8.79)
Northeast	5.83	(4.01 - 8.41)	18.35	(13.89 - 23.84)	5.29	(3.65 - 7.61)	6.93	(5.16 - 9.24)
Prince George's	4.96	(3.33 - 7.32)	16.54	(12.82 - 21.07)	5.20	(3.65 - 7.35)	7.15	(5.50 - 9.24)
South	5.50	(3.79 - 7.93)	18.17	(13.92 - 23.37)	5.55	(3.88 - 7.89)	7.46	(5.68 - 9.74)
West	5.86	(4.00 - 8.50)	18.52	(14.24 - 23.74)	5.53	(3.86 - 7.85)	7.26	(5.49 - 9.54)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	7.94	(6.64 - 9.48)	22.99	(20.46 - 25.73)	7.95	(6.60 - 9.54)	10.21	(8.94 - 11.64)
Boston	9.08	(6.40 - 12.74)	23.71	(19.32 - 28.74)	10.52	(7.86 - 13.93)	13.65	(11.06 - 16.74)
Central	7.44	(5.27 - 10.41)	22.65	(17.96 - 28.14)	7.83	(5.63 - 10.79)	9.94	(7.71 - 12.74)
Metrowest	9.07	(6.71 - 12.16)	26.11	(21.07 - 31.87)	7.89	(5.89 - 10.51)	10.27	(8.20 - 12.80)
Northeast	7.84	(5.77 - 10.58)	21.95	(17.83 - 26.72)	7.77	(5.75 - 10.41)	9.62	(7.61 - 12.10)
Southeast	7.33	(5.31 - 10.03)	22.51	(18.40 - 27.23)	7.11	(5.26 - 9.56)	9.06	(7.18 - 11.37)
Western	6.86	(4.80 - 9.72)	19.73	(15.42 - 24.89)	7.49	(5.41 - 10.28)	9.58	(7.45 - 12.24)
Michigan	7.03	(6.29 - 7.86)	17.56	(16.37 - 18.82)	7.45	(6.63 - 8.36)	8.93	(8.19 - 9.72)
Detroit City	7.01	(5.16 - 9.47)	16.39	(13.35 - 19.97)	9.12	(6.95 - 11.90)	10.43	(8.39 - 12.89)
Genesee	6.48	(4.70 - 8.86)	16.31	(12.98 - 20.29)	6.75	(5.06 - 8.97)	8.08	(6.37 - 10.18)
Kalamazoo	6.54	(4.90 - 8.67)	16.36	(13.27 - 19.99)	6.92	(5.24 - 9.08)	8.41	(6.75 - 10.42)
Kent	7.06	(5.25 - 9.44)	19.64	(16.16 - 23.65)	8.54	(6.62 - 10.95)	10.28	(8.40 - 12.53)
Lakeshore	6.73	(5.04 - 8.93)	17.16	(14.23 - 20.55)	7.84	(6.11 - 10.01)	9.26	(7.59 - 11.24)
Macomb	7.54	(5.72 - 9.88)	19.63	(16.32 - 23.41)	7.68	(5.95 - 9.86)	9.18	(7.49 - 11.21)
Mid South	5.70	(4.23 - 7.64)	15.12	(12.47 - 18.23)	6.59	(5.09 - 8.50)	8.11	(6.66 - 9.84)
Northern	8.05	(5.97 - 10.76)	17.84	(14.68 - 21.50)	6.72	(5.09 - 8.82)	8.29	(6.67 - 10.24)
Oakland	7.14	(5.51 - 9.20)	19.24	(16.24 - 22.65)	7.16	(5.63 - 9.08)	8.59	(7.09 - 10.37)
Pathways and Western	8.17	(5.90 - 11.20)	21.55	(17.35 - 26.44)	9.62	(7.25 - 12.66)	11.35	(9.01 - 14.21)
Riverhaven	7.15	(5.12 - 9.89)	17.54	(13.99 - 21.75)	7.87	(5.87 - 10.49)	9.07	(7.08 - 11.54)
Saginaw	7.13	(5.00 - 10.06)	15.30	(11.83 - 19.55)	7.25	(5.20 - 10.02)	8.49	(6.44 - 11.12)
Southeast	7.24	(5.64 - 9.25)	16.88	(14.30 - 19.82)	7.30	(5.78 - 9.19)	8.58	(7.12 - 10.30)
St. Clair	6.81	(4.84 - 9.49)	16.11	(12.62 - 20.34)	6.91	(5.11 - 9.28)	8.04	(6.24 - 10.30)
Washtenaw	7.23	(5.30 - 9.81)	19.00	(15.83 - 22.65)	6.96	(5.27 - 9.15)	9.24	(7.55 - 11.25)
Minnesota	6.84	(5.67 - 8.22)	21.06	(18.62 - 23.73)	7.19	(5.92 - 8.71)	9.15	(7.95 - 10.52)
Regions 1 and 2	7.04	(4.82 - 10.18)	20.14	(15.43 - 25.86)	7.42	(5.20 - 10.49)	9.21	(6.92 - 12.17)
Regions 3 and 4	7.06	(5.04 - 9.81)	21.25	(17.13 - 26.04)	7.55	(5.58 - 10.15)	9.55	(7.55 - 11.99)
Regions 5 and 6	8.21	(5.91 - 11.32)	21.70	(17.36 - 26.78)	7.51	(5.47 - 10.23)	9.60	(7.54 - 12.15)
Region 7A (Hennepin)	6.17	(4.35 - 8.67)	20.72	(16.68 - 25.44)	7.57	(5.64 - 10.09)	9.40	(7.46 - 11.78)
Region 7B (Ramsey)	7.52	(5.18 - 10.80)	21.77	(16.98 - 27.47)	7.70	(5.56 - 10.55)	10.10	(7.85 - 12.91)
Region 7C	5.89	(4.29 - 8.03)	20.67	(16.57 - 25.48)	5.93	(4.41 - 7.91)	7.74	(6.16 - 9.67)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	5.85	(4.76 - 7.17)	15.38	(13.41 - 17.57)	5.96	(4.83 - 7.35)	7.42	(6.34-8.66)
Region 1	6.17	(4.41 - 8.55)	15.45	(12.13 - 19.48)	5.28	(3.81 - 7.29)	6.83	(5.32-8.72)
Region 2	5.30	(3.60 - 7.76)	14.50	(11.07 - 18.77)	6.85	(4.87 - 9.55)	8.04	(6.09-10.56)
Region 3	5.65	(3.88 - 8.16)	16.81	(13.19 - 21.19)	6.13	(4.35 - 8.56)	7.97	(6.14-10.29)
Region 4	5.03	(3.49 - 7.21)	13.86	(10.88 - 17.49)	5.53	(3.98 - 7.63)	6.80	(5.24-8.77)
Region 5	5.85	(3.86 - 8.77)	13.44	(10.01 - 17.83)	6.16	(4.26 - 8.84)	7.17	(5.26-9.70)
Region 6	5.71	(3.93 - 8.21)	14.24	(10.84 - 18.48)	6.07	(4.29 - 8.52)	7.43	(5.62-9.76)
Region 7	7.11	(4.97 - 10.07)	17.92	(14.06 - 22.56)	6.45	(4.68 - 8.82)	8.09	(6.27-10.37)
Missouri	6.88	(5.70 - 8.28)	17.50	(15.29 - 19.95)	6.08	(4.96 - 7.43)	7.74	(6.68-8.96)
Central	7.05	(4.90 - 10.04)	17.69	(13.85 - 22.33)	5.63	(4.03 - 7.81)	7.79	(6.09-9.92)
Eastern	7.20	(5.58 - 9.24)	18.59	(15.59 - 22.03)	6.37	(4.92 - 8.21)	8.07	(6.65-9.77)
Eastern (St. Louis City and County)	6.67	(4.81 - 9.16)	17.91	(14.34 - 22.15)	6.49	(4.80 - 8.72)	8.15	(6.46-10.22)
Eastern (excluding St. Louis)	8.02	(5.60 - 11.36)	19.93	(15.45 - 25.33)	6.17	(4.36 - 8.65)	7.95	(6.06-10.35)
Northwest	6.68	(5.03 - 8.82)	17.67	(14.59 - 21.24)	6.37	(4.88 - 8.27)	7.96	(6.47-9.75)
Northwest (Jackson)	6.90	(4.78 - 9.85)	18.40	(14.54 - 23.01)	7.21	(5.22 - 9.88)	8.78	(6.78-11.29)
Northwest (excluding Jackson)	6.51	(4.50 - 9.32)	17.06	(13.09 - 21.92)	5.64	(3.98 - 7.94)	7.26	(5.53-9.49)
Southeast	6.72	(4.74 - 9.46)	15.59	(11.97 - 20.06)	5.88	(4.15 - 8.26)	7.22	(5.45-9.49)
Southwest	6.43	(4.43 - 9.26)	16.05	(12.28 - 20.71)	5.50	(3.91 - 7.69)	7.02	(5.36-9.14)
Montana	9.21	(7.67 - 11.02)	24.29	(21.68 - 27.10)	8.37	(6.94 - 10.06)	10.60	(9.24-12.13)
Region 1	9.22	(6.50 - 12.92)	23.42	(18.40 - 29.31)	8.23	(5.79 - 11.56)	9.98	(7.51-13.15)
Region 2	7.26	(4.97 - 10.49)	24.09	(19.13 - 29.85)	7.97	(5.70 - 11.03)	10.31	(7.95-13.25)
Region 3	8.52	(6.29 - 11.44)	22.54	(18.36 - 27.36)	7.72	(5.74 - 10.30)	9.56	(7.58-11.99)
Region 4	10.41	(7.71 - 13.91)	26.24	(21.91 - 31.09)	9.13	(6.98 - 11.87)	11.78	(9.64-14.32)
Region 5	9.71	(7.41 - 12.62)	23.75	(19.97 - 27.99)	8.37	(6.45 - 10.79)	10.56	(8.69-12.77)
Nebraska	6.81	(5.56 - 8.31)	19.28	(17.06 - 21.72)	6.71	(5.46 - 8.21)	8.60	(7.42-9.95)
Regions 1 and 2	6.88	(5.05 - 9.31)	18.55	(14.84 - 22.94)	7.04	(5.25 - 9.40)	8.49	(6.67-10.74)
Region 1	6.94	(4.64 - 10.26)	*	(* - *)	7.33	(5.04 - 10.54)	8.94	(6.57-12.04)
Region 2	6.83	(4.68 - 9.87)	17.61	(13.23 - 23.05)	6.80	(4.75 - 9.64)	8.09	(6.00-10.83)
Region 3	7.14	(5.10 - 9.92)	19.36	(15.24 - 24.27)	6.77	(4.88 - 9.30)	8.56	(6.66-10.96)
Region 4	6.17	(4.26 - 8.87)	17.51	(13.46 - 22.45)	6.36	(4.44 - 9.04)	7.83	(5.87-10.37)
Region 5	6.47	(4.62 - 8.99)	20.03	(16.43 - 24.20)	6.84	(5.09 - 9.14)	9.15	(7.36-11.32)
Region 6	7.03	(5.22 - 9.40)	19.30	(16.08 - 23.00)	6.62	(5.02 - 8.68)	8.51	(6.92-10.41)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	7.18	(5.61 - 9.14)	20.61	(17.73 - 23.82)	9.39	(7.62 - 11.52)	10.95	(9.31 - 12.84)
Clark – Region 1	6.70	(4.96 - 8.99)	19.04	(15.75 - 22.83)	8.75	(6.85 - 11.11)	10.18	(8.39 - 12.29)
Region 3	7.34	(5.32 - 10.05)	21.07	(16.90 - 25.95)	9.54	(7.08 - 12.74)	10.94	(8.53 - 13.92)
Capital District	7.64	(5.03 - 11.43)	*	(* - *)	9.30	(6.46 - 13.22)	10.74	(7.91 - 14.41)
Rural/Frontier	7.11	(4.70 - 10.61)	*	(* - *)	9.77	(6.71 - 14.00)	11.12	(8.09 - 15.09)
Washoe – Region 2	9.34	(6.56 - 13.14)	26.74	(22.26 - 31.76)	12.22	(9.07 - 16.26)	14.46	(11.51 - 18.02)
New Hampshire	8.57	(7.11 - 10.30)	22.23	(19.78 - 24.89)	6.67	(5.35 - 8.29)	8.76	(7.50 - 10.22)
Central	7.69	(5.88 - 10.01)	21.18	(18.01 - 24.73)	6.83	(5.15 - 9.01)	8.91	(7.26 - 10.90)
Central 1	7.97	(5.59 - 11.25)	22.52	(18.54 - 27.06)	7.13	(5.18 - 9.74)	9.69	(7.71 - 12.10)
Central 2	7.44	(5.23 - 10.49)	19.42	(15.29 - 24.35)	6.56	(4.54 - 9.38)	8.16	(6.11 - 10.82)
Northern	9.68	(6.89 - 13.45)	23.20	(18.55 - 28.61)	7.67	(5.38 - 10.81)	9.79	(7.49 - 12.70)
Southern	8.75	(7.01 - 10.87)	22.59	(19.54 - 25.96)	6.37	(4.98 - 8.10)	8.45	(7.10 - 10.04)
Southern 1 (Rockingham)	8.07	(5.93 - 10.90)	22.51	(18.50 - 27.09)	5.99	(4.33 - 8.23)	7.86	(6.16 - 9.98)
Southern 2	9.19	(6.97 - 12.03)	22.63	(18.94 - 26.79)	6.61	(4.98 - 8.73)	8.82	(7.20 - 10.76)
New Jersey	6.55	(5.41 - 7.91)	20.76	(18.30 - 23.44)	5.90	(4.71 - 7.37)	7.85	(6.67 - 9.21)
Central	7.28	(5.23 - 10.04)	20.79	(16.53 - 25.79)	5.70	(4.11 - 7.86)	7.54	(5.88 - 9.63)
Metropolitan	6.12	(4.43 - 8.40)	19.98	(16.27 - 24.29)	6.12	(4.46 - 8.35)	8.07	(6.39 - 10.16)
Northern	6.58	(4.85 - 8.88)	21.86	(17.97 - 26.32)	6.03	(4.42 - 8.18)	8.04	(6.37 - 10.09)
Southern	6.17	(4.42 - 8.53)	20.05	(16.18 - 24.59)	5.69	(4.04 - 7.95)	7.62	(5.90 - 9.80)
New Mexico	9.58	(7.97 - 11.47)	20.66	(18.23 - 23.32)	7.62	(6.20 - 9.34)	9.55	(8.21 - 11.09)
Region 1	8.86	(6.46 - 12.04)	21.41	(17.35 - 26.11)	6.34	(4.64 - 8.61)	8.55	(6.79 - 10.72)
Region 2	8.60	(6.02 - 12.15)	18.31	(14.13 - 23.40)	7.58	(5.35 - 10.63)	8.81	(6.59 - 11.68)
Region 3 (Bernalillo)	11.53	(8.63 - 15.25)	23.84	(19.92 - 28.27)	8.97	(6.80 - 11.76)	11.20	(9.09 - 13.72)
Region 4	7.92	(5.63 - 11.02)	16.79	(13.03 - 21.37)	7.01	(5.02 - 9.71)	8.57	(6.58 - 11.10)
Region 5	9.24	(6.81 - 12.42)	18.78	(14.93 - 23.35)	7.12	(5.20 - 9.68)	9.03	(7.09 - 11.43)

See notes at end of table.

(continued)

Table 19 Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	6.70	(5.92 - 7.56)	18.69	(17.40 - 20.05)	6.84	(6.01 - 7.77)	8.62	(7.87 - 9.43)
Region A	7.04	(5.94 - 8.33)	17.53	(15.80 - 19.39)	7.18	(6.11 - 8.41)	8.77	(7.77 - 9.87)
Region 1	6.25	(4.58 - 8.49)	15.19	(12.32 - 18.58)	7.19	(5.42 - 9.48)	8.62	(6.91 - 10.72)
Region 2	7.84	(6.08 - 10.04)	18.62	(15.89 - 21.70)	7.34	(5.72 - 9.38)	9.09	(7.55 - 10.92)
Region 3	6.82	(4.84 - 9.54)	18.56	(15.15 - 22.52)	8.29	(6.37 - 10.72)	9.84	(7.96 - 12.10)
Region 4	6.58	(4.86 - 8.86)	16.82	(13.79 - 20.37)	6.12	(4.68 - 7.97)	7.60	(6.16 - 9.35)
Region B	6.77	(5.65 - 8.10)	20.07	(17.84 - 22.50)	5.91	(4.91 - 7.10)	7.83	(6.84 - 8.94)
Region 5	6.64	(5.20 - 8.44)	20.09	(17.02 - 23.55)	5.55	(4.33 - 7.09)	7.47	(6.24 - 8.93)
Region 6	6.46	(4.72 - 8.78)	19.62	(15.89 - 23.97)	6.12	(4.57 - 8.16)	7.87	(6.26 - 9.85)
Region 7	7.71	(5.70 - 10.35)	20.61	(16.89 - 24.90)	6.80	(5.00 - 9.18)	8.93	(7.11 - 11.16)
Region C	6.24	(5.28 - 7.35)	19.82	(17.95 - 21.84)	7.18	(6.07 - 8.47)	9.18	(8.14 - 10.34)
Region 8	6.38	(4.68 - 8.64)	20.51	(16.85 - 24.73)	6.73	(5.12 - 8.81)	8.79	(7.13 - 10.79)
Region 9	6.23	(4.57 - 8.43)	18.61	(15.22 - 22.55)	6.97	(5.23 - 9.22)	8.84	(7.08 - 10.98)
Region 10	6.16	(4.32 - 8.73)	17.68	(13.99 - 22.10)	7.20	(5.26 - 9.78)	9.26	(7.28 - 11.72)
Region 11	6.78	(4.98 - 9.16)	21.53	(17.77 - 25.83)	7.89	(5.93 - 10.43)	10.05	(8.11 - 12.38)
Region 12	5.64	(4.07 - 7.75)	19.76	(16.25 - 23.83)	7.09	(5.38 - 9.30)	8.98	(7.25 - 11.09)
Region D	6.17	(4.88 - 7.77)	17.52	(15.05 - 20.30)	7.08	(5.73 - 8.73)	8.69	(7.37 - 10.22)
Region 13	6.29	(4.40 - 8.92)	17.11	(13.45 - 21.51)	6.46	(4.63 - 8.95)	8.05	(6.18 - 10.43)
Region 14	6.16	(4.30 - 8.75)	18.25	(14.42 - 22.82)	8.14	(5.96 - 11.03)	9.79	(7.63 - 12.49)
Region 15	6.07	(4.26 - 8.58)	17.11	(13.52 - 21.41)	6.61	(4.91 - 8.83)	8.16	(6.44 - 10.30)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	6.23	(5.11 - 7.57)	17.24	(14.99 - 19.75)	5.79	(4.63 - 7.23)	7.41	(6.28 - 8.72)
Alliance	5.98	(4.22 - 8.42)	16.65	(12.94 - 21.16)	5.08	(3.70 - 6.94)	6.83	(5.33 - 8.71)
Cardinal Innovations	6.30	(4.40 - 8.96)	18.25	(14.29 - 23.00)	5.69	(4.02 - 7.99)	7.38	(5.64 - 9.59)
CenterPoint/Guilford	6.14	(4.49 - 8.35)	16.51	(13.29 - 20.33)	5.78	(4.26 - 7.78)	7.34	(5.80 - 9.24)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	6.94	(5.10 - 9.39)
Guilford	*	(* - *)	16.76	(12.75 - 21.73)	6.04	(4.19 - 8.63)	7.76	(5.83 - 10.26)
CoastalCare	6.51	(4.36 - 9.61)	18.52	(13.85 - 24.33)	6.09	(4.17 - 8.80)	8.33	(6.21 - 11.08)
Eastpointe	6.14	(4.22 - 8.86)	15.86	(12.17 - 20.41)	6.23	(4.28 - 8.99)	7.54	(5.58 - 10.12)
ECBH	5.85	(3.88 - 8.72)	15.90	(11.85 - 21.01)	*	(* - *)	7.41	(5.39 - 10.11)
MeckLINK	5.61	(3.75 - 8.33)	17.67	(13.30 - 23.11)	5.82	(4.00 - 8.40)	7.50	(5.54 - 10.07)
Partners	6.66	(4.61 - 9.55)	18.32	(14.15 - 23.39)	6.43	(4.50 - 9.10)	7.89	(5.92 - 10.44)
Sandhills	6.27	(4.25 - 9.16)	16.87	(12.67 - 22.11)	5.74	(3.99 - 8.20)	7.15	(5.31 - 9.57)
Smoky Mountain	*	(* - *)	17.71	(13.36 - 23.11)	*	(* - *)	7.61	(5.59 - 10.28)
Western Highlands	*	(* - *)	17.65	(13.23 - 23.16)	6.02	(4.15 - 8.66)	7.29	(5.35 - 9.86)
North Dakota	6.19	(5.05 - 7.58)	21.89	(19.41 - 24.59)	7.05	(5.72 - 8.65)	9.64	(8.38 - 11.05)
Badlands and West Central	6.26	(4.53 - 8.60)	21.49	(17.34 - 26.31)	6.42	(4.74 - 8.64)	8.46	(6.73 - 10.58)
Lake Region and South Central	7.15	(4.96 - 10.20)	23.24	(18.45 - 28.84)	7.41	(5.25 - 10.38)	9.40	(7.17 - 12.22)
North Central and Northwest	6.51	(4.62 - 9.09)	23.05	(18.38 - 28.51)	7.48	(5.46 - 10.16)	10.03	(7.93 - 12.62)
Northeast	6.55	(4.57 - 9.32)	23.39	(19.37 - 27.94)	8.20	(5.98 - 11.15)	11.90	(9.67 - 14.56)
Southeast	5.17	(3.63 - 7.31)	20.31	(16.67 - 24.51)	6.67	(4.92 - 8.97)	9.55	(7.76 - 11.70)

See notes at end of table.

(continued)

Table 19 Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Ohio	6.22	(5.56 - 6.95)	19.40	(18.15 - 20.71)	7.22	(6.42 - 8.11)	8.95	(8.23 - 9.72)
Boards 2, 46, 55, and 68	5.40	(3.85 - 7.51)	18.16	(14.61 - 22.35)	6.53	(4.83 - 8.77)	8.10	(6.38 - 10.24)
Boards 3, 52, and 85	6.07	(4.36 - 8.38)	18.78	(15.12 - 23.09)	6.25	(4.62 - 8.41)	7.94	(6.25 - 10.04)
Boards 4 and 78	6.85	(4.77 - 9.74)	18.22	(14.39 - 22.78)	7.01	(5.13 - 9.52)	8.37	(6.46 - 10.77)
Boards 5 and 60	6.13	(4.36 - 8.56)	20.32	(16.43 - 24.87)	7.40	(5.47 - 9.94)	9.75	(7.77 - 12.17)
Boards 7, 15, 41, 79, and 84	6.08	(4.31 - 8.50)	15.72	(12.66 - 19.36)	6.45	(4.78 - 8.64)	7.56	(5.93 - 9.60)
Boards 8, 13, and 83	5.39	(3.86 - 7.48)	17.62	(14.19 - 21.67)	5.26	(3.86 - 7.13)	6.76	(5.31 - 8.56)
Board 9 (Butler)	6.20	(4.41 - 8.66)	21.80	(17.81 - 26.40)	7.48	(5.62 - 9.90)	9.81	(7.89 - 12.13)
Board 12	7.25	(5.20 - 10.02)	20.08	(16.02 - 24.86)	7.24	(5.35 - 9.75)	9.32	(7.36 - 11.73)
Boards 18 and 47	6.92	(5.42 - 8.80)	19.70	(16.87 - 22.89)	7.53	(6.02 - 9.37)	9.14	(7.68 - 10.84)
Boards 20, 32, 54, and 69	5.61	(3.94 - 7.93)	17.01	(13.34 - 21.44)	6.00	(4.35 - 8.21)	7.44	(5.74 - 9.59)
Boards 21, 39, 51, 70, and 80	6.00	(4.38 - 8.16)	20.64	(16.62 - 25.33)	6.74	(5.15 - 8.77)	8.41	(6.77 - 10.41)
Boards 22, 74, and 87	5.53	(3.90 - 7.79)	17.30	(13.87 - 21.35)	6.83	(5.05 - 9.18)	8.46	(6.66 - 10.69)
Boards 23 and 45	5.23	(3.73 - 7.30)	18.15	(14.34 - 22.70)	6.04	(4.48 - 8.12)	7.72	(6.08 - 9.76)
Board 25 (Franklin)	6.44	(4.83 - 8.55)	23.04	(19.61 - 26.86)	9.06	(7.22 - 11.32)	11.45	(9.67 - 13.52)
Boards 27, 71, and 73	5.51	(3.88 - 7.77)	15.99	(12.82 - 19.77)	6.88	(5.05 - 9.33)	8.05	(6.22 - 10.35)
Boards 28, 43, and 67	7.47	(5.45 - 10.15)	20.31	(16.67 - 24.52)	7.01	(5.27 - 9.27)	8.95	(7.19 - 11.09)
Board 31 (Hamilton)	5.74	(4.20 - 7.78)	18.36	(15.10 - 22.14)	7.00	(5.36 - 9.11)	8.73	(7.10 - 10.69)
Board 48 (Lucas)	6.87	(4.88 - 9.59)	18.99	(15.26 - 23.39)	9.01	(6.77 - 11.91)	10.60	(8.40 - 13.29)
Boards 50 and 76	5.96	(4.42 - 8.01)	18.72	(15.36 - 22.62)	6.82	(5.18 - 8.92)	8.35	(6.72 - 10.33)
Board 57 (Montgomery)	5.88	(4.20 - 8.17)	18.29	(14.81 - 22.38)	7.28	(5.41 - 9.73)	8.82	(6.97 - 11.11)
Board 77 (Summit)	6.93	(5.05 - 9.43)	20.80	(16.95 - 25.25)	8.25	(6.27 - 10.78)	9.94	(7.96 - 12.35)
Oklahoma	6.32	(5.12 - 7.80)	18.87	(16.41 - 21.61)	8.09	(6.58 - 9.89)	9.73	(8.35 - 11.32)
Central	6.25	(4.30 - 9.00)	20.09	(15.58 - 25.51)	7.61	(5.42 - 10.58)	9.73	(7.51 - 12.51)
East Central	6.22	(4.21 - 9.10)	17.07	(12.91 - 22.23)	7.27	(5.03 - 10.41)	8.62	(6.36 - 11.58)
Northeast	5.76	(3.94 - 8.34)	19.03	(14.89 - 23.99)	6.91	(4.95 - 9.56)	8.90	(6.91 - 11.39)
Northwest and Southwest	7.97	(5.58 - 11.27)	21.22	(16.71 - 26.57)	10.16	(7.37 - 13.86)	11.89	(9.21 - 15.24)
Oklahoma County	5.99	(4.16 - 8.57)	17.52	(13.81 - 21.98)	7.82	(5.68 - 10.68)	9.32	(7.24 - 11.92)
Southeast	6.34	(4.41 - 9.04)	19.26	(15.05 - 24.30)	8.48	(6.11 - 11.66)	9.97	(7.66 - 12.87)
Tulsa County	5.83	(3.95 - 8.51)	17.96	(14.02 - 22.72)	8.08	(5.89 - 11.00)	9.54	(7.38 - 12.25)

See notes at end of table.

(continued)

Table 19 Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Oregon	7.51	(6.20 - 9.06)	20.21	(17.85 - 22.79)	8.22	(6.80 - 9.92)	9.88	(8.56 - 11.38)
Region 1 (Multnomah)	8.50	(6.03 - 11.84)	23.32	(18.94 - 28.35)	11.11	(8.51 - 14.39)	12.75	(10.23 - 15.79)
Region 2	6.34	(4.53 - 8.80)	18.83	(14.99 - 23.38)	6.29	(4.62 - 8.50)	7.87	(6.18 - 9.98)
Region 3	7.54	(5.63 - 10.03)	20.16	(16.80 - 24.00)	8.23	(6.26 - 10.74)	10.17	(8.31 - 12.39)
Region 4	9.01	(6.28 - 12.76)	19.40	(15.19 - 24.45)	7.75	(5.60 - 10.63)	9.13	(7.00 - 11.83)
Region 5 (Central)	7.53	(5.12 - 10.94)	19.02	(14.43 - 24.64)	7.97	(5.65 - 11.15)	9.24	(6.91 - 12.25)
Region 6 (Eastern)	6.63	(4.47 - 9.72)	*	(* - *)	*	(* - *)	8.94	(6.50 - 12.18)
Pennsylvania	6.78	(5.99 - 7.66)	19.06	(17.70 - 20.49)	6.88	(6.08 - 7.77)	8.63	(7.89 - 9.42)
Region 1 (Allegheny)	7.99	(6.05 - 10.50)	21.56	(18.15 - 25.41)	8.21	(6.40 - 10.48)	10.06	(8.29 - 12.15)
Regions 3, 8, 9, and 51	7.22	(5.21 - 9.91)	19.05	(15.37 - 23.37)	6.63	(4.93 - 8.87)	8.42	(6.68 - 10.55)
Regions 4, 11, 37, and 49	7.44	(5.47 - 10.05)	19.37	(15.79 - 23.54)	6.81	(5.10 - 9.03)	8.50	(6.77 - 10.63)
Regions 5, 18, 23, 24, and 46	5.58	(3.92 - 7.88)	14.94	(11.71 - 18.86)	5.40	(3.87 - 7.48)	6.67	(5.12 - 8.65)
Regions 6, 12, 16, 31, 35, 45, and 47	5.68	(4.13 - 7.77)	17.05	(13.84 - 20.82)	5.98	(4.46 - 7.98)	8.17	(6.59 - 10.11)
Regions 7, 13, 20, and 33	6.73	(5.28 - 8.54)	20.78	(17.88 - 24.02)	6.54	(5.24 - 8.12)	8.38	(7.10 - 9.86)
Regions 10, 15, 27, 32, 43, and 44	7.96	(5.87 - 10.72)	17.77	(14.19 - 22.01)	6.97	(5.24 - 9.21)	8.29	(6.57 - 10.40)
Regions 17 and 21	7.31	(5.24 - 10.12)	18.73	(14.83 - 23.36)	7.36	(5.33 - 10.08)	9.17	(7.09 - 11.77)
Regions 19, 26, 28, and 42	5.71	(4.29 - 7.57)	17.83	(14.82 - 21.29)	5.30	(4.01 - 6.97)	6.98	(5.66 - 8.57)
Regions 22, 38, 40, 41, and 48	6.33	(4.62 - 8.64)	16.80	(13.66 - 20.49)	6.15	(4.62 - 8.15)	7.39	(5.86 - 9.28)
Regions 29 and 34	6.33	(4.48 - 8.89)	19.26	(15.42 - 23.79)	5.80	(4.24 - 7.87)	7.63	(5.98 - 9.69)
Regions 30 and 50	5.83	(4.13 - 8.17)	16.24	(12.77 - 20.45)	6.31	(4.65 - 8.50)	7.63	(5.97 - 9.70)
Region 36 (Philadelphia)	7.81	(5.87 - 10.31)	20.64	(17.49 - 24.20)	10.30	(8.14 - 12.95)	12.28	(10.30 - 14.58)
Rhode Island	6.84	(5.50 - 8.48)	22.75	(20.24 - 25.47)	9.11	(7.48 - 11.07)	11.32	(9.82 - 13.02)
Bristol and Newport	6.73	(4.57 - 9.80)	23.93	(19.03 - 29.62)	8.67	(6.10 - 12.20)	10.96	(8.39 - 14.20)
Kent	7.65	(5.45 - 10.63)	23.42	(18.97 - 28.55)	9.88	(7.25 - 13.34)	11.48	(8.89 - 14.70)
Providence	6.43	(4.78 - 8.61)	21.85	(18.85 - 25.18)	9.05	(7.09 - 11.48)	11.26	(9.44 - 13.37)
Washington	7.83	(5.41 - 11.20)	25.27	(20.34 - 30.94)	8.80	(6.27 - 12.23)	11.79	(9.25 - 14.92)
South Carolina	6.73	(5.53 - 8.16)	17.17	(15.06 - 19.51)	6.75	(5.48 - 8.28)	8.27	(7.09 - 9.63)
Region 1	7.49	(5.45 - 10.22)	17.41	(14.18 - 21.19)	6.24	(4.48 - 8.62)	7.84	(6.12 - 10.00)
Region 2	6.35	(4.62 - 8.69)	16.46	(13.30 - 20.20)	6.04	(4.46 - 8.13)	7.63	(6.07 - 9.56)
Region 3	7.36	(5.31 - 10.11)	16.38	(12.73 - 20.83)	8.30	(5.95 - 11.48)	9.39	(7.11 - 12.31)
Region 4	5.94	(4.24 - 8.27)	18.23	(14.68 - 22.41)	7.00	(5.17 - 9.42)	8.66	(6.85 - 10.90)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	7.20	(5.88 - 8.78)	19.74	(17.34 - 22.39)	8.17	(6.80 - 9.79)	9.89	(8.60 - 11.35)
Region 1	8.74	(6.37 - 11.88)	20.82	(16.92 - 25.35)	8.59	(6.44 - 11.38)	10.34	(8.21 - 12.95)
Region 2	8.65	(5.89 - 12.53)	24.03	(18.83 - 30.14)	9.59	(6.81 - 13.32)	11.27	(8.51 - 14.77)
Region 3	6.05	(4.18 - 8.67)	18.14	(14.42 - 22.56)	7.74	(5.77 - 10.31)	9.51	(7.56 - 11.91)
Region 4	6.64	(4.59 - 9.51)	20.24	(15.62 - 25.81)	7.88	(5.66 - 10.87)	9.82	(7.54 - 12.69)
Region 5	6.60	(4.79 - 9.02)	18.99	(15.37 - 23.23)	7.82	(5.99 - 10.15)	9.39	(7.57 - 11.59)
Tennessee	6.22	(5.10 - 7.57)	18.19	(15.99 - 20.62)	6.57	(5.35 - 8.03)	8.20	(7.04 - 9.53)
Region 1	7.17	(4.95 - 10.27)	17.27	(13.17 - 22.31)	6.30	(4.42 - 8.91)	7.67	(5.75 - 10.16)
Region 2	5.79	(4.02 - 8.28)	18.19	(14.20 - 22.99)	6.06	(4.38 - 8.31)	7.67	(5.93 - 9.86)
Region 3	6.66	(4.68 - 9.40)	17.89	(14.00 - 22.57)	6.30	(4.52 - 8.72)	7.88	(6.05 - 10.19)
Region 4 (Davidson)	5.90	(4.03 - 8.55)	18.51	(14.49 - 23.34)	8.06	(5.81 - 11.07)	9.72	(7.47 - 12.56)
Region 5	6.76	(4.86 - 9.33)	20.42	(16.57 - 24.91)	6.79	(4.98 - 9.19)	8.69	(6.88 - 10.91)
Region 6	6.60	(4.57 - 9.42)	17.10	(13.10 - 22.00)	6.44	(4.50 - 9.15)	7.91	(5.93 - 10.48)
Region 7 (Shelby)	4.94	(3.33 - 7.25)	16.01	(12.37 - 20.47)	6.36	(4.52 - 8.87)	7.88	(6.01 - 10.26)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	6.68	(5.94 - 7.52)	17.61	(16.39 - 18.91)	6.25	(5.50 - 7.08)	8.05	(7.38 - 8.78)
Region 1	7.31	(5.25 - 10.08)	19.21	(15.45 - 23.64)	6.81	(5.02 - 9.19)	9.07	(7.19 - 11.38)
Region 2	6.08	(4.19 - 8.75)	16.93	(13.15 - 21.52)	6.69	(4.90 - 9.08)	8.35	(6.48 - 10.70)
Region 3	7.04	(5.82 - 8.49)	18.53	(16.45 - 20.81)	6.04	(5.01 - 7.27)	7.88	(6.88 - 9.01)
Region 3a	7.76	(6.08 - 9.85)	18.41	(15.80 - 21.33)	6.03	(4.76 - 7.62)	7.85	(6.62 - 9.30)
Region 3bc	5.79	(4.44 - 7.51)	18.74	(15.83 - 22.03)	6.07	(4.66 - 7.86)	7.93	(6.53 - 9.59)
Region 4	5.47	(3.87 - 7.67)	15.65	(12.35 - 19.62)	5.65	(4.15 - 7.64)	7.01	(5.49 - 8.92)
Region 5	6.13	(4.36 - 8.55)	16.18	(12.74 - 20.34)	6.09	(4.48 - 8.24)	7.60	(5.94 - 9.67)
Region 6	5.75	(4.56 - 7.23)	16.53	(14.27 - 19.07)	5.98	(4.86 - 7.34)	7.59	(6.51 - 8.84)
Region 6a	5.61	(4.34 - 7.23)	16.19	(13.77 - 18.93)	5.91	(4.71 - 7.39)	7.50	(6.34 - 8.85)
Region 6bc	6.97	(4.89 - 9.84)	19.85	(15.70 - 24.76)	6.58	(4.78 - 8.98)	8.36	(6.48 - 10.71)
Region 7	6.14	(4.79 - 7.86)	19.20	(16.68 - 21.99)	7.25	(5.85 - 8.94)	9.48	(8.11 - 11.06)
Region 7a	6.27	(4.54 - 8.59)	20.50	(16.98 - 24.54)	7.80	(5.99 - 10.10)	9.95	(8.14 - 12.10)
Region 7bcd	5.94	(4.23 - 8.27)	17.50	(14.24 - 21.31)	6.25	(4.72 - 8.24)	8.70	(7.06 - 10.66)
Region 8	7.08	(5.39 - 9.25)	18.22	(15.18 - 21.72)	6.56	(5.00 - 8.55)	8.39	(6.85 - 10.23)
Region 9	7.56	(5.29 - 10.70)	17.86	(13.99 - 22.52)	7.31	(5.31 - 9.98)	9.04	(6.97 - 11.65)
Region 10	9.16	(6.72 - 12.37)	17.46	(13.83 - 21.80)	6.46	(4.70 - 8.81)	8.42	(6.60 - 10.68)
Region 11	7.59	(5.95 - 9.65)	15.37	(12.86 - 18.26)	5.50	(4.33 - 6.96)	7.22	(6.02 - 8.63)
Region 11abd	7.63	(5.55 - 10.41)	16.26	(12.92 - 20.26)	5.81	(4.33 - 7.75)	7.57	(6.03 - 9.45)
Region 11c (Hidalgo)	7.53	(5.41 - 10.41)	13.90	(10.79 - 17.72)	4.93	(3.58 - 6.76)	6.59	(5.14 - 8.40)
Utah	5.24	(4.11 - 6.67)	14.04	(12.00 - 16.36)	4.88	(3.83 - 6.19)	6.61	(5.59 - 7.80)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.01	(3.37 - 7.38)	12.66	(9.55 - 16.59)	4.32	(2.99 - 6.21)	5.91	(4.48 - 7.75)
Central, Four Corners, San Juan, and Southwest	5.34	(3.57 - 7.90)	13.93	(10.39 - 18.42)	5.14	(3.51 - 7.46)	6.65	(4.94 - 8.91)
Davis County	4.78	(3.19 - 7.11)	15.22	(11.40 - 20.03)	4.16	(2.87 - 6.01)	6.02	(4.55 - 7.92)
Salt Lake County	6.12	(4.36 - 8.54)	15.74	(12.70 - 19.36)	5.44	(4.04 - 7.29)	7.17	(5.74 - 8.91)
Utah County	4.12	(2.77 - 6.09)	12.06	(9.31 - 15.47)	4.24	(2.97 - 6.01)	6.33	(4.93 - 8.10)
Weber, Morgan	5.07	(3.35 - 7.60)	13.88	(10.22 - 18.58)	4.80	(3.32 - 6.89)	6.33	(4.71 - 8.45)

See notes at end of table.

(continued)

Table 19 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	8.59	(7.06 - 10.42)	24.48	(21.69 - 27.51)	7.02	(5.64-8.70)	9.56	(8.25-11.06)
Champlain Valley	9.28	(7.05 - 12.13)	25.10	(21.25 - 29.38)	6.91	(5.22-9.09)	10.18	(8.48-12.18)
Rural Northeast	8.25	(5.99 - 11.27)	25.50	(21.01 - 30.57)	7.42	(5.39-10.13)	9.74	(7.72-12.22)
Rural Southeast	8.62	(6.17 - 11.93)	23.92	(19.30 - 29.23)	7.38	(5.34-10.12)	9.20	(7.12-11.79)
Rural Southwest	7.28	(5.11 - 10.27)	21.55	(17.08 - 26.81)	6.20	(4.30-8.85)	8.23	(6.28-10.73)
Virginia	6.62	(5.51 - 7.95)	19.07	(16.81 - 21.56)	6.03	(4.86-7.44)	7.93	(6.81-9.22)
Region 1	7.62	(5.50 - 10.47)	24.04	(19.75 - 28.92)	6.80	(4.96-9.26)	9.51	(7.62-11.81)
Region 2	5.94	(4.26 - 8.23)	16.91	(13.36 - 21.19)	5.12	(3.71-7.04)	6.54	(5.07-8.39)
Region 3	7.84	(5.63 - 10.80)	19.97	(16.30 - 24.22)	7.17	(5.12-9.94)	9.07	(7.06-11.58)
Region 4	5.32	(3.71 - 7.57)	15.88	(11.96 - 20.78)	5.10	(3.61-7.16)	6.69	(5.08-8.76)
Region 5	6.97	(5.12 - 9.43)	19.27	(15.53 - 23.67)	6.47	(4.71-8.83)	8.61	(6.79-10.85)
Washington	6.82	(5.63 - 8.23)	21.33	(19.02 - 23.84)	7.28	(6.00-8.82)	9.29	(8.07-10.67)
Region 1	6.56	(4.89 - 8.76)	20.05	(16.58 - 24.04)	6.91	(5.22-9.10)	9.09	(7.36-11.18)
East 1 (previously Region 1)	6.87	(4.77 - 9.80)	21.98	(17.28 - 27.53)	7.49	(5.34-10.41)	9.90	(7.63-12.75)
East 2 (previously Region 2)	6.21	(4.19 - 9.12)	17.38	(13.41 - 22.22)	6.13	(4.30-8.66)	7.98	(6.08-10.41)
Region 2	6.88	(5.37 - 8.77)	22.26	(19.21 - 25.63)	7.39	(5.88-9.26)	9.41	(7.93-11.13)
North 1 (previously Region 3)	7.15	(5.18 - 9.78)	23.24	(19.02 - 28.07)	7.53	(5.55-10.15)	9.78	(7.79-12.21)
North 2 (previously Region 4)	6.70	(4.88 - 9.13)	21.65	(17.92 - 25.91)	7.32	(5.53-9.61)	9.20	(7.43-11.34)
Region 3	6.92	(5.35 - 8.90)	21.04	(17.94 - 24.52)	7.36	(5.72-9.43)	9.24	(7.63-11.14)
West 1 (previously Region 5)	6.74	(4.82 - 9.37)	20.27	(16.37 - 24.84)	7.13	(5.20-9.71)	9.10	(7.16-11.51)
West 2 (previously Region 6)	7.08	(5.04 - 9.86)	21.90	(17.69 - 26.77)	7.57	(5.56-10.23)	9.36	(7.34-11.87)
West Virginia	5.99	(4.89 - 7.32)	18.62	(16.53 - 20.91)	5.97	(4.80-7.41)	7.62	(6.51-8.91)
Region I	6.75	(4.62 - 9.76)	17.31	(13.11 - 22.51)	5.97	(4.05-8.73)	7.35	(5.37-9.99)
Region II	5.93	(4.13 - 8.45)	18.14	(13.91 - 23.30)	6.08	(4.31-8.53)	7.58	(5.73-9.95)
Region III	5.91	(4.06 - 8.54)	16.46	(12.65 - 21.15)	5.10	(3.52-7.33)	6.35	(4.72-8.51)
Region IV	7.17	(5.16 - 9.89)	22.99	(19.44 - 26.97)	6.82	(4.96-9.31)	9.69	(7.85-11.91)
Region V	5.38	(3.87 - 7.45)	17.38	(14.21 - 21.08)	5.71	(4.22-7.69)	7.10	(5.61-8.95)
Region VI	5.41	(3.64 - 7.96)	14.45	(11.01 - 18.73)	5.78	(4.05-8.19)	6.76	(5.03-9.01)

See notes at end of table.

(continued)

Table 19 Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	12-17 (Estimate)	(95% Confidence Interval)	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
Wisconsin	6.79	(5.58 - 8.25)	18.26	(16.04 - 20.71)	8.09	(6.61 - 9.87)	9.55	(8.17-11.13)
Milwaukee	6.48	(4.50 - 9.24)	17.77	(13.91 - 22.43)	9.64	(7.01 - 13.11)	10.96	(8.44-14.12)
Northeastern	6.02	(4.35 - 8.26)	19.48	(15.87 - 23.68)	8.05	(6.00 - 10.72)	9.56	(7.54-12.04)
Northern	6.35	(4.25 - 9.36)	17.95	(13.76 - 23.08)	7.25	(5.04 - 10.32)	8.62	(6.39-11.52)
Southeastern	7.99	(5.70 - 11.09)	18.49	(14.46 - 23.34)	8.01	(5.76 - 11.03)	9.34	(7.15-12.12)
Southern	7.42	(5.28 - 10.33)	18.51	(14.87 - 22.79)	8.11	(5.90 - 11.05)	9.69	(7.55-12.34)
Western	5.86	(4.05 - 8.42)	16.81	(12.99 - 21.47)	7.01	(4.99 - 9.77)	8.57	(6.55-11.15)
Wyoming	7.18	(5.99 - 8.60)	19.43	(17.13 - 21.97)	7.37	(6.05 - 8.95)	9.16	(7.91-10.59)
Judicial District 1 (Laramie)	6.58	(4.66 - 9.21)	19.13	(15.07 - 23.98)	6.68	(4.74 - 9.34)	8.44	(6.45-10.98)
Judicial District 2	7.84	(5.39 - 11.28)	21.86	(17.54 - 26.90)	8.90	(6.46 - 12.13)	12.72	(10.21-15.74)
Judicial District 3	5.75	(4.00 - 8.22)	14.53	(11.17 - 18.70)	6.08	(4.31 - 8.52)	7.23	(5.47-9.51)
Judicial District 4	7.12	(4.88 - 10.28)	18.16	(14.03 - 23.17)	7.77	(5.49 - 10.90)	8.95	(6.69-11.87)
Judicial District 5	7.54	(5.18 - 10.84)	19.44	(14.89 - 24.96)	8.05	(5.70 - 11.26)	9.39	(7.02-12.44)
Judicial District 6	6.68	(4.64 - 9.53)	17.40	(13.17 - 22.64)	6.56	(4.65 - 9.17)	8.12	(6.16-10.64)
Judicial District 7 (Natrona)	8.18	(5.80 - 11.41)	21.48	(17.04 - 26.69)	7.84	(5.71 - 10.67)	9.78	(7.60-12.48)
Judicial District 8	8.04	(5.67 - 11.27)	20.44	(15.83 - 25.98)	7.64	(5.38 - 10.75)	9.22	(6.91-12.19)
Judicial District 9	8.31	(5.80 - 11.76)	20.73	(16.19 - 26.15)	7.94	(5.72 - 10.93)	9.52	(7.27-12.39)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	4.13	(3.94 - 4.34)	7.09	(6.82 - 7.37)	1.41	(1.30 - 1.53)	2.25	(2.14 - 2.36)
Northeast	4.03	(3.67 - 4.42)	7.20	(6.67 - 7.76)	1.46	(1.28 - 1.66)	2.28	(2.10 - 2.48)
Midwest	3.78	(3.51 - 4.07)	6.50	(6.10 - 6.93)	1.38	(1.24 - 1.54)	2.13	(1.99 - 2.28)
South	3.84	(3.56 - 4.14)	6.53	(6.15 - 6.93)	1.43	(1.28 - 1.59)	2.18	(2.04 - 2.32)
West	4.97	(4.52 - 5.46)	8.40	(7.78 - 9.06)	1.36	(1.17 - 1.59)	2.44	(2.23 - 2.66)
Alabama	3.16	(2.39 - 4.17)	5.62	(4.42 - 7.12)	1.45	(1.05 - 2.01)	2.07	(1.64 - 2.62)
Region 1	2.95	(1.91 - 4.53)	5.61	(3.92 - 7.99)	1.36	(0.85 - 2.17)	1.94	(1.39 - 2.69)
Region 2	3.73	(2.52 - 5.48)	5.83	(4.16 - 8.10)	1.44	(0.91 - 2.29)	2.12	(1.54 - 2.91)
Region 3	2.53	(1.61 - 3.96)	5.30	(3.65 - 7.65)	1.58	(0.99 - 2.53)	2.25	(1.63 - 3.11)
Region 4	3.13	(1.99 - 4.88)	5.61	(3.94 - 7.92)	1.49	(0.93 - 2.37)	2.05	(1.47 - 2.85)
Alaska	4.58	(3.54 - 5.92)	6.87	(5.44 - 8.65)	1.28	(0.93 - 1.74)	2.15	(1.74 - 2.64)
Anchorage	5.00	(3.53 - 7.03)	6.73	(5.03 - 8.96)	1.30	(0.86 - 1.96)	2.18	(1.67 - 2.83)
Northern	3.71	(2.45 - 5.58)	7.09	(4.92 - 10.11)	1.28	(0.81 - 2.02)	2.37	(1.76 - 3.19)
South Central	4.84	(3.20 - 7.25)	6.97	(4.87 - 9.88)	1.26	(0.79 - 1.99)	2.01	(1.47 - 2.74)
Southeast	4.25	(2.68 - 6.67)	6.62	(4.49 - 9.64)	1.24	(0.76 - 2.02)	1.90	(1.35 - 2.67)
Arizona	5.53	(4.25 - 7.17)	7.42	(5.86 - 9.37)	1.66	(1.19 - 2.32)	2.51	(2.01 - 3.14)
Maricopa	5.85	(4.24 - 8.03)	7.46	(5.58 - 9.90)	1.79	(1.20 - 2.67)	2.64	(2.02 - 3.44)
Pima	5.83	(3.78 - 8.88)	7.96	(5.56 - 11.27)	1.64	(1.04 - 2.60)	2.62	(1.91 - 3.58)
Rural North	3.88	(2.42 - 6.16)	6.93	(4.58 - 10.34)	1.32	(0.82 - 2.13)	2.11	(1.49 - 2.96)
Rural South	5.08	(3.20 - 7.97)	7.00	(4.69 - 10.32)	1.44	(0.89 - 2.30)	2.21	(1.58 - 3.08)
Arkansas	3.63	(2.81 - 4.69)	6.76	(5.42 - 8.40)	1.42	(1.06 - 1.91)	2.20	(1.79 - 2.70)
Catchment Area 1	3.86	(2.47 - 6.00)	5.98	(4.11 - 8.63)	1.07	(0.66 - 1.72)	1.87	(1.36 - 2.57)
Catchment Area 2	3.41	(2.15 - 5.38)	6.72	(4.48 - 9.97)	1.16	(0.71 - 1.87)	1.85	(1.32 - 2.59)
Catchment Area 3	3.02	(1.91 - 4.75)	6.61	(4.54 - 9.54)	1.55	(0.96 - 2.48)	2.31	(1.66 - 3.19)
Catchment Area 4	3.32	(2.06 - 5.31)	6.62	(4.34 - 9.98)	*	(* - *)	1.93	(1.37 - 2.71)
Catchment Area 5	3.32	(2.14 - 5.11)	6.43	(4.48 - 9.15)	1.37	(0.85 - 2.19)	2.23	(1.63 - 3.05)
Catchment Area 6	3.33	(2.05 - 5.37)	6.63	(4.46 - 9.76)	2.12	(1.31 - 3.42)	2.78	(1.95 - 3.95)
Catchment Area 7	3.06	(1.89 - 4.92)	6.34	(4.27 - 9.32)	1.45	(0.88 - 2.37)	2.12	(1.49 - 2.99)
Catchment Area 8	4.75	(3.09 - 7.23)	8.31	(5.94 - 11.52)	1.67	(1.07 - 2.58)	2.54	(1.89 - 3.41)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	5.04	(4.36 - 5.82)	9.05	(8.07 - 10.13)	1.30	(1.02 - 1.65)	2.52	(2.22 - 2.87)
Region 1R	5.02	(3.29 - 7.59)	10.92	(7.91 - 14.90)	1.38	(0.86 - 2.20)	2.83	(2.13 - 3.75)
Region 2R	5.73	(3.80 - 8.54)	11.31	(8.25 - 15.32)	1.17	(0.74 - 1.85)	2.73	(2.07 - 3.59)
Region 3R (Sacramento)	4.77	(3.19 - 7.08)	9.49	(6.78 - 13.14)	1.50	(0.97 - 2.31)	2.73	(2.07 - 3.60)
Region 4R	5.96	(4.08 - 8.65)	11.23	(8.15 - 15.27)	1.19	(0.76 - 1.87)	2.50	(1.90 - 3.29)
Region 5R (San Francisco)	*	(* - *)	10.66	(7.74 - 14.51)	*	(* - *)	3.09	(2.28 - 4.17)
Region 6 (Santa Clara)	4.42	(2.84 - 6.83)	8.44	(6.09 - 11.59)	0.89	(0.54 - 1.45)	1.89	(1.41 - 2.51)
Region 7R (Contra Costa)	6.01	(4.04 - 8.86)	10.08	(7.30 - 13.75)	1.12	(0.70 - 1.78)	2.28	(1.71 - 3.02)
Region 8R (Alameda)	4.84	(3.23 - 7.19)	8.69	(6.26 - 11.93)	1.39	(0.89 - 2.15)	2.42	(1.83 - 3.19)
Region 9R (San Mateo)	5.79	(3.76 - 8.81)	9.00	(6.34 - 12.63)	*	(* - *)	1.81	(1.35 - 2.44)
Region 10	5.59	(3.77 - 8.20)	9.69	(7.06 - 13.15)	1.22	(0.77 - 1.93)	2.70	(2.06 - 3.52)
Region 11 (Los Angeles)	4.97	(4.08 - 6.03)	8.35	(7.15 - 9.73)	1.41	(1.08 - 1.85)	2.53	(2.17 - 2.95)
LA SPA 1 and 5	5.01	(3.34 - 7.45)	9.31	(6.62 - 12.94)	1.45	(0.92 - 2.27)	2.72	(2.03 - 3.65)
LA SPA 2	4.80	(3.27 - 7.00)	8.49	(6.20 - 11.54)	1.32	(0.86 - 2.02)	2.38	(1.82 - 3.10)
LA SPA 3	5.15	(3.50 - 7.52)	8.32	(6.11 - 11.23)	1.15	(0.73 - 1.80)	2.27	(1.74 - 2.95)
LA SPA 4	5.03	(3.24 - 7.74)	7.87	(5.60 - 10.95)	1.82	(1.15 - 2.86)	2.75	(2.02 - 3.72)
LA SPA 6	4.71	(3.13 - 7.02)	8.08	(5.80 - 11.15)	1.80	(1.14 - 2.84)	3.12	(2.36 - 4.12)
LA SPA 7	5.05	(3.39 - 7.46)	8.00	(5.76 - 11.00)	1.22	(0.76 - 1.95)	2.41	(1.82 - 3.17)
LA SPA 8	5.05	(3.43 - 7.37)	8.39	(6.15 - 11.36)	1.44	(0.93 - 2.23)	2.48	(1.88 - 3.27)
Region 12R	4.24	(2.77 - 6.44)	9.05	(6.29 - 12.85)	1.35	(0.85 - 2.13)	2.54	(1.89 - 3.39)
Regions 13 and 19R	4.66	(3.32 - 6.51)	8.51	(6.44 - 11.15)	1.20	(0.81 - 1.77)	2.41	(1.90 - 3.05)
Region 13 (Riverside)	4.67	(3.25 - 6.65)	8.59	(6.40 - 11.43)	1.14	(0.75 - 1.74)	2.38	(1.85 - 3.05)
Region 19R (Imperial)	4.60	(2.93 - 7.15)	*	(* - *)	*	(* - *)	2.88	(2.08 - 3.99)
Region 14 (Orange)	4.85	(3.43 - 6.81)	9.89	(7.65 - 12.68)	0.94	(0.60 - 1.46)	2.31	(1.84 - 2.89)
Region 15R (Fresno)	4.19	(2.72 - 6.40)	8.81	(6.33 - 12.14)	1.85	(1.16 - 2.94)	3.14	(2.35 - 4.18)
Region 16R (San Diego)	5.59	(4.02 - 7.71)	9.02	(6.86 - 11.79)	1.24	(0.79 - 1.92)	2.56	(2.01 - 3.25)
Region 17R	4.48	(3.03 - 6.56)	7.70	(5.48 - 10.72)	1.80	(1.16 - 2.77)	2.86	(2.16 - 3.78)
Region 18R (San Bernardino)	4.81	(3.36 - 6.85)	8.11	(6.03 - 10.83)	1.19	(0.76 - 1.84)	2.42	(1.87 - 3.13)
Region 20R	5.34	(3.55 - 7.96)	9.49	(6.78 - 13.14)	1.42	(0.91 - 2.22)	2.81	(2.13 - 3.71)
Region 21R	5.82	(3.85 - 8.71)	10.17	(7.38 - 13.86)	1.18	(0.74 - 1.88)	2.81	(2.13 - 3.71)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	5.40	(4.21 - 6.90)	9.69	(7.90 - 11.84)	1.29	(0.90 - 1.85)	2.51	(2.04 - 3.08)
Region 1	4.95	(3.23 - 7.52)	9.04	(6.32 - 12.78)	1.19	(0.73 - 1.94)	2.56	(1.89 - 3.45)
Regions 2 and 7	5.84	(4.26 - 7.96)	10.45	(8.15 - 13.30)	1.31	(0.83 - 2.08)	2.58	(2.00 - 3.32)
Region 3	4.56	(3.03 - 6.81)	8.90	(6.25 - 12.53)	1.33	(0.83 - 2.11)	2.49	(1.84 - 3.35)
Region 4	4.68	(2.89 - 7.49)	*	(* - *)	*	(* - *)	2.54	(1.77 - 3.62)
Regions 5 and 6	5.23	(3.30 - 8.20)	8.66	(5.99 - 12.38)	*	(* - *)	2.10	(1.51 - 2.91)
Connecticut	4.30	(3.32 - 5.55)	7.42	(5.91 - 9.29)	1.43	(1.03 - 1.98)	2.24	(1.80 - 2.79)
Eastern	3.61	(2.34 - 5.51)	6.67	(4.61 - 9.57)	1.39	(0.86 - 2.23)	2.32	(1.70 - 3.18)
North Central	3.74	(2.47 - 5.63)	6.97	(4.88 - 9.88)	1.50	(0.91 - 2.46)	2.21	(1.58 - 3.08)
Northwestern	5.54	(3.69 - 8.26)	8.48	(5.80 - 12.24)	1.27	(0.79 - 2.03)	2.13	(1.55 - 2.91)
South Central	4.19	(2.71 - 6.44)	7.21	(5.11 - 10.07)	1.60	(1.01 - 2.52)	2.38	(1.74 - 3.26)
Southwest	4.45	(2.89 - 6.79)	8.24	(5.73 - 11.70)	1.28	(0.78 - 2.09)	2.14	(1.56 - 2.94)
Delaware	3.80	(2.89 - 4.99)	7.05	(5.52 - 8.96)	1.28	(0.94 - 1.73)	2.12	(1.71 - 2.61)
Kent	3.67	(2.38 - 5.64)	7.49	(5.13 - 10.81)	1.29	(0.81 - 2.06)	2.30	(1.68 - 3.14)
New Castle (excluding Wilmington City)	3.92	(2.74 - 5.57)	7.10	(5.27 - 9.49)	1.27	(0.85 - 1.90)	2.19	(1.69 - 2.83)
Sussex	3.49	(2.25 - 5.37)	6.48	(4.40 - 9.45)	0.81	(0.51 - 1.29)	1.41	(1.02 - 1.96)
Wilmington City	4.08	(2.54 - 6.49)	6.86	(4.62 - 10.07)	2.63	(1.65 - 4.18)	3.25	(2.29 - 4.59)
District of Columbia	4.36	(3.41 - 5.57)	6.76	(5.45 - 8.37)	2.42	(1.81 - 3.22)	3.26	(2.65 - 4.01)
Ward 1	5.23	(3.31 - 8.17)	6.41	(4.42 - 9.21)	2.68	(1.68 - 4.26)	3.48	(2.49 - 4.85)
Ward 2	*	(* - *)	5.77	(4.00 - 8.26)	2.12	(1.33 - 3.36)	3.20	(2.36 - 4.34)
Ward 3	4.33	(2.72 - 6.81)	6.83	(4.71 - 9.80)	1.75	(1.08 - 2.84)	2.70	(1.95 - 3.72)
Ward 4	4.63	(2.99 - 7.09)	7.47	(5.04 - 10.95)	2.31	(1.45 - 3.67)	2.92	(2.04 - 4.17)
Ward 5	4.44	(2.91 - 6.73)	6.77	(4.69 - 9.67)	2.47	(1.55 - 3.92)	3.29	(2.37 - 4.56)
Ward 6	4.60	(2.91 - 7.21)	7.25	(4.99 - 10.41)	2.27	(1.42 - 3.62)	3.04	(2.17 - 4.24)
Ward 7	4.00	(2.62 - 6.08)	7.95	(5.32 - 11.71)	2.96	(1.85 - 4.72)	3.81	(2.69 - 5.36)
Ward 8	4.10	(2.74 - 6.09)	7.11	(4.94 - 10.12)	3.03	(1.90 - 4.80)	3.88	(2.80 - 5.36)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	4.11	(3.56 - 4.76)	7.45	(6.61 - 8.38)	1.39	(1.12 - 1.72)	2.19	(1.92 - 2.50)
Region A - Northwest	3.95	(3.04 - 5.13)	8.25	(6.67 - 10.16)	1.79	(1.32 - 2.43)	2.93	(2.41 - 3.55)
Circuit 1	4.01	(2.80 - 5.70)	7.87	(5.77 - 10.66)	1.77	(1.18 - 2.64)	2.70	(2.06 - 3.53)
Circuit 2	4.02	(2.64 - 6.07)	8.57	(6.20 - 11.74)	1.99	(1.28 - 3.09)	3.61	(2.75 - 4.72)
Circuit 14	3.75	(2.40 - 5.82)	8.45	(5.92 - 11.94)	1.63	(1.05 - 2.53)	2.54	(1.89 - 3.40)
Region B - Northeast	4.26	(3.29 - 5.50)	7.58	(6.10 - 9.38)	1.71	(1.26 - 2.33)	2.60	(2.12 - 3.17)
Circuits 3 and 8	3.29	(2.16 - 4.99)	6.81	(4.96 - 9.30)	1.80	(1.13 - 2.84)	2.84	(2.13 - 3.77)
Circuit 4	4.91	(3.39 - 7.04)	7.94	(5.61 - 11.12)	1.95	(1.28 - 2.95)	2.82	(2.11 - 3.76)
Circuit 7	3.91	(2.64 - 5.76)	7.91	(5.76 - 10.78)	1.38	(0.89 - 2.14)	2.16	(1.62 - 2.87)
Region C - Central	4.30	(3.54 - 5.22)	8.06	(6.77 - 9.57)	1.26	(0.97 - 1.65)	2.15	(1.83 - 2.54)
Circuit 5	4.13	(2.78 - 6.08)	7.46	(5.32 - 10.38)	1.16	(0.74 - 1.83)	1.74	(1.28 - 2.38)
Circuit 9	4.61	(3.28 - 6.43)	8.29	(6.31 - 10.82)	1.45	(0.97 - 2.16)	2.66	(2.11 - 3.37)
Circuit 10	3.80	(2.58 - 5.56)	7.87	(5.73 - 10.71)	1.31	(0.83 - 2.07)	2.14	(1.60 - 2.86)
Circuit 18	4.79	(3.31 - 6.88)	8.63	(6.34 - 11.64)	1.20	(0.77 - 1.87)	2.15	(1.64 - 2.82)
Circuit 19	3.58	(2.34 - 5.44)	7.28	(5.14 - 10.20)	1.09	(0.70 - 1.68)	1.74	(1.30 - 2.33)
Region D - Southeast	4.06	(3.09 - 5.30)	7.48	(5.98 - 9.32)	1.31	(0.95 - 1.81)	2.05	(1.66 - 2.52)
Circuit 15 (Palm Beach)	3.77	(2.60 - 5.43)	7.23	(5.33 - 9.74)	1.37	(0.90 - 2.09)	2.04	(1.53 - 2.71)
Circuit 17 (Broward)	4.25	(2.99 - 6.02)	7.65	(5.72 - 10.18)	1.26	(0.83 - 1.91)	2.05	(1.58 - 2.67)
Region E - Sun Coast	4.36	(3.51 - 5.40)	7.58	(6.35 - 9.03)	1.47	(1.11 - 1.94)	2.17	(1.80 - 2.61)
Circuit 6	4.71	(3.24 - 6.80)	8.79	(6.47 - 11.83)	1.76	(1.14 - 2.71)	2.48	(1.83 - 3.35)
Circuit 12	4.47	(2.98 - 6.65)	7.74	(5.54 - 10.73)	1.29	(0.84 - 1.95)	1.89	(1.41 - 2.54)
Circuit 13 (Hillsborough)	4.15	(2.91 - 5.89)	7.22	(5.57 - 9.33)	1.45	(0.97 - 2.17)	2.33	(1.82 - 2.98)
Circuit 20	4.13	(2.79 - 6.08)	6.58	(4.68 - 9.17)	1.27	(0.82 - 1.94)	1.81	(1.34 - 2.45)
Region F - Southern (Circuits 11 and 16)	3.36	(2.41 - 4.66)	5.47	(4.16 - 7.15)	1.07	(0.69 - 1.66)	1.68	(1.27 - 2.22)
Georgia	3.71	(2.86 - 4.79)	5.41	(4.22 - 6.90)	1.39	(1.02 - 1.88)	2.00	(1.60 - 2.48)
Region 1	3.45	(2.27 - 5.21)	4.74	(3.29 - 6.78)	1.06	(0.68 - 1.65)	1.55	(1.13 - 2.12)
Region 2	3.35	(2.18 - 5.10)	5.19	(3.51 - 7.63)	1.56	(0.97 - 2.50)	2.19	(1.57 - 3.05)
Region 3	4.68	(3.16 - 6.88)	6.28	(4.42 - 8.85)	1.46	(0.93 - 2.31)	2.17	(1.58 - 2.96)
Region 4	3.59	(2.25 - 5.68)	5.51	(3.65 - 8.25)	1.78	(1.10 - 2.88)	2.42	(1.69 - 3.44)
Region 5	3.14	(1.92 - 5.09)	5.17	(3.36 - 7.87)	*	(* - *)	2.11	(1.49 - 2.97)
Region 6	3.06	(1.95 - 4.76)	5.11	(3.39 - 7.63)	1.44	(0.90 - 2.29)	1.99	(1.42 - 2.79)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	4.72	(3.61 - 6.15)	6.56	(5.21 - 8.24)	0.98	(0.66 - 1.45)	1.72	(1.37 - 2.17)
Hawaii Island	4.70	(3.02 - 7.24)	7.28	(4.89 - 10.73)	1.01	(0.61 - 1.66)	1.77	(1.27 - 2.45)
Honolulu	4.85	(3.53 - 6.62)	6.44	(4.95 - 8.33)	1.03	(0.65 - 1.61)	1.79	(1.37 - 2.32)
Kauai and Maui	4.23	(2.84 - 6.26)	6.60	(4.67 - 9.23)	0.78	(0.50 - 1.21)	1.42	(1.06 - 1.92)
Kauai	4.18	(2.53 - 6.82)	*	(* - *)	*	(* - *)	1.36	(0.94 - 1.95)
Maui	4.25	(2.65 - 6.77)	6.57	(4.41 - 9.68)	*	(* - *)	1.45	(1.04 - 2.04)
Idaho	4.19	(3.30 - 5.31)	7.31	(5.80 - 9.18)	1.24	(0.92 - 1.67)	2.17	(1.77 - 2.66)
Region 1	3.79	(2.43 - 5.87)	7.85	(5.27 - 11.54)	0.95	(0.58 - 1.53)	1.78	(1.30 - 2.43)
Region 2	3.94	(2.51 - 6.13)	7.90	(5.33 - 11.55)	*	(* - *)	2.44	(1.78 - 3.34)
Region 3	3.99	(2.61 - 6.05)	7.30	(5.02 - 10.50)	1.20	(0.75 - 1.90)	2.08	(1.52 - 2.85)
Region 4	4.87	(3.33 - 7.08)	8.22	(5.88 - 11.37)	1.42	(0.91 - 2.21)	2.37	(1.78 - 3.15)
Region 5	4.10	(2.69 - 6.18)	6.60	(4.47 - 9.63)	1.23	(0.78 - 1.93)	1.98	(1.44 - 2.72)
Region 6	4.11	(2.64 - 6.34)	6.91	(4.69 - 10.07)	1.28	(0.79 - 2.06)	2.19	(1.57 - 3.03)
Region 7	3.69	(2.31 - 5.82)	5.98	(4.01 - 8.83)	1.29	(0.79 - 2.10)	2.26	(1.63 - 3.13)
Illinois	3.48	(2.92 - 4.13)	7.45	(6.59 - 8.41)	1.23	(0.96 - 1.58)	2.14	(1.86 - 2.46)
Region I (Cook)	3.69	(2.83 - 4.78)	8.36	(7.05 - 9.90)	1.51	(1.07 - 2.13)	2.51	(2.06 - 3.05)
Region II	3.40	(2.61 - 4.42)	6.76	(5.46 - 8.35)	0.91	(0.63 - 1.32)	1.72	(1.40 - 2.11)
Region III	3.57	(2.49 - 5.08)	7.11	(5.47 - 9.19)	1.18	(0.79 - 1.78)	2.20	(1.74 - 2.78)
Region IV	3.08	(2.05 - 4.61)	6.37	(4.64 - 8.69)	1.22	(0.79 - 1.86)	1.93	(1.45 - 2.55)
Region V	3.05	(2.09 - 4.42)	6.86	(5.09 - 9.19)	1.18	(0.78 - 1.78)	1.99	(1.54 - 2.57)
Indiana	3.47	(2.65 - 4.52)	6.20	(4.89 - 7.82)	1.44	(1.05 - 1.97)	2.16	(1.73 - 2.69)
Central	3.57	(2.33 - 5.44)	6.43	(4.48 - 9.16)	1.49	(0.93 - 2.36)	2.17	(1.57 - 3.00)
East	3.38	(2.10 - 5.39)	6.85	(4.60 - 10.08)	1.61	(0.98 - 2.62)	2.47	(1.76 - 3.46)
North Central	3.70	(2.37 - 5.76)	6.18	(4.24 - 8.91)	1.41	(0.87 - 2.27)	2.09	(1.50 - 2.89)
Northeast	3.42	(2.14 - 5.43)	5.89	(3.98 - 8.63)	1.29	(0.80 - 2.07)	1.95	(1.42 - 2.68)
Northwest	3.73	(2.39 - 5.79)	6.58	(4.45 - 9.62)	1.55	(0.96 - 2.47)	2.24	(1.59 - 3.14)
Southeast	3.13	(1.96 - 4.98)	6.30	(4.28 - 9.19)	1.30	(0.81 - 2.08)	1.92	(1.37 - 2.67)
Southwest	3.30	(2.08 - 5.19)	5.93	(3.93 - 8.84)	1.48	(0.91 - 2.41)	2.11	(1.47 - 3.00)
West	3.10	(1.97 - 4.85)	5.55	(3.77 - 8.09)	1.36	(0.84 - 2.21)	2.34	(1.70 - 3.21)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	3.55	(2.74 - 4.59)	6.03	(4.68 - 7.73)	1.11	(0.82 - 1.51)	1.85	(1.50 - 2.28)
Central	3.94	(2.58 - 5.98)	6.10	(4.16 - 8.87)	1.20	(0.76 - 1.88)	1.88	(1.37 - 2.57)
North Central	3.63	(2.27 - 5.75)	6.74	(4.45 - 10.08)	1.09	(0.66 - 1.79)	2.17	(1.56 - 3.02)
Northeast	3.17	(2.09 - 4.79)	5.44	(3.79 - 7.77)	1.06	(0.68 - 1.67)	1.73	(1.28 - 2.32)
Northwest	3.50	(2.25 - 5.42)	5.77	(3.92 - 8.41)	1.15	(0.72 - 1.82)	1.75	(1.27 - 2.42)
Southeast	3.56	(2.33 - 5.40)	6.13	(4.19 - 8.88)	1.09	(0.70 - 1.72)	1.90	(1.39 - 2.59)
Southwest	3.69	(2.33 - 5.80)	6.57	(4.40 - 9.71)	1.11	(0.69 - 1.77)	1.76	(1.27 - 2.43)
Kansas	3.54	(2.74 - 4.57)	5.59	(4.34 - 7.17)	1.24	(0.89 - 1.73)	1.91	(1.51 - 2.40)
Kansas City Metro	3.72	(2.54 - 5.41)	5.86	(4.16 - 8.20)	1.08	(0.67 - 1.71)	1.78	(1.32 - 2.41)
Northeast	3.45	(2.20 - 5.36)	5.17	(3.47 - 7.62)	1.25	(0.76 - 2.04)	1.94	(1.39 - 2.71)
South Central	3.35	(2.13 - 5.22)	5.72	(3.81 - 8.50)	1.16	(0.71 - 1.88)	1.82	(1.29 - 2.55)
Southeast	3.61	(2.27 - 5.70)	6.54	(4.33 - 9.75)	*	(* - *)	2.09	(1.48 - 2.94)
West	3.59	(2.29 - 5.58)	5.36	(3.59 - 7.93)	1.06	(0.64 - 1.76)	1.69	(1.19 - 2.40)
Wichita (Sedgwick)	3.39	(2.16 - 5.27)	5.30	(3.54 - 7.86)	1.70	(1.02 - 2.82)	2.24	(1.56 - 3.21)
Kentucky	3.55	(2.71 - 4.64)	6.67	(5.26 - 8.43)	1.48	(1.10 - 1.99)	2.21	(1.79 - 2.73)
Adanta, Cumberland River, and Lifeskills	2.66	(1.67 - 4.21)	5.54	(3.71 - 8.20)	1.55	(0.97 - 2.46)	2.12	(1.51 - 2.97)
Bluegrass, Comprehend, and North Key	3.77	(2.51 - 5.62)	6.43	(4.61 - 8.91)	1.46	(0.95 - 2.24)	2.22	(1.66 - 2.96)
Communicare and River Valley	3.03	(1.88 - 4.83)	6.15	(4.17 - 8.97)	1.36	(0.83 - 2.20)	1.99	(1.42 - 2.79)
Four Rivers and Pennyroyal	3.32	(2.06 - 5.29)	6.32	(4.20 - 9.42)	1.55	(0.96 - 2.51)	2.24	(1.59 - 3.15)
Kentucky River, Mountain, and Pathways	3.01	(1.88 - 4.79)	6.20	(4.09 - 9.29)	1.76	(1.11 - 2.79)	2.34	(1.66 - 3.29)
Seven Counties	4.57	(2.99 - 6.93)	8.66	(6.06 - 12.24)	1.34	(0.81 - 2.22)	2.30	(1.68 - 3.14)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	3.46	(2.69 - 4.43)	5.64	(4.47 - 7.08)	1.61	(1.21 - 2.14)	2.24	(1.82 - 2.76)
Regions 1 and 10	3.88	(2.70 - 5.55)	5.96	(4.31 - 8.19)	1.76	(1.21 - 2.56)	2.41	(1.82 - 3.18)
Region 1	3.03	(1.90 - 4.80)	5.28	(3.49 - 7.92)	1.94	(1.20 - 3.12)	2.54	(1.79 - 3.60)
Region 10 (Jefferson)	4.69	(2.97 - 7.34)	6.88	(4.59 - 10.17)	1.59	(0.98 - 2.56)	2.28	(1.62 - 3.22)
Regions 2 and 9	3.62	(2.47 - 5.29)	5.70	(4.15 - 7.79)	1.49	(0.98 - 2.25)	2.17	(1.63 - 2.88)
Region 3	2.87	(1.80 - 4.55)	5.08	(3.40 - 7.52)	1.47	(0.91 - 2.37)	2.00	(1.41 - 2.83)
Regions 4, 5, and 6	3.25	(2.16 - 4.88)	5.49	(3.81 - 7.86)	1.65	(1.09 - 2.49)	2.24	(1.65 - 3.03)
Regions 7 and 8	3.43	(2.27 - 5.18)	5.65	(3.94 - 8.03)	1.65	(1.06 - 2.57)	2.29	(1.68 - 3.10)
Maine	3.12	(2.33 - 4.17)	7.72	(6.17 - 9.63)	1.25	(0.90 - 1.75)	2.06	(1.65 - 2.56)
Aroostook/Downeast	2.91	(1.96 - 4.31)	7.50	(5.46 - 10.20)	1.54	(0.98 - 2.41)	2.21	(1.61 - 3.02)
Aroostook	*	(* - *)	7.38	(4.99 - 10.77)	*	(* - *)	2.53	(1.69 - 3.77)
Downeast	2.85	(1.74 - 4.65)	7.60	(5.15 - 11.08)	*	(* - *)	1.95	(1.39 - 2.73)
Central	2.58	(1.58 - 4.19)	6.66	(4.52 - 9.71)	1.30	(0.77 - 2.18)	1.93	(1.36 - 2.75)
Cumberland	3.50	(2.27 - 5.37)	8.30	(5.81 - 11.72)	1.33	(0.82 - 2.14)	2.22	(1.63 - 3.02)
Midcoast	3.09	(1.87 - 5.09)	7.42	(4.96 - 10.96)	*	(* - *)	1.59	(1.13 - 2.23)
Penquis	3.18	(2.02 - 4.98)	8.36	(5.87 - 11.77)	1.60	(0.98 - 2.59)	2.70	(1.98 - 3.66)
Western	2.91	(1.82 - 4.62)	7.63	(5.30 - 10.86)	1.17	(0.72 - 1.89)	2.00	(1.46 - 2.75)
York	3.38	(2.12 - 5.37)	7.46	(5.15 - 10.69)	*	(* - *)	1.65	(1.19 - 2.29)
Maryland	3.78	(2.91 - 4.91)	6.80	(5.45 - 8.45)	1.37	(1.02 - 1.85)	2.15	(1.74 - 2.65)
Anne Arundel	3.64	(2.23 - 5.89)	6.17	(4.15 - 9.10)	*	(* - *)	1.88	(1.34 - 2.65)
Baltimore City	3.02	(1.87 - 4.83)	6.53	(4.53 - 9.33)	2.79	(1.73 - 4.47)	3.46	(2.43 - 4.89)
Baltimore County	3.86	(2.45 - 6.02)	7.12	(4.95 - 10.13)	1.46	(0.91 - 2.34)	2.27	(1.64 - 3.13)
Montgomery	4.23	(2.76 - 6.44)	7.23	(4.97 - 10.39)	0.95	(0.58 - 1.54)	1.68	(1.22 - 2.32)
North Central	3.69	(2.29 - 5.88)	6.83	(4.68 - 9.86)	*	(* - *)	1.74	(1.26 - 2.41)
Northeast	3.71	(2.29 - 5.93)	6.64	(4.45 - 9.79)	*	(* - *)	1.84	(1.33 - 2.55)
Prince George's	4.18	(2.64 - 6.56)	7.20	(4.96 - 10.34)	1.31	(0.80 - 2.15)	2.33	(1.69 - 3.19)
South	3.36	(2.14 - 5.22)	6.53	(4.39 - 9.61)	1.21	(0.77 - 1.92)	2.02	(1.46 - 2.78)
West	3.71	(2.39 - 5.71)	6.24	(4.22 - 9.15)	1.34	(0.82 - 2.20)	1.99	(1.40 - 2.83)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	5.05	(4.06 - 6.26)	6.96	(5.53 - 8.73)	1.33	(0.99 - 1.78)	2.17	(1.77 - 2.66)
Boston	5.47	(3.52 - 8.40)	6.90	(4.79 - 9.85)	2.05	(1.29 - 3.24)	3.20	(2.37 - 4.32)
Central	5.32	(3.53 - 7.94)	7.40	(5.05 - 10.73)	1.25	(0.78 - 1.99)	2.13	(1.56 - 2.90)
Metrowest	5.31	(3.73 - 7.52)	6.91	(4.79 - 9.86)	1.12	(0.72 - 1.75)	1.88	(1.38 - 2.55)
Northeast	5.25	(3.63 - 7.55)	6.72	(4.78 - 9.37)	1.26	(0.81 - 1.97)	1.98	(1.47 - 2.66)
Southeast	4.71	(3.18 - 6.93)	7.50	(5.28 - 10.55)	1.19	(0.75 - 1.89)	1.99	(1.45 - 2.72)
Western	4.18	(2.72 - 6.36)	6.43	(4.34 - 9.43)	1.44	(0.90 - 2.30)	2.29	(1.65 - 3.18)
Michigan	4.23	(3.62 - 4.94)	6.13	(5.40 - 6.95)	1.52	(1.23 - 1.87)	2.19	(1.91 - 2.52)
Detroit City	4.32	(2.90 - 6.39)	7.65	(5.75 - 10.09)	3.63	(2.35 - 5.57)	4.35	(3.19 - 5.91)
Genesee	3.71	(2.51 - 5.44)	6.11	(4.34 - 8.55)	1.67	(1.08 - 2.58)	2.29	(1.69 - 3.09)
Kalamazoo	4.08	(2.87 - 5.78)	5.77	(4.14 - 8.00)	1.46	(0.97 - 2.20)	2.14	(1.61 - 2.84)
Kent	4.65	(3.16 - 6.79)	6.23	(4.63 - 8.35)	1.38	(0.90 - 2.11)	2.14	(1.64 - 2.81)
Lakeshore	4.09	(2.84 - 5.87)	4.80	(3.44 - 6.67)	1.41	(0.93 - 2.13)	1.92	(1.43 - 2.57)
Macomb	3.75	(2.58 - 5.43)	6.02	(4.43 - 8.14)	1.22	(0.81 - 1.81)	1.82	(1.39 - 2.38)
Mid South	3.75	(2.61 - 5.35)	5.12	(3.76 - 6.94)	1.45	(0.98 - 2.13)	2.10	(1.62 - 2.72)
Northern	4.19	(2.88 - 6.04)	6.02	(4.42 - 8.14)	1.04	(0.68 - 1.59)	1.74	(1.33 - 2.28)
Oakland	4.84	(3.51 - 6.63)	6.92	(5.31 - 8.99)	1.25	(0.84 - 1.84)	1.92	(1.49 - 2.46)
Pathways and Western	3.75	(2.50 - 5.60)	5.87	(4.14 - 8.27)	1.54	(0.99 - 2.39)	2.17	(1.59 - 2.95)
Riverhaven	4.00	(2.66 - 5.97)	6.08	(4.34 - 8.46)	1.40	(0.91 - 2.14)	1.98	(1.46 - 2.66)
Saginaw	3.76	(2.43 - 5.77)	5.67	(3.92 - 8.12)	1.87	(1.17 - 2.98)	2.46	(1.75 - 3.43)
Southeast	4.38	(3.14 - 6.09)	6.84	(5.29 - 8.79)	1.58	(1.06 - 2.37)	2.28	(1.74 - 2.98)
St. Clair	4.52	(3.00 - 6.77)	5.92	(4.16 - 8.38)	1.21	(0.80 - 1.82)	1.78	(1.34 - 2.38)
Washtenaw	4.71	(3.22 - 6.82)	6.00	(4.47 - 8.01)	1.20	(0.79 - 1.81)	2.11	(1.63 - 2.72)
Minnesota	3.73	(2.89 - 4.81)	5.77	(4.48 - 7.41)	1.19	(0.88 - 1.62)	1.84	(1.48 - 2.29)
Regions 1 and 2	3.50	(2.15 - 5.64)	6.30	(4.13 - 9.51)	*	(* - *)	1.95	(1.39 - 2.73)
Regions 3 and 4	3.67	(2.38 - 5.64)	5.98	(4.08 - 8.70)	1.12	(0.70 - 1.80)	1.83	(1.34 - 2.50)
Regions 5 and 6	4.00	(2.65 - 5.98)	5.93	(4.04 - 8.62)	1.09	(0.70 - 1.70)	1.80	(1.31 - 2.47)
Region 7A (Hennepin)	3.70	(2.42 - 5.62)	5.32	(3.69 - 7.60)	1.38	(0.86 - 2.21)	1.93	(1.38 - 2.70)
Region 7B (Ramsey)	3.91	(2.45 - 6.17)	5.79	(3.85 - 8.64)	*	(* - *)	2.17	(1.55 - 3.03)
Region 7C	3.63	(2.42 - 5.43)	5.65	(3.86 - 8.22)	1.03	(0.65 - 1.64)	1.60	(1.16 - 2.21)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	3.07	(2.35 - 3.98)	6.55	(5.23 - 8.17)	1.71	(1.29 - 2.28)	2.46	(2.00-3.03)
Region 1	3.23	(2.11 - 4.93)	6.55	(4.61 - 9.24)	1.38	(0.89 - 2.12)	2.16	(1.61-2.91)
Region 2	2.67	(1.68 - 4.22)	7.10	(4.85 - 10.28)	2.33	(1.46 - 3.71)	3.07	(2.20-4.28)
Region 3	2.74	(1.73 - 4.31)	6.33	(4.43 - 8.99)	1.80	(1.12 - 2.87)	2.58	(1.87-3.55)
Region 4	3.08	(1.99 - 4.72)	6.59	(4.64 - 9.28)	1.88	(1.22 - 2.89)	2.60	(1.89-3.56)
Region 5	*	(* - *)	6.44	(4.21 - 9.74)	*	(* - *)	2.44	(1.69-3.50)
Region 6	2.76	(1.73 - 4.36)	5.82	(3.95 - 8.49)	1.78	(1.13 - 2.81)	2.45	(1.76-3.40)
Region 7	3.70	(2.36 - 5.76)	6.87	(4.75 - 9.85)	1.37	(0.88 - 2.11)	2.15	(1.58-2.92)
Missouri	3.82	(2.99 - 4.86)	6.90	(5.53 - 8.58)	1.44	(1.08 - 1.92)	2.24	(1.82-2.74)
Central	3.74	(2.44 - 5.70)	6.70	(4.64 - 9.59)	1.30	(0.82 - 2.04)	2.27	(1.65-3.11)
Eastern	4.09	(2.95 - 5.64)	7.29	(5.48 - 9.64)	1.47	(1.00 - 2.16)	2.28	(1.75-2.97)
Eastern (St. Louis City and County)	3.67	(2.43 - 5.52)	7.00	(4.97 - 9.78)	1.72	(1.09 - 2.71)	2.49	(1.81-3.40)
Eastern (excluding St. Louis)	4.74	(3.10 - 7.18)	7.87	(5.38 - 11.36)	1.04	(0.64 - 1.68)	1.92	(1.40-2.64)
Northwest	3.94	(2.80 - 5.53)	7.06	(5.23 - 9.46)	1.51	(1.06 - 2.14)	2.29	(1.78-2.95)
Northwest (Jackson)	3.60	(2.34 - 5.50)	7.00	(4.84 - 10.01)	1.93	(1.26 - 2.95)	2.64	(1.94-3.59)
Northwest (excluding Jackson)	4.21	(2.69 - 6.53)	7.11	(4.83 - 10.35)	1.14	(0.72 - 1.81)	1.99	(1.44-2.74)
Southeast	3.28	(2.09 - 5.10)	6.60	(4.52 - 9.55)	1.50	(0.94 - 2.37)	2.20	(1.58-3.06)
Southwest	3.45	(2.19 - 5.37)	6.24	(4.28 - 9.02)	1.34	(0.84 - 2.11)	2.04	(1.48-2.81)
Montana	4.72	(3.71 - 5.99)	8.11	(6.53 - 10.04)	1.29	(0.95 - 1.76)	2.25	(1.83-2.75)
Region 1	4.68	(3.02 - 7.20)	8.23	(5.58 - 11.97)	1.29	(0.78 - 2.13)	2.09	(1.48-2.95)
Region 2	3.81	(2.44 - 5.91)	8.93	(6.20 - 12.69)	1.52	(0.93 - 2.47)	2.59	(1.88-3.58)
Region 3	4.41	(2.99 - 6.47)	6.89	(4.83 - 9.73)	1.23	(0.78 - 1.93)	1.93	(1.42-2.62)
Region 4	5.72	(3.87 - 8.37)	8.61	(6.22 - 11.79)	1.32	(0.83 - 2.10)	2.45	(1.83-3.27)
Region 5	4.60	(3.22 - 6.53)	7.94	(5.88 - 10.65)	1.20	(0.77 - 1.86)	2.16	(1.65-2.83)
Nebraska	3.80	(2.89 - 5.00)	4.98	(3.83 - 6.45)	1.22	(0.86 - 1.74)	1.79	(1.40-2.29)
Regions 1 and 2	3.53	(2.37 - 5.22)	5.09	(3.52 - 7.30)	1.15	(0.74 - 1.78)	1.64	(1.19-2.26)
Region 1	*	(* - *)	*	(* - *)	*	(* - *)	1.71	(1.17-2.48)
Region 2	3.65	(2.22 - 5.96)	5.11	(3.27 - 7.88)	*	(* - *)	1.59	(1.08-2.32)
Region 3	3.52	(2.23 - 5.51)	4.63	(3.05 - 6.97)	1.09	(0.66 - 1.80)	1.60	(1.12-2.27)
Region 4	3.19	(1.96 - 5.16)	4.50	(2.87 - 6.99)	*	(* - *)	1.51	(1.02-2.23)
Region 5	3.52	(2.29 - 5.38)	4.64	(3.19 - 6.70)	1.29	(0.80 - 2.09)	1.88	(1.35-2.61)
Region 6	4.25	(2.92 - 6.17)	5.42	(3.84 - 7.59)	1.29	(0.82 - 2.03)	1.90	(1.39-2.59)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	4.17	(3.04 - 5.69)	6.60	(5.03 - 8.61)	1.41	(1.00 - 1.99)	2.13	(1.67 - 2.72)
Clark – Region 1	3.98	(2.70 - 5.82)	6.29	(4.55 - 8.65)	1.42	(0.95 - 2.13)	2.10	(1.58 - 2.79)
Region 3	4.01	(2.72 - 5.89)	6.78	(4.74 - 9.60)	1.04	(0.69 - 1.56)	1.73	(1.29 - 2.32)
Capital District	3.99	(2.46 - 6.40)	6.77	(4.39 - 10.29)	*	(* - *)	1.65	(1.16 - 2.35)
Rural/Frontier	4.03	(2.47 - 6.53)	6.79	(4.42 - 10.28)	*	(* - *)	1.80	(1.27 - 2.55)
Washoe – Region 2	5.19	(3.35 - 7.95)	7.73	(5.48 - 10.81)	1.64	(1.02 - 2.64)	2.59	(1.87 - 3.56)
New Hampshire	5.96	(4.67 - 7.59)	9.00	(7.39 - 10.92)	1.34	(0.96 - 1.86)	2.37	(1.93 - 2.90)
Central	4.77	(3.33 - 6.80)	7.94	(6.04 - 10.38)	1.55	(1.03 - 2.32)	2.48	(1.91 - 3.22)
Central 1	4.83	(3.08 - 7.50)	8.31	(6.01 - 11.36)	1.60	(0.97 - 2.62)	2.71	(1.99 - 3.69)
Central 2	4.72	(3.01 - 7.31)	7.46	(5.12 - 10.75)	1.51	(0.92 - 2.47)	2.25	(1.60 - 3.16)
Northern	5.87	(3.81 - 8.94)	9.13	(6.34 - 12.97)	1.30	(0.79 - 2.11)	2.37	(1.72 - 3.25)
Southern	6.49	(4.90 - 8.54)	9.55	(7.59 - 11.96)	1.24	(0.84 - 1.84)	2.31	(1.84 - 2.90)
Southern 1 (Rockingham)	5.57	(3.84 - 8.02)	9.39	(6.88 - 12.68)	0.94	(0.58 - 1.52)	1.89	(1.43 - 2.50)
Southern 2	7.09	(5.02 - 9.93)	9.64	(7.30 - 12.63)	1.44	(0.91 - 2.26)	2.57	(1.96 - 3.36)
New Jersey	3.92	(3.00 - 5.10)	6.80	(5.41 - 8.53)	1.16	(0.83 - 1.61)	1.90	(1.53 - 2.36)
Central	3.95	(2.58 - 5.99)	6.47	(4.47 - 9.28)	1.09	(0.69 - 1.73)	1.75	(1.28 - 2.39)
Metropolitan	4.09	(2.69 - 6.17)	7.06	(5.10 - 9.70)	1.36	(0.86 - 2.15)	2.17	(1.60 - 2.92)
Northern	3.77	(2.52 - 5.60)	6.37	(4.51 - 8.91)	1.01	(0.64 - 1.59)	1.69	(1.25 - 2.28)
Southern	3.91	(2.60 - 5.82)	7.46	(5.30 - 10.40)	1.24	(0.77 - 2.00)	2.08	(1.53 - 2.82)
New Mexico	6.51	(5.13 - 8.24)	8.17	(6.55 - 10.15)	1.53	(1.09 - 2.13)	2.51	(2.04 - 3.09)
Region 1	6.45	(4.35 - 9.46)	9.44	(6.77 - 13.03)	1.38	(0.84 - 2.25)	2.56	(1.91 - 3.43)
Region 2	5.23	(3.33 - 8.13)	6.72	(4.49 - 9.95)	1.13	(0.70 - 1.83)	1.77	(1.27 - 2.48)
Region 3 (Bernalillo)	8.08	(5.61 - 11.51)	8.92	(6.54 - 12.05)	1.81	(1.14 - 2.88)	2.88	(2.15 - 3.84)
Region 4	5.30	(3.45 - 8.05)	7.01	(4.87 - 10.00)	1.57	(0.97 - 2.54)	2.44	(1.76 - 3.37)
Region 5	5.87	(4.01 - 8.51)	7.35	(5.13 - 10.42)	1.49	(0.93 - 2.36)	2.45	(1.82 - 3.28)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	3.77	(3.16 - 4.47)	7.52	(6.64 - 8.49)	1.54	(1.23 - 1.93)	2.44	(2.12 - 2.80)
Region A	3.78	(2.98 - 4.79)	6.84	(5.80 - 8.06)	1.78	(1.35 - 2.34)	2.55	(2.13 - 3.06)
Region 1	3.66	(2.47 - 5.39)	6.62	(4.85 - 8.97)	2.12	(1.39 - 3.21)	2.92	(2.21 - 3.87)
Region 2	3.79	(2.66 - 5.36)	7.21	(5.64 - 9.16)	1.79	(1.19 - 2.67)	2.63	(2.02 - 3.41)
Region 3	4.14	(2.69 - 6.31)	6.54	(4.83 - 8.81)	1.82	(1.19 - 2.78)	2.53	(1.90 - 3.37)
Region 4	3.70	(2.54 - 5.36)	6.72	(4.97 - 9.03)	1.54	(1.00 - 2.37)	2.26	(1.69 - 3.01)
Region B	4.05	(3.16 - 5.17)	8.05	(6.68 - 9.66)	1.19	(0.87 - 1.63)	2.12	(1.76 - 2.55)
Region 5	4.07	(2.92 - 5.64)	8.56	(6.66 - 10.94)	1.12	(0.74 - 1.69)	2.10	(1.65 - 2.67)
Region 6	3.63	(2.40 - 5.46)	6.48	(4.68 - 8.92)	1.32	(0.84 - 2.07)	1.99	(1.48 - 2.68)
Region 7	4.65	(3.22 - 6.67)	8.63	(6.32 - 11.68)	1.24	(0.81 - 1.90)	2.38	(1.83 - 3.09)
Region C	3.57	(2.84 - 4.47)	8.06	(6.79 - 9.54)	1.54	(1.18 - 2.00)	2.57	(2.18 - 3.02)
Region 8	3.64	(2.49 - 5.29)	7.54	(5.53 - 10.19)	1.28	(0.84 - 1.95)	2.21	(1.70 - 2.89)
Region 9	3.83	(2.57 - 5.69)	8.16	(6.03 - 10.96)	1.63	(1.08 - 2.47)	2.68	(2.06 - 3.48)
Region 10	3.52	(2.25 - 5.48)	7.27	(5.19 - 10.09)	1.61	(1.03 - 2.52)	2.73	(2.05 - 3.62)
Region 11	3.62	(2.46 - 5.29)	8.96	(6.68 - 11.92)	1.47	(0.95 - 2.27)	2.65	(2.06 - 3.42)
Region 12	3.24	(2.15 - 4.85)	7.96	(5.82 - 10.81)	1.71	(1.13 - 2.60)	2.65	(2.02 - 3.46)
Region D	3.24	(2.42 - 4.32)	7.93	(6.40 - 9.80)	1.44	(1.04 - 2.00)	2.44	(2.00 - 2.99)
Region 13	3.61	(2.37 - 5.47)	8.42	(5.99 - 11.73)	1.31	(0.83 - 2.06)	2.38	(1.78 - 3.16)
Region 14	3.01	(1.93 - 4.65)	7.58	(5.34 - 10.64)	1.59	(1.00 - 2.50)	2.57	(1.90 - 3.45)
Region 15	3.14	(2.00 - 4.91)	7.88	(5.74 - 10.72)	1.43	(0.91 - 2.21)	2.38	(1.80 - 3.15)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	4.13	(3.26 - 5.23)	7.98	(6.43 - 9.87)	1.62	(1.21 - 2.16)	2.52	(2.05 - 3.09)
Alliance	4.76	(3.16 - 7.13)	7.36	(5.16 - 10.38)	1.61	(1.02 - 2.53)	2.47	(1.83 - 3.34)
Cardinal Innovations	3.89	(2.51 - 6.01)	7.78	(5.47 - 10.94)	1.45	(0.92 - 2.29)	2.30	(1.69 - 3.14)
CenterPoint/Guilford	4.10	(2.83 - 5.89)	7.76	(5.71 - 10.47)	*	(* - *)	2.51	(1.91 - 3.29)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	2.41	(1.72 - 3.39)
Guilford	*	(* - *)	7.50	(5.08 - 10.95)	*	(* - *)	2.61	(1.89 - 3.61)
CoastalCare	4.42	(2.77 - 6.98)	8.88	(5.98 - 12.99)	*	(* - *)	2.85	(2.06 - 3.94)
Eastpointe	3.85	(2.50 - 5.87)	8.81	(6.06 - 12.63)	1.98	(1.21 - 3.25)	2.91	(2.07 - 4.09)
ECBH	3.52	(2.22 - 5.52)	7.67	(5.16 - 11.25)	*	(* - *)	2.74	(1.94 - 3.86)
MeckLINK	4.28	(2.71 - 6.68)	8.06	(5.60 - 11.47)	*	(* - *)	2.51	(1.82 - 3.46)
Partners	3.99	(2.52 - 6.28)	8.42	(5.82 - 12.03)	1.88	(1.15 - 3.05)	2.68	(1.89 - 3.78)
Sandhills	4.01	(2.54 - 6.29)	8.60	(5.83 - 12.52)	*	(* - *)	2.47	(1.77 - 3.44)
Smoky Mountain	*	(* - *)	7.48	(4.95 - 11.13)	*	(* - *)	2.23	(1.59 - 3.14)
Western Highlands	*	(* - *)	8.13	(5.47 - 11.92)	*	(* - *)	2.06	(1.47 - 2.87)
North Dakota	3.28	(2.50 - 4.29)	5.39	(4.19 - 6.92)	1.04	(0.75 - 1.46)	1.80	(1.44 - 2.25)
Badlands and West Central	3.50	(2.30 - 5.30)	5.31	(3.62 - 7.72)	0.93	(0.57 - 1.50)	1.52	(1.10 - 2.11)
Lake Region and South Central	3.01	(1.91 - 4.71)	5.59	(3.70 - 8.37)	1.11	(0.66 - 1.84)	1.67	(1.17 - 2.37)
North Central and Northwest	3.59	(2.37 - 5.42)	6.18	(4.15 - 9.10)	1.05	(0.64 - 1.72)	1.89	(1.36 - 2.63)
Northeast	3.67	(2.32 - 5.76)	5.40	(3.70 - 7.82)	1.15	(0.71 - 1.86)	2.19	(1.59 - 2.99)
Southeast	2.82	(1.82 - 4.35)	4.97	(3.47 - 7.07)	1.08	(0.65 - 1.77)	1.90	(1.40 - 2.57)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	3.90	(3.37 - 4.52)	7.14	(6.33 - 8.03)	1.67	(1.37 - 2.02)	2.44	(2.15 - 2.77)
Boards 2, 46, 55, and 68	3.45	(2.33 - 5.08)	6.67	(4.78 - 9.22)	1.44	(0.95 - 2.17)	2.15	(1.62 - 2.84)
Boards 3, 52, and 85	3.76	(2.50 - 5.63)	6.21	(4.37 - 8.75)	1.28	(0.82 - 1.99)	1.95	(1.44 - 2.63)
Boards 4 and 78	3.46	(2.25 - 5.29)	6.24	(4.38 - 8.82)	1.46	(0.93 - 2.27)	2.04	(1.49 - 2.78)
Boards 5 and 60	3.28	(2.13 - 5.02)	6.88	(4.94 - 9.52)	1.63	(1.06 - 2.49)	2.58	(1.94 - 3.43)
Boards 7, 15, 41, 79, and 84	3.38	(2.23 - 5.09)	5.89	(4.30 - 8.03)	1.56	(1.02 - 2.37)	2.08	(1.54 - 2.81)
Boards 8, 13, and 83	3.49	(2.35 - 5.16)	6.35	(4.55 - 8.79)	1.30	(0.86 - 1.95)	1.91	(1.43 - 2.54)
Board 9 (Butler)	3.95	(2.56 - 6.06)	6.93	(4.96 - 9.59)	1.55	(1.01 - 2.37)	2.42	(1.83 - 3.21)
Board 12	4.43	(2.98 - 6.53)	7.45	(5.32 - 10.34)	1.49	(0.97 - 2.27)	2.45	(1.86 - 3.22)
Boards 18 and 47	4.78	(3.54 - 6.41)	7.63	(5.97 - 9.71)	1.57	(1.05 - 2.33)	2.37	(1.84 - 3.05)
Boards 20, 32, 54, and 69	3.34	(2.19 - 5.07)	5.69	(3.93 - 8.16)	1.34	(0.83 - 2.15)	1.91	(1.37 - 2.66)
Boards 21, 39, 51, 70, and 80	3.85	(2.63 - 5.60)	7.49	(5.39 - 10.31)	1.24	(0.83 - 1.85)	1.99	(1.52 - 2.60)
Boards 22, 74, and 87	3.68	(2.43 - 5.54)	6.34	(4.51 - 8.84)	1.28	(0.82 - 1.98)	2.07	(1.56 - 2.73)
Boards 23 and 45	3.45	(2.27 - 5.22)	7.12	(5.05 - 9.93)	1.27	(0.84 - 1.94)	2.08	(1.58 - 2.74)
Board 25 (Franklin)	4.45	(3.11 - 6.33)	8.63	(6.64 - 11.15)	2.54	(1.71 - 3.76)	3.58	(2.75 - 4.65)
Boards 27, 71, and 73	2.99	(1.98 - 4.49)	6.21	(4.47 - 8.57)	1.74	(1.14 - 2.67)	2.31	(1.70 - 3.14)
Boards 28, 43, and 67	4.53	(3.12 - 6.53)	6.95	(4.97 - 9.63)	1.18	(0.78 - 1.77)	2.02	(1.53 - 2.66)
Board 31 (Hamilton)	3.82	(2.65 - 5.48)	7.64	(5.69 - 10.18)	2.07	(1.39 - 3.06)	2.91	(2.22 - 3.81)
Board 48 (Lucas)	4.20	(2.77 - 6.32)	6.86	(4.89 - 9.53)	1.87	(1.20 - 2.90)	2.66	(1.97 - 3.58)
Boards 50 and 76	3.42	(2.30 - 5.06)	6.37	(4.69 - 8.58)	1.49	(1.00 - 2.22)	2.12	(1.61 - 2.78)
Board 57 (Montgomery)	3.88	(2.61 - 5.71)	7.63	(5.59 - 10.34)	2.36	(1.57 - 3.54)	3.10	(2.32 - 4.13)
Board 77 (Summit)	3.65	(2.44 - 5.42)	6.92	(5.02 - 9.46)	1.71	(1.13 - 2.57)	2.41	(1.81 - 3.20)
Oklahoma	3.19	(2.43 - 4.17)	5.71	(4.44 - 7.31)	1.36	(1.01 - 1.84)	2.03	(1.63 - 2.51)
Central	3.37	(2.10 - 5.35)	5.31	(3.54 - 7.90)	*	(* - *)	1.85	(1.34 - 2.56)
East Central	2.68	(1.68 - 4.27)	5.25	(3.43 - 7.95)	1.23	(0.76 - 2.00)	1.78	(1.25 - 2.54)
Northeast	2.81	(1.77 - 4.43)	5.89	(4.01 - 8.56)	1.07	(0.67 - 1.72)	1.86	(1.35 - 2.57)
Northwest and Southwest	4.06	(2.56 - 6.39)	6.75	(4.50 - 9.99)	1.30	(0.80 - 2.10)	2.15	(1.53 - 3.02)
Oklahoma County	3.36	(2.15 - 5.21)	5.53	(3.81 - 7.97)	1.58	(1.00 - 2.47)	2.19	(1.59 - 3.00)
Southeast	2.78	(1.75 - 4.39)	5.98	(4.04 - 8.75)	1.51	(0.93 - 2.43)	2.12	(1.50 - 2.99)
Tulsa County	3.12	(1.98 - 4.91)	5.20	(3.46 - 7.75)	1.54	(0.95 - 2.48)	2.08	(1.47 - 2.94)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	5.28	(4.18 - 6.66)	8.55	(6.93 - 10.49)	1.59	(1.17 - 2.15)	2.55	(2.08 - 3.12)
Region 1 (Multnomah)	6.59	(4.40 - 9.75)	10.37	(7.54 - 14.10)	2.59	(1.63 - 4.10)	3.64	(2.63 - 5.01)
Region 2	5.00	(3.39 - 7.30)	7.74	(5.41 - 10.97)	1.16	(0.73 - 1.83)	1.99	(1.46 - 2.71)
Region 3	5.28	(3.73 - 7.43)	8.25	(6.12 - 11.03)	1.43	(0.92 - 2.22)	2.54	(1.94 - 3.32)
Region 4	5.01	(3.28 - 7.56)	8.73	(6.09 - 12.37)	1.42	(0.88 - 2.28)	2.29	(1.66 - 3.15)
Region 5 (Central)	4.78	(3.05 - 7.41)	7.73	(5.17 - 11.42)	*	(* - *)	1.87	(1.33 - 2.62)
Region 6 (Eastern)	4.39	(2.72 - 7.00)	*	(* - *)	*	(* - *)	*	(* - *)
Pennsylvania	3.76	(3.16 - 4.46)	6.60	(5.76 - 7.55)	1.65	(1.33 - 2.04)	2.36	(2.05 - 2.72)
Region 1 (Allegheny)	4.08	(2.84 - 5.85)	6.68	(5.00 - 8.87)	2.24	(1.50 - 3.31)	2.85	(2.14 - 3.79)
Regions 3, 8, 9, and 51	3.24	(2.16 - 4.85)	6.69	(4.83 - 9.19)	1.66	(1.08 - 2.56)	2.39	(1.78 - 3.19)
Regions 4, 11, 37, and 49	4.71	(3.24 - 6.79)	7.41	(5.41 - 10.07)	1.20	(0.77 - 1.88)	2.04	(1.54 - 2.69)
Regions 5, 18, 23, 24, and 46	3.48	(2.29 - 5.28)	5.90	(4.16 - 8.31)	1.35	(0.88 - 2.06)	1.95	(1.45 - 2.62)
Regions 6, 12, 16, 31, 35, 45, and 47	3.39	(2.21 - 5.16)	5.91	(4.32 - 8.03)	1.33	(0.86 - 2.03)	2.23	(1.71 - 2.91)
Regions 7, 13, 20, and 33	3.99	(2.95 - 5.39)	6.99	(5.47 - 8.89)	1.18	(0.83 - 1.68)	1.93	(1.55 - 2.41)
Regions 10, 15, 27, 32, 43, and 44	3.36	(2.22 - 5.05)	6.30	(4.44 - 8.86)	1.60	(1.03 - 2.49)	2.17	(1.59 - 2.98)
Regions 17 and 21	3.96	(2.60 - 5.98)	6.93	(4.88 - 9.74)	1.67	(1.08 - 2.59)	2.51	(1.86 - 3.37)
Regions 19, 26, 28, and 42	3.72	(2.60 - 5.29)	6.18	(4.59 - 8.27)	1.23	(0.83 - 1.83)	1.89	(1.46 - 2.46)
Regions 22, 38, 40, 41, and 48	3.01	(2.01 - 4.49)	6.11	(4.43 - 8.38)	1.79	(1.16 - 2.73)	2.29	(1.67 - 3.12)
Regions 29 and 34	4.04	(2.67 - 6.08)	7.59	(5.35 - 10.67)	1.22	(0.77 - 1.92)	2.09	(1.56 - 2.78)
Regions 30 and 50	3.42	(2.25 - 5.17)	6.26	(4.42 - 8.77)	1.60	(1.05 - 2.44)	2.22	(1.64 - 3.00)
Region 36 (Philadelphia)	3.48	(2.39 - 5.03)	6.57	(5.02 - 8.55)	3.12	(2.13 - 4.54)	3.78	(2.89 - 4.91)
Rhode Island	4.18	(3.22 - 5.40)	7.70	(6.17 - 9.58)	1.47	(1.03 - 2.08)	2.48	(1.99 - 3.08)
Bristol and Newport	4.10	(2.57 - 6.49)	7.05	(4.72 - 10.40)	*	(* - *)	1.87	(1.35 - 2.58)
Kent	4.63	(2.99 - 7.11)	8.07	(5.65 - 11.39)	1.47	(0.93 - 2.32)	2.25	(1.63 - 3.08)
Providence	3.94	(2.79 - 5.56)	7.60	(5.81 - 9.87)	1.65	(1.07 - 2.55)	2.68	(2.05 - 3.48)
Washington	4.79	(3.07 - 7.40)	8.46	(5.87 - 12.04)	1.14	(0.70 - 1.84)	2.47	(1.82 - 3.34)
South Carolina	4.20	(3.24 - 5.44)	6.57	(5.25 - 8.18)	1.70	(1.24 - 2.33)	2.41	(1.93 - 3.01)
Region 1	4.93	(3.31 - 7.29)	6.67	(4.77 - 9.24)	1.56	(0.98 - 2.48)	2.30	(1.68 - 3.14)
Region 2	4.04	(2.74 - 5.92)	6.22	(4.50 - 8.53)	1.59	(1.03 - 2.46)	2.30	(1.71 - 3.09)
Region 3	3.72	(2.39 - 5.73)	6.10	(4.12 - 8.94)	2.00	(1.25 - 3.19)	2.55	(1.79 - 3.63)
Region 4	3.95	(2.62 - 5.92)	7.16	(5.11 - 9.95)	1.75	(1.12 - 2.75)	2.55	(1.87 - 3.49)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	3.42	(2.60 - 4.47)	4.62	(3.41 - 6.24)	1.20	(0.85 - 1.69)	1.71	(1.32 - 2.20)
Region 1	4.05	(2.69 - 6.05)	5.17	(3.47 - 7.64)	1.21	(0.75 - 1.97)	1.78	(1.26 - 2.51)
Region 2	2.84	(1.74 - 4.59)	4.60	(2.91 - 7.22)	1.21	(0.70 - 2.07)	1.60	(1.07 - 2.40)
Region 3	2.84	(1.82 - 4.39)	4.03	(2.60 - 6.21)	1.16	(0.71 - 1.90)	1.65	(1.16 - 2.35)
Region 4	3.59	(2.27 - 5.65)	4.86	(3.04 - 7.68)	1.12	(0.69 - 1.82)	1.71	(1.20 - 2.43)
Region 5	3.46	(2.27 - 5.25)	4.62	(3.11 - 6.80)	1.25	(0.78 - 2.01)	1.72	(1.23 - 2.41)
Tennessee	3.50	(2.69 - 4.55)	7.43	(5.95 - 9.24)	1.58	(1.19 - 2.11)	2.41	(1.96 - 2.96)
Region 1	3.63	(2.25 - 5.79)	7.20	(4.85 - 10.55)	1.36	(0.84 - 2.20)	2.09	(1.49 - 2.93)
Region 2	3.39	(2.17 - 5.25)	7.55	(5.17 - 10.89)	1.53	(0.98 - 2.40)	2.33	(1.69 - 3.21)
Region 3	3.62	(2.37 - 5.50)	7.92	(5.56 - 11.16)	1.52	(0.97 - 2.37)	2.39	(1.76 - 3.24)
Region 4 (Davidson)	3.78	(2.41 - 5.90)	7.79	(5.40 - 11.10)	1.74	(1.09 - 2.76)	2.70	(1.98 - 3.68)
Region 5	3.55	(2.32 - 5.38)	6.98	(4.97 - 9.74)	1.38	(0.87 - 2.18)	2.16	(1.58 - 2.93)
Region 6	3.69	(2.34 - 5.76)	7.25	(4.89 - 10.60)	1.70	(1.08 - 2.68)	2.47	(1.77 - 3.43)
Region 7 (Shelby)	3.13	(1.95 - 4.96)	7.46	(5.19 - 10.62)	2.03	(1.27 - 3.22)	2.88	(2.08 - 3.98)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	4.02	(3.42 - 4.73)	5.80	(5.05 - 6.65)	1.27	(1.02 - 1.58)	1.99	(1.74 - 2.28)
Region 1	4.13	(2.69 - 6.28)	6.65	(4.70 - 9.34)	1.22	(0.78 - 1.90)	2.21	(1.65 - 2.95)
Region 2	3.30	(2.10 - 5.16)	5.65	(3.92 - 8.07)	1.19	(0.76 - 1.88)	1.92	(1.42 - 2.58)
Region 3	4.51	(3.55 - 5.71)	6.15	(5.00 - 7.54)	1.29	(0.94 - 1.76)	2.01	(1.64 - 2.45)
Region 3a	5.10	(3.79 - 6.83)	6.48	(5.01 - 8.35)	1.31	(0.88 - 1.95)	2.07	(1.61 - 2.66)
Region 3bc	3.47	(2.45 - 4.88)	5.58	(4.19 - 7.39)	1.25	(0.84 - 1.87)	1.89	(1.45 - 2.46)
Region 4	2.94	(1.92 - 4.49)	5.75	(4.05 - 8.09)	1.27	(0.81 - 1.99)	1.89	(1.39 - 2.55)
Region 5	3.24	(2.12 - 4.90)	5.81	(4.08 - 8.21)	1.50	(0.99 - 2.27)	2.15	(1.61 - 2.86)
Region 6	3.54	(2.63 - 4.73)	5.20	(4.07 - 6.62)	1.29	(0.91 - 1.83)	1.89	(1.51 - 2.37)
Region 6a	3.41	(2.45 - 4.72)	5.07	(3.88 - 6.61)	1.31	(0.90 - 1.90)	1.89	(1.48 - 2.41)
Region 6bc	4.63	(3.04 - 7.00)	6.40	(4.51 - 9.00)	*	(* - *)	1.87	(1.38 - 2.54)
Region 7	3.65	(2.66 - 5.00)	5.44	(4.20 - 7.02)	1.21	(0.86 - 1.72)	2.00	(1.60 - 2.50)
Region 7a	3.95	(2.67 - 5.80)	5.49	(3.94 - 7.61)	1.20	(0.77 - 1.86)	1.93	(1.45 - 2.56)
Region 7bcd	3.16	(2.09 - 4.76)	5.37	(3.85 - 7.44)	1.23	(0.79 - 1.90)	2.13	(1.61 - 2.80)
Region 8	4.51	(3.18 - 6.36)	6.80	(5.06 - 9.08)	1.25	(0.82 - 1.89)	2.12	(1.64 - 2.74)
Region 9	3.98	(2.59 - 6.07)	5.46	(3.84 - 7.70)	*	(* - *)	2.02	(1.49 - 2.72)
Region 10	4.54	(3.02 - 6.78)	5.84	(4.11 - 8.23)	1.20	(0.77 - 1.89)	2.03	(1.52 - 2.71)
Region 11	4.35	(3.18 - 5.93)	5.58	(4.21 - 7.36)	1.22	(0.83 - 1.79)	1.98	(1.55 - 2.53)
Region 11abd	4.39	(2.94 - 6.50)	5.98	(4.28 - 8.29)	1.25	(0.80 - 1.93)	2.04	(1.54 - 2.71)
Region 11c (Hidalgo)	4.30	(2.84 - 6.46)	4.93	(3.32 - 7.25)	1.18	(0.72 - 1.92)	1.87	(1.35 - 2.59)
Utah	3.97	(3.06 - 5.13)	5.89	(4.64 - 7.45)	1.47	(1.10 - 1.97)	2.31	(1.88 - 2.82)
Bear River, Northeastern, Summit, Tooele, and Wasatch	3.83	(2.50 - 5.83)	5.17	(3.49 - 7.59)	1.21	(0.75 - 1.94)	1.96	(1.42 - 2.70)
Central, Four Corners, San Juan, and Southwest	3.60	(2.31 - 5.59)	6.07	(4.02 - 9.08)	1.25	(0.78 - 2.01)	2.08	(1.50 - 2.88)
Davis County	4.01	(2.52 - 6.30)	6.98	(4.71 - 10.21)	1.33	(0.81 - 2.16)	2.27	(1.64 - 3.14)
Salt Lake County	4.34	(2.98 - 6.29)	5.92	(4.25 - 8.20)	1.62	(1.08 - 2.43)	2.34	(1.77 - 3.10)
Utah County	3.59	(2.28 - 5.61)	5.61	(3.89 - 8.02)	1.58	(0.95 - 2.61)	2.66	(1.94 - 3.62)
Weber, Morgan	3.95	(2.50 - 6.18)	6.15	(4.05 - 9.24)	1.45	(0.92 - 2.29)	2.25	(1.60 - 3.14)

See notes at end of table.

(continued)

Table 20 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	4.71	(3.65 - 6.07)	9.61	(7.79 - 11.79)	1.46	(1.06-2.02)	2.65	(2.16-3.25)
Champlain Valley	5.56	(3.94 - 7.80)	9.77	(7.43 - 12.75)	1.42	(0.92-2.17)	2.92	(2.28-3.73)
Rural Northeast	3.91	(2.58 - 5.87)	9.58	(7.03 - 12.94)	1.58	(0.97-2.57)	2.61	(1.91-3.56)
Rural Southeast	4.52	(2.99 - 6.77)	9.15	(6.47 - 12.79)	1.58	(0.98-2.52)	2.41	(1.73-3.34)
Rural Southwest	4.01	(2.58 - 6.18)	9.60	(6.78 - 13.41)	1.24	(0.77-2.00)	2.35	(1.74-3.16)
Virginia	4.24	(3.30 - 5.43)	6.60	(5.23 - 8.30)	1.22	(0.90-1.65)	2.00	(1.63-2.46)
Region 1	4.43	(2.94 - 6.62)	6.83	(4.86 - 9.53)	1.06	(0.68-1.67)	1.97	(1.48-2.62)
Region 2	4.07	(2.71 - 6.07)	5.56	(3.77 - 8.12)	0.92	(0.56-1.51)	1.48	(1.06-2.05)
Region 3	4.05	(2.63 - 6.19)	6.37	(4.48 - 8.99)	1.58	(0.98-2.52)	2.29	(1.66-3.15)
Region 4	3.57	(2.31 - 5.49)	5.90	(3.93 - 8.76)	1.41	(0.88-2.26)	2.08	(1.49-2.90)
Region 5	4.96	(3.32 - 7.34)	7.99	(5.71 - 11.08)	1.27	(0.80-2.02)	2.39	(1.80-3.18)
Washington	4.21	(3.29 - 5.36)	7.51	(6.02 - 9.34)	1.37	(1.00-1.87)	2.25	(1.82-2.77)
Region 1	3.78	(2.62 - 5.41)	7.23	(5.26 - 9.85)	1.28	(0.87-1.90)	2.27	(1.73-2.98)
East 1 (previously Region 1)	3.81	(2.43 - 5.92)	7.45	(5.05 - 10.88)	1.33	(0.83-2.10)	2.35	(1.70-3.24)
East 2 (previously Region 2)	3.74	(2.33 - 5.96)	6.92	(4.69 - 10.09)	*	(* - *)	2.16	(1.55-3.01)
Region 2	4.52	(3.33 - 6.11)	7.86	(6.03 - 10.20)	1.37	(0.93-2.00)	2.25	(1.75-2.88)
North 1 (previously Region 3)	5.15	(3.43 - 7.65)	8.57	(6.17 - 11.80)	1.31	(0.81-2.14)	2.35	(1.73-3.20)
North 2 (previously Region 4)	4.10	(2.79 - 6.00)	7.42	(5.33 - 10.25)	1.40	(0.89-2.19)	2.19	(1.63-2.94)
Region 3	4.12	(2.98 - 5.67)	7.24	(5.40 - 9.65)	1.43	(0.98-2.09)	2.23	(1.72-2.88)
West 1 (previously Region 5)	4.09	(2.68 - 6.21)	7.09	(4.89 - 10.18)	1.45	(0.91-2.29)	2.29	(1.68-3.13)
West 2 (previously Region 6)	4.14	(2.73 - 6.22)	7.41	(5.17 - 10.50)	1.42	(0.90-2.24)	2.17	(1.58-2.97)
West Virginia	2.91	(2.19 - 3.86)	7.84	(6.40 - 9.57)	1.63	(1.18-2.26)	2.45	(1.97-3.03)
Region I	3.08	(1.88 - 5.01)	7.08	(4.84 - 10.24)	*	(* - *)	2.12	(1.50-2.98)
Region II	3.22	(2.05 - 5.02)	7.25	(4.96 - 10.48)	1.29	(0.81-2.04)	2.03	(1.49-2.76)
Region III	2.53	(1.54 - 4.11)	6.32	(4.21 - 9.37)	1.50	(0.90-2.49)	2.03	(1.40-2.93)
Region IV	3.30	(2.12 - 5.08)	9.48	(7.21 - 12.36)	1.55	(0.96-2.50)	2.96	(2.28-3.84)
Region V	2.78	(1.82 - 4.23)	7.82	(5.76 - 10.53)	1.86	(1.18-2.93)	2.57	(1.88-3.51)
Region VI	2.56	(1.59 - 4.10)	6.39	(4.33 - 9.34)	1.78	(1.09-2.89)	2.30	(1.60-3.30)

See notes at end of table.

(continued)

Table 20 Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	4.14	(3.23 - 5.30)	6.03	(4.74 - 7.64)	1.31	(0.97 - 1.77)	1.99	(1.60-2.47)
Milwaukee	3.97	(2.49 - 6.28)	5.95	(3.97 - 8.82)	2.29	(1.44 - 3.64)	2.89	(2.02-4.11)
Northeastern	3.58	(2.37 - 5.36)	5.95	(4.11 - 8.53)	1.11	(0.70 - 1.77)	1.75	(1.28-2.40)
Northern	3.70	(2.32 - 5.86)	6.18	(4.10 - 9.20)	*	(* - *)	1.81	(1.29-2.54)
Southeastern	5.04	(3.33 - 7.55)	6.53	(4.50 - 9.39)	1.04	(0.65 - 1.66)	1.74	(1.26-2.38)
Southern	4.45	(2.96 - 6.65)	5.74	(4.02 - 8.15)	1.21	(0.76 - 1.91)	1.90	(1.39-2.59)
Western	3.61	(2.30 - 5.62)	5.94	(4.05 - 8.64)	1.12	(0.70 - 1.79)	1.89	(1.38-2.59)
Wyoming	3.90	(3.02 - 5.02)	4.89	(3.74 - 6.38)	1.09	(0.80 - 1.49)	1.66	(1.32-2.08)
Judicial District 1 (Laramie)	4.08	(2.66 - 6.22)	5.17	(3.44 - 7.71)	1.23	(0.76 - 2.00)	1.79	(1.25-2.54)
Judicial District 2	3.86	(2.39 - 6.17)	4.81	(3.22 - 7.14)	*	(* - *)	2.21	(1.59-3.07)
Judicial District 3	3.36	(2.10 - 5.34)	3.95	(2.59 - 6.00)	1.04	(0.63 - 1.69)	1.43	(1.00-2.06)
Judicial District 4	3.61	(2.28 - 5.65)	4.77	(3.08 - 7.33)	*	(* - *)	1.50	(1.04-2.18)
Judicial District 5	3.59	(2.22 - 5.74)	4.74	(3.07 - 7.24)	*	(* - *)	1.35	(0.95-1.91)
Judicial District 6	3.71	(2.38 - 5.74)	4.69	(3.05 - 7.15)	1.12	(0.69 - 1.82)	1.64	(1.15-2.34)
Judicial District 7 (Natrona)	4.48	(2.90 - 6.84)	5.29	(3.51 - 7.91)	1.27	(0.78 - 2.06)	1.84	(1.30-2.60)
Judicial District 8	3.90	(2.47 - 6.10)	5.63	(3.60 - 8.72)	*	(* - *)	1.48	(1.03-2.12)
Judicial District 9	4.40	(2.79 - 6.88)	5.22	(3.38 - 7.97)	1.01	(0.61 - 1.66)	1.53	(1.06-2.19)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but not receiving treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	3.78	(3.58 - 3.99)	14.30	(13.90 - 14.71)	5.40	(5.20 - 5.62)	6.72	(6.53 - 6.91)
Northeast	4.01	(3.66 - 4.39)	14.85	(14.14 - 15.58)	5.54	(5.10 - 6.00)	6.87	(6.47 - 7.30)
Midwest	3.57	(3.31 - 3.84)	14.58	(14.02 - 15.15)	5.66	(5.29 - 6.06)	6.97	(6.62 - 7.33)
South	3.42	(3.16 - 3.69)	13.01	(12.48 - 13.56)	4.86	(4.51 - 5.24)	6.06	(5.74 - 6.39)
West	4.36	(3.95 - 4.81)	15.63	(14.85 - 16.44)	5.93	(5.43 - 6.47)	7.41	(6.96 - 7.90)
Alabama	3.47	(2.70 - 4.45)	11.54	(9.77 - 13.58)	4.37	(3.41 - 5.58)	5.44	(4.48 - 6.58)
Region 1	3.28	(2.23 - 4.80)	10.93	(8.36 - 14.17)	3.96	(2.72 - 5.72)	4.90	(3.62 - 6.60)
Region 2	3.79	(2.66 - 5.38)	13.21	(10.46 - 16.54)	4.95	(3.54 - 6.88)	6.22	(4.79 - 8.04)
Region 3	2.71	(1.83 - 4.00)	9.88	(7.35 - 13.16)	3.74	(2.50 - 5.55)	4.84	(3.51 - 6.64)
Region 4	3.84	(2.62 - 5.60)	11.33	(8.64 - 14.73)	4.55	(3.16 - 6.51)	5.47	(4.05 - 7.36)
Alaska	3.75	(2.91 - 4.82)	15.48	(13.42 - 17.80)	6.63	(5.32 - 8.24)	8.01	(6.75 - 9.47)
Anchorage	3.82	(2.73 - 5.34)	16.02	(13.16 - 19.37)	7.29	(5.49 - 9.62)	8.70	(6.99 - 10.79)
Northern	3.38	(2.28 - 4.97)	15.10	(11.90 - 18.99)	6.32	(4.37 - 9.06)	7.97	(6.02 - 10.47)
South Central	3.79	(2.61 - 5.48)	14.48	(11.06 - 18.72)	5.77	(3.97 - 8.32)	6.91	(5.07 - 9.37)
Southeast	4.22	(2.80 - 6.30)	16.59	(12.70 - 21.37)	6.88	(4.65 - 10.07)	8.07	(5.83 - 11.08)
Arizona	4.17	(3.25 - 5.34)	15.24	(13.04 - 17.73)	6.42	(5.03 - 8.15)	7.72	(6.39 - 9.30)
Maricopa	4.23	(3.09 - 5.76)	15.18	(12.55 - 18.25)	6.43	(4.82 - 8.52)	7.73	(6.19 - 9.63)
Pima	4.19	(2.85 - 6.11)	16.34	(12.52 - 21.05)	6.85	(4.69 - 9.92)	8.32	(6.12 - 11.22)
Rural North	3.86	(2.60 - 5.69)	14.68	(11.12 - 19.13)	5.45	(3.61 - 8.15)	6.74	(4.84 - 9.32)
Rural South	4.16	(2.82 - 6.10)	14.57	(10.79 - 19.39)	6.69	(4.43 - 9.97)	7.78	(5.50 - 10.91)
Arkansas	3.32	(2.62 - 4.19)	11.59	(9.85 - 13.59)	4.06	(3.10 - 5.30)	5.16	(4.19 - 6.33)
Catchment Area 1	3.51	(2.40 - 5.12)	11.81	(8.94 - 15.43)	3.95	(2.65 - 5.85)	5.23	(3.84 - 7.08)
Catchment Area 2	3.72	(2.48 - 5.53)	11.58	(8.46 - 15.65)	3.65	(2.32 - 5.70)	4.64	(3.21 - 6.66)
Catchment Area 3	2.81	(1.89 - 4.15)	9.44	(6.91 - 12.77)	3.66	(2.35 - 5.64)	4.53	(3.16 - 6.45)
Catchment Area 4	3.53	(2.35 - 5.27)	13.58	(10.19 - 17.87)	4.22	(2.72 - 6.49)	5.48	(3.88 - 7.71)
Catchment Area 5	3.47	(2.36 - 5.08)	12.61	(9.64 - 16.32)	4.42	(2.93 - 6.62)	5.82	(4.24 - 7.92)
Catchment Area 6	3.01	(1.98 - 4.56)	10.62	(7.73 - 14.43)	4.09	(2.63 - 6.29)	5.04	(3.51 - 7.18)
Catchment Area 7	2.95	(1.96 - 4.41)	10.57	(7.77 - 14.21)	3.81	(2.43 - 5.91)	4.73	(3.28 - 6.77)
Catchment Area 8	3.37	(2.30 - 4.91)	11.94	(9.20 - 15.35)	4.43	(3.04 - 6.42)	5.42	(3.99 - 7.32)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	4.68	(4.02 - 5.43)	15.54	(14.31 - 16.85)	5.67	(4.94 - 6.50)	7.23	(6.55 - 7.97)
Region 1R	4.92	(3.43 - 7.03)	18.37	(14.21 - 23.41)	6.18	(4.32 - 8.76)	8.03	(6.04 - 10.61)
Region 2R	5.19	(3.64 - 7.35)	18.22	(14.31 - 22.92)	5.61	(3.92 - 7.97)	7.55	(5.76 - 9.83)
Region 3R (Sacramento)	4.19	(2.87 - 6.07)	15.84	(12.30 - 20.17)	5.51	(3.95 - 7.63)	7.10	(5.45 - 9.22)
Region 4R	4.58	(3.21 - 6.50)	16.69	(13.10 - 21.03)	5.39	(3.84 - 7.52)	6.87	(5.23 - 8.96)
Region 5R (San Francisco)	*	(* - *)	19.51	(15.36 - 24.46)	8.29	(5.94 - 11.47)	9.67	(7.30 - 12.69)
Region 6 (Santa Clara)	4.27	(2.96 - 6.14)	17.02	(13.39 - 21.39)	5.28	(3.75 - 7.40)	6.84	(5.21 - 8.92)
Region 7R (Contra Costa)	4.78	(3.30 - 6.88)	17.81	(13.95 - 22.47)	5.57	(3.93 - 7.84)	7.15	(5.42 - 9.38)
Region 8R (Alameda)	4.34	(3.01 - 6.21)	16.50	(13.06 - 20.63)	5.96	(4.27 - 8.24)	7.45	(5.71 - 9.66)
Region 9R (San Mateo)	4.75	(3.20 - 7.00)	16.43	(12.46 - 21.36)	4.98	(3.38 - 7.29)	6.28	(4.55 - 8.61)
Region 10	4.88	(3.42 - 6.91)	17.99	(14.18 - 22.56)	5.52	(3.87 - 7.81)	7.69	(5.90 - 9.97)
Region 11 (Los Angeles)	4.58	(3.79 - 5.52)	14.74	(13.14 - 16.50)	5.58	(4.69 - 6.63)	7.06	(6.19 - 8.03)
LA SPA 1 and 5	4.87	(3.40 - 6.94)	17.02	(13.20 - 21.67)	7.10	(5.13 - 9.76)	8.71	(6.67 - 11.31)
LA SPA 2	4.85	(3.49 - 6.70)	14.89	(11.71 - 18.74)	5.19	(3.72 - 7.18)	6.62	(5.10 - 8.56)
LA SPA 3	4.25	(2.94 - 6.11)	14.46	(11.45 - 18.08)	4.16	(2.91 - 5.90)	5.76	(4.43 - 7.47)
LA SPA 4	4.85	(3.32 - 7.02)	14.90	(11.63 - 18.90)	7.52	(5.42 - 10.35)	8.66	(6.58 - 11.31)
LA SPA 6	4.24	(2.94 - 6.07)	12.25	(9.37 - 15.85)	5.54	(3.86 - 7.89)	6.95	(5.23 - 9.19)
LA SPA 7	4.75	(3.31 - 6.76)	16.16	(12.51 - 20.62)	5.58	(3.96 - 7.82)	7.43	(5.68 - 9.68)
LA SPA 8	4.40	(3.13 - 6.14)	13.78	(10.76 - 17.48)	5.25	(3.74 - 7.33)	6.53	(4.97 - 8.54)
Region 12R	4.47	(3.06 - 6.51)	14.33	(10.68 - 18.96)	5.80	(3.97 - 8.42)	7.13	(5.18 - 9.72)
Regions 13 and 19R	4.57	(3.34 - 6.22)	13.18	(10.57 - 16.31)	5.65	(4.19 - 7.58)	6.90	(5.43 - 8.73)
Region 13 (Riverside)	4.56	(3.27 - 6.33)	13.21	(10.44 - 16.58)	5.66	(4.12 - 7.72)	6.91	(5.36 - 8.87)
Region 19R (Imperial)	4.75	(3.22 - 6.96)	*	(* - *)	*	(* - *)	6.73	(4.85 - 9.25)
Region 14 (Orange)	4.98	(3.64 - 6.78)	16.31	(13.34 - 19.79)	4.97	(3.67 - 6.70)	6.71	(5.35 - 8.37)
Region 15R (Fresno)	4.45	(3.09 - 6.37)	13.35	(10.09 - 17.48)	5.51	(3.88 - 7.76)	6.96	(5.23 - 9.20)
Region 16R (San Diego)	4.74	(3.43 - 6.50)	16.60	(13.49 - 20.27)	6.38	(4.84 - 8.37)	8.12	(6.55 - 10.01)
Region 17R	4.53	(3.19 - 6.40)	13.66	(10.52 - 17.54)	5.60	(3.99 - 7.81)	7.05	(5.36 - 9.22)
Region 18R (San Bernardino)	4.84	(3.45 - 6.75)	12.40	(9.78 - 15.61)	4.80	(3.47 - 6.61)	6.16	(4.78 - 7.89)
Region 20R	5.27	(3.71 - 7.43)	14.35	(11.05 - 18.44)	6.01	(4.22 - 8.49)	7.45	(5.59 - 9.85)
Region 21R	5.28	(3.66 - 7.55)	17.68	(13.85 - 22.29)	6.58	(4.68 - 9.17)	8.60	(6.59 - 11.14)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	3.88	(3.03 - 4.95)	18.09	(15.77 - 20.68)	6.82	(5.46 - 8.49)	8.46	(7.14 - 9.99)
Region 1	4.35	(2.95 - 6.39)	19.20	(15.03 - 24.21)	6.82	(4.73 - 9.74)	8.98	(6.80 - 11.76)
Regions 2 and 7	3.63	(2.58 - 5.09)	18.09	(15.09 - 21.54)	7.08	(5.37 - 9.28)	8.61	(6.95 - 10.62)
Region 3	3.91	(2.68 - 5.68)	17.89	(13.86 - 22.78)	6.06	(4.21 - 8.64)	7.87	(5.91 - 10.41)
Region 4	4.07	(2.71 - 6.06)	*	(* - *)	5.88	(3.84 - 8.89)	7.19	(5.05 - 10.13)
Regions 5 and 6	4.42	(2.97 - 6.53)	18.21	(13.96 - 23.40)	6.96	(4.71 - 10.17)	8.44	(6.12 - 11.54)
Connecticut	3.85	(3.00 - 4.93)	15.62	(13.50 - 18.01)	5.65	(4.48 - 7.10)	7.00	(5.85 - 8.35)
Eastern	3.69	(2.46 - 5.51)	15.16	(11.83 - 19.21)	5.31	(3.67 - 7.62)	7.06	(5.32 - 9.30)
North Central	3.50	(2.37 - 5.15)	15.19	(12.08 - 18.92)	5.15	(3.63 - 7.27)	6.46	(4.90 - 8.46)
Northwestern	3.86	(2.59 - 5.72)	15.51	(11.70 - 20.28)	5.21	(3.52 - 7.65)	6.44	(4.65 - 8.84)
South Central	4.45	(3.04 - 6.48)	16.76	(13.35 - 20.84)	6.39	(4.51 - 8.97)	7.84	(5.95 - 10.26)
Southwest	3.75	(2.54 - 5.50)	15.23	(11.54 - 19.82)	6.09	(4.27 - 8.62)	7.22	(5.36 - 9.66)
Delaware	3.46	(2.67 - 4.48)	14.87	(12.70 - 17.33)	5.18	(4.06 - 6.58)	6.59	(5.47 - 7.91)
Kent	3.21	(2.19 - 4.70)	13.53	(10.33 - 17.52)	4.91	(3.33 - 7.20)	6.31	(4.65 - 8.51)
New Castle (excluding Wilmington City)	3.67	(2.63 - 5.11)	15.88	(13.08 - 19.16)	5.20	(3.85 - 6.99)	6.88	(5.51 - 8.57)
Sussex	3.50	(2.38 - 5.10)	14.24	(10.92 - 18.36)	4.90	(3.34 - 7.15)	5.90	(4.29 - 8.07)
Wilmington City	2.57	(1.69 - 3.89)	12.45	(9.07 - 16.86)	6.39	(4.30 - 9.38)	7.27	(5.16 - 10.15)
District of Columbia	3.20	(2.45 - 4.17)	17.95	(15.74 - 20.41)	10.44	(8.57 - 12.66)	11.89	(10.19 - 13.83)
Ward 1	3.66	(2.42 - 5.50)	19.10	(14.90 - 24.13)	13.91	(10.20 - 18.70)	15.02	(11.59 - 19.23)
Ward 2	*	(* - *)	19.87	(16.11 - 24.26)	12.59	(9.26 - 16.90)	14.75	(11.81 - 18.28)
Ward 3	4.74	(3.13 - 7.11)	20.89	(16.51 - 26.07)	10.15	(7.27 - 14.00)	12.15	(9.32 - 15.69)
Ward 4	3.54	(2.36 - 5.27)	17.70	(13.46 - 22.91)	8.84	(6.20 - 12.44)	9.88	(7.26 - 13.30)
Ward 5	2.93	(1.95 - 4.38)	17.64	(13.82 - 22.24)	9.36	(6.70 - 12.95)	10.94	(8.37 - 14.18)
Ward 6	3.09	(2.01 - 4.71)	20.09	(15.55 - 25.55)	12.08	(8.62 - 16.69)	13.31	(9.94 - 17.59)
Ward 7	2.91	(1.90 - 4.43)	14.05	(10.50 - 18.54)	8.12	(5.53 - 11.79)	9.13	(6.59 - 12.51)
Ward 8	2.52	(1.65 - 3.82)	11.31	(8.42 - 15.03)	7.73	(5.33 - 11.09)	8.48	(6.21 - 11.47)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	3.49	(2.99 - 4.06)	12.93	(11.87 - 14.06)	4.86	(4.19 - 5.64)	5.93	(5.30 - 6.62)
Region A - Northwest	3.92	(3.05 - 5.02)	15.56	(13.23 - 18.22)	6.17	(4.84 - 7.84)	7.82	(6.48 - 9.40)
Circuit 1	3.68	(2.64 - 5.11)	14.44	(11.35 - 18.18)	5.77	(4.12 - 8.02)	7.10	(5.41 - 9.26)
Circuit 2	4.11	(2.77 - 6.06)	17.19	(13.42 - 21.76)	7.07	(4.87 - 10.14)	9.56	(7.27 - 12.47)
Circuit 14	4.26	(2.89 - 6.22)	14.52	(10.98 - 18.96)	6.03	(4.10 - 8.79)	7.16	(5.17 - 9.84)
Region B - Northeast	3.36	(2.61 - 4.33)	12.98	(11.13 - 15.09)	4.97	(3.96 - 6.23)	6.18	(5.17 - 7.37)
Circuits 3 and 8	3.18	(2.19 - 4.61)	13.48	(10.63 - 16.94)	5.40	(3.86 - 7.51)	7.08	(5.48 - 9.09)
Circuit 4	3.47	(2.41 - 4.96)	12.52	(9.70 - 16.02)	5.21	(3.75 - 7.19)	6.28	(4.78 - 8.19)
Circuit 7	3.32	(2.29 - 4.79)	13.12	(10.23 - 16.67)	4.43	(3.09 - 6.31)	5.46	(4.06 - 7.29)
Region C - Central	3.46	(2.86 - 4.18)	13.00	(11.39 - 14.80)	4.70	(3.87 - 5.70)	5.79	(4.97 - 6.73)
Circuit 5	3.37	(2.36 - 4.78)	11.87	(9.04 - 15.43)	3.97	(2.67 - 5.85)	4.70	(3.37 - 6.53)
Circuit 9	3.12	(2.23 - 4.35)	13.07	(10.51 - 16.13)	5.20	(3.82 - 7.04)	6.59	(5.19 - 8.32)
Circuit 10	3.34	(2.30 - 4.83)	10.38	(7.96 - 13.42)	4.16	(2.86 - 6.00)	4.95	(3.62 - 6.72)
Circuit 18	4.12	(2.94 - 5.75)	15.85	(12.48 - 19.92)	5.28	(3.73 - 7.41)	6.63	(5.03 - 8.70)
Circuit 19	3.52	(2.46 - 5.01)	12.70	(9.73 - 16.41)	4.71	(3.21 - 6.84)	5.55	(4.03 - 7.61)
Region D - Southeast	3.17	(2.44 - 4.11)	11.90	(10.07 - 14.02)	4.49	(3.50 - 5.75)	5.38	(4.40 - 6.56)
Circuit 15 (Palm Beach)	3.02	(2.12 - 4.31)	12.97	(10.32 - 16.19)	4.50	(3.18 - 6.34)	5.47	(4.12 - 7.21)
Circuit 17 (Broward)	3.27	(2.34 - 4.55)	11.14	(8.79 - 14.04)	4.48	(3.29 - 6.09)	5.31	(4.11 - 6.84)
Region E - Sun Coast	3.63	(2.92 - 4.52)	14.36	(12.67 - 16.24)	5.34	(4.34 - 6.54)	6.37	(5.41 - 7.49)
Circuit 6	3.83	(2.73 - 5.34)	13.56	(10.68 - 17.07)	4.69	(3.32 - 6.57)	5.60	(4.22 - 7.41)
Circuit 12	4.05	(2.80 - 5.82)	17.19	(13.43 - 21.74)	6.54	(4.46 - 9.48)	7.54	(5.44 - 10.36)
Circuit 13 (Hillsborough)	3.30	(2.32 - 4.69)	14.22	(11.68 - 17.19)	5.69	(4.18 - 7.69)	6.98	(5.49 - 8.84)
Circuit 20	3.58	(2.49 - 5.11)	13.88	(10.83 - 17.63)	4.99	(3.51 - 7.06)	5.91	(4.39 - 7.90)
Region F - Southern (Circuits 11 and 16)	3.60	(2.66 - 4.85)	9.93	(8.09 - 12.13)	3.97	(2.93 - 5.36)	4.80	(3.78 - 6.08)
Georgia	3.20	(2.53 - 4.06)	11.40	(9.64 - 13.42)	4.19	(3.24 - 5.41)	5.28	(4.34 - 6.42)
Region 1	3.27	(2.25 - 4.73)	12.09	(9.43 - 15.38)	3.82	(2.63 - 5.52)	4.92	(3.69 - 6.52)
Region 2	3.14	(2.14 - 4.59)	10.97	(8.20 - 14.53)	3.93	(2.67 - 5.75)	5.14	(3.79 - 6.95)
Region 3	3.05	(2.09 - 4.45)	11.01	(8.49 - 14.16)	4.62	(3.25 - 6.53)	5.55	(4.17 - 7.36)
Region 4	3.12	(2.05 - 4.72)	9.56	(6.90 - 13.11)	3.76	(2.40 - 5.83)	4.74	(3.31 - 6.75)
Region 5	3.57	(2.38 - 5.31)	11.90	(8.66 - 16.12)	4.41	(2.87 - 6.71)	5.72	(4.06 - 8.00)
Region 6	3.20	(2.15 - 4.74)	11.98	(8.91 - 15.93)	4.24	(2.77 - 6.43)	5.41	(3.86 - 7.55)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	4.77	(3.67 - 6.19)	18.18	(15.82 - 20.82)	5.95	(4.68 - 7.54)	7.58	(6.35 - 9.01)
Hawaii Island	4.87	(3.29 - 7.15)	16.13	(12.19 - 21.04)	6.87	(4.64 - 10.07)	8.00	(5.76 - 11.01)
Honolulu	4.66	(3.41 - 6.32)	18.48	(15.81 - 21.49)	5.46	(4.11 - 7.21)	7.29	(5.98 - 8.85)
Kauai and Maui	5.15	(3.64 - 7.23)	18.41	(14.48 - 23.12)	7.24	(5.14 - 10.11)	8.49	(6.38 - 11.21)
Kauai	5.00	(3.25 - 7.60)	*	(* - *)	6.35	(4.06 - 9.81)	7.64	(5.24 - 11.00)
Maui	5.21	(3.49 - 7.70)	18.53	(14.06 - 24.04)	7.64	(5.15 - 11.17)	8.86	(6.37 - 12.19)
Idaho	3.97	(3.18 - 4.95)	14.92	(12.81 - 17.32)	5.93	(4.66 - 7.52)	7.30	(6.05 - 8.78)
Region 1	4.43	(3.03 - 6.44)	17.00	(12.78 - 22.27)	6.19	(4.16 - 9.11)	7.50	(5.40 - 10.32)
Region 2	3.74	(2.50 - 5.55)	16.28	(12.27 - 21.29)	6.06	(3.99 - 9.10)	8.05	(5.86 - 10.96)
Region 3	3.95	(2.73 - 5.68)	13.36	(10.10 - 17.45)	5.31	(3.67 - 7.62)	6.48	(4.79 - 8.71)
Region 4	4.32	(3.05 - 6.07)	18.17	(14.49 - 22.53)	6.91	(4.88 - 9.70)	8.47	(6.43 - 11.10)
Region 5	3.57	(2.41 - 5.24)	12.21	(9.21 - 16.01)	5.06	(3.34 - 7.58)	6.06	(4.34 - 8.42)
Region 6	4.02	(2.75 - 5.86)	14.79	(11.20 - 19.27)	6.29	(4.32 - 9.08)	7.66	(5.65 - 10.30)
Region 7	3.29	(2.17 - 4.95)	11.07	(8.18 - 14.80)	4.50	(2.93 - 6.85)	5.86	(4.20 - 8.11)
Illinois	3.34	(2.84 - 3.92)	15.32	(14.11 - 16.61)	5.64	(4.92 - 6.46)	7.05	(6.38 - 7.79)
Region I (Cook)	3.35	(2.62 - 4.27)	15.22	(13.45 - 17.18)	6.02	(4.95 - 7.31)	7.36	(6.36 - 8.52)
Region II	3.17	(2.47 - 4.06)	14.92	(12.99 - 17.07)	5.07	(4.05 - 6.33)	6.43	(5.45 - 7.58)
Region III	3.53	(2.59 - 4.80)	16.79	(14.11 - 19.87)	6.27	(4.79 - 8.17)	8.07	(6.61 - 9.82)
Region IV	3.52	(2.46 - 5.01)	13.38	(10.55 - 16.82)	4.77	(3.41 - 6.64)	5.96	(4.57 - 7.75)
Region V	3.62	(2.61 - 4.99)	16.30	(13.40 - 19.69)	5.84	(4.42 - 7.68)	7.33	(5.89 - 9.08)
Indiana	3.42	(2.67 - 4.38)	14.88	(12.82 - 17.21)	5.70	(4.48 - 7.23)	7.09	(5.88 - 8.52)
Central	3.18	(2.17 - 4.62)	15.06	(11.70 - 19.16)	6.21	(4.32 - 8.84)	7.43	(5.52 - 9.93)
East	3.49	(2.31 - 5.25)	13.66	(10.25 - 17.96)	5.43	(3.63 - 8.05)	6.78	(4.91 - 9.29)
North Central	3.81	(2.56 - 5.64)	14.87	(11.26 - 19.38)	5.51	(3.75 - 8.04)	6.84	(5.01 - 9.29)
Northeast	3.37	(2.26 - 5.01)	13.71	(10.37 - 17.91)	5.47	(3.62 - 8.17)	6.65	(4.75 - 9.25)
Northwest	3.30	(2.20 - 4.92)	14.26	(10.92 - 18.40)	5.79	(3.99 - 8.34)	6.96	(5.11 - 9.41)
Southeast	3.54	(2.38 - 5.25)	13.49	(10.14 - 17.74)	4.95	(3.29 - 7.40)	6.01	(4.28 - 8.38)
Southwest	3.30	(2.18 - 4.97)	14.60	(10.83 - 19.40)	5.06	(3.36 - 7.57)	6.40	(4.58 - 8.87)
West	3.64	(2.45 - 5.37)	17.08	(13.39 - 21.54)	6.34	(4.36 - 9.13)	8.84	(6.75 - 11.50)

See notes at end of table.

(continued)

**Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year*, by Age Group and Substate Region:
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)**

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	3.52	(2.75 - 4.48)	16.76	(14.54 - 19.26)	6.03	(4.80 - 7.54)	7.63	(6.41 - 9.06)
Central	3.54	(2.42 - 5.14)	16.93	(13.23 - 21.42)	6.34	(4.49 - 8.87)	7.80	(5.91 - 10.25)
North Central	3.49	(2.34 - 5.19)	17.50	(13.18 - 22.86)	6.05	(3.99 - 9.07)	8.24	(5.99 - 11.23)
Northeast	3.42	(2.36 - 4.92)	16.32	(13.14 - 20.08)	5.75	(4.06 - 8.10)	7.35	(5.64 - 9.53)
Northwest	3.43	(2.31 - 5.07)	15.75	(12.12 - 20.23)	5.50	(3.71 - 8.10)	6.85	(4.99 - 9.35)
Southeast	3.57	(2.44 - 5.18)	16.75	(13.21 - 21.02)	6.22	(4.40 - 8.71)	7.91	(6.05 - 10.28)
Southwest	3.74	(2.47 - 5.63)	18.22	(13.97 - 23.41)	6.52	(4.44 - 9.47)	7.92	(5.77 - 10.78)
Kansas	3.81	(3.02 - 4.79)	13.54	(11.60 - 15.76)	5.03	(3.94 - 6.39)	6.34	(5.26 - 7.61)
Kansas City Metro	3.74	(2.66 - 5.24)	12.87	(10.13 - 16.23)	4.69	(3.36 - 6.51)	5.90	(4.54 - 7.64)
Northeast	3.85	(2.58 - 5.71)	14.46	(11.09 - 18.64)	5.24	(3.53 - 7.71)	6.87	(5.08 - 9.23)
South Central	3.83	(2.64 - 5.53)	14.14	(10.66 - 18.53)	4.88	(3.24 - 7.30)	6.22	(4.48 - 8.57)
Southeast	3.82	(2.52 - 5.76)	13.41	(10.06 - 17.66)	4.71	(3.04 - 7.24)	6.05	(4.29 - 8.48)
West	4.24	(2.87 - 6.22)	14.84	(11.34 - 19.20)	6.08	(4.06 - 9.01)	7.37	(5.32 - 10.12)
Wichita (Sedgwick)	3.60	(2.45 - 5.26)	12.40	(9.38 - 16.23)	5.02	(3.46 - 7.22)	6.12	(4.51 - 8.25)
Kentucky	3.22	(2.52 - 4.12)	11.37	(9.59 - 13.44)	4.03	(3.08 - 5.25)	5.06	(4.12 - 6.20)
Adanta, Cumberland River, and Lifeskills	3.33	(2.29 - 4.80)	11.37	(8.52 - 15.02)	4.02	(2.65 - 6.03)	5.07	(3.63 - 7.03)
Bluegrass, Comprehend, and North Key	3.19	(2.15 - 4.70)	11.57	(9.01 - 14.72)	4.01	(2.78 - 5.75)	5.16	(3.90 - 6.81)
Communicare and River Valley	3.23	(2.14 - 4.84)	9.85	(7.20 - 13.33)	3.64	(2.34 - 5.62)	4.47	(3.10 - 6.39)
Four Rivers and Pennyroyal	3.38	(2.26 - 5.02)	11.71	(8.56 - 15.81)	4.16	(2.72 - 6.31)	5.25	(3.72 - 7.35)
Kentucky River, Mountain, and Pathways	3.32	(2.17 - 5.05)	10.47	(7.55 - 14.34)	3.82	(2.43 - 5.96)	4.68	(3.22 - 6.75)
Seven Counties	3.09	(2.11 - 4.51)	12.16	(9.27 - 15.80)	4.31	(2.96 - 6.23)	5.33	(3.93 - 7.20)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	3.06	(2.41 - 3.87)	13.28	(11.56 - 15.20)	5.17	(4.13 - 6.45)	6.44	(5.43 - 7.62)
Regions 1 and 10	2.80	(2.03 - 3.84)	13.29	(10.59 - 16.54)	5.36	(3.95 - 7.23)	6.59	(5.14 - 8.40)
Region 1	2.47	(1.65 - 3.68)	13.08	(9.80 - 17.24)	5.72	(3.86 - 8.40)	7.03	(5.12 - 9.58)
Region 10 (Jefferson)	3.11	(2.09 - 4.59)	13.57	(10.22 - 17.79)	5.02	(3.42 - 7.32)	6.15	(4.47 - 8.40)
Regions 2 and 9	2.99	(2.09 - 4.27)	13.79	(11.11 - 16.99)	4.81	(3.42 - 6.71)	6.26	(4.84 - 8.07)
Region 3	2.88	(1.96 - 4.20)	11.94	(8.97 - 15.72)	4.67	(3.15 - 6.86)	5.74	(4.17 - 7.86)
Regions 4, 5, and 6	3.42	(2.36 - 4.93)	13.54	(10.70 - 16.98)	5.69	(4.04 - 7.95)	6.89	(5.26 - 8.98)
Regions 7 and 8	2.95	(2.01 - 4.31)	12.80	(10.04 - 16.18)	5.00	(3.51 - 7.06)	6.24	(4.74 - 8.16)
Maine	3.32	(2.59 - 4.24)	14.37	(12.41 - 16.58)	4.65	(3.61 - 5.98)	5.86	(4.82 - 7.11)
Aroostook/Downeast	3.32	(2.35 - 4.66)	13.19	(10.44 - 16.54)	4.54	(3.17 - 6.48)	5.52	(4.11 - 7.38)
Aroostook	*	(* - *)	12.42	(9.16 - 16.63)	4.39	(2.79 - 6.83)	5.32	(3.66 - 7.67)
Downeast	3.37	(2.23 - 5.06)	13.86	(10.37 - 18.28)	4.67	(3.02 - 7.16)	5.68	(3.96 - 8.09)
Central	3.13	(2.10 - 4.65)	14.15	(10.76 - 18.39)	4.60	(3.08 - 6.83)	5.73	(4.13 - 7.89)
Cumberland	3.40	(2.32 - 4.96)	16.07	(12.49 - 20.44)	5.35	(3.68 - 7.72)	6.72	(4.99 - 8.99)
Midcoast	3.50	(2.30 - 5.28)	14.66	(10.92 - 19.41)	4.55	(2.95 - 6.94)	5.54	(3.87 - 7.88)
Penquis	3.48	(2.37 - 5.10)	14.72	(11.23 - 19.06)	4.48	(3.03 - 6.56)	6.14	(4.56 - 8.22)
Western	3.27	(2.19 - 4.86)	12.04	(9.17 - 15.67)	4.33	(2.91 - 6.38)	5.32	(3.86 - 7.29)
York	3.16	(2.11 - 4.70)	14.74	(11.43 - 18.82)	4.35	(2.89 - 6.49)	5.53	(4.01 - 7.60)
Maryland	3.07	(2.39 - 3.94)	12.43	(10.62 - 14.49)	4.37	(3.40 - 5.62)	5.52	(4.54 - 6.70)
Anne Arundel	3.46	(2.29 - 5.21)	14.73	(11.11 - 19.28)	4.52	(3.03 - 6.70)	5.87	(4.27 - 8.03)
Baltimore City	2.22	(1.45 - 3.38)	10.18	(7.73 - 13.30)	4.89	(3.33 - 7.12)	5.84	(4.28 - 7.90)
Baltimore County	3.10	(2.05 - 4.69)	13.70	(10.50 - 17.69)	4.76	(3.23 - 6.96)	6.04	(4.45 - 8.15)
Montgomery	3.31	(2.23 - 4.89)	12.70	(9.55 - 16.71)	4.12	(2.72 - 6.18)	5.12	(3.66 - 7.12)
North Central	3.48	(2.29 - 5.25)	13.80	(10.11 - 18.56)	4.38	(2.85 - 6.68)	5.53	(3.87 - 7.83)
Northeast	3.33	(2.18 - 5.04)	13.60	(9.98 - 18.26)	4.01	(2.63 - 6.07)	5.22	(3.70 - 7.30)
Prince George's	2.37	(1.56 - 3.59)	10.68	(7.90 - 14.29)	4.20	(2.77 - 6.31)	5.31	(3.80 - 7.38)
South	3.14	(2.09 - 4.70)	11.90	(8.79 - 15.92)	4.08	(2.65 - 6.22)	5.26	(3.73 - 7.37)
West	3.55	(2.37 - 5.28)	13.35	(10.00 - 17.59)	4.42	(2.97 - 6.54)	5.61	(4.06 - 7.71)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	4.47	(3.59 - 5.55)	17.75	(15.57 - 20.17)	6.80	(5.52 - 8.35)	8.44	(7.20 - 9.88)
Boston	4.38	(2.97 - 6.41)	18.75	(14.75 - 23.54)	8.64	(6.18 - 11.95)	11.04	(8.58 - 14.10)
Central	4.41	(3.02 - 6.39)	16.18	(12.50 - 20.69)	6.62	(4.49 - 9.65)	7.98	(5.84 - 10.81)
Metrowest	5.11	(3.63 - 7.14)	19.99	(15.81 - 24.94)	7.43	(5.39 - 10.15)	9.07	(6.99 - 11.68)
Northeast	4.49	(3.13 - 6.39)	17.23	(13.60 - 21.58)	6.58	(4.66 - 9.22)	7.98	(6.02 - 10.50)
Southeast	4.18	(2.90 - 5.98)	17.11	(13.58 - 21.34)	5.84	(4.14 - 8.17)	7.26	(5.52 - 9.50)
Western	3.86	(2.65 - 5.59)	15.92	(12.19 - 20.53)	6.01	(4.17 - 8.59)	7.71	(5.78 - 10.22)
Michigan	3.73	(3.20 - 4.33)	13.45	(12.41 - 14.56)	5.95	(5.24 - 6.74)	7.05	(6.39 - 7.76)
Detroit City	2.56	(1.76 - 3.72)	10.30	(8.00 - 13.16)	6.30	(4.50 - 8.74)	7.02	(5.31 - 9.21)
Genesee	3.61	(2.55 - 5.09)	12.86	(10.08 - 16.27)	5.33	(3.80 - 7.42)	6.37	(4.84 - 8.34)
Kalamazoo	3.49	(2.50 - 4.85)	12.84	(10.18 - 16.07)	5.10	(3.68 - 7.04)	6.32	(4.89 - 8.13)
Kent	3.91	(2.78 - 5.47)	15.49	(12.53 - 18.99)	7.29	(5.36 - 9.85)	8.58	(6.68 - 10.95)
Lakeshore	3.65	(2.61 - 5.09)	14.13	(11.48 - 17.28)	6.45	(4.76 - 8.70)	7.62	(5.97 - 9.67)
Macomb	4.41	(3.20 - 6.05)	15.21	(12.42 - 18.50)	6.74	(5.07 - 8.90)	7.80	(6.16 - 9.83)
Mid South	3.34	(2.39 - 4.65)	12.17	(9.87 - 14.92)	5.09	(3.78 - 6.83)	6.35	(5.05 - 7.95)
Northern	4.23	(3.04 - 5.85)	14.10	(11.44 - 17.25)	5.17	(3.72 - 7.13)	6.43	(4.98 - 8.25)
Oakland	3.65	(2.69 - 4.95)	14.11	(11.61 - 17.04)	5.91	(4.49 - 7.73)	6.88	(5.49 - 8.59)
Pathways and Western	4.40	(3.07 - 6.25)	16.60	(13.03 - 20.91)	7.27	(5.21 - 10.06)	8.62	(6.56 - 11.26)
Riverhaven	3.93	(2.79 - 5.50)	14.76	(11.52 - 18.73)	6.29	(4.47 - 8.76)	7.33	(5.50 - 9.71)
Saginaw	3.71	(2.54 - 5.39)	12.09	(9.09 - 15.91)	5.29	(3.61 - 7.71)	6.35	(4.61 - 8.68)
Southeast	3.76	(2.78 - 5.06)	12.10	(9.99 - 14.58)	6.00	(4.60 - 7.79)	6.82	(5.46 - 8.47)
St. Clair	3.76	(2.61 - 5.38)	13.11	(10.14 - 16.79)	5.08	(3.55 - 7.22)	6.07	(4.51 - 8.11)
Washtenaw	4.26	(3.01 - 6.00)	14.79	(11.96 - 18.14)	6.08	(4.45 - 8.25)	7.72	(6.09 - 9.74)
Minnesota	3.90	(3.11 - 4.87)	15.95	(13.79 - 18.37)	5.74	(4.57 - 7.19)	7.18	(6.02 - 8.56)
Regions 1 and 2	3.72	(2.48 - 5.56)	15.08	(11.21 - 19.99)	5.24	(3.39 - 8.03)	6.62	(4.66 - 9.33)
Regions 3 and 4	4.22	(2.92 - 6.05)	16.40	(12.75 - 20.85)	6.17	(4.31 - 8.74)	7.66	(5.75 - 10.13)
Regions 5 and 6	4.60	(3.14 - 6.70)	16.54	(12.87 - 20.99)	5.60	(3.86 - 8.07)	7.21	(5.39 - 9.59)
Region 7A (Hennepin)	3.54	(2.46 - 5.08)	16.86	(13.28 - 21.16)	6.23	(4.46 - 8.65)	7.71	(5.90 - 10.02)
Region 7B (Ramsey)	3.74	(2.49 - 5.57)	14.27	(10.64 - 18.88)	5.91	(3.96 - 8.72)	7.33	(5.31 - 10.05)
Region 7C	3.55	(2.49 - 5.04)	15.34	(11.96 - 19.47)	5.19	(3.70 - 7.24)	6.44	(4.89 - 8.44)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	3.29	(2.56 - 4.21)	11.52	(9.88 - 13.39)	4.64	(3.65 - 5.89)	5.71	(4.73 - 6.87)
Region 1	3.82	(2.61 - 5.56)	11.78	(9.14 - 15.04)	4.43	(3.04 - 6.40)	5.54	(4.13 - 7.40)
Region 2	2.66	(1.76 - 3.99)	10.04	(7.37 - 13.54)	5.13	(3.46 - 7.54)	5.90	(4.22 - 8.18)
Region 3	3.02	(2.02 - 4.49)	12.80	(9.85 - 16.47)	4.84	(3.30 - 7.05)	6.22	(4.62 - 8.32)
Region 4	2.68	(1.76 - 4.07)	10.29	(7.84 - 13.39)	4.29	(2.94 - 6.20)	5.20	(3.84 - 7.02)
Region 5	*	(* - *)	10.25	(7.44 - 13.97)	4.79	(3.11 - 7.32)	5.55	(3.83 - 7.98)
Region 6	3.54	(2.38 - 5.25)	11.23	(8.47 - 14.73)	4.89	(3.35 - 7.09)	5.94	(4.37 - 8.03)
Region 7	3.93	(2.67 - 5.76)	13.23	(10.03 - 17.26)	4.58	(3.11 - 6.69)	5.82	(4.26 - 7.90)
Missouri	3.98	(3.15 - 5.00)	12.86	(10.98 - 15.00)	4.52	(3.52 - 5.80)	5.74	(4.73 - 6.95)
Central	4.15	(2.84 - 6.01)	13.04	(9.85 - 17.07)	4.36	(2.90 - 6.51)	5.92	(4.34 - 8.03)
Eastern	4.00	(2.99 - 5.34)	13.68	(11.15 - 16.67)	4.88	(3.60 - 6.58)	6.11	(4.80 - 7.75)
Eastern (St. Louis City and County)	3.53	(2.47 - 5.02)	13.03	(10.14 - 16.58)	4.84	(3.39 - 6.87)	6.03	(4.53 - 7.98)
Eastern (excluding St. Louis)	4.73	(3.21 - 6.93)	14.97	(11.32 - 19.53)	4.96	(3.32 - 7.36)	6.25	(4.52 - 8.60)
Northwest	3.86	(2.82 - 5.27)	13.08	(10.55 - 16.10)	4.58	(3.31 - 6.31)	5.78	(4.47 - 7.44)
Northwest (Jackson)	3.63	(2.46 - 5.31)	13.32	(10.19 - 17.23)	5.00	(3.40 - 7.30)	6.17	(4.52 - 8.36)
Northwest (excluding Jackson)	4.05	(2.72 - 5.97)	12.87	(9.63 - 16.99)	4.22	(2.77 - 6.38)	5.45	(3.91 - 7.55)
Southeast	3.93	(2.69 - 5.71)	10.95	(8.11 - 14.63)	4.20	(2.76 - 6.34)	5.13	(3.64 - 7.18)
Southwest	4.00	(2.73 - 5.82)	11.95	(8.82 - 16.00)	4.02	(2.66 - 6.03)	5.16	(3.69 - 7.18)
Montana	4.83	(3.83 - 6.09)	18.15	(15.88 - 20.67)	6.61	(5.35 - 8.13)	8.22	(7.01 - 9.63)
Region 1	4.53	(3.05 - 6.68)	17.49	(13.38 - 22.52)	6.27	(4.20 - 9.25)	7.56	(5.44 - 10.43)
Region 2	4.22	(2.85 - 6.21)	18.01	(14.00 - 22.87)	6.31	(4.30 - 9.16)	8.00	(5.91 - 10.75)
Region 3	4.71	(3.29 - 6.69)	17.63	(14.03 - 21.91)	6.12	(4.35 - 8.55)	7.55	(5.76 - 9.84)
Region 4	5.15	(3.63 - 7.27)	19.71	(15.93 - 24.13)	7.11	(5.22 - 9.61)	9.06	(7.17 - 11.39)
Region 5	5.07	(3.61 - 7.08)	17.20	(14.00 - 20.95)	6.73	(4.98 - 9.03)	8.22	(6.48 - 10.37)
Nebraska	3.53	(2.75 - 4.52)	15.65	(13.63 - 17.90)	5.37	(4.23 - 6.79)	6.91	(5.80 - 8.22)
Regions 1 and 2	3.78	(2.71 - 5.23)	16.14	(12.80 - 20.15)	5.29	(3.69 - 7.54)	6.66	(4.98 - 8.84)
Region 1	*	(* - *)	*	(* - *)	5.51	(3.50 - 8.56)	6.97	(4.82 - 9.96)
Region 2	3.79	(2.51 - 5.69)	15.75	(11.65 - 20.96)	5.11	(3.31 - 7.80)	6.38	(4.47 - 9.04)
Region 3	3.89	(2.66 - 5.67)	16.31	(12.59 - 20.87)	5.42	(3.68 - 7.91)	6.98	(5.16 - 9.37)
Region 4	3.62	(2.43 - 5.36)	15.15	(11.46 - 19.77)	5.29	(3.49 - 7.96)	6.59	(4.70 - 9.17)
Region 5	3.41	(2.34 - 4.95)	16.68	(13.46 - 20.47)	5.53	(3.92 - 7.73)	7.47	(5.84 - 9.51)
Region 6	3.41	(2.39 - 4.83)	14.74	(12.00 - 17.98)	5.30	(3.90 - 7.18)	6.71	(5.30 - 8.46)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	4.51	(3.32 - 6.11)	17.52	(14.93 - 20.46)	8.27	(6.59 - 10.33)	9.56	(7.96 - 11.43)
Clark – Region 1	4.28	(2.98 - 6.11)	15.87	(12.92 - 19.35)	7.77	(5.97 - 10.07)	8.90	(7.16 - 11.01)
Region 3	4.74	(3.28 - 6.80)	19.86	(15.67 - 24.84)	8.64	(6.13 - 12.04)	10.00	(7.48 - 13.24)
Capital District	4.71	(3.04 - 7.23)	*	(* - *)	8.54	(5.58 - 12.85)	10.02	(6.99 - 14.17)
Rural/Frontier	4.76	(3.02 - 7.44)	*	(* - *)	8.74	(5.75 - 13.07)	9.97	(6.95 - 14.10)
Washoe – Region 2	5.43	(3.56 - 8.19)	22.83	(18.50 - 27.82)	10.27	(7.33 - 14.21)	12.21	(9.37 - 15.76)
New Hampshire	4.38	(3.46 - 5.54)	16.63	(14.57 - 18.90)	5.18	(4.10 - 6.52)	6.72	(5.64 - 7.98)
Central	4.62	(3.44 - 6.18)	16.73	(13.92 - 19.97)	5.44	(4.01 - 7.34)	7.08	(5.62 - 8.88)
Central 1	4.60	(3.14 - 6.68)	17.48	(14.05 - 21.52)	5.84	(4.03 - 8.39)	7.77	(5.91 - 10.15)
Central 2	4.65	(3.22 - 6.66)	15.74	(12.07 - 20.28)	5.07	(3.42 - 7.46)	6.40	(4.67 - 8.71)
Northern	4.61	(3.15 - 6.69)	17.87	(13.95 - 22.62)	5.59	(3.81 - 8.11)	7.27	(5.39 - 9.74)
Southern	4.24	(3.21 - 5.59)	16.27	(13.79 - 19.09)	4.96	(3.78 - 6.49)	6.42	(5.22 - 7.87)
Southern 1 (Rockingham)	4.27	(2.95 - 6.15)	16.61	(13.18 - 20.73)	5.03	(3.46 - 7.25)	6.34	(4.72 - 8.46)
Southern 2	4.23	(2.99 - 5.93)	16.09	(13.08 - 19.63)	4.92	(3.55 - 6.77)	6.46	(5.06 - 8.22)
New Jersey	3.93	(3.01 - 5.11)	15.11	(12.93 - 17.58)	4.95	(3.85 - 6.33)	6.28	(5.18 - 7.59)
Central	4.68	(3.15 - 6.90)	15.42	(11.79 - 19.92)	4.97	(3.42 - 7.15)	6.24	(4.61 - 8.40)
Metropolitan	3.38	(2.28 - 4.98)	14.35	(11.35 - 17.98)	5.02	(3.48 - 7.20)	6.33	(4.75 - 8.40)
Northern	3.89	(2.70 - 5.58)	16.06	(12.79 - 19.98)	5.04	(3.54 - 7.13)	6.44	(4.90 - 8.41)
Southern	3.73	(2.53 - 5.47)	14.32	(10.94 - 18.52)	4.70	(3.22 - 6.80)	5.99	(4.44 - 8.05)
New Mexico	4.30	(3.34 - 5.52)	15.16	(13.07 - 17.51)	5.92	(4.65 - 7.52)	7.29	(6.05 - 8.75)
Region 1	3.78	(2.60 - 5.46)	13.58	(10.50 - 17.38)	4.64	(3.18 - 6.73)	5.95	(4.44 - 7.94)
Region 2	4.23	(2.84 - 6.25)	14.77	(11.08 - 19.42)	6.18	(4.13 - 9.14)	7.16	(5.09 - 9.99)
Region 3 (Bernalillo)	4.81	(3.30 - 6.96)	16.84	(13.56 - 20.73)	6.72	(4.81 - 9.32)	8.24	(6.34 - 10.64)
Region 4	4.05	(2.70 - 6.03)	13.27	(10.11 - 17.23)	5.47	(3.72 - 7.98)	6.72	(4.92 - 9.10)
Region 5	4.36	(2.98 - 6.35)	15.42	(12.00 - 19.60)	6.00	(4.14 - 8.62)	7.54	(5.65 - 10.00)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	4.04	(3.47 - 4.70)	13.61	(12.50 - 14.81)	5.57	(4.86 - 6.38)	6.78	(6.12 - 7.50)
Region A	3.82	(3.10 - 4.68)	12.35	(10.96 - 13.89)	5.77	(4.84 - 6.85)	6.78	(5.90 - 7.77)
Region 1	3.22	(2.24 - 4.61)	10.22	(7.98 - 13.01)	5.07	(3.65 - 7.01)	5.99	(4.58 - 7.80)
Region 2	4.39	(3.24 - 5.94)	12.69	(10.49 - 15.26)	5.88	(4.46 - 7.72)	6.94	(5.56 - 8.63)
Region 3	3.69	(2.57 - 5.27)	14.42	(11.59 - 17.82)	7.10	(5.25 - 9.54)	8.21	(6.39 - 10.48)
Region 4	3.48	(2.47 - 4.89)	11.72	(9.33 - 14.62)	4.98	(3.67 - 6.73)	5.92	(4.61 - 7.58)
Region B	4.42	(3.57 - 5.46)	14.52	(12.59 - 16.68)	4.93	(4.01 - 6.05)	6.23	(5.31 - 7.29)
Region 5	4.53	(3.39 - 6.02)	14.14	(11.66 - 17.03)	4.55	(3.43 - 6.02)	5.82	(4.68 - 7.21)
Region 6	4.32	(3.13 - 5.95)	14.71	(11.50 - 18.62)	5.28	(3.77 - 7.36)	6.50	(4.93 - 8.53)
Region 7	4.23	(3.01 - 5.90)	15.36	(12.18 - 19.18)	5.65	(4.01 - 7.92)	7.15	(5.46 - 9.32)
Region C	3.93	(3.24 - 4.76)	15.15	(13.50 - 16.97)	5.98	(5.00 - 7.15)	7.43	(6.48 - 8.51)
Region 8	3.99	(2.84 - 5.58)	16.57	(13.16 - 20.65)	5.87	(4.26 - 8.05)	7.47	(5.79 - 9.58)
Region 9	3.93	(2.78 - 5.53)	13.48	(10.69 - 16.85)	5.12	(3.68 - 7.08)	6.46	(4.98 - 8.35)
Region 10	3.86	(2.61 - 5.69)	13.06	(10.11 - 16.70)	5.62	(3.89 - 8.05)	7.08	(5.32 - 9.37)
Region 11	4.32	(3.08 - 6.02)	16.23	(13.04 - 20.01)	7.09	(5.17 - 9.66)	8.54	(6.63 - 10.94)
Region 12	3.54	(2.48 - 5.02)	15.46	(12.39 - 19.12)	5.91	(4.29 - 8.10)	7.33	(5.69 - 9.40)
Region D	4.02	(3.13 - 5.14)	13.07	(10.99 - 15.48)	5.38	(4.20 - 6.85)	6.56	(5.39 - 7.97)
Region 13	3.99	(2.76 - 5.72)	12.90	(9.89 - 16.66)	4.90	(3.35 - 7.12)	6.10	(4.50 - 8.21)
Region 14	4.03	(2.75 - 5.85)	13.85	(10.63 - 17.85)	6.19	(4.27 - 8.89)	7.44	(5.51 - 9.99)
Region 15	4.03	(2.78 - 5.83)	12.37	(9.42 - 16.08)	5.00	(3.43 - 7.24)	6.10	(4.47 - 8.26)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	3.33	(2.63 - 4.21)	11.60	(9.78 - 13.70)	3.90	(2.98 - 5.09)	4.99	(4.06 - 6.13)
Alliance	3.51	(2.37 - 5.17)	11.21	(8.46 - 14.71)	3.90	(2.68 - 5.63)	5.00	(3.71 - 6.71)
Cardinal Innovations	3.58	(2.39 - 5.33)	12.10	(9.09 - 15.92)	3.94	(2.61 - 5.89)	5.04	(3.63 - 6.94)
CenterPoint/Guilford	3.15	(2.26 - 4.37)	10.89	(8.40 - 14.00)	3.80	(2.62 - 5.50)	4.83	(3.57 - 6.51)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	4.61	(3.16 - 6.68)
Guilford	*	(* - *)	10.72	(7.73 - 14.67)	*	(* - *)	5.08	(3.53 - 7.25)
CoastalCare	3.25	(2.13 - 4.94)	13.33	(9.57 - 18.27)	*	(* - *)	5.56	(3.91 - 7.84)
Eastpointe	2.72	(1.79 - 4.10)	9.11	(6.58 - 12.49)	3.42	(2.18 - 5.34)	4.20	(2.89 - 6.07)
ECBH	3.05	(2.02 - 4.58)	11.88	(8.58 - 16.21)	*	(* - *)	5.15	(3.56 - 7.40)
MeckLINK	3.11	(2.05 - 4.70)	12.01	(8.70 - 16.36)	4.51	(2.94 - 6.85)	5.57	(3.91 - 7.87)
Partners	3.46	(2.35 - 5.05)	11.16	(8.20 - 15.02)	3.85	(2.47 - 5.95)	4.75	(3.30 - 6.79)
Sandhills	3.26	(2.14 - 4.93)	10.38	(7.41 - 14.36)	3.61	(2.26 - 5.72)	4.47	(3.02 - 6.57)
Smoky Mountain	*	(* - *)	13.37	(9.68 - 18.19)	*	(* - *)	5.39	(3.71 - 7.76)
Western Highlands	*	(* - *)	13.15	(9.72 - 17.56)	4.06	(2.62 - 6.23)	5.05	(3.52 - 7.20)
North Dakota	3.38	(2.57 - 4.42)	19.09	(16.86 - 21.54)	6.04	(4.84 - 7.51)	8.32	(7.14 - 9.67)
Badlands and West Central	3.30	(2.24 - 4.85)	18.67	(14.86 - 23.18)	5.67	(4.02 - 7.93)	7.43	(5.69 - 9.63)
Lake Region and South Central	3.64	(2.42 - 5.43)	19.60	(15.28 - 24.79)	5.86	(3.94 - 8.62)	7.58	(5.56 - 10.25)
North Central and Northwest	3.54	(2.35 - 5.30)	20.26	(16.17 - 25.08)	6.50	(4.64 - 9.02)	8.75	(6.81 - 11.17)
Northeast	3.57	(2.36 - 5.38)	20.47	(16.60 - 24.97)	7.25	(5.12 - 10.18)	10.47	(8.27 - 13.17)
Southeast	3.10	(2.09 - 4.57)	17.85	(14.59 - 21.64)	5.65	(4.07 - 7.79)	8.23	(6.57 - 10.26)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	3.31	(2.83 - 3.86)	13.96	(12.86 - 15.14)	5.68	(4.99 - 6.46)	6.85	(6.21 - 7.56)
Boards 2, 46, 55, and 68	3.02	(2.10 - 4.32)	12.26	(9.52 - 15.65)	4.87	(3.47 - 6.80)	5.87	(4.44 - 7.73)
Boards 3, 52, and 85	3.46	(2.39 - 4.98)	13.18	(10.21 - 16.85)	5.44	(3.82 - 7.70)	6.48	(4.83 - 8.66)
Boards 4 and 78	3.68	(2.52 - 5.36)	12.95	(9.81 - 16.91)	5.64	(3.90 - 8.09)	6.52	(4.75 - 8.89)
Boards 5 and 60	3.66	(2.54 - 5.24)	14.70	(11.42 - 18.74)	5.68	(3.92 - 8.16)	7.32	(5.51 - 9.67)
Boards 7, 15, 41, 79, and 84	3.30	(2.28 - 4.73)	12.05	(9.56 - 15.08)	4.98	(3.56 - 6.93)	5.83	(4.40 - 7.69)
Boards 8, 13, and 83	3.37	(2.38 - 4.77)	12.38	(9.65 - 15.75)	4.57	(3.28 - 6.32)	5.51	(4.19 - 7.23)
Board 9 (Butler)	3.41	(2.35 - 4.93)	15.00	(11.82 - 18.85)	5.69	(4.08 - 7.87)	7.20	(5.54 - 9.30)
Board 12	3.78	(2.61 - 5.44)	14.05	(10.81 - 18.06)	5.68	(3.99 - 8.04)	7.04	(5.27 - 9.33)
Boards 18 and 47	3.19	(2.37 - 4.28)	14.37	(11.98 - 17.15)	6.11	(4.70 - 7.90)	7.20	(5.83 - 8.86)
Boards 20, 32, 54, and 69	3.42	(2.35 - 4.95)	13.06	(9.98 - 16.90)	4.93	(3.45 - 7.02)	6.00	(4.45 - 8.04)
Boards 21, 39, 51, 70, and 80	3.49	(2.43 - 4.98)	13.65	(10.62 - 17.37)	5.39	(3.87 - 7.45)	6.38	(4.84 - 8.37)
Boards 22, 74, and 87	3.27	(2.27 - 4.70)	13.88	(10.96 - 17.44)	5.23	(3.71 - 7.33)	6.58	(5.01 - 8.59)
Boards 23 and 45	3.14	(2.14 - 4.59)	12.49	(9.49 - 16.28)	4.88	(3.40 - 6.97)	5.94	(4.39 - 7.98)
Board 25 (Franklin)	3.13	(2.25 - 4.35)	15.93	(13.18 - 19.14)	7.43	(5.72 - 9.61)	8.89	(7.23 - 10.88)
Boards 27, 71, and 73	3.21	(2.22 - 4.63)	11.77	(9.15 - 15.00)	5.26	(3.73 - 7.38)	6.09	(4.56 - 8.09)
Boards 28, 43, and 67	4.01	(2.84 - 5.63)	15.78	(12.58 - 19.60)	5.68	(4.09 - 7.84)	7.15	(5.50 - 9.25)
Board 31 (Hamilton)	2.86	(1.98 - 4.13)	12.86	(10.19 - 16.12)	5.01	(3.65 - 6.83)	6.20	(4.82 - 7.95)
Board 48 (Lucas)	3.33	(2.29 - 4.82)	13.92	(10.78 - 17.80)	6.54	(4.62 - 9.18)	7.71	(5.78 - 10.21)
Boards 50 and 76	3.24	(2.32 - 4.51)	14.39	(11.56 - 17.78)	5.12	(3.67 - 7.09)	6.31	(4.85 - 8.17)
Board 57 (Montgomery)	2.87	(2.00 - 4.11)	13.30	(10.44 - 16.79)	5.24	(3.73 - 7.33)	6.37	(4.83 - 8.37)
Board 77 (Summit)	3.78	(2.66 - 5.35)	15.36	(12.20 - 19.16)	6.75	(4.88 - 9.27)	7.91	(6.05 - 10.29)
Oklahoma	3.54	(2.73 - 4.57)	15.26	(13.09 - 17.72)	6.77	(5.41 - 8.44)	8.06	(6.74 - 9.62)
Central	3.60	(2.37 - 5.43)	17.37	(13.23 - 22.47)	6.71	(4.47 - 9.95)	8.52	(6.19 - 11.62)
East Central	3.64	(2.39 - 5.51)	13.56	(10.04 - 18.07)	6.54	(4.34 - 9.73)	7.50	(5.30 - 10.51)
Northeast	3.20	(2.12 - 4.81)	14.10	(10.79 - 18.21)	5.34	(3.63 - 7.77)	6.77	(5.02 - 9.08)
Northwest and Southwest	4.24	(2.83 - 6.31)	16.53	(12.43 - 21.65)	8.41	(5.76 - 12.13)	9.68	(7.05 - 13.16)
Oklahoma County	3.31	(2.21 - 4.92)	14.70	(11.25 - 18.99)	6.32	(4.41 - 8.99)	7.62	(5.66 - 10.18)
Southeast	3.63	(2.44 - 5.37)	14.96	(11.47 - 19.29)	7.13	(4.90 - 10.28)	8.22	(6.00 - 11.14)
Tulsa County	3.26	(2.17 - 4.88)	15.29	(11.73 - 19.68)	6.85	(4.77 - 9.75)	8.09	(6.00 - 10.84)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	3.58	(2.78 - 4.61)	15.42	(13.36 - 17.73)	6.28	(5.03 - 7.82)	7.54	(6.33 - 8.97)
Region 1 (Multnomah)	3.54	(2.36 - 5.29)	16.96	(13.33 - 21.34)	8.24	(6.00 - 11.24)	9.42	(7.20 - 12.23)
Region 2	3.39	(2.30 - 4.96)	14.73	(11.48 - 18.69)	5.29	(3.67 - 7.57)	6.49	(4.83 - 8.66)
Region 3	3.63	(2.53 - 5.18)	15.62	(12.66 - 19.13)	6.37	(4.63 - 8.72)	7.88	(6.16 - 10.02)
Region 4	3.86	(2.60 - 5.70)	14.21	(10.64 - 18.72)	5.21	(3.47 - 7.76)	6.28	(4.49 - 8.73)
Region 5 (Central)	3.84	(2.51 - 5.82)	16.70	(12.46 - 22.02)	6.70	(4.45 - 9.96)	7.84	(5.53 - 11.00)
Region 6 (Eastern)	3.43	(2.24 - 5.23)	*	(* - *)	*	(* - *)	6.51	(4.49 - 9.34)
Pennsylvania	3.87	(3.32 - 4.50)	14.27	(13.12 - 15.51)	5.22	(4.52 - 6.03)	6.52	(5.86 - 7.25)
Region 1 (Allegheny)	4.00	(2.87 - 5.55)	16.88	(13.99 - 20.23)	5.62	(4.19 - 7.49)	7.18	(5.73 - 8.96)
Regions 3, 8, 9, and 51	4.14	(2.93 - 5.81)	15.58	(12.25 - 19.62)	5.22	(3.67 - 7.40)	6.71	(5.07 - 8.84)
Regions 4, 11, 37, and 49	3.79	(2.66 - 5.37)	13.09	(10.33 - 16.45)	4.71	(3.41 - 6.48)	5.85	(4.50 - 7.57)
Regions 5, 18, 23, 24, and 46	3.51	(2.43 - 5.03)	11.30	(8.73 - 14.50)	3.88	(2.68 - 5.60)	4.87	(3.62 - 6.52)
Regions 6, 12, 16, 31, 35, 45, and 47	3.52	(2.49 - 4.97)	13.25	(10.48 - 16.61)	4.51	(3.21 - 6.29)	6.24	(4.87 - 7.97)
Regions 7, 13, 20, and 33	4.22	(3.22 - 5.52)	15.52	(13.09 - 18.31)	5.41	(4.16 - 7.02)	6.72	(5.48 - 8.21)
Regions 10, 15, 27, 32, 43, and 44	4.62	(3.27 - 6.50)	13.29	(10.20 - 17.13)	5.20	(3.68 - 7.28)	6.18	(4.63 - 8.22)
Regions 17 and 21	3.99	(2.78 - 5.69)	14.20	(11.05 - 18.07)	5.58	(3.90 - 7.94)	6.95	(5.21 - 9.22)
Regions 19, 26, 28, and 42	3.34	(2.41 - 4.63)	13.12	(10.52 - 16.26)	4.12	(2.97 - 5.68)	5.32	(4.13 - 6.83)
Regions 22, 38, 40, 41, and 48	3.74	(2.67 - 5.21)	13.62	(10.86 - 16.96)	4.42	(3.14 - 6.19)	5.49	(4.18 - 7.18)
Regions 29 and 34	3.72	(2.62 - 5.26)	14.09	(10.81 - 18.18)	4.60	(3.22 - 6.54)	5.89	(4.41 - 7.83)
Regions 30 and 50	3.66	(2.54 - 5.24)	13.47	(10.50 - 17.12)	4.89	(3.48 - 6.82)	6.03	(4.58 - 7.91)
Region 36 (Philadelphia)	3.87	(2.73 - 5.47)	14.38	(11.91 - 17.26)	7.91	(5.95 - 10.46)	9.15	(7.32 - 11.38)
Rhode Island	3.90	(3.02 - 5.03)	18.63	(16.32 - 21.17)	7.42	(5.87 - 9.33)	9.23	(7.76 - 10.95)
Bristol and Newport	4.25	(2.83 - 6.32)	23.06	(17.97 - 29.09)	8.01	(5.43 - 11.66)	10.26	(7.60 - 13.72)
Kent	4.20	(2.82 - 6.20)	20.16	(15.82 - 25.32)	8.32	(5.81 - 11.78)	9.71	(7.20 - 12.98)
Providence	3.67	(2.63 - 5.11)	16.86	(14.19 - 19.92)	7.09	(5.36 - 9.31)	8.77	(7.11 - 10.77)
Washington	4.27	(2.90 - 6.25)	21.55	(17.09 - 26.79)	7.11	(4.81 - 10.39)	9.73	(7.32 - 12.83)
South Carolina	3.62	(2.83 - 4.60)	12.68	(10.88 - 14.72)	5.35	(4.22 - 6.76)	6.42	(5.33 - 7.72)
Region 1	3.97	(2.75 - 5.69)	12.74	(9.91 - 16.23)	4.92	(3.38 - 7.12)	6.05	(4.48 - 8.12)
Region 2	3.46	(2.42 - 4.94)	12.07	(9.59 - 15.08)	4.71	(3.34 - 6.61)	5.84	(4.46 - 7.60)
Region 3	4.03	(2.73 - 5.90)	12.97	(9.75 - 17.05)	6.91	(4.73 - 10.00)	7.73	(5.58 - 10.61)
Region 4	3.15	(2.16 - 4.56)	13.15	(10.27 - 16.68)	5.45	(3.87 - 7.62)	6.59	(5.00 - 8.63)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	4.51	(3.55 - 5.72)	16.63	(14.34 - 19.19)	6.82	(5.52 - 8.41)	8.28	(7.00 - 9.77)
Region 1	4.81	(3.35 - 6.85)	16.41	(12.86 - 20.72)	7.09	(5.06 - 9.84)	8.42	(6.39 - 11.03)
Region 2	5.04	(3.29 - 7.63)	19.55	(14.87 - 25.27)	8.01	(5.36 - 11.82)	9.36	(6.67 - 12.97)
Region 3	4.22	(2.91 - 6.08)	16.18	(12.64 - 20.48)	6.14	(4.32 - 8.66)	7.85	(5.97 - 10.27)
Region 4	4.30	(2.92 - 6.29)	17.43	(13.30 - 22.51)	6.73	(4.66 - 9.63)	8.41	(6.25 - 11.22)
Region 5	4.42	(3.09 - 6.30)	16.03	(12.79 - 19.91)	6.80	(5.01 - 9.15)	8.10	(6.31 - 10.33)
Tennessee	3.23	(2.54 - 4.12)	12.74	(10.80 - 14.99)	4.89	(3.81 - 6.24)	5.99	(4.92 - 7.27)
Region 1	3.42	(2.29 - 5.06)	12.79	(9.41 - 17.14)	4.46	(2.95 - 6.70)	5.50	(3.90 - 7.71)
Region 2	3.29	(2.21 - 4.86)	13.33	(10.02 - 17.52)	4.51	(3.06 - 6.59)	5.68	(4.16 - 7.71)
Region 3	3.58	(2.39 - 5.34)	12.17	(9.17 - 15.99)	4.41	(2.95 - 6.55)	5.47	(3.96 - 7.51)
Region 4 (Davidson)	2.84	(1.89 - 4.25)	13.27	(9.84 - 17.67)	6.21	(4.19 - 9.10)	7.33	(5.27 - 10.11)
Region 5	3.70	(2.56 - 5.31)	14.25	(11.06 - 18.15)	5.29	(3.63 - 7.65)	6.53	(4.84 - 8.77)
Region 6	3.07	(2.04 - 4.58)	11.69	(8.67 - 15.58)	4.61	(2.99 - 7.04)	5.59	(3.92 - 7.89)
Region 7 (Shelby)	2.34	(1.54 - 3.55)	10.63	(7.87 - 14.21)	4.74	(3.15 - 7.08)	5.67	(4.05 - 7.87)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	3.55	(3.03 - 4.15)	14.24	(13.08 - 15.49)	5.37	(4.67 - 6.18)	6.78	(6.13 - 7.51)
Region 1	4.00	(2.74 - 5.79)	15.95	(12.38 - 20.32)	5.77	(4.11 - 8.05)	7.62	(5.84 - 9.89)
Region 2	3.59	(2.45 - 5.24)	14.92	(11.29 - 19.46)	5.35	(3.65 - 7.78)	6.90	(5.08 - 9.31)
Region 3	3.53	(2.80 - 4.44)	13.94	(12.16 - 15.94)	5.02	(4.08 - 6.16)	6.34	(5.42 - 7.39)
Region 3a	3.61	(2.67 - 4.85)	13.03	(10.86 - 15.56)	4.76	(3.65 - 6.20)	5.98	(4.89 - 7.31)
Region 3bc	3.40	(2.50 - 4.60)	15.53	(12.95 - 18.51)	5.47	(4.14 - 7.20)	6.95	(5.63 - 8.56)
Region 4	3.28	(2.27 - 4.74)	13.33	(10.33 - 17.03)	4.67	(3.22 - 6.74)	5.86	(4.34 - 7.85)
Region 5	3.47	(2.41 - 4.98)	13.58	(10.48 - 17.43)	5.20	(3.65 - 7.35)	6.45	(4.84 - 8.55)
Region 6	3.11	(2.39 - 4.04)	13.30	(11.31 - 15.59)	5.23	(4.14 - 6.58)	6.46	(5.41 - 7.71)
Region 6a	3.04	(2.28 - 4.05)	13.00	(10.89 - 15.45)	5.15	(4.00 - 6.61)	6.36	(5.24 - 7.71)
Region 6bc	3.74	(2.55 - 5.45)	16.20	(12.35 - 20.97)	5.90	(4.10 - 8.41)	7.28	(5.39 - 9.78)
Region 7	3.53	(2.69 - 4.62)	16.46	(14.07 - 19.16)	6.66	(5.29 - 8.36)	8.49	(7.14 - 10.08)
Region 7a	3.53	(2.49 - 4.99)	18.06	(14.70 - 21.99)	7.31	(5.51 - 9.65)	9.13	(7.31 - 11.34)
Region 7bcd	3.53	(2.47 - 5.01)	14.37	(11.51 - 17.82)	5.50	(3.99 - 7.53)	7.43	(5.86 - 9.37)
Region 8	3.94	(2.86 - 5.40)	14.84	(12.06 - 18.13)	5.67	(4.16 - 7.67)	7.11	(5.60 - 8.98)
Region 9	4.15	(2.85 - 6.00)	15.74	(12.22 - 20.05)	6.09	(4.26 - 8.64)	7.68	(5.77 - 10.15)
Region 10	4.60	(3.19 - 6.59)	14.98	(11.61 - 19.13)	5.65	(3.90 - 8.12)	7.31	(5.49 - 9.67)
Region 11	3.72	(2.83 - 4.86)	12.19	(10.03 - 14.73)	4.72	(3.65 - 6.08)	6.02	(4.94 - 7.32)
Region 11abd	3.60	(2.54 - 5.07)	12.78	(9.99 - 16.20)	4.79	(3.47 - 6.58)	6.13	(4.77 - 7.85)
Region 11c (Hidalgo)	3.91	(2.70 - 5.61)	11.22	(8.49 - 14.67)	4.58	(3.20 - 6.51)	5.80	(4.36 - 7.69)
Utah	3.22	(2.42 - 4.26)	9.10	(7.46 - 11.05)	3.33	(2.50 - 4.43)	4.42	(3.57 - 5.45)
Bear River, Northeastern, Summit, Tooele, and Wasatch	3.26	(2.15 - 4.91)	8.44	(6.08 - 11.61)	3.03	(1.97 - 4.62)	4.06	(2.90 - 5.65)
Central, Four Corners, San Juan, and Southwest	3.21	(2.07 - 4.92)	9.11	(6.50 - 12.63)	3.26	(2.05 - 5.14)	4.27	(2.95 - 6.13)
Davis County	3.01	(1.96 - 4.59)	9.73	(6.96 - 13.44)	3.19	(2.09 - 4.84)	4.29	(3.06 - 5.97)
Salt Lake County	3.57	(2.44 - 5.20)	10.17	(7.82 - 13.12)	3.68	(2.58 - 5.22)	4.76	(3.63 - 6.23)
Utah County	2.77	(1.79 - 4.26)	7.82	(5.72 - 10.61)	2.97	(1.94 - 4.51)	4.26	(3.12 - 5.80)
Weber, Morgan	3.01	(1.93 - 4.65)	8.82	(6.28 - 12.25)	3.12	(1.99 - 4.86)	4.09	(2.85 - 5.83)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region:*
Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	4.17	(3.25 - 5.34)	16.74	(14.50 - 19.25)	4.86	(3.77-6.25)	6.59	(5.50-7.88)
Champlain Valley	4.28	(3.07 - 5.94)	16.67	(13.68 - 20.15)	4.83	(3.50-6.64)	6.96	(5.57-8.68)
Rural Northeast	4.39	(2.98 - 6.41)	18.03	(14.32 - 22.44)	5.43	(3.69-7.90)	7.05	(5.25-9.40)
Rural Southeast	4.19	(2.88 - 6.06)	16.69	(13.00 - 21.19)	4.91	(3.37-7.11)	6.20	(4.60-8.32)
Rural Southwest	3.54	(2.36 - 5.28)	15.16	(11.64 - 19.50)	4.03	(2.65-6.07)	5.51	(4.02-7.50)
Virginia	3.77	(2.99 - 4.74)	14.20	(12.24 - 16.40)	5.06	(3.99-6.39)	6.39	(5.34-7.64)
Region 1	4.11	(2.82 - 5.95)	18.18	(14.46 - 22.61)	5.68	(3.97-8.07)	7.65	(5.88-9.88)
Region 2	4.26	(3.00 - 6.03)	12.35	(9.43 - 16.03)	4.98	(3.53-6.99)	5.87	(4.39-7.80)
Region 3	4.16	(2.83 - 6.06)	16.69	(13.28 - 20.75)	5.85	(4.00-8.48)	7.46	(5.59-9.89)
Region 4	2.89	(1.93 - 4.31)	11.96	(8.96 - 15.79)	4.08	(2.75-6.01)	5.24	(3.84-7.13)
Region 5	3.30	(2.26 - 4.78)	13.01	(10.00 - 16.74)	4.86	(3.36-6.98)	6.22	(4.66-8.26)
Washington	4.04	(3.24 - 5.03)	16.72	(14.67 - 19.00)	5.86	(4.67-7.32)	7.41	(6.24-8.77)
Region 1	3.94	(2.91 - 5.30)	15.75	(12.72 - 19.35)	5.55	(4.01-7.64)	7.25	(5.65-9.25)
East 1 (previously Region 1)	4.10	(2.79 - 5.97)	17.61	(13.48 - 22.68)	6.05	(4.08-8.90)	7.98	(5.89-10.73)
East 2 (previously Region 2)	3.74	(2.50 - 5.56)	13.17	(9.80 - 17.47)	4.87	(3.18-7.39)	6.24	(4.44-8.70)
Region 2	4.11	(3.11 - 5.41)	17.37	(14.73 - 20.37)	6.06	(4.64-7.87)	7.59	(6.19-9.28)
North 1 (previously Region 3)	4.27	(2.97 - 6.11)	18.15	(14.49 - 22.49)	6.17	(4.30-8.77)	7.88	(5.98-10.32)
North 2 (previously Region 4)	4.00	(2.82 - 5.64)	16.89	(13.65 - 20.72)	6.00	(4.35-8.22)	7.43	(5.76-9.53)
Region 3	4.04	(3.03 - 5.37)	16.57	(13.78 - 19.80)	5.77	(4.33-7.65)	7.25	(5.78-9.05)
West 1 (previously Region 5)	3.83	(2.65 - 5.51)	15.77	(12.31 - 19.98)	5.57	(3.84-8.02)	7.10	(5.30-9.46)
West 2 (previously Region 6)	4.23	(2.92 - 6.10)	17.47	(13.72 - 21.98)	5.95	(4.15-8.47)	7.39	(5.53-9.81)
West Virginia	3.35	(2.58 - 4.35)	13.84	(12.10 - 15.78)	4.17	(3.23-5.38)	5.44	(4.51-6.54)
Region I	3.46	(2.29 - 5.21)	13.42	(9.82 - 18.07)	4.20	(2.65-6.58)	5.32	(3.65-7.70)
Region II	3.60	(2.40 - 5.37)	11.98	(9.01 - 15.76)	4.50	(3.01-6.67)	5.42	(3.89-7.51)
Region III	3.42	(2.26 - 5.14)	12.15	(9.06 - 16.11)	3.64	(2.37-5.57)	4.59	(3.22-6.49)
Region IV	3.99	(2.66 - 5.93)	18.09	(14.96 - 21.71)	5.23	(3.62-7.51)	7.52	(5.88-9.56)
Region V	2.90	(1.95 - 4.30)	12.26	(9.76 - 15.28)	3.62	(2.52-5.17)	4.65	(3.50-6.14)
Region VI	3.06	(2.01 - 4.64)	10.93	(8.16 - 14.51)	3.87	(2.54-5.84)	4.66	(3.30-6.54)

See notes at end of table.

(continued)

Table 21 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	3.61	(2.84 - 4.58)	14.33	(12.35 - 16.56)	6.26	(4.94 - 7.90)	7.42	(6.15-8.92)
Milwaukee	2.77	(1.86 - 4.09)	12.88	(9.77 - 16.80)	6.41	(4.36 - 9.33)	7.46	(5.43-10.16)
Northeastern	3.57	(2.43 - 5.22)	15.62	(12.38 - 19.52)	6.28	(4.51 - 8.68)	7.51	(5.75-9.76)
Northern	3.68	(2.43 - 5.52)	14.48	(10.89 - 19.01)	5.88	(3.79 - 9.01)	6.98	(4.87-9.90)
Southeastern	4.20	(2.87 - 6.12)	14.91	(11.35 - 19.34)	6.63	(4.51 - 9.66)	7.69	(5.56-10.54)
Southern	3.81	(2.62 - 5.52)	15.06	(11.78 - 19.05)	6.58	(4.52 - 9.48)	7.86	(5.81-10.56)
Western	3.37	(2.26 - 4.99)	12.65	(9.62 - 16.45)	5.27	(3.52 - 7.83)	6.45	(4.66-8.86)
Wyoming	4.03	(3.18 - 5.10)	16.77	(14.61 - 19.19)	5.77	(4.61 - 7.20)	7.40	(6.25-8.75)
Judicial District 1 (Laramie)	3.60	(2.41 - 5.34)	16.72	(12.91 - 21.37)	5.18	(3.54 - 7.51)	6.81	(5.08-9.06)
Judicial District 2	4.28	(2.86 - 6.37)	17.93	(14.33 - 22.18)	7.18	(5.08 - 10.04)	10.34	(8.18-13.00)
Judicial District 3	3.68	(2.47 - 5.46)	12.52	(9.44 - 16.43)	4.61	(3.15 - 6.70)	5.69	(4.16-7.73)
Judicial District 4	4.28	(2.84 - 6.42)	16.88	(12.83 - 21.87)	5.61	(3.72 - 8.39)	6.89	(4.92-9.57)
Judicial District 5	4.52	(3.03 - 6.70)	18.73	(14.18 - 24.33)	6.75	(4.41 - 10.21)	8.16	(5.75-11.45)
Judicial District 6	4.26	(2.87 - 6.28)	15.33	(11.60 - 20.00)	5.38	(3.68 - 7.80)	6.81	(5.02-9.18)
Judicial District 7 (Natrona)	4.00	(2.70 - 5.89)	19.31	(14.98 - 24.53)	5.81	(3.98 - 8.40)	7.73	(5.77-10.27)
Judicial District 8	4.43	(2.98 - 6.54)	17.75	(13.38 - 23.16)	5.67	(3.74 - 8.50)	7.16	(5.13-9.90)
Judicial District 9	4.03	(2.68 - 6.03)	16.08	(12.09 - 21.06)	6.55	(4.41 - 9.64)	7.73	(5.53-10.72)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but not receiving treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	3.94	(3.76 - 4.14)	4.00	(3.81 - 4.19)	3.99	(3.83 - 4.16)
Northeast	3.93	(3.61 - 4.27)	3.65	(3.32 - 4.00)	3.69	(3.40 - 4.00)
Midwest	4.13	(3.87 - 4.41)	4.19	(3.89 - 4.51)	4.18	(3.92 - 4.46)
South	3.78	(3.53 - 4.04)	3.95	(3.65 - 4.26)	3.92	(3.66 - 4.20)
West	4.03	(3.67 - 4.43)	4.18	(3.80 - 4.60)	4.16	(3.82 - 4.52)
Alabama	4.00	(3.22 - 4.96)	5.16	(4.09 - 6.51)	4.99	(4.04 - 6.16)
Region 1	4.08	(2.95 - 5.60)	5.58	(3.96 - 7.81)	5.38	(3.91 - 7.36)
Region 2	4.28	(3.12 - 5.86)	5.14	(3.64 - 7.20)	5.01	(3.67 - 6.80)
Region 3	3.54	(2.54 - 4.92)	4.45	(3.02 - 6.54)	4.29	(3.03 - 6.03)
Region 4	3.93	(2.81 - 5.48)	5.21	(3.65 - 7.39)	5.04	(3.63 - 6.96)
Alaska	4.38	(3.49 - 5.49)	4.31	(3.37 - 5.49)	4.32	(3.48 - 5.35)
Anchorage	4.72	(3.49 - 6.34)	4.53	(3.26 - 6.25)	4.56	(3.42 - 6.05)
Northern	4.17	(2.98 - 5.80)	4.18	(2.85 - 6.07)	4.17	(3.00 - 5.79)
South Central	4.11	(2.89 - 5.83)	4.24	(2.91 - 6.12)	4.22	(3.00 - 5.91)
Southeast	4.06	(2.82 - 5.81)	3.94	(2.63 - 5.86)	3.95	(2.73 - 5.70)
Arizona	4.62	(3.65 - 5.84)	5.26	(4.10 - 6.73)	5.16	(4.13 - 6.44)
Maricopa	4.82	(3.56 - 6.49)	5.40	(3.95 - 7.35)	5.31	(4.01 - 7.01)
Pima	4.71	(3.38 - 6.52)	5.24	(3.55 - 7.69)	5.16	(3.63 - 7.29)
Rural North	4.36	(3.00 - 6.30)	4.90	(3.23 - 7.37)	4.83	(3.30 - 7.01)
Rural South	3.81	(2.66 - 5.43)	4.95	(3.29 - 7.39)	4.80	(3.29 - 6.94)
Arkansas	4.28	(3.49 - 5.24)	5.35	(4.23 - 6.75)	5.20	(4.20 - 6.41)
Catchment Area 1	4.15	(2.96 - 5.78)	4.73	(3.23 - 6.88)	4.64	(3.30 - 6.49)
Catchment Area 2	4.37	(3.06 - 6.23)	5.64	(3.77 - 8.37)	5.48	(3.77 - 7.92)
Catchment Area 3	3.91	(2.75 - 5.54)	5.10	(3.39 - 7.61)	4.93	(3.39 - 7.11)
Catchment Area 4	4.21	(2.91 - 6.06)	5.38	(3.61 - 7.95)	5.23	(3.62 - 7.49)
Catchment Area 5	4.75	(3.41 - 6.60)	5.99	(4.07 - 8.74)	5.78	(4.09 - 8.12)
Catchment Area 6	3.76	(2.64 - 5.32)	4.97	(3.27 - 7.49)	4.79	(3.27 - 6.98)
Catchment Area 7	3.93	(2.72 - 5.66)	5.51	(3.68 - 8.16)	5.29	(3.65 - 7.63)
Catchment Area 8	4.57	(3.29 - 6.32)	5.41	(3.73 - 7.79)	5.30	(3.76 - 7.42)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
California	3.67	(3.15 - 4.28)	3.50	(2.97 - 4.13)	3.53	(3.06 - 4.07)
Region 1R	3.65	(2.58 - 5.15)	4.33	(2.96 - 6.28)	4.23	(2.99 - 5.94)
Region 2R	4.09	(2.91 - 5.73)	3.97	(2.70 - 5.81)	3.99	(2.82 - 5.62)
Region 3R (Sacramento)	3.91	(2.78 - 5.48)	4.29	(2.96 - 6.18)	4.23	(3.02 - 5.89)
Region 4R	3.72	(2.67 - 5.16)	3.56	(2.46 - 5.11)	3.58	(2.57 - 4.97)
Region 5R (San Francisco)	4.09	(2.91 - 5.72)	3.71	(2.51 - 5.46)	3.76	(2.63 - 5.34)
Region 6 (Santa Clara)	3.53	(2.54 - 4.90)	2.74	(1.86 - 4.02)	2.85	(2.02 - 3.99)
Region 7R (Contra Costa)	3.58	(2.57 - 4.97)	3.22	(2.23 - 4.64)	3.27	(2.34 - 4.54)
Region 8R (Alameda)	3.80	(2.72 - 5.31)	3.20	(2.20 - 4.62)	3.28	(2.35 - 4.57)
Region 9R (San Mateo)	*	(* - *)	2.71	(1.81 - 4.06)	2.81	(1.94 - 4.04)
Region 10	4.06	(2.91 - 5.64)	3.30	(2.24 - 4.84)	3.43	(2.47 - 4.76)
Region 11 (Los Angeles)	3.56	(2.95 - 4.30)	3.48	(2.83 - 4.27)	3.49	(2.92 - 4.18)
LA SPA 1 and 5	3.91	(2.72 - 5.57)	3.46	(2.36 - 5.06)	3.53	(2.51 - 4.95)
LA SPA 2	3.67	(2.62 - 5.13)	3.66	(2.52 - 5.28)	3.66	(2.62 - 5.09)
LA SPA 3	3.53	(2.52 - 4.92)	3.17	(2.17 - 4.63)	3.23	(2.31 - 4.50)
LA SPA 4	3.44	(2.45 - 4.81)	3.88	(2.62 - 5.70)	3.81	(2.67 - 5.40)
LA SPA 6	3.23	(2.27 - 4.59)	3.56	(2.37 - 5.31)	3.49	(2.45 - 4.95)
LA SPA 7	3.64	(2.61 - 5.06)	3.36	(2.29 - 4.90)	3.41	(2.44 - 4.74)
LA SPA 8	3.49	(2.52 - 4.81)	3.34	(2.29 - 4.85)	3.36	(2.40 - 4.69)
Region 12R	3.68	(2.60 - 5.19)	3.78	(2.59 - 5.48)	3.77	(2.68 - 5.26)
Regions 13 and 19R	4.03	(2.99 - 5.42)	3.79	(2.70 - 5.29)	3.83	(2.86 - 5.11)
Region 13 (Riverside)	4.07	(2.98 - 5.55)	3.77	(2.63 - 5.38)	3.82	(2.80 - 5.19)
Region 19R (Imperial)	*	(* - *)	*	(* - *)	3.95	(2.74 - 5.67)
Region 14 (Orange)	3.36	(2.42 - 4.66)	2.81	(1.95 - 4.03)	2.89	(2.10 - 3.97)
Region 15R (Fresno)	3.62	(2.56 - 5.09)	3.94	(2.69 - 5.75)	3.88	(2.77 - 5.42)
Region 16R (San Diego)	3.60	(2.66 - 4.87)	3.52	(2.49 - 4.96)	3.53	(2.61 - 4.77)
Region 17R	3.20	(2.25 - 4.54)	3.89	(2.72 - 5.53)	3.76	(2.72 - 5.18)
Region 18R (San Bernardino)	3.82	(2.79 - 5.22)	3.75	(2.60 - 5.39)	3.77	(2.73 - 5.16)
Region 20R	3.54	(2.53 - 4.94)	3.85	(2.59 - 5.69)	3.79	(2.66 - 5.39)
Region 21R	4.14	(2.94 - 5.78)	3.71	(2.53 - 5.41)	3.79	(2.71 - 5.26)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	4.58	(3.64 - 5.76)	4.32	(3.33 - 5.58)	4.36	(3.48 - 5.45)
Region 1	4.36	(3.05 - 6.19)	3.95	(2.63 - 5.89)	4.02	(2.82 - 5.69)
Regions 2 and 7	4.71	(3.50 - 6.31)	4.29	(3.07 - 5.96)	4.35	(3.24 - 5.81)
Region 3	4.52	(3.18 - 6.37)	4.67	(3.20 - 6.77)	4.65	(3.31 - 6.48)
Region 4	*	(* - *)	4.53	(2.93 - 6.94)	4.45	(2.99 - 6.57)
Regions 5 and 6	4.73	(3.32 - 6.70)	4.35	(2.85 - 6.60)	4.40	(3.00 - 6.41)
Connecticut	3.66	(2.89 - 4.62)	3.43	(2.65 - 4.43)	3.46	(2.75 - 4.35)
Eastern	3.61	(2.53 - 5.13)	3.76	(2.59 - 5.43)	3.73	(2.69 - 5.16)
North Central	3.64	(2.57 - 5.13)	3.35	(2.27 - 4.91)	3.39	(2.39 - 4.78)
Northwestern	3.96	(2.72 - 5.74)	3.69	(2.43 - 5.56)	3.72	(2.54 - 5.41)
South Central	3.80	(2.73 - 5.26)	3.56	(2.41 - 5.24)	3.60	(2.54 - 5.08)
Southwest	3.27	(2.26 - 4.72)	2.94	(1.92 - 4.47)	2.98	(2.03 - 4.36)
Delaware	4.21	(3.33 - 5.30)	3.75	(2.90 - 4.83)	3.81	(3.05 - 4.77)
Kent	4.37	(3.05 - 6.20)	4.36	(2.97 - 6.34)	4.36	(3.10 - 6.08)
New Castle (excluding Wilmington City)	4.27	(3.15 - 5.76)	3.28	(2.32 - 4.62)	3.44	(2.55 - 4.61)
Sussex	4.21	(3.00 - 5.87)	4.04	(2.75 - 5.89)	4.06	(2.85 - 5.74)
Wilmington City	3.43	(2.37 - 4.93)	4.49	(2.95 - 6.79)	4.34	(2.95 - 6.35)
District of Columbia	3.41	(2.76 - 4.19)	3.46	(2.66 - 4.49)	3.45	(2.77 - 4.29)
Ward 1	3.48	(2.44 - 4.95)	3.66	(2.44 - 5.46)	3.62	(2.56 - 5.10)
Ward 2	3.73	(2.64 - 5.25)	3.18	(2.07 - 4.85)	3.34	(2.39 - 4.66)
Ward 3	3.93	(2.77 - 5.54)	2.96	(1.92 - 4.52)	3.14	(2.19 - 4.48)
Ward 4	3.21	(2.23 - 4.61)	3.06	(2.00 - 4.64)	3.07	(2.09 - 4.51)
Ward 5	3.05	(2.14 - 4.33)	3.38	(2.24 - 5.06)	3.31	(2.31 - 4.73)
Ward 6	4.02	(2.82 - 5.70)	4.04	(2.67 - 6.07)	4.03	(2.79 - 5.79)
Ward 7	2.48	(1.67 - 3.65)	3.63	(2.35 - 5.56)	3.43	(2.31 - 5.07)
Ward 8	2.81	(1.92 - 4.08)	3.90	(2.50 - 6.05)	3.67	(2.47 - 5.41)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	3.53	(3.06 - 4.06)	3.62	(3.07 - 4.26)	3.61	(3.12 - 4.17)
Region A - Northwest	3.73	(2.96 - 4.70)	4.44	(3.43 - 5.73)	4.31	(3.43 - 5.41)
Circuit 1	3.86	(2.74 - 5.41)	4.76	(3.33 - 6.77)	4.62	(3.33 - 6.38)
Circuit 2	3.59	(2.57 - 5.00)	3.73	(2.53 - 5.48)	3.70	(2.66 - 5.11)
Circuit 14	3.74	(2.65 - 5.26)	4.53	(3.06 - 6.68)	4.43	(3.08 - 6.34)
Region B - Northeast	3.61	(2.91 - 4.46)	3.93	(3.09 - 5.00)	3.88	(3.13 - 4.82)
Circuits 3 and 8	3.24	(2.34 - 4.46)	4.10	(2.82 - 5.94)	3.92	(2.82 - 5.43)
Circuit 4	3.75	(2.71 - 5.17)	3.70	(2.57 - 5.31)	3.71	(2.67 - 5.12)
Circuit 7	3.81	(2.75 - 5.25)	4.12	(2.85 - 5.91)	4.08	(2.91 - 5.69)
Region C - Central	3.82	(3.15 - 4.61)	3.92	(3.17 - 4.84)	3.91	(3.23 - 4.72)
Circuit 5	3.50	(2.50 - 4.88)	4.16	(2.83 - 6.09)	4.10	(2.85 - 5.87)
Circuit 9	4.08	(3.02 - 5.49)	3.82	(2.69 - 5.40)	3.86	(2.85 - 5.23)
Circuit 10	3.75	(2.71 - 5.16)	4.16	(2.87 - 6.01)	4.11	(2.92 - 5.75)
Circuit 18	3.63	(2.60 - 5.04)	3.59	(2.47 - 5.18)	3.59	(2.56 - 5.02)
Circuit 19	3.78	(2.68 - 5.32)	3.92	(2.66 - 5.73)	3.91	(2.73 - 5.56)
Region D - Southeast	3.02	(2.34 - 3.88)	3.07	(2.30 - 4.07)	3.06	(2.36 - 3.97)
Circuit 15 (Palm Beach)	3.16	(2.28 - 4.37)	3.08	(2.09 - 4.52)	3.09	(2.16 - 4.40)
Circuit 17 (Broward)	2.91	(2.10 - 4.03)	3.06	(2.13 - 4.36)	3.04	(2.19 - 4.21)
Region E - Sun Coast	3.77	(3.10 - 4.57)	3.74	(2.98 - 4.69)	3.75	(3.05 - 4.60)
Circuit 6	4.03	(2.93 - 5.50)	3.96	(2.71 - 5.77)	3.97	(2.80 - 5.61)
Circuit 12	3.71	(2.64 - 5.19)	3.59	(2.40 - 5.33)	3.60	(2.48 - 5.20)
Circuit 13 (Hillsborough)	3.58	(2.66 - 4.81)	3.55	(2.51 - 4.98)	3.55	(2.61 - 4.81)
Circuit 20	3.76	(2.69 - 5.22)	3.76	(2.60 - 5.42)	3.77	(2.68 - 5.28)
Region F - Southern (Circuits 11 and 16)	2.97	(2.21 - 3.98)	2.79	(1.97 - 3.94)	2.81	(2.06 - 3.83)
Georgia	3.79	(3.06 - 4.68)	3.36	(2.57 - 4.38)	3.43	(2.72 - 4.31)
Region 1	4.25	(3.05 - 5.91)	3.39	(2.29 - 4.98)	3.50	(2.48 - 4.92)
Region 2	3.64	(2.55 - 5.17)	3.55	(2.36 - 5.31)	3.56	(2.50 - 5.06)
Region 3	3.45	(2.43 - 4.88)	2.92	(1.98 - 4.28)	3.00	(2.13 - 4.20)
Region 4	3.58	(2.48 - 5.13)	3.89	(2.54 - 5.92)	3.84	(2.63 - 5.56)
Region 5	4.10	(2.89 - 5.78)	3.77	(2.42 - 5.82)	3.82	(2.61 - 5.57)
Region 6	3.70	(2.60 - 5.23)	3.54	(2.28 - 5.46)	3.57	(2.41 - 5.24)

See notes at end of table.

(continued)

Table 22 Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	3.62	(2.79 - 4.67)	3.36	(2.52 - 4.47)	3.39	(2.64 - 4.36)
Hawaii Island	3.60	(2.48 - 5.20)	3.80	(2.52 - 5.68)	3.77	(2.60 - 5.45)
Honolulu	3.58	(2.66 - 4.80)	3.23	(2.29 - 4.55)	3.28	(2.42 - 4.42)
Kauai and Maui	3.86	(2.77 - 5.34)	3.55	(2.46 - 5.08)	3.58	(2.57 - 4.97)
Kauai	*	(* - *)	3.41	(2.18 - 5.30)	3.44	(2.28 - 5.15)
Maui	3.95	(2.69 - 5.74)	3.61	(2.36 - 5.47)	3.65	(2.47 - 5.34)
Idaho	5.00	(4.05 - 6.16)	5.06	(3.96 - 6.44)	5.05	(4.08 - 6.25)
Region 1	4.66	(3.26 - 6.61)	5.06	(3.36 - 7.55)	5.01	(3.45 - 7.23)
Region 2	5.05	(3.51 - 7.22)	5.39	(3.58 - 8.04)	5.33	(3.73 - 7.56)
Region 3	5.08	(3.59 - 7.14)	5.06	(3.39 - 7.48)	5.06	(3.54 - 7.19)
Region 4	5.20	(3.73 - 7.19)	4.82	(3.34 - 6.91)	4.88	(3.51 - 6.74)
Region 5	4.39	(3.06 - 6.27)	4.68	(3.12 - 6.97)	4.64	(3.21 - 6.66)
Region 6	5.73	(3.96 - 8.22)	6.20	(4.23 - 9.00)	6.12	(4.33 - 8.58)
Region 7	4.76	(3.37 - 6.69)	4.86	(3.26 - 7.21)	4.84	(3.43 - 6.80)
Illinois	3.61	(3.09 - 4.20)	3.24	(2.70 - 3.88)	3.29	(2.82 - 3.85)
Region I (Cook)	3.48	(2.76 - 4.38)	3.11	(2.39 - 4.03)	3.16	(2.51 - 3.97)
Region II	3.88	(3.07 - 4.90)	3.20	(2.45 - 4.18)	3.29	(2.61 - 4.15)
Region III	3.23	(2.35 - 4.44)	3.30	(2.35 - 4.61)	3.29	(2.43 - 4.42)
Region IV	3.69	(2.69 - 5.04)	3.52	(2.45 - 5.03)	3.54	(2.56 - 4.89)
Region V	3.77	(2.78 - 5.10)	3.68	(2.64 - 5.12)	3.70	(2.74 - 4.97)
Indiana	4.21	(3.43 - 5.17)	4.70	(3.74 - 5.89)	4.62	(3.78 - 5.65)
Central	3.96	(2.82 - 5.55)	4.54	(3.12 - 6.56)	4.46	(3.17 - 6.25)
East	4.58	(3.24 - 6.44)	5.20	(3.51 - 7.63)	5.09	(3.58 - 7.19)
North Central	4.25	(3.03 - 5.94)	4.63	(3.15 - 6.74)	4.57	(3.24 - 6.42)
Northeast	4.02	(2.80 - 5.76)	4.64	(3.15 - 6.78)	4.55	(3.20 - 6.43)
Northwest	4.08	(2.87 - 5.77)	4.34	(2.88 - 6.50)	4.31	(2.97 - 6.20)
Southeast	4.39	(3.12 - 6.14)	5.15	(3.47 - 7.57)	5.05	(3.52 - 7.20)
Southwest	4.28	(2.99 - 6.09)	4.74	(3.16 - 7.05)	4.67	(3.24 - 6.71)
West	4.39	(3.10 - 6.18)	4.71	(3.16 - 6.98)	4.63	(3.30 - 6.47)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	4.20	(3.39 - 5.21)	4.41	(3.46 - 5.61)	4.38	(3.53 - 5.43)
Central	4.05	(2.86 - 5.70)	4.12	(2.83 - 5.97)	4.11	(2.92 - 5.75)
North Central	3.89	(2.68 - 5.61)	4.02	(2.65 - 6.04)	3.99	(2.77 - 5.72)
Northeast	4.37	(3.16 - 6.02)	4.48	(3.08 - 6.46)	4.46	(3.20 - 6.19)
Northwest	3.92	(2.74 - 5.57)	4.27	(2.86 - 6.31)	4.22	(2.94 - 6.03)
Southeast	4.52	(3.20 - 6.34)	4.74	(3.25 - 6.85)	4.70	(3.36 - 6.54)
Southwest	4.15	(2.89 - 5.93)	4.74	(3.20 - 6.97)	4.67	(3.24 - 6.68)
Kansas	3.74	(2.99 - 4.65)	4.25	(3.31 - 5.44)	4.17	(3.34 - 5.20)
Kansas City Metro	3.58	(2.57 - 4.98)	3.59	(2.48 - 5.17)	3.59	(2.58 - 4.98)
Northeast	3.91	(2.80 - 5.43)	4.74	(3.22 - 6.94)	4.59	(3.26 - 6.44)
South Central	3.81	(2.67 - 5.41)	4.81	(3.20 - 7.17)	4.67	(3.21 - 6.74)
Southeast	3.83	(2.62 - 5.56)	5.15	(3.42 - 7.70)	4.95	(3.39 - 7.17)
West	3.89	(2.69 - 5.59)	4.52	(3.05 - 6.65)	4.43	(3.09 - 6.30)
Wichita (Sedgwick)	3.61	(2.52 - 5.15)	4.06	(2.72 - 6.02)	3.99	(2.77 - 5.72)
Kentucky	4.26	(3.47 - 5.23)	4.62	(3.64 - 5.86)	4.57	(3.69 - 5.65)
Adanta, Cumberland River, and Lifeskills	4.15	(2.96 - 5.79)	4.98	(3.37 - 7.30)	4.86	(3.41 - 6.89)
Bluegrass, Comprehend, and North Key	4.16	(3.05 - 5.64)	4.11	(2.83 - 5.92)	4.12	(2.96 - 5.70)
Communicare and River Valley	3.96	(2.79 - 5.59)	4.57	(3.05 - 6.79)	4.49	(3.10 - 6.46)
Four Rivers and Pennyroyal	4.09	(2.84 - 5.86)	4.31	(2.86 - 6.46)	4.28	(2.96 - 6.16)
Kentucky River, Mountain, and Pathways	3.96	(2.76 - 5.65)	4.92	(3.27 - 7.35)	4.80	(3.29 - 6.95)
Seven Counties	4.91	(3.47 - 6.89)	5.02	(3.41 - 7.33)	5.01	(3.52 - 7.08)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	3.50	(2.81 - 4.36)	3.76	(2.93 - 4.81)	3.72	(2.99 - 4.62)
Regions 1 and 10	3.30	(2.46 - 4.43)	3.57	(2.54 - 5.00)	3.53	(2.60 - 4.77)
Region 1	3.20	(2.20 - 4.64)	3.68	(2.42 - 5.58)	3.60	(2.47 - 5.21)
Region 10 (Jefferson)	3.43	(2.38 - 4.93)	3.46	(2.26 - 5.26)	3.46	(2.36 - 5.04)
Regions 2 and 9	3.51	(2.54 - 4.84)	3.55	(2.46 - 5.12)	3.55	(2.56 - 4.89)
Region 3	3.41	(2.37 - 4.89)	3.60	(2.42 - 5.33)	3.58	(2.49 - 5.10)
Regions 4, 5, and 6	4.09	(2.95 - 5.66)	4.46	(3.09 - 6.40)	4.40	(3.18 - 6.08)
Regions 7 and 8	2.96	(2.04 - 4.29)	3.36	(2.26 - 4.95)	3.29	(2.31 - 4.68)
Maine	4.41	(3.61 - 5.36)	4.34	(3.42 - 5.49)	4.35	(3.52 - 5.37)
Aroostook/Downeast	4.36	(3.31 - 5.72)	4.68	(3.32 - 6.55)	4.64	(3.40 - 6.31)
Aroostook	4.64	(3.27 - 6.55)	5.17	(3.37 - 7.85)	5.11	(3.45 - 7.51)
Downeast	4.12	(2.87 - 5.88)	4.28	(2.77 - 6.56)	4.27	(2.86 - 6.31)
Central	4.43	(3.17 - 6.17)	5.35	(3.59 - 7.90)	5.24	(3.62 - 7.53)
Cumberland	4.44	(3.17 - 6.18)	3.80	(2.56 - 5.61)	3.88	(2.73 - 5.50)
Midcoast	4.16	(2.91 - 5.92)	3.93	(2.55 - 5.99)	3.95	(2.65 - 5.84)
Penquis	4.32	(3.10 - 5.99)	4.39	(2.99 - 6.38)	4.37	(3.12 - 6.09)
Western	4.37	(3.11 - 6.11)	4.70	(3.18 - 6.89)	4.66	(3.27 - 6.60)
York	4.68	(3.35 - 6.49)	3.89	(2.62 - 5.73)	3.98	(2.79 - 5.65)
Maryland	3.59	(2.90 - 4.43)	3.13	(2.39 - 4.08)	3.19	(2.53 - 4.02)
Anne Arundel	3.65	(2.55 - 5.22)	3.22	(2.07 - 4.96)	3.28	(2.21 - 4.83)
Baltimore City	3.22	(2.23 - 4.62)	3.63	(2.40 - 5.46)	3.56	(2.47 - 5.11)
Baltimore County	3.64	(2.55 - 5.19)	3.05	(1.98 - 4.66)	3.13	(2.14 - 4.56)
Montgomery	3.68	(2.59 - 5.21)	2.87	(1.87 - 4.37)	2.96	(2.02 - 4.32)
North Central	4.05	(2.80 - 5.82)	2.96	(1.91 - 4.57)	3.09	(2.09 - 4.56)
Northeast	4.28	(2.98 - 6.11)	3.39	(2.20 - 5.19)	3.50	(2.39 - 5.12)
Prince George's	3.10	(2.13 - 4.49)	2.68	(1.72 - 4.15)	2.75	(1.87 - 4.02)
South	3.67	(2.54 - 5.28)	3.23	(2.12 - 4.90)	3.30	(2.27 - 4.77)
West	3.82	(2.69 - 5.41)	3.61	(2.37 - 5.45)	3.64	(2.50 - 5.26)

See notes at end of table.

(continued)

Table 22 Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	4.02	(3.24 - 4.97)	3.73	(2.92 - 4.74)	3.77	(3.05 - 4.65)
Boston	3.76	(2.66 - 5.30)	3.69	(2.47 - 5.49)	3.71	(2.65 - 5.16)
Central	4.17	(2.94 - 5.87)	3.60	(2.40 - 5.37)	3.68	(2.57 - 5.25)
Metrowest	4.08	(2.86 - 5.79)	3.33	(2.27 - 4.85)	3.43	(2.43 - 4.80)
Northeast	3.95	(2.82 - 5.51)	3.76	(2.54 - 5.54)	3.79	(2.66 - 5.37)
Southeast	3.94	(2.78 - 5.56)	3.59	(2.42 - 5.29)	3.63	(2.55 - 5.16)
Western	4.33	(3.02 - 6.16)	4.80	(3.22 - 7.10)	4.72	(3.30 - 6.70)
Michigan	4.56	(4.01 - 5.19)	4.43	(3.82 - 5.13)	4.45	(3.92 - 5.05)
Detroit City	3.63	(2.64 - 4.99)	4.41	(3.05 - 6.33)	4.27	(3.08 - 5.89)
Genesee	4.79	(3.55 - 6.44)	4.81	(3.40 - 6.76)	4.81	(3.52 - 6.53)
Kalamazoo	5.04	(3.74 - 6.74)	4.68	(3.34 - 6.51)	4.73	(3.52 - 6.34)
Kent	4.93	(3.65 - 6.63)	4.39	(3.15 - 6.09)	4.48	(3.34 - 5.98)
Lakeshore	4.69	(3.53 - 6.22)	4.63	(3.36 - 6.36)	4.64	(3.50 - 6.14)
Macomb	4.62	(3.48 - 6.12)	4.10	(2.97 - 5.64)	4.17	(3.12 - 5.55)
Mid South	4.13	(3.08 - 5.52)	4.40	(3.19 - 6.05)	4.35	(3.27 - 5.77)
Northern	4.75	(3.55 - 6.34)	4.64	(3.31 - 6.45)	4.65	(3.45 - 6.26)
Oakland	4.45	(3.36 - 5.87)	4.20	(3.07 - 5.72)	4.23	(3.19 - 5.59)
Pathways and Western	4.85	(3.53 - 6.63)	5.58	(3.92 - 7.88)	5.47	(3.96 - 7.51)
Riverhaven	4.68	(3.38 - 6.43)	5.09	(3.57 - 7.21)	5.04	(3.64 - 6.95)
Saginaw	4.49	(3.22 - 6.23)	4.47	(3.03 - 6.54)	4.47	(3.16 - 6.29)
Southeast	4.79	(3.66 - 6.23)	4.09	(2.97 - 5.61)	4.18	(3.15 - 5.53)
St. Clair	5.14	(3.72 - 7.07)	4.77	(3.34 - 6.76)	4.82	(3.48 - 6.63)
Washtenaw	4.43	(3.30 - 5.92)	3.83	(2.68 - 5.45)	3.94	(2.90 - 5.33)
Minnesota	4.22	(3.41 - 5.23)	3.84	(3.03 - 4.87)	3.90	(3.16 - 4.79)
Regions 1 and 2	4.70	(3.25 - 6.76)	4.51	(3.01 - 6.70)	4.53	(3.15 - 6.48)
Regions 3 and 4	4.05	(2.84 - 5.75)	3.92	(2.64 - 5.80)	3.94	(2.76 - 5.60)
Regions 5 and 6	4.23	(3.01 - 5.92)	3.85	(2.61 - 5.64)	3.91	(2.78 - 5.47)
Region 7A (Hennepin)	4.31	(3.08 - 6.00)	3.86	(2.67 - 5.56)	3.93	(2.82 - 5.45)
Region 7B (Ramsey)	4.24	(2.92 - 6.12)	4.48	(2.98 - 6.68)	4.44	(3.08 - 6.36)
Region 7C	4.01	(2.85 - 5.62)	3.17	(2.19 - 4.59)	3.28	(2.35 - 4.55)

See notes at end of table.

(continued)

Table 22 Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Mississippi	3.65	(2.98 - 4.47)	4.72	(3.72 - 5.97)	4.56	(3.68 - 5.62)
Region 1	3.86	(2.79 - 5.32)	4.95	(3.41 - 7.15)	4.79	(3.41 - 6.69)
Region 2	3.00	(2.06 - 4.35)	4.54	(2.97 - 6.87)	4.30	(2.91 - 6.30)
Region 3	3.80	(2.70 - 5.31)	5.29	(3.60 - 7.72)	5.04	(3.55 - 7.09)
Region 4	3.33	(2.37 - 4.65)	3.77	(2.55 - 5.54)	3.70	(2.61 - 5.23)
Region 5	*	(* - *)	4.60	(3.00 - 6.99)	4.40	(2.96 - 6.50)
Region 6	3.76	(2.64 - 5.32)	5.03	(3.36 - 7.48)	4.82	(3.34 - 6.92)
Region 7	4.23	(3.00 - 5.93)	4.98	(3.41 - 7.21)	4.87	(3.45 - 6.84)
Missouri	3.98	(3.22 - 4.92)	4.70	(3.73 - 5.92)	4.60	(3.72 - 5.67)
Central	3.71	(2.58 - 5.31)	4.35	(2.93 - 6.41)	4.24	(2.98 - 6.00)
Eastern	3.94	(2.98 - 5.20)	4.11	(3.01 - 5.60)	4.09	(3.08 - 5.41)
Eastern (St. Louis City and County)	3.77	(2.70 - 5.26)	4.16	(2.85 - 6.04)	4.11	(2.91 - 5.75)
Eastern (excluding St. Louis)	4.27	(2.98 - 6.09)	4.03	(2.70 - 5.98)	4.06	(2.82 - 5.82)
Northwest	3.78	(2.85 - 4.99)	4.38	(3.19 - 5.97)	4.29	(3.22 - 5.70)
Northwest (Jackson)	3.63	(2.55 - 5.15)	4.20	(2.80 - 6.24)	4.12	(2.85 - 5.93)
Northwest (excluding Jackson)	3.90	(2.75 - 5.51)	4.53	(3.08 - 6.62)	4.44	(3.12 - 6.29)
Southeast	4.24	(2.97 - 6.00)	5.73	(3.90 - 8.36)	5.53	(3.86 - 7.85)
Southwest	4.50	(3.17 - 6.35)	6.03	(4.18 - 8.64)	5.81	(4.14 - 8.11)
Montana	4.55	(3.72 - 5.55)	4.77	(3.79 - 5.99)	4.74	(3.87 - 5.80)
Region 1	4.34	(3.04 - 6.16)	4.35	(2.93 - 6.43)	4.35	(3.02 - 6.24)
Region 2	4.46	(3.18 - 6.21)	4.88	(3.30 - 7.17)	4.82	(3.38 - 6.83)
Region 3	4.55	(3.29 - 6.27)	4.37	(3.04 - 6.24)	4.39	(3.16 - 6.07)
Region 4	4.59	(3.37 - 6.24)	4.48	(3.20 - 6.23)	4.49	(3.34 - 6.02)
Region 5	4.58	(3.39 - 6.18)	5.36	(3.85 - 7.42)	5.25	(3.90 - 7.04)
Nebraska	4.41	(3.57 - 5.45)	4.45	(3.49 - 5.65)	4.44	(3.59 - 5.48)
Regions 1 and 2	4.40	(3.30 - 5.84)	4.94	(3.52 - 6.90)	4.88	(3.58 - 6.61)
Region 1	*	(* - *)	4.74	(3.07 - 7.25)	4.66	(3.13 - 6.89)
Region 2	4.64	(3.24 - 6.59)	5.13	(3.36 - 7.76)	5.07	(3.43 - 7.43)
Region 3	4.26	(3.01 - 6.01)	4.50	(3.06 - 6.58)	4.47	(3.16 - 6.29)
Region 4	4.20	(2.93 - 5.97)	4.73	(3.14 - 7.06)	4.66	(3.21 - 6.73)
Region 5	4.71	(3.43 - 6.43)	4.64	(3.20 - 6.71)	4.65	(3.36 - 6.41)
Region 6	4.30	(3.18 - 5.80)	4.11	(2.90 - 5.80)	4.14	(3.04 - 5.61)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	4.16	(3.21 - 5.37)	4.22	(3.25 - 5.47)	4.21	(3.34 - 5.31)
Clark – Region 1	4.25	(3.12 - 5.76)	4.17	(3.06 - 5.68)	4.19	(3.17 - 5.52)
Region 3	4.18	(3.13 - 5.58)	4.50	(3.22 - 6.24)	4.46	(3.29 - 6.02)
Capital District	4.17	(2.87 - 6.03)	4.26	(2.78 - 6.48)	4.25	(2.86 - 6.27)
Rural/Frontier	4.19	(2.91 - 6.01)	4.72	(3.12 - 7.07)	4.65	(3.18 - 6.76)
Washoe – Region 2	3.79	(2.72 - 5.26)	4.22	(2.92 - 6.07)	4.16	(2.98 - 5.76)
New Hampshire	4.41	(3.56 - 5.44)	4.39	(3.42 - 5.61)	4.39	(3.52 - 5.47)
Central	4.18	(3.20 - 5.43)	4.37	(3.12 - 6.11)	4.35	(3.21 - 5.85)
Central 1	4.17	(2.98 - 5.81)	4.32	(2.84 - 6.51)	4.29	(2.97 - 6.17)
Central 2	4.18	(2.97 - 5.86)	4.43	(2.93 - 6.65)	4.40	(3.02 - 6.38)
Northern	4.08	(2.87 - 5.76)	4.91	(3.25 - 7.35)	4.80	(3.29 - 6.94)
Southern	4.62	(3.58 - 5.94)	4.27	(3.21 - 5.68)	4.32	(3.34 - 5.57)
Southern 1 (Rockingham)	4.47	(3.19 - 6.22)	3.70	(2.50 - 5.43)	3.79	(2.66 - 5.36)
Southern 2	4.69	(3.47 - 6.33)	4.64	(3.31 - 6.47)	4.65	(3.44 - 6.26)
New Jersey	3.86	(3.06 - 4.86)	2.97	(2.24 - 3.94)	3.09	(2.42 - 3.95)
Central	3.89	(2.73 - 5.50)	2.93	(1.95 - 4.41)	3.05	(2.12 - 4.38)
Metropolitan	3.50	(2.43 - 5.02)	2.64	(1.75 - 3.97)	2.76	(1.93 - 3.94)
Northern	4.07	(2.90 - 5.67)	3.03	(2.03 - 4.50)	3.16	(2.23 - 4.48)
Southern	3.97	(2.82 - 5.56)	3.31	(2.18 - 5.00)	3.40	(2.34 - 4.91)
New Mexico	3.99	(3.21 - 4.95)	4.45	(3.46 - 5.69)	4.38	(3.50 - 5.46)
Region 1	4.14	(2.95 - 5.78)	4.53	(3.09 - 6.60)	4.48	(3.17 - 6.28)
Region 2	3.57	(2.44 - 5.19)	3.84	(2.49 - 5.87)	3.81	(2.55 - 5.64)
Region 3 (Bernalillo)	4.05	(2.93 - 5.57)	4.69	(3.25 - 6.70)	4.59	(3.30 - 6.35)
Region 4	3.87	(2.68 - 5.55)	4.54	(3.05 - 6.70)	4.43	(3.09 - 6.32)
Region 5	4.04	(2.88 - 5.65)	4.38	(2.95 - 6.46)	4.32	(3.04 - 6.11)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	3.70	(3.18 - 4.30)	3.54	(2.98 - 4.19)	3.56	(3.07 - 4.12)
Region A	3.36	(2.78 - 4.07)	3.31	(2.64 - 4.14)	3.32	(2.73 - 4.03)
Region 1	3.14	(2.25 - 4.35)	3.83	(2.63 - 5.54)	3.70	(2.65 - 5.16)
Region 2	3.27	(2.47 - 4.33)	3.24	(2.31 - 4.54)	3.25	(2.41 - 4.36)
Region 3	3.94	(2.89 - 5.33)	3.64	(2.58 - 5.13)	3.69	(2.71 - 4.99)
Region 4	3.18	(2.30 - 4.39)	2.86	(1.99 - 4.11)	2.91	(2.10 - 4.02)
Region B	3.82	(3.09 - 4.70)	3.17	(2.50 - 4.02)	3.26	(2.64 - 4.02)
Region 5	3.75	(2.81 - 4.98)	3.01	(2.18 - 4.14)	3.11	(2.34 - 4.12)
Region 6	3.83	(2.76 - 5.29)	3.46	(2.39 - 4.99)	3.51	(2.51 - 4.89)
Region 7	4.00	(2.93 - 5.42)	3.26	(2.24 - 4.72)	3.37	(2.43 - 4.66)
Region C	4.07	(3.37 - 4.91)	4.09	(3.31 - 5.04)	4.09	(3.39 - 4.91)
Region 8	4.27	(3.11 - 5.84)	3.71	(2.58 - 5.30)	3.79	(2.76 - 5.20)
Region 9	4.09	(2.99 - 5.58)	4.16	(2.93 - 5.88)	4.15	(3.04 - 5.63)
Region 10	4.18	(2.97 - 5.84)	4.53	(3.12 - 6.55)	4.46	(3.20 - 6.19)
Region 11	4.13	(3.00 - 5.67)	4.57	(3.21 - 6.48)	4.50	(3.27 - 6.17)
Region 12	3.76	(2.69 - 5.24)	3.76	(2.59 - 5.43)	3.76	(2.69 - 5.24)
Region D	4.00	(3.22 - 4.98)	4.26	(3.30 - 5.47)	4.22	(3.37 - 5.27)
Region 13	4.10	(2.93 - 5.71)	4.15	(2.83 - 6.03)	4.14	(2.93 - 5.81)
Region 14	3.94	(2.83 - 5.45)	4.29	(2.94 - 6.23)	4.24	(3.02 - 5.92)
Region 15	3.99	(2.90 - 5.48)	4.32	(3.00 - 6.17)	4.27	(3.08 - 5.89)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year.* by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	3.67	(2.95 - 4.55)	3.75	(2.88 - 4.86)	3.74	(2.96 - 4.71)
Alliance	3.39	(2.36 - 4.85)	3.17	(2.15 - 4.67)	3.21	(2.26 - 4.53)
Cardinal Innovations	3.86	(2.71 - 5.47)	3.79	(2.49 - 5.72)	3.80	(2.61 - 5.49)
CenterPoint/Guilford	3.54	(2.60 - 4.80)	3.62	(2.53 - 5.14)	3.60	(2.62 - 4.94)
CenterPoint	*	(* - *)	*	(* - *)	3.58	(2.40 - 5.32)
Guilford	3.49	(2.39 - 5.06)	*	(* - *)	3.63	(2.45 - 5.35)
CoastalCare	3.81	(2.62 - 5.51)	*	(* - *)	4.04	(2.74 - 5.92)
Eastpointe	3.44	(2.37 - 4.96)	4.41	(2.83 - 6.81)	4.28	(2.84 - 6.39)
ECBH	3.51	(2.40 - 5.12)	*	(* - *)	3.68	(2.46 - 5.47)
MeckLINK	3.74	(2.60 - 5.36)	3.38	(2.18 - 5.22)	3.43	(2.32 - 5.06)
Partners	3.71	(2.56 - 5.34)	3.72	(2.43 - 5.65)	3.72	(2.52 - 5.44)
Sandhills	3.66	(2.54 - 5.27)	4.02	(2.63 - 6.12)	3.98	(2.69 - 5.86)
Smoky Mountain	4.02	(2.75 - 5.84)	*	(* - *)	4.35	(2.90 - 6.46)
Western Highlands	*	(* - *)	4.00	(2.56 - 6.18)	4.02	(2.68 - 5.99)
North Dakota	4.16	(3.35 - 5.16)	3.81	(2.93 - 4.93)	3.87	(3.10 - 4.81)
Badlands and West Central	4.16	(2.94 - 5.85)	3.60	(2.43 - 5.31)	3.68	(2.59 - 5.20)
Lake Region and South Central	4.15	(2.89 - 5.94)	3.85	(2.52 - 5.83)	3.89	(2.66 - 5.65)
North Central and Northwest	4.10	(2.89 - 5.77)	3.73	(2.55 - 5.42)	3.79	(2.72 - 5.25)
Northeast	3.76	(2.70 - 5.22)	3.88	(2.56 - 5.85)	3.85	(2.73 - 5.41)
Southeast	4.42	(3.23 - 6.01)	4.03	(2.79 - 5.79)	4.11	(3.02 - 5.57)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	4.39	(3.84 - 5.02)	4.76	(4.12 - 5.48)	4.71	(4.15 - 5.34)
Boards 2, 46, 55, and 68	4.35	(3.17 - 5.96)	4.52	(3.17 - 6.40)	4.50	(3.26 - 6.17)
Boards 3, 52, and 85	4.48	(3.23 - 6.17)	4.27	(2.95 - 6.14)	4.30	(3.08 - 5.97)
Boards 4 and 78	4.55	(3.21 - 6.41)	5.72	(3.89 - 8.32)	5.58	(3.90 - 7.92)
Boards 5 and 60	4.26	(3.09 - 5.84)	5.50	(3.82 - 7.86)	5.27	(3.79 - 7.28)
Boards 7, 15, 41, 79, and 84	4.41	(3.26 - 5.93)	5.05	(3.54 - 7.16)	4.98	(3.58 - 6.87)
Boards 8, 13, and 83	4.66	(3.42 - 6.32)	4.65	(3.29 - 6.52)	4.65	(3.39 - 6.34)
Board 9 (Butler)	5.24	(3.78 - 7.24)	4.91	(3.43 - 6.99)	4.96	(3.60 - 6.80)
Board 12	4.36	(3.16 - 5.99)	4.74	(3.26 - 6.84)	4.68	(3.34 - 6.51)
Boards 18 and 47	3.86	(2.92 - 5.09)	4.63	(3.45 - 6.18)	4.53	(3.46 - 5.91)
Boards 20, 32, 54, and 69	4.17	(3.00 - 5.78)	4.21	(2.93 - 6.00)	4.20	(3.02 - 5.82)
Boards 21, 39, 51, 70, and 80	5.08	(3.69 - 6.97)	5.34	(3.77 - 7.51)	5.31	(3.86 - 7.27)
Boards 22, 74, and 87	4.75	(3.46 - 6.51)	4.55	(3.16 - 6.49)	4.58	(3.33 - 6.27)
Boards 23 and 45	4.66	(3.36 - 6.43)	4.75	(3.31 - 6.78)	4.74	(3.41 - 6.55)
Board 25 (Franklin)	4.59	(3.45 - 6.08)	5.12	(3.74 - 6.98)	5.03	(3.80 - 6.64)
Boards 27, 71, and 73	4.41	(3.24 - 5.98)	5.51	(3.90 - 7.75)	5.37	(3.90 - 7.35)
Boards 28, 43, and 67	4.19	(3.07 - 5.69)	4.38	(3.06 - 6.23)	4.35	(3.15 - 5.99)
Board 31 (Hamilton)	4.21	(3.14 - 5.62)	4.23	(3.03 - 5.88)	4.23	(3.15 - 5.66)
Board 48 (Lucas)	4.21	(3.05 - 5.78)	4.65	(3.20 - 6.71)	4.58	(3.27 - 6.37)
Boards 50 and 76	4.18	(3.07 - 5.67)	4.44	(3.19 - 6.17)	4.41	(3.26 - 5.95)
Board 57 (Montgomery)	3.98	(2.88 - 5.50)	4.67	(3.29 - 6.58)	4.57	(3.32 - 6.26)
Board 77 (Summit)	4.80	(3.52 - 6.50)	4.53	(3.19 - 6.41)	4.57	(3.33 - 6.24)
Oklahoma	4.07	(3.29 - 5.04)	5.47	(4.34 - 6.86)	5.25	(4.27 - 6.46)
Central	4.31	(3.00 - 6.15)	5.55	(3.79 - 8.05)	5.34	(3.77 - 7.51)
East Central	4.10	(2.80 - 5.98)	5.78	(3.85 - 8.59)	5.55	(3.80 - 8.03)
Northeast	4.10	(2.87 - 5.83)	4.76	(3.22 - 7.00)	4.65	(3.28 - 6.57)
Northwest and Southwest	4.08	(2.86 - 5.80)	5.60	(3.84 - 8.10)	5.36	(3.79 - 7.54)
Oklahoma County	3.78	(2.64 - 5.38)	4.78	(3.29 - 6.90)	4.62	(3.28 - 6.47)
Southeast	3.99	(2.79 - 5.67)	6.44	(4.42 - 9.28)	6.10	(4.29 - 8.61)
Tulsa County	4.25	(3.03 - 5.93)	5.58	(3.85 - 8.03)	5.39	(3.83 - 7.52)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	4.71	(3.85 - 5.75)	5.01	(3.98 - 6.29)	4.97	(4.05 - 6.09)
Region 1 (Multnomah)	4.90	(3.52 - 6.78)	5.34	(3.72 - 7.60)	5.28	(3.80 - 7.30)
Region 2	4.25	(3.07 - 5.85)	3.85	(2.64 - 5.59)	3.90	(2.78 - 5.45)
Region 3	5.04	(3.76 - 6.72)	5.55	(4.00 - 7.66)	5.47	(4.09 - 7.27)
Region 4	4.39	(3.11 - 6.18)	5.18	(3.55 - 7.50)	5.09	(3.59 - 7.16)
Region 5 (Central)	4.63	(3.25 - 6.56)	4.88	(3.25 - 7.27)	4.85	(3.33 - 7.01)
Region 6 (Eastern)	*	(* - *)	*	(* - *)	5.25	(3.55 - 7.70)
Pennsylvania	4.23	(3.66 - 4.87)	4.03	(3.45 - 4.72)	4.06	(3.54 - 4.65)
Region 1 (Allegheny)	4.13	(3.10 - 5.50)	3.93	(2.83 - 5.44)	3.96	(2.95 - 5.29)
Regions 3, 8, 9, and 51	4.24	(3.04 - 5.89)	3.91	(2.70 - 5.62)	3.95	(2.84 - 5.47)
Regions 4, 11, 37, and 49	4.31	(3.15 - 5.86)	3.86	(2.75 - 5.39)	3.92	(2.90 - 5.29)
Regions 5, 18, 23, 24, and 46	4.66	(3.38 - 6.40)	3.91	(2.72 - 5.58)	4.01	(2.90 - 5.51)
Regions 6, 12, 16, 31, 35, 45, and 47	4.43	(3.25 - 6.01)	4.10	(2.87 - 5.84)	4.17	(3.07 - 5.63)
Regions 7, 13, 20, and 33	4.35	(3.33 - 5.66)	3.34	(2.46 - 4.54)	3.47	(2.65 - 4.54)
Regions 10, 15, 27, 32, 43, and 44	4.37	(3.18 - 5.98)	4.96	(3.54 - 6.92)	4.89	(3.58 - 6.64)
Regions 17 and 21	4.27	(3.07 - 5.93)	4.57	(3.15 - 6.58)	4.52	(3.24 - 6.27)
Regions 19, 26, 28, and 42	4.33	(3.25 - 5.75)	3.63	(2.62 - 5.02)	3.73	(2.79 - 4.96)
Regions 22, 38, 40, 41, and 48	4.57	(3.37 - 6.16)	4.09	(2.85 - 5.83)	4.15	(2.99 - 5.71)
Regions 29 and 34	4.37	(3.14 - 6.04)	4.27	(2.95 - 6.15)	4.28	(3.06 - 5.97)
Regions 30 and 50	4.02	(2.87 - 5.60)	4.26	(2.95 - 6.09)	4.23	(3.02 - 5.87)
Region 36 (Philadelphia)	3.65	(2.72 - 4.88)	5.21	(3.82 - 7.06)	4.91	(3.73 - 6.44)
Rhode Island	4.27	(3.41 - 5.33)	4.29	(3.27 - 5.61)	4.28	(3.38 - 5.42)
Bristol and Newport	4.33	(3.01 - 6.20)	3.50	(2.25 - 5.39)	3.62	(2.46 - 5.29)
Kent	4.22	(2.97 - 5.96)	3.71	(2.45 - 5.57)	3.77	(2.59 - 5.45)
Providence	4.25	(3.20 - 5.62)	4.76	(3.41 - 6.62)	4.67	(3.48 - 6.25)
Washington	4.35	(3.10 - 6.09)	3.65	(2.40 - 5.52)	3.78	(2.65 - 5.37)
South Carolina	3.96	(3.20 - 4.90)	4.31	(3.38 - 5.49)	4.26	(3.42 - 5.29)
Region 1	4.04	(2.94 - 5.53)	4.25	(2.91 - 6.17)	4.22	(3.01 - 5.90)
Region 2	3.99	(2.95 - 5.39)	4.20	(2.95 - 5.93)	4.16	(3.05 - 5.67)
Region 3	3.46	(2.40 - 4.95)	4.38	(2.94 - 6.49)	4.26	(2.94 - 6.13)
Region 4	4.16	(3.01 - 5.72)	4.45	(3.08 - 6.39)	4.41	(3.17 - 6.10)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	3.89	(3.05 - 4.94)	3.81	(2.92 - 4.97)	3.82	(3.02 - 4.82)
Region 1	4.15	(2.92 - 5.84)	4.07	(2.79 - 5.89)	4.08	(2.92 - 5.68)
Region 2	3.71	(2.50 - 5.47)	3.77	(2.44 - 5.78)	3.76	(2.53 - 5.57)
Region 3	3.95	(2.78 - 5.58)	3.98	(2.70 - 5.84)	3.97	(2.83 - 5.55)
Region 4	3.86	(2.68 - 5.53)	3.70	(2.42 - 5.61)	3.73	(2.57 - 5.38)
Region 5	3.65	(2.57 - 5.16)	3.52	(2.43 - 5.08)	3.54	(2.54 - 4.92)
Tennessee	3.74	(3.04 - 4.60)	4.31	(3.40 - 5.45)	4.23	(3.42 - 5.23)
Region 1	3.91	(2.74 - 5.57)	4.48	(2.95 - 6.75)	4.41	(3.00 - 6.44)
Region 2	4.11	(2.92 - 5.75)	4.49	(3.04 - 6.59)	4.44	(3.12 - 6.29)
Region 3	4.03	(2.88 - 5.61)	5.25	(3.59 - 7.61)	5.08	(3.59 - 7.16)
Region 4 (Davidson)	3.56	(2.50 - 5.05)	3.99	(2.68 - 5.89)	3.92	(2.74 - 5.57)
Region 5	3.76	(2.69 - 5.23)	3.88	(2.66 - 5.63)	3.86	(2.74 - 5.41)
Region 6	3.75	(2.65 - 5.29)	4.81	(3.25 - 7.06)	4.66	(3.26 - 6.64)
Region 7 (Shelby)	3.07	(2.16 - 4.34)	3.52	(2.31 - 5.33)	3.45	(2.36 - 5.01)

See notes at end of table.

(continued)

Table 22 *Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	3.66	(3.15 - 4.24)	3.55	(3.00 - 4.21)	3.57	(3.09 - 4.13)
Region 1	3.51	(2.52 - 4.86)	3.78	(2.58 - 5.50)	3.73	(2.67 - 5.19)
Region 2	3.81	(2.70 - 5.35)	4.13	(2.81 - 6.03)	4.08	(2.89 - 5.73)
Region 3	3.40	(2.70 - 4.26)	3.21	(2.49 - 4.12)	3.24	(2.59 - 4.03)
Region 3a	3.33	(2.50 - 4.43)	3.20	(2.35 - 4.35)	3.22	(2.45 - 4.22)
Region 3bc	3.52	(2.60 - 4.74)	3.22	(2.29 - 4.52)	3.26	(2.41 - 4.41)
Region 4	3.72	(2.67 - 5.18)	4.09	(2.80 - 5.95)	4.04	(2.86 - 5.68)
Region 5	3.82	(2.72 - 5.35)	4.04	(2.76 - 5.87)	4.00	(2.84 - 5.61)
Region 6	3.48	(2.70 - 4.47)	3.17	(2.40 - 4.17)	3.22	(2.52 - 4.09)
Region 6a	3.45	(2.62 - 4.53)	3.12	(2.30 - 4.22)	3.17	(2.43 - 4.12)
Region 6bc	3.84	(2.72 - 5.38)	3.58	(2.42 - 5.26)	3.62	(2.54 - 5.12)
Region 7	4.25	(3.32 - 5.44)	3.73	(2.85 - 4.88)	3.83	(3.03 - 4.83)
Region 7a	4.03	(2.94 - 5.51)	3.31	(2.32 - 4.71)	3.43	(2.52 - 4.67)
Region 7bcd	4.55	(3.33 - 6.19)	4.48	(3.12 - 6.41)	4.50	(3.30 - 6.10)
Region 8	3.81	(2.79 - 5.20)	4.26	(3.05 - 5.92)	4.19	(3.09 - 5.65)
Region 9	3.65	(2.60 - 5.09)	3.93	(2.73 - 5.65)	3.89	(2.79 - 5.38)
Region 10	3.77	(2.71 - 5.23)	4.23	(2.89 - 6.15)	4.14	(2.96 - 5.78)
Region 11	3.57	(2.73 - 4.66)	3.59	(2.64 - 4.85)	3.58	(2.74 - 4.67)
Region 11abd	3.58	(2.56 - 4.98)	3.49	(2.39 - 5.08)	3.51	(2.51 - 4.88)
Region 11c (Hidalgo)	3.56	(2.50 - 5.04)	3.76	(2.51 - 5.59)	3.72	(2.62 - 5.27)
Utah	5.13	(4.15 - 6.32)	5.17	(4.10 - 6.49)	5.16	(4.23 - 6.28)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.98	(4.20 - 8.44)	6.22	(4.22 - 9.06)	6.17	(4.39 - 8.60)
Central, Four Corners, San Juan, and Southwest	4.40	(3.04 - 6.31)	5.24	(3.52 - 7.73)	5.09	(3.57 - 7.22)
Davis County	4.74	(3.36 - 6.64)	4.90	(3.37 - 7.07)	4.87	(3.48 - 6.77)
Salt Lake County	5.34	(3.92 - 7.24)	4.92	(3.51 - 6.85)	4.99	(3.73 - 6.65)
Utah County	5.01	(3.64 - 6.86)	5.39	(3.73 - 7.74)	5.28	(3.89 - 7.14)
Weber, Morgan	4.85	(3.39 - 6.91)	4.70	(3.16 - 6.94)	4.73	(3.33 - 6.68)

See notes at end of table.

(continued)

Table 22 Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Vermont	4.02	(3.21 - 5.04)	4.81	(3.78 - 6.10)	4.69	(3.78 - 5.82)
Champlain Valley	3.91	(2.86 - 5.31)	3.99	(2.80 - 5.66)	3.98	(2.92 - 5.39)
Rural Northeast	4.09	(2.90 - 5.74)	5.21	(3.59 - 7.49)	5.07	(3.60 - 7.09)
Rural Southeast	4.33	(3.06 - 6.08)	5.61	(3.89 - 8.02)	5.47	(3.89 - 7.64)
Rural Southwest	4.00	(2.85 - 5.59)	5.05	(3.43 - 7.39)	4.92	(3.44 - 6.97)
Virginia	4.35	(3.52 - 5.37)	4.14	(3.23 - 5.28)	4.17	(3.35 - 5.17)
Region 1	4.58	(3.28 - 6.36)	4.01	(2.69 - 5.94)	4.10	(2.89 - 5.78)
Region 2	4.00	(2.83 - 5.62)	3.13	(2.10 - 4.64)	3.24	(2.27 - 4.61)
Region 3	4.58	(3.29 - 6.33)	5.81	(4.03 - 8.32)	5.63	(4.04 - 7.79)
Region 4	4.27	(2.99 - 6.07)	3.97	(2.67 - 5.86)	4.01	(2.83 - 5.67)
Region 5	4.42	(3.17 - 6.13)	4.32	(2.94 - 6.31)	4.33	(3.08 - 6.06)
Washington	3.96	(3.15 - 4.97)	5.62	(4.43 - 7.12)	5.39	(4.33 - 6.68)
Region 1	4.11	(3.05 - 5.52)	6.33	(4.60 - 8.67)	5.97	(4.45 - 7.95)
East 1 (previously Region 1)	4.19	(2.91 - 5.99)	6.90	(4.67 - 10.07)	6.45	(4.50 - 9.14)
East 2 (previously Region 2)	4.01	(2.79 - 5.74)	5.56	(3.73 - 8.21)	5.31	(3.69 - 7.57)
Region 2	3.63	(2.71 - 4.84)	4.74	(3.50 - 6.38)	4.59	(3.48 - 6.04)
North 1 (previously Region 3)	3.66	(2.55 - 5.23)	5.19	(3.53 - 7.57)	4.97	(3.49 - 7.05)
North 2 (previously Region 4)	3.60	(2.54 - 5.10)	4.48	(3.13 - 6.39)	4.37	(3.14 - 6.06)
Region 3	4.32	(3.22 - 5.77)	6.43	(4.77 - 8.62)	6.15	(4.66 - 8.06)
West 1 (previously Region 5)	4.25	(2.96 - 6.07)	6.36	(4.43 - 9.05)	6.04	(4.33 - 8.38)
West 2 (previously Region 6)	4.39	(3.09 - 6.21)	6.50	(4.48 - 9.34)	6.24	(4.41 - 8.77)
West Virginia	4.12	(3.39 - 5.01)	5.57	(4.46 - 6.94)	5.38	(4.39 - 6.58)
Region I	4.19	(2.92 - 5.98)	5.13	(3.39 - 7.69)	5.02	(3.41 - 7.32)
Region II	4.63	(3.29 - 6.49)	5.27	(3.54 - 7.76)	5.19	(3.60 - 7.42)
Region III	4.10	(2.89 - 5.79)	5.22	(3.49 - 7.73)	5.09	(3.50 - 7.36)
Region IV	3.55	(2.54 - 4.93)	4.58	(3.10 - 6.74)	4.40	(3.10 - 6.22)
Region V	4.63	(3.38 - 6.31)	6.91	(4.99 - 9.49)	6.64	(4.90 - 8.93)
Region VI	3.94	(2.80 - 5.50)	5.21	(3.53 - 7.63)	5.07	(3.52 - 7.23)

See notes at end of table.

(continued)

Table 22 Serious Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Wisconsin	4.14	(3.35 - 5.12)	3.85	(2.97 - 4.97)	3.89	(3.10 - 4.86)
Milwaukee	3.86	(2.75 - 5.40)	4.10	(2.77 - 6.02)	4.06	(2.87 - 5.71)
Northeastern	4.26	(3.04 - 5.94)	3.98	(2.70 - 5.82)	4.02	(2.84 - 5.65)
Northern	4.16	(2.87 - 6.00)	4.02	(2.63 - 6.11)	4.04	(2.76 - 5.88)
Southeastern	4.12	(2.92 - 5.80)	3.21	(2.13 - 4.83)	3.33	(2.31 - 4.78)
Southern	4.15	(3.01 - 5.70)	3.74	(2.50 - 5.54)	3.80	(2.67 - 5.37)
Western	4.34	(3.06 - 6.12)	4.34	(2.89 - 6.46)	4.34	(3.03 - 6.18)
Wyoming	4.12	(3.37 - 5.02)	4.07	(3.24 - 5.09)	4.07	(3.34 - 4.96)
Judicial District 1 (Laramie)	4.03	(2.84 - 5.70)	4.02	(2.75 - 5.82)	4.02	(2.86 - 5.62)
Judicial District 2	4.08	(2.92 - 5.66)	4.47	(3.04 - 6.52)	4.35	(3.17 - 5.94)
Judicial District 3	4.26	(3.06 - 5.90)	3.93	(2.68 - 5.74)	3.98	(2.83 - 5.57)
Judicial District 4	4.14	(2.87 - 5.94)	4.43	(2.99 - 6.52)	4.40	(3.06 - 6.29)
Judicial District 5	4.20	(2.91 - 6.01)	4.15	(2.70 - 6.31)	4.15	(2.81 - 6.10)
Judicial District 6	3.96	(2.77 - 5.65)	3.87	(2.64 - 5.66)	3.89	(2.75 - 5.47)
Judicial District 7 (Natrona)	4.42	(3.12 - 6.21)	4.17	(2.83 - 6.12)	4.21	(2.97 - 5.92)
Judicial District 8	4.11	(2.89 - 5.84)	4.22	(2.79 - 6.32)	4.21	(2.90 - 6.06)
Judicial District 9	3.87	(2.72 - 5.46)	3.72	(2.50 - 5.51)	3.74	(2.60 - 5.34)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Serious mental illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder, that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. For details, see Section B in the "2011-2012 National Survey on Drug Use and Health: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://samhsa.gov/data/NSDUH/2k12State/NSDUHsae2012/Index.aspx>.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012 and October 2013; 2011 Data - Revised October 2013).

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	18.75	(18.34 - 19.17)	18.03	(17.64 - 18.43)	18.13	(17.79 - 18.48)
Northeast	18.76	(18.03 - 19.52)	17.70	(16.92 - 18.50)	17.85	(17.17 - 18.56)
Midwest	19.17	(18.61 - 19.75)	18.24	(17.63 - 18.88)	18.38	(17.84 - 18.93)
South	17.57	(17.01 - 18.14)	17.96	(17.35 - 18.59)	17.90	(17.37 - 18.45)
West	20.18	(19.35 - 21.04)	18.20	(17.37 - 19.05)	18.50	(17.78 - 19.24)
Alabama	19.57	(17.45 - 21.88)	21.53	(19.06 - 24.22)	21.24	(19.06 - 23.59)
Region 1	19.54	(16.22 - 23.34)	24.17	(20.18 - 28.66)	23.55	(19.97 - 27.55)
Region 2	19.77	(16.67 - 23.29)	20.19	(16.85 - 23.99)	20.12	(17.14 - 23.47)
Region 3	18.29	(15.01 - 22.11)	19.50	(15.97 - 23.59)	19.28	(16.22 - 22.75)
Region 4	20.65	(17.26 - 24.50)	21.63	(17.91 - 25.88)	21.50	(18.15 - 25.28)
Alaska	22.15	(19.86 - 24.61)	18.86	(16.58 - 21.37)	19.37	(17.36 - 21.55)
Anchorage	24.02	(20.77 - 27.60)	20.24	(17.16 - 23.73)	20.85	(18.13 - 23.87)
Northern	20.97	(17.57 - 24.83)	17.11	(13.84 - 20.97)	17.83	(14.98 - 21.09)
South Central	20.62	(16.98 - 24.80)	18.33	(14.90 - 22.35)	18.63	(15.49 - 22.25)
Southeast	20.34	(16.59 - 24.69)	18.40	(14.77 - 22.68)	18.64	(15.32 - 22.49)
Arizona	21.23	(18.93 - 23.74)	19.56	(16.98 - 22.41)	19.80	(17.54 - 22.28)
Maricopa	22.00	(19.02 - 25.30)	19.63	(16.53 - 23.16)	19.99	(17.25 - 23.04)
Pima	21.07	(17.27 - 25.44)	19.65	(15.62 - 24.42)	19.87	(16.26 - 24.04)
Rural North	20.35	(16.60 - 24.69)	19.69	(15.86 - 24.16)	19.78	(16.33 - 23.74)
Rural South	18.61	(15.00 - 22.85)	19.00	(14.94 - 23.84)	18.95	(15.29 - 23.24)
Arkansas	18.50	(16.52 - 20.66)	20.61	(18.17 - 23.28)	20.30	(18.15 - 22.64)
Catchment Area 1	18.16	(14.89 - 21.96)	18.84	(15.17 - 23.16)	18.73	(15.48 - 22.47)
Catchment Area 2	18.86	(15.18 - 23.20)	20.46	(16.33 - 25.31)	20.26	(16.50 - 24.63)
Catchment Area 3	17.72	(14.45 - 21.55)	21.47	(17.39 - 26.21)	20.91	(17.29 - 25.06)
Catchment Area 4	18.63	(15.08 - 22.80)	21.13	(17.07 - 25.85)	20.79	(17.15 - 24.98)
Catchment Area 5	19.11	(15.84 - 22.88)	20.99	(17.00 - 25.63)	20.67	(17.18 - 24.66)
Catchment Area 6	16.45	(13.21 - 20.29)	19.58	(15.64 - 24.22)	19.12	(15.63 - 23.18)
Catchment Area 7	17.76	(14.23 - 21.95)	21.75	(17.57 - 26.61)	21.21	(17.47 - 25.51)
Catchment Area 8	19.73	(16.50 - 23.41)	20.92	(17.14 - 25.26)	20.76	(17.35 - 24.64)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
California	19.51	(18.21 - 20.88)	16.89	(15.65 - 18.21)	17.30	(16.21 - 18.45)
Region 1R	20.93	(17.15 - 25.28)	18.25	(14.92 - 22.14)	18.66	(15.66 - 22.08)
Region 2R	20.37	(16.92 - 24.31)	18.12	(14.75 - 22.07)	18.47	(15.44 - 21.93)
Region 3R (Sacramento)	21.00	(17.41 - 25.10)	19.25	(15.86 - 23.16)	19.52	(16.47 - 22.98)
Region 4R	19.37	(16.05 - 23.20)	17.12	(14.08 - 20.66)	17.42	(14.65 - 20.58)
Region 5R (San Francisco)	22.17	(18.50 - 26.33)	18.23	(14.81 - 22.22)	18.71	(15.55 - 22.34)
Region 6 (Santa Clara)	20.97	(17.41 - 25.04)	15.64	(12.87 - 18.88)	16.35	(13.78 - 19.28)
Region 7R (Contra Costa)	19.03	(15.61 - 23.00)	15.82	(12.85 - 19.33)	16.24	(13.51 - 19.39)
Region 8R (Alameda)	20.16	(16.78 - 24.02)	18.00	(14.83 - 21.67)	18.30	(15.43 - 21.57)
Region 9R (San Mateo)	19.42	(15.90 - 23.51)	15.27	(12.25 - 18.87)	15.74	(12.92 - 19.04)
Region 10	20.92	(17.32 - 25.03)	17.01	(13.80 - 20.79)	17.69	(14.81 - 20.99)
Region 11 (Los Angeles)	18.67	(17.03 - 20.42)	16.75	(15.12 - 18.51)	17.06	(15.62 - 18.59)
LA SPA 1 and 5	20.30	(16.69 - 24.46)	18.22	(14.93 - 22.06)	18.56	(15.57 - 21.97)
LA SPA 2	19.78	(16.64 - 23.34)	17.55	(14.62 - 20.93)	17.88	(15.23 - 20.88)
LA SPA 3	17.44	(14.49 - 20.85)	15.41	(12.52 - 18.83)	15.73	(13.15 - 18.71)
LA SPA 4	18.97	(15.62 - 22.85)	18.22	(14.93 - 22.05)	18.33	(15.34 - 21.77)
LA SPA 6	17.68	(14.55 - 21.32)	16.23	(13.02 - 20.05)	16.53	(13.75 - 19.74)
LA SPA 7	18.70	(15.53 - 22.33)	16.05	(13.10 - 19.52)	16.51	(13.89 - 19.52)
LA SPA 8	17.89	(14.82 - 21.45)	15.81	(12.82 - 19.34)	16.12	(13.40 - 19.26)
Region 12R	20.01	(16.45 - 24.12)	18.62	(15.09 - 22.74)	18.83	(15.66 - 22.48)
Regions 13 and 19R	20.70	(17.59 - 24.21)	16.35	(13.66 - 19.46)	17.08	(14.67 - 19.79)
Region 13 (Riverside)	20.91	(17.59 - 24.68)	16.29	(13.46 - 19.58)	17.06	(14.52 - 19.93)
Region 19R (Imperial)	*	(* - *)	*	(* - *)	17.34	(14.20 - 21.00)
Region 14 (Orange)	17.94	(15.13 - 21.15)	15.56	(13.02 - 18.49)	15.92	(13.65 - 18.50)
Region 15R (Fresno)	19.37	(15.95 - 23.31)	18.19	(14.94 - 21.97)	18.41	(15.54 - 21.66)
Region 16R (San Diego)	21.55	(18.33 - 25.15)	16.90	(14.31 - 19.85)	17.69	(15.39 - 20.25)
Region 17R	17.16	(14.17 - 20.63)	17.13	(14.06 - 20.70)	17.13	(14.45 - 20.20)
Region 18R (San Bernardino)	17.32	(14.67 - 20.34)	15.77	(12.95 - 19.08)	16.05	(13.56 - 18.88)
Region 20R	18.51	(15.30 - 22.22)	18.10	(14.58 - 22.24)	18.17	(15.05 - 21.77)
Region 21R	21.05	(17.51 - 25.09)	17.05	(13.77 - 20.92)	17.77	(14.88 - 21.10)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	19.92	(17.71 - 22.34)	17.25	(15.09 - 19.64)	17.63	(15.71 - 19.75)
Region 1	20.05	(16.54 - 24.10)	17.24	(13.71 - 21.46)	17.73	(14.57 - 21.41)
Regions 2 and 7	19.80	(16.94 - 23.01)	17.15	(14.48 - 20.19)	17.52	(15.12 - 20.21)
Region 3	20.69	(17.12 - 24.77)	17.19	(13.89 - 21.09)	17.73	(14.73 - 21.18)
Region 4	*	(* - *)	16.68	(13.01 - 21.13)	16.85	(13.53 - 20.78)
Regions 5 and 6	20.30	(16.56 - 24.62)	18.09	(14.42 - 22.46)	18.38	(15.00 - 22.32)
Connecticut	18.11	(16.01 - 20.42)	16.83	(14.70 - 19.20)	17.01	(15.09 - 19.12)
Eastern	17.59	(14.42 - 21.30)	17.01	(13.68 - 20.95)	17.11	(14.20 - 20.48)
North Central	17.29	(14.33 - 20.72)	16.33	(13.29 - 19.89)	16.45	(13.70 - 19.63)
Northwestern	18.20	(14.70 - 22.32)	17.11	(13.68 - 21.20)	17.24	(14.08 - 20.94)
South Central	20.25	(16.83 - 24.16)	18.18	(14.78 - 22.18)	18.47	(15.39 - 22.01)
Southwest	16.73	(13.54 - 20.50)	15.53	(12.38 - 19.31)	15.68	(12.78 - 19.10)
Delaware	20.31	(18.00 - 22.84)	18.08	(15.95 - 20.43)	18.40	(16.51 - 20.47)
Kent	19.73	(16.30 - 23.68)	18.25	(14.90 - 22.16)	18.49	(15.52 - 21.88)
New Castle (excluding Wilmington City)	20.89	(17.90 - 24.22)	18.42	(15.64 - 21.57)	18.81	(16.36 - 21.53)
Sussex	20.03	(16.39 - 24.25)	16.84	(13.67 - 20.57)	17.19	(14.24 - 20.59)
Wilmington City	18.41	(14.94 - 22.48)	19.20	(15.36 - 23.74)	19.09	(15.61 - 23.12)
District of Columbia	18.42	(16.44 - 20.58)	19.99	(17.65 - 22.57)	19.68	(17.68 - 21.85)
Ward 1	20.45	(16.85 - 24.60)	22.61	(18.32 - 27.56)	22.14	(18.45 - 26.33)
Ward 2	19.10	(15.89 - 22.79)	19.76	(16.03 - 24.12)	19.55	(16.53 - 22.97)
Ward 3	19.73	(16.29 - 23.68)	19.19	(15.62 - 23.35)	19.29	(16.16 - 22.86)
Ward 4	17.80	(14.29 - 21.96)	17.73	(14.24 - 21.85)	17.74	(14.52 - 21.49)
Ward 5	17.43	(14.17 - 21.26)	19.96	(16.07 - 24.52)	19.48	(16.13 - 23.33)
Ward 6	20.34	(16.58 - 24.69)	20.20	(16.39 - 24.63)	20.22	(16.78 - 24.16)
Ward 7	15.30	(12.22 - 18.98)	20.53	(16.41 - 25.38)	19.64	(16.04 - 23.83)
Ward 8	15.40	(12.39 - 18.98)	20.32	(16.27 - 25.08)	19.28	(15.88 - 23.21)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	17.51	(16.30 - 18.79)	16.46	(15.24 - 17.76)	16.60	(15.51 - 17.75)
Region A - Northwest	18.63	(16.46 - 21.01)	18.06	(15.92 - 20.43)	18.16	(16.27 - 20.22)
Circuit 1	18.80	(15.77 - 22.26)	17.82	(14.84 - 21.25)	17.97	(15.29 - 21.01)
Circuit 2	18.49	(15.32 - 22.13)	17.92	(14.65 - 21.74)	18.05	(15.26 - 21.23)
Circuit 14	18.51	(15.09 - 22.49)	18.78	(15.11 - 23.10)	18.75	(15.44 - 22.58)
Region B - Northeast	17.93	(15.93 - 20.12)	17.59	(15.57 - 19.82)	17.64	(15.83 - 19.61)
Circuits 3 and 8	17.94	(15.03 - 21.27)	18.77	(15.39 - 22.69)	18.59	(15.71 - 21.86)
Circuit 4	18.33	(15.19 - 21.96)	17.16	(14.27 - 20.50)	17.33	(14.72 - 20.29)
Circuit 7	17.29	(14.26 - 20.82)	17.42	(14.42 - 20.90)	17.41	(14.65 - 20.56)
Region C - Central	18.15	(16.43 - 20.00)	17.27	(15.48 - 19.21)	17.38	(15.77 - 19.12)
Circuit 5	18.29	(15.18 - 21.87)	17.37	(14.12 - 21.19)	17.46	(14.43 - 20.98)
Circuit 9	18.52	(15.80 - 21.59)	16.94	(14.08 - 20.24)	17.21	(14.69 - 20.07)
Circuit 10	17.41	(14.50 - 20.78)	18.63	(15.38 - 22.39)	18.48	(15.55 - 21.81)
Circuit 18	18.08	(15.04 - 21.59)	16.81	(13.87 - 20.22)	16.97	(14.30 - 20.02)
Circuit 19	17.68	(14.53 - 21.36)	16.91	(13.75 - 20.62)	16.99	(14.07 - 20.38)
Region D - Southeast	16.06	(14.05 - 18.30)	15.05	(13.16 - 17.16)	15.18	(13.45 - 17.08)
Circuit 15 (Palm Beach)	16.30	(13.62 - 19.38)	15.84	(13.08 - 19.07)	15.90	(13.36 - 18.82)
Circuit 17 (Broward)	15.90	(13.32 - 18.86)	14.43	(12.03 - 17.23)	14.62	(12.42 - 17.13)
Region E - Sun Coast	18.75	(16.92 - 20.73)	17.25	(15.43 - 19.24)	17.42	(15.76 - 19.23)
Circuit 6	19.21	(16.01 - 22.88)	16.93	(13.96 - 20.38)	17.17	(14.39 - 20.34)
Circuit 12	19.18	(15.74 - 23.16)	18.55	(15.19 - 22.47)	18.62	(15.47 - 22.24)
Circuit 13 (Hillsborough)	18.65	(16.01 - 21.60)	17.26	(14.36 - 20.61)	17.47	(14.91 - 20.36)
Circuit 20	18.09	(14.93 - 21.74)	16.78	(13.82 - 20.22)	16.91	(14.16 - 20.08)
Region F - Southern (Circuits 11 and 16)	14.89	(12.73 - 17.35)	13.34	(11.23 - 15.78)	13.56	(11.67 - 15.71)
Georgia	17.09	(15.11 - 19.28)	17.57	(15.42 - 19.95)	17.50	(15.59 - 19.58)
Region 1	17.41	(14.45 - 20.82)	17.58	(14.49 - 21.15)	17.55	(14.76 - 20.75)
Region 2	16.77	(13.60 - 20.50)	17.83	(14.42 - 21.83)	17.64	(14.63 - 21.11)
Region 3	17.35	(14.38 - 20.80)	16.53	(13.63 - 19.90)	16.65	(14.04 - 19.63)
Region 4	17.37	(14.01 - 21.32)	19.17	(15.25 - 23.81)	18.86	(15.43 - 22.85)
Region 5	16.69	(13.34 - 20.68)	17.94	(14.17 - 22.45)	17.72	(14.40 - 21.60)
Region 6	16.64	(13.40 - 20.47)	18.55	(14.95 - 22.80)	18.26	(15.05 - 21.99)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	19.75	(17.53 - 22.17)	16.99	(14.81 - 19.42)	17.36	(15.39 - 19.52)
Hawaii Island	18.58	(15.04 - 22.74)	19.23	(15.53 - 23.56)	19.15	(15.77 - 23.06)
Honolulu	20.01	(17.45 - 22.83)	16.40	(13.92 - 19.23)	16.91	(14.67 - 19.41)
Kauai and Maui	19.39	(16.20 - 23.03)	17.62	(14.55 - 21.17)	17.82	(14.98 - 21.05)
Kauai	*	(* - *)	17.90	(14.11 - 22.44)	18.04	(14.53 - 22.17)
Maui	19.48	(15.75 - 23.85)	17.49	(13.97 - 21.68)	17.72	(14.47 - 21.51)
Idaho	20.98	(18.75 - 23.40)	22.58	(19.96 - 25.43)	22.33	(20.03 - 24.81)
Region 1	19.54	(15.73 - 24.01)	22.02	(17.74 - 27.00)	21.73	(17.82 - 26.21)
Region 2	19.43	(15.84 - 23.60)	21.13	(17.00 - 25.94)	20.79	(17.24 - 24.85)
Region 3	21.47	(17.66 - 25.86)	22.91	(18.68 - 27.77)	22.70	(18.92 - 26.99)
Region 4	22.50	(18.93 - 26.52)	22.81	(19.00 - 27.13)	22.77	(19.35 - 26.59)
Region 5	18.73	(15.21 - 22.86)	21.48	(17.47 - 26.13)	21.10	(17.50 - 25.20)
Region 6	22.27	(18.25 - 26.88)	24.59	(20.04 - 29.79)	24.22	(20.19 - 28.75)
Region 7	20.64	(17.00 - 24.84)	22.46	(18.18 - 27.41)	22.08	(18.43 - 26.22)
Illinois	17.75	(16.49 - 19.09)	15.83	(14.59 - 17.16)	16.11	(15.02 - 17.26)
Region I (Cook)	17.40	(15.56 - 19.41)	15.46	(13.67 - 17.43)	15.74	(14.16 - 17.46)
Region II	17.72	(15.70 - 19.95)	14.71	(12.90 - 16.71)	15.12	(13.51 - 16.89)
Region III	17.96	(15.38 - 20.86)	17.30	(14.73 - 20.22)	17.41	(15.15 - 19.93)
Region IV	18.49	(15.60 - 21.77)	16.11	(13.25 - 19.44)	16.44	(13.87 - 19.37)
Region V	18.52	(15.70 - 21.71)	19.19	(16.25 - 22.51)	19.09	(16.48 - 22.01)
Indiana	20.20	(18.12 - 22.45)	19.21	(17.01 - 21.61)	19.36	(17.42 - 21.45)
Central	19.74	(16.38 - 23.59)	18.49	(15.19 - 22.32)	18.66	(15.68 - 22.06)
East	21.31	(17.50 - 25.69)	21.96	(17.68 - 26.94)	21.85	(18.08 - 26.16)
North Central	19.96	(16.54 - 23.89)	19.44	(15.68 - 23.85)	19.52	(16.14 - 23.41)
Northeast	20.78	(17.07 - 25.06)	18.36	(14.80 - 22.57)	18.71	(15.48 - 22.44)
Northwest	19.12	(15.56 - 23.26)	18.02	(14.51 - 22.16)	18.17	(15.00 - 21.84)
Southeast	20.37	(16.77 - 24.51)	20.22	(16.42 - 24.64)	20.24	(16.77 - 24.22)
Southwest	20.43	(16.50 - 25.02)	19.15	(15.49 - 23.45)	19.33	(16.01 - 23.16)
West	20.56	(17.07 - 24.56)	19.52	(15.94 - 23.67)	19.75	(16.75 - 23.15)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	20.10	(17.91 - 22.47)	18.67	(16.43 - 21.15)	18.89	(16.90 - 21.05)
Central	19.63	(16.19 - 23.61)	17.59	(14.32 - 21.41)	17.87	(14.90 - 21.28)
North Central	20.66	(16.82 - 25.10)	17.23	(13.73 - 21.39)	17.88	(14.76 - 21.49)
Northeast	18.95	(15.86 - 22.48)	18.44	(15.08 - 22.35)	18.52	(15.54 - 21.92)
Northwest	19.50	(16.07 - 23.46)	17.34	(13.97 - 21.32)	17.63	(14.57 - 21.17)
Southeast	21.63	(17.91 - 25.88)	20.85	(17.04 - 25.24)	20.97	(17.60 - 24.80)
Southwest	20.17	(16.45 - 24.49)	20.24	(16.22 - 24.97)	20.24	(16.57 - 24.48)
Kansas	18.18	(16.14 - 20.42)	17.14	(14.99 - 19.52)	17.30	(15.42 - 19.36)
Kansas City Metro	17.81	(14.77 - 21.33)	15.89	(13.05 - 19.21)	16.17	(13.62 - 19.11)
Northeast	18.47	(15.10 - 22.41)	17.89	(14.41 - 22.00)	17.99	(14.95 - 21.50)
South Central	17.23	(14.02 - 20.99)	18.13	(14.48 - 22.46)	18.00	(14.73 - 21.81)
Southeast	18.64	(15.08 - 22.80)	18.99	(15.11 - 23.58)	18.93	(15.45 - 22.98)
West	19.20	(15.71 - 23.25)	17.61	(14.07 - 21.80)	17.84	(14.69 - 21.50)
Wichita (Sedgwick)	18.36	(14.98 - 22.31)	16.99	(13.74 - 20.84)	17.20	(14.29 - 20.56)
Kentucky	18.09	(16.10 - 20.26)	19.27	(16.94 - 21.82)	19.10	(17.04 - 21.35)
Adanta, Cumberland River, and Lifeskills	18.09	(14.90 - 21.78)	19.96	(16.22 - 24.30)	19.69	(16.36 - 23.51)
Bluegrass, Comprehend, and North Key	18.06	(15.20 - 21.31)	18.30	(15.05 - 22.07)	18.26	(15.38 - 21.54)
Communicare and River Valley	17.77	(14.45 - 21.67)	18.80	(15.00 - 23.29)	18.66	(15.22 - 22.67)
Four Rivers and Pennyroyal	17.25	(13.77 - 21.40)	18.23	(14.55 - 22.60)	18.09	(14.77 - 21.96)
Kentucky River, Mountain, and Pathways	16.99	(13.62 - 20.99)	20.02	(16.08 - 24.64)	19.63	(16.07 - 23.76)
Seven Counties	19.24	(15.87 - 23.14)	20.29	(16.53 - 24.65)	20.15	(16.78 - 24.01)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	17.54	(15.72 - 19.51)	19.17	(17.03 - 21.51)	18.92	(17.05 - 20.94)
Regions 1 and 10	16.56	(14.00 - 19.49)	17.97	(15.10 - 21.24)	17.75	(15.21 - 20.61)
Region 1	16.83	(13.61 - 20.63)	18.58	(14.92 - 22.88)	18.26	(15.09 - 21.92)
Region 10 (Jefferson)	16.20	(13.06 - 19.93)	17.40	(13.92 - 21.53)	17.24	(14.09 - 20.92)
Regions 2 and 9	17.48	(14.75 - 20.59)	18.52	(15.27 - 22.28)	18.35	(15.49 - 21.60)
Region 3	17.00	(13.69 - 20.91)	18.14	(14.53 - 22.42)	17.97	(14.73 - 21.75)
Regions 4, 5, and 6	19.95	(16.68 - 23.68)	21.46	(17.99 - 25.39)	21.23	(18.17 - 24.65)
Regions 7 and 8	15.74	(13.07 - 18.85)	18.69	(15.39 - 22.51)	18.22	(15.32 - 21.54)
Maine	20.80	(18.61 - 23.17)	18.79	(16.55 - 21.24)	19.04	(17.02 - 21.23)
Aroostook/Downeast	20.42	(17.33 - 23.89)	18.36	(15.17 - 22.05)	18.59	(15.64 - 21.96)
Aroostook	20.48	(16.66 - 24.91)	18.56	(14.60 - 23.30)	18.78	(15.13 - 23.08)
Downeast	20.36	(16.56 - 24.78)	18.20	(14.40 - 22.73)	18.44	(14.92 - 22.57)
Central	20.08	(16.45 - 24.29)	20.60	(16.77 - 25.04)	20.54	(17.05 - 24.54)
Cumberland	20.84	(17.09 - 25.16)	17.39	(14.11 - 21.24)	17.83	(14.81 - 21.31)
Midcoast	21.04	(17.20 - 25.47)	18.48	(14.69 - 22.99)	18.74	(15.20 - 22.88)
Penquis	21.02	(17.37 - 25.22)	18.96	(15.39 - 23.13)	19.29	(16.13 - 22.91)
Western	19.89	(16.48 - 23.80)	19.52	(15.91 - 23.73)	19.57	(16.30 - 23.31)
York	22.27	(18.55 - 26.49)	18.89	(15.21 - 23.23)	19.28	(15.89 - 23.20)
Maryland	18.03	(16.04 - 20.21)	17.26	(15.15 - 19.58)	17.37	(15.48 - 19.43)
Anne Arundel	18.40	(14.93 - 22.46)	17.18	(13.67 - 21.38)	17.34	(14.12 - 21.12)
Baltimore City	16.72	(13.57 - 20.43)	17.94	(14.40 - 22.13)	17.72	(14.62 - 21.31)
Baltimore County	18.17	(14.94 - 21.91)	17.49	(14.21 - 21.35)	17.59	(14.64 - 20.99)
Montgomery	19.33	(15.67 - 23.62)	17.70	(14.28 - 21.73)	17.89	(14.74 - 21.55)
North Central	18.18	(14.64 - 22.35)	16.25	(12.79 - 20.43)	16.49	(13.30 - 20.26)
Northeast	20.22	(16.34 - 24.75)	18.79	(14.94 - 23.37)	18.97	(15.43 - 23.11)
Prince George's	16.25	(13.15 - 19.91)	15.74	(12.53 - 19.58)	15.82	(12.98 - 19.16)
South	18.12	(14.65 - 22.20)	16.47	(13.04 - 20.59)	16.72	(13.62 - 20.36)
West	19.09	(15.53 - 23.24)	17.98	(14.48 - 22.10)	18.13	(14.95 - 21.81)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	19.48	(17.41 - 21.73)	17.17	(15.03 - 19.53)	17.51	(15.62 - 19.58)
Boston	20.77	(17.22 - 24.82)	18.34	(14.81 - 22.49)	18.91	(15.90 - 22.35)
Central	18.45	(15.19 - 22.23)	16.75	(13.46 - 20.66)	17.00	(14.01 - 20.46)
Metrowest	19.80	(16.27 - 23.88)	17.05	(13.96 - 20.66)	17.41	(14.59 - 20.65)
Northeast	18.09	(14.93 - 21.74)	16.43	(13.28 - 20.15)	16.65	(13.77 - 19.98)
Southeast	19.68	(16.17 - 23.74)	16.76	(13.50 - 20.62)	17.13	(14.15 - 20.59)
Western	19.53	(16.14 - 23.43)	18.57	(14.98 - 22.78)	18.73	(15.57 - 22.37)
Michigan	19.72	(18.51 - 20.99)	20.10	(18.80 - 21.48)	20.05	(18.91 - 21.24)
Detroit City	17.03	(14.43 - 19.99)	22.10	(18.59 - 26.07)	21.19	(18.20 - 24.52)
Genesee	20.49	(17.18 - 24.26)	20.79	(17.38 - 24.66)	20.75	(17.70 - 24.16)
Kalamazoo	20.73	(17.55 - 24.31)	20.28	(17.05 - 23.94)	20.35	(17.49 - 23.54)
Kent	20.71	(17.69 - 24.08)	17.86	(14.84 - 21.34)	18.30	(15.62 - 21.33)
Lakeshore	19.25	(16.45 - 22.39)	19.33	(16.45 - 22.57)	19.31	(16.76 - 22.16)
Macomb	18.01	(15.29 - 21.11)	18.64	(15.64 - 22.06)	18.56	(15.86 - 21.60)
Mid South	19.94	(17.14 - 23.07)	23.13	(19.77 - 26.87)	22.56	(19.68 - 25.72)
Northern	19.69	(16.68 - 23.09)	18.79	(15.75 - 22.27)	18.92	(16.22 - 21.95)
Oakland	19.58	(16.91 - 22.55)	19.53	(16.77 - 22.62)	19.54	(17.04 - 22.30)
Pathways and Western	20.55	(17.25 - 24.29)	21.41	(17.68 - 25.68)	21.29	(17.94 - 25.07)
Riverhaven	20.35	(17.05 - 24.11)	22.17	(18.55 - 26.28)	21.95	(18.66 - 25.64)
Saginaw	19.45	(16.04 - 23.38)	20.12	(16.42 - 24.41)	20.01	(16.72 - 23.77)
Southeast	20.16	(17.52 - 23.09)	20.24	(17.41 - 23.41)	20.23	(17.71 - 23.02)
St. Clair	20.64	(17.13 - 24.65)	20.82	(17.07 - 25.14)	20.80	(17.38 - 24.69)
Washtenaw	21.01	(17.99 - 24.40)	18.20	(15.05 - 21.82)	18.72	(16.02 - 21.77)
Minnesota	19.92	(17.75 - 22.29)	16.85	(14.85 - 19.06)	17.29	(15.48 - 19.25)
Regions 1 and 2	20.30	(16.54 - 24.66)	17.98	(14.37 - 22.27)	18.31	(15.04 - 22.10)
Regions 3 and 4	19.93	(16.45 - 23.93)	17.48	(14.15 - 21.41)	17.84	(14.84 - 21.29)
Regions 5 and 6	19.57	(16.04 - 23.66)	17.07	(13.92 - 20.75)	17.44	(14.58 - 20.71)
Region 7A (Hennepin)	20.70	(17.31 - 24.55)	16.89	(13.86 - 20.43)	17.42	(14.65 - 20.59)
Region 7B (Ramsey)	20.64	(16.69 - 25.24)	18.68	(15.07 - 22.91)	19.01	(15.80 - 22.71)
Region 7C	18.73	(15.46 - 22.50)	14.85	(12.02 - 18.19)	15.32	(12.72 - 18.34)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Mississippi	17.06	(15.16 - 19.15)	19.91	(17.66 - 22.37)	19.47	(17.50 - 21.61)
Region 1	17.75	(14.65 - 21.35)	20.09	(16.51 - 24.22)	19.73	(16.55 - 23.36)
Region 2	15.46	(12.46 - 19.02)	19.89	(16.09 - 24.32)	19.20	(15.86 - 23.05)
Region 3	16.96	(13.98 - 20.43)	20.18	(16.48 - 24.47)	19.62	(16.42 - 23.27)
Region 4	16.46	(13.47 - 19.97)	18.76	(15.38 - 22.69)	18.41	(15.42 - 21.84)
Region 5	16.62	(13.27 - 20.61)	20.32	(16.18 - 25.20)	19.81	(16.10 - 24.13)
Region 6	17.89	(14.53 - 21.83)	20.79	(16.98 - 25.19)	20.31	(16.95 - 24.14)
Region 7	17.78	(14.55 - 21.55)	20.02	(16.36 - 24.25)	19.70	(16.43 - 23.44)
Missouri	18.34	(16.31 - 20.57)	19.31	(17.09 - 21.74)	19.17	(17.20 - 21.30)
Central	19.07	(15.59 - 23.11)	19.41	(15.80 - 23.60)	19.34	(16.18 - 22.95)
Eastern	18.50	(15.82 - 21.52)	18.38	(15.60 - 21.52)	18.40	(15.91 - 21.18)
Eastern (St. Louis City and County)	18.35	(15.16 - 22.04)	18.69	(15.39 - 22.52)	18.64	(15.68 - 22.01)
Eastern (excluding St. Louis)	18.80	(15.21 - 22.99)	17.84	(14.30 - 22.04)	17.97	(14.74 - 21.73)
Northwest	17.05	(14.51 - 19.94)	18.33	(15.45 - 21.62)	18.15	(15.59 - 21.03)
Northwest (Jackson)	16.87	(13.85 - 20.40)	17.72	(14.19 - 21.90)	17.60	(14.45 - 21.27)
Northwest (excluding Jackson)	17.21	(13.92 - 21.08)	18.86	(15.25 - 23.08)	18.62	(15.40 - 22.35)
Southeast	19.10	(15.66 - 23.10)	21.16	(17.14 - 25.84)	20.88	(17.27 - 25.02)
Southwest	18.60	(15.12 - 22.66)	21.39	(17.49 - 25.89)	20.99	(17.49 - 24.96)
Montana	20.68	(18.56 - 22.98)	18.88	(16.68 - 21.29)	19.13	(17.18 - 21.24)
Region 1	20.86	(16.96 - 25.40)	18.73	(14.97 - 23.19)	18.98	(15.51 - 23.01)
Region 2	19.56	(15.94 - 23.76)	17.67	(14.21 - 21.75)	17.94	(14.81 - 21.57)
Region 3	23.45	(19.53 - 27.89)	19.29	(16.02 - 23.06)	19.81	(16.80 - 23.21)
Region 4	20.61	(17.38 - 24.28)	17.85	(14.74 - 21.45)	18.28	(15.49 - 21.44)
Region 5	19.63	(16.64 - 23.02)	20.05	(16.69 - 23.89)	19.99	(17.00 - 23.36)
Nebraska	18.70	(16.64 - 20.95)	17.27	(15.11 - 19.66)	17.48	(15.57 - 19.57)
Regions 1 and 2	18.55	(15.58 - 21.93)	18.16	(14.93 - 21.92)	18.21	(15.26 - 21.59)
Region 1	*	(* - *)	18.90	(14.76 - 23.88)	18.78	(15.01 - 23.25)
Region 2	19.11	(15.37 - 23.52)	17.51	(13.74 - 22.06)	17.71	(14.24 - 21.80)
Region 3	19.14	(15.68 - 23.16)	17.56	(14.10 - 21.66)	17.79	(14.67 - 21.40)
Region 4	17.80	(14.32 - 21.90)	18.20	(14.46 - 22.65)	18.15	(14.76 - 22.12)
Region 5	20.06	(16.81 - 23.74)	19.05	(15.49 - 23.20)	19.22	(16.11 - 22.77)
Region 6	17.86	(15.11 - 20.98)	15.65	(12.96 - 18.77)	15.98	(13.57 - 18.72)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	17.78	(15.42 - 20.41)	16.43	(14.13 - 19.02)	16.61	(14.56 - 18.89)
Clark – Region 1	17.22	(14.47 - 20.38)	15.83	(13.20 - 18.87)	16.02	(13.65 - 18.71)
Region 3	18.37	(15.27 - 21.95)	18.10	(14.83 - 21.90)	18.13	(15.14 - 21.57)
Capital District	17.89	(14.20 - 22.29)	17.64	(13.76 - 22.33)	17.67	(14.10 - 21.90)
Rural/Frontier	18.77	(14.91 - 23.36)	18.53	(14.60 - 23.22)	18.56	(14.96 - 22.79)
Washoe – Region 2	19.67	(16.29 - 23.55)	17.84	(14.54 - 21.70)	18.12	(15.17 - 21.50)
New Hampshire	20.02	(17.92 - 22.30)	19.44	(17.12 - 22.00)	19.52	(17.44 - 21.78)
Central	19.81	(17.22 - 22.70)	20.17	(17.07 - 23.68)	20.12	(17.37 - 23.19)
Central 1	19.54	(16.33 - 23.21)	19.54	(15.79 - 23.93)	19.54	(16.22 - 23.35)
Central 2	20.17	(16.69 - 24.18)	20.76	(16.78 - 25.40)	20.69	(17.09 - 24.82)
Northern	18.71	(15.25 - 22.74)	19.89	(15.97 - 24.49)	19.73	(16.20 - 23.81)
Southern	20.46	(17.86 - 23.32)	18.99	(16.38 - 21.90)	19.18	(16.82 - 21.78)
Southern 1 (Rockingham)	19.48	(16.11 - 23.36)	17.86	(14.53 - 21.76)	18.05	(14.98 - 21.59)
Southern 2	20.95	(17.75 - 24.55)	19.70	(16.49 - 23.36)	19.87	(16.99 - 23.11)
New Jersey	17.29	(15.24 - 19.55)	15.41	(13.32 - 17.76)	15.66	(13.76 - 17.76)
Central	16.91	(13.74 - 20.63)	15.05	(12.04 - 18.65)	15.28	(12.50 - 18.54)
Metropolitan	17.38	(14.40 - 20.82)	14.92	(12.02 - 18.38)	15.27	(12.65 - 18.32)
Northern	16.96	(14.06 - 20.30)	15.36	(12.39 - 18.88)	15.56	(12.86 - 18.71)
Southern	18.05	(14.78 - 21.85)	16.44	(13.20 - 20.30)	16.66	(13.71 - 20.10)
New Mexico	19.54	(17.49 - 21.76)	18.29	(15.90 - 20.95)	18.47	(16.37 - 20.78)
Region 1	19.83	(16.49 - 23.66)	18.28	(14.89 - 22.24)	18.51	(15.47 - 21.99)
Region 2	18.24	(14.78 - 22.29)	17.64	(13.93 - 22.08)	17.71	(14.32 - 21.71)
Region 3 (Bernalillo)	20.56	(17.40 - 24.12)	18.08	(14.75 - 21.96)	18.45	(15.48 - 21.84)
Region 4	17.85	(14.62 - 21.63)	19.19	(15.45 - 23.58)	18.97	(15.68 - 22.78)
Region 5	19.44	(16.23 - 23.12)	18.60	(15.14 - 22.65)	18.74	(15.68 - 22.24)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	18.85	(17.59 - 20.17)	18.96	(17.58 - 20.41)	18.94	(17.74 - 20.20)
Region A	18.46	(16.82 - 20.21)	18.82	(17.01 - 20.77)	18.76	(17.18 - 20.45)
Region 1	17.36	(14.46 - 20.69)	19.96	(16.61 - 23.80)	19.49	(16.58 - 22.77)
Region 2	18.00	(15.68 - 20.59)	19.29	(16.42 - 22.52)	19.09	(16.58 - 21.88)
Region 3	21.00	(17.81 - 24.59)	19.97	(16.83 - 23.54)	20.13	(17.32 - 23.26)
Region 4	17.81	(14.99 - 21.02)	16.72	(13.88 - 20.00)	16.87	(14.30 - 19.80)
Region B	18.39	(16.56 - 20.37)	18.08	(16.11 - 20.22)	18.12	(16.38 - 20.00)
Region 5	18.20	(15.72 - 20.97)	17.63	(15.11 - 20.48)	17.71	(15.45 - 20.22)
Region 6	17.77	(14.89 - 21.06)	18.75	(15.42 - 22.61)	18.63	(15.63 - 22.05)
Region 7	19.76	(16.51 - 23.46)	18.50	(15.26 - 22.23)	18.69	(15.82 - 21.95)
Region C	19.82	(18.12 - 21.64)	19.77	(17.96 - 21.71)	19.77	(18.20 - 21.45)
Region 8	19.20	(16.22 - 22.57)	19.04	(15.84 - 22.71)	19.06	(16.21 - 22.29)
Region 9	20.18	(17.16 - 23.58)	19.62	(16.40 - 23.29)	19.71	(16.87 - 22.89)
Region 10	21.62	(18.21 - 25.46)	21.72	(17.86 - 26.16)	21.70	(18.39 - 25.41)
Region 11	19.69	(16.67 - 23.10)	20.95	(17.71 - 24.59)	20.75	(17.89 - 23.92)
Region 12	19.24	(16.19 - 22.71)	18.73	(15.73 - 22.16)	18.81	(16.12 - 21.82)
Region D	19.18	(16.96 - 21.61)	20.14	(17.64 - 22.89)	19.99	(17.78 - 22.39)
Region 13	19.44	(16.13 - 23.25)	20.01	(16.29 - 24.33)	19.93	(16.61 - 23.72)
Region 14	19.45	(16.12 - 23.29)	20.16	(16.34 - 24.61)	20.04	(16.68 - 23.89)
Region 15	18.65	(15.42 - 22.37)	20.23	(16.79 - 24.17)	19.99	(16.91 - 23.48)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	16.12	(14.11 - 18.35)	16.31	(14.14 - 18.75)	16.28	(14.34 - 18.43)
Alliance	15.11	(12.14 - 18.66)	15.11	(12.18 - 18.59)	15.11	(12.48 - 18.18)
Cardinal Innovations	16.38	(13.25 - 20.08)	16.50	(13.05 - 20.65)	16.49	(13.37 - 20.16)
CenterPoint/Guilford	15.96	(13.22 - 19.14)	16.02	(13.09 - 19.47)	16.01	(13.38 - 19.06)
CenterPoint	*	(* - *)	*	(* - *)	16.03	(12.77 - 19.95)
Guilford	16.09	(12.78 - 20.05)	15.98	(12.45 - 20.27)	15.99	(12.84 - 19.74)
CoastalCare	16.82	(13.22 - 21.17)	16.26	(12.63 - 20.69)	16.36	(13.13 - 20.21)
Eastpointe	15.88	(12.71 - 19.67)	17.98	(14.19 - 22.52)	17.70	(14.29 - 21.71)
ECBH	16.57	(13.10 - 20.74)	*	(* - *)	16.58	(13.31 - 20.46)
MeckLINK	17.02	(13.58 - 21.12)	15.73	(12.37 - 19.79)	15.91	(12.87 - 19.51)
Partners	15.62	(12.59 - 19.23)	17.00	(13.46 - 21.25)	16.84	(13.60 - 20.65)
Sandhills	16.03	(12.66 - 20.09)	16.47	(12.86 - 20.85)	16.41	(13.10 - 20.37)
Smoky Mountain	16.18	(12.91 - 20.08)	*	(* - *)	16.82	(13.38 - 20.94)
Western Highlands	17.11	(13.58 - 21.35)	16.24	(12.68 - 20.57)	16.34	(13.04 - 20.29)
North Dakota	19.43	(17.31 - 21.74)	15.88	(13.78 - 18.23)	16.50	(14.66 - 18.51)
Badlands and West Central	18.72	(15.35 - 22.63)	15.16	(12.15 - 18.75)	15.64	(12.89 - 18.85)
Lake Region and South Central	19.51	(15.93 - 23.67)	15.59	(12.36 - 19.49)	16.08	(13.11 - 19.57)
North Central and Northwest	20.73	(17.05 - 24.98)	16.22	(13.17 - 19.82)	16.96	(14.20 - 20.12)
Northeast	19.67	(16.36 - 23.47)	16.87	(13.45 - 20.94)	17.54	(14.69 - 20.81)
Southeast	19.03	(15.94 - 22.56)	16.11	(13.17 - 19.56)	16.73	(14.18 - 19.62)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	20.06	(18.86 - 21.33)	19.99	(18.68 - 21.38)	20.00	(18.84 - 21.22)
Boards 2, 46, 55, and 68	19.22	(16.21 - 22.63)	19.43	(16.08 - 23.28)	19.40	(16.39 - 22.81)
Boards 3, 52, and 85	20.06	(16.69 - 23.92)	19.30	(15.80 - 23.37)	19.41	(16.23 - 23.03)
Boards 4 and 78	19.46	(15.95 - 23.54)	21.13	(17.27 - 25.59)	20.94	(17.40 - 24.97)
Boards 5 and 60	17.92	(14.78 - 21.55)	21.65	(17.75 - 26.13)	20.97	(17.62 - 24.75)
Boards 7, 15, 41, 79, and 84	20.77	(17.75 - 24.16)	20.29	(16.98 - 24.06)	20.35	(17.36 - 23.71)
Boards 8, 13, and 83	20.66	(17.35 - 24.41)	19.36	(16.21 - 22.94)	19.52	(16.64 - 22.76)
Board 9 (Butler)	21.74	(18.30 - 25.62)	21.87	(18.22 - 26.01)	21.84	(18.60 - 25.48)
Board 12	21.74	(18.25 - 25.70)	21.37	(17.66 - 25.62)	21.43	(18.12 - 25.17)
Boards 18 and 47	19.03	(16.54 - 21.78)	18.67	(16.04 - 21.62)	18.72	(16.36 - 21.34)
Boards 20, 32, 54, and 69	20.10	(16.68 - 24.02)	19.16	(15.76 - 23.10)	19.29	(16.21 - 22.79)
Boards 21, 39, 51, 70, and 80	21.16	(17.75 - 25.01)	20.32	(16.95 - 24.17)	20.43	(17.35 - 23.88)
Boards 22, 74, and 87	20.89	(17.61 - 24.59)	19.24	(15.94 - 23.04)	19.49	(16.53 - 22.84)
Boards 23 and 45	21.00	(17.54 - 24.94)	19.99	(16.62 - 23.85)	20.13	(17.06 - 23.60)
Board 25 (Franklin)	21.48	(18.56 - 24.71)	20.69	(17.65 - 24.10)	20.82	(18.16 - 23.77)
Boards 27, 71, and 73	19.26	(16.15 - 22.80)	21.00	(17.46 - 25.03)	20.78	(17.58 - 24.39)
Boards 28, 43, and 67	19.32	(16.18 - 22.89)	20.66	(17.33 - 24.44)	20.46	(17.48 - 23.81)
Board 31 (Hamilton)	19.24	(16.39 - 22.46)	19.55	(16.48 - 23.02)	19.50	(16.79 - 22.53)
Board 48 (Lucas)	20.37	(17.09 - 24.09)	21.45	(17.71 - 25.72)	21.28	(17.98 - 25.00)
Boards 50 and 76	19.34	(16.35 - 22.72)	18.89	(15.79 - 22.44)	18.95	(16.15 - 22.12)
Board 57 (Montgomery)	18.97	(15.84 - 22.55)	21.36	(17.89 - 25.30)	21.03	(17.92 - 24.51)
Board 77 (Summit)	20.53	(17.35 - 24.12)	18.64	(15.55 - 22.19)	18.90	(16.08 - 22.07)
Oklahoma	20.03	(17.74 - 22.52)	22.01	(19.48 - 24.77)	21.71	(19.49 - 24.10)
Central	21.39	(17.51 - 25.85)	22.88	(18.45 - 28.02)	22.63	(18.75 - 27.04)
East Central	19.47	(15.79 - 23.77)	23.45	(19.05 - 28.52)	22.91	(18.98 - 27.37)
Northeast	19.54	(15.96 - 23.68)	19.92	(16.10 - 24.37)	19.85	(16.49 - 23.71)
Northwest and Southwest	20.10	(16.26 - 24.59)	21.58	(17.65 - 26.12)	21.35	(17.85 - 25.33)
Oklahoma County	20.11	(16.64 - 24.09)	21.58	(17.75 - 25.99)	21.36	(17.97 - 25.19)
Southeast	19.47	(15.96 - 23.52)	23.80	(19.40 - 28.85)	23.21	(19.26 - 27.69)
Tulsa County	19.90	(16.22 - 24.16)	21.28	(17.53 - 25.58)	21.08	(17.72 - 24.88)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	21.65	(19.46 - 24.01)	21.30	(18.94 - 23.87)	21.35	(19.25 - 23.61)
Region 1 (Multnomah)	22.45	(18.84 - 26.54)	21.81	(18.07 - 26.07)	21.89	(18.51 - 25.70)
Region 2	21.76	(18.19 - 25.81)	20.40	(16.77 - 24.57)	20.57	(17.28 - 24.31)
Region 3	21.82	(18.61 - 25.40)	21.94	(18.49 - 25.83)	21.92	(18.89 - 25.28)
Region 4	20.56	(16.90 - 24.77)	20.92	(17.05 - 25.41)	20.88	(17.37 - 24.90)
Region 5 (Central)	21.13	(17.16 - 25.72)	20.87	(16.77 - 25.66)	20.90	(17.13 - 25.25)
Region 6 (Eastern)	*	(* - *)	*	(* - *)	21.13	(17.09 - 25.82)
Pennsylvania	18.96	(17.69 - 20.29)	17.47	(16.23 - 18.79)	17.69	(16.59 - 18.84)
Region 1 (Allegheny)	18.05	(15.38 - 21.08)	18.11	(15.38 - 21.21)	18.10	(15.66 - 20.84)
Regions 3, 8, 9, and 51	18.15	(15.07 - 21.69)	17.58	(14.54 - 21.09)	17.66	(14.94 - 20.76)
Regions 4, 11, 37, and 49	17.96	(15.08 - 21.24)	16.47	(13.64 - 19.76)	16.67	(14.11 - 19.59)
Regions 5, 18, 23, 24, and 46	20.47	(17.17 - 24.23)	18.04	(15.02 - 21.52)	18.36	(15.63 - 21.46)
Regions 6, 12, 16, 31, 35, 45, and 47	18.91	(15.96 - 22.26)	17.78	(14.77 - 21.25)	18.00	(15.37 - 20.96)
Regions 7, 13, 20, and 33	19.26	(16.79 - 21.99)	16.53	(14.23 - 19.12)	16.88	(14.80 - 19.19)
Regions 10, 15, 27, 32, 43, and 44	19.60	(16.38 - 23.28)	18.48	(15.41 - 22.00)	18.62	(15.81 - 21.80)
Regions 17 and 21	19.81	(16.37 - 23.77)	18.99	(15.51 - 23.04)	19.12	(15.99 - 22.69)
Regions 19, 26, 28, and 42	19.48	(16.63 - 22.68)	16.84	(14.32 - 19.70)	17.20	(14.92 - 19.74)
Regions 22, 38, 40, 41, and 48	20.16	(17.08 - 23.62)	17.38	(14.44 - 20.77)	17.70	(15.02 - 20.75)
Regions 29 and 34	19.57	(16.21 - 23.44)	17.69	(14.63 - 21.23)	17.95	(15.15 - 21.13)
Regions 30 and 50	18.75	(15.63 - 22.34)	17.46	(14.42 - 20.99)	17.63	(14.89 - 20.76)
Region 36 (Philadelphia)	18.20	(15.68 - 21.01)	18.53	(15.83 - 21.57)	18.46	(16.16 - 21.01)
Rhode Island	18.23	(16.17 - 20.49)	18.57	(16.20 - 21.21)	18.52	(16.47 - 20.76)
Bristol and Newport	18.35	(14.82 - 22.50)	16.12	(12.55 - 20.47)	16.46	(13.26 - 20.25)
Kent	18.22	(14.94 - 22.03)	18.22	(14.74 - 22.32)	18.23	(15.04 - 21.92)
Providence	18.05	(15.53 - 20.88)	19.39	(16.41 - 22.77)	19.16	(16.60 - 22.01)
Washington	18.97	(15.53 - 22.96)	17.75	(14.09 - 22.11)	17.97	(14.79 - 21.65)
South Carolina	17.26	(15.28 - 19.45)	18.49	(16.24 - 20.97)	18.31	(16.33 - 20.47)
Region 1	15.52	(12.72 - 18.80)	18.34	(14.95 - 22.30)	17.94	(14.92 - 21.41)
Region 2	17.88	(14.94 - 21.25)	17.85	(14.76 - 21.43)	17.86	(15.11 - 20.98)
Region 3	16.56	(13.42 - 20.27)	19.41	(15.74 - 23.70)	19.03	(15.74 - 22.82)
Region 4	18.62	(15.37 - 22.37)	18.72	(15.39 - 22.58)	18.71	(15.74 - 22.09)

See notes at end of table.

(continued)

Table 23 *Any Mental Illness in the Past Year*, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	18.88	(16.71 - 21.27)	17.09	(15.00 - 19.40)	17.36	(15.49 - 19.39)
Region 1	19.71	(16.23 - 23.73)	17.00	(13.76 - 20.83)	17.39	(14.45 - 20.78)
Region 2	19.48	(15.73 - 23.87)	16.80	(13.19 - 21.16)	17.12	(13.78 - 21.06)
Region 3	17.79	(14.64 - 21.45)	16.82	(13.68 - 20.51)	16.99	(14.21 - 20.17)
Region 4	18.12	(14.59 - 22.29)	15.97	(12.71 - 19.88)	16.31	(13.38 - 19.74)
Region 5	19.55	(16.36 - 23.19)	18.03	(14.98 - 21.56)	18.25	(15.49 - 21.37)
Tennessee	17.36	(15.34 - 19.60)	21.08	(18.60 - 23.80)	20.56	(18.37 - 22.94)
Region 1	18.23	(14.69 - 22.40)	22.66	(18.40 - 27.57)	22.11	(18.26 - 26.50)
Region 2	17.90	(14.51 - 21.88)	21.34	(17.52 - 25.74)	20.89	(17.46 - 24.78)
Region 3	17.18	(14.06 - 20.83)	22.60	(18.61 - 27.16)	21.87	(18.33 - 25.87)
Region 4 (Davidson)	17.88	(14.54 - 21.80)	21.82	(17.64 - 26.67)	21.19	(17.52 - 25.40)
Region 5	18.28	(15.14 - 21.91)	20.21	(16.52 - 24.48)	19.94	(16.67 - 23.68)
Region 6	16.51	(13.43 - 20.14)	21.38	(17.23 - 26.22)	20.71	(17.02 - 24.96)
Region 7 (Shelby)	15.31	(12.34 - 18.85)	18.84	(15.20 - 23.11)	18.28	(15.09 - 21.97)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	16.91	(15.74 - 18.16)	16.66	(15.40 - 17.99)	16.70	(15.62 - 17.83)
Region 1	16.80	(13.87 - 20.22)	17.15	(13.95 - 20.89)	17.08	(14.28 - 20.31)
Region 2	16.72	(13.68 - 20.27)	16.79	(13.58 - 20.59)	16.78	(13.92 - 20.08)
Region 3	17.64	(15.80 - 19.65)	16.25	(14.41 - 18.28)	16.45	(14.83 - 18.22)
Region 3a	17.53	(15.22 - 20.10)	16.23	(14.00 - 18.73)	16.42	(14.45 - 18.60)
Region 3bc	17.84	(15.31 - 20.69)	16.29	(13.74 - 19.21)	16.52	(14.24 - 19.08)
Region 4	17.86	(14.74 - 21.46)	19.04	(15.68 - 22.92)	18.88	(15.86 - 22.31)
Region 5	15.97	(13.10 - 19.33)	17.61	(14.30 - 21.48)	17.36	(14.44 - 20.74)
Region 6	15.30	(13.34 - 17.49)	15.75	(13.73 - 17.99)	15.68	(13.90 - 17.64)
Region 6a	15.14	(13.04 - 17.52)	15.66	(13.49 - 18.10)	15.58	(13.67 - 17.70)
Region 6bc	16.81	(13.82 - 20.30)	16.48	(13.30 - 20.24)	16.53	(13.65 - 19.87)
Region 7	18.47	(16.31 - 20.86)	17.95	(15.60 - 20.55)	18.04	(16.03 - 20.24)
Region 7a	17.81	(15.05 - 20.94)	16.95	(14.15 - 20.17)	17.09	(14.64 - 19.86)
Region 7bcd	19.34	(16.35 - 22.73)	19.73	(16.39 - 23.56)	19.64	(16.80 - 22.82)
Region 8	17.29	(14.67 - 20.27)	17.82	(14.98 - 21.06)	17.73	(15.25 - 20.53)
Region 9	17.72	(14.61 - 21.32)	17.66	(14.36 - 21.53)	17.67	(14.73 - 21.05)
Region 10	17.55	(14.46 - 21.13)	16.19	(13.16 - 19.76)	16.43	(13.77 - 19.48)
Region 11	15.60	(13.39 - 18.10)	15.19	(12.89 - 17.81)	15.26	(13.25 - 17.52)
Region 11abd	15.93	(13.16 - 19.14)	15.15	(12.31 - 18.52)	15.28	(12.77 - 18.19)
Region 11c (Hidalgo)	15.07	(12.31 - 18.32)	15.26	(12.28 - 18.81)	15.22	(12.64 - 18.23)
Utah	24.46	(22.08 - 27.00)	22.23	(19.80 - 24.87)	22.65	(20.56 - 24.88)
Bear River, Northeastern, Summit, Tooele, and Wasatch	25.34	(21.26 - 29.91)	23.43	(19.21 - 28.27)	23.79	(20.12 - 27.90)
Central, Four Corners, San Juan, and Southwest	20.82	(17.00 - 25.24)	22.84	(18.64 - 27.66)	22.49	(18.78 - 26.69)
Davis County	23.66	(19.47 - 28.45)	22.52	(18.55 - 27.06)	22.71	(19.18 - 26.67)
Salt Lake County	25.29	(21.74 - 29.19)	21.24	(18.03 - 24.84)	21.92	(19.10 - 25.02)
Utah County	25.13	(21.30 - 29.38)	23.82	(19.84 - 28.31)	24.16	(20.87 - 27.78)
Weber, Morgan	23.47	(19.21 - 28.34)	20.96	(17.11 - 25.42)	21.39	(17.89 - 25.35)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Vermont	20.58	(18.34 - 23.03)	18.65	(16.38 - 21.15)	18.93	(16.91 - 21.13)
Champlain Valley	19.56	(16.59 - 22.91)	17.89	(14.99 - 21.20)	18.19	(15.66 - 21.02)
Rural Northeast	22.94	(19.19 - 27.18)	19.61	(15.98 - 23.83)	20.04	(16.75 - 23.79)
Rural Southeast	21.33	(17.74 - 25.43)	18.41	(15.01 - 22.38)	18.73	(15.59 - 22.35)
Rural Southwest	19.87	(16.50 - 23.72)	19.33	(15.75 - 23.51)	19.41	(16.17 - 23.12)
Virginia	18.77	(16.68 - 21.06)	17.60	(15.43 - 20.00)	17.77	(15.83 - 19.90)
Region 1	19.12	(15.79 - 22.96)	19.10	(15.56 - 23.22)	19.10	(15.96 - 22.69)
Region 2	18.92	(15.70 - 22.63)	15.68	(12.78 - 19.09)	16.07	(13.40 - 19.15)
Region 3	18.45	(15.17 - 22.25)	19.92	(16.27 - 24.15)	19.70	(16.45 - 23.42)
Region 4	18.72	(15.22 - 22.82)	18.42	(14.97 - 22.45)	18.46	(15.33 - 22.07)
Region 5	18.67	(15.42 - 22.43)	16.56	(13.40 - 20.29)	16.91	(14.08 - 20.18)
Washington	21.18	(19.02 - 23.51)	21.14	(18.73 - 23.78)	21.15	(19.01 - 23.47)
Region 1	21.40	(18.32 - 24.84)	21.71	(18.29 - 25.57)	21.66	(18.63 - 25.03)
East 1 (previously Region 1)	21.65	(17.73 - 26.16)	22.47	(18.24 - 27.36)	22.33	(18.55 - 26.62)
East 2 (previously Region 2)	21.06	(17.32 - 25.35)	20.67	(16.53 - 25.55)	20.74	(17.08 - 24.94)
Region 2	21.48	(18.71 - 24.53)	20.29	(17.50 - 23.40)	20.45	(17.93 - 23.22)
North 1 (previously Region 3)	22.13	(18.50 - 26.23)	20.86	(17.12 - 25.17)	21.04	(17.67 - 24.86)
North 2 (previously Region 4)	21.08	(17.70 - 24.90)	19.97	(16.67 - 23.73)	20.11	(17.13 - 23.47)
Region 3	20.57	(17.78 - 23.68)	22.01	(18.83 - 25.56)	21.82	(18.97 - 24.95)
West 1 (previously Region 5)	20.20	(16.74 - 24.17)	21.52	(17.69 - 25.92)	21.32	(17.91 - 25.18)
West 2 (previously Region 6)	20.98	(17.34 - 25.16)	22.45	(18.42 - 27.08)	22.27	(18.63 - 26.40)
West Virginia	18.12	(16.23 - 20.18)	21.81	(19.42 - 24.40)	21.33	(19.21 - 23.62)
Region I	18.00	(14.65 - 21.93)	20.60	(16.45 - 25.46)	20.28	(16.51 - 24.67)
Region II	18.92	(15.39 - 23.05)	21.90	(17.79 - 26.65)	21.53	(17.81 - 25.78)
Region III	17.79	(14.36 - 21.84)	21.30	(17.32 - 25.91)	20.92	(17.26 - 25.12)
Region IV	17.71	(14.97 - 20.82)	20.57	(17.00 - 24.66)	20.06	(16.99 - 23.51)
Region V	18.61	(15.78 - 21.82)	22.84	(19.41 - 26.68)	22.34	(19.26 - 25.77)
Region VI	17.67	(14.42 - 21.47)	22.32	(18.27 - 26.97)	21.81	(18.12 - 26.00)

See notes at end of table.

(continued)

Table 23 Any Mental Illness in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25		26+		18+	
	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
Wisconsin	18.78	(16.70 - 21.06)	17.02	(14.78 - 19.54)	17.28	(15.27 - 19.48)
Milwaukee	19.16	(15.64 - 23.27)	18.22	(14.52 - 22.62)	18.37	(15.06 - 22.22)
Northeastern	18.59	(15.47 - 22.19)	16.38	(13.19 - 20.16)	16.67	(13.78 - 20.02)
Northern	17.69	(14.18 - 21.85)	16.61	(13.13 - 20.78)	16.75	(13.58 - 20.48)
Southeastern	18.66	(15.26 - 22.60)	16.30	(13.00 - 20.23)	16.60	(13.57 - 20.15)
Southern	19.06	(15.81 - 22.81)	17.08	(13.69 - 21.11)	17.38	(14.34 - 20.91)
Western	18.87	(15.46 - 22.83)	17.96	(14.24 - 22.39)	18.10	(14.82 - 21.92)
Wyoming	20.52	(18.39 - 22.82)	18.32	(16.29 - 20.55)	18.65	(16.83 - 20.62)
Judicial District 1 (Laramie)	19.91	(16.40 - 23.95)	18.44	(15.07 - 22.37)	18.65	(15.60 - 22.14)
Judicial District 2	20.70	(17.17 - 24.74)	18.68	(15.15 - 22.82)	19.27	(16.31 - 22.61)
Judicial District 3	19.40	(16.11 - 23.19)	19.00	(15.58 - 22.97)	19.06	(15.96 - 22.59)
Judicial District 4	20.96	(17.14 - 25.38)	17.35	(13.80 - 21.58)	17.76	(14.48 - 21.59)
Judicial District 5	20.79	(17.00 - 25.16)	17.63	(13.97 - 22.00)	18.00	(14.63 - 21.95)
Judicial District 6	19.84	(16.06 - 24.26)	17.70	(14.29 - 21.73)	18.01	(14.87 - 21.65)
Judicial District 7 (Natrona)	22.09	(18.30 - 26.42)	19.05	(15.55 - 23.13)	19.49	(16.28 - 23.14)
Judicial District 8	20.84	(16.98 - 25.30)	18.53	(14.80 - 22.95)	18.82	(15.38 - 22.82)
Judicial District 9	20.57	(16.76 - 24.97)	17.88	(14.35 - 22.04)	18.21	(14.96 - 21.98)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Any mental illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder, that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). For details, see Section B in the "2011-2012 National Survey on Drug Use and Health: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://samhsa.gov/data/NSDUH/2k12State/NSDUHsae2012/Index.aspx>.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012 and October 2013, 2011 Data - Revised October 2013).

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	6.91	(6.65 - 7.17)	3.24	(3.07 - 3.41)	3.78	(3.63 - 3.93)
Northeast	6.92	(6.47 - 7.40)	3.24	(2.93 - 3.59)	3.77	(3.49 - 4.08)
Midwest	7.13	(6.76 - 7.52)	3.38	(3.14 - 3.64)	3.93	(3.71 - 4.16)
South	6.59	(6.24 - 6.97)	3.13	(2.90 - 3.39)	3.64	(3.43 - 3.87)
West	7.18	(6.66 - 7.73)	3.26	(2.93 - 3.61)	3.86	(3.56 - 4.17)
Alabama	7.62	(6.39 - 9.06)	3.38	(2.62 - 4.35)	4.01	(3.31 - 4.85)
Region 1	7.22	(5.52 - 9.39)	3.41	(2.39 - 4.85)	3.93	(2.96 - 5.20)
Region 2	7.87	(6.11 - 10.08)	3.42	(2.42 - 4.80)	4.10	(3.15 - 5.32)
Region 3	7.55	(5.68 - 9.97)	3.46	(2.39 - 4.98)	4.20	(3.18 - 5.52)
Region 4	7.79	(5.97 - 10.12)	3.22	(2.25 - 4.60)	3.84	(2.90 - 5.07)
Alaska	8.10	(6.72 - 9.73)	3.94	(3.05 - 5.07)	4.58	(3.77 - 5.57)
Anchorage	8.99	(7.10 - 11.32)	3.95	(2.84 - 5.46)	4.76	(3.72 - 6.09)
Northern	7.53	(5.68 - 9.93)	3.97	(2.73 - 5.75)	4.64	(3.48 - 6.16)
South Central	7.30	(5.43 - 9.74)	3.90	(2.69 - 5.63)	4.35	(3.20 - 5.89)
Southeast	7.49	(5.50 - 10.12)	3.91	(2.70 - 5.62)	4.35	(3.19 - 5.89)
Arizona	8.33	(6.85 - 10.10)	3.56	(2.70 - 4.70)	4.27	(3.46 - 5.26)
Maricopa	8.76	(6.89 - 11.07)	3.57	(2.54 - 4.99)	4.34	(3.36 - 5.59)
Pima	7.96	(5.96 - 10.54)	3.52	(2.37 - 5.22)	4.21	(3.10 - 5.68)
Rural North	7.94	(5.88 - 10.62)	3.74	(2.50 - 5.55)	4.32	(3.14 - 5.93)
Rural South	7.18	(5.27 - 9.71)	3.44	(2.31 - 5.11)	3.96	(2.87 - 5.43)
Arkansas	6.92	(5.77 - 8.28)	3.91	(3.06 - 4.98)	4.34	(3.57 - 5.28)
Catchment Area 1	6.90	(5.23 - 9.05)	3.53	(2.45 - 5.07)	4.08	(3.06 - 5.43)
Catchment Area 2	6.74	(4.94 - 9.11)	3.71	(2.50 - 5.46)	4.08	(2.94 - 5.64)
Catchment Area 3	6.68	(4.90 - 9.04)	3.78	(2.58 - 5.52)	4.22	(3.09 - 5.73)
Catchment Area 4	6.68	(4.92 - 9.01)	4.25	(2.85 - 6.28)	4.58	(3.27 - 6.37)
Catchment Area 5	6.64	(4.99 - 8.79)	3.97	(2.73 - 5.75)	4.43	(3.29 - 5.92)
Catchment Area 6	6.89	(5.05 - 9.34)	3.82	(2.56 - 5.67)	4.27	(3.07 - 5.90)
Catchment Area 7	6.77	(5.00 - 9.12)	3.84	(2.58 - 5.66)	4.23	(3.06 - 5.84)
Catchment Area 8	7.69	(5.80 - 10.11)	4.26	(2.96 - 6.10)	4.71	(3.49 - 6.34)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
California	6.98	(6.20 - 7.86)	2.96	(2.48 - 3.52)	3.59	(3.15 - 4.09)
Region 1R	7.41	(5.61 - 9.73)	3.45	(2.41 - 4.91)	4.05	(3.05 - 5.36)
Region 2R	7.37	(5.66 - 9.55)	3.19	(2.28 - 4.46)	3.83	(2.95 - 4.97)
Region 3R (Sacramento)	7.64	(5.81 - 10.00)	3.40	(2.39 - 4.81)	4.05	(3.07 - 5.34)
Region 4R	7.17	(5.45 - 9.39)	3.34	(2.32 - 4.78)	3.84	(2.86 - 5.14)
Region 5R (San Francisco)	7.34	(5.57 - 9.61)	3.72	(2.61 - 5.27)	4.16	(3.10 - 5.56)
Region 6 (Santa Clara)	7.01	(5.35 - 9.14)	2.79	(1.94 - 3.99)	3.35	(2.52 - 4.43)
Region 7R (Contra Costa)	7.17	(5.40 - 9.45)	2.93	(2.05 - 4.19)	3.48	(2.60 - 4.64)
Region 8R (Alameda)	7.48	(5.70 - 9.75)	3.27	(2.31 - 4.60)	3.86	(2.94 - 5.07)
Region 9R (San Mateo)	6.94	(5.17 - 9.25)	2.93	(2.03 - 4.21)	3.38	(2.51 - 4.56)
Region 10	7.28	(5.51 - 9.57)	2.84	(1.98 - 4.07)	3.62	(2.75 - 4.74)
Region 11 (Los Angeles)	6.83	(5.91 - 7.88)	2.82	(2.27 - 3.49)	3.46	(2.95 - 4.06)
LA SPA 1 and 5	7.12	(5.33 - 9.46)	3.20	(2.25 - 4.54)	3.83	(2.89 - 5.07)
LA SPA 2	6.86	(5.24 - 8.94)	3.05	(2.16 - 4.29)	3.62	(2.76 - 4.72)
LA SPA 3	6.87	(5.24 - 8.96)	2.60	(1.80 - 3.72)	3.26	(2.47 - 4.29)
LA SPA 4	6.77	(5.22 - 8.76)	3.21	(2.25 - 4.56)	3.75	(2.84 - 4.94)
LA SPA 6	6.90	(5.28 - 8.97)	2.37	(1.66 - 3.37)	3.32	(2.59 - 4.25)
LA SPA 7	6.83	(5.19 - 8.94)	2.32	(1.62 - 3.33)	3.11	(2.39 - 4.05)
LA SPA 8	6.51	(4.97 - 8.49)	2.80	(1.97 - 3.97)	3.36	(2.54 - 4.43)
Region 12R	7.19	(5.40 - 9.52)	3.07	(2.13 - 4.39)	3.70	(2.79 - 4.91)
Regions 13 and 19R	7.23	(5.67 - 9.17)	2.78	(1.98 - 3.90)	3.52	(2.74 - 4.52)
Region 13 (Riverside)	7.27	(5.62 - 9.34)	2.81	(1.97 - 3.99)	3.55	(2.73 - 4.60)
Region 19R (Imperial)	*	(* - *)	*	(* - *)	3.18	(2.39 - 4.22)
Region 14 (Orange)	6.33	(4.93 - 8.08)	2.70	(1.94 - 3.75)	3.25	(2.51 - 4.21)
Region 15R (Fresno)	7.24	(5.47 - 9.53)	2.98	(2.08 - 4.25)	3.77	(2.88 - 4.92)
Region 16R (San Diego)	7.10	(5.55 - 9.04)	3.14	(2.27 - 4.31)	3.81	(2.97 - 4.87)
Region 17R	6.35	(4.84 - 8.30)	2.80	(1.97 - 3.95)	3.44	(2.64 - 4.46)
Region 18R (San Bernardino)	6.72	(5.18 - 8.68)	2.68	(1.89 - 3.80)	3.40	(2.61 - 4.43)
Region 20R	6.46	(4.88 - 8.50)	2.85	(1.98 - 4.09)	3.47	(2.63 - 4.58)
Region 21R	7.57	(5.78 - 9.87)	3.04	(2.12 - 4.34)	3.86	(2.95 - 5.05)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Colorado	6.74	(5.55 - 8.16)	3.18	(2.45 - 4.14)	3.70	(3.02 - 4.53)
Region 1	6.48	(4.78 - 8.74)	2.88	(1.95 - 4.24)	3.51	(2.61 - 4.70)
Regions 2 and 7	6.72	(5.23 - 8.61)	3.27	(2.35 - 4.53)	3.75	(2.88 - 4.85)
Region 3	7.06	(5.24 - 9.43)	3.05	(2.11 - 4.39)	3.66	(2.75 - 4.85)
Region 4	*	(* - *)	2.98	(1.98 - 4.46)	3.47	(2.50 - 4.78)
Regions 5 and 6	6.95	(5.12 - 9.36)	3.38	(2.28 - 4.98)	3.85	(2.81 - 5.26)
Connecticut	6.31	(5.23 - 7.60)	3.28	(2.52 - 4.26)	3.69	(2.99 - 4.55)
Eastern	5.95	(4.41 - 7.97)	3.36	(2.33 - 4.83)	3.82	(2.86 - 5.08)
North Central	6.64	(5.05 - 8.67)	3.32	(2.30 - 4.76)	3.75	(2.78 - 5.03)
Northwestern	6.56	(4.79 - 8.92)	3.42	(2.32 - 5.00)	3.79	(2.74 - 5.21)
South Central	6.17	(4.65 - 8.15)	3.37	(2.29 - 4.93)	3.76	(2.75 - 5.12)
Southwest	6.13	(4.57 - 8.19)	2.95	(1.99 - 4.34)	3.34	(2.43 - 4.58)
Delaware	7.09	(5.83 - 8.60)	3.38	(2.61 - 4.36)	3.92	(3.20 - 4.78)
Kent	7.34	(5.50 - 9.73)	3.66	(2.52 - 5.31)	4.26	(3.17 - 5.70)
New Castle (excluding Wilmington City)	7.11	(5.51 - 9.12)	3.29	(2.38 - 4.52)	3.89	(3.03 - 4.98)
Sussex	6.86	(5.15 - 9.08)	3.24	(2.20 - 4.75)	3.63	(2.62 - 5.00)
Wilmington City	6.85	(5.03 - 9.26)	3.69	(2.52 - 5.37)	4.15	(3.05 - 5.62)
District of Columbia	6.21	(5.11 - 7.53)	3.97	(3.07 - 5.13)	4.41	(3.60 - 5.38)
Ward 1	6.12	(4.51 - 8.26)	4.22	(2.94 - 6.03)	4.63	(3.48 - 6.14)
Ward 2	6.22	(4.68 - 8.23)	4.72	(3.25 - 6.81)	5.17	(3.92 - 6.78)
Ward 3	6.14	(4.54 - 8.25)	3.85	(2.65 - 5.55)	4.27	(3.17 - 5.74)
Ward 4	6.21	(4.52 - 8.47)	3.22	(2.17 - 4.75)	3.57	(2.57 - 4.94)
Ward 5	5.90	(4.32 - 8.01)	3.54	(2.37 - 5.25)	3.99	(2.91 - 5.45)
Ward 6	6.65	(4.88 - 9.02)	4.53	(3.10 - 6.57)	4.85	(3.53 - 6.64)
Ward 7	6.27	(4.49 - 8.71)	3.84	(2.57 - 5.71)	4.26	(3.07 - 5.88)
Ward 8	6.24	(4.56 - 8.48)	3.83	(2.56 - 5.71)	4.34	(3.17 - 5.91)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	6.48	(5.74 - 7.31)	2.94	(2.46 - 3.51)	3.40	(2.96 - 3.91)
Region A - Northwest	6.93	(5.73 - 8.35)	3.28	(2.55 - 4.21)	3.92	(3.23 - 4.75)
Circuit 1	7.13	(5.43 - 9.32)	3.34	(2.37 - 4.68)	3.92	(2.98 - 5.13)
Circuit 2	6.85	(5.26 - 8.88)	3.07	(2.17 - 4.32)	4.00	(3.11 - 5.12)
Circuit 14	6.58	(4.93 - 8.72)	3.40	(2.35 - 4.88)	3.82	(2.83 - 5.14)
Region B - Northeast	6.51	(5.44 - 7.78)	3.22	(2.52 - 4.12)	3.72	(3.06 - 4.51)
Circuits 3 and 8	5.94	(4.52 - 7.79)	3.21	(2.25 - 4.56)	3.78	(2.89 - 4.93)
Circuit 4	6.83	(5.19 - 8.94)	3.08	(2.19 - 4.31)	3.63	(2.76 - 4.75)
Circuit 7	6.68	(5.12 - 8.67)	3.40	(2.40 - 4.80)	3.79	(2.83 - 5.06)
Region C - Central	6.60	(5.65 - 7.69)	3.00	(2.41 - 3.73)	3.47	(2.92 - 4.12)
Circuit 5	6.51	(4.91 - 8.59)	2.89	(1.99 - 4.19)	3.23	(2.35 - 4.42)
Circuit 9	6.65	(5.23 - 8.42)	2.83	(2.02 - 3.95)	3.51	(2.73 - 4.50)
Circuit 10	6.48	(4.95 - 8.43)	3.24	(2.26 - 4.61)	3.65	(2.72 - 4.88)
Circuit 18	6.67	(5.11 - 8.66)	3.24	(2.29 - 4.57)	3.68	(2.76 - 4.88)
Circuit 19	6.56	(4.94 - 8.66)	2.89	(2.00 - 4.16)	3.28	(2.41 - 4.45)
Region D - Southeast	6.04	(4.93 - 7.40)	2.90	(2.20 - 3.79)	3.27	(2.62 - 4.08)
Circuit 15 (Palm Beach)	6.24	(4.79 - 8.08)	2.86	(1.99 - 4.11)	3.25	(2.41 - 4.37)
Circuit 17 (Broward)	5.91	(4.54 - 7.65)	2.92	(2.10 - 4.04)	3.29	(2.51 - 4.30)
Region E - Sun Coast	6.90	(5.84 - 8.13)	3.10	(2.47 - 3.88)	3.53	(2.93 - 4.24)
Circuit 6	7.15	(5.43 - 9.35)	3.23	(2.26 - 4.60)	3.63	(2.70 - 4.87)
Circuit 12	6.66	(5.02 - 8.80)	3.09	(2.12 - 4.50)	3.43	(2.48 - 4.73)
Circuit 13 (Hillsborough)	7.23	(5.73 - 9.08)	3.00	(2.15 - 4.17)	3.64	(2.83 - 4.67)
Circuit 20	6.25	(4.73 - 8.22)	3.03	(2.14 - 4.27)	3.36	(2.50 - 4.49)
Region F - Southern (Circuits 11 and 16)	5.78	(4.54 - 7.34)	2.13	(1.50 - 3.02)	2.64	(2.02 - 3.44)
Georgia	6.63	(5.48 - 8.01)	2.87	(2.22 - 3.71)	3.44	(2.83 - 4.18)
Region 1	6.52	(4.96 - 8.53)	2.90	(1.99 - 4.21)	3.38	(2.50 - 4.55)
Region 2	6.21	(4.58 - 8.36)	2.87	(1.94 - 4.23)	3.44	(2.55 - 4.63)
Region 3	7.03	(5.35 - 9.18)	2.79	(1.97 - 3.93)	3.41	(2.60 - 4.45)
Region 4	6.76	(4.94 - 9.20)	3.19	(2.12 - 4.77)	3.79	(2.76 - 5.19)
Region 5	6.74	(4.95 - 9.10)	3.04	(2.06 - 4.47)	3.69	(2.75 - 4.94)
Region 6	6.27	(4.59 - 8.50)	2.72	(1.86 - 3.98)	3.26	(2.42 - 4.38)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	7.42	(6.11 - 8.99)	3.14	(2.34 - 4.21)	3.71	(2.97 - 4.64)
Hawaii Island	7.09	(5.27 - 9.48)	3.64	(2.44 - 5.41)	4.06	(2.92 - 5.62)
Honolulu	7.40	(5.90 - 9.23)	2.92	(2.06 - 4.13)	3.55	(2.74 - 4.58)
Kauai and Maui	7.86	(6.11 - 10.05)	3.67	(2.57 - 5.21)	4.13	(3.08 - 5.52)
Kauai	*	(* - *)	3.69	(2.44 - 5.54)	4.14	(2.93 - 5.82)
Maui	7.87	(5.87 - 10.47)	3.66	(2.43 - 5.47)	4.13	(2.94 - 5.76)
Idaho	7.30	(6.04 - 8.81)	3.87	(3.00 - 4.97)	4.39	(3.59 - 5.36)
Region 1	7.09	(5.20 - 9.59)	3.78	(2.56 - 5.56)	4.18	(3.01 - 5.78)
Region 2	7.37	(5.45 - 9.90)	3.99	(2.69 - 5.88)	4.65	(3.44 - 6.25)
Region 3	7.48	(5.56 - 9.99)	3.81	(2.61 - 5.54)	4.34	(3.21 - 5.85)
Region 4	7.61	(5.73 - 10.05)	3.83	(2.68 - 5.44)	4.35	(3.25 - 5.80)
Region 5	6.58	(4.82 - 8.91)	3.61	(2.43 - 5.32)	4.03	(2.91 - 5.54)
Region 6	7.58	(5.58 - 10.24)	4.44	(2.99 - 6.55)	4.95	(3.59 - 6.79)
Region 7	7.07	(5.26 - 9.43)	3.83	(2.62 - 5.56)	4.50	(3.37 - 5.98)
Illinois	6.66	(5.90 - 7.52)	2.90	(2.43 - 3.47)	3.45	(3.02 - 3.94)
Region I (Cook)	6.79	(5.70 - 8.07)	2.83	(2.19 - 3.64)	3.41	(2.81 - 4.12)
Region II	6.62	(5.42 - 8.06)	2.80	(2.15 - 3.64)	3.33	(2.72 - 4.06)
Region III	6.50	(5.11 - 8.24)	2.94	(2.15 - 4.01)	3.55	(2.80 - 4.50)
Region IV	6.41	(4.89 - 8.36)	3.11	(2.23 - 4.33)	3.56	(2.73 - 4.65)
Region V	6.69	(5.16 - 8.61)	3.36	(2.43 - 4.63)	3.83	(2.95 - 4.97)
Indiana	7.26	(6.04 - 8.69)	3.53	(2.76 - 4.51)	4.09	(3.38 - 4.95)
Central	6.95	(5.17 - 9.28)	3.34	(2.30 - 4.84)	3.84	(2.84 - 5.17)
East	7.84	(5.85 - 10.44)	3.80	(2.60 - 5.53)	4.46	(3.32 - 5.98)
North Central	7.14	(5.32 - 9.53)	3.47	(2.39 - 5.02)	3.99	(2.97 - 5.36)
Northeast	6.99	(5.19 - 9.35)	3.52	(2.40 - 5.14)	4.02	(2.94 - 5.47)
Northwest	7.39	(5.54 - 9.80)	3.50	(2.39 - 5.08)	4.03	(2.98 - 5.44)
Southeast	7.41	(5.53 - 9.86)	3.64	(2.46 - 5.34)	4.10	(2.97 - 5.64)
Southwest	7.22	(5.35 - 9.68)	3.76	(2.54 - 5.54)	4.25	(3.09 - 5.81)
West	7.45	(5.55 - 9.93)	3.63	(2.43 - 5.38)	4.52	(3.40 - 5.98)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	6.88	(5.74 - 8.23)	3.42	(2.68 - 4.37)	3.94	(3.25 - 4.76)
Central	6.62	(4.95 - 8.81)	3.44	(2.41 - 4.89)	3.88	(2.90 - 5.17)
North Central	7.09	(5.26 - 9.50)	3.24	(2.22 - 4.71)	3.98	(2.99 - 5.27)
Northeast	6.29	(4.77 - 8.25)	3.42	(2.39 - 4.87)	3.86	(2.90 - 5.11)
Northwest	6.89	(5.11 - 9.22)	3.23	(2.18 - 4.76)	3.71	(2.70 - 5.08)
Southeast	7.42	(5.61 - 9.75)	3.61	(2.51 - 5.15)	4.22	(3.18 - 5.57)
Southwest	7.33	(5.43 - 9.83)	3.50	(2.39 - 5.09)	3.96	(2.89 - 5.40)
Kansas	6.35	(5.22 - 7.70)	3.32	(2.58 - 4.27)	3.79	(3.11 - 4.61)
Kansas City Metro	6.41	(4.81 - 8.49)	2.99	(2.10 - 4.26)	3.50	(2.64 - 4.62)
Northeast	6.27	(4.65 - 8.40)	3.55	(2.44 - 5.15)	4.03	(3.00 - 5.41)
South Central	6.35	(4.66 - 8.60)	3.83	(2.61 - 5.59)	4.20	(3.05 - 5.74)
Southeast	6.90	(5.03 - 9.40)	3.83	(2.60 - 5.60)	4.30	(3.15 - 5.85)
West	6.21	(4.47 - 8.56)	3.17	(2.13 - 4.70)	3.62	(2.62 - 4.97)
Wichita (Sedgwick)	6.19	(4.64 - 8.20)	3.23	(2.22 - 4.69)	3.67	(2.71 - 4.96)
Kentucky	6.66	(5.54 - 7.98)	3.58	(2.79 - 4.59)	4.01	(3.28 - 4.90)
Adanta, Cumberland River, and Lifeskills	6.74	(5.02 - 8.99)	3.62	(2.47 - 5.28)	4.07	(2.98 - 5.53)
Bluegrass, Comprehend, and North Key	6.20	(4.73 - 8.09)	3.38	(2.35 - 4.85)	3.81	(2.85 - 5.09)
Communicare and River Valley	6.32	(4.64 - 8.55)	3.73	(2.52 - 5.50)	4.08	(2.93 - 5.64)
Four Rivers and Pennyroyal	6.67	(4.94 - 8.95)	3.48	(2.39 - 5.04)	3.94	(2.91 - 5.32)
Kentucky River, Mountain, and Pathways	6.33	(4.68 - 8.50)	3.63	(2.44 - 5.37)	3.98	(2.86 - 5.53)
Seven Counties	7.64	(5.75 - 10.09)	3.75	(2.59 - 5.40)	4.26	(3.15 - 5.73)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	6.93	(5.84 - 8.21)	3.38	(2.65 - 4.29)	3.93	(3.27 - 4.73)
Regions 1 and 10	6.72	(5.32 - 8.45)	3.12	(2.29 - 4.24)	3.68	(2.89 - 4.67)
Region 1	6.74	(5.04 - 8.96)	3.20	(2.21 - 4.63)	3.83	(2.88 - 5.08)
Region 10 (Jefferson)	6.69	(4.97 - 8.95)	3.04	(2.07 - 4.44)	3.52	(2.58 - 4.78)
Regions 2 and 9	7.27	(5.63 - 9.33)	3.30	(2.32 - 4.67)	3.94	(3.02 - 5.14)
Region 3	6.68	(4.93 - 8.99)	3.23	(2.20 - 4.72)	3.74	(2.74 - 5.08)
Regions 4, 5, and 6	7.35	(5.62 - 9.55)	3.75	(2.64 - 5.30)	4.30	(3.25 - 5.67)
Regions 7 and 8	6.24	(4.69 - 8.26)	3.33	(2.33 - 4.74)	3.79	(2.85 - 5.02)
Maine	6.93	(5.80 - 8.25)	3.52	(2.77 - 4.45)	3.94	(3.24 - 4.77)
Aroostook/Downeast	7.23	(5.65 - 9.21)	3.55	(2.56 - 4.92)	3.97	(3.02 - 5.19)
Aroostook	7.46	(5.52 - 10.02)	*	(* - *)	4.11	(2.97 - 5.67)
Downeast	7.03	(5.19 - 9.46)	3.45	(2.30 - 5.15)	3.85	(2.75 - 5.36)
Central	6.56	(4.84 - 8.84)	3.82	(2.58 - 5.62)	4.14	(2.97 - 5.76)
Cumberland	6.84	(5.13 - 9.05)	3.33	(2.31 - 4.78)	3.77	(2.79 - 5.09)
Midcoast	6.89	(5.11 - 9.22)	3.44	(2.31 - 5.08)	3.77	(2.69 - 5.26)
Penquis	6.78	(5.13 - 8.90)	3.38	(2.32 - 4.90)	3.93	(2.93 - 5.24)
Western	7.16	(5.41 - 9.43)	3.88	(2.70 - 5.53)	4.30	(3.19 - 5.77)
York	7.12	(5.33 - 9.46)	3.31	(2.27 - 4.80)	3.74	(2.75 - 5.09)
Maryland	6.76	(5.60 - 8.15)	2.81	(2.18 - 3.62)	3.38	(2.78 - 4.10)
Anne Arundel	6.67	(4.90 - 9.02)	2.78	(1.89 - 4.09)	3.30	(2.41 - 4.49)
Baltimore City	6.44	(4.80 - 8.59)	3.11	(2.11 - 4.57)	3.70	(2.75 - 4.97)
Baltimore County	6.47	(4.78 - 8.69)	2.86	(1.95 - 4.17)	3.38	(2.50 - 4.54)
Montgomery	7.13	(5.27 - 9.58)	2.71	(1.84 - 3.98)	3.23	(2.37 - 4.38)
North Central	6.74	(4.96 - 9.09)	2.58	(1.71 - 3.86)	3.08	(2.22 - 4.26)
Northeast	7.52	(5.51 - 10.19)	2.95	(2.00 - 4.33)	3.52	(2.58 - 4.79)
Prince George's	6.76	(4.97 - 9.12)	2.65	(1.79 - 3.91)	3.35	(2.50 - 4.49)
South	6.72	(4.95 - 9.08)	2.76	(1.89 - 4.01)	3.36	(2.49 - 4.51)
West	6.73	(4.90 - 9.16)	3.04	(2.07 - 4.44)	3.53	(2.60 - 4.78)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	6.70	(5.54 - 8.07)	3.39	(2.64 - 4.34)	3.89	(3.20 - 4.72)
Boston	6.52	(4.91 - 8.61)	3.71	(2.57 - 5.34)	4.38	(3.33 - 5.75)
Central	6.98	(5.18 - 9.33)	3.43	(2.34 - 4.98)	3.93	(2.89 - 5.32)
Metrowest	6.78	(5.03 - 9.08)	3.37	(2.33 - 4.85)	3.81	(2.82 - 5.15)
Northeast	6.25	(4.62 - 8.39)	3.32	(2.31 - 4.76)	3.71	(2.73 - 5.00)
Southeast	6.89	(5.13 - 9.18)	3.28	(2.26 - 4.73)	3.73	(2.77 - 5.02)
Western	6.91	(5.09 - 9.32)	3.40	(2.33 - 4.94)	4.00	(2.98 - 5.35)
Michigan	8.02	(7.23 - 8.89)	3.85	(3.30 - 4.50)	4.46	(3.96 - 5.02)
Detroit City	7.80	(6.12 - 9.90)	3.60	(2.54 - 5.07)	4.35	(3.35 - 5.63)
Genesee	8.52	(6.58 - 10.96)	4.33	(3.12 - 5.99)	4.91	(3.76 - 6.39)
Kalamazoo	7.78	(6.14 - 9.80)	3.80	(2.76 - 5.22)	4.43	(3.45 - 5.67)
Kent	7.91	(6.18 - 10.09)	3.60	(2.61 - 4.94)	4.28	(3.34 - 5.47)
Lakeshore	7.65	(6.00 - 9.69)	3.90	(2.86 - 5.30)	4.46	(3.49 - 5.70)
Macomb	8.08	(6.38 - 10.17)	4.01	(2.93 - 5.48)	4.52	(3.49 - 5.84)
Mid South	7.89	(6.28 - 9.86)	4.12	(3.07 - 5.50)	4.79	(3.81 - 5.99)
Northern	8.61	(6.83 - 10.80)	3.86	(2.76 - 5.39)	4.53	(3.48 - 5.88)
Oakland	7.59	(6.07 - 9.46)	3.37	(2.48 - 4.57)	3.87	(3.01 - 4.96)
Pathways and Western	8.43	(6.53 - 10.83)	3.95	(2.79 - 5.57)	4.60	(3.51 - 6.01)
Riverhaven	8.10	(6.29 - 10.37)	4.18	(2.95 - 5.91)	4.67	(3.48 - 6.23)
Saginaw	8.13	(6.16 - 10.65)	3.80	(2.65 - 5.42)	4.47	(3.37 - 5.90)
Southeast	8.34	(6.74 - 10.28)	4.18	(3.13 - 5.56)	4.73	(3.75 - 5.96)
St. Clair	8.40	(6.51 - 10.77)	4.06	(2.90 - 5.67)	4.59	(3.49 - 6.03)
Washtenaw	7.87	(6.24 - 9.89)	3.32	(2.37 - 4.63)	4.18	(3.27 - 5.32)
Minnesota	7.11	(5.92 - 8.51)	3.09	(2.42 - 3.95)	3.66	(3.02 - 4.43)
Regions 1 and 2	7.93	(5.87 - 10.63)	3.58	(2.47 - 5.17)	4.19	(3.11 - 5.63)
Regions 3 and 4	6.78	(5.05 - 9.05)	3.13	(2.16 - 4.51)	3.66	(2.73 - 4.89)
Regions 5 and 6	7.10	(5.27 - 9.51)	3.03	(2.11 - 4.35)	3.63	(2.72 - 4.84)
Region 7A (Hennepin)	7.39	(5.61 - 9.67)	3.10	(2.17 - 4.39)	3.69	(2.80 - 4.86)
Region 7B (Ramsey)	7.05	(5.19 - 9.51)	3.44	(2.33 - 5.04)	4.05	(2.99 - 5.47)
Region 7C	6.68	(5.04 - 8.81)	2.75	(1.90 - 3.95)	3.23	(2.40 - 4.32)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Mississippi	6.15	(5.08 - 7.42)	3.53	(2.77 - 4.50)	3.94	(3.24 - 4.78)
Region 1	6.01	(4.51 - 7.96)	3.63	(2.51 - 5.22)	3.99	(2.95 - 5.38)
Region 2	5.85	(4.29 - 7.92)	3.38	(2.28 - 5.00)	3.77	(2.74 - 5.16)
Region 3	6.12	(4.56 - 8.16)	3.60	(2.47 - 5.22)	4.04	(3.00 - 5.42)
Region 4	6.46	(4.83 - 8.59)	3.33	(2.33 - 4.76)	3.81	(2.85 - 5.08)
Region 5	6.42	(4.68 - 8.75)	*	(* - *)	4.00	(2.89 - 5.50)
Region 6	6.13	(4.49 - 8.31)	3.57	(2.47 - 5.15)	4.00	(2.97 - 5.37)
Region 7	6.18	(4.57 - 8.31)	3.64	(2.53 - 5.21)	4.00	(2.96 - 5.40)
Missouri	6.34	(5.28 - 7.60)	3.61	(2.83 - 4.60)	4.01	(3.30 - 4.87)
Central	6.17	(4.56 - 8.30)	3.41	(2.35 - 4.91)	3.90	(2.90 - 5.23)
Eastern	6.48	(5.13 - 8.15)	3.65	(2.70 - 4.93)	4.05	(3.16 - 5.17)
Eastern (St. Louis City and County)	6.49	(4.91 - 8.53)	3.82	(2.65 - 5.48)	4.21	(3.12 - 5.65)
Eastern (excluding St. Louis)	6.46	(4.77 - 8.69)	3.37	(2.32 - 4.86)	3.76	(2.76 - 5.11)
Northwest	6.20	(4.91 - 7.81)	3.35	(2.46 - 4.55)	3.75	(2.91 - 4.82)
Northwest (Jackson)	6.26	(4.64 - 8.39)	3.30	(2.26 - 4.80)	3.71	(2.72 - 5.05)
Northwest (excluding Jackson)	6.16	(4.61 - 8.18)	3.39	(2.32 - 4.93)	3.78	(2.77 - 5.14)
Southeast	6.27	(4.69 - 8.33)	3.88	(2.64 - 5.66)	4.21	(3.05 - 5.77)
Southwest	6.50	(4.80 - 8.74)	3.91	(2.69 - 5.65)	4.28	(3.14 - 5.81)
Montana	8.25	(6.88 - 9.86)	3.42	(2.67 - 4.38)	4.10	(3.40 - 4.94)
Region 1	8.42	(6.23 - 11.29)	3.63	(2.47 - 5.30)	4.18	(3.05 - 5.69)
Region 2	7.96	(5.98 - 10.52)	3.31	(2.30 - 4.75)	3.99	(3.00 - 5.29)
Region 3	7.97	(6.03 - 10.47)	3.16	(2.18 - 4.56)	3.75	(2.80 - 5.02)
Region 4	8.31	(6.35 - 10.80)	3.30	(2.30 - 4.70)	4.07	(3.11 - 5.32)
Region 5	8.45	(6.57 - 10.82)	3.70	(2.64 - 5.17)	4.38	(3.38 - 5.66)
Nebraska	6.83	(5.69 - 8.17)	3.29	(2.57 - 4.20)	3.82	(3.15 - 4.63)
Regions 1 and 2	6.87	(5.36 - 8.77)	3.40	(2.47 - 4.68)	3.84	(2.95 - 4.99)
Region 1	*	(* - *)	3.42	(2.31 - 5.02)	3.85	(2.79 - 5.28)
Region 2	7.05	(5.23 - 9.46)	3.39	(2.31 - 4.96)	3.83	(2.79 - 5.25)
Region 3	6.85	(5.15 - 9.06)	3.37	(2.34 - 4.84)	3.87	(2.89 - 5.15)
Region 4	6.78	(4.94 - 9.22)	3.28	(2.23 - 4.80)	3.74	(2.72 - 5.13)
Region 5	7.08	(5.45 - 9.15)	3.34	(2.33 - 4.77)	3.99	(3.04 - 5.22)
Region 6	6.65	(5.14 - 8.56)	3.20	(2.31 - 4.43)	3.71	(2.86 - 4.81)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	6.79	(5.43 - 8.47)	3.13	(2.36 - 4.15)	3.64	(2.90 - 4.56)
Clark – Region 1	6.79	(5.20 - 8.82)	3.03	(2.18 - 4.19)	3.55	(2.73 - 4.60)
Region 3	7.07	(5.48 - 9.07)	3.41	(2.45 - 4.72)	3.85	(2.93 - 5.04)
Capital District	6.69	(4.87 - 9.13)	3.32	(2.23 - 4.92)	3.70	(2.65 - 5.15)
Rural/Frontier	7.37	(5.38 - 10.01)	3.49	(2.33 - 5.20)	3.98	(2.85 - 5.54)
Washoe – Region 2	6.65	(5.02 - 8.75)	3.39	(2.29 - 5.00)	3.90	(2.86 - 5.29)
New Hampshire	7.60	(6.38 - 9.03)	4.08	(3.19 - 5.21)	4.56	(3.74 - 5.54)
Central	7.17	(5.78 - 8.86)	4.00	(2.94 - 5.41)	4.46	(3.48 - 5.69)
Central 1	7.21	(5.52 - 9.36)	3.95	(2.72 - 5.70)	4.49	(3.35 - 5.99)
Central 2	7.11	(5.35 - 9.40)	4.04	(2.77 - 5.86)	4.42	(3.22 - 6.05)
Northern	7.26	(5.45 - 9.62)	4.06	(2.79 - 5.86)	4.49	(3.31 - 6.07)
Southern	7.92	(6.40 - 9.76)	4.13	(3.10 - 5.50)	4.62	(3.65 - 5.83)
Southern 1 (Rockingham)	7.62	(5.78 - 9.98)	3.90	(2.67 - 5.65)	4.32	(3.15 - 5.89)
Southern 2	8.07	(6.24 - 10.38)	4.28	(3.06 - 5.97)	4.81	(3.66 - 6.29)
New Jersey	6.76	(5.59 - 8.15)	2.95	(2.24 - 3.88)	3.45	(2.78 - 4.27)
Central	6.64	(4.95 - 8.84)	2.88	(1.96 - 4.22)	3.34	(2.44 - 4.55)
Metropolitan	6.81	(5.17 - 8.93)	2.87	(1.95 - 4.20)	3.42	(2.54 - 4.61)
Northern	6.76	(5.10 - 8.90)	3.08	(2.13 - 4.45)	3.55	(2.63 - 4.76)
Southern	6.81	(5.14 - 8.97)	2.94	(2.01 - 4.29)	3.46	(2.56 - 4.67)
New Mexico	7.15	(5.94 - 8.58)	3.21	(2.44 - 4.21)	3.79	(3.08 - 4.66)
Region 1	7.42	(5.64 - 9.70)	3.39	(2.31 - 4.96)	3.98	(2.95 - 5.35)
Region 2	6.63	(4.87 - 8.97)	2.86	(1.90 - 4.29)	3.29	(2.36 - 4.57)
Region 3 (Bernalillo)	7.41	(5.69 - 9.62)	3.34	(2.32 - 4.80)	3.95	(2.98 - 5.23)
Region 4	6.78	(5.07 - 9.02)	3.32	(2.26 - 4.86)	3.87	(2.88 - 5.19)
Region 5	7.00	(5.26 - 9.26)	3.01	(2.02 - 4.46)	3.66	(2.72 - 4.91)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
New York	6.89	(6.14 - 7.72)	3.16	(2.64 - 3.78)	3.72	(3.24 - 4.26)
Region A	6.68	(5.77 - 7.73)	3.24	(2.59 - 4.05)	3.77	(3.17 - 4.48)
Region 1	6.60	(5.11 - 8.48)	3.11	(2.18 - 4.42)	3.74	(2.86 - 4.87)
Region 2	6.74	(5.39 - 8.39)	3.19	(2.32 - 4.39)	3.74	(2.92 - 4.79)
Region 3	6.94	(5.35 - 8.95)	3.87	(2.75 - 5.42)	4.33	(3.28 - 5.70)
Region 4	6.44	(4.94 - 8.35)	2.90	(2.07 - 4.06)	3.39	(2.59 - 4.43)
Region B	7.16	(6.05 - 8.44)	3.04	(2.37 - 3.91)	3.60	(2.96 - 4.36)
Region 5	7.11	(5.66 - 8.90)	2.97	(2.17 - 4.06)	3.52	(2.76 - 4.49)
Region 6	7.14	(5.50 - 9.21)	3.16	(2.19 - 4.54)	3.67	(2.74 - 4.90)
Region 7	7.31	(5.61 - 9.48)	3.09	(2.17 - 4.39)	3.75	(2.85 - 4.90)
Region C	6.94	(5.99 - 8.03)	3.13	(2.53 - 3.86)	3.73	(3.18 - 4.37)
Region 8	7.06	(5.49 - 9.04)	3.12	(2.23 - 4.34)	3.70	(2.85 - 4.80)
Region 9	6.79	(5.28 - 8.70)	3.11	(2.21 - 4.34)	3.70	(2.85 - 4.79)
Region 10	6.96	(5.27 - 9.14)	3.11	(2.18 - 4.40)	3.87	(2.98 - 5.00)
Region 11	6.97	(5.35 - 9.03)	3.23	(2.32 - 4.47)	3.82	(2.95 - 4.94)
Region 12	6.92	(5.34 - 8.92)	3.06	(2.17 - 4.31)	3.64	(2.78 - 4.75)
Region D	7.07	(5.91 - 8.45)	3.18	(2.46 - 4.11)	3.78	(3.10 - 4.60)
Region 13	6.92	(5.23 - 9.09)	3.20	(2.22 - 4.58)	3.75	(2.82 - 4.98)
Region 14	7.18	(5.47 - 9.37)	3.23	(2.24 - 4.64)	3.88	(2.93 - 5.12)
Region 15	7.10	(5.43 - 9.22)	3.12	(2.22 - 4.38)	3.71	(2.83 - 4.84)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	6.52	(5.48 - 7.75)	3.18	(2.48 - 4.08)	3.66	(3.00 - 4.45)
Alliance	6.10	(4.59 - 8.08)	2.92	(2.03 - 4.18)	3.40	(2.54 - 4.53)
Cardinal Innovations	6.84	(5.12 - 9.10)	3.20	(2.18 - 4.67)	3.69	(2.72 - 4.99)
CenterPoint/Guilford	6.51	(5.10 - 8.27)	3.17	(2.27 - 4.43)	3.66	(2.80 - 4.77)
CenterPoint	*	(* - *)	*	(* - *)	3.57	(2.54 - 5.00)
Guilford	6.47	(4.76 - 8.73)	*	(* - *)	3.75	(2.73 - 5.12)
CoastalCare	6.45	(4.74 - 8.74)	*	(* - *)	3.76	(2.77 - 5.07)
Eastpointe	6.68	(4.93 - 8.99)	3.52	(2.36 - 5.23)	3.95	(2.85 - 5.46)
ECBH	6.43	(4.73 - 8.69)	*	(* - *)	3.60	(2.62 - 4.94)
MeckLINK	6.92	(5.09 - 9.35)	3.12	(2.11 - 4.57)	3.65	(2.67 - 4.97)
Partners	6.51	(4.86 - 8.67)	3.24	(2.19 - 4.78)	3.64	(2.63 - 5.03)
Sandhills	6.40	(4.73 - 8.61)	3.32	(2.22 - 4.92)	3.71	(2.66 - 5.15)
Smoky Mountain	6.39	(4.73 - 8.58)	*	(* - *)	3.83	(2.72 - 5.38)
Western Highlands	6.77	(4.93 - 9.23)	3.26	(2.20 - 4.82)	3.64	(2.61 - 5.06)
North Dakota	7.16	(5.97 - 8.56)	2.89	(2.17 - 3.86)	3.64	(2.97 - 4.44)
Badlands and West Central	7.24	(5.45 - 9.58)	2.88	(1.95 - 4.22)	3.47	(2.57 - 4.65)
Lake Region and South Central	7.74	(5.73 - 10.38)	3.01	(2.00 - 4.50)	3.60	(2.63 - 4.91)
North Central and Northwest	7.50	(5.64 - 9.91)	2.80	(1.89 - 4.13)	3.57	(2.69 - 4.73)
Northeast	6.91	(5.29 - 8.99)	3.07	(2.06 - 4.56)	4.01	(3.07 - 5.22)
Southeast	6.89	(5.28 - 8.95)	2.83	(1.91 - 4.17)	3.69	(2.81 - 4.82)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Ohio	7.66	(6.86 - 8.53)	3.43	(2.93 - 4.00)	4.02	(3.57 - 4.53)
Boards 2, 46, 55, and 68	7.49	(5.80 - 9.62)	3.49	(2.51 - 4.83)	4.03	(3.09 - 5.24)
Boards 3, 52, and 85	7.75	(5.94 - 10.05)	3.32	(2.36 - 4.65)	3.91	(2.98 - 5.12)
Boards 4 and 78	7.88	(6.03 - 10.25)	3.63	(2.55 - 5.16)	4.15	(3.10 - 5.53)
Boards 5 and 60	6.95	(5.27 - 9.12)	3.68	(2.59 - 5.22)	4.28	(3.24 - 5.63)
Boards 7, 15, 41, 79, and 84	7.07	(5.53 - 9.00)	3.30	(2.34 - 4.64)	3.76	(2.83 - 4.96)
Boards 8, 13, and 83	8.09	(6.27 - 10.39)	3.30	(2.36 - 4.59)	3.88	(2.96 - 5.07)
Board 9 (Butler)	8.38	(6.41 - 10.88)	3.90	(2.74 - 5.54)	4.63	(3.51 - 6.09)
Board 12	7.71	(5.92 - 9.99)	3.34	(2.40 - 4.65)	4.05	(3.14 - 5.22)
Boards 18 and 47	7.50	(6.00 - 9.33)	3.07	(2.28 - 4.14)	3.66	(2.90 - 4.60)
Boards 20, 32, 54, and 69	7.12	(5.38 - 9.36)	3.10	(2.17 - 4.41)	3.62	(2.71 - 4.83)
Boards 21, 39, 51, 70, and 80	8.55	(6.60 - 11.00)	3.34	(2.39 - 4.63)	3.96	(3.03 - 5.15)
Boards 22, 74, and 87	8.25	(6.37 - 10.62)	3.30	(2.36 - 4.61)	4.07	(3.14 - 5.26)
Boards 23 and 45	7.76	(5.95 - 10.06)	3.59	(2.56 - 5.02)	4.17	(3.17 - 5.46)
Board 25 (Franklin)	8.00	(6.36 - 10.02)	3.76	(2.80 - 5.02)	4.48	(3.58 - 5.60)
Boards 27, 71, and 73	7.45	(5.80 - 9.53)	3.87	(2.76 - 5.41)	4.32	(3.28 - 5.69)
Boards 28, 43, and 67	7.55	(5.80 - 9.78)	3.92	(2.77 - 5.52)	4.45	(3.37 - 5.85)
Board 31 (Hamilton)	7.30	(5.67 - 9.35)	3.07	(2.19 - 4.29)	3.71	(2.86 - 4.81)
Board 48 (Lucas)	7.24	(5.56 - 9.39)	3.30	(2.34 - 4.65)	3.93	(2.99 - 5.14)
Boards 50 and 76	7.53	(5.90 - 9.56)	3.47	(2.53 - 4.75)	3.99	(3.09 - 5.15)
Board 57 (Montgomery)	7.37	(5.66 - 9.54)	3.49	(2.51 - 4.81)	4.03	(3.09 - 5.23)
Board 77 (Summit)	7.88	(6.14 - 10.06)	3.40	(2.46 - 4.68)	4.00	(3.09 - 5.17)
Oklahoma	6.92	(5.76 - 8.30)	4.01	(3.15 - 5.10)	4.46	(3.67 - 5.40)
Central	6.94	(5.16 - 9.28)	4.02	(2.74 - 5.87)	4.51	(3.31 - 6.13)
East Central	7.09	(5.24 - 9.52)	4.16	(2.84 - 6.05)	4.56	(3.33 - 6.22)
Northeast	7.04	(5.22 - 9.43)	3.74	(2.63 - 5.30)	4.28	(3.23 - 5.67)
Northwest and Southwest	7.38	(5.40 - 10.01)	4.23	(2.90 - 6.13)	4.72	(3.47 - 6.38)
Oklahoma County	6.87	(5.14 - 9.14)	3.81	(2.66 - 5.44)	4.28	(3.20 - 5.72)
Southeast	6.70	(5.01 - 8.92)	4.40	(3.04 - 6.32)	4.72	(3.47 - 6.38)
Tulsa County	6.47	(4.78 - 8.70)	3.83	(2.62 - 5.55)	4.21	(3.09 - 5.73)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Oregon	7.58	(6.31 - 9.09)	3.54	(2.77 - 4.51)	4.10	(3.38 - 4.96)
Region 1 (Multnomah)	7.26	(5.47 - 9.57)	3.78	(2.66 - 5.36)	4.25	(3.18 - 5.66)
Region 2	7.55	(5.70 - 9.95)	3.20	(2.21 - 4.60)	3.75	(2.80 - 5.01)
Region 3	7.94	(6.18 - 10.14)	3.69	(2.65 - 5.11)	4.38	(3.39 - 5.65)
Region 4	7.41	(5.52 - 9.90)	3.56	(2.44 - 5.15)	4.01	(2.95 - 5.44)
Region 5 (Central)	7.35	(5.38 - 9.96)	3.31	(2.21 - 4.92)	3.77	(2.70 - 5.24)
Region 6 (Eastern)	*	(* - *)	*	(* - *)	3.95	(2.85 - 5.44)
Pennsylvania	7.28	(6.45 - 8.21)	3.29	(2.78 - 3.90)	3.87	(3.40 - 4.40)
Region 1 (Allegheny)	7.09	(5.56 - 9.00)	3.35	(2.41 - 4.65)	3.87	(2.98 - 5.00)
Regions 3, 8, 9, and 51	6.72	(5.09 - 8.81)	2.92	(2.03 - 4.17)	3.46	(2.61 - 4.58)
Regions 4, 11, 37, and 49	7.53	(5.85 - 9.63)	3.16	(2.28 - 4.37)	3.75	(2.90 - 4.84)
Regions 5, 18, 23, 24, and 46	7.96	(6.05 - 10.40)	3.44	(2.44 - 4.83)	4.04	(3.06 - 5.31)
Regions 6, 12, 16, 31, 35, 45, and 47	7.73	(5.95 - 9.97)	3.59	(2.56 - 5.01)	4.41	(3.43 - 5.64)
Regions 7, 13, 20, and 33	7.67	(6.15 - 9.52)	2.93	(2.17 - 3.95)	3.54	(2.81 - 4.46)
Regions 10, 15, 27, 32, 43, and 44	7.34	(5.61 - 9.54)	3.58	(2.55 - 4.99)	4.03	(3.05 - 5.31)
Regions 17 and 21	7.37	(5.61 - 9.61)	3.56	(2.48 - 5.08)	4.17	(3.14 - 5.51)
Regions 19, 26, 28, and 42	7.30	(5.68 - 9.32)	3.45	(2.52 - 4.69)	3.96	(3.07 - 5.09)
Regions 22, 38, 40, 41, and 48	7.45	(5.80 - 9.52)	3.40	(2.46 - 4.68)	3.87	(2.97 - 5.03)
Regions 29 and 34	7.02	(5.34 - 9.18)	3.22	(2.30 - 4.49)	3.74	(2.85 - 4.88)
Regions 30 and 50	6.67	(5.04 - 8.79)	3.38	(2.39 - 4.77)	3.82	(2.86 - 5.08)
Region 36 (Philadelphia)	6.77	(5.36 - 8.53)	3.53	(2.61 - 4.76)	4.15	(3.32 - 5.19)
Rhode Island	6.90	(5.66 - 8.40)	3.61	(2.77 - 4.70)	4.14	(3.37 - 5.09)
Bristol and Newport	6.49	(4.76 - 8.79)	3.05	(2.04 - 4.55)	3.57	(2.59 - 4.89)
Kent	6.61	(4.93 - 8.81)	3.44	(2.34 - 5.03)	3.81	(2.77 - 5.22)
Providence	6.96	(5.47 - 8.82)	3.79	(2.75 - 5.20)	4.33	(3.37 - 5.55)
Washington	7.26	(5.40 - 9.71)	3.60	(2.42 - 5.32)	4.26	(3.16 - 5.73)
South Carolina	6.66	(5.51 - 8.02)	3.23	(2.49 - 4.17)	3.73	(3.04 - 4.55)
Region 1	6.31	(4.79 - 8.27)	3.16	(2.17 - 4.57)	3.61	(2.69 - 4.83)
Region 2	7.08	(5.42 - 9.19)	3.23	(2.27 - 4.58)	3.81	(2.89 - 5.01)
Region 3	6.48	(4.80 - 8.71)	3.51	(2.42 - 5.06)	3.91	(2.88 - 5.28)
Region 4	6.61	(5.03 - 8.64)	3.10	(2.14 - 4.46)	3.62	(2.71 - 4.81)

See notes at end of table.

(continued)

**Table 24 *Had Serious Thoughts of Suicide in the Past Year*, by Age Group and Substate Region: Percentages, Annual Averages
Based on 2010, 2011, and 2012 NSDUHs (continued)**

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	6.53	(5.36 - 7.92)	3.46	(2.70 - 4.42)	3.91	(3.22 - 4.74)
Region 1	6.81	(5.09 - 9.07)	3.53	(2.46 - 5.04)	4.00	(2.99 - 5.33)
Region 2	6.96	(5.12 - 9.38)	3.31	(2.22 - 4.93)	3.74	(2.68 - 5.19)
Region 3	6.66	(4.99 - 8.84)	3.54	(2.46 - 5.07)	4.07	(3.07 - 5.38)
Region 4	6.41	(4.69 - 8.70)	3.02	(2.04 - 4.46)	3.55	(2.61 - 4.82)
Region 5	6.08	(4.57 - 8.04)	3.59	(2.55 - 5.02)	3.94	(2.97 - 5.20)
Tennessee	6.32	(5.23 - 7.61)	3.14	(2.41 - 4.06)	3.58	(2.92 - 4.39)
Region 1	6.29	(4.62 - 8.50)	3.10	(2.04 - 4.69)	3.50	(2.47 - 4.93)
Region 2	6.37	(4.72 - 8.56)	3.06	(2.07 - 4.49)	3.50	(2.56 - 4.76)
Region 3	6.28	(4.69 - 8.37)	3.36	(2.29 - 4.90)	3.76	(2.75 - 5.11)
Region 4 (Davidson)	6.11	(4.51 - 8.23)	3.26	(2.20 - 4.80)	3.71	(2.71 - 5.07)
Region 5	6.54	(4.89 - 8.69)	3.14	(2.16 - 4.54)	3.61	(2.67 - 4.86)
Region 6	6.30	(4.58 - 8.61)	3.16	(2.12 - 4.69)	3.59	(2.60 - 4.95)
Region 7 (Shelby)	6.12	(4.54 - 8.20)	2.90	(1.95 - 4.30)	3.41	(2.50 - 4.63)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	6.02	(5.32 - 6.80)	2.82	(2.35 - 3.38)	3.33	(2.90 - 3.82)
Region 1	5.77	(4.37 - 7.58)	2.89	(2.04 - 4.09)	3.42	(2.61 - 4.46)
Region 2	6.03	(4.52 - 7.99)	3.11	(2.16 - 4.46)	3.58	(2.68 - 4.77)
Region 3	6.38	(5.33 - 7.63)	2.93	(2.29 - 3.75)	3.44	(2.84 - 4.16)
Region 3a	6.08	(4.82 - 7.64)	2.83	(2.09 - 3.81)	3.30	(2.60 - 4.18)
Region 3bc	6.91	(5.46 - 8.70)	3.12	(2.25 - 4.30)	3.67	(2.84 - 4.74)
Region 4	6.02	(4.57 - 7.89)	3.12	(2.15 - 4.51)	3.51	(2.60 - 4.73)
Region 5	6.20	(4.70 - 8.14)	3.05	(2.11 - 4.39)	3.52	(2.62 - 4.72)
Region 6	5.39	(4.35 - 6.66)	2.70	(2.03 - 3.59)	3.11	(2.49 - 3.89)
Region 6a	5.31	(4.20 - 6.69)	2.66	(1.95 - 3.62)	3.07	(2.41 - 3.91)
Region 6bc	6.18	(4.70 - 8.09)	3.03	(2.15 - 4.26)	3.46	(2.61 - 4.56)
Region 7	6.13	(5.01 - 7.49)	3.01	(2.31 - 3.91)	3.60	(2.95 - 4.38)
Region 7a	5.69	(4.37 - 7.38)	2.85	(2.04 - 3.97)	3.33	(2.56 - 4.32)
Region 7bcd	6.70	(5.13 - 8.72)	3.30	(2.35 - 4.62)	4.04	(3.14 - 5.18)
Region 8	6.40	(4.93 - 8.27)	2.92	(2.08 - 4.08)	3.47	(2.65 - 4.52)
Region 9	6.11	(4.60 - 8.07)	2.88	(2.00 - 4.13)	3.41	(2.56 - 4.52)
Region 10	6.36	(4.81 - 8.38)	2.29	(1.57 - 3.31)	3.01	(2.30 - 3.94)
Region 11	5.92	(4.73 - 7.39)	2.22	(1.64 - 3.00)	2.86	(2.29 - 3.57)
Region 11abd	5.98	(4.56 - 7.80)	2.24	(1.58 - 3.17)	2.87	(2.20 - 3.73)
Region 11c (Hidalgo)	5.83	(4.32 - 7.82)	2.18	(1.48 - 3.20)	2.86	(2.15 - 3.79)
Utah	7.68	(6.42 - 9.15)	4.03	(3.21 - 5.06)	4.72	(3.97 - 5.61)
Bear River, Northeastern, Summit, Tooele, and Wasatch	8.33	(6.33 - 10.88)	4.25	(2.96 - 6.05)	5.02	(3.82 - 6.57)
Central, Four Corners, San Juan, and Southwest	7.27	(5.34 - 9.83)	4.07	(2.78 - 5.94)	4.62	(3.41 - 6.24)
Davis County	7.17	(5.35 - 9.54)	3.75	(2.59 - 5.39)	4.32	(3.22 - 5.78)
Salt Lake County	7.98	(6.19 - 10.23)	3.92	(2.89 - 5.31)	4.60	(3.62 - 5.84)
Utah County	7.26	(5.50 - 9.54)	4.45	(3.15 - 6.24)	5.21	(4.03 - 6.70)
Weber, Morgan	7.91	(5.92 - 10.48)	3.77	(2.62 - 5.40)	4.47	(3.37 - 5.90)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2010, 2011, and 2012 NSDUHs (continued)

State/Substate Region	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Vermont	7.27	(5.97 - 8.82)	4.16	(3.22 - 5.37)	4.62	(3.75 - 5.67)
Champlain Valley	6.80	(5.18 - 8.88)	3.93	(2.79 - 5.50)	4.44	(3.40 - 5.78)
Rural Northeast	7.37	(5.57 - 9.70)	4.36	(3.06 - 6.19)	4.75	(3.52 - 6.37)
Rural Southeast	8.42	(6.36 - 11.06)	4.51	(3.10 - 6.51)	4.94	(3.60 - 6.73)
Rural Southwest	7.45	(5.59 - 9.86)	3.97	(2.72 - 5.77)	4.43	(3.26 - 6.00)
Virginia	7.77	(6.45 - 9.33)	3.25	(2.54 - 4.17)	3.91	(3.23 - 4.73)
Region 1	8.01	(6.06 - 10.52)	3.46	(2.39 - 4.99)	4.18	(3.14 - 5.54)
Region 2	7.82	(5.91 - 10.30)	3.07	(2.18 - 4.31)	3.64	(2.77 - 4.78)
Region 3	7.43	(5.62 - 9.78)	3.42	(2.34 - 4.98)	4.02	(2.98 - 5.40)
Region 4	8.00	(5.90 - 10.74)	3.24	(2.23 - 4.68)	3.94	(2.94 - 5.26)
Region 5	7.66	(5.81 - 10.03)	3.23	(2.24 - 4.63)	3.97	(3.01 - 5.21)
Washington	6.94	(5.76 - 8.34)	4.04	(3.13 - 5.20)	4.45	(3.62 - 5.46)
Region 1	6.88	(5.35 - 8.81)	4.03	(2.93 - 5.53)	4.51	(3.48 - 5.81)
East 1 (previously Region 1)	6.76	(4.94 - 9.19)	4.16	(2.85 - 6.02)	4.59	(3.38 - 6.21)
East 2 (previously Region 2)	7.04	(5.19 - 9.50)	3.87	(2.62 - 5.67)	4.39	(3.20 - 5.99)
Region 2	6.82	(5.45 - 8.51)	3.85	(2.82 - 5.23)	4.25	(3.30 - 5.46)
North 1 (previously Region 3)	6.90	(5.20 - 9.09)	3.68	(2.50 - 5.39)	4.14	(3.03 - 5.62)
North 2 (previously Region 4)	6.78	(5.14 - 8.89)	3.94	(2.75 - 5.62)	4.31	(3.20 - 5.79)
Region 3	7.15	(5.64 - 9.01)	4.31	(3.19 - 5.80)	4.70	(3.66 - 6.02)
West 1 (previously Region 5)	7.08	(5.27 - 9.46)	4.21	(2.94 - 6.01)	4.64	(3.44 - 6.23)
West 2 (previously Region 6)	7.22	(5.38 - 9.62)	4.41	(3.03 - 6.37)	4.76	(3.47 - 6.48)
West Virginia	6.95	(5.82 - 8.28)	4.30	(3.38 - 5.44)	4.64	(3.81 - 5.64)
Region I	6.96	(5.13 - 9.38)	3.99	(2.69 - 5.88)	4.35	(3.13 - 6.03)
Region II	7.51	(5.53 - 10.12)	4.59	(3.18 - 6.58)	4.95	(3.62 - 6.74)
Region III	7.09	(5.28 - 9.45)	4.06	(2.78 - 5.90)	4.39	(3.18 - 6.04)
Region IV	6.58	(5.10 - 8.46)	3.84	(2.67 - 5.50)	4.33	(3.26 - 5.73)
Region V	7.09	(5.47 - 9.14)	4.52	(3.28 - 6.22)	4.83	(3.67 - 6.33)
Region VI	6.87	(5.10 - 9.20)	4.48	(3.11 - 6.42)	4.75	(3.46 - 6.47)

See notes at end of table.

(continued)

Table 24 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	18-25		26+		18+	
	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
Wisconsin	6.96	(5.80 - 8.33)	3.50	(2.71 - 4.51)	3.99	(3.26 - 4.89)
Milwaukee	6.89	(5.12 - 9.20)	3.66	(2.47 - 5.38)	4.18	(3.06 - 5.68)
Northeastern	7.14	(5.41 - 9.37)	3.46	(2.40 - 4.97)	3.95	(2.94 - 5.29)
Northern	6.79	(5.01 - 9.14)	3.21	(2.16 - 4.74)	3.67	(2.66 - 5.03)
Southeastern	6.66	(4.95 - 8.91)	3.40	(2.29 - 5.02)	3.82	(2.76 - 5.26)
Southern	6.98	(5.34 - 9.07)	3.49	(2.40 - 5.04)	4.01	(2.99 - 5.38)
Western	7.24	(5.43 - 9.59)	3.71	(2.55 - 5.38)	4.27	(3.17 - 5.73)
Wyoming	6.62	(5.49 - 7.97)	3.51	(2.76 - 4.45)	3.97	(3.28 - 4.80)
Judicial District 1 (Laramie)	6.53	(4.76 - 8.89)	3.33	(2.29 - 4.83)	3.78	(2.78 - 5.12)
Judicial District 2	6.42	(4.78 - 8.56)	3.63	(2.50 - 5.22)	4.45	(3.41 - 5.79)
Judicial District 3	6.93	(5.17 - 9.25)	3.65	(2.53 - 5.22)	4.09	(3.04 - 5.49)
Judicial District 4	6.71	(4.93 - 9.09)	3.61	(2.43 - 5.33)	3.96	(2.83 - 5.51)
Judicial District 5	6.74	(4.96 - 9.10)	3.35	(2.29 - 4.88)	3.75	(2.73 - 5.12)
Judicial District 6	6.44	(4.74 - 8.69)	3.45	(2.39 - 4.96)	3.88	(2.87 - 5.24)
Judicial District 7 (Natrona)	6.60	(4.90 - 8.84)	3.36	(2.32 - 4.83)	3.82	(2.83 - 5.13)
Judicial District 8	7.21	(5.32 - 9.69)	3.66	(2.46 - 5.40)	4.09	(2.95 - 5.65)
Judicial District 9	6.51	(4.83 - 8.72)	3.68	(2.51 - 5.37)	4.03	(2.92 - 5.53)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total United States	8.45	(8.17 - 8.75)	8.51	(8.22 - 8.81)	6.44	(6.20 - 6.68)	6.74	(6.53 - 6.95)
Northeast	7.91	(7.43 - 8.41)	8.27	(7.79 - 8.78)	6.26	(5.80 - 6.74)	6.55	(6.14 - 6.97)
Midwest	8.53	(8.14 - 8.93)	8.84	(8.44 - 9.26)	6.59	(6.22 - 6.99)	6.92	(6.59 - 7.27)
South	8.36	(7.96 - 8.77)	8.04	(7.66 - 8.44)	6.43	(6.05 - 6.83)	6.66	(6.33 - 7.01)
West	8.92	(8.36 - 9.50)	9.11	(8.54 - 9.72)	6.45	(5.96 - 6.98)	6.86	(6.42 - 7.32)
Alabama	8.73	(7.42 - 10.26)	9.01	(7.63 - 10.60)	6.93	(5.64 - 8.49)	7.24	(6.09 - 8.59)
Region 1	8.45	(6.43 - 11.03)	9.57	(7.35 - 12.39)	7.61	(5.56 - 10.33)	7.87	(5.99 - 10.29)
Region 2	9.62	(7.59 - 12.12)	9.16	(7.09 - 11.77)	6.90	(5.04 - 9.36)	7.24	(5.54 - 9.41)
Region 3	7.28	(5.49 - 9.58)	7.64	(5.78 - 10.02)	5.47	(3.86 - 7.68)	5.86	(4.38 - 7.79)
Region 4	9.01	(6.98 - 11.56)	9.50	(7.33 - 12.23)	7.24	(5.19 - 10.01)	7.54	(5.64 - 10.02)
Alaska	7.72	(6.47 - 9.18)	10.27	(8.65 - 12.14)	6.22	(5.01 - 7.69)	6.85	(5.76 - 8.11)
Anchorage	7.99	(6.24 - 10.17)	11.89	(9.49 - 14.79)	6.91	(5.15 - 9.21)	7.71	(6.10 - 9.72)
Northern	7.43	(5.58 - 9.82)	8.84	(6.71 - 11.58)	5.31	(3.67 - 7.63)	5.97	(4.45 - 7.98)
South Central	7.71	(5.82 - 10.16)	9.28	(6.99 - 12.22)	5.96	(4.22 - 8.36)	6.40	(4.74 - 8.58)
Southeast	7.32	(5.39 - 9.89)	9.11	(6.78 - 12.13)	6.02	(4.12 - 8.71)	6.40	(4.59 - 8.85)
Arizona	9.40	(7.88 - 11.18)	9.37	(7.79 - 11.22)	7.00	(5.60 - 8.72)	7.35	(6.08 - 8.85)
Maricopa	9.21	(7.34 - 11.50)	9.45	(7.48 - 11.88)	7.03	(5.32 - 9.23)	7.39	(5.82 - 9.33)
Pima	10.13	(7.61 - 13.37)	10.11	(7.61 - 13.31)	7.66	(5.25 - 11.05)	8.04	(5.81 - 11.02)
Rural North	8.53	(6.40 - 11.28)	9.05	(6.72 - 12.08)	6.41	(4.38 - 9.29)	6.78	(4.88 - 9.34)
Rural South	10.17	(7.51 - 13.65)	8.25	(6.05 - 11.17)	6.64	(4.43 - 9.84)	6.86	(4.81 - 9.71)
Arkansas	8.61	(7.35 - 10.05)	8.74	(7.46 - 10.22)	7.41	(6.10 - 8.96)	7.60	(6.45 - 8.94)
Catchment Area 1	9.23	(6.90 - 12.23)	8.56	(6.43 - 11.32)	6.69	(4.71 - 9.44)	7.00	(5.17 - 9.42)
Catchment Area 2	8.94	(6.76 - 11.73)	8.82	(6.51 - 11.84)	7.07	(4.91 - 10.08)	7.29	(5.27 - 10.00)
Catchment Area 3	8.64	(6.61 - 11.23)	8.17	(6.09 - 10.89)	7.48	(5.22 - 10.63)	7.59	(5.52 - 10.35)
Catchment Area 4	8.33	(6.18 - 11.13)	8.87	(6.57 - 11.86)	6.58	(4.51 - 9.50)	6.89	(4.94 - 9.52)
Catchment Area 5	8.18	(6.11 - 10.87)	9.93	(7.55 - 12.95)	8.13	(5.75 - 11.37)	8.43	(6.26 - 11.27)
Catchment Area 6	8.10	(6.04 - 10.80)	7.55	(5.54 - 10.22)	7.31	(4.98 - 10.60)	7.34	(5.21 - 10.25)
Catchment Area 7	8.46	(6.30 - 11.27)	8.11	(6.04 - 10.81)	7.49	(5.26 - 10.56)	7.57	(5.52 - 10.31)
Catchment Area 8	8.56	(6.55 - 11.11)	8.85	(6.75 - 11.52)	7.98	(5.70 - 11.08)	8.10	(6.00 - 10.84)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
California	8.63	(7.79 - 9.55)	8.78	(7.92 - 9.71)	5.82	(5.08 - 6.65)	6.29	(5.64 - 7.00)
Region 1R	8.63	(6.53 - 11.33)	9.29	(6.95 - 12.33)	5.82	(4.09 - 8.21)	6.35	(4.69 - 8.54)
Region 2R	8.76	(6.65 - 11.46)	10.18	(7.76 - 13.24)	6.35	(4.45 - 8.98)	6.94	(5.14 - 9.30)
Region 3R (Sacramento)	8.39	(6.38 - 10.97)	10.03	(7.63 - 13.07)	6.77	(4.83 - 9.43)	7.27	(5.44 - 9.67)
Region 4R	7.43	(5.63 - 9.76)	8.16	(6.17 - 10.71)	4.84	(3.37 - 6.92)	5.27	(3.86 - 7.17)
Region 5R (San Francisco)	*	(* - *)	9.90	(7.53 - 12.93)	7.44	(5.18 - 10.58)	7.74	(5.60 - 10.62)
Region 6 (Santa Clara)	8.01	(6.14 - 10.39)	8.77	(6.73 - 11.37)	5.15	(3.61 - 7.30)	5.63	(4.15 - 7.59)
Region 7R (Contra Costa)	8.98	(6.90 - 11.60)	9.04	(6.81 - 11.91)	6.14	(4.29 - 8.70)	6.51	(4.75 - 8.87)
Region 8R (Alameda)	8.26	(6.30 - 10.75)	8.78	(6.75 - 11.36)	6.01	(4.32 - 8.30)	6.40	(4.81 - 8.47)
Region 9R (San Mateo)	8.17	(6.15 - 10.79)	8.21	(6.14 - 10.89)	5.31	(3.70 - 7.57)	5.64	(4.09 - 7.73)
Region 10	9.57	(7.26 - 12.52)	10.06	(7.67 - 13.09)	6.34	(4.46 - 8.95)	6.99	(5.20 - 9.34)
Region 11 (Los Angeles)	8.77	(7.70 - 9.96)	8.38	(7.30 - 9.60)	5.78	(4.84 - 6.89)	6.20	(5.35 - 7.17)
LA SPA 1 and 5	8.99	(6.85 - 11.73)	9.32	(7.01 - 12.29)	6.72	(4.78 - 9.38)	7.15	(5.31 - 9.55)
LA SPA 2	9.06	(7.14 - 11.44)	8.85	(6.80 - 11.45)	6.14	(4.41 - 8.49)	6.54	(4.91 - 8.66)
LA SPA 3	8.15	(6.23 - 10.60)	7.79	(5.91 - 10.22)	4.73	(3.28 - 6.75)	5.20	(3.83 - 7.04)
LA SPA 4	8.71	(6.57 - 11.47)	8.20	(6.25 - 10.67)	5.94	(4.19 - 8.37)	6.29	(4.64 - 8.46)
LA SPA 6	8.41	(6.37 - 11.01)	7.19	(5.39 - 9.54)	5.00	(3.42 - 7.27)	5.46	(3.99 - 7.43)
LA SPA 7	9.38	(7.25 - 12.05)	9.23	(7.04 - 12.03)	6.44	(4.50 - 9.13)	6.93	(5.12 - 9.31)
LA SPA 8	8.67	(6.74 - 11.08)	8.02	(6.10 - 10.48)	5.60	(3.97 - 7.84)	5.96	(4.43 - 7.98)
Region 12R	9.49	(7.17 - 12.47)	9.84	(7.37 - 13.01)	7.03	(4.89 - 10.01)	7.46	(5.44 - 10.15)
Regions 13 and 19R	8.72	(6.89 - 10.99)	9.05	(7.25 - 11.24)	5.73	(4.23 - 7.73)	6.29	(4.90 - 8.03)
Region 13 (Riverside)	8.71	(6.77 - 11.14)	9.08	(7.17 - 11.44)	5.72	(4.14 - 7.86)	6.28	(4.82 - 8.15)
Region 19R (Imperial)	8.88	(6.63 - 11.80)	*	(* - *)	*	(* - *)	6.37	(4.57 - 8.80)
Region 14 (Orange)	8.36	(6.52 - 10.66)	7.75	(6.05 - 9.89)	5.14	(3.74 - 7.03)	5.54	(4.22 - 7.24)
Region 15R (Fresno)	8.76	(6.63 - 11.48)	8.75	(6.54 - 11.60)	5.97	(4.24 - 8.35)	6.49	(4.85 - 8.63)
Region 16R (San Diego)	8.44	(6.72 - 10.56)	8.68	(6.86 - 10.93)	5.70	(4.26 - 7.60)	6.21	(4.86 - 7.90)
Region 17R	8.91	(6.92 - 11.40)	8.01	(6.10 - 10.46)	5.52	(3.91 - 7.74)	5.97	(4.47 - 7.93)
Region 18R (San Bernardino)	8.54	(6.70 - 10.83)	8.71	(6.81 - 11.08)	5.83	(4.14 - 8.15)	6.35	(4.79 - 8.36)
Region 20R	8.71	(6.74 - 11.18)	8.80	(6.71 - 11.46)	5.74	(3.98 - 8.20)	6.27	(4.60 - 8.48)
Region 21R	9.08	(6.86 - 11.93)	10.22	(7.80 - 13.27)	6.42	(4.52 - 9.04)	7.11	(5.33 - 9.43)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	12-17 (Estimate)	(95% Confidence Interval)	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
Colorado	8.21	(6.83 - 9.84)	9.02	(7.58 - 10.70)	6.20	(4.97 - 7.70)	6.61	(5.49 - 7.93)
Region 1	8.04	(5.96 - 10.77)	8.78	(6.60 - 11.60)	5.71	(3.94 - 8.21)	6.24	(4.61 - 8.40)
Regions 2 and 7	8.13	(6.40 - 10.26)	9.03	(7.14 - 11.37)	6.30	(4.71 - 8.37)	6.68	(5.20 - 8.54)
Region 3	8.02	(6.04 - 10.58)	9.01	(6.78 - 11.87)	6.23	(4.36 - 8.83)	6.65	(4.92 - 8.94)
Region 4	7.95	(5.84 - 10.74)	*	(* - *)	5.38	(3.60 - 7.95)	5.81	(4.14 - 8.11)
Regions 5 and 6	9.31	(6.87 - 12.50)	9.62	(7.24 - 12.67)	6.61	(4.50 - 9.61)	7.01	(5.03 - 9.69)
Connecticut	7.80	(6.53 - 9.31)	8.01	(6.70 - 9.55)	6.25	(5.08 - 7.67)	6.49	(5.43 - 7.74)
Eastern	7.74	(5.76 - 10.34)	7.90	(5.92 - 10.46)	6.15	(4.31 - 8.69)	6.46	(4.77 - 8.68)
North Central	7.62	(5.79 - 9.95)	7.59	(5.78 - 9.90)	6.20	(4.50 - 8.47)	6.38	(4.80 - 8.42)
Northwestern	9.02	(6.86 - 11.77)	8.82	(6.50 - 11.86)	6.98	(4.91 - 9.82)	7.20	(5.26 - 9.78)
South Central	7.51	(5.53 - 10.13)	8.49	(6.44 - 11.12)	6.59	(4.68 - 9.20)	6.85	(5.07 - 9.20)
Southwest	7.32	(5.41 - 9.82)	7.38	(5.44 - 9.95)	5.30	(3.70 - 7.55)	5.56	(4.05 - 7.59)
Delaware	9.34	(7.85 - 11.09)	9.29	(7.78 - 11.07)	6.45	(5.24 - 7.92)	6.87	(5.77 - 8.15)
Kent	8.64	(6.55 - 11.33)	9.83	(7.43 - 12.89)	6.60	(4.63 - 9.32)	7.12	(5.30 - 9.51)
New Castle (excluding Wilmington City)	9.94	(7.94 - 12.38)	9.38	(7.46 - 11.74)	6.60	(4.98 - 8.68)	7.03	(5.56 - 8.85)
Sussex	8.77	(6.64 - 11.49)	9.00	(6.73 - 11.94)	6.02	(4.28 - 8.42)	6.34	(4.67 - 8.55)
Wilmington City	8.39	(6.18 - 11.29)	8.02	(5.93 - 10.76)	6.51	(4.49 - 9.35)	6.73	(4.84 - 9.28)
District of Columbia	7.20	(6.04 - 8.57)	7.92	(6.69 - 9.35)	6.18	(5.04 - 7.54)	6.51	(5.53 - 7.65)
Ward 1	8.00	(5.91 - 10.75)	7.93	(5.91 - 10.56)	6.85	(4.74 - 9.79)	7.07	(5.19 - 9.58)
Ward 2	*	(* - *)	8.01	(6.01 - 10.60)	5.94	(4.13 - 8.49)	6.56	(4.93 - 8.66)
Ward 3	7.53	(5.50 - 10.23)	8.30	(6.19 - 11.06)	6.02	(4.23 - 8.49)	6.44	(4.80 - 8.59)
Ward 4	7.96	(5.88 - 10.69)	8.46	(6.17 - 11.49)	6.32	(4.34 - 9.12)	6.57	(4.68 - 9.15)
Ward 5	7.10	(5.26 - 9.53)	8.15	(6.10 - 10.81)	6.16	(4.29 - 8.78)	6.54	(4.83 - 8.80)
Ward 6	7.20	(5.21 - 9.87)	9.58	(7.17 - 12.69)	6.94	(4.81 - 9.91)	7.34	(5.35 - 9.99)
Ward 7	6.86	(5.09 - 9.18)	6.41	(4.60 - 8.88)	5.49	(3.71 - 8.05)	5.65	(4.02 - 7.88)
Ward 8	6.58	(4.95 - 8.70)	6.40	(4.66 - 8.71)	5.37	(3.66 - 7.82)	5.59	(4.04 - 7.68)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Florida	8.25	(7.46 - 9.12)	7.60	(6.80 - 8.49)	5.70	(4.99 - 6.50)	5.95	(5.32 - 6.65)
Region A - Northwest	9.47	(7.90 - 11.31)	8.91	(7.38 - 10.73)	7.25	(5.78 - 9.06)	7.54	(6.22 - 9.11)
Circuit 1	10.11	(7.92 - 12.82)	9.47	(7.29 - 12.22)	7.74	(5.68 - 10.46)	8.01	(6.12 - 10.40)
Circuit 2	9.03	(6.86 - 11.79)	8.63	(6.48 - 11.40)	7.06	(4.96 - 9.96)	7.44	(5.56 - 9.90)
Circuit 14	8.44	(6.38 - 11.10)	8.13	(5.99 - 10.95)	6.34	(4.36 - 9.15)	6.58	(4.69 - 9.15)
Region B - Northeast	8.55	(7.18 - 10.15)	7.70	(6.49 - 9.11)	6.07	(4.88 - 7.54)	6.32	(5.24 - 7.61)
Circuits 3 and 8	8.23	(6.29 - 10.70)	7.04	(5.39 - 9.15)	5.75	(4.00 - 8.20)	6.02	(4.45 - 8.09)
Circuit 4	8.29	(6.40 - 10.67)	7.96	(6.14 - 10.27)	5.86	(4.21 - 8.12)	6.17	(4.63 - 8.18)
Circuit 7	9.11	(7.03 - 11.74)	8.06	(6.21 - 10.39)	6.52	(4.70 - 8.96)	6.70	(5.00 - 8.92)
Region C - Central	8.38	(7.29 - 9.60)	8.22	(7.03 - 9.59)	6.22	(5.16 - 7.49)	6.49	(5.52 - 7.61)
Circuit 5	8.61	(6.58 - 11.20)	7.65	(5.79 - 10.03)	5.93	(4.17 - 8.36)	6.09	(4.41 - 8.35)
Circuit 9	8.49	(6.74 - 10.65)	8.46	(6.63 - 10.73)	6.70	(4.98 - 8.97)	7.01	(5.45 - 8.98)
Circuit 10	7.63	(5.75 - 10.06)	7.97	(6.09 - 10.37)	5.92	(4.22 - 8.26)	6.18	(4.58 - 8.30)
Circuit 18	8.37	(6.59 - 10.58)	8.43	(6.48 - 10.89)	6.27	(4.47 - 8.72)	6.55	(4.85 - 8.78)
Circuit 19	8.66	(6.65 - 11.22)	8.15	(6.13 - 10.76)	6.05	(4.24 - 8.56)	6.27	(4.55 - 8.58)
Region D - Southeast	7.57	(6.31 - 9.05)	6.55	(5.34 - 8.00)	4.97	(3.91 - 6.29)	5.16	(4.17 - 6.36)
Circuit 15 (Palm Beach)	7.83	(6.08 - 10.04)	6.69	(5.13 - 8.69)	5.31	(3.85 - 7.29)	5.47	(4.09 - 7.27)
Circuit 17 (Broward)	7.39	(5.86 - 9.28)	6.45	(4.95 - 8.35)	4.70	(3.41 - 6.44)	4.91	(3.71 - 6.48)
Region E - Sun Coast	8.61	(7.41 - 9.98)	8.16	(7.01 - 9.47)	5.89	(4.86 - 7.13)	6.15	(5.19 - 7.27)
Circuit 6	8.33	(6.51 - 10.60)	7.99	(6.14 - 10.33)	5.84	(4.23 - 8.03)	6.07	(4.53 - 8.08)
Circuit 12	8.16	(6.31 - 10.50)	8.07	(6.11 - 10.59)	5.77	(4.06 - 8.12)	5.98	(4.36 - 8.16)
Circuit 13 (Hillsborough)	8.65	(6.73 - 11.05)	8.04	(6.42 - 10.02)	5.72	(4.21 - 7.72)	6.07	(4.68 - 7.84)
Circuit 20	9.17	(7.11 - 11.75)	8.59	(6.58 - 11.12)	6.20	(4.48 - 8.50)	6.44	(4.81 - 8.58)
Region F - Southern (Circuits 11 and 16)	7.33	(5.82 - 9.20)	5.80	(4.51 - 7.42)	4.11	(3.04 - 5.54)	4.35	(3.35 - 5.62)
Georgia	8.55	(7.23 - 10.08)	8.06	(6.83 - 9.50)	6.47	(5.29 - 7.89)	6.71	(5.65 - 7.95)
Region 1	8.78	(6.77 - 11.31)	8.46	(6.52 - 10.92)	6.29	(4.55 - 8.63)	6.58	(4.96 - 8.67)
Region 2	8.40	(6.33 - 11.07)	7.63	(5.71 - 10.14)	6.31	(4.44 - 8.90)	6.54	(4.83 - 8.80)
Region 3	9.04	(6.98 - 11.64)	8.20	(6.38 - 10.49)	6.57	(4.82 - 8.91)	6.81	(5.18 - 8.90)
Region 4	7.89	(5.83 - 10.60)	7.57	(5.55 - 10.25)	6.45	(4.47 - 9.23)	6.64	(4.83 - 9.08)
Region 5	8.34	(6.14 - 11.25)	8.20	(6.06 - 11.00)	6.72	(4.54 - 9.83)	6.98	(4.99 - 9.67)
Region 6	7.74	(5.82 - 10.23)	7.72	(5.75 - 10.29)	6.55	(4.58 - 9.30)	6.73	(4.90 - 9.17)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Hawaii	9.41	(7.80 - 11.31)	8.09	(6.67 - 9.79)	5.96	(4.71 - 7.52)	6.25	(5.11 - 7.62)
Hawaii Island	8.41	(6.26 - 11.23)	8.01	(5.93 - 10.74)	6.30	(4.34 - 9.07)	6.51	(4.67 - 9.01)
Honolulu	9.98	(8.04 - 12.32)	8.10	(6.47 - 10.10)	5.87	(4.43 - 7.74)	6.18	(4.86 - 7.83)
Kauai and Maui	7.96	(6.13 - 10.28)	8.12	(6.27 - 10.47)	6.08	(4.41 - 8.34)	6.31	(4.73 - 8.37)
Kauai	8.16	(5.90 - 11.19)	*	(* - *)	5.75	(3.84 - 8.53)	5.96	(4.13 - 8.53)
Maui	7.88	(5.78 - 10.66)	8.30	(6.14 - 11.14)	6.23	(4.26 - 9.03)	6.46	(4.59 - 9.02)
Idaho	9.40	(8.01 - 11.01)	9.91	(8.40 - 11.66)	7.43	(6.07 - 9.05)	7.80	(6.59 - 9.22)
Region 1	9.00	(6.75 - 11.90)	9.32	(6.84 - 12.57)	7.00	(4.83 - 10.03)	7.28	(5.23 - 10.04)
Region 2	8.76	(6.49 - 11.72)	9.07	(6.75 - 12.10)	7.03	(4.83 - 10.13)	7.43	(5.42 - 10.10)
Region 3	8.89	(6.70 - 11.71)	10.43	(7.90 - 13.66)	6.90	(4.83 - 9.78)	7.41	(5.47 - 9.98)
Region 4	9.90	(7.70 - 12.63)	10.09	(7.85 - 12.89)	7.66	(5.57 - 10.44)	8.00	(6.08 - 10.46)
Region 5	9.46	(7.22 - 12.31)	8.98	(6.65 - 12.02)	7.43	(5.23 - 10.46)	7.65	(5.60 - 10.38)
Region 6	9.47	(7.15 - 12.44)	10.99	(8.28 - 14.46)	8.09	(5.70 - 11.36)	8.56	(6.34 - 11.44)
Region 7	9.58	(7.21 - 12.61)	9.95	(7.44 - 13.19)	7.74	(5.38 - 11.00)	8.19	(6.07 - 10.98)
Illinois	8.30	(7.48 - 9.20)	8.30	(7.43 - 9.27)	5.72	(4.99 - 6.53)	6.09	(5.45 - 6.80)
Region I (Cook)	8.11	(6.89 - 9.53)	8.55	(7.29 - 10.01)	5.62	(4.57 - 6.90)	6.05	(5.09 - 7.17)
Region II	8.43	(7.15 - 9.91)	7.99	(6.64 - 9.59)	5.42	(4.35 - 6.74)	5.78	(4.79 - 6.95)
Region III	8.22	(6.54 - 10.29)	7.88	(6.32 - 9.80)	5.89	(4.50 - 7.68)	6.23	(4.97 - 7.78)
Region IV	8.96	(7.00 - 11.39)	8.84	(6.95 - 11.18)	6.15	(4.56 - 8.26)	6.52	(5.04 - 8.40)
Region V	8.21	(6.49 - 10.34)	8.42	(6.66 - 10.58)	6.55	(4.94 - 8.64)	6.82	(5.33 - 8.68)
Indiana	7.72	(6.49 - 9.16)	8.62	(7.28 - 10.19)	7.03	(5.74 - 8.58)	7.27	(6.11 - 8.62)
Central	7.79	(5.93 - 10.17)	8.44	(6.34 - 11.17)	7.38	(5.31 - 10.18)	7.53	(5.62 - 10.02)
East	8.16	(5.98 - 11.02)	8.86	(6.60 - 11.79)	7.08	(4.93 - 10.07)	7.37	(5.40 - 9.99)
North Central	7.79	(5.81 - 10.37)	8.87	(6.62 - 11.78)	6.81	(4.74 - 9.69)	7.10	(5.16 - 9.70)
Northeast	7.64	(5.60 - 10.35)	8.32	(6.13 - 11.22)	6.30	(4.37 - 9.01)	6.59	(4.77 - 9.05)
Northwest	7.59	(5.63 - 10.17)	8.30	(6.22 - 10.99)	6.92	(4.80 - 9.87)	7.11	(5.14 - 9.74)
Southeast	7.80	(5.76 - 10.48)	8.75	(6.56 - 11.58)	7.28	(5.13 - 10.22)	7.46	(5.46 - 10.11)
Southwest	7.46	(5.54 - 9.97)	8.83	(6.53 - 11.85)	6.89	(4.81 - 9.79)	7.17	(5.22 - 9.76)
West	7.45	(5.53 - 9.97)	8.74	(6.60 - 11.49)	7.02	(4.87 - 10.02)	7.42	(5.51 - 9.92)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Iowa	8.32	(7.10 - 9.74)	9.23	(7.83 - 10.86)	7.10	(5.83 - 8.63)	7.42	(6.27 - 8.76)
Central	7.97	(6.02 - 10.49)	8.72	(6.60 - 11.45)	6.67	(4.74 - 9.30)	6.95	(5.16 - 9.31)
North Central	7.79	(5.78 - 10.41)	8.91	(6.60 - 11.93)	6.14	(4.20 - 8.91)	6.67	(4.86 - 9.10)
Northeast	8.16	(6.27 - 10.57)	8.44	(6.46 - 10.95)	6.68	(4.84 - 9.15)	6.94	(5.25 - 9.13)
Northwest	7.75	(5.87 - 10.16)	9.39	(7.06 - 12.39)	6.45	(4.52 - 9.12)	6.84	(5.01 - 9.26)
Southeast	9.55	(7.35 - 12.31)	10.28	(7.80 - 13.43)	8.67	(6.26 - 11.90)	8.93	(6.71 - 11.79)
Southwest	8.33	(6.22 - 11.07)	10.08	(7.54 - 13.34)	7.66	(5.27 - 11.01)	7.95	(5.70 - 11.00)
Kansas	8.29	(7.01 - 9.79)	8.49	(7.14 - 10.07)	6.43	(5.23 - 7.88)	6.74	(5.67 - 8.01)
Kansas City Metro	8.40	(6.52 - 10.77)	8.26	(6.36 - 10.67)	6.02	(4.37 - 8.24)	6.35	(4.82 - 8.33)
Northeast	7.95	(5.93 - 10.59)	8.39	(6.28 - 11.12)	6.81	(4.80 - 9.56)	7.09	(5.26 - 9.49)
South Central	7.88	(5.95 - 10.37)	8.10	(5.95 - 10.93)	6.36	(4.39 - 9.13)	6.61	(4.78 - 9.07)
Southeast	8.70	(6.46 - 11.62)	9.24	(6.80 - 12.43)	7.17	(4.83 - 10.50)	7.49	(5.33 - 10.42)
West	8.72	(6.54 - 11.55)	9.15	(6.82 - 12.17)	6.59	(4.55 - 9.45)	6.96	(5.06 - 9.52)
Wichita (Sedgwick)	8.32	(6.34 - 10.83)	8.63	(6.49 - 11.39)	6.46	(4.52 - 9.15)	6.79	(4.98 - 9.18)
Kentucky	8.92	(7.56 - 10.49)	7.92	(6.61 - 9.47)	7.46	(6.11 - 9.07)	7.52	(6.32 - 8.93)
Adanta, Cumberland River, and Lifeskills	8.66	(6.60 - 11.30)	7.90	(5.92 - 10.46)	7.80	(5.58 - 10.80)	7.81	(5.78 - 10.48)
Bluegrass, Comprehend, and North Key	8.48	(6.51 - 10.97)	7.87	(6.03 - 10.21)	7.23	(5.29 - 9.82)	7.33	(5.58 - 9.57)
Communicare and River Valley	8.92	(6.62 - 11.90)	7.96	(5.92 - 10.63)	7.11	(4.92 - 10.17)	7.23	(5.21 - 9.94)
Four Rivers and Pennyroyal	8.55	(6.36 - 11.42)	7.20	(5.19 - 9.91)	6.10	(4.13 - 8.91)	6.26	(4.43 - 8.77)
Kentucky River, Mountain, and Pathways	8.51	(6.29 - 11.40)	6.94	(5.02 - 9.53)	6.28	(4.25 - 9.19)	6.36	(4.47 - 8.99)
Seven Counties	10.03	(7.76 - 12.87)	8.85	(6.66 - 11.67)	8.85	(6.47 - 11.98)	8.85	(6.68 - 11.63)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Louisiana	8.25	(7.03 - 9.65)	7.52	(6.40 - 8.81)	6.20	(5.07 - 7.56)	6.41	(5.41 - 7.57)
Regions 1 and 10	7.64	(6.09 - 9.54)	6.94	(5.45 - 8.81)	6.15	(4.59 - 8.20)	6.27	(4.85 - 8.08)
Region 1	7.20	(5.33 - 9.65)	6.80	(4.99 - 9.22)	6.12	(4.16 - 8.93)	6.24	(4.46 - 8.68)
Region 10 (Jefferson)	8.06	(6.06 - 10.66)	7.14	(5.29 - 9.56)	6.18	(4.29 - 8.83)	6.30	(4.55 - 8.68)
Regions 2 and 9	8.74	(6.83 - 11.13)	7.61	(5.89 - 9.79)	6.20	(4.49 - 8.50)	6.43	(4.87 - 8.44)
Region 3	8.02	(6.04 - 10.58)	7.45	(5.51 - 10.01)	5.66	(3.93 - 8.09)	5.93	(4.31 - 8.10)
Regions 4, 5, and 6	8.79	(6.74 - 11.39)	8.70	(6.75 - 11.14)	6.98	(5.04 - 9.59)	7.24	(5.47 - 9.53)
Regions 7 and 8	7.42	(5.68 - 9.64)	6.47	(4.91 - 8.48)	5.47	(3.89 - 7.62)	5.62	(4.19 - 7.51)
Maine	8.92	(7.60 - 10.45)	9.20	(7.88 - 10.72)	7.08	(5.83 - 8.58)	7.34	(6.20 - 8.68)
Aroostook/Downeast	8.55	(6.76 - 10.76)	8.91	(7.09 - 11.14)	6.30	(4.61 - 8.54)	6.59	(5.01 - 8.63)
Aroostook	8.63	(6.40 - 11.54)	9.29	(6.96 - 12.31)	6.47	(4.38 - 9.45)	6.80	(4.82 - 9.51)
Downeast	8.47	(6.25 - 11.39)	8.58	(6.37 - 11.47)	6.16	(4.11 - 9.13)	6.43	(4.49 - 9.13)
Central	9.42	(7.14 - 12.35)	9.27	(6.92 - 12.32)	8.60	(6.10 - 12.01)	8.68	(6.34 - 11.78)
Cumberland	8.73	(6.64 - 11.39)	9.18	(6.99 - 11.96)	6.81	(4.87 - 9.43)	7.11	(5.29 - 9.49)
Midcoast	8.67	(6.42 - 11.61)	8.84	(6.55 - 11.82)	6.49	(4.43 - 9.42)	6.72	(4.75 - 9.44)
Penquis	8.72	(6.66 - 11.34)	9.22	(6.95 - 12.12)	6.52	(4.62 - 9.13)	6.96	(5.18 - 9.29)
Western	9.52	(7.32 - 12.31)	8.86	(6.74 - 11.57)	7.55	(5.38 - 10.51)	7.72	(5.71 - 10.37)
York	8.80	(6.64 - 11.58)	10.02	(7.56 - 13.16)	7.22	(5.08 - 10.17)	7.54	(5.51 - 10.23)
Maryland	8.06	(6.81 - 9.51)	7.68	(6.48 - 9.08)	6.35	(5.20 - 7.73)	6.54	(5.52 - 7.73)
Anne Arundel	9.40	(6.91 - 12.68)	8.50	(6.28 - 11.42)	7.09	(4.91 - 10.15)	7.28	(5.24 - 10.04)
Baltimore City	6.36	(4.68 - 8.58)	6.64	(4.91 - 8.92)	5.76	(3.95 - 8.33)	5.92	(4.28 - 8.13)
Baltimore County	7.81	(5.79 - 10.45)	8.03	(6.00 - 10.67)	6.28	(4.37 - 8.96)	6.53	(4.77 - 8.89)
Montgomery	8.10	(6.11 - 10.66)	7.76	(5.74 - 10.42)	6.21	(4.32 - 8.86)	6.39	(4.62 - 8.79)
North Central	8.33	(6.23 - 11.05)	8.58	(6.33 - 11.53)	6.29	(4.32 - 9.08)	6.57	(4.71 - 9.10)
Northeast	8.99	(6.68 - 12.00)	9.05	(6.62 - 12.26)	7.78	(5.38 - 11.12)	7.94	(5.70 - 10.95)
Prince George's	7.41	(5.41 - 10.07)	6.49	(4.80 - 8.74)	5.76	(3.92 - 8.37)	5.88	(4.22 - 8.15)
South	7.83	(5.84 - 10.42)	7.95	(5.90 - 10.65)	5.95	(4.05 - 8.68)	6.26	(4.49 - 8.65)
West	8.98	(6.68 - 11.97)	8.03	(5.94 - 10.77)	6.69	(4.61 - 9.63)	6.87	(4.92 - 9.51)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Massachusetts	8.33	(7.13 - 9.72)	8.18	(6.87 - 9.71)	6.25	(5.09 - 7.66)	6.54	(5.50 - 7.77)
Boston	8.35	(6.17 - 11.20)	7.76	(5.84 - 10.24)	5.97	(4.12 - 8.58)	6.39	(4.73 - 8.58)
Central	8.81	(6.72 - 11.48)	8.22	(6.07 - 11.03)	6.11	(4.19 - 8.82)	6.41	(4.62 - 8.83)
Metrowest	7.68	(5.86 - 10.01)	8.29	(6.13 - 11.14)	6.14	(4.39 - 8.53)	6.42	(4.77 - 8.59)
Northeast	8.13	(6.23 - 10.54)	7.51	(5.64 - 9.95)	6.26	(4.45 - 8.75)	6.43	(4.74 - 8.66)
Southeast	8.31	(6.38 - 10.75)	8.36	(6.39 - 10.86)	6.03	(4.28 - 8.43)	6.33	(4.69 - 8.47)
Western	9.32	(7.07 - 12.19)	9.13	(6.87 - 12.03)	7.22	(5.05 - 10.22)	7.55	(5.57 - 10.15)
Michigan	9.78	(8.87 - 10.78)	9.86	(8.98 - 10.81)	6.75	(5.99 - 7.59)	7.20	(6.53 - 7.94)
Detroit City	9.08	(7.07 - 11.58)	8.51	(6.66 - 10.82)	6.00	(4.30 - 8.31)	6.45	(4.90 - 8.45)
Genesee	9.32	(7.27 - 11.86)	10.46	(8.12 - 13.36)	6.98	(5.05 - 9.58)	7.46	(5.64 - 9.81)
Kalamazoo	10.39	(8.35 - 12.87)	11.31	(8.91 - 14.25)	7.29	(5.42 - 9.75)	7.93	(6.17 - 10.12)
Kent	9.34	(7.26 - 11.93)	9.16	(7.23 - 11.54)	5.50	(4.00 - 7.51)	6.07	(4.67 - 7.87)
Lakeshore	10.07	(8.14 - 12.40)	11.09	(8.87 - 13.78)	7.31	(5.54 - 9.58)	7.88	(6.22 - 9.94)
Macomb	10.11	(8.06 - 12.60)	9.17	(7.32 - 11.42)	6.13	(4.54 - 8.22)	6.51	(5.01 - 8.41)
Mid South	10.35	(8.31 - 12.83)	9.72	(7.81 - 12.04)	6.99	(5.26 - 9.23)	7.47	(5.93 - 9.38)
Northern	10.09	(8.02 - 12.63)	10.25	(8.18 - 12.78)	6.29	(4.66 - 8.43)	6.84	(5.31 - 8.78)
Oakland	9.74	(7.88 - 11.98)	9.14	(7.36 - 11.29)	7.14	(5.47 - 9.29)	7.38	(5.82 - 9.32)
Pathways and Western	10.14	(7.80 - 13.10)	10.72	(8.28 - 13.78)	7.77	(5.57 - 10.73)	8.20	(6.15 - 10.84)
Riverhaven	10.16	(7.86 - 13.05)	10.76	(8.32 - 13.81)	7.55	(5.49 - 10.29)	7.94	(6.00 - 10.45)
Saginaw	9.51	(7.21 - 12.44)	9.20	(7.01 - 11.98)	6.49	(4.56 - 9.16)	6.91	(5.09 - 9.31)
Southeast	8.95	(7.22 - 11.05)	9.83	(8.03 - 11.99)	6.82	(5.30 - 8.75)	7.22	(5.82 - 8.94)
St. Clair	9.55	(7.36 - 12.30)	9.97	(7.66 - 12.89)	6.54	(4.67 - 9.08)	6.96	(5.17 - 9.30)
Washtenaw	10.64	(8.42 - 13.36)	9.81	(7.84 - 12.20)	6.72	(4.90 - 9.15)	7.30	(5.65 - 9.38)
Minnesota	8.21	(6.97 - 9.65)	8.62	(7.28 - 10.18)	5.60	(4.54 - 6.90)	6.03	(5.06 - 7.16)
Regions 1 and 2	8.77	(6.58 - 11.61)	10.11	(7.50 - 13.51)	6.14	(4.10 - 9.09)	6.70	(4.75 - 9.36)
Regions 3 and 4	8.09	(6.15 - 10.56)	8.53	(6.44 - 11.20)	5.37	(3.75 - 7.62)	5.83	(4.30 - 7.84)
Regions 5 and 6	8.55	(6.57 - 11.06)	8.83	(6.68 - 11.58)	5.86	(4.13 - 8.25)	6.30	(4.68 - 8.43)
Region 7A (Hennepin)	8.41	(6.34 - 11.07)	8.28	(6.24 - 10.92)	5.83	(4.17 - 8.09)	6.17	(4.61 - 8.21)
Region 7B (Ramsey)	8.42	(6.15 - 11.43)	8.91	(6.59 - 11.96)	6.30	(4.31 - 9.11)	6.75	(4.88 - 9.25)
Region 7C	7.64	(5.83 - 9.96)	7.91	(5.98 - 10.38)	4.79	(3.38 - 6.74)	5.17	(3.84 - 6.94)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Mississippi	7.57	(6.40 - 8.93)	7.06	(5.94 - 8.38)	6.76	(5.52 - 8.26)	6.81	(5.72 - 8.08)
Region 1	8.21	(6.27 - 10.69)	7.32	(5.49 - 9.71)	7.11	(5.14 - 9.77)	7.15	(5.36 - 9.48)
Region 2	6.85	(5.02 - 9.27)	6.08	(4.47 - 8.23)	5.76	(3.95 - 8.33)	5.81	(4.17 - 8.04)
Region 3	7.39	(5.59 - 9.71)	7.54	(5.63 - 10.03)	7.61	(5.35 - 10.72)	7.60	(5.58 - 10.26)
Region 4	7.01	(5.22 - 9.37)	6.17	(4.60 - 8.25)	6.31	(4.40 - 8.97)	6.29	(4.56 - 8.61)
Region 5	7.35	(5.34 - 10.03)	6.64	(4.83 - 9.08)	6.31	(4.22 - 9.35)	6.36	(4.44 - 9.04)
Region 6	7.98	(5.95 - 10.62)	7.20	(5.32 - 9.68)	6.88	(4.84 - 9.69)	6.93	(5.08 - 9.39)
Region 7	7.86	(5.94 - 10.34)	8.12	(6.11 - 10.70)	6.91	(4.85 - 9.75)	7.08	(5.19 - 9.60)
Missouri	8.30	(7.07 - 9.72)	8.28	(6.99 - 9.79)	7.03	(5.84 - 8.45)	7.21	(6.15 - 8.45)
Central	8.15	(6.14 - 10.73)	7.69	(5.75 - 10.22)	6.30	(4.38 - 9.00)	6.55	(4.80 - 8.88)
Eastern	8.13	(6.53 - 10.07)	7.90	(6.29 - 9.88)	7.00	(5.39 - 9.05)	7.13	(5.64 - 8.96)
Eastern (St. Louis City and County)	7.86	(6.00 - 10.24)	7.54	(5.70 - 9.92)	6.85	(4.92 - 9.48)	6.95	(5.17 - 9.29)
Eastern (excluding St. Louis)	8.54	(6.44 - 11.24)	8.61	(6.43 - 11.44)	7.25	(5.16 - 10.08)	7.42	(5.48 - 9.98)
Northwest	8.30	(6.61 - 10.39)	7.93	(6.25 - 10.00)	6.55	(4.96 - 8.60)	6.75	(5.28 - 8.58)
Northwest (Jackson)	7.66	(5.73 - 10.16)	7.40	(5.52 - 9.86)	5.98	(4.15 - 8.54)	6.18	(4.48 - 8.47)
Northwest (excluding Jackson)	8.82	(6.62 - 11.67)	8.37	(6.16 - 11.28)	7.04	(4.91 - 10.00)	7.23	(5.24 - 9.89)
Southeast	8.49	(6.44 - 11.12)	9.20	(6.86 - 12.23)	7.62	(5.36 - 10.71)	7.83	(5.73 - 10.62)
Southwest	8.67	(6.53 - 11.42)	9.61	(7.19 - 12.73)	8.02	(5.71 - 11.15)	8.25	(6.12 - 11.02)
Montana	8.61	(7.25 - 10.18)	10.19	(8.74 - 11.86)	6.62	(5.41 - 8.07)	7.12	(6.03 - 8.40)
Region 1	8.07	(5.98 - 10.81)	9.74	(7.25 - 12.96)	5.90	(4.03 - 8.57)	6.35	(4.54 - 8.80)
Region 2	8.27	(6.20 - 10.95)	9.88	(7.46 - 12.96)	5.93	(4.15 - 8.39)	6.50	(4.82 - 8.72)
Region 3	9.52	(7.33 - 12.28)	11.50	(8.95 - 14.68)	6.76	(4.90 - 9.26)	7.35	(5.57 - 9.63)
Region 4	8.69	(6.61 - 11.35)	9.79	(7.59 - 12.53)	6.66	(4.79 - 9.19)	7.14	(5.40 - 9.39)
Region 5	8.20	(6.34 - 10.55)	10.06	(7.98 - 12.60)	7.00	(5.18 - 9.38)	7.43	(5.75 - 9.55)
Nebraska	7.97	(6.66 - 9.51)	8.57	(7.22 - 10.14)	6.31	(5.11 - 7.76)	6.65	(5.57 - 7.91)
Regions 1 and 2	7.99	(6.22 - 10.20)	8.67	(6.77 - 11.04)	6.33	(4.66 - 8.55)	6.63	(5.05 - 8.65)
Region 1	7.80	(5.70 - 10.60)	*	(* - *)	6.18	(4.17 - 9.06)	6.51	(4.60 - 9.12)
Region 2	8.14	(5.93 - 11.07)	8.65	(6.32 - 11.71)	6.47	(4.37 - 9.48)	6.73	(4.73 - 9.49)
Region 3	7.64	(5.75 - 10.09)	8.14	(6.08 - 10.81)	5.96	(4.11 - 8.55)	6.27	(4.54 - 8.59)
Region 4	7.83	(5.80 - 10.48)	8.25	(6.11 - 11.06)	6.01	(4.08 - 8.75)	6.30	(4.49 - 8.78)
Region 5	9.03	(6.96 - 11.63)	9.39	(7.28 - 12.04)	7.79	(5.65 - 10.64)	8.07	(6.14 - 10.52)
Region 6	7.57	(5.81 - 9.82)	8.16	(6.35 - 10.43)	5.62	(4.07 - 7.71)	6.00	(4.56 - 7.85)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nevada	8.80	(7.10 - 10.87)	8.46	(6.87 - 10.37)	6.08	(4.72 - 7.80)	6.41	(5.16 - 7.93)
Clark – Region 1	9.05	(7.04 - 11.56)	8.48	(6.62 - 10.80)	6.16	(4.55 - 8.30)	6.48	(5.00 - 8.38)
Region 3	8.39	(6.46 - 10.82)	8.57	(6.63 - 11.01)	6.06	(4.49 - 8.14)	6.37	(4.89 - 8.25)
Capital District	8.41	(6.12 - 11.46)	8.79	(6.41 - 11.96)	6.17	(4.24 - 8.89)	6.47	(4.63 - 8.96)
Rural/Frontier	8.37	(6.05 - 11.47)	8.39	(6.09 - 11.46)	5.96	(4.01 - 8.77)	6.27	(4.43 - 8.81)
Washoe – Region 2	7.98	(5.88 - 10.74)	8.30	(6.28 - 10.90)	5.70	(3.92 - 8.22)	6.10	(4.44 - 8.33)
New Hampshire	9.84	(8.33 - 11.58)	9.62	(8.21 - 11.25)	7.02	(5.74 - 8.57)	7.37	(6.21 - 8.73)
Central	9.63	(7.75 - 11.91)	9.39	(7.62 - 11.52)	6.92	(5.25 - 9.07)	7.28	(5.74 - 9.18)
Central 1	9.71	(7.35 - 12.71)	9.02	(6.88 - 11.73)	6.82	(4.78 - 9.64)	7.18	(5.30 - 9.66)
Central 2	9.56	(7.22 - 12.56)	9.89	(7.46 - 12.99)	7.02	(4.90 - 9.94)	7.37	(5.37 - 10.04)
Northern	9.32	(7.03 - 12.26)	9.64	(7.27 - 12.67)	7.23	(5.07 - 10.21)	7.56	(5.55 - 10.23)
Southern	10.02	(8.23 - 12.14)	9.75	(8.00 - 11.82)	7.02	(5.49 - 8.95)	7.37	(5.95 - 9.10)
Southern 1 (Rockingham)	9.08	(6.96 - 11.76)	8.99	(6.81 - 11.77)	6.40	(4.53 - 8.97)	6.69	(4.93 - 9.04)
Southern 2	10.63	(8.39 - 13.38)	10.13	(8.02 - 12.73)	7.42	(5.51 - 9.92)	7.80	(6.03 - 10.03)
New Jersey	7.40	(6.13 - 8.92)	7.63	(6.34 - 9.15)	5.37	(4.24 - 6.79)	5.67	(4.63 - 6.92)
Central	7.36	(5.51 - 9.76)	7.31	(5.42 - 9.79)	5.30	(3.67 - 7.59)	5.54	(4.01 - 7.61)
Metropolitan	7.75	(5.89 - 10.15)	7.44	(5.66 - 9.72)	5.04	(3.48 - 7.25)	5.38	(3.92 - 7.34)
Northern	7.23	(5.49 - 9.46)	7.33	(5.58 - 9.59)	5.18	(3.61 - 7.38)	5.45	(3.99 - 7.41)
Southern	7.31	(5.50 - 9.66)	8.58	(6.51 - 11.23)	6.13	(4.34 - 8.60)	6.46	(4.80 - 8.65)
New Mexico	10.88	(9.22 - 12.80)	8.83	(7.39 - 10.52)	6.98	(5.61 - 8.66)	7.26	(6.02 - 8.72)
Region 1	10.02	(7.69 - 12.95)	9.16	(6.92 - 12.03)	7.45	(5.27 - 10.43)	7.70	(5.70 - 10.32)
Region 2	10.26	(7.74 - 13.49)	8.21	(6.09 - 10.98)	6.46	(4.45 - 9.28)	6.66	(4.77 - 9.23)
Region 3 (Bernalillo)	12.21	(9.53 - 15.51)	9.12	(7.02 - 11.77)	7.29	(5.19 - 10.15)	7.56	(5.63 - 10.09)
Region 4	10.79	(8.21 - 14.07)	8.29	(6.15 - 11.10)	6.54	(4.54 - 9.33)	6.82	(4.97 - 9.28)
Region 5	10.35	(7.97 - 13.35)	8.75	(6.64 - 11.44)	6.66	(4.67 - 9.41)	7.00	(5.18 - 9.40)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	12-17 (Estimate)	(95% Confidence Interval)	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
New York	7.41	(6.61 - 8.30)	7.81	(6.99 - 8.71)	6.27	(5.49 - 7.16)	6.50	(5.81 - 7.27)
Region A	7.45	(6.39 - 8.67)	7.20	(6.23 - 8.32)	5.81	(4.84 - 6.96)	6.02	(5.15 - 7.03)
Region 1	7.52	(5.80 - 9.70)	7.22	(5.57 - 9.31)	5.61	(4.03 - 7.76)	5.90	(4.45 - 7.78)
Region 2	7.73	(6.15 - 9.68)	6.70	(5.34 - 8.36)	5.62	(4.21 - 7.47)	5.79	(4.51 - 7.40)
Region 3	7.50	(5.67 - 9.85)	8.29	(6.43 - 10.64)	7.13	(5.29 - 9.53)	7.30	(5.62 - 9.44)
Region 4	6.95	(5.31 - 9.03)	7.02	(5.44 - 9.01)	5.16	(3.74 - 7.08)	5.42	(4.09 - 7.15)
Region B	7.24	(6.16 - 8.49)	7.93	(6.71 - 9.35)	6.60	(5.40 - 8.05)	6.78	(5.68 - 8.07)
Region 5	6.78	(5.38 - 8.52)	7.94	(6.35 - 9.90)	6.69	(5.14 - 8.68)	6.86	(5.43 - 8.63)
Region 6	7.46	(5.79 - 9.55)	7.23	(5.51 - 9.44)	6.18	(4.48 - 8.48)	6.32	(4.73 - 8.39)
Region 7	8.43	(6.50 - 10.85)	8.80	(6.77 - 11.35)	6.95	(4.99 - 9.59)	7.23	(5.43 - 9.57)
Region C	7.48	(6.45 - 8.67)	8.62	(7.51 - 9.89)	6.70	(5.61 - 7.98)	7.00	(6.03 - 8.12)
Region 8	7.75	(6.00 - 9.97)	8.23	(6.39 - 10.55)	6.35	(4.57 - 8.74)	6.63	(4.98 - 8.77)
Region 9	6.94	(5.31 - 9.03)	9.13	(7.14 - 11.59)	6.46	(4.73 - 8.76)	6.89	(5.30 - 8.91)
Region 10	8.13	(6.11 - 10.74)	8.99	(6.82 - 11.78)	7.74	(5.52 - 10.75)	7.99	(5.99 - 10.58)
Region 11	7.88	(6.08 - 10.14)	8.56	(6.66 - 10.95)	7.40	(5.43 - 10.00)	7.58	(5.79 - 9.86)
Region 12	7.12	(5.47 - 9.20)	8.38	(6.49 - 10.75)	6.19	(4.47 - 8.50)	6.51	(4.92 - 8.58)
Region D	7.63	(6.36 - 9.14)	8.17	(6.84 - 9.74)	6.40	(5.15 - 7.92)	6.67	(5.53 - 8.03)
Region 13	7.23	(5.43 - 9.55)	8.19	(6.23 - 10.69)	6.25	(4.39 - 8.83)	6.54	(4.80 - 8.85)
Region 14	7.62	(5.74 - 10.06)	8.04	(6.11 - 10.51)	6.24	(4.36 - 8.86)	6.53	(4.79 - 8.85)
Region 15	7.98	(6.12 - 10.35)	8.30	(6.33 - 10.82)	6.68	(4.83 - 9.16)	6.92	(5.21 - 9.14)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
North Carolina	7.71	(6.53 - 9.09)	7.80	(6.63 - 9.15)	6.15	(5.00 - 7.53)	6.38	(5.35 - 7.59)
Alliance	7.24	(5.51 - 9.48)	7.20	(5.40 - 9.52)	5.78	(4.11 - 8.08)	6.00	(4.44 - 8.04)
Cardinal Innovations	7.40	(5.47 - 9.94)	7.50	(5.61 - 9.96)	5.99	(4.09 - 8.71)	6.20	(4.42 - 8.62)
CenterPoint/Guilford	7.79	(6.02 - 10.01)	7.94	(6.20 - 10.10)	6.21	(4.49 - 8.53)	6.46	(4.88 - 8.52)
CenterPoint	*	(* - *)	*	(* - *)	*	(* - *)	6.35	(4.39 - 9.10)
Guilford	*	(* - *)	8.03	(5.88 - 10.88)	6.31	(4.19 - 9.40)	6.59	(4.62 - 9.31)
CoastalCare	7.88	(5.78 - 10.65)	8.14	(5.90 - 11.14)	6.56	(4.38 - 9.70)	6.84	(4.84 - 9.58)
Eastpointe	7.96	(5.96 - 10.55)	7.63	(5.64 - 10.24)	6.22	(4.26 - 8.98)	6.41	(4.58 - 8.90)
ECBH	8.13	(5.92 - 11.06)	8.12	(5.95 - 10.99)	*	(* - *)	6.72	(4.78 - 9.38)
MeckLINK	7.20	(5.26 - 9.78)	7.58	(5.54 - 10.27)	5.76	(3.86 - 8.54)	6.02	(4.24 - 8.49)
Partners	8.47	(6.34 - 11.24)	7.96	(5.91 - 10.65)	6.41	(4.43 - 9.19)	6.60	(4.74 - 9.13)
Sandhills	8.02	(5.89 - 10.82)	8.39	(6.16 - 11.34)	6.36	(4.26 - 9.41)	6.62	(4.63 - 9.38)
Smoky Mountain	*	(* - *)	8.33	(6.07 - 11.34)	*	(* - *)	6.65	(4.63 - 9.47)
Western Highlands	*	(* - *)	8.80	(6.55 - 11.72)	6.32	(4.25 - 9.31)	6.59	(4.63 - 9.31)
North Dakota	7.30	(6.02 - 8.81)	8.59	(7.23 - 10.19)	5.28	(4.20 - 6.61)	5.86	(4.90 - 7.00)
Badlands and West Central	7.61	(5.82 - 9.90)	8.70	(6.52 - 11.53)	5.30	(3.67 - 7.60)	5.76	(4.20 - 7.84)
Lake Region and South Central	6.90	(5.03 - 9.39)	7.97	(5.85 - 10.78)	4.71	(3.19 - 6.90)	5.12	(3.66 - 7.13)
North Central and Northwest	7.59	(5.69 - 10.06)	9.24	(6.97 - 12.16)	5.64	(3.99 - 7.91)	6.23	(4.66 - 8.27)
Northeast	7.08	(5.14 - 9.69)	8.40	(6.43 - 10.90)	5.27	(3.63 - 7.59)	6.03	(4.55 - 7.95)
Southeast	7.07	(5.33 - 9.33)	8.49	(6.56 - 10.91)	5.33	(3.81 - 7.40)	5.99	(4.61 - 7.76)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Ohio	8.72	(7.94 - 9.56)	9.17	(8.34 - 10.08)	7.69	(6.87 - 8.59)	7.90	(7.18 - 8.69)
Boards 2, 46, 55, and 68	8.99	(6.99 - 11.49)	8.60	(6.69 - 10.99)	7.52	(5.49 - 10.22)	7.66	(5.79 - 10.08)
Boards 3, 52, and 85	8.58	(6.62 - 11.06)	9.04	(6.91 - 11.74)	7.27	(5.20 - 10.09)	7.51	(5.57 - 10.05)
Boards 4 and 78	8.57	(6.51 - 11.19)	8.99	(6.89 - 11.67)	7.73	(5.45 - 10.85)	7.88	(5.75 - 10.72)
Boards 5 and 60	8.82	(6.85 - 11.30)	8.54	(6.59 - 11.00)	7.32	(5.21 - 10.19)	7.54	(5.63 - 10.01)
Boards 7, 15, 41, 79, and 84	8.43	(6.40 - 11.03)	10.12	(8.00 - 12.71)	8.27	(6.06 - 11.18)	8.49	(6.44 - 11.11)
Boards 8, 13, and 83	9.56	(7.52 - 12.07)	9.77	(7.63 - 12.42)	8.16	(6.06 - 10.90)	8.35	(6.40 - 10.84)
Board 9 (Butler)	9.74	(7.50 - 12.57)	10.63	(8.19 - 13.67)	9.71	(7.01 - 13.30)	9.86	(7.40 - 13.02)
Board 12	9.71	(7.56 - 12.39)	9.86	(7.62 - 12.66)	8.75	(6.34 - 11.97)	8.93	(6.73 - 11.76)
Boards 18 and 47	8.33	(6.78 - 10.21)	8.25	(6.66 - 10.18)	7.30	(5.73 - 9.24)	7.42	(5.98 - 9.17)
Boards 20, 32, 54, and 69	8.58	(6.58 - 11.11)	9.04	(6.91 - 11.76)	6.77	(4.82 - 9.43)	7.06	(5.23 - 9.48)
Boards 21, 39, 51, 70, and 80	9.02	(7.09 - 11.41)	9.54	(7.32 - 12.34)	8.19	(6.05 - 10.98)	8.35	(6.34 - 10.91)
Boards 22, 74, and 87	8.27	(6.29 - 10.81)	9.87	(7.65 - 12.64)	7.13	(5.01 - 10.05)	7.55	(5.60 - 10.12)
Boards 23 and 45	8.61	(6.64 - 11.08)	9.26	(7.05 - 12.07)	7.15	(5.17 - 9.82)	7.44	(5.58 - 9.86)
Board 25 (Franklin)	8.37	(6.63 - 10.52)	9.98	(8.02 - 12.36)	7.71	(5.87 - 10.08)	8.10	(6.42 - 10.18)
Boards 27, 71, and 73	8.68	(6.70 - 11.19)	8.96	(6.89 - 11.58)	7.52	(5.47 - 10.26)	7.71	(5.81 - 10.16)
Boards 28, 43, and 67	8.72	(6.80 - 11.13)	8.81	(6.79 - 11.36)	8.09	(6.01 - 10.81)	8.19	(6.28 - 10.62)
Board 31 (Hamilton)	8.91	(7.06 - 11.19)	8.91	(7.03 - 11.23)	7.94	(5.95 - 10.52)	8.09	(6.28 - 10.37)
Board 48 (Lucas)	8.67	(6.69 - 11.17)	9.37	(7.32 - 11.93)	7.67	(5.52 - 10.56)	7.94	(5.97 - 10.49)
Boards 50 and 76	8.55	(6.79 - 10.72)	8.47	(6.66 - 10.72)	7.32	(5.42 - 9.81)	7.47	(5.71 - 9.71)
Board 57 (Montgomery)	8.37	(6.55 - 10.63)	8.77	(6.78 - 11.28)	7.57	(5.61 - 10.15)	7.74	(5.92 - 10.05)
Board 77 (Summit)	8.94	(6.93 - 11.47)	9.03	(7.07 - 11.48)	7.35	(5.41 - 9.92)	7.58	(5.77 - 9.89)
Oklahoma	8.30	(7.01 - 9.80)	9.31	(7.85 - 11.00)	7.68	(6.28 - 9.38)	7.93	(6.69 - 9.38)
Central	9.40	(7.01 - 12.48)	10.60	(7.88 - 14.11)	8.82	(6.14 - 12.52)	9.12	(6.66 - 12.38)
East Central	8.01	(5.99 - 10.62)	9.23	(6.84 - 12.33)	7.46	(5.16 - 10.66)	7.70	(5.56 - 10.58)
Northeast	7.49	(5.60 - 9.95)	8.63	(6.39 - 11.56)	6.16	(4.28 - 8.80)	6.56	(4.82 - 8.89)
Northwest and Southwest	8.71	(6.62 - 11.38)	9.13	(6.80 - 12.15)	8.13	(5.76 - 11.35)	8.28	(6.11 - 11.13)
Oklahoma County	7.92	(5.98 - 10.42)	8.88	(6.75 - 11.60)	7.09	(4.95 - 10.07)	7.37	(5.40 - 9.98)
Southeast	8.00	(5.97 - 10.66)	9.24	(6.95 - 12.18)	8.22	(5.80 - 11.51)	8.36	(6.14 - 11.28)
Tulsa County	8.63	(6.41 - 11.53)	9.56	(7.19 - 12.62)	8.04	(5.77 - 11.10)	8.26	(6.17 - 10.98)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Oregon	9.61	(8.22 - 11.21)	10.36	(8.82 - 12.15)	7.55	(6.27 - 9.06)	7.94	(6.78 - 9.27)
Region 1 (Multnomah)	9.78	(7.48 - 12.70)	10.02	(7.77 - 12.83)	7.53	(5.50 - 10.23)	7.86	(5.97 - 10.29)
Region 2	9.71	(7.55 - 12.40)	10.33	(7.92 - 13.35)	7.69	(5.55 - 10.56)	8.02	(6.02 - 10.62)
Region 3	9.83	(7.76 - 12.38)	11.05	(8.81 - 13.78)	8.12	(6.12 - 10.69)	8.59	(6.78 - 10.84)
Region 4	9.14	(6.90 - 12.01)	9.40	(7.01 - 12.51)	6.50	(4.53 - 9.25)	6.85	(4.97 - 9.36)
Region 5 (Central)	8.73	(6.48 - 11.65)	9.50	(6.99 - 12.79)	6.71	(4.54 - 9.80)	7.03	(4.97 - 9.86)
Region 6 (Eastern)	9.47	(6.99 - 12.70)	*	(* - *)	*	(* - *)	7.83	(5.49 - 11.05)
Pennsylvania	8.49	(7.65 - 9.42)	9.25	(8.34 - 10.25)	6.55	(5.79 - 7.40)	6.94	(6.26 - 7.67)
Region 1 (Allegheny)	8.73	(6.85 - 11.05)	9.01	(7.20 - 11.23)	6.76	(5.11 - 8.91)	7.07	(5.54 - 8.99)
Regions 3, 8, 9, and 51	7.99	(6.18 - 10.26)	8.93	(6.93 - 11.44)	6.43	(4.71 - 8.72)	6.79	(5.17 - 8.86)
Regions 4, 11, 37, and 49	8.31	(6.42 - 10.69)	9.73	(7.56 - 12.45)	6.75	(4.93 - 9.16)	7.15	(5.45 - 9.32)
Regions 5, 18, 23, 24, and 46	8.25	(6.39 - 10.59)	9.96	(7.71 - 12.78)	6.44	(4.71 - 8.73)	6.90	(5.25 - 9.03)
Regions 6, 12, 16, 31, 35, 45, and 47	8.09	(6.21 - 10.46)	8.24	(6.43 - 10.50)	5.46	(3.91 - 7.57)	6.01	(4.58 - 7.85)
Regions 7, 13, 20, and 33	9.14	(7.49 - 11.10)	9.99	(8.19 - 12.14)	6.50	(5.07 - 8.29)	6.95	(5.62 - 8.57)
Regions 10, 15, 27, 32, 43, and 44	9.20	(7.16 - 11.75)	10.04	(7.66 - 13.07)	7.32	(5.39 - 9.86)	7.65	(5.82 - 9.99)
Regions 17 and 21	8.68	(6.66 - 11.24)	9.43	(7.16 - 12.32)	6.62	(4.70 - 9.24)	7.07	(5.26 - 9.44)
Regions 19, 26, 28, and 42	8.37	(6.65 - 10.49)	9.23	(7.37 - 11.49)	6.41	(4.90 - 8.34)	6.79	(5.38 - 8.53)
Regions 22, 38, 40, 41, and 48	8.91	(6.95 - 11.37)	9.16	(7.14 - 11.68)	5.79	(4.24 - 7.85)	6.18	(4.72 - 8.05)
Regions 29 and 34	8.13	(6.26 - 10.48)	9.04	(6.90 - 11.76)	6.69	(4.85 - 9.15)	7.01	(5.28 - 9.24)
Regions 30 and 50	7.65	(5.79 - 10.04)	7.81	(5.82 - 10.42)	5.44	(3.87 - 7.61)	5.76	(4.26 - 7.74)
Region 36 (Philadelphia)	7.85	(6.13 - 10.00)	9.05	(7.31 - 11.16)	7.69	(5.80 - 10.13)	7.95	(6.28 - 10.01)
Rhode Island	8.41	(6.95 - 10.15)	8.49	(7.06 - 10.18)	7.22	(5.77 - 9.00)	7.43	(6.14 - 8.96)
Bristol and Newport	8.01	(5.93 - 10.73)	7.81	(5.74 - 10.56)	6.42	(4.36 - 9.37)	6.63	(4.73 - 9.23)
Kent	8.13	(6.06 - 10.82)	7.72	(5.78 - 10.23)	6.49	(4.54 - 9.20)	6.64	(4.82 - 9.07)
Providence	8.52	(6.70 - 10.78)	8.65	(6.89 - 10.79)	7.60	(5.71 - 10.04)	7.78	(6.10 - 9.87)
Washington	8.70	(6.45 - 11.62)	9.02	(6.66 - 12.11)	7.28	(5.01 - 10.46)	7.59	(5.52 - 10.36)
South Carolina	8.75	(7.41 - 10.30)	8.49	(7.12 - 10.08)	7.59	(6.20 - 9.25)	7.72	(6.48 - 9.17)
Region 1	9.40	(7.27 - 12.07)	8.25	(6.27 - 10.79)	7.64	(5.46 - 10.58)	7.73	(5.74 - 10.32)
Region 2	8.85	(6.91 - 11.28)	8.79	(6.83 - 11.24)	7.96	(5.85 - 10.74)	8.09	(6.19 - 10.50)
Region 3	7.90	(5.94 - 10.44)	7.47	(5.57 - 9.95)	6.69	(4.70 - 9.43)	6.80	(4.96 - 9.24)
Region 4	8.50	(6.60 - 10.88)	8.96	(6.83 - 11.67)	7.72	(5.65 - 10.47)	7.90	(6.00 - 10.35)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
South Dakota	8.78	(7.39 - 10.40)	8.70	(7.21 - 10.46)	5.39	(4.33 - 6.69)	5.88	(4.91 - 7.02)
Region 1	10.10	(7.76 - 13.05)	9.55	(7.21 - 12.53)	5.63	(4.01 - 7.86)	6.19	(4.65 - 8.20)
Region 2	8.26	(6.10 - 11.10)	9.11	(6.68 - 12.32)	4.93	(3.31 - 7.28)	5.41	(3.84 - 7.59)
Region 3	7.59	(5.71 - 10.02)	7.82	(5.84 - 10.38)	4.78	(3.36 - 6.77)	5.30	(3.95 - 7.07)
Region 4	8.47	(6.37 - 11.16)	8.67	(6.38 - 11.69)	5.43	(3.78 - 7.76)	5.94	(4.37 - 8.03)
Region 5	8.95	(6.90 - 11.52)	8.75	(6.66 - 11.43)	5.80	(4.18 - 7.99)	6.21	(4.69 - 8.18)
Tennessee	8.30	(7.02 - 9.79)	7.69	(6.49 - 9.09)	6.76	(5.54 - 8.23)	6.89	(5.79 - 8.18)
Region 1	9.08	(6.83 - 11.97)	8.47	(6.26 - 11.37)	7.20	(5.01 - 10.23)	7.36	(5.31 - 10.11)
Region 2	7.97	(5.99 - 10.55)	8.24	(6.19 - 10.88)	6.75	(4.76 - 9.49)	6.95	(5.10 - 9.39)
Region 3	8.95	(6.72 - 11.81)	7.86	(5.96 - 10.30)	6.93	(4.89 - 9.75)	7.06	(5.18 - 9.55)
Region 4 (Davidson)	8.47	(6.40 - 11.14)	7.92	(5.91 - 10.52)	7.42	(5.29 - 10.31)	7.50	(5.56 - 10.03)
Region 5	8.52	(6.51 - 11.07)	7.75	(5.88 - 10.15)	6.40	(4.51 - 9.01)	6.59	(4.84 - 8.91)
Region 6	8.39	(6.25 - 11.17)	7.57	(5.58 - 10.20)	7.36	(5.10 - 10.50)	7.39	(5.31 - 10.19)
Region 7 (Shelby)	7.26	(5.39 - 9.71)	6.37	(4.69 - 8.59)	6.05	(4.15 - 8.74)	6.10	(4.37 - 8.45)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Texas	8.26	(7.40 - 9.22)	7.91	(7.12 - 8.78)	5.93	(5.18 - 6.77)	6.24	(5.59 - 6.97)
Region 1	9.94	(7.58 - 12.93)	8.65	(6.60 - 11.25)	6.78	(4.78 - 9.53)	7.12	(5.28 - 9.52)
Region 2	8.65	(6.54 - 11.35)	8.17	(6.17 - 10.75)	6.05	(4.26 - 8.53)	6.40	(4.72 - 8.61)
Region 3	8.66	(7.34 - 10.18)	8.02	(6.78 - 9.46)	5.81	(4.71 - 7.15)	6.14	(5.13 - 7.32)
Region 3a	7.95	(6.39 - 9.84)	7.44	(5.96 - 9.26)	5.40	(4.12 - 7.04)	5.70	(4.52 - 7.15)
Region 3bc	9.91	(8.02 - 12.18)	9.03	(7.25 - 11.18)	6.53	(4.94 - 8.59)	6.90	(5.43 - 8.73)
Region 4	7.94	(6.07 - 10.34)	8.09	(6.18 - 10.52)	5.84	(4.18 - 8.10)	6.14	(4.58 - 8.20)
Region 5	7.63	(5.80 - 9.98)	7.86	(6.01 - 10.20)	5.82	(4.19 - 8.04)	6.13	(4.60 - 8.11)
Region 6	7.50	(6.17 - 9.09)	7.15	(5.91 - 8.62)	5.56	(4.37 - 7.05)	5.80	(4.73 - 7.10)
Region 6a	7.44	(6.02 - 9.17)	7.01	(5.69 - 8.60)	5.46	(4.19 - 7.09)	5.70	(4.55 - 7.12)
Region 6bc	7.98	(6.04 - 10.49)	8.47	(6.45 - 11.04)	6.38	(4.44 - 9.08)	6.66	(4.84 - 9.10)
Region 7	8.36	(6.88 - 10.13)	9.21	(7.66 - 11.04)	6.83	(5.41 - 8.60)	7.28	(6.00 - 8.81)
Region 7a	8.49	(6.63 - 10.80)	8.91	(6.94 - 11.37)	6.44	(4.80 - 8.60)	6.86	(5.34 - 8.78)
Region 7bcd	8.15	(6.22 - 10.62)	9.60	(7.53 - 12.16)	7.53	(5.43 - 10.36)	7.98	(6.09 - 10.38)
Region 8	9.07	(7.18 - 11.40)	8.10	(6.37 - 10.26)	6.61	(4.93 - 8.82)	6.85	(5.30 - 8.80)
Region 9	8.49	(6.39 - 11.19)	7.71	(5.85 - 10.10)	5.79	(4.05 - 8.22)	6.11	(4.49 - 8.25)
Region 10	8.58	(6.57 - 11.15)	7.96	(6.06 - 10.39)	5.66	(3.98 - 7.98)	6.07	(4.53 - 8.09)
Region 11	7.67	(6.17 - 9.49)	6.86	(5.45 - 8.61)	4.99	(3.76 - 6.58)	5.31	(4.19 - 6.71)
Region 11abd	7.21	(5.43 - 9.51)	6.65	(4.98 - 8.84)	4.73	(3.32 - 6.70)	5.05	(3.74 - 6.80)
Region 11c (Hidalgo)	8.37	(6.33 - 10.99)	7.21	(5.29 - 9.75)	5.46	(3.71 - 7.96)	5.78	(4.14 - 8.00)
Utah	9.35	(7.90 - 11.03)	11.09	(9.50 - 12.92)	8.06	(6.67 - 9.70)	8.63	(7.42 - 10.01)
Bear River, Northeastern, Summit, Tooele, and Wasatch	10.78	(8.12 - 14.18)	12.17	(9.41 - 15.60)	10.24	(7.34 - 14.12)	10.60	(8.01 - 13.92)
Central, Four Corners, San Juan, and Southwest	9.33	(7.05 - 12.26)	9.83	(7.26 - 13.17)	7.36	(5.07 - 10.57)	7.78	(5.65 - 10.63)
Davis County	9.63	(7.23 - 12.74)	10.33	(7.81 - 13.54)	7.98	(5.68 - 11.11)	8.38	(6.26 - 11.12)
Salt Lake County	9.23	(7.21 - 11.74)	11.39	(9.08 - 14.19)	7.75	(5.82 - 10.24)	8.36	(6.62 - 10.50)
Utah County	8.82	(6.68 - 11.56)	11.43	(8.91 - 14.55)	8.42	(6.09 - 11.53)	9.22	(7.20 - 11.74)
Weber, Morgan	8.61	(6.41 - 11.48)	9.82	(7.35 - 13.01)	6.94	(4.85 - 9.84)	7.43	(5.47 - 10.00)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Vermont	7.89	(6.56 - 9.47)	9.10	(7.66 - 10.77)	7.17	(5.91 - 8.68)	7.45	(6.32 - 8.76)
Champlain Valley	7.55	(5.82 - 9.74)	8.68	(6.78 - 11.05)	6.30	(4.71 - 8.39)	6.73	(5.28 - 8.53)
Rural Northeast	8.11	(6.11 - 10.69)	10.49	(8.09 - 13.51)	7.80	(5.60 - 10.76)	8.15	(6.09 - 10.81)
Rural Southeast	8.53	(6.49 - 11.14)	9.41	(7.14 - 12.30)	8.39	(6.12 - 11.41)	8.50	(6.38 - 11.25)
Rural Southwest	7.60	(5.64 - 10.15)	8.19	(6.16 - 10.81)	6.65	(4.67 - 9.37)	6.85	(5.02 - 9.28)
Virginia	9.12	(7.77 - 10.67)	9.15	(7.69 - 10.86)	6.87	(5.59 - 8.42)	7.20	(6.05 - 8.55)
Region 1	9.26	(7.06 - 12.04)	9.52	(7.23 - 12.42)	7.74	(5.54 - 10.71)	8.02	(6.02 - 10.61)
Region 2	9.38	(7.27 - 12.03)	9.09	(6.93 - 11.85)	6.17	(4.39 - 8.61)	6.52	(4.86 - 8.71)
Region 3	9.59	(7.32 - 12.48)	9.15	(6.90 - 12.04)	7.96	(5.65 - 11.11)	8.14	(6.02 - 10.92)
Region 4	8.16	(6.18 - 10.68)	8.54	(6.32 - 11.43)	6.08	(4.22 - 8.69)	6.44	(4.69 - 8.78)
Region 5	9.11	(7.02 - 11.73)	9.38	(7.14 - 12.24)	6.91	(4.93 - 9.61)	7.32	(5.52 - 9.66)
Washington	9.43	(7.97 - 11.13)	9.31	(7.89 - 10.94)	8.14	(6.73 - 9.80)	8.30	(7.05 - 9.76)
Region 1	9.68	(7.67 - 12.16)	9.80	(7.77 - 12.28)	8.36	(6.23 - 11.12)	8.60	(6.68 - 11.00)
East 1 (previously Region 1)	9.94	(7.48 - 13.09)	10.16	(7.57 - 13.51)	9.15	(6.41 - 12.91)	9.32	(6.83 - 12.60)
East 2 (previously Region 2)	9.38	(6.89 - 12.64)	9.29	(7.01 - 12.21)	7.27	(4.96 - 10.53)	7.60	(5.48 - 10.45)
Region 2	9.69	(7.86 - 11.89)	8.73	(7.07 - 10.75)	7.93	(6.22 - 10.06)	8.04	(6.49 - 9.93)
North 1 (previously Region 3)	9.00	(6.81 - 11.79)	8.76	(6.74 - 11.31)	7.70	(5.52 - 10.63)	7.85	(5.85 - 10.45)
North 2 (previously Region 4)	10.16	(7.83 - 13.08)	8.72	(6.65 - 11.36)	8.06	(5.97 - 10.80)	8.15	(6.22 - 10.60)
Region 3	8.93	(7.14 - 11.12)	9.72	(7.84 - 12.00)	8.30	(6.45 - 10.61)	8.49	(6.81 - 10.55)
West 1 (previously Region 5)	8.48	(6.40 - 11.16)	9.06	(6.90 - 11.82)	7.61	(5.48 - 10.47)	7.83	(5.87 - 10.36)
West 2 (previously Region 6)	9.35	(7.01 - 12.36)	10.45	(7.92 - 13.68)	8.92	(6.44 - 12.22)	9.11	(6.81 - 12.09)
West Virginia	8.78	(7.44 - 10.34)	7.98	(6.74 - 9.42)	8.30	(6.87 - 10.00)	8.26	(6.98 - 9.75)
Region I	8.44	(6.27 - 11.28)	7.67	(5.67 - 10.31)	7.28	(4.95 - 10.59)	7.33	(5.17 - 10.31)
Region II	9.92	(7.47 - 13.05)	9.04	(6.69 - 12.12)	9.56	(6.74 - 13.37)	9.49	(6.90 - 12.93)
Region III	8.28	(6.10 - 11.14)	8.03	(5.84 - 10.96)	7.44	(5.15 - 10.63)	7.51	(5.35 - 10.44)
Region IV	8.01	(6.05 - 10.53)	7.02	(5.40 - 9.09)	6.56	(4.68 - 9.13)	6.64	(4.97 - 8.82)
Region V	9.46	(7.40 - 12.03)	8.83	(6.84 - 11.33)	10.39	(7.89 - 13.58)	10.21	(7.93 - 13.06)
Region VI	7.94	(5.94 - 10.55)	7.64	(5.71 - 10.16)	6.95	(4.84 - 9.87)	7.03	(5.06 - 9.67)

See notes at end of table.

(continued)

Table 25 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and Substate Region: Percentages, Annual Averages Based on 2010, 2011, and 2012 NSDUHs (continued)*

State/Substate Region	12-17		18-25		26+		18+	
	12-17 (Estimate)	(95% Confidence Interval)	18-25 (Estimate)	(95% Confidence Interval)	26+ (Estimate)	(95% Confidence Interval)	18+ (Estimate)	(95% Confidence Interval)
Wisconsin	8.42	(7.12 - 9.93)	8.72	(7.40 - 10.26)	6.26	(5.08 - 7.69)	6.61	(5.56-7.85)
Milwaukee	8.05	(5.97 - 10.76)	8.98	(6.70 - 11.93)	6.60	(4.60 - 9.37)	6.98	(5.13-9.43)
Northeastern	8.79	(6.87 - 11.19)	8.80	(6.70 - 11.47)	6.29	(4.54 - 8.66)	6.62	(4.99-8.75)
Northern	8.58	(6.37 - 11.48)	8.44	(6.29 - 11.25)	5.94	(4.09 - 8.55)	6.26	(4.51-8.61)
Southeastern	8.40	(6.36 - 11.02)	8.22	(6.18 - 10.87)	5.89	(4.13 - 8.35)	6.19	(4.54-8.39)
Southern	8.42	(6.38 - 11.04)	8.55	(6.52 - 11.14)	6.20	(4.38 - 8.69)	6.55	(4.88-8.76)
Western	8.21	(6.18 - 10.84)	9.29	(7.01 - 12.22)	6.65	(4.65 - 9.44)	7.07	(5.21-9.53)
Wyoming	9.15	(7.84 - 10.65)	9.27	(7.96 - 10.77)	6.81	(5.65 - 8.19)	7.18	(6.14-8.37)
Judicial District 1 (Laramie)	9.11	(6.98 - 11.79)	8.83	(6.60 - 11.71)	6.87	(4.87 - 9.62)	7.15	(5.28-9.62)
Judicial District 2	9.28	(6.87 - 12.42)	9.35	(7.19 - 12.07)	7.43	(5.22 - 10.47)	7.99	(6.08-10.44)
Judicial District 3	9.67	(7.42 - 12.52)	9.22	(7.07 - 11.93)	7.04	(5.00 - 9.82)	7.33	(5.44-9.82)
Judicial District 4	9.76	(7.25 - 13.03)	9.52	(7.13 - 12.60)	7.19	(4.89 - 10.46)	7.45	(5.27-10.45)
Judicial District 5	8.97	(6.68 - 11.95)	9.32	(6.93 - 12.42)	6.53	(4.52 - 9.35)	6.86	(4.95-9.44)
Judicial District 6	9.00	(6.78 - 11.87)	8.71	(6.41 - 11.73)	6.44	(4.49 - 9.16)	6.77	(4.92-9.24)
Judicial District 7 (Natrona)	8.90	(6.71 - 11.70)	9.83	(7.46 - 12.84)	7.00	(4.94 - 9.83)	7.40	(5.47-9.94)
Judicial District 8	9.67	(7.27 - 12.77)	9.65	(7.23 - 12.75)	6.47	(4.45 - 9.31)	6.86	(4.95-9.43)
Judicial District 9	8.29	(6.12 - 11.15)	9.36	(7.01 - 12.39)	6.41	(4.45 - 9.15)	6.77	(4.92-9.27)

ECBH = East Carolina Behavioral Health; SPA = service planning area.

* Low precision; no estimate reported.

NOTE: For substate region definitions, see the "2010-2012 National Survey on Drug Use and Health Substate Region Definitions" at <http://www.samhsa.gov/data/NSDUH/substate2k12/toc.aspx>.

NOTE: Substate, State, and census region estimates along with the 95 percent confidence (credible) intervals are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques. Design-based (direct) estimates and corresponding 95 percent confidence intervals are given for the total United States.

NOTE: Major depressive episode is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. For details, see Section B in the "2011-2012 National Survey on Drug Use and Health: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://samhsa.gov/data/NSDUH/2k12State/NSDUHsae2012/Index.aspx>.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012 (2010 Data - Revised March 2012).

Suppression Criterion for Substate Region by Age Group Tables from the 2010-2012 National Surveys on Drug Use and Health

The suppression criterion used for the 1999-2001, 2002-2004, 2004-2006, 2006-2008, and 2008-2010 substate by age group small area estimates also has been used for the 2010-2012 substate by age group estimates. Suppressed estimates are noted by an asterisk (*). The suppression criterion is based on a combination of the relative standard error (RSE) of $[-\ln(p)]$ or $[-\ln(1-p)]$ and the effective sample size (EFN), where p denotes the substate by age group level unbenchmarked small area estimate and $\ln(p)$ denotes the natural logarithm of p . For $p \leq 50$ percent, an RSE of $[-\ln(p)]$ is used, and for $p > 50$ percent, an RSE of $[-\ln(1-p)]$ is used. The separate formulas for $p \leq 50$ percent and $p > 50$ percent produce a symmetric suppression rule; that is, if p is suppressed, then so will $(1-p)$. By using the first-order Taylor series approximation method, an estimate of an RSE of $[-\ln(p)]$ and an RSE of $[-\ln(1-p)]$ is given by

$$\begin{aligned} \text{RSE of } [-\ln(p)] &= \frac{\sqrt{\text{var}(p)}}{p[-\ln(p)]} \text{ and} \\ \text{RSE of } [-\ln(1-p)] &= \frac{\sqrt{\text{var}(1-p)}}{(1-p)[- \ln(1-p)]}, \end{aligned}$$

where $\text{var}(p)$ denotes the posterior variance of p . The EFN is defined as $\text{EFN} = \frac{n}{\text{design effect}}$,

where n denotes the raw sample size and design effect is defined as

$\text{design effect} = \frac{\text{var}(p)}{[p(1-p)/n]}$; hence, $\text{EFN} = \frac{p(1-p)}{\text{var}(p)}$. A lower bound of 0.2 also was imposed on

the design effects (i.e., all design effects that were less than 0.2 were changed to 0.2) to avoid publishing substate by age group estimates with very small sample sizes.

The following criterion was used in [Tables 1 to 25](#):

When $p < 5.23$ percent, then suppress if an RSE of $[-\ln(p)] > 10$ percent;
when $5.23 \text{ percent} \leq p \leq 94.77 \text{ percent}$, then suppress if the $\text{EFN} \leq 208$; and
when $p > 94.77 \text{ percent}$, then suppress if an RSE of $[-\ln(1-p)] > 10$ percent.

A graph describing the relationship between p and the EFN for an RSE of $[-\ln(p)] = 10$ percent when $p \leq 50$ percent and for an RSE of $[-\ln(1-p)] = 10$ percent when $p > 50$ percent is shown in Figure 1. The suppression criterion switches to EFN between

5.23 and 94.77 percent so that the EFN is not allowed to fall below the EFN of 208 required at $p = 50$ percent.

Figure 1. Small Area Estimate versus Effective Sample Size When the Relative Standard Error Equals 10 Percent

