

Table 1.103A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	34,363	34,333	3,936	3,878	1,042	929
GEOGRAPHIC DIVISION						
Northeast	6,885	6,579	828	774	229	212
New England	2,219	2,060	260	276	63	83
Middle Atlantic	4,667	4,519	569	498	166	129
Midwest	7,641	7,078	745	744	197	175
East North Central	5,331	5,132	535	536	145	118
West North Central	2,309 ^a	1,947	210	208	52	57
South	9,794 ^a	10,974	1,213	1,228	355	344
South Atlantic	5,507	6,202	654	611	180	152
East South Central	1,236 ^b	1,689	138	193	47	64
West South Central	3,051	3,084	421	425	128	128
West	10,043	9,701	1,149	1,132	261	198
Mountain	3,057	2,664	360	385	80	61
Pacific	6,986	7,037	789	747	181	137
COUNTY TYPE						
Large Metro	19,285	19,397	2,288	2,070	624 ^b	415
Small Metro	10,532	10,481	1,171	1,343	302	390
250K – 1 Mil. Pop.	6,909	6,861	773	882	172 ^a	281
< 250K Pop.	3,623	3,620	398	461	130	109
Nonmetro	4,546	4,455	477	465	116	125
Urbanized	2,449	2,361	255	287	61	76
Less Urbanized	1,723	1,790	186	152	54	45
Completely Rural	374	304	36	26	2	4

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.103B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	14.5	14.3	1.7	1.6	0.4	0.4
GEOGRAPHIC DIVISION						
Northeast	15.2	14.5	1.8	1.7	0.5	0.5
New England	18.7	17.2	2.2	2.3	0.5	0.7
Middle Atlantic	14.0	13.5	1.7	1.5	0.5	0.4
Midwest	14.2 ^a	13.1	1.4	1.4	0.4	0.3
East North Central	14.2	13.5	1.4	1.4	0.4	0.3
West North Central	14.3 ^a	12.0	1.3	1.3	0.3	0.4
South	11.6 ^a	12.7	1.4	1.4	0.4	0.4
South Atlantic	12.4	13.7	1.5	1.4	0.4	0.3
East South Central	8.7 ^b	11.7	1.0	1.3	0.3	0.4
West South Central	11.7	11.6	1.6	1.6	0.5	0.5
West	18.7	17.7	2.1	2.1	0.5	0.4
Mountain	19.6 ^a	16.7	2.3	2.4	0.5	0.4
Pacific	18.3	18.2	2.1	1.9	0.5	0.4
COUNTY TYPE						
Large Metro	15.3	15.1	1.8	1.6	0.5 ^b	0.3
Small Metro	14.8	14.6	1.6	1.9	0.4	0.5
250K – 1 Mil. Pop.	14.7	14.5	1.6	1.9	0.4 ^b	0.6
< 250K Pop.	14.8	14.8	1.6	1.9	0.5	0.4
Nonmetro	11.3	11.0	1.2	1.1	0.3	0.3
Urbanized	13.7	14.1	1.4	1.7	0.3	0.5
Less Urbanized	9.5	8.8	1.0	0.8	0.3	0.2
Completely Rural	9.1	8.5	0.9	0.7	0.1	0.1

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.104A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	1,250	1,160	778	753	260	211
GEOGRAPHIC DIVISION						
Northeast	222	212	161	140	56	42
New England	80	81	56	50	18	12
Middle Atlantic	143	131	105	90	38	29
Midwest	268	232	174	151	57	38
East North Central	188	173	120	109	38	29
West North Central	79	60	53	42	19	9
South	393	366	247	242	84	77
South Atlantic	167	184	116	125	35	35
East South Central	56	65	37	42	11	15
West South Central	171 ^a	116	94	75	39	27
West	366	350	197	220	62	55
Mountain	139	112	65	70	29	20
Pacific	228	237	131	150	33	35
COUNTY TYPE						
Large Metro	644	560	408	369	139 ^b	89
Small Metro	407	398	254	248	86	83
250K – 1 Mil. Pop.	270	234	165	150	55	54
< 250K Pop.	137	165	89	98	31	29
Nonmetro	198	202	116	137	35	39
Urbanized	87	97	56	72	12	23
Less Urbanized	91	88	47	50	22	14
Completely Rural	20	17	14	14	1	2

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.104B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	5.0	4.6	3.1	3.0	1.0	0.8
GEOGRAPHIC DIVISION						
Northeast	5.0	4.7	3.6	3.1	1.2	0.9
New England	6.8	6.9	4.8	4.3	1.5	1.1
Middle Atlantic	4.3	3.9	3.2	2.7	1.1	0.9
Midwest	4.7	4.1	3.0	2.7	1.0	0.7
East North Central	4.7	4.3	3.0	2.7	1.0	0.7
West North Central	4.7	3.6	3.1	2.5	1.1	0.5
South	4.4	4.1	2.8	2.7	0.9	0.9
South Atlantic	3.7	4.0	2.6	2.7	0.8	0.8
East South Central	3.8	4.5	2.5	2.9	0.7	1.1
West South Central	5.7 ^b	3.9	3.2	2.5	1.3	0.9
West	6.2	5.8	3.3	3.7	1.1	0.9
Mountain	8.0	6.4	3.8	4.0	1.7	1.1
Pacific	5.5	5.6	3.2	3.5	0.8	0.8
COUNTY TYPE						
Large Metro	4.8	4.2	3.1	2.8	1.0 ^b	0.7
Small Metro	5.5	5.2	3.4	3.2	1.2	1.1
250K – 1 Mil. Pop.	5.4	4.6	3.3	2.9	1.1	1.1
< 250K Pop.	5.7	6.5	3.7	3.8	1.3	1.1
Nonmetro	4.6	4.8	2.7	3.2	0.8	0.9
Urbanized	4.7	5.7	3.0	4.3	0.6	1.3
Less Urbanized	4.6	4.1	2.3	2.3	1.1	0.7
Completely Rural	4.6	4.4	3.1	3.7	0.2	0.5

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.105A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	7,377 ^a	6,855	2,112	1,944	545	477
GEOGRAPHIC DIVISION						
Northeast	1,488	1,401	507	464	127	128
New England	487	418	178	149	42	45
Middle Atlantic	1,000	983	329	315	85	83
Midwest	1,661	1,525	456	454	121	96
East North Central	1,166	1,060	322	309	88	66
West North Central	494	465	133	145	33	30
South	2,293	2,169	620	615	178	162
South Atlantic	1,207	1,133	316	300	85	72
East South Central	307	364	66	88	22	23
West South Central	779	671	239	228	71	67
West	1,936	1,760	529	411	118	92
Mountain	621	575	172	156	30	33
Pacific	1,314	1,186	357	254	88	59
COUNTY TYPE						
Large Metro	4,016 ^b	3,561	1,160	1,014	316 ^a	232
Small Metro	2,390	2,358	708	679	175	187
250K – 1 Mil. Pop.	1,617	1,549	482	426	100	112
< 250K Pop.	773	810	226	253	75	75
Nonmetro	971	935	244	251	54	58
Urbanized	515	499	145	147	35	30
Less Urbanized	403	382	93	93	17	26
Completely Rural	52	54	6	10	2	2

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.105B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	23.3 ^b	21.3	6.7	6.0	1.7	1.5
GEOGRAPHIC DIVISION						
Northeast	26.4	24.6	9.0	8.2	2.3	2.3
New England	33.2	28.1	12.1	10.0	2.9	3.0
Middle Atlantic	24.0	23.4	7.9	7.5	2.0	2.0
Midwest	22.6 ^a	20.5	6.2	6.1	1.6	1.3
East North Central	22.9 ^a	20.7	6.3	6.0	1.7	1.3
West North Central	21.7	20.1	5.9	6.3	1.4	1.3
South	20.2	18.8	5.5	5.3	1.6	1.4
South Atlantic	21.6	19.9	5.7	5.3	1.5	1.3
East South Central	15.9	18.7	3.4	4.5	1.1	1.2
West South Central	20.5 ^a	17.3	6.3	5.9	1.9	1.7
West	26.1	23.4	7.1 ^a	5.5	1.6	1.2
Mountain	27.8	25.1	7.7	6.8	1.3	1.4
Pacific	25.4	22.6	6.9 ^a	4.9	1.7	1.1
COUNTY TYPE						
Large Metro	24.2 ^b	21.4	7.0	6.1	1.9 ^a	1.4
Small Metro	23.4	22.2	6.9	6.4	1.7	1.8
250K – 1 Mil. Pop.	24.3	22.5	7.3	6.2	1.5	1.6
< 250K Pop.	21.7	21.8	6.3	6.8	2.1	2.0
Nonmetro	19.7	18.9	5.0	5.1	1.1	1.2
Urbanized	21.8	21.7	6.1	6.4	1.5	1.3
Less Urbanized	18.4	16.5	4.2	4.0	0.8	1.1
Completely Rural	14.3	16.6	1.7	3.2	0.4	0.6

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.106A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	25,736	26,318	1,046	1,182	238	241
GEOGRAPHIC DIVISION						
Northeast	5,175	4,966	161	170	46	42
New England	1,651	1,561	26	77	3	26
Middle Atlantic	3,524	3,406	135	93	43	17
Midwest	5,712	5,321	116	140	18	42
East North Central	3,977	3,899	92	119	18	24
West North Central	1,736	1,422	23	21	*	18
South	7,108 ^b	8,440	346	370	93	105
South Atlantic	4,133 ^a	4,884	222	186	59	46
East South Central	873 ^b	1,259	35	63	15	25
West South Central	2,101	2,296	89	122	19	35
West	7,741	7,591	424	501	81	52
Mountain	2,297	1,978	123	158	21	9
Pacific	5,444	5,613	301	343	60	43
COUNTY TYPE						
Large Metro	14,624	15,276	720	687	169	93
Small Metro	7,735	7,725	209 ^a	417	41 ^a	120
250K – 1 Mil. Pop.	5,022	5,079	126 ^b	307	17 ^b	114
< 250K Pop.	2,713	2,646	83	110	24	6
Nonmetro	3,377	3,318	117	77	27	28
Urbanized	1,847	1,765	54	67	13	23
Less Urbanized	1,229	1,319	47	9	14	5
Completely Rural	301	233	16	1	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.106B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	14.2	14.4	0.6	0.6	0.1	0.1
GEOGRAPHIC DIVISION						
Northeast	14.7	14.1	0.5	0.5	0.1	0.1
New England	17.9	16.8	0.3	0.8	0.0	0.3
Middle Atlantic	13.6	13.1	0.5	0.4	0.2	0.1
Midwest	14.0	12.9	0.3	0.3	0.0	0.1
East North Central	13.9	13.5	0.3	0.4	0.1	0.1
West North Central	14.3 ^a	11.6	0.2	0.2	*	0.1
South	11.0 ^b	12.9	0.5	0.6	0.1	0.2
South Atlantic	12.0	14.0	0.6	0.5	0.2	0.1
East South Central	8.1 ^b	11.5	0.3	0.6	0.1	0.2
West South Central	10.9	11.7	0.5	0.6	0.1	0.2
West	19.1	18.5	1.0	1.2	0.2	0.1
Mountain	19.7 ^a	16.5	1.1	1.3	0.2	0.1
Pacific	18.8	19.2	1.0	1.2	0.2	0.1
COUNTY TYPE						
Large Metro	15.2	15.5	0.7	0.7	0.2	0.1
Small Metro	14.4	14.5	0.4 ^a	0.8	0.1 ^a	0.2
250K – 1 Mil. Pop.	14.2	14.4	0.4 ^b	0.9	0.0 ^b	0.3
< 250K Pop.	14.7	14.5	0.5	0.6	0.1	0.0
Nonmetro	10.9	10.6	0.4	0.2	0.1	0.1
Urbanized	13.5	13.9	0.4	0.5	0.1	0.2
Less Urbanized	8.8	8.3	0.3	0.1	0.1	0.0
Completely Rural	9.2	8.1	0.5	0.1	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.107A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	33,113	33,173	3,158	3,125	783	719
GEOGRAPHIC DIVISION						
Northeast	6,663	6,367	668	634	173	170
New England	2,139	1,978	204	226	45	71
Middle Atlantic	4,524	4,389	464	408	129	99
Midwest	7,373	6,846	572	593	140	138
East North Central	5,143	4,959	415	428	107	89
West North Central	2,230	1,887	157	166	33	48
South	9,401 ^a	10,609	966	986	271	267
South Atlantic	5,340	6,017	538	486	145	117
East South Central	1,180 ^b	1,624	101	151	37	48
West South Central	2,880	2,968	327	349	89	102
West	9,677	9,351	953	912	199	144
Mountain	2,918	2,552	295	315	51	42
Pacific	6,758	6,799	658	597	147	102
COUNTY TYPE						
Large Metro	18,640	18,837	1,880	1,701	485 ^a	326
Small Metro	10,125	10,083	917	1,096	216 ^a	307
250K – 1 Mil. Pop.	6,639	6,628	608	732	117 ^b	226
< 250K Pop.	3,486	3,456	309	363	99	80
Nonmetro	4,348	4,253	361	328	82	86
Urbanized	2,362	2,264	199	214	49	53
Less Urbanized	1,632	1,702	140	102	31	31
Completely Rural	354	287	22	12	2	2

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.107B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	15.6	15.4	1.5	1.5	0.4	0.3
GEOGRAPHIC DIVISION						
Northeast	16.3	15.5	1.6	1.5	0.4	0.4
New England	20.0	18.4	1.9	2.1	0.4	0.7
Middle Atlantic	15.0	14.5	1.5	1.4	0.4	0.3
Midwest	15.3 ^a	14.1	1.2	1.2	0.3	0.3
East North Central	15.3	14.6	1.2	1.3	0.3	0.3
West North Central	15.5 ^a	12.9	1.1	1.1	0.2	0.3
South	12.4 ^a	13.8	1.3	1.3	0.4	0.3
South Atlantic	13.4	14.8	1.3	1.2	0.4	0.3
East South Central	9.2 ^b	12.5	0.8	1.2	0.3	0.4
West South Central	12.4	12.6	1.4	1.5	0.4	0.4
West	20.2	19.2	2.0	1.9	0.4	0.3
Mountain	21.0 ^a	17.9	2.1	2.2	0.4	0.3
Pacific	19.8	19.7	1.9	1.7	0.4	0.3
COUNTY TYPE						
Large Metro	16.5	16.4	1.7	1.5	0.4 ^a	0.3
Small Metro	15.8	15.8	1.4	1.7	0.3 ^a	0.5
250K – 1 Mil. Pop.	15.8	15.8	1.4	1.7	0.3 ^b	0.5
< 250K Pop.	15.8	15.8	1.4	1.7	0.4	0.4
Nonmetro	12.1	11.7	1.0	0.9	0.2	0.2
Urbanized	14.8	15.1	1.2	1.4	0.3	0.4
Less Urbanized	10.1	9.4	0.9	0.6	0.2	0.2
Completely Rural	9.7	9.0	0.6	0.4	0.0	0.1

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.